


PLUMLEY ENGINEERING, P.C.

Civil and Environmental Engineering

8232 LOOP ROAD, BALDWINVILLE, NEW YORK 13027

(315) 638-8587 Fax: (315) 638-9740 Internet: www.plumleyeng.com



RECEIVED

LETTER OF TRANSMITTAL

To: NYS DEC

270 Michigan Avenue

Buffalo, New York 14203-2999

SEP 15 2006

NYSDEC REG 9

FOIL
REL UNREL

Date:	09/14/06	Project No.:	2005088
Attention:	Mr. Martin Doster		
RE:	Former Agway Nitrogen Complex		
	City of Olean		
	Cattaraugus County, New York		

We are sending you ☒ attached ☐ under separate cover via FedEx Overnight the following items:

- ☐ Shop drawings ☐ Prints ☐ Plans ☐ Samples ☐ Specifications
☐ Copy of letter ☐ Change Order ☒ see below

COPIES	DATE	NO.	DESCRIPTION
1	Jul-05	---	PHASE I ENVIRONMENTAL SITE ASSESSMENT
1	Sep-05	---	TEST PIT SUBSURFACE SOIL INVESTIGATION

These are transmitted as checked below:

- | | | |
|--|---|---|
| <input type="checkbox"/> For approval | <input type="checkbox"/> Approved as submitted | <input type="checkbox"/> Resubmit _____ copies for approval |
| <input type="checkbox"/> For your use | <input type="checkbox"/> Approved as noted | <input type="checkbox"/> Submit _____ copies for distribution |
| <input checked="" type="checkbox"/> As requested | <input type="checkbox"/> Returned for corrections | <input type="checkbox"/> Return _____ corrected prints |
| <input type="checkbox"/> For review and comment | <input type="checkbox"/> Prints returned after loan to us | <input type="checkbox"/> For bids due: _____ |
| <input type="checkbox"/> | | |

REMARKS:

The enclosed reports are being forwarded to you at the request of John Steiner of Agway, Inc.

If you have any questions, please do not hesitate to contact us.

cc: Mr. John R. Steiner

SIGNED:

DALE R. VOLLMER, P.E.

Dale R. Vollmer
ckc

PHASE I ENVIRONMENTAL SITE ASSESSMENT


of the

**FORMER OLEAN NITROGEN COMPLEX
1446 Buffalo Street
City of Olean, Cattaraugus County, New York**

Prepared for:

COR BUFFALO STREET, LLC
540 Towne Drive
Fayetteville, New York 13066

Prepared by:



RECEIVED

SEP 15 2005

NYSDOC REG 9

FOIL
REL UNREL

8232 Loop Road
Baldwinsville, New York 13027
(315) 638-8587
Project No. 2005088

July 2005

TABLE OF CONTENTS

Page 1 of 3

	<u>PAGE</u>
1.0 EXECUTIVE SUMMARY	1-1
2.0 INTRODUCTION.....	2-1
2.1 PURPOSE.....	2-1
2.2 SPECIAL TERMS AND CONDITIONS	2-1
2.3 LIMITATIONS AND EXCEPTIONS OF ASSESSMENT	2-2
2.4 LIMITING CONDITIONS AND METHODOLOGY USED	2-2
3.0 SITE DESCRIPTION.....	3-1
3.1 LOCATION	3-1
3.2 SITE AND VICINITY CHARACTERISTICS.....	3-1
3.3 DESCRIPTION OF SITE IMPROVEMENTS.....	3-2
3.4 INFORMATION REPORTED BY USER REGARDING ENVIRONMENTAL LIENS OR RECOGNIZED ENVIRONMENTAL CONDITIONS.....	3-2
3.5 CURRENT USE OF THE PROPERTY.....	3-4
3.6 PAST USES OF THE PROPERTY.....	3-4
3.6.1 INTERVIEWS / REPORTED HISTORY	3-4
3.6.2 ABSTRACT OF TITLE.....	3-4
3.6.3 SANBORN FIRE INSURANCE MAPS	3-5
3.7 CURRENT AND PAST USES OF ADJACENT PROPERTIES	3-6
4.0 RECORDS REVIEW	4-1
4.1 STANDARD ENVIRONMENTAL RECORD SOURCES.....	4-1
4.1.1 FEDERAL RECORDS	4-1
4.1.1.1 NATIONAL PRIORITIES LIST	4-1
4.1.1.2 COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY INFORMATION SYSTEM.....	4-1

TABLE OF CONTENTS

Page 2 of 3

	<u>PAGE</u>
4.1.1.3 RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM.....	4-2
4.1.1.4 EMERGENCY RESPONSE NOTIFICATION SYSTEM.....	4-3
4.1.2 NEW YORK STATE RECORDS	4-4
4.1.2.1 NEW YORK INACTIVE HAZARDOUS WASTE DISPOSAL SITES.....	4-4
4.1.2.2 DEC SPILL PREVENTION AND RESPONSE DATA SECTION.....	4-4
➤ SPILLS.....	4-5
➤ LEAKING STORAGE TANK INCIDENT REPORTS	4-5
➤ PETROLEUM BULK STORAGE TANKS	4-6
➤ CHEMICAL BULK STORAGE TANKS	4-7
4.1.2.3 DEC BUREAU OF RESOURCE RECOVERY-SOLID WASTE FACILITIES.....	4-7
4.1.3 LOCAL RECORDS.....	4-8
4.1.3.1 FREEDOM OF INFORMATION LAW (FOIL) REQUESTS	4-8
4.2 PHYSICAL SETTING SOURCES.....	4-8
4.2.1 USGS TOPOGRAPHIC MAPS	4-8
4.2.2 HISTORICAL AERIAL PHOTOGRAPHS	4-9
4.2.3 REVIEW OF REPORTS	4-9
5.0 INFORMATION FROM SITE RECONNAISSANCE AND INTERVIEWS	5-1
5.1 HAZARDOUS SUBSTANCES IN CONNECTION WITH IDENTIFIED USES	5-1
5.2 HAZARDOUS AND/OR UNIDENTIFIED SUBSTANCE CONTAINERS	5-1
5.3 STORAGE TANKS AND DRUMS.....	5-1
5.4 PCBs.....	5-2
5.5 SOLID WASTE	5-3
5.6 WASTEWATER	5-3

TABLE OF CONTENTS

Page 3 of 3

	<u>PAGE</u>
5.7 ADDITIONAL SITE CONDITIONS	5-3
5.7.1 STAINED AREAS, STRAINED VEGETATION AND DEBRIS.....	5-3
5.7.2 MOUNDS, DEPRESSIONS, DISTURBANCES.....	5-4
5.7.3 PITS, PONDS AND LAGOONS.....	5-4
5.7.4 MISCELLANEOUS CONCERNS	5-4
6.0 FINDINGS AND CONCLUSIONS	6-1
7.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS	7-1

FIGURES

- FIGURE 1 - PHASE I ESA LOCATION MAP
- FIGURE 2 - PROPERTY LAYOUT

APPENDICES

- APPENDIX A - QUALIFICATION INFORMATION
- APPENDIX B - PHASE I ENVIRONMENTAL QUESTIONNAIRE
- APPENDIX C - ENVIRONMENTAL DATA RESOURCES, INC. REPORT

PHOTOGRAPHS

1.0 EXECUTIVE SUMMARY

Plumley Engineering has performed a Phase I Environmental Site Assessment (ESA) for COR Buffalo Street, LLC on Property located at 1446 Buffalo Street in the City of Olean, Cattaraugus County, New York. This Property consists of two adjacent parcels, with tax map numbers 94.047-2-29 ("front parcel") and 94.048-1-1.2 (divided by easement into "rear parcel" and "middle parcel"). The Property totals approximately 35.99 acres in size.

This investigation was conducted in general conformance with the scope and limitations of American Society for Testing and Materials (ASTM) Standard E 1527-00 and standard engineering practices in order to identify recognized environmental conditions concerning the Property. This assessment included a historical records search, interviews and an inspection of the site.

The Property is in a predominantly industrial area, with a long industrial history. The "front parcel" is a triangular-shaped parcel, approximately 24 acres in size, located along Buffalo Street. The "front parcel" includes four large industrial buildings and two small outbuildings. Numerous remnants of foundations of former industrial facilities are also located on this parcel.

The "rear parcel" is also triangular-shaped and is approximately 11 acres in size. There are three large buildings, two small outbuildings and an electrical substation on this parcel. The "middle parcel" is irregular-shaped, approximately 0.6 acres in size and vacant. The front and middle parcels are contiguous and the rear parcel is separated from the middle parcel by a 75-foot wide Niagara Mohawk Power Corporation easement.

Past uses of the Property were reviewed as part of the assessment. Records indicate this Property was first developed prior to 1898 as part of an oil refinery operated by the Vacuum Oil Company, later SOCONY Vacuum Oil Corporation and Standard Oil. Oil storage tanks, and possibly some refining operations, were located on portions of the site until sometime between 1949 and 1969. In about 1958, an ammonia production and fertilizer manufacturer was located on the Property, which was purchased by Agway in 1966. The facility operated until 1983, when it was shut down and most of the manufacturing facilities were demolished.

The majority of the Property is currently vacant. Two buildings leased, one to a landscaping firm and the other to R&R Transmissions, an automotive repair facility.

This assessment revealed the following recognized environmental conditions associated with the Property:

- Contamination of soil and groundwater with nitrogen compounds. We recommend that Agway provide a letter from the New York State Department of Environmental Conservation indicating the requirements of the Stipulation Agreement associated with this contamination have been satisfied and no further investigation or remediation is required.
- Reported soil and groundwater contamination with petroleum compounds is consistent with past use of the Property as an oil refinery. We recommend a subsurface investigation be conducted in phases. The first phase would be a test pit program to inspect subsurface conditions. If subsurface conditions are as reported, with gross contamination, no analytical testing would be performed. If conditions look favorable, we would submit soil samples for laboratory analysis. The second phase would involve installation of groundwater monitoring wells to assess site-wide groundwater conditions.
- Soil on a portion of the Property is contaminated with polychlorinated biphenyls (PCBs). Limited sampling identified a 1 to 2-acre area. Remediation would typically involve removal of subsurface (>1 foot below ground surface) soils with PCB concentrations exceeding 10 parts per million (ppm) and surface soils exceeding 1 ppm. Additional sampling is recommended to determine the extent of the PCB contamination.
- Groundwater contamination with metals, including barium, chromium, lead and copper, has been identified on the Property at concentrations above State groundwater standards. The groundwater investigation recommended above should include an assessment of metals contamination in the groundwater.

- Widespread areas of surface soils on the Property include cinder-like materials. A surface soil sampling program is recommended to assess potential contamination with metals and polycyclic aromatic hydrocarbons (PAHs).
- At least three underground storage tanks are reported or suspected on the Property. We recommend investigation of suspected tank locations during the test pit program.

This assessment revealed the following concerns in connection with the subject property:

- Containers of hazardous substances were identified on the Property, particularly at the R&R Transmission shop, but also at other scattered locations. Removal and proper disposal of hazardous substance containers and vehicle parts containing fluids is recommended.
- Remaining electrical transformers on the Property should be removed.
- Metal pellets reportedly used as a catalyst in the ammonia process were found in approximately 35 drums, in a pile and spread over portions of the rear parcel. We recommend these be tested for hazardous characteristics, removed and properly disposed of.

2.0 INTRODUCTION

2.1 PURPOSE

This ESA was performed to provide information regarding recognized environmental conditions (RECs) and potential environmental concerns in connection with the Property.

2.2 SPECIAL TERMS AND CONDITIONS

The ESA incorporated a site walkover inspection, interviews and a historical records search conducted in general conformance with ASTM E 1527-00, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*.

ASTM defines recognized environmental conditions as "...the presence or likely presence of hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater or surface waters of the property". This definition is not intended to include *de minimis* conditions that generally would "...not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies".

Services performed by Plumley Engineering in preparation of this report were conducted in a manner consistent with the level of care and skill ordinarily exercised by members of the engineering profession practicing contemporaneously under similar conditions in the locality of the project. Under no circumstances is any warranty, expressed or implied, made in connection with providing these services. Refer to *Appendix A – Qualification Information* for company and individual qualifications.

This report and the information contained herein have been prepared solely for the use of COR Buffalo Street, LLC and their agents.

2.3 LIMITATIONS AND EXCEPTIONS OF ASSESSMENT

The investigation for potential lead, asbestos and radon sources is not within the scope of an ASTM E 1527-00 Phase I ESA, and therefore was not addressed during this investigation.

2.4 LIMITING CONDITIONS AND METHODOLOGY USED

Current and historic information on the Property was obtained from a review of the Abstract of Title for the Property, a review of historic maps, a questionnaire completed by John Steiner of Agway Trust, current owner of the Property (refer to *Appendix B – Phase I Environmental Questionnaire*) and teleconference interviews with John Steiner and Phil Blair of Agway.

Records were reviewed from pertinent State and Federal environmental databases, and Freedom of Information Law (FOIL) requests specific to the Property were made of the following agencies:

- The New York State Department of Environmental Conservation (DEC).
- The New York State Department of Health (NYSDOH).
- The Cattaraugus County Health Department.

Dale R. Vollmer, P.E. of Plumley Engineering inspected the site on June 20, 2005.

3.0 SITE DESCRIPTION

3.1 LOCATION

The Property is located at 1446 Buffalo Street in the City of Olean, Cattaraugus County, New York. Refer to *Figure 1 – Phase I ESA Location Map* for additional information.

The Property is in a predominantly industrial area, with a long industrial history. This Property consists of two adjacent parcels, with tax map numbers 94.047-2-29 (“front parcel”) and 94.048-1-1.2 (divided by easement into “rear parcel” and “middle parcel”). The Property totals approximately 35.99 acres in size. The “front parcel” is a triangular-shaped parcel approximately 24 acres in size, located along Buffalo Street. The “front parcel” includes four large industrial buildings and two small outbuildings. Numerous remnants of foundations of former industrial facilities are also located on this parcel.

The “rear parcel” is also triangular-shaped and is approximately 11 acres in size. There are three large buildings, two small outbuildings and an electrical substation on this parcel. The “middle parcel” is irregular-shaped, approximately 0.6 acres in size and vacant. The front and middle parcels are contiguous and the rear parcel is separated from the middle parcel by a 75-foot wide Niagara Mohawk Power Corporation easement.

Refer to *Figure 2 – Property Layout* for additional information.

3.2 SITE AND VICINITY CHARACTERISTICS

The Property is a former fertilizer manufacturing facility. The majority of the Property is not maintained, and is overgrown with grasses and woody plants. The Property is located in a mixed commercial and industrial area. Two of the buildings on-site are leased to commercial enterprises, including a landscaping firm and an automotive repair facility (R&R Transmissions).

A sanitary sewer line crosses the Property along the northern boundary of the front parcel. Widespread areas of surface soils on the Property include cinder-like materials. At least three underground storage tanks are reported or suspected on the Property.

The Property is bounded by vacant lands to the north, northwest and northeast. These parcels were owned by the Felmont Oil Corporation. The Property is bounded by the Dresser-Rand manufacturing company to the south and southeast, and by Buffalo Street and office buildings to the west. The site is accessible from Buffalo Street.

3.3 DESCRIPTION OF SITE IMPROVEMENTS

The front parcel includes 4 large industrial buildings and 2 small outbuildings. Numerous remnants of foundations of former industrial facilities are also on this parcel. There are three large building, two small outbuildings and an electrical substation on the rear parcel [Photos 1, 2, 3, 4 and 5].

3.4 INFORMATION REPORTED BY OWNER REGARDING ENVIRONMENTAL LIENS OR RECOGNIZED ENVIRONMENTAL CONDITIONS

The Agway site has been the subject of several environmental studies. The following reports and documents relating to the environmental conditions and investigations completed on the Property have been reviewed:

- *Final Draft Site Inspection Report, Agway/CF Industries*, completed by NUS Corporation for the United States Environmental Protection Agency (EPA), dated September 28, 1990.
- *Geohydrologic Evaluation of Agway's Former Olean Nitrogen Complex*, completed by John C. Halepaska and Associates, Inc. for Agway, Inc., dated December 1991. ✓

- Stipulation Agreement between the DEC and Agway, Inc. for work to be completed at the Olean Nitrogen Complex, dated January 1990. ✓
- Agway Environmental Disclosure Memorandum from Robert Clarke to Jeff McIntyre, dated January 4, 2001. No
- Letter from Peter Barkmann of John C. Halepaska and Associates, Inc. to Gerald Palumbo of the DEC presenting results of the 2001 Water Quality Sampling Program at the Former Agway Nitrogen Complex, dated January 4, 2002. 1
- Letter from John Steiner of Agway to Gerald Palumbo of the DEC regarding the Former Agway Nitrogen Complex, dated February 2, 2005. 1

The former Agway Olean Nitrogen Complex was a nitrogen fertilizer manufacturing facility owned by Agway and operated by CF Industries from 1966 to 1983. The Property is known as the Agway/CF Industries Site or the Olean Nitrogen Complex.

Since the facility's closure in 1983, the plant has been dismantled. Aboveground storage tanks were removed from the site, two lined process-water ponds were filled in and some buildings have been demolished. Some buildings remain on the Property.

This site has a long history of industrial use. It is reported that this Property was first developed prior to 1898, with the construction of an oil refinery by Vacuum Oil Company. Oil refining operations continued on the site until 1955. Use of the Property from 1955 to 1966 is not reported. However, the Property appears to have been owned by a grain company and an oil company during that period.

The site is located in a heavily industrialized area that includes the former Van Der Horst Plant, Felmont Oil Corporation and Dresser-Rand. All three of these industries are reported to be located hydraulically upgradient of the Property.

3.5 CURRENT USE OF THE PROPERTY

The majority of the Property is currently vacant. Two buildings are leased, one to a landscaping firm and the other to R&R Transmissions, an automotive repair facility.

3.6 PAST USES OF THE PROPERTY

3.6.1 INTERVIEWS / REPORTED HISTORY

Past uses of the Property were reviewed as part of the assessment. Records indicate this Property was first developed prior to 1898 as part of an oil refinery operated by the Vacuum Oil Company, later SOCONY Vacuum Oil Corporation and Standard Oil. Oil storage tanks, and possibly some refining operations, were located on portions of the site until sometime between 1949 and 1969. In about 1958, an ammonia production and fertilizer manufacturer was located on the Property, which was purchased by Agway in 1966. The facility operated until 1983, when it was shut down and most of the manufacturing facilities were demolished.

3.6.2 ABSTRACT OF TITLE

The Abstract for the Property is divided into two sections. One section documents ownership of the southern portion of the subject Property. The other section documents ownership of the northern section of the subject Property. The earliest entry in the Abstract of Title affecting ownership of the Property is dated 1866, documenting the private party transfer of certain parcels of the southern Property. The first instance of documented property transfer from private individuals to a commercial enterprise is dated 1878, with sections of the northern part of the subject Property being transferred to the Acme Oil Company. Subsequent transactions list ownership of portions of the Property by Standard Oil Company (SOCONY), Swan Finch Oil Company, Felmont Oil Corporation and the Vacuum Oil Company. Mergers and consolidation of holdings in the mid-1930's resulted in the land

being held by SOCONY-Vacuum Oil Company, Inc. An oil and gas development lease for the Property was completed in both 1911 and 1927. Agway, Inc. acquired at least a portion of the Property from Felmont Oil Corporation in 1965. Agway, Inc. purchased the remainder of the Felmont portions of the site in 1983. Review of the Abstract gives evidence that this Property was used for industrial purposes.

3.6.3 SANBORN FIRE INSURANCE MAPS

Sanborn fire insurance maps were available, depicting only a small portion of the southwest corner of the Property. Sanborn maps from 1898, 1904, 1909, 1915, 1932, 1949 and 1969 depicting portions of the immediately surrounding area were reviewed. The 1898 map depicts the northwestern corner of the front portion of the Property. This section is depicted as having two residential structures on it. The Vacuum Oil Company is utilizing the adjacent land to the north of the Property as a bulk oil storage terminal, with multiple storage tanks depicted.

The 1904, 1909 and 1915 maps illustrate the extreme southwest corner of the Property and the sites immediately adjacent to this area. There are several residential structures depicted on the Property. Adjacent to the Property to the west is a glass manufacturing plant, with several residential structures depicted adjacent to it. The 1915 map also shows a second glass manufacturing plant to the northeast of the Property.

Similar to the 1904, 1909 and 1915 maps, the 1932 map illustrates the extreme southwest corner of the Property and the sites immediately adjacent to this area. This map depicts several residential structures and a trio of oil tanks on the Property, which is listed as the Vacuum Oil Company. In place of the previous glass manufacturing plant are several smaller structures of unknown usage. There are multiple residential structures shown to the north of these buildings, west of the Property.

This map also illustrates the site to the north of the Property. This map states that the site directly north of the Property is the Vacuum Oil Company, with railroad tracks and a mix of residential and one large industrial plant to the north of the railroad tracks.

The 1949 map illustrates the same areas of the Property and surrounding areas as the 1932 map. The trio of buildings to the southwest to the Property is now depicted as a feed mill, and the large industrial facility to the north of the Property is no longer shown.

The 1969 map illustrates the same areas of the Property and surrounding areas as the 1949 map. The former large industrial plant depicted north of the Property on the 1932 map is now shown as an iron plating facility.

3.7 CURRENT AND PAST USES OF ADJACENT PROPERTIES

Based on a review of the Abstract, the Property and adjacent properties have been used for industrial purposes since the early 1900's. The Property is bounded by vacant lands to the north, northwest and northeast. These parcels have historically been and currently are owned by the Felmont Oil Corporation. The Property is bounded by the Dresser-Rand manufacturing company to the south and southeast [Photo 6]. These parcels have historically been utilized for industrial purposes and were once part of the Vacuum Oil operations at the Property. The Property is bounded by Buffalo Street and office buildings to the west [Photo 7]. These parcels have historically been utilized for both residential and commercial purposes.

Review of records and historic topographic maps indicates that past use of adjacent properties was primarily industrial, with scattered residential and commercial properties.

4.0 RECORDS REVIEW

Federal and New York State database records were reviewed to help identify the potential for RECs related to the Property. Refer to *Appendix C – Environmental Data Resources, Inc. Report* for additional information.

4.1 STANDARD ENVIRONMENTAL RECORD SOURCES

4.1.1 FEDERAL RECORDS

The following Federal environmental databases were reviewed as part of this assessment:

4.1.1.1 NATIONAL PRIORITIES LIST

The National Priorities List (NPL) is the EPA's list of uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under "Superfund".

The Property is not listed on the NPL and no NPL sites are indicated to be located within a 1-mile radius of the Property.

4.1.1.2 COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY INFORMATION SYSTEM

The Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) is the EPA's list of known or suspected uncontrolled or abandoned hazardous waste sites.

The Property is not listed in the CERCLIS database. There is one CERCLIS site, Van Der Horst Corporation of America (CERCLIS No. 1000110509), located ½ mile

east-northeast of the Property. This site is a former chromium plating facility with documented soil and groundwater contamination. The contaminated soil at the facility and the adjoining residential parcels has been remediated, and area groundwater is being monitored through a long-term operation and maintenance annual sampling program.

No Further Remedial Action Planned (NFRAP) sites are sites that have been removed from the CERCLIS list, due to site cleanup or other reasons. The Property is listed as an NFRAP site. Information provided regarding the status of the Property reveals that the Property was issued CERCLIS Archive status in January 1997. No other details regarding the status of the Property were provided.

One additional NFRAP site is indicated to be located within a ¼-mile radius of the Property. This site, Felmont (CERCLIS NFRAP No. 1003863736), is listed as being located 884 feet southwest of the Property. Based on the history of the Property, this facility was once part of the manufacturing operations at the Property. This facility was issued CERCLIS Archive status in December 1991. No other details regarding the status of the Property were provided.

4.1.1.3 RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM

The Resource Conservation and Recovery Information System (RCRIS) contains information on hazardous waste treatment, storage and disposal (TSD) facilities (both corrective action sites and non-corrective action sites), large quantity generators (LgGen) and small quantity generators (SmGen).

The Property is not listed as a RCRIS corrective action facility. One RCRIS corrective action site is indicated to be located within 1 mile of the Property. This facility, Loctite Corporation, is located approximately ½ mile from the Property and

manufactures plastic resins, paints and adhesives. The site was found to be in violation of all generator requirements in September 1990, and was assigned a low corrective action status in September 1993 and again in February 1994. It was determined that no RFI was required in July 1994. No further information was provided regarding the corrective actions at this facility.

The Property is not listed as a RCRIS TSD facility and no TSD facilities are indicated to be located within a ½-mile radius of the Property.

The Property is not listed as a RCRIS LgGen or SmGen facility. Four LgGen facilities are reported to be located within ¼ mile of the Property. One facility, NYSEG – Olean Service Center, is listed as having no violations found. The remaining three facilities, Cytec Olean Incorporated, Dresser Industries Inc (Dresser Clark) and Loctite Corporation are all listed as having violations. These facilities are listed as having been brought into compliance.

Eighteen SmGen facility are reported to be located within ¼ mile of the Property. One facility, RG Scott, located approximately ½ mile east-northeast of the Property, is listed as having a single violation. There are no violations listed for the remaining seventeen SmGen facilities.

Details regarding these facilities may be found in *Appendix C – Environmental Data Resources, Inc. Report*.

4.1.1.4 EMERGENCY RESPONSE NOTIFICATION SYSTEM

The Emergency Response Notification System (ERNS) is a national database system used to store information on the sudden and/or accidental release of hazardous substances and petroleum into the environment. The information reviewed indicated there have been no reported incidents on the Property that required emergency response notification.

4.1.2 NEW YORK STATE RECORDS

4.1.2.1 NEW YORK INACTIVE HAZARDOUS WASTE DISPOSAL SITES

The DEC maintains two databases listing inactive hazardous waste disposal sites and hazardous substance waste disposal sites located within New York State.

The information reviewed indicated the Property is not listed on the Inactive Hazardous Waste Disposal Sites in New York State (SHWS) database. The Property is listed on the State Hazardous Substance Waste Disposal Site Inventory (HSWDS) database. The Property is listed as having contaminated groundwater with ammonia and nitrates. There is no closure date listed in this database for the Property.

One SHWS facility is reported to be located within a 1-mile radius of the Property. This facility, identified as the Van Der Horst Corporation of America site, was previously discussed under the CERCLIS section. No HSWDS facilities are reported to be located within a ½-mile radius of the Property.

1446 Buffalo Street is listed as an Environmental Restoration Project (ERP) on the DEC database. An ERP is a site where the DEC has provided funding to a municipality for investigation or cleanup. The ERP site is described as a 15-acre parcel at the former Felmont Oil site and is believed to be the parcel directly north of the rear parcel.

4.1.2.2 DEC SPILL PREVENTION AND RESPONSE DATA SECTION

The DEC also maintains records that include information regarding sites with reported spills (hazardous waste, petroleum and other), leaking tank incidents and registered underground storage tanks (USTs), chemical bulk storage tanks and/or

petroleum bulk storage tanks. These records were reviewed to determine the status of the Property and surrounding properties.

➤ SPILLS

The DEC Spills database includes records of petroleum spills to State waterways or the ground surface.

No spills are listed for the Property on the DEC Spills database. A site listed as the Agway Industrial Park appears on the Spills database under the Orphan Sites list (DEC Spill No. 9509952). This facility is listed as having had a small volume (10-gallon) release of crude oil from a tanker truck. This release was remediated and the spill was closed in December 1996.

No spills are reported to have occurred within ¼ mile of the Property.

➤ LEAKING STORAGE TANK INCIDENT REPORTS

DEC records contain an inventory of reported leaking storage tank (LTANK) incidents from April 1, 1986 through the most recent update. These incidents can be either leaking underground or aboveground storage tanks. The causes of these incidents are tank test failures, tank failures or tank overfills.

No LTANK incidents are listed for the Property on the DEC database.

Four LTANK incidents are reported to have taken place within ½ mile of the Property. Each of these incidents have been closed by the DEC. Details regarding each of these incidents may be found in *Appendix C – Environmental Data Resources, Inc. Report*.

PETROLEUM BULK STORAGE TANKS

Underground Storage Tanks (USTs)

The UST database contains a listing of registered USTs. No USTs are listed for the Property on the DEC database. Five properties having USTs are indicated to be located within a ¼-mile radius of the Property.

One site listed as having USTs is the Van Der Horst Corporation of America facility located at 900 West Connell Street, adjacent to the rear portion of the Property. State records indicate this site has one closed tank, listed as a 6,000-gallon steel tank that was used for the storage of fuel oil. This tank is reported to have been removed.

The second site listed as having USTs is the Conap, Inc. facility located at 1405 Buffalo Street, approximately 1,000 feet south of the front portion of the Property. State records indicate this site has one closed tank, listed as a 10,000-gallon steel tank that was used for the storage of fuel oil. This tank is reported to have been removed.

The third site listed as having USTs is the County Fair #75 located at 421 North 12th Street, approximately 1,400 feet south of the front portion of the Property. Four active USTs are listed for this site, registered as a 15,000-gallon and an 8,000-gallon fiberglass for the storage of gasoline, a 6,000-gallon fiberglass for the storage of kerosene and a 10,000-gallon fiberglass for the storage of diesel fuel.

The fourth site listed as having USTs is the Uni-Mat #05019 located at the corner of 9th and Wayne Streets, approximately 1,750 feet southeast of the

front portion of the Property. Three active USTs are listed for this site, registered as 10,000-gallon steel tanks for the storage of gasoline.

The fifth site listed as having USTs is Dresser Rand located at North 5th Street, approximately 2,100 feet east-southeast of the front portion of the Property. State records indicate this site has five closed tanks, listed as a 1,000-gallon steel tank used for the storage of waste oil, two 30,000-gallon steel tanks used for the storage of fuel oil, a 10,000-gallon steel tank used for the storage of fuel oil and a 15,000-gallon steel tank used for the storage of fuel oil. These tanks are reported to have been either closed in place or removed.

Aboveground Storage Tanks (ASTs)

The AST database contains a listing of registered ASTs. No ASTs are listed for the Property on the DEC database. No ASTs are indicated to be located within a ¼-mile radius of the Property.

➤ CHEMICAL BULK STORAGE TANKS

DEC records do not indicate the presence of any registered chemical bulk storage (CBS) tanks on the Property. No registered CBS tanks are reported to be located within a ¼-mile radius of the subject Property.

4.1.2.3 DEC BUREAU OF RESOURCE RECOVERY - SOLID WASTE FACILITIES

The DEC's Bureau of Resource Recovery maintains a listing of solid waste landfills (State Landfill) and processing facilities (Waste Tire Storage and Recycling Facilities) currently operating in New York. Records did not indicate the presence

of any State Landfill facilities within a ½-mile radius of the Property. No Registered Waste Tire Storage Facilities (SWTIRE) or Registered Recycling Facilities (SWRCY) are indicated to be located within a ½-mile radius of the Property.

4.1.3 LOCAL RECORDS

4.1.3.1 FREEDOM OF INFORMATION LAW (FOIL) REQUESTS

FOIL requests specific to the subject Property were made of the following agencies:

- The DEC.
- The NYSDOH.
- The Cattaraugus County Health Department.

To date, no responses have been received. Any relevant information received will be forwarded.

4.2 PHYSICAL SETTING SOURCES

4.2.1 USGS TOPOGRAPHIC MAPS

The Property location is shown on *Figure 1 – Phase I ESA Location Map*. The elevation of the Property is approximately 1,425 feet (USGS datum) above sea level. The nearest body of water is Two Mile Creek, located approximately 1,000 feet northwest of the Property.

The ground surface over the site is relatively flat. Based on the local topography, the anticipated groundwater flow direction is generally from north to south across the Property.

The 1898, 1961 and 1980 editions of the USGS topographic map were reviewed. The 1898 map shows the Property as developed, with several small structures and several rail spurs

depicted. Several roads, including Seymour Street, are also depicted. The 1961 map shows the Property as developed. Multiple large buildings are depicted on the site, as well as multiple storage bins. Several rail spurs are depicted. One road is illustrated on the Property. The 1980 map shows the Property as developed. Many of the structures shown on the Property have been removed, as well as all the storage bins. There are several new buildings depicted on the Property.

4.2.2 HISTORICAL AERIAL PHOTOGRAPHS

Historical aerial photographs of the Property were not available. USGS aerial photographs from 1985, 1993 and 2001 were reviewed. The photographs show the Property as developed, with several large buildings on both the front and rear sections of the Property. Vegetative cover can be seen progressively invading the Property between 1985 and 2001.

4.2.3 REVIEW OF REPORTS

As early as the late 1960's, environmental concerns were raised in the vicinity of the Agway property. In June 1967, the Cattaraugus County Health Department issued a press release cautioning the public against the use of groundwater from private wells in the vicinity of the Van Der Horst Plant (adjacent to the Property) for drinking water purposes. In the 1970's, elevated levels of nitrate-nitrogen were observed in the local groundwater at the Agway property. In 1977, a consent decree with the DEC mandated Agway to install a recovery well at the Nitrogen Complex on the Property for the purposes of groundwater recovery and treatment for the removal of nitrate-nitrogen. This pumping operation continued until 1985, when groundwater pumping was stopped because elevated levels of chromium were reported in the groundwater. The source of the chromium was suspected to be off-site. Concern that the recovery pump was drawing contamination onto the site was part of the decision to discontinue pumping operations.

In 1990, the United States Environmental Protection Agency (EPA) retained NUS Corporation to complete a Level III Site Inspection of the Agway/CF Industries site. This

inspection was a preliminary assessment of the Property for consideration by the EPA for listing on its NPL of Superfund Sites. NUS Corporation completed an on-site investigation of the property in June 1990. Their report identified inorganic groundwater contamination (chromium, lead, barium and copper), site soil samples that indicated the presence of PCBs, and volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs) in creek sediments (Two Mile Creek) downstream of an outfall originating on the Agway property. The report concluded that the findings supported a Listing Site Inspection to further evaluate the property regarding placement on the NPL.

In 1991, Agway hired their own consultant, John C. Halepaska and Associates, Inc. (JHA), to complete an environmental investigation of the Olean Nitrogen Complex property. The report completed by JHA, entitled *Geohydrologic Evaluation of Agway's Former Olean Nitrogen Complex*, cited numerous flaws in the NUS report. JHA claimed the NUS study was inaccurate for the following reasons:

- The report based its findings on too limited an amount of data.
- The study did not account for isolated upper and lower aquifers.
- NUS did not properly assess the groundwater flow direction.
- The investigation did not take into account adjacent industrial sites.
- Report findings ignored historic groundwater pumping operations that took place on the property and an adjacent property.

The investigation completed by JHA resulted in the following findings:

- PCB contamination of surficial soils exists in an area approximately 1 to 2 acres in size. PCB concentrations in this zone of contamination may range from 0.7 to 4.2

milligrams per kilogram (mg/kg). Contaminant concentrations are not persistent at depths below 3.5 feet.

- Data from groundwater samples collected from six shallow wells and five deep wells did not indicate the presence of metals, including barium, chromium, lead and copper, above State groundwater standards.
- Another industry, in addition to the Olean Nitrogen Complex, discharged waters into the storm sewer that discharges to Two Mile Creek. Because of this, JHA concluded that it cannot be assumed the sediment contamination found in Two Mile Creek is necessarily from the Agway property.

Based on these findings, JHA calculated a hazard ranking score for the Agway site of 0.8. This score is below the score for placing sites on the NPL. It appears the EPA lost interest in the site following this report. The information provided does not include any further site assessments or correspondence from the EPA. An EPA internet listing of NPL sites does not list the Olean Nitrogen Complex or any other listing that references Agway or the subject Property.

While the EPA appears to have not taken any action on this site, the DEC did enter into a Stipulation Agreement with Agway regarding the site in 1990. This Stipulation Agreement required Agway to implement a groundwater monitoring program. This program included the monitoring of groundwater from both on-site and off-site wells for plume migration of nitrogenous compounds. Monitoring was to continue for a five-year period. In 1994, a final groundwater monitoring report was submitted to the DEC. This report indicated that modeling used to predict the plume migration had overestimated the ammonia concentration that would be seen downgradient of the property. Of particular concern was the St. Francis well field that was utilized as a public drinking supply. Data from the five-year monitoring program, as interpreted by Agway's consultant, indicated the DEC water quality standard for ammonia of 2 ppm would not be exceeded at the St. Francis well field. Additional

monitoring was completed in May 1997 and again in 2001. Results indicated a decrease in both on-site and off-site groundwater ammonia concentrations. It should be noted that the St. Francis well field has since been closed, due to contamination from other sources.

Requests have been made by Agway and their consultant asking the DEC to respond to their May 1997 and January 2002 reports. Information provided indicates that no response has been provided to Agway.

The most recent data available is from a report dated January 2002. This report focuses exclusively on groundwater contamination with nitrogen compounds of wells on the Agway property and some downgradient wells, including wells in the City of Olean's St. Francis well field. The findings of this report are as follows:

- There is no groundwater nitrate contamination in the deep aquifer at any of the off-site well locations in excess of the State groundwater standard of 10 milligrams per liter (mg/L).
- On-site wells in the deep aquifer had ammonia-nitrogen concentrations ranging from 1.4 to 14.4 mg/L, in excess of the State groundwater standard of 2 mg/L.
- The shallow aquifer beneath the Agway property has ammonia-nitrogen concentrations ranging from 1 to 34 mg/L, in excess of the State groundwater standard of 2 mg/L.
- An off-site, shallow well, just south of the Agway property on the opposite side of Constitution Avenue, had an ammonia-nitrogen concentration of 5.6 mg/L.

All of the work most recently undertaken by Agway and required by the DEC focused on nitrate contamination of groundwater. The DEC's Division of Water is the only division to have reviewed the information concerning this property.

On May 31, 2005, Plumley Engineering contacted Gerald Palumbo of the Division of Water in the DEC's Buffalo office to inquire about the status of the site concerning the DEC's 1985 Stipulation Agreement with Agway regarding groundwater monitoring. Mr. Palumbo stated that the Division of Water anticipates responding to Agway's requests for a response to that Agreement in the near future. He anticipates the response will indicate that the requirements of the Stipulation Agreement have been met. There is no closure on the part of DEC regarding other aspects of the site, such as the PCB soil contamination.

5.0 INFORMATION FROM SITE RECONNAISSANCE AND INTERVIEWS

5.1 HAZARDOUS SUBSTANCES IN CONNECTION WITH IDENTIFIED USES

Agway used large quantities of ammonia and natural gas as their primary raw materials. Fuel oil and lubricating oils were also used. Prior to Agway, portions of the site have been used as a petroleum refinery or for storage of petroleum. Current use by a landscaping firm (warehouse #4) has small quantities of gasoline, lubricating oils, used motor oil and cleaning products. On the rear parcel, a vehicle maintenance facility (R&R Transmission) utilizes methanol (drum quantities), lubricating oils, transmission fluid and associated metal parts cleaning solvents. A storage trailer located adjacent to warehouse #2 is used to store carwash products, including caustic detergents.

5.2 HAZARDOUS AND/OR UNIDENTIFIED SUBSTANCE CONTAINERS

Small containers of gasoline and lubricating oils were observed at the landscaping contractor building. At the vehicle maintenance shop, lubricating oils, parts cleaning solvents and various vehicle maintenance fluids were observed. Numerous transmissions (presumed to contain automatic transmission fluid or gear oil) were located on the loading dock at the warehouse on the rear Property [Photo 8]. A 5-gallon container labeled "methanol" was found behind the office building on the rear parcel [Photo 9].

5.3 STORAGE TANKS AND DRUMS

Foundations of former aboveground tanks containing various fertilizer and nitrogen-containing products were observed [Photo 10]. At the northeast corner of the front parcel, two capped pipes located in a concrete sump were found adjacent to building foundation ruins and could be connected to an underground tank [Photo 11]. In warehouse #2, an oil fired furnace was found with documentation that a 2,000-gallon fuel tank existed. The piping to the furnace was cut off outside and no fill port or vent was found [Photo 12]. This

tank was reportedly closed in-place by being pumped out and filled with sand by Agway. A second similarly closed tank is also reported to exist at one of the other warehouse buildings. At the warehouse on the rear parcel, a capped pipe was found that may be an underground tank [Photo 13]. Historic maps indicated a 10,000-gallon oil storage tank was located adjacent to the nitric acid plant. No evidence of this tank was found. Oil and flammable liquid storage buildings were once located along the east side of the front parcel as part of the petroleum refinery. No evidence of these structures was observed.

Several drums of methanol, used oil and oily auto parts were found at the R&R Transmission shop [Photos 14 and 15]. A drum of oily sludge [Photo 16] was found outside the shop. Approximately 25 open-top drums containing metal pellets [Photo 17] were found in a brick shed located on the rear parcel [Photo 18]. Another shed [Photo 19], partially on the Property in the same area, contained ten drums of similar materials [Photo 20]. The pellets may be catalysts used in the ammonia process. A few empty corroded drums were also found on the rear parcel [Photo 21]. A drum of used oil was located in the landscape firm's portion of warehouse #4. In a storage trailer [Photo 22] located adjacent to warehouse #2, nine drums of caustic cleaning compounds were stored [Photo 23]. A single drum labeled "low pH" was located outside the trailer [Photo 24].

5.4 PCBs

Remnants of several former electrical substations were located on the site. Transformers that were removed were reported to have been contaminated with PCBs and soil testing has identified PCBs in surficial soils exceeding EPA cleanup levels. A substation on the rear parcel had electrical equipment remaining, but due to limited access and heavy brush, the exact type of equipment could not be determined. These are reported to be non-PCB transformers. A building that was part of a former substation located in the nitrate processing area contained electrical switching equipment [Photo 25]. Overhead pole-mounted transformers serving the existing tenant-occupied buildings are owned by Niagara Mohawk Power Corporation. It is unlikely these transformers contain PCBs.

5.5 SOLID WASTE

Solid waste generated on the Property is disposed of by the individual tenants. A pile of metal pellets (similar to the suspected catalyst material described above) was found on the rear parcel [Photo 26].

5.6 WASTEWATER

Wastewater from the occupied buildings is reportedly discharged to the municipal sanitary sewer system that runs through the Property. A floor drain located in the R&R Transmission shop [Photo 27] also reportedly discharged to the municipal sewer. The drain was covered with a steel plate and reported to be plugged at the request of the City of Olean. Floor drains were observed in and adjacent to warehouse #4. The drains appeared to be plugged with debris. Floor drains were also observed in warehouse #2. The location of the discharge from these drains is unknown.

5.7 ADDITIONAL SITE CONDITIONS

5.7.1 STAINED AREAS, STRESSED VEGETATION AND DEBRIS

Much of the site had stressed and sparse vegetation. In these areas, evidence of cinder-like materials and/or black sandy soil was commonly observed [Photos 28 and 29]. Stained soils (with petroleum-like materials) were observed at several locations around the R&R Transmission shop. A former Agway employee stated that subsurface soils are saturated with petroleum on portions of the site. Specifically, he was aware of these conditions near the main entrance and along the northern boundary of the Property, where an aboveground steam line is located.

5.7.2 MOUNDS, DEPRESSIONS, DISTURBANCES

The area of the former ammonia tank on the rear parcel was surrounded by a +6-foot high berm [Photo 30]. Inside the berm, the former tank foundation was observed [Photo 31]. The entire site has been disturbed by past industrial operations.

5.7.3 PITS, PONDS AND LAGOONS

The wastewater lagoons that were used by Agway when the plant was in operation have been filled in.

5.7.4 MISCELLANEOUS CONCERNS

Several aboveground valves and associated sumps were observed on the Property. These appear to be associated with natural gas distribution. Some are likely water valves. It is not known if these are active or abandoned [Photo 32].

Wet wells, along with associated aboveground piping and pumps, were observed. These wells were reportedly used for pumping groundwater as part of the nitrogen contamination remediation.

The remnants of the former nitric acid plant [Photo 33], as evidenced by red acid brick, could indicate the presence of low pH conditions in soil and groundwater in this area.

During past groundwater sampling of wells on the Property by Agway, petroleum odors have reportedly been observed.

6.0 FINDINGS AND CONCLUSIONS

Plumley Engineering has performed a Phase I ESA for COR Buffalo Street, LLC on Property located at 1446 Buffalo Street in the City of Olean, Cattaraugus County, New York. This Property consists of two adjacent parcels, with tax map numbers 94.047-2-29 ("front parcel") and 94.048-1-1.2 (divided by easement into "rear parcel" and "middle parcel"). The Property totals approximately 35.99 acres in size.

This investigation was conducted in general conformance with the scope and limitations of ASTM Standard E 1527-00 and standard engineering practices in order to identify recognized environmental conditions concerning the Property. This assessment included a historical records search, interviews and an inspection of the site.

The Property is in a predominantly industrial area, with a long industrial history. The "front parcel" is a triangular-shaped parcel, approximately 24 acres in size, located along Buffalo Street. The "front parcel" includes four large industrial buildings and two small outbuildings. Numerous remnants of foundations of former industrial facilities are also located on this parcel.

The "rear parcel" is also triangular-shaped and is approximately 11 acres in size. There are three large buildings, two small outbuildings and an electrical substation on this parcel. The "middle parcel" is irregular-shaped, approximately 0.6 acres in size and vacant. The front and middle parcels are contiguous and the rear parcel is separated from the middle parcel by a 75-foot wide Niagara Mohawk Power Corporation easement.

Past uses of the Property were reviewed as part of the assessment. Records indicate this Property was first developed prior to 1898 as part of an oil refinery operated by the Vacuum Oil Company, later SOCONY Vacuum Oil Corporation and Standard Oil. Oil storage tanks, and possibly some refining operations, were located on portions of the site until sometime between 1949 and 1969. In about 1958, an ammonia production and fertilizer manufacturer was located on the Property, which was purchased by Agway in 1966. The facility operated until 1983, when it was shut down and most of the manufacturing facilities were demolished.

The majority of the Property is currently vacant. Two buildings leased, one to a landscaping firm and the other to R&R Transmissions, an automotive repair facility.

This assessment revealed the following recognized environmental conditions associated with the Property:

- Contamination of soil and groundwater with nitrogen compounds. We recommend that Agway provide a letter from the New York State Department of Environmental Conservation indicating the requirements of the Stipulation Agreement associated with this contamination have been satisfied and no further investigation or remediation is required.
- Reported soil and groundwater contamination with petroleum compounds is consistent with past use of the Property as an oil refinery. We recommend a subsurface investigation be conducted in phases. The first phase would be a test pit program to inspect subsurface conditions. If subsurface conditions are as reported, with gross contamination, no analytical testing would be performed. If conditions look favorable, we would submit soil samples for laboratory analysis. The second phase would involve installation of groundwater monitoring wells to assess site-wide groundwater conditions.
- Soil on a portion of the Property is contaminated with PCBs. Limited sampling identified a 1 to 2-acre area. Remediation would typically involve removal of subsurface (>1 foot below ground surface) soils with PCB concentrations exceeding 10 ppm and surface soils exceeding 1 ppm. Additional sampling is recommended to determine the extent of the PCB contamination.
- Groundwater contamination with metals, including barium, chromium, lead and copper, has been identified on the Property at concentrations above State groundwater standards. The groundwater investigation recommended above should include an assessment of metals contamination in the groundwater.


- Widespread areas of surface soils on the Property include cinder-like materials. A surface soil sampling program is recommended to assess potential contamination with metals and PAHs.
- At least three underground storage tanks are reported or suspected on the Property. We recommend investigation of suspected tank locations during the test pit program.

This assessment revealed the following concerns in connection with the subject property:


- Containers of hazardous substances were identified on the Property, particularly at the R&R Transmission shop, but also at other scattered locations. Removal and proper disposal of hazardous substance containers and vehicle parts containing fluids is recommended.
- Remaining electrical transformers on the Property should be removed.
- Metal pellets reportedly used as a catalyst in the ammonia process were found in approximately 35 drums, in a pile and spread over portions of the rear parcel. We recommend these be tested for hazardous characteristics, removed and properly disposed of.

7.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS


The following representatives of Plumley Engineering, P.C. participated in the preparation, execution and reporting of this Environmental Site Assessment.



Dale R. Vollmer, P.E.



Scott A. Zollo



REF: USGS - OLEAN (NY) QUAD., 1980, 7.5 MIN. SCALE: 1"=2000'


PLUMLEY
ENGINEERING

Civil and Environmental Engineering

PLUMLEY ENGINEERING, LLC
1524 LOOP ROAD
BALDWINVILLE, NY 13027
TELEPHONE: (315) 638-8887
FAX: (315) 638-9740
WWW.PLUMLEYENG.COM

ESA PHASE I SITE LOCATION MAP
FORMER OLEAN NITROGEN COMPLEX
COR BUFFALO STREET, LLC
CITY OLEAN, CATTARAUGUS COUNTY, NEW YORK

PROJECT No: 2005088
FILE NAME: FIGURE 1
SCALE: 1"=2000'
DATE: JULY 2005
ENGD BY: SAZ
DRAWN BY: JMD
CHECKED BY: SAZ



KEY MAP (NO SCALE)

**PLUMLEY
ENGINEERING**

Civil and Environmental Engineering

PLUMLEY ENGINEERING, P.C.
522 LOOF ROAD
BALDWINVILLE, NY 13027

TELEPHONE (516) 638-8557
FAX (516) 638-7740
WWW.PLUMLEYENG.COM

PROPERTY LAYOUT

FORMER OLEAN NITROGEN COMPLEX


COR BUFFALO STREET, LLC

CITY OLEAN, CATTARAUGUS COUNTY, NEW YORK

PROJECT No: 2005088
FILE NAME: FIGURE 2
SCALE: 1" = 2000'
DATE: JULY 2005
ENGD BY: SAZ
DRAWN BY: JMD
CHECKED BY: SAZ

APPENDIX A

QUALIFICATION INFORMATION



ENVIRONMENTAL SITE ASSESSMENTS


Phase I ESA:

The purpose of performing a Phase I Environmental Site Assessment (ESA) is to identify *recognized environmental conditions*¹ prior to the transfer of a parcel of commercial land. The American Society for Testing and Materials (ASTM) has developed a standard practice (ASTM Designation E 1527-00) for the Phase I ESA process, which has been widely accepted by property owners and lending institutions. Plumley Engineering performs the ESA process in general conformance with this standard of practice. An ESA includes a records review, site reconnaissance survey, interviews and a report.

The objective of the records review is to obtain and review records that will help identify recognized environmental conditions in connection with the property. The objective of the site reconnaissance is to identify any obvious indications of recognized environmental conditions in connection with the property. An inspection of the interior and exterior of any buildings and the grounds of the property under investigation is typically performed. Interviews are performed to obtain information about uses and conditions of the property, past and present. Interviews are sought with individuals knowledgeable about the property and the history of the area. The Phase I ESA does not include any sampling.

A report of the findings will be provided in the general format of the ASTM standards. The report includes an executive summary, a discussion of the observations of recognized environmental conditions and our opinion of the impact of those conditions, findings and conclusions, and a certification.

¹Described as *"the presence or likely presence of hazardous substances or petroleum products on a property under conditions that indicate a release has occurred."*



ENVIRONMENTAL SITE ASSESSMENTS

Phase II ESA:


The purpose of a Phase II ESA is to determine the presence or absence of contamination related to recognized environmental conditions observed in Phase I. A Phase II investigation involves invasive sampling, including one or more specific tests for air, groundwater and/or soil contamination.

The work involved in a Phase II investigation is site specific. A typical Phase II may require test pits be excavated to sample soil and/or groundwater. If the groundwater is deep, soil borings and monitoring wells may be necessary. The results of the Phase I will give a clearer indication of what will be needed in the Phase II.

Experience:

Plumley Engineering has performed numerous Phase I and II ESAs. A partial client list provided below.

AUBURN ARMATURE, INC. Auburn, New York	CLIFFORD FUEL CO., INC. Utica, New York	FERRIS INDUSTRIES, INC. Vernon, New York
AUBURN STEEL CO., INC. Auburn, New York	COR DEVELOPMENT, L.L.C. Syracuse, New York	FLEET BANK OF NEW YORK Brewerton, New York
BALDWINVILLE, VILLAGE OF Baldwinsville, New York	CSW PETROLEUM CORP. Utica, New York	FLEET BANK OF NEW YORK Old Forge, New York
BLUEBAR OIL COMPANY, INC. Blossvale, New York	CRM RENTAL MANAGEMENT, INC. Glens Falls, New York	FLEET BANK OF NEW YORK Rome, New York
CAMDEN, TOWN OF Camden, New York	CRM RENTAL MANAGEMENT, INC. Rome, New York	FLEET BANK OF NEW YORK Syracuse, New York
CANASTOTA CONCRETE CO., INC. Nedrow, New York	DON-AL MANAGEMENT COMPANY, INC. Utica, New York	FLEET BANK OF NEW YORK Utica, New York
CLARKS PETROLEUM SERVICE, INC. Canastota, New York		



ENVIRONMENTAL SITE ASSESSMENTS

GLIDER OIL COMPANY, INC.
Syracuse, New York

HARDY CONSTRUCTION
Syracuse, New York

HASTINGS-FISHER FUEL CO.,
INC.
Yorkville, New York

J.B. HUNT, INC.
Lowell, Arkansas

INTERFACE PROPERTIES, INC.
Boca Raton, Florida

KEY BANK OF NEW YORK
Syracuse, New York

KNIGHTS OF COLUMBUS
Utica, New York

KRAFT FOODS, INC.
South Edmeston, New York

LIBBY CORPORATION
Wexford, Pennsylvania

M&T BANK
Syracuse, New York

MARSHALL & HOUSEMAN
Sherrill, New York

MCDERMOTT & DOERR, P.C.
Syracuse, New York

MCDONALDS CORPORATION
Latham, New York

MOTEL 6, L.P.
Dallas, Texas

NICE N EASY GROCERY
SHOPPES, INC.
Canastota, New York

NORTHEAST COMPRESSOR
WAREHOUSE
North Syracuse, New York

NORTHEAST CONSTRUCTION
SERVICES, INC.
Syracuse, New York

OFFICE DEPOT
Delray Beach, Florida

OMEGA WIRE, INC.
Williamstown, New York

ONEIDA COUNTY
DEPARTMENT OF PUBLIC
WORKS
Oriskany, New York

ONEIDA SAVINGS BANK
Oneida, New York

ONEIDA VALLEY NATIONAL
BANK
Oncida, New York

OSBORNE, HASKINS,
MACLAREN & REDGRAVE
Boca Raton, Florida

OSWEGO CITY SAVINGS BANK
Oswego, New York

PROLINKS SERVICES, INC.
Baldwinsville, New York

REINHARDT CORPORATION
West Oneonta, New York

ROME SAVINGS BANK
Rome, New York

SAXONVILLE USA
Charlestown, New Hampshire

SEARS OIL COMPANY, INC.
Rome, New York

ST. LUKE'S MEMORIAL
HOSPITAL
Utica, New York

STOW MANUFACTURING CO.
Binghamton, New York

SYRACUSE SUSPENSION
AND HYDRAULICS
Utica, New York

TEXACO REFINING AND
MARKETING, INC.
Houston, Texas

TRAVEL PORTS OF AMERICA, INC.
Rochester, New York

WESTLAKE DEVELOPMENT, L.L.C.
Syracuse, New York

CURRICULUM VITAE

DALE R. VOLLMER, P.E.

QUALIFICATIONS AND EXPERIENCE

1993-Present **PLUMLEY ENGINEERING, P.C.**
Baldwinsville, New York

As Managing Engineer for the Environmental Department, responsible for project management, design, construction management of a variety of civil and environmental engineering projects, including the following:

- Petroleum and hazardous waste site investigations, including soil and groundwater contamination assessment, remedial feasibility studies, remediation systems design and construction management. Contaminated sites have included petroleum products, PCBs, chlorinated solvents, metals and coal tar.
- Brownfields redevelopment including the first project to be completed and redeveloped in the State under the New York State Environmental Bond Act program.
- Environmental site assessments (Phase 1 and 2) for property transfers, including petroleum service stations, commercial and industrial property. Assessments are performed in accordance with latest ASTM guidance.
- Air permitting including Title V and State Facility permit applications, facility registrations and air emissions surveys at industrial facilities including natural gas, fuel oil and wood-fired boilers; printing; paper manufacturing; furniture manufacturing, fiberglass coating and painting operations.
- Petroleum storage and dispensing facilities design and construction, petroleum tank closure management, spill prevention and response planning, and secondary containment evaluation and design. Facilities include retail service stations, petroleum bulk plants, petroleum terminals and airport fueling facilities.
- Industrial wastewater treatment facilities design and construction management for manufacturing processes including dairy products, electroplating, food processing, wire drawing, and industrial laundry.
- Industrial compliance services, including environmental compliance audits, air emissions surveys, permit application preparation for air emissions, process wastewater discharges, stormwater, and solid waste management

facilities, preparation of best management practices (BMP) plans for stormwater and spill prevention.

- Litigation support including technical review, supporting affidavits, expert testimony. Cases have involved environmental contamination with petroleum products and coal tar.
- Municipal engineering including Village Engineer for the Village of Baldwinsville, Town Engineer for the Town of Skaneateles where duties have included technical support of the planning board, water and sewer utility engineering and road and trail system construction oversight.

1992-1993 **NIAGARA MOHAWK POWER CORPORATION**
Syracuse, New York

As Associate Senior Environmental Analyst in the Environmental Compliance and Waste Management Section, responsible for developing and implementing programs to enhance compliance with environmental requirements. Developed new procedures and performed company-wide training in the area of hazardous waste management, spill prevention, petroleum bulk storage, reporting and cleanup, and PCB management. Also participated as an instructor for Executive Enterprises, Inc. at their PCB Cleanup and Compliance Courses in Washington, D.C.

1976-1992 **NEW YORK STATE DEPARTMENT OF
ENVIRONMENTAL CONSERVATION, REGION 7**
Syracuse, New York

As Regional Spill Engineer (1987-1992), responsible for the Spill Prevention and Response Program in a nine county area. Managed staff of fourteen engineers, geologist, and technicians dealing with storage of petroleum and other hazardous substances and response to an average of 800 spills per year of petroleum and hazardous materials. Inspected installations and reviewed plans for petroleum bulk storage facilities for compliance with regulatory requirements. Performed public presentations/training on petroleum storage requirements. Responsible for oversight of spill response contractors with annual expenditures of approximately \$1,000,000. Managed State-funded clean-ups and investigations and designed remedial systems. Reviewed work plans and progress of responsible party funded cleanups.

As Senior Air Pollution Control Engineer (1981-1987), responsible for implementation of the Air Pollution Control Program in a three county area. Reviewed and determined conditions for issuance of air emission permits for all types of sources, including garbage burning incinerators, coal fired boilers, volatile

organic compound emissions sources, toxic emission sources, electric arc steel furnaces, etc. Familiar with various State regulations, Federal Clean Air Act including the State Implementation Plan, Prevention of Significant Detection, New Source Performance Standards, and National Emission Standards for Hazardous Air Pollutants. Performed inspections of industrial processes, performed and witnessed stack emission testing, performed certified visible emission monitoring, performed and reviewed emission calculations, performed and reviewed BACT, RACT, PSD and LAER determinations for particulate, SO₂, NO_x and VOC sources, performed and reviewed dispersion modeling and all aspects of permit review and compliance. Air quality modeling experience includes work with Air Guide-I analysis and EPA models "SCREEN3", "ISC", "Valley" and "COMPLEX".

As Industrial Wastewater Engineer (1979-1981), responsible for Industrial Wastewater Discharge Program in a three county area. Reviewed engineering design of industrial wastewater treatment systems, including biological, physical/chemical and other systems. Evaluated industrial processes for potential pollutant discharges. Inspected industrial facilities for compliance with State and Federal discharge limitations. Established sampling programs for evaluation of compliance with permit limitations.

As Sanitary Engineer (1976-1978), responsible for Commercial Wastewater Discharge Program in a nine county area. Reviewed engineering design of commercial wastewater treatment facilities, established effluent limits based on water quality standards or treatment requirements, evaluated failing treatment systems and recommended design changes. Inspected facilities for conformance with engineering drawings and performance criteria.

1976 **ROWELL & ASSOCIATES, P.C.**
East Syracuse, New York

As Engineering Survey Crew Chief, responsible for all field activities of an engineering field survey crew of Conrail Dewitt Railroad Yard. Included utilization of state-of-the-art electronic distance and angle measuring equipment.

1974-1976 **GURSKY & RYAN ENGINEERS & LAND SURVEYORS**
North Syracuse, New York

As Project Engineer, responsible for various site development projects, including design of water supply and distribution systems, wastewater disposal systems and drainage facilities. Prepared associated permit applications, plans and engineering reports for approval by various State and local regulatory agencies. Prepared cost estimates, performed engineering field surveys, and construction inspections.

EDUCATION

1974 Bachelor of Science in Civil Engineering
[Concentration in Environmental Engineering]
Clarkson University
Potsdam, New York

REGISTRATION

Professional Engineer Licensed in the State of New York, 1979

MEMBERSHIPS

Air & Waste Management Association - Central New York Chapter , Treasurer
New York Water Environment Association
Central New York Association Professional Geologists

CONTINUING EDUCATION COURSES

Brownfield Redevelopment & Redevelopment Tax Credits
MTBE Fate & Transport
Confined Space Entry
Underground Storage Tank Management & Hydrocarbon Contamination Cleanup
Identification of Hazardous Wastes
USDOT Hazardous Materials Regulation (HM-126F)
Hazardous Waste Operations and Emergency Response for Supervisors
Fundamentals of Groundwater Contamination
Basic Soil Mechanics and Hydrogeology
Local Groundwater Management
Grade II Wastewater Treatment Plant Operator
Activated Sludge Technology
Microbiology Workshop
Flow Metering Equipment & Maintenance
Solids Conditioning Workshop
Plant Inspection & Evaluation Procedures
Combustion Evaluation
Control of Gaseous Emissions
Control of Particulate Emissions
Continuous Emission Monitoring
Boiler Efficiency Improvement
Engineering Permit Review Workshop
Effective Management & Leadership
Emissions from Hazardous Waste Treatment, Storage and Disposal Facilities
Hazardous Waste Incineration
Visible Emissions Certification

CURRICULUM VITAE

SCOTT A. ZOLLO

QUALIFICATIONS AND EXPERIENCE

Mr. Zollo has 10 years of experience as a civil engineer. His work includes consulting to commercial, industrial and municipal/governmental clients. His areas of expertise include environmental site assessments, geotechnical investigations and remediation system design, structural design, water transmission and distribution systems and construction management.

01/04-Present **PLUMLEY ENGINEERING, P.C.**
Baldwinsville, New York

As Project Engineer, responsible for project management, design, construction management of a variety of environmental engineering projects, including the following:

- Petroleum and hazardous waste site investigations, including soil and groundwater contamination assessment, remedial feasibility studies, remediation systems design and construction management. Contaminated sites have included petroleum products, chlorinated solvents, metals and coal tar.
- Brownfields redevelopment under the New York State Environmental Bond Act program.
- Environmental site investigations, including petroleum service stations, commercial and industrial property. Assessments are performed in accordance with latest ASTM guidance.
- Petroleum storage and dispensing facilities design and construction, petroleum tank closure management for retail service stations.
- Industrial compliance services, including process wastewater discharges, groundwater treatment and stormwater management facilities, and preparation of best management practices (BMP) plans for stormwater and groundwater treatment.

04/03-12/03 **AMERICAN ENVIRONMENTAL SOLUTIONS, INC.**
Central Islip, New York

As Vice President, responsible for various environmental and civil engineering projects, including the following:

- Drafting proposals for all phases of environmental work, including Phase I environmental site assessments, UST closures, soil and groundwater samplings, well installations, and DEC negotiations.
- Providing cost estimates and monthly invoicing of all completed work.
- Subsurface soil investigations for major municipal construction projects, including Field Sampling Plans, drilling and test pit excavation inspection, soils classification, soil sampling, assessment of analytical results and assessment of geologic conditions for completion of Material Handling Plans.
- Subsurface groundwater and soil investigations for petroleum and hazardous materials spills including drilling and test pit excavation inspection, monitoring well installations, soils classification, soil and groundwater sampling, assessment of analytical results and assessment of hydrogeologic conditions.
- Underground storage tank (UST) removal and closure operations for multiple projects consisting of soil and groundwater sampling/testing.
- Coordinated the disposal of hazardous and petroleum waste.

09/01-04/03 **VERTEX ENGINEERING SERVICES, INC.**
Patchogue, New York

As Project Manager, responsible for various environmental and civil engineering projects, including major municipal construction project preconstruction soil sampling and classification, remedial system O&M, soil and groundwater sampling at petroleum spill and hazardous waste sites, environmental file review for commercial liability risk assessment, and petroleum facility compliance audits. These projects included proposal and estimation, reporting, and invoice review.

09/00-09/01 **HOLZMACHER, MCLENDON, & MURRELL, PC (H2M GROUP)**
Melville, New York

As Senior Engineer/Project Manager, responsible for subsurface assessment and remedial oversight of residential and commercial sites in the NYC/Long Island region. These responsibilities included remedial oversight, soil and groundwater sampling and analysis, remedial proposal review, invoice review, DEC reporting and negotiation, and client billings. Coordinated the investigation of significant release of dielectric fluid, including subsurface soil sampling, monitoring well design and installation, groundwater sampling, remedial system design and installation oversight, DEC reporting and negotiation, and client billing. Also supervised R&D program for the recovery and/or treatment of dielectric fluid releases.

12/98-09/00 **GANNETT FLEMING ENGINEERS & ARCHITECTS, PC**
Locust Valley, New York

As Environmental Engineer/Project Manager, responsible for subsurface assessment and remedial oversight of residential and commercial sites. These responsibilities included remedial oversight, soil and groundwater sampling and analysis, remedial alternative review, DEC reporting and negotiation. Implemented field modification of sampling and analysis plans based on field conditions. Prepared cost estimates, performed engineering field surveys, and construction records inspections. Reporting duties included data tabulation, soil and groundwater data contouring, and environmental investigation reporting.

07/97-12/98 **ENVIRONMENTAL PLANNING AND MANAGEMENT, INC.**
Lake Success, New York

As Environmental Engineer, responsible for inspection and oversight of lead health and safety program at major NYC transportation rehabilitation project. Responsibilities included medical monitoring records review, air sampling, personnel monitoring, containment system design and inspection, man-hour tracking, and interaction with various local regulatory agencies. Additional duties included demolition oversight during steel, stonework, soil and concrete removal, installation inspections for steel and concrete, and concrete materials testing

06/95-07/97 **EDER ASSOCIATES, ENVIRONMENTAL ENGINEERS & SCIENTISTS**
Locust Valley, New York

As Staff/Environmental Engineer, responsible for various site investigation duties, including environmental audits, soil and groundwater sampling and analysis, and remedial system O&M. Limited reporting duties included data tabulation, soil and groundwater data contouring, and field sampling reporting.

As Environmental Inspector, responsible for inspection of lead health and safety program at major NYC transportation rehabilitation projects. Responsibilities included air sampling, personnel monitoring, and containment system inspection. Additional duties included performing construction progress photography and man-hour tracking.

EDUCATION

06/94 Bachelor of Science in Civil Engineering
Union College
Schenectady, New York

REGISTRATION

Engineer-in-Training Certificate, State of New York, 1994

CONTINUING EDUCATION COURSES/CERTIFICATIONS

MTBE Fate & Transport
Confined Space Entry
Health & Safety Operations at Hazardous Material Sites
Visible Emissions Certification
Roadway Safety Training
NACE Basic Coating Inspector

APPENDIX B

PHASE I ENVIRONMENTAL QUESTIONNAIRE

PHASE I ENVIRONMENTAL QUESTIONNAIRE

PROPERTY NAME: Former Olean Nitrogen Complex
 PROPERTY ADDRESS: 1446 Buffalo Street Olean, NY 14760
 COMPLETED BY: John Steiner, Dir. of Env. Quality TELEPHONE: 315-449-7427

(to be filled out by the Applicant/Seller/Occupant; please check or
 circle your response, and comment/explain any "Yes" answers)

1. Who is the current operator (person responsible for overall operation (including environmental matters) of the property/facility? Aqway Liquidating Trust - Laurie Panto/John Steiner

2. What is the current use of the property? (check all that apply)
 - ☐ Residential - Single Family
 - ☐ Residential - Multifamily
 - ☒ Commercial
 - ☐ Industrial/Manufacturing
 - ☐ Unimproved/Raw Land
 - ☐ Agriculture
 - ☒ Other: Property has been primarily vacant since 1983. There are a couple of leased operations

3. What is the date of construction of any structures? (If no structures, skip to Question 8)

Name	Description	Date
	Description and number of building provided in supplemental material previously supplied to Plumley Engineering on 6-17-2005.	

4. Do you believe asbestos may be present in any of the structures?
 - ☒ Yes If Yes, describe: _____
 - ☐ No Some of the building materials are probably "transit". There is also some limited pipe insulation that appears to be friable asbestos. No formal assessment has been performed.
 - ☐ Unknown

5. It is possible that lead-based paint has been used on any of the structures?
 - ☐ Yes If Yes, describe: _____
 - ☐ No Some lagoons were used for storage and handling of process water in the manufacture of the nitrogen fertilizers
 - ☒ Unknown

6. Has an asbestos survey ever been conducted?
 - ☐ Yes If Yes, please provide a copy.
 - ☒ No
 - ☐ Unknown

7. Do any of the buildings have fluorescent light fixtures?
 - ☒ Yes If Yes, when were these fixtures installed? Unknown
 - ☐ No

8. What is the past use of the property? (check all that apply)

- ☐ Residential - Single Family
☐ Residential - Multifamily
☐ Commercial
☒ Industrial/Manufacturing
☐ Unimproved/Raw Land
☐ Agriculture
☐ Other: _____

9.* Is the property currently used, or has it previously been used, as any of the following: an industrial or manufacturing operation, a gasoline station, a motor repair facility, a commercial printing facility, a dry cleaners, a photo-developing laboratory, a junkyard or a landfill, or as a waste treatment, storage, disposal, processing or recycling facility?

- ☒ Yes If Yes, describe: _____
☐ No Information provided to Plumley Engineering on 6/17/05.
☐ Unknown _____

10.* Are any adjoining properties currently used, or have they previously been used, as any of the following: an industrial or manufacturing operation, a gas station, a motor repair facility, a commercial printing facility, a dry cleaners, a photo-developing laboratory, a junkyard or a landfill, or as a waste treatment, storage, disposal, processing or recycling facility?

- ☒ Yes If Yes, describe: _____
☐ No Information provided to Plumley Eng. on 6/17/05.
☐ Unknown _____

11.* Are there currently, or have there been previously, any damaged or discarded automotive or industrial batteries, pesticides, paints or other chemicals in individual containers of greater than five gallons in volume or fifty gallons in aggregate, stored on or used at the property?

- ☐ Yes If Yes, describe: _____
☒ No Information provided to Plumley Engineering on 6/17/05.
☐ Unknown _____

12.* Are there currently, or have there been previously, any industrial drums (typically 55 gallons) or sacks of chemicals located on the property?

- ☒ Yes If Yes, describe: _____
☐ No In the 1.0 acre rear parcel there are number 55 gallon drums containing
☐ Unknown materials. It is believe that this product is spent reformer catalyst.

13.* Has fill material been brought to the site?

- ☐ Yes If Yes, describe: _____
☐ No Unknown
☒ Unknown _____

- 13a. What type of fill material?
- ☐ Construction debris
 - ☐ Trash
 - ☐ Clean soil
 - ☐ Potentially contaminated soil
 - ☐ Unknown origin

14. Has there been any mining (such as a gravel bed) on the property?

- ☐ Yes If Yes, describe: _____
- ☐ No _____
- ☒ Unknown _____

15.* Are there currently, or have there been previously, any pits, ponds or lagoons on the property connected with waste treatment or waste disposal?

- ☒ Yes If Yes, describe: _____
- ☐ No Some lagoons were used for storage and handling of process water in the manufacture of the nitrogen fertilizers
- ☐ Unknown _____

16.* Are there currently, or have there been previously, any underground storage tanks on the property?

- ☐ Yes If Yes, provide list with capacity, material stored, installation date and closure date.
- ☐ No If No, skip to Question 17.
- ☒ Unknown

If 16 is answered "Yes":

16a. Were any tanks installed after 1985?

- ☐ Yes
- ☐ No

If 16a is answered "Yes":

16b. Has leak detection, overflow prevention and cathodic protection equipment been installed with the tank?

- ☐ Yes
- ☐ No

16c. Did any tanks replace an old tank?

- ☐ Yes If Yes, describe tanks removed: _____
- ☐ No _____

If 16c is answered "Yes":

16d. Was contamination found when the old tank was removed?

- ☐ Yes
- ☐ No

15. Are there currently, or have there been previously, any *abandoned* storage tanks on the property?
 () Yes, provide listing.
 () No, skip to question 18.
 () Unknown

16a. Did regulatory authorities approve the cleanup?
 () Yes
 () No

16b. Was the leak or spill cleaned?
 () Yes
 () No

If 16b is answered "Yes":

16c. Are you aware of any leaks or spills?
 () Yes, describe:
 () No

16d. Did the tank fail the tightness test?
 () Yes
 () No

If 16d is answered "Yes":

16e. Have the tanks been tested for leaks?
 () Yes, please provide copy of test results.
 () No

If 16e is answered "No":

16f. Did regulatory authorities approve the cleanup?
 () Yes
 () No

If 16f is answered "Yes":

16g. Was the contamination cleaned up?
 () Yes
 () No

If 16g is answered "Yes":

17a. Has the tank ever leaked or has there ever been a spill?
 If 17a is answered "Yes":
☒ Yes
☐ No
 If Yes, describe: _____

17b. Was the tank or spill cleaned?
☐ Yes
☐ No

17c. Were regulatory authorities notified?
☐ Yes
☐ No

18. Are you aware of any spills, leaks or discharges of petroleum or hazardous substances onto or from the property from sources other than tanks?
☐ Yes
☐ No
 If Yes, describe: _____

19. Are there currently, or have there been previously, any drains, or floor or wall surfaces located within the facility that are, or have been, stained by substances other than water or which are emanating foul odors?
☐ Yes
☐ No
 If Yes, describe: _____

20. Is there currently, or has there been previously, any stained soil on the property?
☐ Yes
☐ No
 If Yes, describe: _____

21. Has any groundwater testing been performed at the property?
☒ Yes
☐ No
 If Yes, please provide copies of results: _____
 If No, skip to Question 22.
 If 21 is answered "Yes":
 21a. Have any contaminants been identified which exceed State or Federal standards?
☒ Yes
☐ No

21b. Has the water been designated as contaminated by any governmental agency?

☒ Yes

☐ No

22.* Is the property served, or has the property been served, by a private well?

☐ Yes

If Yes, describe: _____

☐ No

Unknown

23. Are there any groundwater monitoring wells on the property?

☒ Yes

If Yes, describe: _____

☐ No

Information on monitoring wells and water quality provided to Plumley on 6/17/05

24.* Are you aware of any environmental liens or governmental notification relating to past or current violations of environmental laws with respect to the property, to any facility located on the property, or to any properties in the vicinity?

☐ Yes

If Yes, describe: _____

☐ No

25.* Has an environmental assessment ever been performed on the property?

☒ Yes

If Yes, please provide a copy.

☐ No

If No, skip to Question 26.

If 25 is answered "Yes":

25a.* Did the environmental assessment indicate the presence of any potential contamination?

☐ Yes

If Yes, describe: _____

☒ No

Copy of assessment provided to Plumley Ena on 6/17/05

If 25a is answered "Yes":

25b. Was the contamination cleaned up?

☐ Yes

If Yes, describe: _____

☐ No

26.* Are you aware of any environmental litigation or administrative action related to a release or threatened release of any hazardous substance or petroleum product involving the property or an abutting property?

☒ Yes

If Yes, describe: _____

☐ No

☐ Unknown

There was a 1982 Stipulation Agreement with the NYSDEC for evaluation of the nitrogen and ammonia impacts from the operation. Information provided to Plumley on 6/17/05

27.* Other than stormwater or water discharged into a sanitary sewer system, does the property discharge wastewater onto the subject property or onto any adjacent property?

☐ Yes

If Yes, describe: _____

☒ No

☐ Unknown

28. Are there any septic systems, dry wells or leach fields on the property?

☐ Yes If Yes, describe: _____

☐ No

☒ Unknown

If 28 is answered "Yes":

28a. Have hazardous substances or petroleum products ever been discharged to these systems?

☐ Yes If Yes, describe: _____

☐ No

29.* Have any demolition debris, hazardous substances, petroleum products, unidentified waste materials, automotive or industrial batteries, tires, trash or refuse been dumped, buried and/or burned on the property?

☐ Yes If Yes, describe: _____

☐ No

☒ Unknown

30.* Is there a transformer, capacitor or any hydraulic equipment on the property?

☒ Yes If Yes, describe: _____

☐ No

Transformers exist for 110 volt service in various buildings, power supply transformers have been removed.

If 30 is answered "Yes":

30a.* Do records indicate the presence of PCBs?

☒ Yes If Yes, describe: _____

☐ No

☐ Unknown

Information on PCBs provided to Plumley Eng in 6-17-05 letter.

31. Are there wetlands on the property?

☐ Yes If Yes, describe: _____

☐ No

Unknown if any classified wetlands exist.

*Reflects information (in whole or in part) required by ASTM Transaction Screen Standard E150.02.1.

COMMENTS SECTION:

Agway has provided numerous documents and reports which supplement and address the questions addressed in this questionnaire.

7/20/2005

DATE

SIGNATURE - APPLICANT/SELLER/OCCUPANT

APPENDIX C

ENVIRONMENTAL DATA RESOURCES, INC. REPORT



EDR™ Environmental
Data Resources Inc

The EDR Radius Map with GeoCheck®

**Former Olean Nitrogen Complex
1404-06 Buffalo Street
Olean, NY 14760**

Inquiry Number: 1443737.2s

June 14, 2005

The Standard in Environmental Risk Management Information

**440 Wheelers Farms Road
Milford, Connecticut 06460**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	6
Orphan Summary	237
EPA Waste Codes	EPA-1
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	A-26

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2005 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY INFORMATION

ADDRESS

1404-06 BUFFALO STREET
OLEAN, NY 14760

COORDINATES

Latitude (North): 42.088400 - 42° 5' 18.2"
Longitude (West): 78.445600 - 78° 26' 44.2"
Universal Transverse Mercator: Zone 17
UTM X (Meters): 711269.3
UTM Y (Meters): 4662535.5
Elevation: 1425 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 42078-A4 OLEAN, NY
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 6 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
FELMONT OIL CORP CHEMICAL DIV 1446 BUFFALO ST OLEAN, NY 14760	RCRA-SQG FINDS	NYD006983605
AGWAY FELMONT BUFFALO STREET OLEAN, NY 14760	LTANKS HSWDS NY Spills	N/A
CF INDUSTRIES INC OLEAN NITROG 1446 BUFFALO STREET OLEAN, NY 14760	RCRA-SQG CORRACTS CERC-NFRAP	NYD055057665
AGWAY OLEAN NITROGEN COMPLEX 1446 BUFFALO ST OLEAN, NY 14760	RCRA-SQG FINDS	NYD030207708
FORMER FELMONT OIL SITE 1446 BUFFALO STREET OLEAN, NY 14760	Brownfields	N/A

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
RCRA-TSDF..... Resource Conservation and Recovery Act Information

STATE ASTM STANDARD

MOSF UST..... Major Oil Storage Facilities Database
VCP..... Voluntary Cleanup Agreements
SWTIRE..... Registered Waste Tire Storage & Facility List

FEDERAL ASTM SUPPLEMENTAL

CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
Delisted NPL..... National Priority List Deletions
MLTS..... Material Licensing Tracking System
MINES..... Mines Master Index File
NPL Liens..... Federal Superfund Liens
PADS..... PCB Activity Database System
INDIAN RESERV..... Indian Reservations
FUDS..... Formerly Used Defense Sites
UMTRA..... Uranium Mill Tailings Sites
US ENG CONTROLS..... Engineering Controls Sites List
ODI..... Open Dump Inventory
DOD..... Department of Defense Sites
RAATS..... RCRA Administrative Action Tracking System
SSTS..... Section 7 Tracking Systems

STATE OR LOCAL ASTM SUPPLEMENTAL

MOSF AST..... Major Oil Storage Facilities Database
DEL SHWS..... Delisted Registry Sites
DRYCLEANERS..... Registered Drycleaners
ENG CONTROLS..... Registry of Engineering Controls
SPDES..... State Pollutant Discharge Elimination System

BROWNFIELDS DATABASES

US BROWNFIELDS..... A Listing of Brownfields Sites
US INST CONTROL..... Sites with Institutional Controls
VCP..... Voluntary Cleanup Agreements
INST CONTROL..... Registry of Institutional Controls

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

EXECUTIVE SUMMARY

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL ASTM STANDARD

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 02/15/2005 has revealed that there is 1 CERCLIS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>VAN DER HORST CORP OF AMERICA</i>	<i>314 PENN AVENUE</i>	<i>1/2 - 1 ENE</i>	<i>L51</i>	<i>130</i>

CERCLIS-NFRAP: As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund Action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

A review of the CERC-NFRAP list, as provided by EDR, and dated 03/22/2005 has revealed that there is 1 CERC-NFRAP site within approximately 0.75 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>FELMONT</i>	<i>1439 BUFFALO STREET</i>	<i>1/8 - 1/4 SW</i>	<i>6</i>	<i>16</i>

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/29/2005 has revealed that there is 1 CORRACTS site within approximately 1.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LOCTITE CORPORATION</i>	<i>211 FRANKLIN STREET</i>	<i>1/2 - 1 NNE</i>	<i>M60</i>	<i>140</i>

EXECUTIVE SUMMARY

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-LQG list, as provided by EDR, and dated 05/20/2005 has revealed that there are 4 RCRA-LQG sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CYTEC OLEAN INCORPORATED	1405 BUFFALO ST.	1/8 - 1/4 S	B9	19
DRESSER IND INC DRESSER CLARK	5TH ST	1/4 - 1/2 ESE	H33	72
LOCTITE CORPORATION	211 FRANKLIN STREET	1/2 - 1 NNE	M60	140
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYSEG - OLEAN SERVICE CENTER	1798 W SULLIVAN ST	1/2 - 1 SSW	N58	138

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 05/20/2005 has revealed that there are 18 RCRA-SQG sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
ADVANCED MONOLYTHIC CERAMICS	1010 WAYNE ST	1/4 - 1/2 SE	F24	60
NYS POLICE WESTERN CRIME LABOR	722 HOMER ST	1/4 - 1/2 NNW	I40	117
NYS POLICE WESTERN REGIONAL CR	722 HOMER ST	1/4 - 1/2 NNW	I41	118
RUPP RENTAL & SALES CORP	355 FRANKLIN ST	1/4 - 1/2 NNE	J44	120
OLEAN CENTRAL SCHOOL DIST	420 N 7TH ST	1/4 - 1/2 SE	K49	128
VAN DER HORST CORP OF AMERICA	314 PENN AVENUE	1/2 - 1 ENE	L51	130
VAN DER HORS	314 PENN AVENUE	1/2 - 1 ENE	L52	132
R G SCOTT	314 PENN AVE	1/2 - 1 ENE	L53	133
GLEN & DICKS AUTOMOTIVE MACHIN	888 N 4TH ST	1/2 - 1 E	54	134
R G SCOTT	900 W CONNELL ST	1/2 - 1 NNE	M57	137
OLEAN CENTRAL SCHOOL DIST	1001 N UNION ST	1/2 - 1 ENE	O65	149
OSM CORPORATION	317 WAYNE ST	1/2 - 1 ESE	68	151
CATTARAUGUS COUNTY D P W	BUFFALO ST & SEVENTH ST	1/2 - 1 SSE	P69	152
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NEW YORK TELEPHONE CO	1480 BUFFALO ST	1/8 - 1/4 W	D17	35

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>NYSDOT BIN 1092052</i>	<i>RTE 17 EB OVER BUFFALO</i>	<i>1/4 - 1/2 WNW G28</i>		<i>66</i>
<i>NYSDOT BIN 1092051</i>	<i>RTE 17 WB OVER BUFFALO</i>	<i>1/4 - 1/2 WNW G30</i>		<i>68</i>
<i>OLEAN CENTRAL SCHOOL DIST</i>	<i>1626 WASHINGTON ST</i>	<i>1/2 - 1 SSW 66</i>		<i>150</i>
<i>BUSH BROS PLATING INC</i>	<i>2000 W SULLIVAN ST</i>	<i>1/2 - 1 SW 71</i>		<i>157</i>

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 12/31/2004 has revealed that there is 1 ERNS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>1405 BUFFALO ST</i>	<i>1405 BUFFALO ST</i>	<i>1/8 - 1/4 S</i>	<i>B10</i>	<i>30</i>

STATE ASTM STANDARD

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, has revealed that there is 1 SHWS site within approximately 1.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>VAN DER HORST CORPORATION</i>	<i>314 PENN AVENUE</i>	<i>1/2 - 1 ENE</i>	<i>L50</i>	<i>128</i>

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, has revealed that there are 2 SWF/LF sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>SOUTHERN TIER RECYCLING</i>	<i>225 HOMER STREET</i>	<i>1/2 - 1 NNE</i>	<i>85</i>	<i>202</i>
<i>SADER GENERAL CONST.</i>	<i>302 UNION STREET</i>	<i>1/2 - 1 ESE</i>	<i>87</i>	<i>216</i>

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 05/02/2005 has revealed that there are 24 LTANKS sites within approximately 1 mile of the target property.

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CYTEC OLEAN INCORPORATED	1405 BUFFALO ST.	1/8 - 1/4 S	B9	19
PROPOSED HAMPTON INN SITE	1128 BUFFALO STREET	1/4 - 1/2 SSE	27	65
NYS POLICE/NYSOGS	722 HOMER STREET	1/4 - 1/2 NNW	I43	118
MCKEAN MACHINERY SALES, INC.	921 N.4TH ST.	1/2 - 1 ENE	L55	134
OLEAN GENERAL HOSPITAL	515 MAIN ST	1/2 - 1 E	91	226
STROEHMANN BAKERIES INCORPORAT	111 NORTH SECOND ST	1/2 - 1 SE	92	233

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BELL ATLANTIC GARAGE	1480 BUFFALO STREET	1/8 - 1/4 W	D16	33
BOUCH'S AUTO SERVICE	1401 WEST STATE	1/2 - 1 S	72	157
LEVALLEY MCLEOD	1624 WEST STATE STREET	1/2 - 1 S	73	161
AUTO ZONE - OLEAN	1008 WEST STATE STREET	1/2 - 1 SSE	74	164
FORMER DOW EQUIPMENT	101-109 MAIN STREET	1/2 - 1 E	Q75	165
SUNOCO A-PLUS 0363-0217	607 NORTH UNION	1/2 - 1 E	Q76	167
SUGAR CREEK	607 N UNION ST	1/2 - 1 E	Q77	168
WILSON FARMS #958	815 W STATE ST	1/2 - 1 SSE	R78	168
CAMPBELL OIL	7TH ST. / WEST STATE	1/2 - 1 SSE	R79	185
SUGAR CREEK	7TH / WEST STATE STREET	1/2 - 1 SSE	R80	186
SUGAR CREEK STORE #74	WEST STATE AT 7TH STREE	1/2 - 1 SSE	R81	187
SUGAR CREEK (QUIK LUBE)	717 WEST STATE AT 7TH S	1/2 - 1 SSE	R82	189
DRESSER RAND - RIVER ST	1306 RIVER STREET	1/2 - 1 NE	83	190
SUGAR CREEK STORE #86	2120 W STATE ST	1/2 - 1 SSW	84	191
CITY OF OLEAN GARAGE	701 NORTH BARRY ST	1/2 - 1 E	86	209
KWIK FILL M084	428 MAIN ST	1/2 - 1 E	88	217
BLUE BIRD COACH LINES INC	502 N BARRY ST	1/2 - 1 ESE	S89	220
BLUE BIRD/CVS PHARMACY	DELAWARE / NORTH BARRY	1/2 - 1 ESE	S90	224

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 11 UST sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CONAP INC	1405 BUFFALO ST	1/8 - 1/4 S	B11	30
COUNTRY FAIR #75	421 NORTH 12TH STREET	1/4 - 1/2 S	C21	45
UNI-MART #05019	9TH AT WAYNE ST.	1/4 - 1/2 SE	F26	62
DRESSER RAND	NORTH 5TH ST	1/4 - 1/2 ESE	H35	75
WESTERN REGIONAL CRIME LABORAT	722 HOMER STREET	1/4 - 1/2 NNW	I39	116
VAN DER HORST CORP OF AMERICA	314 PENN AVENUE	1/2 - 1 ENE	L51	130
MCKEAN MACHINERY SALES, INC.	921 N.4TH ST.	1/2 - 1 ENE	L55	134
LOCTITE CORPORATION	211 FRANKLIN ST	1/2 - 1 NNE	M63	145
ALLEGANY	BUFFALO & SEVENTH ST	1/2 - 1 SSE	P70	152

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
VAN DER HORST CORP OF AMERICA	900 W CONNELL ST	1/8 - 1/4 NNW	7	17
NYNEX	1480 BUFFALO ST	1/8 - 1/4 W	D18	35

EXECUTIVE SUMMARY

CBS UST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS UST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS UST site within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
DRESSER RAND TURBO PRODUCTS DI	PO BOX 560	1/4 - 1/2ESE	H36	108

SWRCY: Registered Recycling Facility List from the Department of Environmental Conservation.

A review of the SWRCY list, as provided by EDR, and dated 05/16/2005 has revealed that there is 1 SWRCY site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SOUTHERN TIER RECYCLING	225 HOMER STREET	1/2 - 1 NNE	85	202

FEDERAL ASTM SUPPLEMENTAL

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 04/11/2005 has revealed that there are 13 FINDS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CYTEC OLEAN INCORPORATED	1405 BUFFALO ST.	1/8 - 1/4S	B9	19
CYTEC OLEAN INC	1405 BUFFALO ST	1/8 - 1/4S	C14	31
ADVANCED MONOLYTHIC CERAMICS	1010 WAYNE ST	1/4 - 1/2SE	F24	60
DRESSER IND INC DRESSER CLARK	5TH ST	1/4 - 1/2ESE	H33	72
NYS POLICE WESTERN CRIME LABOR	722 HOMER ST	1/4 - 1/2NNW	I40	117
NEW YORK STATE D.E.C.	356 FRANKLIN ST	1/4 - 1/2NNE	J42	118
RUPP RENTAL & SALES CORP	355 FRANKLIN ST	1/4 - 1/2NNE	J44	120
OLEAN CENTRAL SCHOOL DIST	420 N 7TH ST	1/4 - 1/2SE	K49	128
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NEW YORK TELEPHONE CO	1480 BUFFALO ST	1/8 - 1/4W	D17	35
INDECK OLEAN ENERGY CENTER	140 MOORE AVENUE	1/4 - 1/2WSW	E19	45
INDECK OLEAN ENERGY CENTER	140 MOORE AVE	1/4 - 1/2WSW	E20	45
NYSDOT BIN 1092052	RTE 17 EB OVER BUFFALO	1/4 - 1/2WNW	G28	66
NYSDOT BIN 1092051	RTE 17 WB OVER BUFFALO	1/4 - 1/2WNW	G30	68

EXECUTIVE SUMMARY

HMIRS: The Hazardous Materials Incident Report System contains hazardous material spill incidents reported to the Department of Transportation. The source of this database is the U.S. EPA.

A review of the HMIRS list, as provided by EDR, and dated 12/31/2004 has revealed that there is 1 HMIRS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1405 BUFFALO ST	1/8 - 1/4 S	B12	31

TRIS: The Toxic Chemical Release Inventory System identifies facilities that release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313. The source of this database is the U.S. EPA.

A review of the TRIS list, as provided by EDR, and dated 12/31/2002 has revealed that there are 2 TRIS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CYTEC OLEAN INCORPORATED	1405 BUFFALO ST.	1/8 - 1/4 S	B9	19
DRESSER IND INC DRESSER CLARK	5TH ST	1/4 - 1/2 ESE	H33	72

TSCA: The Toxic Substances Control Act identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. The United States Environmental Protection Agency has no current plan to update and/or re-issue this database.

A review of the TSCA list, as provided by EDR, and dated 12/31/2002 has revealed that there is 1 TSCA site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
A CYANAMID - CONAP INC	1405 BUFFALO ST	1/8 - 1/4 S	B13	31

FTTS: FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act) over the previous five years. To maintain currency, EDR contacts the Agency on a quarterly basis.

A review of the FTTS INSP list, as provided by EDR, and dated 04/13/2005 has revealed that there is 1 FTTS INSP site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CONAP, INC	1405 BUFFALO STREET	1/8 - 1/4 S	B8	19

STATE OR LOCAL ASTM SUPPLEMENTAL

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 4 AST

EXECUTIVE SUMMARY

sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
DRESSER RAND	NORTH 5TH ST	1/4 - 1/2ESE	H35	75
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
VAN DER HORST CORP OF AMERICA	900 W CONNELL ST	1/8 - 1/4NNW	7	17
NYNEX	1480 BUFFALO ST	1/8 - 1/4W	D18	35
INDECK-OLEAN ENERGY CENTER	140 MOORE AVENUE	1/4 - 1/2WSW	E22	49

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 4 CBS AST sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CYTEC OLEAN INCORPORATED	1405 BUFFALO ST.	1/8 - 1/4S	B9	19
DRESSER RAND TURBO PRODUCTS DI	PO BOX 560	1/4 - 1/2ESE	H36	108
PEPSI COLA CO. (OLEAN BOTTLING	243 ROOT ST.	1/2 - 1 E	67	150
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
INDECK-OLEAN ENERGY CENTER	140 MOORE AVENUE	1/4 - 1/2WSW	E22	49

SPILLS: Data collected on spills reported to NYSDEC, is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 05/02/2005 has revealed that there are 21 NY Spills sites within approximately 0.625 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CYTEC OLEAN INCORPORATED	1405 BUFFALO ST.	1/8 - 1/4S	B9	19
VACANT LOT-OLEAN	WAYNE / NORTH 10TH ST	1/4 - 1/2SE	23	58
UNI-MART	9TH / WAYNE STREET	1/4 - 1/2SE	F25	61
DRESSER RAND PLANT #2	FIFTH STREET	1/4 - 1/2ESE	H31	69
DRESSER RAND-ABAN TANK	NORTH 5TH STREET	1/4 - 1/2ESE	H32	70
DRESSER RAND #3	NORTH 5TH STREET	1/4 - 1/2ESE	H34	73
DRESSER RAND	NORTH 5TH ST	1/4 - 1/2ESE	H35	75
DRESSER RAND	FIFTH STREET	1/4 - 1/2ESE	H37	113
DRESSER RAND-MERCURY	FIFTH STREET	1/4 - 1/2ESE	H38	115
CASELLA TRUCK	HOMER STREET/ BUFFALO S	1/4 - 1/2WNW	45	120
CITY OLEAN MIDDLE SCHOOL	420 NORTH 7TH STREET	1/4 - 1/2SE	K46	120
OLEAN CENTRAL SCHOOL	420 W 7TH ST	1/4 - 1/2SE	K47	124
OLEAN MIDDLE SCHOOL	420 NORTH 7TH STREET	1/4 - 1/2SE	K48	126
STORM DRAIN	326 N. 7TH STREET	1/2 - 1 SE	56	137
DEXTER ELECTRONIC MATERIA	211 FRANKLIN STREET	1/2 - 1 NNE	M61	143
DEXTER COMPANY	211 FRANKLIN STREET	1/2 - 1 NNE	M62	143
FRED'S CONTRACT CLEANERS	1002 SOUTH UNION STREET	1/2 - 1 ENE	O64	148

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NY TELEPHONE - OLEAN	1480 BUFFALO STREET	1/8 - 1/4 W	D15	32
NYNEX	1480 BUFFALO ST	1/8 - 1/4 W	D18	35
OIL SHEEN IN EXCAVATION	BUFFALO STREET / ROUT	1/4 - 1/2 WNW	G29	67
NYS GAS & ELECTRIC	1798 WEST SULLIVAN STRE	1/2 - 1 SSW	N59	138

A review of the AIRS list, as provided by EDR, and dated 11/01/2004 has revealed that there is 1 AIRS site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
INDECK OLEAN ENERGY CENTER	140 MOORE AVENUE	1/4 - 1/2 WSW	E19	45

PROPRIETARY DATABASES

Former Manufactured Gas (Coal Gas) Sites:

The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative

A review of the Coal Gas list, as provided by EDR, has revealed that there is 1 Coal Gas site within approximately 1.5 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LEVI BARRETS SOLE LEATHER TANN	220 EAST GREEN ST.	1 - 2 SE	93	236

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
VAN DER HORST #2	RCRA-SQG, CERC-NFRAP
CARTER'S	SWF/LF
ALLEGANY TRANSFER STATION	SWF/LF, SWRCY
LEE'S SEPTIC SERVICE	SWF/LF
ALLEGANY TRUCK STOP	UST, LTANKS
COLONIAL VILLAGE	LTANKS
LEAKING TRUCK ON ROUTE 16	LTANKS
CITY OF OLEAN DPW	LTANKS
OLEAN PUBLIC LIBRARY	LTANKS
DEWITT CONCRETE-OLEAN	LTANKS
TEAM CHEVROLET-JEEP EAGLE	UST, AST
OLEAN WASTE WATER TREATMENT PLANT	UST, AST
ANDERSON EQUIPMENT COMPANY (NY), I	AST
MEYER BARNARD CHEV GEO INC	RCRA-SQG, FINDS
NYSDOT	RCRA-SQG, FINDS
NYSDOT	RCRA-SQG, FINDS
NYSDOT BIN 1092061&2	RCRA-SQG, FINDS
OLEAN CITY OF - SAINT FRANCIS WELL	RCRA-SQG, FINDS
CLARK BROTHERS MEASURING STATION	RCRA-SQG, FINDS
VAN DER HORS	RCRA-SQG
EAST OLEAN #02 SUB	RCRA-SQG
UNI-MARTS INC	RCRA-SQG, FINDS
EAST OLEAN #02 SUB	FINDS
DRESSER RAND	NY Spills
OILY SUBSTANCE FROM PIPE	NY Spills
14TH STREET OUTFALL	NY Spills
NIMO FACILITY	NY Spills
OIL IN CREEK	NY Spills
CATTARAUGUS COUNTY DEV.	NY Spills
OIL IN POND IN FORNESS PK	NY Spills
CONRAIL	NY Spills
VACANT LOT-DRUM OLEAN	NY Spills
DRUMS AT SUB-CON	NY Spills
OLEAN CREEK STORM SEWER	NY Spills
OLEAN CREEK-OUTFALL	NY Spills
BLUE BIRD BUS	NY Spills
BLUE BIRD	NY Spills
FRANKLIN STREET	NY Spills
NORFOLK SOUTHERN RAILROAD	NY Spills
TRUCK AT OLEAN LUMBER	NY Spills
HASTING ROAD BRIDGE	NY Spills
OLEAN NURSING HOME	NY Spills
OLEAN CREEK SHEEN	NY Spills
OLEAN CREEK-MAIN STREET	NY Spills
AGWAY INDUSTRIAL PARK	NY Spills
DRESSER RAND #4	NY Spills
CROSSETT INC. TRUCK	NY Spills

OVERVIEW MAP - 1443737.2s - Plumley Engineering




- ◆ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- ◆ National Priority List Sites
- ◆ Landfill Sites
- ◆ Dept. Defense Sites
- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- Federal Wetlands
- State Wetlands

0 1/2 1 2 Miles

TARGET PROPERTY: Former Olean Nitrogen Complex
ADDRESS: 1404-06 Buffalo Street
CITY/STATE/ZIP: Olean NY 14760
LAT/LONG: 42.0884 / 78.4456

CUSTOMER: Plumley Engineering
CONTACT: Jenna Webb
INQUIRY #: 1443737.2s
DATE: June 14, 2005 8:42 am

DETAIL MAP - 1443737.2s - Plumley Engineering



- ▲ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- Sensitive Receptors
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites

- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone

0 1/16 1/8 1/4 Miles

TARGET PROPERTY: Former Olean Nitrogen Complex
 ADDRESS: 1404-06 Buffalo Street
 CITY/STATE/ZIP: Olean NY 14760
 LAT/LONG: 42.0884 / 78.4456

CUSTOMER: Plumley Engineering
 CONTACT: Jenna Webb
 INQUIRY #: 1443737.2s
 DATE: June 14, 2005 8:43 am

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.500	0	0	0	0	0	0
Proposed NPL		1.500	0	0	0	0	0	0
CERCLIS		1.000	0	0	0	1	NR	1
CERC-NFRAP	X	0.750	0	1	0	0	NR	1
CORRACTS	X	1.500	0	0	0	1	0	1
RCRA TSD		1.000	0	0	0	0	NR	0
RCRA Lg. Quan. Gen.		0.750	0	1	1	2	NR	4
RCRA Sm. Quan. Gen.	X	0.750	0	1	7	10	NR	18
ERNS		0.500	0	1	0	NR	NR	1
<u>STATE ASTM STANDARD</u>								
State Haz. Waste		1.500	0	0	0	1	0	1
State Landfill		1.000	0	0	0	2	NR	2
LTANKS	X	1.000	0	2	2	20	NR	24
UST		0.750	0	3	4	4	NR	11
CBS UST		0.750	0	0	1	0	NR	1
MOSF UST		1.000	0	0	0	0	NR	0
VCP		1.000	0	0	0	0	NR	0
SWTIRE		1.000	0	0	0	0	NR	0
SWRCY		1.000	0	0	0	1	NR	1
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.500	0	0	0	0	0	0
ROD		1.500	0	0	0	0	0	0
Delisted NPL		1.500	0	0	0	0	0	0
FINDS	X	0.500	0	3	10	NR	NR	13
HMIRS		0.500	0	1	0	NR	NR	1
MLTS		0.500	0	0	0	NR	NR	0
MINES		0.750	0	0	0	0	NR	0
NPL Liens		0.500	0	0	0	NR	NR	0
PADS		0.500	0	0	0	NR	NR	0
INDIAN RESERV		1.500	0	0	0	0	0	0
FUDS		1.500	0	0	0	0	0	0
UMTRA		1.000	0	0	0	0	NR	0
US ENG CONTROLS		1.000	0	0	0	0	NR	0
ODI		1.000	0	0	0	0	NR	0
DOD		1.500	0	0	0	0	0	0
RAATS		0.500	0	0	0	NR	NR	0
TRIS		0.500	0	1	1	NR	NR	2
TSCA		0.500	0	1	0	NR	NR	1
SSTS		0.500	0	0	0	NR	NR	0
FTTS		0.500	0	1	0	NR	NR	1
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
HSWDS	X	1.000	0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
AST		0.500	0	2	2	NR	NR	4
CBS AST		0.750	0	1	2	1	NR	4
MOSF AST		1.000	0	0	0	0	NR	0
NY Spills	X	0.625	0	3	13	5	NR	21
DEL SHWS		1.500	0	0	0	0	0	0
DRYCLEANERS		0.750	0	0	0	0	NR	0
ENG CONTROLS		1.000	0	0	0	0	NR	0
AIRS		0.500	0	0	1	NR	NR	1
SPDES		0.500	0	0	0	NR	NR	0

EDR PROPRIETARY HISTORICAL DATABASES

Coal Gas		1.500	0	0	0	0	1	1
----------	--	-------	---	---	---	---	---	---

BROWNFIELDS DATABASES

US BROWNFIELDS		1.000	0	0	0	0	NR	0
US INST CONTROL		1.000	0	0	0	0	NR	0
Brownfields	X	1.000	0	0	0	0	NR	0
VCP		1.000	0	0	0	0	NR	0
INST CONTROL		1.000	0	0	0	0	NR	0

NOTES:

AQUIFLOW - see EDR Physical Setting Source Addendum

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

A1 FELMONT OIL CORP CHEMICAL DIV
Target 1446 BUFFALO ST
Property OLEAN, NY 14760

RCRA-SQG 1000301660
FINDS NYD006983605

Actual: 1425 ft.
Site 1 of 5 in cluster A

RCRAInfo:
Owner: FELMONT OIL CORP
(212) 555-1212
EPA ID: NYD006983605
Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
NATIONAL EMISSIONS INVENTORY
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

A2 AGWAY FELMONT
Target BUFFALO STREET
Property OLEAN, NY 14760

LTANKS 1000353052
HSWDS N/A
NY Spills

Actual: 1425 ft.
Site 2 of 5 in cluster A

SPILLS:
Spill Number: 0404286 Region of Spill: 7
Spill Date: 07/21/04 Reported to Dept: / /
ID: 7572
Date Call Received: 07/21/04
Region Close Date: 12/27/04
Material Spilled: HYDRAULIC OIL Amount Spilled: 6 Gal.
Water Affected: Not reported Spill Source: RAILROAD CAR
Spill Cause: Equipment Failure Resource Affected: Soil
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

NY HSWDS:

Facility ID: HS9003 EPA ID: None
Facility Status: Unknown
Owner Type: Public
Owner: Agway Incorporated
Owner Address: POBox 4933
Syracuse, NY 13321-4933
Owner Phone: (315)477-6431
Operator Type: Public
Operator: Same
Operator Address: Same
Operator Phone: Same

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

AGWAY FELMONT (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000353052

Registry:	D	RCRA Permitted:	Unknown
Registry Site ID:	905001	Lat/Long:	Unknown / Unknown
Quadrangle:	Unknown		
Acres:	0.00		
Operator Date:	Unknown	Close Date:	Unknown
Completed:	Unknown	Active:	Unknown
Region:	9		
Volatile Organic Compounds Disposed:	No		
Semi Volatile Organic Compounds Disposed:	No		
PCB's Disposed:	No		
Pesticides Disposed:	No		
Metals Disposed:	No		
Asbestos Disposed:	No		
Analytical Info Exists for Air:	Not reported		
Analytical Info Exists for Ground:	None		
Analytical Info Exists for Surface:	Not reported		
Analytical Info Exists for Sediments:	Not reported		
Analytical Info Exists for Surface Soil:	Not reported		
Analytical Info Exists for Substance:	Not reported		
Analytical Info Exists for Waste:	Not reported		
Analytical Info Exists for Leachate:	Not reported		
Analytical Info Exists for EP Toxicity:	Not reported		
Analytical Info Exists for TCLP:	Not reported		
Site Poses Threat to Environment/Public Health:	Unknown		
Surface Water Contamination:	Unknown		
Surface Water Body Class:	Unknown		
Groundwater Contamination:	Unknown		
Groundwater Classification:	Unknown		
Drinking Water Contamination:	Unknown		
Drinking Water Supply is Active:	Unknown		
Any Known Fish or Wildlife:	Unknown		
Hazardous Exposure:	Unknown		
Site Has Controlled Access:	Unknown		
Ambient Air Contamination:	Unknown		
Direct Contact:	Unknown		
EPA Hazardous Ranking System Score:	None		
Agencies:	NYSDEC-DOW		
Air:	Not reported		
Building:	Not reported		
Site Description:	THE SITE IS NOT FELMONT OIL(905007), IN OLEAN, NY. AGWAY(905001) LIES ADJACENT TO FELMONT OIL.		
Drink:	Not reported		
Eptox:	Not reported		
Fish:	Not reported		
Ground:	Not reported		
Hazardous Threat:	AMMONIA NITRATES A NITROGEN FERTILIZER PLANT OPERATED FROM 1966-1983. AMMONIA AND NITRATE CONTAMINATION RESULTED IN GROUNDWATER (PRINCIPAL AQUIFER) CONTAMINATION. DEC ORDERED GROUNDWATER RESTORATION FROM 1977 - 1985.		
Leachate:	Not reported		
Preparer:	JULIE WELCH ENVENGRTCH2 NYSDEC JULY 1, 1994		
Sediment:	Not reported		
Soil:	Not reported		
Surface:	Not reported		
Status:	Not reported		
Surface Soil:	Not reported		
Surface:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

AGWAY FELMONT (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000353052

TCLP: Not reported
Waste: Not reported

LTANKS:

Spill Number: 8700333
Spill Date: 04/11/1987 15:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: MJH
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CONRAIL
Spiller Address: HYDE PARK BOULEVARD
NIAGARA FALLS, NY
Spill Class: Not reported
Spill Closed Dt: 04/28/87
Spill Notifier: Responsible Party
Cleanup Ceased: 04/28/87
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/04/87
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 04/14/87
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 2
Quantity Spilled: 2
Units: Gallons
Unknown Qty Spilled: 2
Quantity Recovered: 2
Unknown Qty Recovered: False
Material: SULFURIC ACID
Class Type: Hazardous
Chem Abstract Service Number: SULFURIC ACID
Last Date: Not reported
Num Times Material Entry in File: 0

Region of Spill: 9
Reported to Dept: 04/11/87 15:15
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Railroad Car
Facility Tele: Not reported
SWIS: 29
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AGWAY FELMONT (Continued)

1000353052

DEC Remarks: / / : NOTIFIED NCHD, ROSSITE, 04/11/87 1535; NCHD 04/11/87, CLEANUP RE
QUIRED AND UNDERWAY. / / : NCHD INVESTIGATED AND SUBMITTED REPORT, SAT
ISFIED W/ CLEANUP NO FURTHER ACTION REQUIRED.

Spill Cause: Not reported

Spill Number: 9207615
Spill Date: 09/30/1992 12:00

Region of Spill: 9
Reported to Dept: 09/30/92 12:40

ID: Not reported

Date Call Received: Not reported

Material Spilled: Not reported

Amount Spilled: Not reported

Region Close Dt: Not reported

Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Resource Affected: Groundwater

Spill Cause: Tank Failure

Facility Contact: CARL GERHARDSTEIN

Facility Tele: (215) 209-1693

Investigator: FG

SWIS: 14

Caller Name: Not reported

Caller Agency: Not reported

Caller Phone: Not reported

Caller Extension: Not reported

Notifier Name: Not reported

Notifier Agency: Not reported

Notifier Phone: Not reported

Notifier Extension: Not reported

PBS: Not reported

Spiller Contact: Not reported

Spiller Phone: Not reported

Spiller: CSX

Spiller Address: 500 WATER STREET
JACKSONVILLE, FL 32202

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 08/31/00

Spill Notifier: Responsible Party

PBS Number: Not reported

Cleanup Ceased: / /

Last Inspection: 06/05/97

Cleanup Meets Standard: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: True

Spill Record Last Update: 09/25/00

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered in Computer Data File: 10/01/92

Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: Not reported

Leak Rate Failed Tank: Not reported

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: 0

Units: Gallons

Unknown Qty Spilled: No

Quantity Recovered: 0

Unknown Qty Recovered: True

Material: GASOLINE

Class Type: Petroleum

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AGWAY FELMONT (Continued)

1000353052

Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Spill Cause: FOUND CONTAMINATION DURING TANK REMOVAL; HIGH GROUNDWATER TABLE.

Spill Number: 9603843 Region of Spill: 7
Spill Date: 06/15/1996 12:00 Reported to Dept: 06/20/96 14:36
ID: Not reported Date Call Received: Not reported
Material Spilled: Not reported Amount Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported Spill Source: Tank Truck
Resource Affected: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported Facility Tele: () -
Investigator: MR SWIS: 31
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
PBS: Not reported
Spiller Contact: GEORGE AYERS Spiller Phone: (315) 656-5887
Spiller: EAGLE BROOK CO
Spiller Address: 17877 ST CLARE AV
CLEVELAND, OH -
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/25/96
Spill Notifier: Affected Persons PBS Number: Not reported
Cleanup Ceased: / /
Last Inspection: 06/21/96
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 06/25/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/20/96
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 2
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: FERRIC CHLORIDE
Class Type: Hazardous

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

AGWAY FELMONT (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000353052

Chem Abstract Service Number: FERRIC CHLORIDE
Last Date: Not reported
Num Times Material Entry In File: 0
DEC Remarks: 06/25/96:VISITED SITE. MET W/ REPRESENTATIVES FROM E.P.S.,CONTRACTOR HIR
ED BY CONRAIL TO CLEANUP THE SPILL. ALSO ON SITE WAS S.MUSCARELLA -INSUR
ANCE ADJUSTER. CLEANUP CREW CONSISTED OF FOUR MEN WITH A VAC TRUCK. SPIL
L HAD SPREAD DUE TO HEAVY RAIN. AMOUNT OF SPILL APPEARS TO BE MORE THAN
WHAT WAS REPORTED.
Spill Cause: HOSE CAME OFF TRUCK - BEING CLEANED UP NOW
Spill Number: 8080623
Spill Date: 06/23/1980
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Air
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: AS
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CONRAIL RAILROAD
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 01/01/83
Spill Notifier: Health Department
Cleanup Ceased: 01/01/83
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/93
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1700
Units: Gallons
Unknown Qty Spilled: 1700
Quantity Recovered: 0

Region of Spill: 8
Reported to Dept: 09/26/80 16:00
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Unknown
Facility Tele: Not reported
SWIS: 18
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AGWAY FELMONT (Continued)

1000353052

Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
DEC Remarks: Not reported
Spill Cause: APPARENTLY CLEANED UP BY CONRAIL SPILL LOCATED NEAR CITY WATER SUPPLY WE
LLS.

Spill Number: 9805485
Spill Date: 08/26/1998 08:30
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: ED COLLINS
Investigator: CM
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: ED COLLINS
Spiller: CONRAIL
Spiller Address: 6200 GIRDEN RD
E SYRACUSE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Notifier: Responsible Party
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 11/27/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/26/98
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: Not reported
Quantity Spilled: Not reported
Units: Not reported

Region of Spill: 7
Reported to Dept: 08/26/98 08:42
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 732-2695
SWIS: 31
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (716) 732-2695

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AGWAY FELMONT (Continued)

1000353052

Unknown Qty Spilled: Not reported
Quantity Recovered: Not reported
Unknown Qty Recovered: Not reported
Material: Not reported
Class Type: Not reported
Chem Abstract Service Number: Not reported
Last Date: Not reported
Num Times Material Entry in File: Not reported

DEC Remarks: Not reported

Spill Cause: during tank removal caller found contamination - a sheen on some water in hole

Spill Number: 9603843
Spill Date: 06/15/96
ID: 234793
Material Spilled: FERRIC CHLORIDE
Region Close Dt: 06/25/96
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Overfill
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 7
Reported to Dept: / /
Date Call Received: 06/20/96
Amount Spilled: 10 Gal.
Spill Source: TANK TRUCK
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 8080623
Spill Date: 06/23/80
ID: 95200
Material Spilled: DIESEL
Region Close Dt: 01/01/83
Water Affected: Not reported
Resource Affected: Air
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 8
Reported to Dept: / /
Date Call Received: 09/26/80
Amount Spilled: 1700 Gal.
Spill Source: UNKNOWN
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 8700333
Spill Date: 04/11/87
ID: 107305
Material Spilled: SULFURIC ACID
Region Close Dt: 04/28/87
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 04/11/87
Amount Spilled: 2 Gal.
Spill Source: RAILROAD CAR
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9207615
Spill Date: 09/30/92
ID: 174628
Material Spilled: GASOLINE
Region Close Dt: 08/31/00
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 09/30/92
Amount Spilled: Unknown Gal.
Spill Source: OTHER COMM/INDUSTRIAL
Tank Size: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

AGWAY FELMONT (Continued)

1000353052

Test Method:	Not reported	Leak Rate:	Not reported
PBS:	Not reported		
Spill Number:	9806485	Region of Spill:	7
Spill Date:	08/26/98	Reported to Dept:	/ /
ID:	264650	Date Call Received:	08/26/98
Material Spilled:	Not reported	Amount Spilled:	Not reported
Region Close Dt:	07/06/03		
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Resource Affected:	Groundwater		
Spill Cause:	Tank Failure		
Tank Number:	Not reported	Tank Size:	Not reported
Test Method:	Not reported	Leak Rate:	Not reported
PBS:	Not reported		

[Click this hyperlink](#) while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

A3
Target
Property

CF INDUSTRIES INC OLEAN NITROG
1446 BUFFALO STREET
OLEAN, NY 14760

RCRA-SQG
CORRACTS
CERC-NFRAP

1000255893
NYD055057665

Site 3 of 5 in cluster A

Actual:
1425 ft.

CERCLIS-NFRAP Classification Data:

Federal Facility: Not a Federal Facility
Non NPL Code: DR
NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:

Assessment:	DISCOVERY	Completed:	04/15/1980
Assessment:	PRELIMINARY ASSESSMENT	Completed:	06/23/1987
Assessment:	SITE INSPECTION	Completed:	09/25/1990
Assessment:	ARCHIVE SITE	Completed:	01/31/1997

CERCLIS-NFRAP Alias Name(s):

MOBIL OIL/OLEAN REFINERY
CF INDUSTRIES
AGWAY (NYD980506174)

CORRACTS Data:

EPA Id: NYD055057665
Region: 2
Area Name: SITEWIDE
Actual Date: 09/22/1992
Corrective Action: CA050 - RFA Completed
2002 NAICS Title: Not Reported

EPA Id: NYD055057665
Region: 2
Area Name: SITEWIDE
Actual Date: 06/26/1996
Corrective Action: CA225NR - Stabilization Measures Evaluation. This facility is , not amenable to stabilization activity at the, present time for reasons other than (1) it appears to be technically, infeasible or inappropriate (NF) or (2) there is a lack of technical, information (IN). Reasons for this conclusion may be the status of, closure at the facility, the degree of risk, timing considerations, the status of corrective action work at the facility, or other, administrative considerations
2002 NAICS Title: Not Reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CF INDUSTRIES INC OLEAN NITROG (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000255893

EPA Id: NYD055057665
Region: 2
Area Name: SITEWIDE
Actual Date: 09/08/1993
Corrective Action: CA075ME - CA Prioritization, Facility or area was assigned a medium corrective action priority
2002 NAICS Title: Not Reported

RCRAInfo Corrective Action Summary:

Event: Stabilization Measures Evaluation, This facility is not amenable to stabilization activity at the present time for reasons other than 1) it appears to be technically infeasible or inappropriate (NF) or 2) there is a lack of technical information (IN). Reasons for this conclusion may be the status of closure at the facility, the degree of risk, timing considerations, the status of corrective action work at the facility, or other administrative considerations.
Event Date: 06/26/1996
Event: CA Prioritization, Facility or area was assigned a medium corrective action priority.
Event Date: 09/08/1993
Event: RFA Completed
Event Date: 09/22/1992

RCRAInfo:

Owner: CF INDUSTRIES INC
(312) 438-9500
EPA ID: NYD055057665
Contact: STANLEY C RYS
(716) 373-1700

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 04/11/1985
Actual Date Achieved Compliance: 07/30/1985
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 04/11/1985
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 03/05/1985
Actual Date Achieved Compliance: 07/30/1985
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 03/05/1985
Penalty Type: Not reported

There are 2 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Non-Financial Record Review	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19850730
Non-Financial Record Review	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19850730

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

CF INDUSTRIES INC OLEAN NITROG (Continued)

1000255893

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

A4 AGWAY OLEAN NITROGEN COMPLEX
Target 1446 BUFFALO ST
Property OLEAN, NY 14760

RCRA-SQG 1000546726
FINDS NYD030207708

Actual: Site 4 of 5 in cluster A
1425 ft.

RCRAInfo:
Owner: AGWAY INC
(315) 449-6498
EPA ID: NYD030207708
Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

A5 FORMER FELMONT OIL SITE
Target 1446 BUFFALO STREET
Property OLEAN, NY 14760

Brownfields S100450335
N/A

Actual: Site 5 of 5 in cluster A
1425 ft.

NY BROWNFIELD:
Facility ID : E905027
Program Type : ERP

6 FELMONT
SW 1439 BUFFALO STREET
1/8-1/4 OLEAN, NY 14760
884 ft.

CERC-NFRAP 1003863736
NYD980508253

Relative: CERCLIS-NFRAP Classification Data:
Lower Federal Facility: Not a Federal Facility
Non NPL Code: NFRAP

Actual: NPL Status: Not on the NPL
1424 ft. CERCLIS-NFRAP Assessment History:
Assessment: DISCOVERY Completed: 04/01/1980
Assessment: PRELIMINARY ASSESSMENT Completed: 09/30/1986
Assessment: SITE INSPECTION Completed: 12/31/1991
Assessment: ARCHIVE SITE Completed: 12/31/1991

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

7 VAN DER HORST CORP OF AMERICA
NNW 900 W CONNELL ST
1/8-1/4 OLEAN, NY 14760
991 ft.

Database(s) EDR ID Number
EPA ID Number

UST U003079520
AST N/A

Relative:
Lower

PBS UST:

PBS Number: 9-224154
SPDES Number: Not reported
Operator: VAN DER HORSE CORP OF AMERICA
(716) 372-5200
Emergency Contact: ROBERT BUSH
(716) 372-5200
Total Tanks: 0
Owner: VAN DER HORSE CORP OF AMERICA
314 PENN AVE
OLEAN, NY 14760
(716) 372-5200

CBS Number: Not reported
SWIS ID: 0466

Actual:
1422 ft.

Owner Type: Not reported
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: VAN DER HORSE CORP OF AMERICA
314 PENN AVE
OLEAN, NY 14760
(716) 372-5200

Tank Status: Closed - Removed
Capacity (gals): 6000
Tank Location: UNDERGROUND
Tank Id: 201
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: 2
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE

Install Date: Not reported
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

Overfill Prot: 2
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: True
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: Not reported
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Renewal Date: 05/27/1992
Federal ID: Not reported
Facility Screen: Minor data missing
Certification Date: 08/17/1987
Expiration Date: 08/17/1992
Inspector: Not reported

PBS AST:

PBS Number: 9-224154
SPDES Number: Not reported
Federal ID: Not reported

CBS Number: Not reported
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

VAN DER HORST CORP OF AMERICA (Continued)

U003079520

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Facility Type: Not reported
Owner Type: Not reported
Owner Sub Type: Not reported
Owner: VAN DER HORSE CORP OF AMERICA
314 PENN AVE
OLEAN, NY 14760
Owner Phone: (716) 372-5200
Facility Phone: (716) 372-5200
Operator: VAN DER HORSE CORP OF AMERICA
Emergency Name: ROBERT BUSH
Emergency Phone: (716) 372-5200
Total Tanks: 0
Total Capacity: 0
Tank ID: 202
Capacity (Gal): 1000
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: GALVANIZED STEEL
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Not reported
Dispenser Method: Gravity
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: VAN DER HORSE CORP OF AMERICA
Mailing Address: 314 PENN AVE
OLEAN, NY 14760
Mailing Contact: Not reported
Mailing Telephone: (716) 372-5200
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: True
Facility Screen: Minor data missing
Owner Screen: Minor data missing
Tank Screen: 0
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: Not reported

Expiration Date: 08/17/1992
Certification Date: 08/17/1987
Renew Date: 05/27/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Distance (ft.) Elevation	Site	Database(s)	EDR ID Number EPA ID Number
B8 South 1/8-1/4 1048 ft.	CONAP, INC 1405 BUFFALO STREET ORLEAN, NY 14760 Site 1 of 6 in cluster B	FTTS INSP	1007274128 N/A
Relative: Higher	FTTS Insp: Region: 07 Inspected Date: 01/27/1998 Insp Number: 19980127F2573 1 Violation occurred: No Inspector: STEINER Investigation Type: General Product Review Facility Function: Producer Investig Reason: Not reported Legislation Code: FIFRA Region: 07 Inspected Date: 01/27/1998 Insp Number: 19980127F2573 1 Violation occurred: Yes Inspector: STEINER Investigation Type: General Product Review Facility Function: Producer Investig Reason: Not reported Legislation Code: FIFRA Region: 02 Inspected Date: 09/17/1998 Insp Number: 1998091710912 3 Violation occurred: No Inspector: M. BIOUS, DZ Investigation Type: Section 8 Inventory Rule Facility Function: Manufacturer/importer Investig Reason: Not reported Legislation Code: TSCA		
B9 South 1/8-1/4 1048 ft.	CYTEC OLEAN INCORPORATED 1405 BUFFALO ST. OLEAN, NY 14760 Site 2 of 6 in cluster B	FINDS RCRA-LQG TRIS CBS AST LTANKS NY Spills	1000153951 14760CNPNC14
Relative: Higher	RCRAInfo: Owner: WHEELABRATOR-FRYE, INC (603) 926-5911 EPA ID: NYD096297544 Contact: GEORGE KARPIN (716) 372-9650 Classification: Large Quantity Generator TSD Activities: Not reported BIENNIAL REPORTS: Last Biennial Reporting Year: 2001		
Actual: 1434 ft.			

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CYTEC OLEAN INCORPORATED (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000153951

D035	9998.00	D040	247537.00
F003	25878.00	F005	9998.00
U158	620.00	U223	654.00

Violation Status: Violations exist

Regulation Violated:	Not reported
Area of Violation:	GENERATOR-LAND BAN REQUIREMENTS
Date Violation Determined:	09/03/1997
Actual Date Achieved Compliance:	03/12/1998
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	09/03/1997
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	09/03/1997
Actual Date Achieved Compliance:	03/12/1998
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	09/03/1997
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	12/14/1994
Actual Date Achieved Compliance:	01/26/1995
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	12/14/1994
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	GENERATOR-LAND BAN REQUIREMENTS
Date Violation Determined:	12/14/1994
Actual Date Achieved Compliance:	01/26/1995
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	12/14/1994
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	10/16/1985
Actual Date Achieved Compliance:	02/20/1986
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	01/15/1986
Penalty Type:	Not reported

There are 5 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-LAND BAN REQUIREMENTS	19980312
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19980312
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19950126
Compliance Evaluation Inspection	GENERATOR-LAND BAN REQUIREMENTS	19950126
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19860220

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CYTEC OLEAN INCORPORATED (Continued)

1000153951

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
INTEGRATED COMPLIANCE INFORMATION SYSTEM
NATIONAL COMPLIANCE DATABASE SYSTEM
NATIONAL EMISSIONS INVENTORY
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM
TOXIC CHEMICAL RELEASE INVENTORY SYSTEM

SPILLS:

Spill Number:	9714372	Region of Spill:	9
Spill Date:	03/27/98	Reported to Dept:	/ /
ID:	258013		
Date Call Received:	03/27/98		
Region Close Date :	05/18/98		
Material Spilled:	TOLUENE 2,6-DIISOCYANATE	Amount Spilled:	30 Gal.
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Tank Number:	Not reported	Tank Size :	Not reported
Test Method:	Not reported	Leak Rate:	Not reported

Spill Number:	9714372	Region of Spill:	9
Spill Date:	03/27/1998 05:00	Reported to Dept:	03/27/98 09:15
ID:	Not reported		
Date Call Received:	Not reported		
Region Close Date :	Not reported		
Material Spilled:	Not reported	Amount Spilled:	Not reported
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Facility Contact:	TOM HARDES	Facility Tele:	(716) 372-9650
Investigator:	MF	SWIS:	04
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
PBS:	Not reported		
Spiller Contact:	JULIE TAYLOR	Spiller Phone:	(716) 372-9650
Spiller:	CONAP		
Spiller Address:	1405 BUFFALO STREET OLEAN, NY 14760		

DEC Remarks : 05/18/98: MF ASSIGNED SPILL. NO COMPUTER OR FILE NOTES. BASED ON LETTER FROM RP. SPILL CLEANED. ALSO RECEIVED DISPOSAL MANIFEST. NO FURTHER ACTION POSSIBLE. FLANGE LEAK IN TDI/TDS STORAGE BUILDING. LOST APPX 37 GALLONS 377 LBS TO DIKE AREA.

Remark: leak in a flang into containment area all cleaned up
Spill Class: Known release with minimal potential for fire or hazard. DEC Response: Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number:	Not reported
Tank Number:	Not reported
Test Method:	Not reported
Capacity of Failed Tank:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

CYTEC OLEAN INCORPORATED (Continued)

1000153951

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 2
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 30
Unknown Qty Recovered: False
Material: TOLUENE 2,6-DIISOCYANATE
Class Type: Hazardous
Chem Abstract Service Number: TOLUENE 2,6-DIISOCYANATE
Last Date: Not reported
Num Times Material Entry In File: 0
Spill Closed Dt: 05/18/98
Spill Notifier: Responsible Party
Cleanup Ceased: 05/18/98
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Invstgn Complete: / /
Spill Record Last Update: 07/06/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/27/98
Date Region Sent Summary to Central Office: / /
PBS Number: Not reported
Cleanup Meets Std: True
Enforcement Date: / /
UST Involvement: False

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

CBS AST:

CBS Number: 9-000136 Telephone: (716) 372-9650
Owner: CYTEC INDUSTRIES, INC.
FIVE GARRET MOUNTAIN PLAZA
WEST PATERSON, NJ 07424
(716) 372-9650
Facility Status: Active
Total Tanks: 2
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/99
Capacity (Gal): 7000
Tank Type: Stainless steel alloy
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Other
Pipe Type: STAINLESS STEEL ALLOY Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: None Haz Percent: 100
Leak Detection: Other
Overfill Protection: 3/3
Chemical: Toluene diisocyanate
Tank Closed: 02/00
PBS Number: 9-042634 SWIS Code: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CYTEC OLEAN INCORPORATED (Continued)

1000153951

Federal ID:	Not reported	CAS Number:	26471625
MOSF Number:	-	ICS Number:	9-179343
SPDES Number:	0-24471	Facility Town:	OLEAN
Facility Type:	Manufacturing	Emergency Phone:	(716) 372-7955
Operator:	GERRET PETERS	Expiration Date:	06/20/2003
Emergency Contact:	JOHN NORTHRUP		
Certified Date:	03/29/2001		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	CYTEC INDUSTRIES, INC.		
Mail Contact:	TOM HARDES		
	1405 BUFFALO STREET		
	OLEAN, NY 14760		
Mail Phone:	(716) 372-9650	Date Entered:	04/01/1999 08:18:42
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported	Owner Mark:	1
Pipe Flag:	False	Date Expired:	06/20/95
Renew Date:	03/01/93	is Updated:	False
Is it There:	False		
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	14000		
Unique Tank Id Number:	0001		
Date Pre-Printed Renewal App Form Was Last Printed:	03/12/2001		
CBS Number:	9-000136	Telephone:	(716) 372-9650
Owner:	CYTEC INDUSTRIES, INC.		
	FIVE GARRET MOUNTAIN PLAZA		
	WEST PATERSON, NJ 07424		
	(716) 372-9650		
Facility Status:	Active		
Total Tanks:	2		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	10/99		
Capacity (Gal):	7000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extnl Protection:	None		
Intnl Protection:	None		
Tank Containment:	Other		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	Other		
Overfill Protection:	3/3		
Chemical:	Toluene 2,4-diisocyanate		
Tank Closed:	02/00		
PBS Number:	9-042684	SWIS Code:	0466
Federal ID:	Not reported		
MOSF Number:	-	CAS Number:	584249
SPDES Number:	0-24471	ICS Number:	9-179343
Facility Type:	Manufacturing		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site	Database(s)	EDR ID Number	EPA ID Number
CYTEC OLEAN INCORPORATED (Continued)		1000153951	
Owner Sub Type:	Not reported		
Mail Name:	CYTEC INDUSTRIES, INC.		
Mail Contact:	TOM HARDES		
	1405 BUFFALO STREET		
	OLEAN, NY 14760		
Mail Phone:	(716) 372-9650		
Tank Secret:	False	Date Entered:	02/24/2000 13:08:13
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	03/01/93	Date Expired:	06/20/95
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	14000		
Unique Tank Id Number:	00001		
Date Pre-Printed Renewal App Form Was Last Printed:	03/12/2001		
CBS Number:	9-000136	Telephone:	(716) 372-9650
Owner:	CYTEC INDUSTRIES, INC.		
	FIVE GARRET MOUNTAIN PLAZA		
	WEST PATERSON, NJ 07424		
	(716) 372-9650		
Facility Status:	Active		
Total Tanks:	2		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	02/00		
Capacity (Gal):	7000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Other		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	Other		
Overfill Protection:	3/3		
Chemical:	Toluene 2,4-diisocyanate		
Tank Closed:	Not reported		
PBS Number:	9-042684	SWIS Code:	0466
Federal ID:	Not reported		
MOSF Number:	-	CAS Number:	584849
SPDES Number:	0-24471	ICS Number:	9-179343
Facility Type:	Manufacturing		
Operator:	GERRET PETERS	Facility Town:	OLEAN
Emrgncy Contact:	JOHN NORTHRUP	Emrgncy Phone:	(716) 372-7955
Certified Date:	03/29/2001	Expiration Date:	06/20/2003
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	CYTEC INDUSTRIES, INC.		
Mail Contact:	TOM HARDES		
	1405 BUFFALO STREET		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CYTEC OLEAN INCORPORATED (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000153951

OLEAN, NY 14760
Mail Phone: (716) 372-9650
Tank Secret: False
Last Test: Not reported
Pipe Flag: False
Renew Date: 03/01/93
Is it There: False
Owner Status: F
Date Entered: 02/24/2000 13:08:35
Due Date: Not reported
Owner Mark: 1
Date Expired: 06/20/95
Is Updated: False
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 14000
Unique Tank Id Number: 00002
Date Pre-Printed Renewal App Form Was Last Printed: 03/12/2001

This is the most recent NY CBS AST data for this site.

Click this hyperlink while viewing on your computer to access
1 additional NY CBS AST record(s) in the EDR Site Report.

LTANKS:

Spill Number: 9005295
Spill Date: 08/13/1990 15:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CONAP INC.
Spiller Address: 1405 BUFFALO STREET
OLEAN, NY 14760
Region of Spill: 9
Reported to Dept: 08/13/90 15:15
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 372-9650
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Not reported
Spill Closed Dt: 09/14/90
Spill Notifier: DEC
Cleanup Ceased: 09/14/90
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 09/19/90
Is Updated: False
PBS Number: 9-042684
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/16/90
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: 7-033847

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CYTEC OLEAN INCORPORATED (Continued)

1000153951

Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 08/14/90: RNL NOTIFIED CACHD 08/14/90, T. POWERS; RNL TELECON TO GRIFFIT
H OIL 08/14/90, CONAP FOUND FITTING LEAK, WILL REPAIR AND RETEST. 09/14
/90: MF RECEIVED RETEST RESULTS, TANK PASSED. NO FUTHER ACTION NECESSARY

Spill Cause: 10000 GALLON TANK FAILED TANK AT CONAP. FAILURE RATE -1.214

Spill Number: 9108208 Region of Spill: 9
Spill Date: 10/31/1991 15:00 Reported to Dept: 10/31/91 15:48
ID: Not reported Date Call Received: Not reported
Material Spilled: Not reported Amount Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Resource Affected: On Land
Spill Cause: Tank Test Failure
Facility Contact: Not reported Facility Tele: (716) 372-9650
Investigator: MF SWIS: 04
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
PBS: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: CONAP INC
Spiller Address: 1405 BUFFALO STREET
OLEAN, NY 14760
Spill Class: Not reported
Spill Closed Dt: 12/30/91
Spill Notifier: Tank Tester PBS Number: Not reported
Cleanup Ceased: 12/30/91
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 01/24/92
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/31/91

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CYTEC OLEAN INCORPORATED (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000153951

Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 11/01/91: MF INFO WILL EXCAVATE RETEST. 11/01/91: MF 11/1/91 TELECON SPI
LLER, GAVE HIM TANK OPTIONS. LETTTER SENT. 12/11/91: MF 11/9/91 TELECON
SPILLER, HE CLAIMED TANK PASSED RETEST (AIR POCKET). HE HASN'T RECEIVED
THE RESULTS FROM GRIFFITH AS YET. HE WILL FOWARD THEY TO ME WHEN HE RECE
IVES THEM. 12/30/91: MF 12/30/91 RECEIVED COPY OF TANK RETEST RESULTS. T
ANK PASSED, NO REASON FOR FIRST FAILURE. NO FURTHER ACTION NECESSARY.
Spill Cause: 10K 2FO TANK TEST FAILURE, WILL EXCAVATE RETEST.

Spill Number: 9708644
Spill Date: 10/20/1997 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Overfill
Facility Contact: TOM HARDES
Investigator: MNP
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CONAP
Spiller Address: 1405 BUFFALO ST
OLEAN, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/23/98
Spill Notifier: Other
Cleanup Ceased: / /
Last Inspection: 10/29/97
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Region of Spill: 9
Reported to Dept: 10/23/97 11:30
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Unknown
Facility Tele: (716) 372-9650
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CYTEC OLEAN INCORPORATED (Continued)

1000153951

Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 01/23/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 10/23/97
Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry in File: 24464

DEC Remarks: 10/29/97: MNP INSP. MET W/ JAMES GREIG - GREEN ENV. VISIBLE CONTAMINATION IN BOTTOM OF EXCAVATION, PETRO. ODOR NOTED. ADDITIONAL SOIL REMOVED. TO CHECK AGAIN LATER TODAY. 10/29/97: MNP INSP. ABOUT 300 YDS. CONTAM. SOIL REMOVED. SOIL PASSED SHEEN TEST, NO SIGNIFICANT ODORS NOTED. SOIL SAMPLES COLLECTED FROM BOTTOM FOR STARS 1 ANALYSIS. 11/21/97: REVIEWED DISPOSAL RECEIPTS RECEIVED ON 11/19/97. APPROX. 205 TONS DISPOSED AT MODERN LANDFILL ON 11/6/97. SITE NEEDS FINAL INSP. BEFORE CLOSING. 11/97: MNP INSP. EXCAVATION BACKFILLED, SOIL GONE, COMPLETE
Spill Cause: TANK REMOVAL CONTRACTOR REPORTED CONTAMINATION PER SAMPLE RESULTS LEVELS WELL ABOVE NYSDEC GUIDANCE VALUES

Spill Number: 9005295
Spill Date: 08/13/90
ID: 145896
Material Spilled: #2 FUEL OIL
Region Close Dt: 09/14/90
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-042684
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 08/13/90
Amount Spilled: 0 Gal.
Spill Source: OTHER COMM/INDUSTRIAL
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9108208
Spill Date: 10/31/91
ID: 161932
Material Spilled: #2 FUEL OIL
Region Close Dt: 12/30/91
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Test Failure
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 10/31/91
Amount Spilled: Unknown lbs.
Spill Source: OTHER COMM/INDUSTRIAL

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

CYTEC OLEAN INCORPORATED (Continued)

1000153951

Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

Spill Number: 9708644 Region of Spill: 9
Spill Date: 10/20/97 Reported to Dept: / /
ID: 254588 Date Call Received: 10/23/97
Material Spilled: #2 FUEL OIL Amount Spilled: Unknown Gal.
Region Close Dt: 01/23/98
Water Affected: Not reported Spill Source: UNKNOWN
Resource Affected: Groundwater
Spill Cause: Tank Overfill
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

B10 1405 BUFFALO ST ERNS 98430029
South 1405 BUFFALO ST
1/8-1/4 OLEAN, NY 14760 N/A
1048 ft.

Relative: Site 3 of 6 in cluster B
Higher

Actual: Click this hyperlink while viewing on your computer to access
1434 ft. additional ERNS detail in the EDR Site Report.

B11 CONAP INC UST U003316581
South 1405 BUFFALO ST N/A
1/8-1/4 OLEAN, NY 14760
1048 ft.

Relative: Site 4 of 6 in cluster B
Higher

PBS UST:
Actual: PBS Number: 9-042684 CBS Number: 9-000136
1434 ft. SPDES Number: - SWIS ID: 0466
Operator: CONAP INC

(716) 372-9650
Emergency Contact: TOM HARDES
(716) 676-9111

Total Tanks: 0
Owner: CONAP INC
1405 BUFFALO ST
OLEAN, NY 14760
(716) 372-9650

Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: CONAP INC
ATTN: TOM HARDES
1405 BUFFALO ST
OLEAN, NY 14760
(716) 372-9650

Tank Status: Closed - Removed
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: 1
Tank Type: Steel/carbon steel
Tank Internal: NONE
Pipe Location: Above/Underground Combination

Install Date: 07/01/1974
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CONAP INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003316581

Tank External:	NONE	Dispenser:	Suction
Missing Data for Tank:	No Missing Data	Next Test Date:	Not reported
Pipe External:	NONE	Test Method:	HORNER
Second Containment:	NONE	Updated:	True
Leak Detection:	NONE	Owner Screen:	No data missing
Overfill Prot:	Product Level Gauge	Renewal Date:	Not reported
Date Tested:	10/01/1996	Federal ID:	Not reported
Date Closed:	09/01/1997	Facility Screen:	No data missing
Deleted:	False	Certification Date:	11/19/1996
Dead Letter:	False	Expiration Date:	11/14/2001
FAMT:	Fiscal amount for registration fee is correct	Inspector:	BAJ
Total Capacity:	0		
Tank Screen:	0		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	10/25/1996		
Inspection Result:	Not reported		
Lat/Long:	42 05 05 / 78 26 40		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

B12
South
1/8-1/4
1048 ft.

1405 BUFFALO ST
OLEAN, NY

HMIRS 200113144
N/A

Site 5 of 6 in cluster B

Relative:
Higher

[Click this hyperlink](#) while viewing on your computer to access additional HMIRS detail in the EDR Site Report.

Actual:
1434 ft.

B13
South
1/8-1/4
1048 ft.

A CYANAMID - CONAP INC
1405 BUFFALO ST
OLEAN, NY 14760

TSCA 1005925455
N/A

Site 6 of 6 in cluster B

Relative:
Higher

[Click this hyperlink](#) while viewing on your computer to access additional TSCA detail in the EDR Site Report.

Actual:
1434 ft.

C14
South
1/8-1/4
1199 ft.

CYTEC OLEAN INC
1405 BUFFALO ST
OLEAN, NY 14760

FINDS 1007818915
110019814735

Site 1 of 2 in cluster C

Relative:
Higher

Actual:
1439 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CYTEC OLEAN INC (Continued)

1007818915

FINDS:

Other Pertinent Environmental Activity Identified at Site:
NEW YORK-FACILITY INFORMATION SYSTEM

D15
West
1/8-1/4
1229 ft.

NY TELEPHONE - OLEAN
1480 BUFFALO STREET
OLEAN, NY

NY Spills S102132546
N/A

Site 1 of 4 in cluster D

Relative:
Lower

SPIILLS:

Actual:
1421 ft.

Spill Number: 9206096
Spill Date: 08/01/92
ID: 173116
Date Call Received: 08/25/92
Region Close Date : 12/31/92
Material Spilled: UNKNOWN PETROLEUM
Water Affected: Not reported
Spill Cause: Unknown
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: Unknown lbs.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Groundwater
Tank Size : Not reported
Leak Rate: Not reported

Spill Number: 9206096
Spill Date: 08/01/1992 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date : Not reported

Region of Spill: 9
Reported to Dept: 08/25/92 15:30

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Unknown
Water Affected: Not reported
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: NY TELEPHONE
Spiller Address: 2775 MILLERSPORT HIGHWAY
GETZVILLE, NY 14068

Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
Facility Tele: Not reported
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks : 08/27/92: MF 8/27/92 TELECON CONTRACTOR, SITE IS PART OF THE OLD
REFINERY. MEETING SCHEDULED TODAY. 08/29/92: MF 8/27/92 SITE
VISIT/RP/CONTRACTOR. SITE IS OLD OIL REFINERY AREA. HISTORICAL
CONTAMINATION KNOWN TO EXCIST. RP TO DETERMINE IF SPILLAGE
CAUSED BY THEY. WILL DISPOSE OF REMOVED SOIL. 09/29/92: MF LETTER SENT
REQUESTING UPDATE BY 10/15/92. 10/09/92: MF 2ND LETTER SENT REQUESTING
UPDATE BY 11/15/92. 11/04/92: MF 11/4/92 RECEIVED SAMPLE RESULTS.
EXCAVATION CLEAN. ADDITIONAL SAMP
LING NECESSARY ON THE REMOVED SOIL. LETTER SENT. 11/24/92: MF 11/24/92
LETTER FROM RP. REMOVED SOIL WILL BE ANALYZED TO SEE IF CONTAMINATED.
12/31/92: MF 12/31/92 RECEIVED SAMPLE RESULTS FOR THE REMOVED SOIL.
CLEAN. NO FURTHER ACTION NECESSARY

09/29/95: This is additional information about material spilled
from the translation of the old spill file: VARIOUS PETROLEUM.
Remark: DURING INSTALLATION OF NEW UST S CONTAMINATION FOUND.
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NY TELEPHONE - OLEAN (Continued)

S102132546

Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry in File: 16414

Spill Closed Dt: 12/31/92

Spill Notifier: Other

PBS Number: Not reported

Cleanup Ceased: 12/31/92

Last Inspection: 08/27/92

Cleanup Meets Std: True

Recommended Penalty: Penally Not Recommended

Spiller Cleanup Dt: / /

Enforcement Date: / /

Invstgn Complete: / /

UST Involvement: False

Spill Record Last Update: 01/22/93

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 08/27/92

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

D16 BELL ATLANTIC GARAGE
West 1480 BUFFALO STREET
1/8-1/4 OLEAN, NY
1229 ft.

LTANKS S103239058
N/A

Relative: Site 2 of 4 in cluster D
Lower

Actual:
1421 ft.

LTANKS:

Spill Number: 9800611
Spill Date: 04/14/1998 21:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Overfill
Facility Contact: JERRY WHITE
Investigator: JFO MNP
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: 04/14/98 22:52
Date Call Received: Not reported
Amount Spilled: Not reported

Spill Source: Tank Truck

Facility Tele: (814) 726-1483
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

BELL ATLANTIC GARAGE (Continued)

EDR ID Number
EPA ID Number

Database(s)

S103239058

Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: CROSSETT FUEL OIL
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/05/98
Spill Notifier: Affected Persons PBS Number: Not reported
Cleanup Ceased: / /
Last Inspection: 04/14/98
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 08/26/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/14/98
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 25
Units: Gallons
Unknown Qty Spilled: 25
Quantity Recovered: 25
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry in File: 21329

DEC Remarks: 04/14/98 MNP AND RNL SITE VISIT. EP S HIRED TO CLEANUP SPILL. FOUND GASOLINE IN STORM SEWER, PLACED PADS IN STORM CATCH BASINS. COULD NOT FIND STORM SEWER OUTLET. DETERMINED CROSSETT HAD NOT STUCK TANK BEFORE FILLING. ALSO, HIGH LEVEL ALARM NOT WORKING, THEY WILL CORRECT, MNP LEFT SITE DURING EP S ONGOING CLEANUP 07/27/98 JFO RECEIVED DISPOSAL RECEIPTS. NO FURTHER ACTION REQUIRED. CLOSED

Spill Cause: Not reported

Spill Number: 9800511 Region of Spill: 9
Spill Date: 04/14/98 Reported to Dept: / /
ID: 259846 Date Call Received: 04/14/98
Material Spilled: GASOLINE Amount Spilled: 25 Gal.
Region Close Dt: 08/05/98
Water Affected: Not reported Spill Source: TANK TRUCK
Resource Affected: On Land
Spill Cause: Tank Overfill
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

BELL ATLANTIC GARAGE (Continued)

S103239058

PBS: 9-418331

D17
West
1/8-1/4
1229 ft.

NEW YORK TELEPHONE CO
1480 BUFFALO ST
OLEAN, NY 14760

RCRA-SQG 1000791583
FINDS NYD987030962

Site 3 of 4 in cluster D

Relative:
Lower

RCRAInfo:

Owner: NEW YORK TELEPHONE CO

(212) 555-1212

Actual:
1421 ft.

EPA ID: NYD987030962

Contact: Not reported

Classification: Small Quantity Generator

TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

D18
West
1/8-1/4
1229 ft.

NYNEX
1480 BUFFALO ST
OLEAN, NY 14760

UST U003317795
AST N/A
NY Spills

Site 4 of 4 in cluster D

Relative:
Lower

SPILLS:

Spill Number: 9707386

Spill Date: 09/23/97

ID: 253368

Date Call Received: 09/23/97

Region Close Date: 08/05/98

Material Spilled: UNKNOWN PETROLEUM

Water Affected: Not reported

Spill Cause: Other

Tank Number: Not reported

Test Method: Not reported

Region of Spill: 9

Reported to Dept: / /

Amount Spilled: Unknown Gal.

Spill Source: OTHER COMM/INDUSTRIAL

Resource Affected: Groundwater

Tank Size: Not reported

Leak Rate: Not reported

Spill Number: 9707386

Spill Date: 09/23/1997 09:00

ID: Not reported

Date Call Received: Not reported

Region Close Date: Not reported

Material Spilled: Not reported

Water Affected: Not reported

Spill Cause: Other

Water Affected: Not reported

Facility Contact: TOM O'BRIEN

Investigator: JFO

Caller Name: Not reported

Caller Phone: Not reported

Notifier Name: Not reported

Notifier Phone: Not reported

PBS: Not reported

Spiller Contact: Not reported

Region of Spill: 9

Reported to Dept: 09/23/97 10:50

Amount Spilled: Not reported

Spill Source: Other Commercial/Industrial

Resource Affected: Groundwater

Spill Source: Other Commercial/Industrial

Facility Tele: (800) 339-6144

SWIS: 04

Caller Agency: Not reported

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NYNEX (Continued)

U003317795

Spiller: NYNEX
Spiller Address: 159 STATE STREET RM 1100A
ALBANY, NY 12207
DEC Remarks : 09/23/97: MNP INSP. MET W/ CHAD WALKER - S W SERVICES. FOUND PETROLEUM
CONTAMINATED SOIL UNDER WASTE OIL TANK DURING REMOVAL. NO PROBLEM NOTED
W/ TANK. OIL CONTAMINATION CONTINUES MORE THAN 10' ON ALL SIDES OF
EXCAVATION. NOTE: SITE IS FORMER OIL
REFINERY. HISTORICAL OIL SPILLAGE THROUGHOUT SITE. DEC AWARE OF CRUDE OIL
SPILLAGE AT SITE. CLEANUP NOT POSSIBLE W/ BACKHOE. EXCAVATION TO BE
SAMPLED FOR DOH 310-13 IN ADDITION TO 8021 8270 STARS LIST. WE BELIEVE
REMAINING OIL CONTAMINATION IS FROM
OIL REFINERY SPILLAGE. ADDITIONAL CLEANUP MAY OR MAY NOT BE REQUIRED
DEPENDENT UPON THE RESULTS. A CONCRETE PAD TO BE POURED IN TANK PIT FOR
INSTALLATION OF AN OIL/WATER SEPARATOR. 12/24/97: MNP TELECON TO CHAD
WALKER - S W. NOT IN. LEFT MESSAGE O
N VOICE MAIL TO RETURN CALL. 08/03/98 JFO DISPOSAL RECEIPTS AND
ANALYTICAL RESULTS IN FILE. NO FURTHER ACTION REQUIRED, CLOSED
Remark: CONTRACTOR FOUND CONTAMINATION DURING REMOVAL OF WASTE OIL TANK - SITE
IS AN OLD REFINERY AND HAS HISTORICAL SPILLAGE
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

Spill Closed Dt: 08/05/98

Spill Notifier: Other

PBS Number: Not reported

Cleanup Ceased: / /

Last Inspection: 09/23/97

Cleanup Meets Std: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dtf: / /

Enforcement Date: / /

Invstgn Complete: / /

UST Involvement: False

Spill Record Last Update: 08/07/98

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 09/23/97

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access
additional NY SPILLS detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

NYNEX (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317795

PBS UST:

PBS Number: 9-418331
SPDES Number: Not reported
Operator: NYNEX

CBS Number: Not reported
SWIS ID: 0466

(800) 339-6144
Emergency Contact: NYNEX
(800) 386-9639

Total Tanks: 4
Owner: NYNEX

221 EAST 37TH STREET 4TH FLOOR
NEW YORK, NY 10016
(800) 339-6144

Owner Type: Corporate/Commercial

Owner Mark: First Owner

Owner Subtype: New York Telephone

Mailing Address: NYNEX
ATTN: KATHLEEN TOBIN
221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
(212) 338-6731

Tank Status: Closed - Removed

Capacity (gals): 4000

Tank Location: UNDERGROUND

Tank Id: 1

Tank Type: Steel/carbon steel

Tank Internal: Not reported

Pipe Location: 1

Tank External: Not reported

Missing Data for Tank: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: 2

Date Tested: 03/01/1987

Date Closed: 08/01/1992

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 10630

Tank Screen: No data missing

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: Not reported

Inspected Date: 10/16/1996

Inspection Result: Not reported

Lat/long: Not reported

Facility Type: UTILITY

Town or City: OLEAN

Town or City Code: 66

County Code: 04

Region: 9

Install Date: 01/01/1974
Product Stored: LEADED GASOLINE
Pipe Internal: Not reported
Pipe Type: STEEL/IRON

Dispenser: Suction
Next Test Date: Not reported
Test Method: PETRO-TITE
Updated: True
Owner Screen: No data missing

Renewal Date: 03/18/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 08/27/1997
Expiration Date: 08/26/2002
Inspector: BAJ

PBS Number: 9-418331
SPDES Number: Not reported
Operator: NYNEX
(800) 339-6144

CBS Number: Not reported
SWIS ID: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

NYNEX (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317795

Emergency Contact:	NYNEX (800) 386-9639		
Total Tanks:	4		
Owner:	NYNEX 221 EAST 37TH STREET 4TH FLOOR NEW YORK, NY 10016 (800) 339-6144		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	New York Telephone		
Mailing Address:	NYNEX ATTN: KATHLEEN TOBIN 221 EAST 37TH STREET 4TH FLOOR NEW YORK, NY 10016 (212) 338-6731		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	2	Install Date:	01/01/1974
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	1	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	03/01/1987	Next Test Date:	Not reported
Date Closed:	08/01/1992	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	10630	Renewal Date:	03/18/1992
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	08/27/1997
Old PBS Number:	Not reported	Expiration Date:	08/26/2002
Inspected Date:	10/16/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	UTILITY		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-418331	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	NYNEX (800) 339-6144		
Emergency Contact:	NYNEX (800) 386-9639		
Total Tanks:	4		
Owner:	NYNEX 221 EAST 37TH STREET 4TH FLOOR		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NYNEX (Continued)

U003317795

NEW YORK, NY 10016
(800) 339-6144
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: New York Telephone
Mailing Address: NYNEX
ATTN: KATHLEEN TOBIN
221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
(212) 338-6731
Tank Status: Closed - Removed
Capacity (gals): 4000
Tank Location: UNDERGROUND
Tank Id: 3
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: 1
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: 2
Date Tested: 03/01/1987
Date Closed: 03/01/1992
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 10630
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 10/16/1996
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: UTILITY
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: 01/01/1974
Product Stored: DIESEL
Pipe Internal: Not reported
Pipe Type: STEEL/IRON
Dispenser: Section
Next Test Date: Not reported
Test Method: PETRO-TITE
Updated: True
Owner Screen: No data missing
Renewal Date: 03/18/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 03/27/1997
Expiration Date: 06/26/2002
Inspector: BAJ
PBS Number: 9-418331
SPDES Number: Not reported
Operator: NYNEX
(800) 339-6144
Emergency Contact: NYNEX
(800) 386-9639
Total Tanks: 4
Owner: NYNEX
221 EAST 37TH STREET 4TH FLOOR
NEW YORK, NY 10016
(800) 339-6144
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: New York Telephone
CBS Number: Not reported
SWIS ID: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

NYNEX (Continued)

U003317795

Mailing Address: NYNEX
ATTN: KATHLEEN TOBIN
221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
(212) 338-6731

Tank Status: Closed - Removed
Capacity (gals): 500
Tank Location: UNDERGROUND
Tank Id: 4
Tank Type: Steel/carbon steel
Tank Internal: NONE
Pipe Location: Underground
Tank External: PAINTED/ASPHALT COATING
Missing Data for Tank: No Missing Data
Pipe External: NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: None
Date Tested: Not reported
Date Closed: 09/01/1997
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 10630
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 10/16/1996
Inspection Result: Not reported
Lat/Long: Not reported
Facility Type: UTILITY
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9

Install Date: 01/01/1974
Product Stored: USED OIL
Pipe Internal: NONE
Pipe Type: STEEL/IRON

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing

Renewal Date: 03/18/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 08/27/1997
Expiration Date: 08/26/2002
Inspector: BAJ

PBS AST:
PBS Number: 9-418331
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Type: UTILITY
Owner Type: Corporate/Commercial
Owner Sub Type: New York Telephone
Owner: NYNEX
221 EAST 37TH STREET 4TH FLOOR
NEW YORK, NY 10016

Owner Phone: (800) 339-6144
Facility Phone: (800) 339-6144
Operator: NYNEX
Emergency Name: NYNEX
Emergency Phone: (800) 386-9639
Total Tanks: 4
Total Capacity: 10630
Tank ID: 6

CBS Number: Not reported
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EOR ID Number
EPA ID Number

NYNEX (Continued)

U003317795

Capacity (Gal): 6000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: UNLEADED GASOLINE
Tank Type: Other
Install Date: 03/01/1993
Tank Internal: NONE
Tank External: OTHER
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: CONCRETE PAD WITH CHANNELS/IN-TANK SYSTEM
Overfill Protection: High Level Alarm, Catch Basin
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: 10/16/1996 Inspector: BAJ
Result of Inspection: Not reported
Mailing Name: NYNEX
Mailing Address: 221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
Mailing Contact: KATHLEEN TOBIN
Mailing Telephone: (212) 338-6731
Owner Mark: First Owner Expiration Date: 08/26/2002
Certification Flag: False Certification Date: 08/27/1997
Renew Flag: False Renew Date: 03/18/1992
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-418331 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 0466
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: UTILITY
Owner Type: Corporate/Commercial
Owner Sub Type: New York Telephone
Owner: NYNEX
221 EAST 37TH STREET 4TH FLOOR
NEW YORK, NY 10016
Owner Phone: (800) 339-6144
Facility Phone: (800) 339-6144
Operator: NYNEX
Emergency Name: NYNEX
Emergency Phone: (800) 385-9639

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

NYNEX (Continued)

U003317795

Total Tanks: 4
Total Capacity: 10630
Tank ID: 7
Capacity (Gal): 4000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: DIESEL
Tank Type: Other
Install Date: 03/01/1993
Tank Internal: NONE
Tank External: OTHER
Tank Containment: NONE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: CONCRETE PAD WITH CHANNELS/IN-TANK SYSTEM
Overfill Protection: High Level Alarm, Catch Basin
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 10/16/1996
Result of Inspection: Not reported
Mailing Name: NYNEX
Mailing Address: 221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
Mailing Contact: KATHLEEN TOBIN
Mailing Telephone: (212) 338-6731
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 08/26/2002
Certification Date: 08/27/1997
Renew Date: 03/18/1992
PBS Number: 9-418331
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: UTILITY
Owner Type: Corporate/Commercial
Owner Sub Type: New York Telephone
Owner: NYNEX
221 EAST 37TH STREET 4TH FLOOR
NEW YORK, NY 10016
Owner Phone: (800) 339-6144
Facility Phone: (800) 339-6144
CBS Number: Not reported
SWIS Code: 0466
Previous PBS#: Not reported

Map ID:
Direction:
Distance:
Distance (ft.):
Elevation

MAP FINDINGS

NYNEX (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317795

Operator: NYNEX
Emergency Name: NYNEX
Emergency Phone: (800) 386-9639
Total Tanks: 4
Total Capacity: 10630
Tank ID: 5
Capacity (Gal): 300
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Install Date: 03/01/1991
Tank Internal: NONE
Tank External: JACKETED
Tank Containment: DOUBLED-WALLED TANK
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE
Overfill Protection: None
Dispenser Method: None
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 10/16/1996
Result of Inspection: Not reported
Mailing Name: NYNEX
Mailing Address: 221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
Mailing Contact: KATHLEEN TOBIN
Mailing Telephone: (212) 338-6731
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 08/26/2002
Certification Date: 08/27/1997
Renew Date: 03/18/1992
PBS Number: 9-418331
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: UTILITY
Owner Type: Corporate/Commercial
Owner Sub Type: New York Telephone
Owner: NYNEX
221 EAST 37TH STREET 4TH FLOOR
CBS Number: Not reported
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NYNEX (Continued)

U003317795

NEW YORK, NY 10016
Owner Phone: (800) 339-6144
Facility Phone: (800) 339-6144
Operator: NYNEX
Emergency Name: NYNEX
Emergency Phone: (800) 386-9639
Total Tanks: 4
Total Capacity: 10630
Tank ID: 8
Capacity (Gal): 330
Missing Data for Tank: No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: LUBE OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING
Tank Containment: NONE
Pipe Type: NOT DEFINED
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Submersible
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 10/16/1996
Result of Inspection: Not reported
Mailing Name: NYNEX
Mailing Address: 221 EAST 37TH STREET
4TH FLOOR
NEW YORK, NY 10016
Mailing Contact: KATHLEEN TOBIN
Mailing Telephone: (212) 338-6731
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Expiration Date: 08/26/2002
Certification Date: 08/27/1997
Renew Date: 03/18/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EOR ID Number
EPA ID Number

E19 INDECK OLEAN ENERGY CENTER
WSW 140 MOORE AVENUE
1/4-1/2 OLEAN, NY 14760
1391 ft.

FINDS 1004567401
AIRS 110001596381

Relative: Site 1 of 3 in cluster E

Lower

FINDS:

Other Pertinent Environmental Activity Identified at Site:

Actual: AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
1421 ft. CAM DATABASE SYSTEM
NATIONAL EMISSIONS INVENTORY
PERMIT COMPLIANCE SYSTEM
TOXIC CHEMICAL RELEASE INVENTORY SYSTEM

E20 INDECK OLEAN ENERGY CENTER
WSW 140 MOORE AVE
1/4-1/2 OLEAN, NY 14760
1391 ft.

FINDS 1007815083
110019776321

Relative: Site 2 of 3 in cluster E

Lower

FINDS:

Other Pertinent Environmental Activity Identified at Site:

Actual: NEW YORK-FACILITY INFORMATION SYSTEM
1421 ft.

C21 COUNTRY FAIR #75
South 421 NORTH 12TH STREET
1/4-1/2 OLEAN, NY 14760
1408 ft.

UST U003318822
N/A

Relative: Site 2 of 2 in cluster C

Higher

PBS UST:

Actual: PBS Number: 9-600367
1438 ft. SPDES Number: Not reported
Operator: RANDY G. POLLEY
(814) 898-1111
Emergency Contact: RANDY G. POLLEY
(814) 898-1111
Total Tanks: 4
Owner: COUNTRY FAIR, INC.
2251 EAST 30TH STREET
ERIE, PA 16510
(814) 898-1111
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: COUNTRY FAIR, INC.
ATTN: RANDY G. POLLEY
2251 EAST 30TH STREET
ERIE, PA 16510
(814) 898-1111
Tank Status: In Service
Capacity (gals): 15000
Tank Location: UNDERGROUND
Tank Id: 001
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: FIBERGLASS LINER [FRP]
Pipe Location: Underground
Tank External: FIBERGLASS
Missing Data for Tank: No Missing Data
Pipe External: FIBERGLASS

CBS Number: Not reported
SWIS ID: 0412

Install Date: 03/01/1997
Product Stored: UNLEADED GASOLINE
Pipe Internal: FIBERGLASS LINER [FRP]
Pipe Type: FIBERGLASS [FRP]

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

COUNTRY FAIR #75 (Continued)

U003318822

Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING/GROUNDWATER WELL		
Overfill Prot:	Catch Basin, Float Vent Valve	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	39000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/31/1997
Old PBS Number:	Not reported	Expiration Date:	12/31/2002
Inspected Date:	03/27/1998	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES, OTHER RETAIL SALES		
Town or City:	OLEAN (C)		
Town or City Code:	12		
County Code:	04		
Region:	9		
PBS Number:	9-600367	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0412
Operator:	RANDY G. POLLEY (814) 898-1111		
Emergency Contact:	RANDY G. POLLEY (814) 898-1111		
Total Tanks:	4		
Owner:	COUNTRY FAIR, INC. 2251 EAST 30TH STREET ERIE, PA 16510 (814) 898-1111		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	COUNTRY FAIR, INC. ATTN: RANDY G. POLLEY 2251 EAST 30TH STREET ERIE, PA 16510 (814) 898-1111		
Tank Status:	In Service		
Capacity (gals):	8000		
Tank Location:	UNDERGROUND		
Tank Id:	002	Install Date:	08/01/1997
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	UNLEADED GASOLINE
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	FIBERGLASS LINER [FRP]
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	FIBERGLASS		
Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING/GROUNDWATER WELL		
Overfill Prot:	Catch Basin, Float Vent Valve	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

COUNTRY FAIR #75 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318822

Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	39000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/31/1997
Old PBS Number:	Not reported	Expiration Date:	12/31/2002
Inspected Date:	03/27/1998	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES, OTHER RETAIL SALES		
Town or City:	OLEAN (C)		
Town or City Code:	12		
County Code:	04		
Region:	9		
PBS Number:	9-600367	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0412
Operator:	RANDY G. POLLEY (814) 898-1111		
Emergency Contact:	RANDY G. POLLEY (814) 898-1111		
Total Tanks:	4		
Owner:	COUNTRY FAIR, INC. 2251 EAST 30TH STREET ERIE, PA 16610 (814) 898-1111		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	COUNTRY FAIR, INC. ATTN: RANDY G. POLLEY 2251 EAST 30TH STREET ERIE, PA 16610 (814) 898-1111		
Tank Status:	In Service		
Capacity (gals):	6000		
Tank Location:	UNDERGROUND		
Tank Id:	003	Install Date:	09/01/1997
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	KEROSENE
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	FIBERGLASS LINER [FRP]
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	FIBERGLASS		
Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING/GROUNDWATER WELL		
Overfill Prot:	Catch Basin, Float Vent Valve	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Delated:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	39000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/31/1997

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

COUNTRY FAIR #75 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318822

Old PBS Number:	Not reported	Expiration Date:	12/31/2002
Inspected Date:	03/27/1998	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES, OTHER RETAIL SALES		
Town or City:	OLEAN (C)		
Town or City Code:	12		
County Code:	04		
Region:	9		
PBS Number:	9-600367	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0412
Operator:	RANDY G. POLLEY (814) 898-1111		
Emergency Contact:	RANDY G. POLLEY (814) 898-1111		
Total Tanks:	4		
Owner:	COUNTRY FAIR, INC. 2251 EAST 30TH STREET ERIE, PA 15610 (814) 898-1111		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	COUNTRY FAIR, INC. ATTN: RANDY G. POLLEY 2251 EAST 30TH STREET ERIE, PA 16510 (814) 898-1111		
Tank Status:	In Service		
Capacity (gals):	10000		
Tank Location:	UNDERGROUND		
Tank Id:	004	Install Date:	08/01/1997
Tank Type:	Fiberglass reinforced plastic (FRP)	Product Stored:	DIESEL
Tank Internal:	FIBERGLASS LINER (FRP)	Pipe Internal:	FIBERGLASS LINER (FRP)
Pipe Location:	Underground	Pipe Type:	FIBERGLASS (FRP)
Tank External:	FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	FIBERGLASS		
Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	INTERSTITIAL MONITORING/GROUNDWATER WELL		
Overfill Prot:	Catch Basin, Float Vent Valve	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	39000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/31/1997
Old PBS Number:	Not reported	Expiration Date:	12/31/2002
Inspected Date:	03/27/1998	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES, OTHER RETAIL SALES		
Town or City:	OLEAN (C)		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

COUNTRY FAIR #75 (Continued)

U003318822

Town or City Code: 12
County Code: 04
Region: 9

E22 INDECK-OLEAN ENERGY CENTER
WSW 140 MOORE AVENUE
1/4-1/2 OLEAN, NY 14760
1475 ft.

CBS AST S102640053
AST N/A

Site 3 of 3 in cluster E

Relative:
Lower

Actual:
1421 ft.

CBS AST:
CBS Number: 9-000331 Telephone: (716) 373-7410
Owner: INDECK-OLEAN LIMITED PARTNERSHIP
140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705

Facility Status: Active
Total Tanks: 8
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/93
Capacity (Gal): 400
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Single Hazardous Substance on DEC List
Extnl Protection: Jacketed
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Concrete Pad w/channels
Overfill Protection: 5/5
Chemical: Cyclohexylamine
Tank Closed: Not reported
PBS Number: 9-600095
Federal ID: Not reported
MOSF Number: Not reported
SPDES Number: 0-245089
Facility Type: Manufacturing
Operator: CONTROL ROOM
Emrgncy Contact: MR. JOHN HARE
Certified Date: 07/27/2000
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: INDECK ENERGY SERVICES OF OLEAN INC
Mail Contact: MR. JOHN HARE, PLANT MANAGER
140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705

Pipe Location: Aboveground

Haz Percent: 5

SWIS Code: 0412

CAS Number: 108918

ICS Number: Not reported

Facility Town: OLEAN (C)

Emrgncy Phone: (716) 373-4705

Expiration Date: 08/20/2002

Date Entered: 10/14/1993 07:58:18

Due Date: Not reported

Owner Mark: 1

Date Expired: 08/20/94

Is Updated: False

Owner Status: F

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

INDECK-OLEAN ENERGY CENTER (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102640053

Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 28400
Unique Tank Id Number: 930001
Date Pre-Printed Renewal App Form Was Last Printed: 05/01/2000

CBS Number: 9-000331 Telephone: (716) 373-7410
Owner: INDECK-OLEAN LIMITED PARTNERSHIP

140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705

Facility Status: Active
Total Tanks: 8
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/93
Capacity (Gal): 400
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Single Hazardous Substance on DEC List

Extnl Protection: Jacketed
Intnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: Diking

Haz Percent: 20

Leak Detection: Concrete Pad w/channels

Overfill Protection: S/S

Chemical: Hydroquinone

Tank Closed: Not reported

PBS Number: 9-600095

SWIS Code: 0412

Federal ID: Not reported

MOSF Number: Not reported

CAS Number: 123319

SPDES Number: 0-245089

ICS Number: Not reported

Facility Type: Manufacturing

Operator: CONTROL ROOM

Facility Town: OLEAN (C)

Emergency Contact: MR. JOHN HARE

Emergency Phone: (716) 373-4705

Certified Date: 07/27/2000

Expiration Date: 08/20/2002

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: INDECK ENERGY SERVICES OF OLEAN INC

Mail Contact: MR. JOHN HARE, PLANT MANAGER

140 MOORE AVENUE
OLEAN, NY 14760

Mail Phone: (716) 373-4705

Tank Secret: False

Date Entered: 10/14/1993 07:58:42

Last Test: Not reported

Due Date: Not reported

Pipe Flag: False

Owner Mark: 1

Renew Date: / /

Date Expired: 08/20/94

Is it There: False

Is Updated: False

Owner Status: F

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 28400

Unique Tank Id Number: 930002

Date Pre-Printed Renewal App Form Was Last Printed: 05/01/2000

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

CBS Number: 9-000331 Telephone: (716) 373-7410
Owner: INDECK-OLEAN LIMITED PARTNERSHIP
140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705

Facility Status: Active
Total Tanks: 8
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/93
Capacity (Gal): 550
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Single Hazardous Substance on DEC List
Extnl Protection: Jacketed
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking Haz Percent: 14
Leak Detection: Concrete Pad w/channels
Overfill Protection: 5/5
Chemical: Sodium hypochlorite
Tank Closed: Not reported
PBS Number: 9-600095 SWIS Code: 0412
Federal ID: Not reported
MOSF Number: Not reported CAS Number: 7681529
SPDES Number: 0-245089 ICS Number: Not reported
Facility Type: Manufacturing
Operator: CONTROL ROOM Facility Town: OLEAN (C)
Emergency Contact: MR. JOHN HARE Emergency Phone: (716) 373-4705
Certified Date: 07/27/2000 Expiration Date: 08/20/2002
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: INDECK ENERGY SERVICES OF OLEAN INC
Mail Contact: MR. JOHN HARE, PLANT MANAGER
140 MOORE AVENUE
OLEAN, NY 14760
Mail Phone: (716) 373-4705
Tank Secret: False Date Entered: 10/14/1993 07:59:11
Last Test: Not reported Due Date: Not reported
Pipe Flag: False Owner Mark: 1
Renew Date: / / Date Expired: 08/20/94
Is it There: False Is Updated: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 28400
Unique Tank Id Number: TAA-3-5-1
Date Pre-Printed Renewal App Form Was Last Printed: 05/01/2000

CBS Number: 9-000331 Telephone: (716) 373-7410
Owner: INDECK-OLEAN LIMITED PARTNERSHIP
140 MOORE AVENUE

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

OLEAN, NY 14760
(716) 373-4705

Facility Status:	Active		
Total Tanks	8		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	05/93		
Capacity (Gal):	1000		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	None		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	1
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Sodium hydroxide		
Tank Closed:	Not reported		
PBS Number:	9-600095	SWIS Code:	0412
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-245089	ICS Number:	Not reported
Facility Type:	Manufacturing		
Operator:	CONTROL ROOM	Facility Town:	OLEAN (C)
Emrgncy Contact:	MR. JOHN HARE	Emrgncy Phone:	(716) 373-4705
Certified Date:	07/27/2000	Expiration Date:	08/20/2002
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	INDECK ENERGY SERVICES OF OLEAN INC		
Mail Contact:	MR. JOHN HARE, PLANT MANAGER		
	140 MOORE AVENUE		
	OLEAN, NY 14760		
Mail Phone:	(716) 373-4705		
Tank Secret:	False	Date Entered:	02/25/1998 13:57:14
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	//	Date Expired:	08/20/94
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	28400		
Unique Tank Id Number:	870784		
Date Pre-Printed Renewal App Form Was Last Printed:	05/01/2000		

This is the most recent NY CBS AST data for this site.

[Click this hyperlink](#) while viewing on your computer to access
3 additional NY CBS AST record(s) in the EDR Site Report.

CBS AST:

CBS Number:	9-000331	Telephone:	(716) 373-7410
Owner:	INDECK-OLEAN LIMITED PARTNERSHIP		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705

Facility Status: Active
Total Tanks: 8
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/93
Capacity (Gal): 400
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: Jacketed
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Concrete Pad w/channels
Overfill Protection: 5/5
Chemical: Cyclohexylamine
Tank Closed: Not reported
PBS Number: 9-600095
Federal ID: Not reported
MOSF Number: Not reported
SPDES Number: 0-245089
Facility Type: Manufacturing
Operator: CONTROL ROOM
Emrgncy Contact: MR. JOHN HARE
Certified Date: 07/27/2000
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: INDECK ENERGY SERVICES OF OLEAN INC
Mail Contact: MR. JOHN HARE, PLANT MANAGER
140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705

Pipe Location: Aboveground
Haz Percent: 5
SWIS Code: 0412
CAS Number: 108918
ICS Number: Not reported
Facility Town: OLEAN (C)
Emrgncy Phone: (716) 373-4705
Expiration Date: 08/20/2002

Mail Phone: (716) 373-4705
Tank Secret: False
Last Test: Not reported
Pipe Flag: False
Renew Date: / /
Is it There: False
Owner Status: F

Date Entered: 10/14/1993 07:53:18
Due Date: Not reported
Owner Mark: 1
Date Expired: 08/20/94
Is Updated: False

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 28400
Unique Tank Id Number: 930001
Date Pre-Printed Renewal App Form Was Last Printed: 05/01/2000

CBS Number: 9-000331
Owner: INDECK-OLEAN LIMITED PARTNERSHIP
140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705
Facility Status: Active

Telephone: (716) 373-7410

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

INDECK-OLEAN ENERGY CENTER (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102640053

Total Tanks:	8		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	10/93		
Capacity (Gal):	400		
Tank Type:	Fiberglass reinforced plastic (FRP)		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Jacketed		
Intnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	20
Leak Detection:	Concrete Pad w/channels		
Overfill Protection:	5/5		
Chemical:	Hydroquinone		
Tank Closed:	Not reported		
PBS Number:	9-600095	SWIS Code:	0412
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	123319
SPDES Number:	0-245089	ICS Number:	Not reported
Facility Type:	Manufacturing		
Operator:	CONTROL ROOM	Facility Town:	OLEAN (C)
Emergency Contact:	MR. JOHN HARE	Emergency Phone:	(716) 373-4705
Certified Date:	07/27/2000	Expiration Date:	08/20/2002
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	INDECK ENERGY SERVICES OF OLEAN INC		
Mail Contact:	MR. JOHN HARE, PLANT MANAGER		
	140 MOORE AVENUE		
	OLEAN, NY 14760		
Mail Phone:	(716) 373-4705		
Tank Secret:	False	Date Entered:	10/14/1993 07:58:42
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	/ /	Date Expired:	08/20/94
is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	28400		
Unique Tank Id Number:	930002		
Date Pre-Printed Renewal App Form Was Last Printed:	05/01/2000		
CBS Number:	9-000331	Telephone:	(716) 373-7410
Owner:	INDECK-OLEAN LIMITED PARTNERSHIP		
	140 MOORE AVENUE		
	OLEAN, NY 14760		
	(716) 373-4705		
Facility Status:	Active		
Total Tanks:	8		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

Install Date: 10/93
Capacity (Gal): 550
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Single Hazardous Substance on DEC List
Extnl Protection: Jacketed
Intnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking Haz Percent: 14
Leak Detection: Concrete Pad w/channels
Overfill Protection: 5/5
Chemical: Sodium hypochlorite
Tank Closed: Not reported
PBS Number: 9-600095 SWIS Code: 0412
Federal ID: Not reported
MOSF Number: Not reported CAS Number: 7681529
SPDES Number: 0-245089 ICS Number: Not reported
Facility Type: Manufacturing
Operator: CONTROL ROOM Facility Town: OLEAN (C)
Emrgncy Contact: MR. JOHN HARE Emrgncy Phone: (716) 373-4705
Certified Date: 07/27/2000 Expiration Date: 08/20/2002
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: INDECK ENERGY SERVICES OF OLEAN INC
Mail Contact: MR. JOHN HARE, PLANT MANAGER
140 MOORE AVENUE
OLEAN, NY 14760
Mail Phone: (716) 373-4705
Tank Secret: False Date Entered: 10/14/1993 07:59:11
Last Test: Not reported Due Date: Not reported
Pipe Flag: False Owner Mark: 1
Renew Date: / / Date Expired: 08/20/94
Is it There: False Is Updated: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 28400
Unique Tank Id Number: TAA-3-5-1
Date Pre-Printed Renewal App Form Was Last Printed: 05/01/2000

CBS Number: 9-000331 Telephone: (716) 373-7410
Owner: INDECK-OLEAN LIMITED PARTNERSHIP
140 MOORE AVENUE
OLEAN, NY 14760
(716) 373-4705
Facility Status: Active
Total Tanks: 8
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 05/93
Capacity (Gal): 1000
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

Extm Protection:	None		
Intm Protection:	None		
Tank Containment:	None		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	1
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Sodium hydroxide		
Tank Closed:	Not reported		
PBS Number:	9-600095	SWIS Code:	0412
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-245089	ICS Number:	Not reported
Facility Type:	Manufacturing		
Operator:	CONTROL ROOM	Facility Town:	OLEAN (C)
Emrgncy Contact:	MR. JOHN HARE	Emrgncy Phone:	(716) 373-4705
Certified Date:	07/27/2000	Expiration Date:	08/20/2002
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	INDECK ENERGY SERVICES OF OLEAN INC		
Mail Contact:	MR. JOHN HARE, PLANT MANAGER		
	140 MOORE AVENUE		
	OLEAN, NY 14760		
Mail Phone:	(716) 373-4705		
Tank Secret:	False	Date Entered:	02/25/1998 13:57:14
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	/ /	Date Expired:	08/20/94
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	28400		
Unique Tank Id Number:	870784		
Date Pre-Printed Renewal App Form Was Last Printed:			05/01/2000

This is the most recent NY CBS AST data for this site.

[Click this hyperlink](#) while viewing on your computer to access
3 additional NY CBS AST record(s) in the EDR Site Report.

PBS AST:

PBS Number:	9-600095	CBS Number:	Not reported
SPDES Number:	0-245089	SWIS Code:	0466
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	UTILITY		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	INDECK-OLEAN LIMITED PARTNERSHIP		
	1130 LAKE COOK ROAD, SUITE 300		
	BUFFALO GROVE, ILL 60089		
Owner Phone:	(708) 520-3212		
Facility Phone:	(716) 373-4705		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

Operator: MR. JOHN HARE
Emergency Name: MR. JOHN HARE
Emergency Phone: (716) 373-4705
Total Tanks: 2
Total Capacity: 380250
Tank ID: IDE-TK-1
Capacity (Gal): 380000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 12/01/1992
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING
Tank Containment: CONCRETE DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING
Leak Detection: CONCRETE PAD WITH CHANNELS/NONE
Overfill Protection: High Level Alarm, Product Level Gauge
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: 11/21/1998 Inspector: BAJ
Result of Inspection: Not reported
Mailing Name: INDECK ENERGY SERVICES OF OLEAN, INC
Mailing Address: 140 MOORE AVE.
OLEAN, NY 14760
Mailing Contact: MR. JOHN HARE
Mailing Telephone: (716) 373-4705
Owner Mark: First Owner Expiration Date: 08/11/2002
Certification Flag: False Certification Date: 07/28/1997
Renew Flag: False Renew Date: / /
Lat/Long: 78|27|15 / 42|05|09
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-600095 CBS Number: Not reported
SPDES Number: 0-245089 SWIS Code: 0466
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: UTILITY
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: INDECK-OLEAN LIMITED PARTNERSHIP
1130 LAKE COOK ROAD, SUITE 300
BUFFALO GROVE, ILL 60089

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INDECK-OLEAN ENERGY CENTER (Continued)

S102640053

Owner Phone: (708) 520-3212
Facility Phone: (716) 373-4705
Operator: MR. JOHN HARE
Emergency Name: MR. JOHN HARE
Emergency Phone: (716) 373-4705
Total Tanks: 2
Total Capacity: 380250
Tank ID: IKP-TK-1
Capacity (Gal): 250
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Install Date: 12/01/1992
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING
Tank Containment: CONCRETE DIKE
Pipe Type: GALVANIZED STEEL
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING
Leak Detection: CONCRETE PAD WITH CHANNELS
Overfill Protection: High Level Alarm, Product Level Gauge
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: 11/21/1996 Inspector: BAJ
Result of Inspection: Not reported
Mailing Name: INDECK ENERGY SERVICES OF OLEAN, INC
Mailing Address: 140 MOORE AVE.
OLEAN, NY 14760
Mailing Contact: MR. JOHN HARE
Mailing Telephone: (716) 373-4705
Owner Mark: First Owner Expiration Date: 08/11/2002
Certification Flag: False Certification Date: 07/28/1997
Renew Flag: False Renew Date: / /
Lat/Long: 78|27|15 / 42|05|09
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

23
SE
1/4-1/2
1486 ft.

VACANT LOT-OLEAN
WAYNE / NORTH 10TH STREET
OLEAN, NY

NY Spills S102245209
N/A

Relative:
Higher

SPILLS:

Actual:
1430 ft.

Spill Number: 9515882
Spill Date: 03/05/96
ID: 229818
Date Call Received: 03/07/96
Region Close Date: 08/28/96

Region of Spill: 9
Reported to Dept: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

VACANT LOT-OLEAN (Continued)

S102245209

Material Spilled: UNKNOWN MATERIAL
Water Affected: Not reported
Spill Cause: Unknown
Tank Number: Not reported
Test Method: Not reported

Amount Spilled: Unknown Gal.
Spill Source: UNKNOWN
Resource Affected: Groundwater
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9515882
Spill Date: 03/05/1996 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported

Region of Spill: 9
Reported to Dept: 03/07/96 11:20

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Unknown
Water Affected: Not reported
Facility Contact: RICHARD SAUER
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: OLEAN COMMUNITY DEVEL.
Spiller Address: MUNICIPAL BUILDING
OLEAN, NY 14760

Amount Spilled: Not reported
Spill Source: Unknown
Resource Affected: Groundwater
Spill Source: Unknown
Facility Tele: (716) 376-5647
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

DEC Remarks : 03/08/96: MF SITE VISIT/RICHARD SAUER, COMMUNITY DEVELOPMENT, THEY OWN PROPERTY, HOTEL WANTS TO BUY IT. ENV REPORT DONE. PETROLEUM CONTAMINATION FOUND IN WELLS. EXPLAINED OUR POSITION, HAVE WELLS SAMPLED IF CRUDE OIL, END OF WORK. IF OTHER PETROLEUM , INVESTIGATION CONTINUES. LOT HAS BEEN VACANT AS LONG AS ANYONE REMEMBERS. 05/15/96: MF T/C MARTHA HARRIS, WANTS TO KNOW WHAT IS REQUIRED. EXPLAINED TO HER SAMPLING, IF ANY PETROLEUM OTHER THEN CRUDE OIL FOUND, ADDITIONAL WORK MAY BE REQUIRED. L ETTER TO RICHARD SAUER REGARDING THIS. SAMPLING SCHEDULE BY 5/31/96. 06/18/96: MF T/C MARTHA HARRIS, 854 4100, WANTS TO KNOW STATUS. T/C RICHARD SAUER, NOT IN TO RETURN CALL. T/C RICH SAUER, HE WILL SEND SITE ASSESSMENT. 06/25/96: MF RECEIVED SITE ASSESSMENT REPORT, 8 BORINGS DONE, CONTAMINATION FOUND IN BORINGS 2 4 AT A 25' DEPTH. 07/01/96: MF T/C MARTHA HARRIS, EXPLAINED SITE ASSESSMENT FAXED LOCATION OF BORINGS. THEY WILL SAMPLE. 08/21/96: MF T/C MARTHA HARRIS, LEFT MESSAGE. 08/23/96: MF RECEIVED ANALYTICAL RESULTS (310-13) NOTHING DETECTED EXCEPT N-DODECANE. CHROMATOGRAMS FROM SAMPES BEST MATCH OLEAN CRUDE OIL. 0828/96: MF T/C MARTHA HARRIS, TOLD HER OF ABOVE. NO FURTHER ACTION NECESSARY.

Remark: while doing soil borings for perspective purchaser, encountered slight sheen petroleum odor when they got to the groundwater

Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. No DEC Response. No corrective action required.

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

UNI-MART #05019 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318489

Pipe External:	FIBERGLASS/NONE		
Second Containment:	DOUBLED-WALLED TANK/NONE		
Leak Detection:	GROUNDWATER WELL/IN-TANK SYSTEM		
Overfill Prot:	Product Level Gauge, Automatic Shut-Off Dispenser:	Submersible	
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	30000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	09/30/1999
Old PBS Number:	Not reported	Expiration Date:	06/23/2004
Inspected Date:	09/16/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-488844	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	UNI-MARTS, INC. (716) 373-5002		
Emergency Contact:	CHARLES BOWER (814) 234-6000		
Total Tanks:	3		
Owner:	UNI-MARTS, INC. 477 EAST BEAVER AVENUE STATE COLLEGE, PA 16801 (814) 234-6000		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	UNI-MARTS, INC. ATTN: CHARLES BOWER 477 EAST BEAVER AVENUE STATE COLLEGE, PA 16801 (814) 234-6000		
Tank Status:	In Service		
Capacity (gals):	10000		
Tank Location:	UNDERGROUND		
Tank Id:	3	Install Date:	10/01/1988
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	NONE	Pipe Internal:	FIBERGLASS LINER (FRP)
Pipe Location:	Underground	Pipe Type:	FIBERGLASS (FRP)
Tank External:	SACRIFICIAL ANODE/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	FIBERGLASS/NONE		
Second Containment:	DOUBLED-WALLED TANK/NONE		
Leak Detection:	GROUNDWATER WELL/IN-TANK SYSTEM		
Overfill Prot:	Product Level Gauge, Automatic Shut-Off Dispenser:	Submersible	
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

UNI-MART #05019 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003316489

Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	30000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	09/30/1999
Old PBS Number:	Not reported	Expiration Date:	06/23/2004
Inspected Date:	09/16/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

27
SSE
1/4-1/2
1957 ft.

PROPOSED HAMPTON INN SITE
1128 BUFFALO STREET
OLEAN, NY

LTANKS S102245550
N/A

Relative:
Higher

Actual:
1432 ft.

LTANKS:

Spill Number:	9604257	Region of Spill:	9
Spill Date:	06/01/1996 12:00	Reported to Dept:	06/28/96 12:00
ID:	Not reported	Date Call Received:	Not reported
Material Spilled:	Not reported	Amount Spilled:	Not reported
Region Close Dt:	Not reported		
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Resource Affected:	Groundwater		
Spill Cause:	Tank Failure		
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	FG	SWIS:	04
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
PBS:	Not reported		
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	URBAN RENEWAL AGENCY		
Spiller Address:	MUNICIPAL BLDG OLEAN, NY 14760		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/28/96		
Spill Notifier:	Other	PBS Number:	Not reported
Cleanup Ceased:	06/28/96		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	10/08/99		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	06/28/96		
Date Region Sent Summary to Central Office:	/ /		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

PROPOSED HAMPTON INN SITE (Continued)

S102245550

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

DEC Remarks: 6/28/96 THIS SPILL IS A DUPLICATE OF SPILL 9515882. SEE THAT SPILL FOR ALL INFORMATION. THIS SPILL, 9604257, IS CLOSED.

Spill Cause: SITE ASSESSMENT COMPLETED BY MAXIM IDENTIFIED TWO BORINGS WITH SHEEN AND PETROLEUM ODOR AT A 24 FOOT DEPTH

Spill Number: 9604257	Region of Spill: 9
Spill Date: 06/01/96	Reported to Dept: / /
ID: 235195	Date Call Received: 06/28/96
Material Spilled: UNKNOWN PETROLEUM	Amount Spilled: Unknown Gal.
Region Close Dt: 06/28/96	
Water Affected: Not reported	Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Groundwater	
Spill Cause: Tank Failure	
Tank Number: Not reported	Tank Size: Not reported
Test Method: Not reported	Leak Rate: Not reported
PBS: Not reported	

G28 NYSDOT BIN 1092052
WNW RTE 17 EB OVER BUFFALO ST
1/4-1/2 OLEAN, NY 14760
1967 ft.

RCRA-SQG 1000789494
FINDS NYD987009552

Relative: Site 1 of 3 in cluster G
Lower

RCRAInfo:
Owner: NYSDOT
 (716) 847-3122
Actual: EPA ID: NYD987009552
1423 ft. Contact: EDWARD WALEK
 (716) 847-3122
Classification: Small Quantity Generator
TSD Activities: Not reported

Map ID
Direction
Distance
Distance (R.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

NYSDOT BIN 1092052 (Continued)

1000789494

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

G29
WNW
1/4-1/2
2001 ft.

OIL SHEEN IN EXCAVATION
BUFFALO STREET / ROUTE 17
OLEAN, NY

NY Spills 3102134301
N/A

Site 2 of 3 in cluster G

Relative:
Lower

Actual:
1423 ft.

SPILLS:

Spill Number: 9308263

Spill Date: 10/01/93

ID: Not reported

Date Call Received: 10/04/93

Region Close Date: 11/03/93

Material Spilled: UNKNOWN PETROLEUM

Water Affected: Not reported

Spill Cause: Unknown

Tank Number: Not reported

Test Method: Not reported

Region of Spill: 9

Reported to Dept: / /

Amount Spilled: Not reported

Spill Source: UNKNOWN

Resource Affected: Not reported

Tank Size: Not reported

Leak Rate: Not reported

Spill Number: 9308263

Spill Date: 10/01/1993 11:00

ID: Not reported

Date Call Received: Not reported

Region Close Date: Not reported

Material Spilled: Not reported

Water Affected: Not reported

Spill Cause: Unknown

Water Affected: Not reported

Facility Contact: Not reported

Investigator: MF

Caller Name: Not reported

Caller Phone: Not reported

Notifier Name: Not reported

Notifier Phone: Not reported

PBS: Not reported

Spiller Contact: Not reported

Spiller: UNKNOWN

Spiller Address: Not reported

DEC Remarks: 10/12/93: MF 10/5/93 SITE VISIT/CONTRACTOR, FREE PRODUCT IN EXCAVATION WHEN BORING UNDER BUFFALO ST. THIS IS AREA OF OLD REFINERY. HOLE TO BE DEWATER TO HOLE 50 AWAY. NO PRODUCT WILL BE PUMPED. 10/12/93: MF 10/7/93 SITE VISIT, ADDITIONAL PRODUCT IN EXCAVATION. 10/8/93 SITE VISIT, ADDITIONAL PRODUCT IN EXCAVATION, BORING COMPLETE. TOOK SAMPLE. 10/11/93 SAMPLE TO LAB. 11/03/93: MF 11/2/93 SITE VISIT/CONTRACTOR. THEY ARE DONE DEWATERING EXCAVATING. SOIL TO BE PUT BACK INTO EXCAVATION. AREA OF OLD REFINERY. NO FURTHER ACTION NECESSARY.

Remark: CONTRACTOR DIGGING PIT, DISCOVERED OIL SEEPING INTO EXCAVATION.

Spill Class: No spill occured. No DEC Response. No corrective action required.

Region of Spill: 9

Reported to Dept: 10/04/93 16:20

Amount Spilled: Not reported

Spill Source: Unknown

Resource Affected: Groundwater

Spill Source: Unknown

Facility Tele: Not reported

SWIS: 04

Caller Agency: Not reported

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

OIL SHEEN IN EXCAVATION (Continued)

S102134301

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

Spill Closed Dt: 11/03/93

Spill Notifier: Other

PBS Number: Not reported

Cleanup Ceased: 11/03/93

Last Inspection: 11/02/93

Cleanup Meets Std: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dtf: /

Enforcement Date: / /

Invstgn Complete: /

UST Involvement: False

Spill Record Last Update: 03/24/97

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 10/08/93

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

G30
WNW
1/4-1/2
2001 ft.

NYSDOT BIN 1092051
RTE 17 WB OVER BUFFALO ST
OLEAN, NY 14760

RCRA-SQG 1000789493
FINDS NYD987009545

Relative:
Lower

Site 3 of 3 in cluster G

Actual:
1423 ft.

RCRAInfo:
Owner: NYSDOT
(716) 847-3122
EPA ID: NYD987009545
Contact: EDWARD WALEK
(716) 847-3122

Classification: Small Quantity Generator
TSDF Activities: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

NYSDOT BIN 1092051 (Continued)

EDR ID Number
EPA ID Number

1000789493

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

H31
ESE
1/4-1/2
2116 ft.

DRESSER RAND PLANT #2
FIFTH STREET
OLEAN, NY

NY Spills S103562757
N/A

Site 1 of 8 in cluster H

Relative:
Higher

SPILLS:

Actual:
1427 ft.

Spill Number: 9212970
Spill Date: 02/10/93
ID: 179799
Date Call Received: 02/12/93
Region Close Date : 04/05/93
Material Spilled: UNKNOWN PETROLEUM
Water Affected: Not reported
Spill Cause: Other
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: Unknown lbs.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: On Land
Tank Size : Not reported
Leak Rate: Not reported

Spill Number: 9212970
Spill Date: 02/10/1993 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date : Not reported

Region of Spill: 9
Reported to Dept: 02/12/93 08:43

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Other
Water Affected: Not reported
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: DRESSER RAND
Spiller Address: PO BOX 560
OLEAN, NY 14760

Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 375-3111
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks : 02/12/93: MF/PHIL SMITH/TELECON - CONTAMINATED SOIL FOUND WHILE DIGGING FOUNDATION INSIDE OF PLANT 2. UNK. PETRO. 12 TRUCK LOADS REMOVED. PLANT 2 IS OLD REPAIR SHOP FOR RAILROAD. 02/24/93: MF 2/22/93 SITE VISIT/RP CONTRACTOR, SOIL REMOVED FROM INSIDE PLANT. SAMPLED ALONG WITH EXCAVATION. SAMPLING WILL DETERMINE FUTURE WORK. 04/05/93: MF 4/5/93 REVIEWED REPORT, SLIGHT SOIL CONTAMINATION IN EXCAVATION. SPILL CLASSIFIED AS 1. REMOVED SOIL TO BE BIOTREATED WITH SOIL FROM PREVIOUS SPILLS. LETTER SENT, NO FURTHER ACTION NECESSARY.

Remark: CONTAMINATED SOIL FOUND WHEN DIGGING FOUNDATION INSIDE OF PLANT 2.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND PLANT #2 (Continued)

S103562757

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry in File: 16414

Spill Closed Dt: 04/05/93

Spill Notifier: Responsible Party

PBS Number: Not reported

Cleanup Ceased: 04/05/93

Last Inspection: 02/22/93

Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /

Enforcement Date: / /

Investg Complete: / /

UST Involvement: True

Spill Record Last Update: 04/21/93

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered in Computer Data File: 02/22/93

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access
additional NY SPILLS detail in the EDR Site Report.

H32 DRESSER RAND-ABAN TANK
ESE NORTH 5TH STREET
1/4-1/2 OLEAN, NY
2116 ft.

NY Spills S102132321
N/A

Relative:
Higher

Site 2 of 8 in cluster H

SPILLS:

Actual:
1427 ft.

Spill Number: 9110616
Spill Date: 01/10/92
ID: 164345
Date Call Received: 01/11/92
Region Close Date: 05/15/92
Material Spilled: SOLVENTS
Water Affected: Not reported
Spill Cause: Human Error
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: Unknown lbs.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9110516
Spill Date: 01/10/1992 16:30
ID: Not reported

Region of Spill: 9
Reported to Dept: 01/11/92 07:06

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND-ABAN TANK (Continued)

S102132321

Date Call Received: Not reported
Region Close Date: Not reported
Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Human Error
Water Affected: Not reported
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: DRESSER RAND
Spiller Address: NORTH 5TH STREET
OLEAN, NY
DEC Remarks: 01/13/92: MF 1/13/92 TELECON RP, ABANDON 2.4K TANK CONTAINING AN UNKNOWN LIQUID (POSSIBLE SOLVENTS) REMOVED. SOME SPILLAGE. SOIL REMOVED EXCAVATION SAMPLED. 01/22/92: MF RNL 1/21/92 SITE VISIT/RP CONTRACTOR. ABANDON TCE TANK FOUND WHEN PUTTING IN FOUNDATION. CONTAMINATED SOIL REMOVED, EXCAVATION SAMPLED. REPORT TO BE SUBMITTED. 02/25/92: SAMPLE ANALYSIS REPORT SUBMITTED, MATERIAL NON-HAZARDOUS. STOCKPILED SOIL TO BE BIOTREATED IN SPRING. EXCAVATION TO BE FILLED W/CLEAN MATERIAL. 02/25/92: SAMPLE ANALYSIS REPORT SUBMITTED, TCE FOUND. REFERRED TO M. DOSTER AND F. SHATTUCK FOR FURTHER RECOMMENDATION. RP WANTS TO BIOTREAT. 05/15/92: MF 5/15/92 RECEIVED DISPOSAL RECEIPTS. DISPOSED OF AS HAZ WASTE. HAZ WASTE DIVISION AWARE OF SPILL. NO FURTHER WORK REQUIRED BY HAZ WASTE. NO FURTHER ACTION NECESSARY.
Remark: ABANDON TANK FOUND WHEN EXCAVATING FOR AN ADDITION.
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 3
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: SOLVENTS
Class Type: Non Pet/Non Haz
Chem Abstract Service Number: SOLVENTS
Last Date: 09/28/1994
Num Times Material Entry In File: 424
Spill Closed Dt: 05/15/92
Spill Notifier: Responsible Party
Cleanup Ceased: 05/15/92
Last Inspection: 01/21/92
Recommended Penalty: Penalty Not Recommended
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 375-3111
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported
Cleanup Meets Std: True

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND-ABAN TANK (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102132321

Spiller Cleanup DI: /
Invstgn Complete: /
Spill Record Last Update: 03/22/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/13/92
Date Region Sent Summary to Central Office: / /
This is the most recent NY SPILLS record for this site.

Enforcement Date: / /

UST Involvement: False

Click this hyperlink while viewing on your computer to access
additional NY SPILLS detail in the EDR Site Report.

H33
ESE
1/4-1/2
2116 ft.

DRESSER IND INC DRESSER CLARK DIV
5TH ST
OLEAN, NY 14760

FINDS - 1000386215
RCRA-LQG 14760DRSSRPO
TRIS

Site 3 of 8 in cluster H

Relative:
Higher

RCRAInfo:

Owner: Not reported
EPA ID: NYD002123644
Contact: P E MAARSEN
(716) 375-3443

Actual:
1427 ft.

Classification: Large Quantity Generator
TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: 372-2(a)(8)(i)(a)
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 07/31/2001
Actual Date Achieved Compliance: 08/28/2001

Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 08/06/2001
Penalty Type: Not reported

Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 11/02/1999
Actual Date Achieved Compliance: 12/06/1999

Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 11/04/1999
Penalty Type: Not reported

Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 02/13/1995
Actual Date Achieved Compliance: 03/20/1995

Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 02/13/1995
Penalty Type: Not reported

Regulation Violated: Not reported
Area of Violation: GENERATOR-LAND BAN REQUIREMENTS
Date Violation Determined: 02/13/1995
Actual Date Achieved Compliance: 03/20/1995

Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 02/13/1995

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER IND INC DRESSER CLARK DIV (Continued)

1000386215

Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 03/23/1988
Actual Date Achieved Compliance: 10/24/1988
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 09/09/1988
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 08/26/1986
Actual Date Achieved Compliance: 02/03/1987
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 09/26/1986
Penalty Type: Not reported

There are 6 violation record(s) reported at this site:

Evaluation	Area of Violation	Date of Compliance
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	20010828
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19991206
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19950320
	GENERATOR-LAND BAN REQUIREMENTS	19950320
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19881024
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19970203

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINOS:

Other Pertinent Environmental Activity Identified at Site:
AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
NATIONAL EMISSIONS INVENTORY
PERMIT COMPLIANCE SYSTEM
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM
TOXIC CHEMICAL RELEASE INVENTORY SYSTEM

H34
ESE
1/4-1/2
2116 ft.

DRESSER RAND #3
NORTH 5TH STREET
OLEAN, NY

NY Spills S103562724
N/A

Relative:
Higher

Site 4 of 8 in cluster H

Actual:
1427 ft.

SPILLS:

Spill Number: 9208507
Spill Date: 10/22/92
ID: 175606
Date Call Received: 10/26/92
Region Close Date: 06/21/93
Material Spilled: UNKNOWN PETROLEUM
Water Affected: Not reported
Spill Cause: Other
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: Unknown lbs.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Groundwater
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9208507

Region of Spill: 9

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND #3 (Continued)

S103562724

Spill Date: 10/22/1992 12:53
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported
Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Other
Water Affected: Not reported
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: DRESSER RAND
Spiller Address: PO BOX 560
OLEAN, NY 14760
Reported to Dept: 10/26/92 09:45
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 375-3111
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
DEC Remarks : 12/14/92: MF 10/27/92 SITE VISIT/RP TOLD RP OF SAMPLING REQUIREMENTS.
VERTICAL TANK FOUND FILLED IN PLACE. LETTER SENT. 11/19/92 RECEIVED
SAMPLING RESULTS. SOIL IN TANK HAZ WASTE. LETTER SENT. 02/08/93: MF
2/4/93 SITE VISIT/RP. SOIL INSIVE TANK WI
LL BE DISPOSED OF AS HAZ WASTE, THIS IS UNDERWAY. 03/09/93: MF 3/1/93
LETTER FROM RP REQUESTING EXTENSION FOR HAZ WASTE DISPOSAL. LETTER TO RP
OKING EXTENSION TO 5/1/93. TOM CORBETT AWARE OF THIS. 06/01/93: MF
LETTER TO RP REQUESTING SOIL DISPOS
AL UPDATE BY 6/18/93. 06/14/93: MF REC DISPOSAL RECEIPT 06/14/93,
SAMPLE RESULTS INDICATE EXCEEDANCE OF SOIL GUIDANCE VALUES. SITE TO BE
INACTIVE. 06/21/93: MF 6/21/93 RECEIVED HAZ WASTE MANIFEST, ALSO
EXCAVATION TANK TEST RESULTS, EXCEEDED GUIDE
LINES. LETTER TP RP, SITE CLASSIFIED AS I, NO FURTHER ACTION
NECESSARY.
Remark: UST FOUND FILLED IN PLACE, TANK NOT CLEANED.
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
Spill Closed Dt: 06/21/93
Spill Notifier: Responsible Party
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND #3 (Continued)

EDR ID Number
EPA ID Number

Database(s)

S103562724

Cleanup Ceased: 03/21/93
Last Inspection: 02/04/93
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dtl: / /
Invstgn Complete: / /
Spill Record Last Update: 07/01/93
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 10/26/92
Date Region Sent Summary to Central Office: / /
Cleanup Meets Std: False
Enforcement Date: / /
UST Involvement: False

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

H35
ESE
1/4-1/2
2116 ft.

DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760

UST U003317168
AST N/A
NY Spills

Site 5 of 8 in cluster H

Relative:
Higher

Actual:
1427 ft.

SPILLS:

Spill Number: 9975579
Spill Date: 12/01/99
ID: 90101
Date Call Received: 12/14/99
Region Close Date: 12/14/99
Material Spilled: WASTE OIL
Water Affected: Not reported
Spill Cause: Equipment Failure
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: 0 Gal.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Groundwater
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9975579
Spill Date: 12/01/1999 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported

Region of Spill: 9
Reported to Dept: 12/14/99 13:19

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported
Facility Contact: GARY OFINOWICZ
Investigator: JFO
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: GARY OFINOWICZ
Spiller: DRESSER RAND
Spiller Address: NORTH FIFTH STREET
OLEAN, NY 14760

Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 375-3448
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: (716) 375-3448

DEC Remarks: 12/14/99: JFO REVIEWED THE ANALYTICAL FROM THE TANK PIT. RESULTS INDICATE THAT THIS SITE CAN BE MADE INACTIVE WITH THE BLESSING OF RNL. NO FURTHER ACTION REQUIRED AT THIS TIME. INACTIVE LETTER ATTACHED. CLOSED

Remark: EXCAVATION ANALYTICAL RESULTS FOR THE REMOVAL OF A 1000 GALLON WASTE OIL UNDERGROUND STORAGE TANK EXCEEDS STARS FOR 8270

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: WASTE OIL
Class Type: Petroleum
Chem Abstract Service Number: WASTE OIL
Last Date: 09/27/1994
Num Times Material Entry In File: 9509

Spill Closed Dt: 12/14/99

Spill Notifier: DEC

PBS Number: Not reported

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /

Enforcement Date: / /

Invstgn Complete: / /

UST Involvement: False

Spill Record Last Update: 12/23/99

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 12/14/99 13:21

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access
additional NY SPILLS detail in the EDR Site Report.

PBS UST:

PBS Number: 9-386634 CBS Number: 9-000289
SPDES Number: 0-094781 SWIS ID: 0466
Operator: GARY OFINOWICZ
(716) 375-3448
Emergency Contact: DAVID R. PERNA
(716) 375-3095
Total Tanks: 10
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
(716) 375-3000
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: DRESSER RAND
ATTN: GARY OFINOWICZ
NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

(716) 375-3448
Tank Status: Closed - Removed
Capacity (gals): 1000
Tank Location: UNDERGROUND
Tank Id: 2S
Tank Type: Steel/carbon steel
Tank Internal: NONE
Pipe Location: Underground
Tank External: NONE/PAINTED/ASPHALT COATING
Missing Data for Tank: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/NONE
Leak Detection: NONE/NONE
Overfill Prot: High Level Alarm
Date Tested: Not reported
Date Closed: 10/01/1999
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 130700
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 11/21/1996
Inspection Result: Not reported
Lat/Long: 45|05|20 / 78|26|20
Facility Type: OTHER
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: 05/01/1976
Product Stored: USED OIL
Pipe Internal: NONE
Pipe Type: NOT DEFINED
Dispenser: Gravity
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing
Renewal Date: 05/01/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 12/17/1999
Expiration Date: 07/20/2002
Inspector: BAJ
PBS Number: 9-386634
SPDES Number: 0-094781
Operator: GARY OFINOWICZ
(716) 375-3448
Emergency Contact: DAVID R. PERNA
(716) 375-3095
Total Tanks: 10
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
(716) 375-3000
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: DRESSER RAND
ATTN: GARY OFINOWICZ
NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
(716) 375-3448
CBS Number: 9-000289
SWIS ID: 0466
Tank Status: Closed Prior to 04/91 (Either Closed In-Place or Removed)
Capacity (gals): 30000
Tank Location: UNDERGROUND
Tank Id: 1A
Install Date: 01/01/1970

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	1	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	130700	Renewal Date:	05/01/1992
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/17/1999
Old PBS Number:	Not reported	Expiration Date:	07/20/2002
Inspected Date:	11/21/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	45 05 20 / 78 26 20		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-386634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS ID:	0466
Operator:	GARY OFINOWICZ (716) 375-3448		
Emergency Contact:	DAVID R. PERNA (716) 375-3095		
Total Tanks:	10		
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760 (716) 375-3000		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	DRESSER RAND ATTN: GARY OFINOWICZ NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760 (716) 375-3448		
Tank Status:	Closed Prior to 04/91 (Either Closed In-Place or Removed)		
Capacity (gals):	30000		
Tank Location:	UNDERGROUND		
Tank Id:	1N	Install Date:	01/01/1975
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	1	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Pipe External:	Not reported	Dispenser:	Suction
Second Containment:	NONE	Next Test Date:	Not reported
Leak Detection:	NONE	Test Method:	Not reported
Overfill Prot:	Product Level Gauge	Updated:	False
Date Tested:	Not reported	Owner Screen:	No data missing
Date Closed:	Not reported	Renewal Date:	05/01/1992
Deleted:	False	Federal ID:	Not reported
Dead Letter:	False	Facility Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct	Certification Date:	12/17/1999
Total Capacity:	130700	Expiration Date:	07/20/2002
Tank Screen:	No data missing	Inspector:	BAJ
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	11/21/1996		
Inspection Result:	Not reported		
Lat/Long:	45 05 20 / 78 26 20		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-386634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS ID:	0466
Operator:	GARY OFINOWICZ (716) 375-3448		
Emergency Contact:	DAVID R. PERNA (716) 375-3095		
Total Tanks:	10		
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760 (716) 375-3000		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	DRESSER RAND ATTN: GARY OFINOWICZ NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760 (716) 375-3448		
Tank Status:	Closed Prior to 04/91 (Either Closed In-Place or Removed)	Install Date:	01/01/1975
Capacity (gals):	10000	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Location:	UNDERGROUND	Pipe Internal:	Not reported
Tank Id:	1Q	Pipe Type:	STEEL/IRON
Tank Type:	Steel/carbon steel		
Tank Internal:	Not reported		
Pipe Location:	1		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	130700	Renewal Date:	05/01/1992
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/17/1999
Old PBS Number:	Not reported	Expiration Date:	07/20/2002
Inspected Date:	11/21/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	45 05 20 / 78 26 20		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-386634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS ID:	0466
Operator:	GARY OFINOWICZ (716) 375-3448		
Emergency Contact:	DAVID R. PERNA (716) 375-3095		
Total Tanks:	10		
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760 (716) 375-3000		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	DRESSER RAND ATTN: GARY OFINOWICZ NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760 (716) 375-3448		
Tank Status:	Closed Prior to 04/91 (Either Closed In-Place or Removed)		
Capacity (gals):	15000		
Tank Location:	UNDERGROUND		
Tank Id:	2B	Install Date:	01/01/1955
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	1	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	130700	Renewal Date:	05/01/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	12/17/1999
Old PBS Number:	Not reported	Expiration Date:	07/20/2002
Inspected Date:	11/21/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	45 05 20 / 78 26 20		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

This is the most recent NY PBS data for this site.

[Click this hyperlink](#) while viewing on your computer to access
5 additional NY PBS record(s) in the EDR Site Report.

PBS AST:

PBS Number:	9-386634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS Code:	0466
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	DRESSER RAND		
	NORTH 5TH ST		
	OLEAN, NY 14760		
Owner Phone:	(716) 375-3000		
Facility Phone:	(716) 375-3448		
Operator:	GARY OFINOWICZ		
Emergency Name:	DAVID R. PERNA		
Emergency Phone:	(716) 375-3095		
Total Tanks:	10		
Total Capacity:	130700		
Tank ID:	1E		
Capacity (Gal):	1000		
Missing Data for Tank :	Minor data missing		
Tank Location:	ABOVEGROUND		
Product Stored:	NOS 1,2, OR 4 FUEL OIL		
Tank Type:	Steel/carbon steel		
Install Date:	01/01/1949		
Tank Internal:	Not reported		
Tank External:	Not reported		
Tank Containment:	OTHER		
Pipe Type:	STEEL/IRON		
Pipe Location:	Not reported		
Pipe Internal:	Not reported		
Pipe External:	Not reported		
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Dispenser Method:	Suction		
Date Tested:	/ /		
Date Closed:	/ /		
Updated:	False		
Date Inspected:	11/21/1996		
Next Test Date:	/ /		
Test Method:	Not reported		
Deleted:	False		
Inspector:	BAJ		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 1F
Capacity (Gal): 1000
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 01/01/1949
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: OTHER
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Next Test Date: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

DRESSER RAND (Continued)

U003317168

Date Closed:	/ /	Test Method:	Not reported
Updated:	False	Deleted:	False
Date Inspected:	11/21/1996	Inspector:	BAJ
Result of Inspection:	Not reported		
Mailing Name:	DRESSER RAND		
Mailing Address:	NORTH 5TH ST		
	P.O. BOX 560		
	OLEAN, NY 14760		
Mailing Contact:	GARY OFINOWICZ		
Mailing Telephone:	(716) 375-3448	Expiration Date:	07/20/2002
Owner Mark:	First Owner	Certification Date:	12/17/1999
Certification Flag:	False	Renew Date:	05/01/1992
Renew Flag:	False		
Lat/Long:	45[05]20 / 78[26]20		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	No data missing		
Tank Screen:	No data missing		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	9-388634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS Code:	0466
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	DRESSER RAND		
	NORTH 5TH ST		
	OLEAN, NY 14760		
Owner Phone:	(716) 375-3000		
Facility Phone:	(716) 375-3448		
Operator:	GARY OFINOWICZ		
Emergency Name:	DAVID R. PERNA		
Emergency Phone:	(716) 375-3095		
Total Tanks:	10		
Total Capacity:	130700		
Tank ID:	1G		
Capacity (Gal):	1000		
Missing Data for Tank :	Minor data missing		
Tank Location:	ABOVEGROUND		
Product Stored:	NOS 1,2, OR 4 FUEL OIL		
Tank Type:	Steel/carbon steel		
Install Date:	01/01/1949		
Tank Internal:	Not reported		
Tank External:	Not reported		
Tank Containment:	OTHER		
Pipe Type:	STEEL/IRON		
Pipe Location:	Not reported		
Pipe Internal:	Not reported		
Pipe External:	Not reported		
Leak Detection:	NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Overfill Protection:	Product Level Gauge	
Dispenser Method:	Suction	
Date Tested:	/ /	Next Test Date: / /
Date Closed:	/ /	Test Method: Not reported
Updated:	False	Deleted: False
Date Inspected:	11/21/1996	Inspector: BAJ
Result of Inspection:	Not reported	
Mailing Name:	DRESSER RAND	
Mailing Address:	NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760	
Mailing Contact:	GARY OFINOWICZ	
Mailing Telephone:	(716) 375-3448	
Owner Mark:	First Owner	Expiration Date: 07/20/2002
Certification Flag:	False	Certification Date: 12/17/1999
Renew Flag:	False	Renew Date: 05/01/1992
Lat/Long:	45 05 20 / 78 26 20	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	No data missing	
Tank Screen:	No data missing	
Town or City:	OLEAN	
Town or City Code:	66	
County Code:	04	
Region:	9	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	9-386634	CBS Number: 9-000289
SPDES Number:	0-094781	SWIS Code: 0466
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760	
Owner Phone:	(716) 375-3000	
Facility Phone:	(716) 375-3448	
Operator:	GARY OFINOWICZ	
Emergency Name:	DAVID R. PERNA	
Emergency Phone:	(716) 375-3095	
Total Tanks:	10	
Total Capacity:	130700	
Tank ID:	1M	
Capacity (Gal):	1000	
Missing Data for Tank :	Minor data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	LEADED GASOLINE	
Tank Type:	Steel/carbon steel	
Install Date:	/ /	
Tank Internal:	Not reported	
Tank External:	Not reported	
Tank Containment:	Not reported	
Pipe Type:	STEEL/IRON	
Pipe Location:	Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	NONE	
Overfill Protection:	Product Level Gauge	
Dispenser Method:	Suction	
Date Tested:	/ /	Next Test Date: / /
Date Closed:	/ /	Test Method: Not reported
Updated:	False	Deleted: False
Date Inspected:	11/21/1996	Inspector: BAJ
Result of Inspection:	Not reported	
Mailing Name:	DRESSER RAND	
Mailing Address:	NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760	
Mailing Contact:	GARY OFINOWICZ	
Mailing Telephone:	(716) 375-3448	
Owner Mark:	First Owner	Expiration Date: 07/20/2002
Certification Flag:	False	Certification Date: 12/17/1999
Renew Flag:	False	Renew Date: 05/01/1992
Lat/Long:	45 05 20 / 78 26 20	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	No data missing	
Tank Screen:	No data missing	
Town or City:	OLEAN	
Town or City Code:	66	
County Code:	04	
Region:	9	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	9-386634	CBS Number: 9-000289
SPDES Number:	0-094781	SWIS Code: 0466
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760	
Owner Phone:	(716) 375-3000	
Facility Phone:	(716) 375-3448	
Operator:	GARY OFINOWICZ	
Emergency Name:	DAVID R. PERNA	
Emergency Phone:	(716) 375-3095	
Total Tanks:	10	
Total Capacity:	130700	
Tank ID:	2A	
Capacity (Gal):	110000	
Missing Data for Tank :	No data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	/ /	
Tank Internal:	NONE	
Tank External:	PAINTED/ASPHALT COATING/NONE	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Tank Containment: EARTHEN DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Above/Underground Combination
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: Product Level Gauge, None
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45[05]20 / 78[26]20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2D
Capacity (Gal): 1800
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: LUBE OIL
Tank Type: Steel/carbon steel
CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Install Date:	01/01/1973	
Tank Internal:	NONE	
Tank External:	PAINTED/ASPHALT COATING/NONE	
Tank Containment:	OTHER/NONE	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	PAINTED/ASPHALT COATING/NONE	
Leak Detection:	NONE/NONE	
Overfill Protection:	Product Level Gauge, None	
Dispenser Method:	Suction	
Date Tested:	/ /	Next Test Date: / /
Date Closed:	/ /	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	11/21/1996	Inspector: BAJ
Result of Inspection:	Not reported	
Mailing Name:	DRESSER RAND	
Mailing Address:	NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760	
Mailing Contact:	GARY OFINOWICZ	
Mailing Telephone:	(716) 375-3448	
Owner Mark:	First Owner	Expiration Date: 07/20/2002
Certification Flag:	False	Certification Date: 12/17/1999
Renew Flag:	False	Renew Date: 05/01/1992
Lat/Long:	45 05 20 / 78 26 20	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	No data missing	
Tank Screen:	No data missing	
Town or City:	OLEAN	
Town or City Code:	66	
County Code:	04	
Region:	9	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	9-356634	CBS Number: 9-000289
SPOES Number:	0-094781	SWIS Code: 0466
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760	
Owner Phone:	(716) 375-3000	
Facility Phone:	(716) 375-3448	
Operator:	GARY OFINOWICZ	
Emergency Name:	DAVID R. PERNA	
Emergency Phone:	(716) 375-3095	
Total Tanks:	10	
Total Capacity:	130700	
Tank ID:	2E	
Capacity (Gal):	850	
Missing Data for Tank :	Minor data missing	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: OTHER
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: False
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

Fiscal Amount for Registration Fee is Correct: True

PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700

CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003217168

Tank ID: 2F
Capacity (Gal): 850
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: OTHER
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: False
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760

Next Test Date: / /
Test Method: Not reported
Delated: False
Inspector: BAJ

Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

Fiscal Amount for Registration Fee is Correct: True

PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA

CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2G
Capacity (Gal): 1800
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: LUBE OIL
Tank Type: Steel/carbon steel
Install Date: 01/01/1973
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: OTHER/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: Product Level Gauge, None
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45[05]20 / 78[26]20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 21
Capacity (Gal): 6000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: LUBE OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: CONCRETE DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Above/Underground Combination
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: Product Level Gauge, None
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2J
Capacity (Gal): 1000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: PREFABRICATED STEEL DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: Product Level Gauge, None
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	DRESSER RAND	
	NORTH 5TH ST	
	OLEAN, NY 14760	
Owner Phone:	(716) 375-3000	
Facility Phone:	(716) 375-3448	
Operator:	GARY OFINOWICZ	
Emergency Name:	DAVID R. PERNA	
Emergency Phone:	(716) 375-3095	
Total Tanks:	10	
Total Capacity:	130700	
Tank ID:	2K	
Capacity (Gal):	300	
Missing Data for Tank :	Minor data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	OTHER	
Tank Type:	Steel/carbon steel	
Install Date:	/ /	
Tank Internal:	Not reported	
Tank External:	Not reported	
Tank Containment:	NONE	
Pipe Type:	STEEL/IRON	
Pipe Location:	Not reported	
Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	NONE	
Overfill Protection:	Product Level Gauge	
Dispenser Method:	Suction	
Date Tested:	/ /	Next Test Date: / /
Date Closed:	07/01/1988	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	11/21/1996	Inspector: BAJ
Result of Inspection:	Not reported	
Mailing Name:	DRESSER RAND	
Mailing Address:	NORTH 5TH ST	
	P.O. BOX 560	
	OLEAN, NY 14760	
Mailing Contact:	GARY OFINOWICZ	
Mailing Telephone:	(716) 375-3448	
Owner Mark:	First Owner	Expiration Date: 07/20/2002
Certification Flag:	False	Certification Date: 12/17/1999
Renew Flag:	False	Renew Date: 05/01/1992
Lat/Long:	45 05 20 / 78 26 20	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	No data missing	
Tank Screen:	No data missing	
Town or City:	OLEAN	
Town or City Code:	66	
County Code:	04	
Region:	9	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	9-386634	CBS Number: 9-000289
SPDES Number:	0-094781	SWIS Code: 0466
Federal ID:	Not reported	Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2L
Capacity (Gal): 1000
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: False
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

PBS Number: 9-386634 CBS Number: 9-000289
SPDES Number: 0-094781 SWIS Code: 0466
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2M
Capacity (Gal): 1050
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: False
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: 8AJ

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760

Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2P
Capacity (Gal): 1100

Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction

Date Tested: / /
Date Closed: / /

Updated: False
Date Inspected: 11/21/1996

Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760

Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

PBS Number: 9-386634 CBS Number: 9-000289
SPDES Number: 0-094761 SWIS Code: 0466
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND

NORTH 5TH ST
OLEAN, NY 14760

Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095

Total Tanks: 10
Total Capacity: 130700
Tank ID: 2Q
Capacity (Gal): 1200

Missing Data for Tank : Minor data missing

Tank Location: ABOVEGROUND

Product Stored: OTHER

Tank Type: Steel/carbon steel

Install Date: / /

Tank Internal: Not reported

Tank External: Not reported

Tank Containment: NONE

Pipe Type: STEEL/IRON

Pipe Location: Not reported

Pipe Internal: Not reported

Pipe External: Not reported

Leak Detection: NONE

Overfill Protection: Product Level Gauge

Dispenser Method: Suction

Date Tested: / /

Date Closed: / /

Updated: False

Date Inspected: 11/21/1996

Result of Inspection: Not reported

Mailing Name: DRESSER RAND

Mailing Address: NORTH 5TH ST

P.O. BOX 560

OLEAN, NY 14760

Mailing Contact: GARY OFINOWICZ

Mailing Telephone: (716) 375-3448

Owner Mark: First Owner

Certification Flag: False

Renew Flag: False

Lat/Long: 45|06|20 / 78|26|20

Next Test Date: / /

Test Method: Not reported

Deleted: False

Inspector: BAJ

Expiration Date: 07/20/2002

Certification Date: 12/17/1999

Renew Date: 05/01/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760

Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2R
Capacity (Gal): 110000

Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 01/01/1975
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction

Date Tested: / /
Date Closed: / /
Updated: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner

Expiration Date: 07/20/2002

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Certification Flag:	False	Certification Date:	12/17/1999
Renew Flag:	False	Renew Date:	05/01/1992
Lat/Long:	45 05 20 / 78 26 20		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	No data missing		
Tank Screen:	No data missing		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	9-386634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS Code:	0466
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	DRESSER RAND		
	NORTH 5TH ST		
	OLEAN, NY 14760		
Owner Phone:	(716) 375-3000		
Facility Phone:	(716) 375-3448		
Operator:	GARY OFINOWICZ		
Emergency Name:	DAVID R. PERNA		
Emergency Phone:	(716) 375-3095		
Total Tanks:	10		
Total Capacity:	130700		
Tank ID:	2W		
Capacity (Gal):	2500		
Missing Data for Tank :	No data missing		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Product Stored:	LUBE OIL		
Tank Type:	Steel/carbon steel		
Install Date:	/ /		
Tank Internal:	NONE		
Tank External:	PAINTED/ASPHALT COATING/NONE		
Tank Containment:	CONCRETE DIKE/NONE		
Pipe Type:	STEEL/IRON		
Pipe Location:	Above/Underground Combination		
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING/NONE		
Leak Detection:	NONE/NONE		
Overfill Protection:	Product Level Gauge, None		
Dispenser Method:	Suction		
Date Tested:	/ /	Next Test Date:	/ /
Date Closed:	/ /	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	11/21/1996	Inspector:	BAJ
Result of Inspection:	Not reported		
Mailing Name:	DRESSER RAND		
Mailing Address:	NORTH 5TH ST		
	P.O. BOX 560		
	OLEAN, NY 14760		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45[05]20 / 78[26]20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

CBS Number: 9-000289
SWIS Code: 0465
Previous PBS#: Not reported

Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760

Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2X
Capacity (Gal): 3500
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: PREFABRICATED STEEL DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Above/Underground Combination
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: 90
Dispenser Method: Suction
Date Tested: / /
Date Closed: 03/01/1997
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND

Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 22
Capacity (Gal): 4200
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: LUBE OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: PREFABRICATED STEEL DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: 90
Dispenser Method: Suction
Date Tested: / /
Date Closed: 03/01/1997
Updated: True
CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992
Next Test Date: / /
Test Method: Not reported
Deleted: False

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Date Inspected: 11/21/1996 Inspector: BAJ
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner Expiration Date: 07/20/2002
Certification Flag: False Certification Date: 12/17/1999
Renew Flag: False Renew Date: 05/01/1992
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-366634 CBS Number: 9-000289
SPDES Number: 0-094781 SWIS Code: 0466
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2AA
Capacity (Gal): 5000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: CONCRETE DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: 90
Dispenser Method: Suction

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Date Tested:	/ /	Next Test Date:	/ /
Date Closed:	05/01/1997	Test Method:	Not reported
Updated:	True	Deleted:	False
Date Inspected:	11/21/1996	Inspector:	BAJ
Result of Inspection:	Not reported		
Mailing Name:	DRESSER RAND		
Mailing Address:	NORTH 5TH ST		
	P.O. BOX 560		
	OLEAN, NY 14760		
Mailing Contact:	GARY OFINOWICZ		
Mailing Telephone:	(716) 375-3448		
Owner Mark:	First Owner	Expiration Date:	07/20/2002
Certification Flag:	False	Certification Date:	12/17/1999
Renew Flag:	False	Renew Date:	05/01/1992
Lat/Long:	45 05 20 / 78 26 20		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	No data missing		
Tank Screen:	No data missing		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
Fiscal Amount for Registration Fee is Correct:	True		
PBS Number:	9-386634	CBS Number:	9-000289
SPDES Number:	0-094781	SWIS Code:	0466
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	OTHER		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	DRESSER RAND		
	NORTH 5TH ST		
	OLEAN, NY 14760		
Owner Phone:	(716) 375-3000		
Facility Phone:	(716) 375-3448		
Operator:	GARY OFINOWICZ		
Emergency Name:	DAVID R. PERNA		
Emergency Phone:	(716) 375-3095		
Total Tanks:	10		
Total Capacity:	130700		
Tank ID:	2B8		
Capacity (Gal):	1000		
Missing Data for Tank :	No data missing		
Tank Location:	ABOVEGROUND		
Product Stored:	USED OIL		
Tank Type:	Steel/carbon steel		
Install Date:	/ /		
Tank Internal:	NONE		
Tank External:	PAINTED/ASPHALT COATING/NONE		
Tank Containment:	NONE/NONE		
Pipe Type:	STEEL/IRON		
Pipe Location:	Aboveground		
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING/NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Leak Detection: NONE/NONE
Overfill Protection: None
Dispenser Method: Suction
Date Tested: / /
Date Closed: 03/01/1997
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992
PBS Number: 9-386634
SPDES Number: 0-094781
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2CC
Capacity (Gal): 800
Missing Data for Tank: Minor data missing
Tank Location: ABOVEGROUND
Product Stored: OTHER
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
CBS Number: 9-000289
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317168

Pipe Location:	Not reported	
Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	OTHER	
Overfill Protection:	Not reported	
Dispenser Method:	Suction	
Date Tested:	/ /	Next Test Date: / /
Date Closed:	/ /	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	11/21/1996	Inspector: BAJ
Result of Inspection:	Not reported	
Mailing Name:	DRESSER RAND	
Mailing Address:	NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760	
Mailing Contact:	GARY OFINOWICZ	
Mailing Telephone:	(716) 375-3448	
Owner Mark:	First Owner	Expiration Date: 07/20/2002
Certification Flag:	False	Certification Date: 12/17/1999
Renew Flag:	False	Renew Date: 05/01/1992
Lat/Long:	45 05 20 / 78 26 20	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	No data missing	
Tank Screen:	No data missing	
Town or City:	OLEAN	
Town or City Code:	66	
County Code:	04	
Region:	9	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	9-386634	CBS Number: 9-000269
SPDES Number:	0-094781	SWIS Code: 0466
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760	
Owner Phone:	(716) 375-3000	
Facility Phone:	(716) 375-3448	
Operator:	GARY OFINOWICZ	
Emergency Name:	DAVID R. PERNA	
Emergency Phone:	(716) 375-3095	
Total Tanks:	10	
Total Capacity:	130700	
Tank ID:	2DD	
Capacity (Gal):	1800	
Missing Data for Tank :	No data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	LUBE OIL	
Tank Type:	Steel/carbon steel	
Install Date:	12/01/1993	
Tank Internal:	NONE	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Tank External: PAINTED/ASPHALT COATING/NONE
Tank Containment: OTHER/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING/NONE
Leak Detection: NONE/NONE
Overfill Protection: Product Level Gauge, None
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: 11/21/1996 Inspector: BAJ
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner Expiration Date: 07/20/2002
Certification Flag: False Certification Date: 12/17/1999
Renew Flag: False Renew Date: 05/01/1992
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-386634 CBS Number: 9-000289
SPDES Number: 0-094781 SWIS Code: 0466
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: DRESSER RAND
NORTH 5TH ST
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Facility Phone: (716) 375-3448
Operator: GARY OFINOWICZ
Emergency Name: DAVID R. PERNA
Emergency Phone: (716) 375-3095
Total Tanks: 10
Total Capacity: 130700
Tank ID: 2GG
Capacity (Gal): 1800
Missing Data for Tank: No data missing
Tank Location: ABOVEGROUND
Product Stored: LUBE OIL

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Tank Type:	Steel/carbon steel	
Install Date:	12/01/1994	
Tank Internal:	NONE	
Tank External:	PAINTED/ASPHALT COATING/NONE	
Tank Containment:	OTHER/NONE	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	NONE	
Pipe External:	PAINTED/ASPHALT COATING/NONE	
Leak Detection:	NONE/NONE	
Overfill Protection:	Product Level Gauge, None	
Dispenser Method:	Suction	
Date Tested:	//	Next Test Date: //
Date Closed:	//	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	11/21/1996	Inspector: BAJ
Result of Inspection:	Not reported	
Mailing Name:	DRESSER RAND	
Mailing Address:	NORTH 5TH ST P.O. BOX 560 OLEAN, NY 14760	
Mailing Contact:	GARY OFINOWICZ	
Mailing Telephone:	(716) 375-3448	
Owner Mark:	First Owner	Expiration Date: 07/20/2002
Certification Flag:	False	Certification Date: 12/17/1999
Renew Flag:	False	Renew Date: 05/01/1992
Lat/Long:	45 05 20 / 78 26 20	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	No data missing	
Tank Screen:	No data missing	
Town or City:	OLEAN	
Town or City Code:	66	
County Code:	04	
Region:	9	
Fiscal Amount for Registration Fee is Correct:	True	
PBS Number:	9-386634	CBS Number: 9-000289
SPDES Number:	0-094781	SWIS Code: 0466
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	DRESSER RAND NORTH 5TH ST OLEAN, NY 14760	
Owner Phone:	(716) 375-3000	
Facility Phone:	(716) 375-3448	
Operator:	GARY OFINOWICZ	
Emergency Name:	DAVID R. PERNA	
Emergency Phone:	(716) 375-3095	
Total Tanks:	10	
Total Capacity:	130700	
Tank ID:	WO1	
Capacity (Gall):	3000	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

U003317168

Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: USED OIL (fuel)
Tank Type: Fiberglass reinforced plastic [FRP]
Install Date: 09/01/1992
Tank Internal: NONE
Tank External: NONE/NONE
Tank Containment: CONCRETE DIKE/NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: NONE/NONE
Overfill Protection: Product Level Gauge, None
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 11/21/1996
Result of Inspection: Not reported
Mailing Name: DRESSER RAND
Mailing Address: NORTH 5TH ST
P.O. BOX 560
OLEAN, NY 14760
Mailing Contact: GARY OFINOWICZ
Mailing Telephone: (716) 375-3448
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 45|05|20 / 78|26|20
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ
Expiration Date: 07/20/2002
Certification Date: 12/17/1999
Renew Date: 05/01/1992

H36
ESE
1/4-1/2
2116 ft.

DRESSER RAND TURBO PRODUCTS DIVISION
PO BOX 560
OLEAN, NY 14760

CBS UST S102639545
CBS AST N/A

Relative:
Higher

Site 6 of 8 in cluster H

Actual:
1427 ft.

CBS UST:
CBS Number: 9-000289
PBS No: Not reported
Region: STATE
Operator: ARTHUR TITUS
Emergency Contact: PATRICK KELLAM, (716) 375-3445
Certification Date: 09/10/2001
Owner: DRESSER RAND TURBO PRODUCTS
Owner Address: PO BOX 560
OLEAN, NY 14760
Owner Phone: (716) 375-3000
Owner Type: Corporate/Commercial
Facility Type: MANUFACTURING

ICS No: 9-178397
MOSF No: Not reported
Town: OLEAN (C)
Facility Tel: (716) 375-3122
Expiration Date: 09/28/2002

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND TURBO PRODUCTS DIVISION (Continued)

S102639545

Mail To:	DRESSER RAND, OLEAN OPERATIONS		
Mail Address:	PO BOX 560		
	OLEAN, NY 14760		
	ATTN: ARTHUR TITUS		
	(716) 375-3114		
SPDES No:	0-094781	Facility Status:	NO LONGER A MAJOR FACILITY
Owner Subtype:	Not reported		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Total Tanks:	3	Capacity:	8000 Gals
Tank Location:	Underground		
Install Date:	00/00		
CAS No:	67561		
Substance:	Single Hazardous Substance on DEC List		
Tank Type:	Steel/carbon steel	2nd Containmt:	None
Tank Internal:	None	Pipe Type:	STEEL/IRON
Tank External:	None		
Pipe Internal:	None	Pipe Location:	Underground
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	0		
Chemical:	Methanol		
Tank Closed:	09/92		
Tank Secret:	False	Date Entered:	09/08/1992 09:56:45
Last Test:	Not reported	Due Date:	Not reported
SWIS Code:	0412		
Cert Flag:	False		
Case No:	Not reported	Reserve Flag:	True
Pipe Flag:	False	Federal Amt:	True
Is it There:	False	Is Updated:	False
Owner Mark:	1	Lat/Long:	42 05 17 / 78 26 17
Renew Date:	09/08/92	Date Expired:	09/28/94
Total Capacity:	8800		
Tank Number:	2V		
CBS AST:			
CBS Number:	9-000289	Telephone:	(716) 375-3122
Owner:	DRESSER RAND TURBO PRODUCTS		
	PO BOX 560		
	OLEAN, NY 14760		
	(716) 375-3000		
Facility Status:	Active		
Total Tanks:	3		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	08/01		
Capacity (Gal):	400		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None/Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	None/Remote Impounding Area		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None/None		
Pipe Containment:	None/Remote Impounding Area	Haz Percent:	5

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND TURBO PRODUCTS DIVISION (Continued)

S102639545

Leak Detection: None/None
Overfill Protection: 5/5
Chemical: Hydroquinone
Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 0412
Federal ID: Not reported
MOSF Number: Not reported CAS Number: 123319
SPDES Number: 0-094781 ICS Number: 9-178397
Facility Type: Manufacturing
Operator: ARTHUR TITUS Facility Town: OLEAN (C)
Emergency Contact: PATRICK KELLAM Emergency Phone: (716) 375-3445
Certified Date: 09/10/2001 Expiration Date: 09/28/2002
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: DRESSER RAND, OLEAN OPERATIONS
Mail Contact: ARTHUR TITUS
PO BOX 560
OLEAN, NY 14760
Mail Phone: (716) 375-3114
Tank Secret: False Date Entered: 09/06/2001 13:41:21
Last Test: Not reported Due Date: Not reported
Pipe Flag: False Owner Mark: 1
Renew Date: 09/08/92 Date Expired: 09/28/94
Is it There: False Is Updated: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 8800
Unique Tank Id Number: 930002
Date Pre-Printed Renewal App Form Was Last Printed: 06/01/2000

CBS Number: 9-000289 Telephone: (716) 375-3122
Owner: DRESSER RAND TURBO PRODUCTS
PO BOX 560
OLEAN, NY 14760
(716) 375-3000
Facility Status: Active
Total Tanks: 3
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 03/01
Capacity (Gal): 400
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None/Painted/Asphalt Coating
Intrnl Protection: None
Tank Containment: None/Remote Impounding Area
Pipe Type: STEEL/IRON Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None/None
Pipe Containment: None/Remote Impounding Area Haz Percent: 10
Leak Detection: None/None
Overfill Protection: 5/5
Chemical: Sodium hydroxide
Tank Closed: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND TURBO PRODUCTS DIVISION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102639545

PBS Number: Not reported SWIS Code: 0412
Federal ID: Not reported
MOSF Number: Not reported CAS Number: 1310732
SPDES Number: 0-094781 ICS Number: 9-178397
Facility Type: Manufacturing
Operator: ARTHUR TITUS Facility Town: OLEAN (C)
Emergency Contact: PATRICK KELLAM Emergency Phone: (716) 375-3445
Certified Date: 09/10/2001 Expiration Date: 09/28/2002
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: DRESSER RAND, OLEAN OPERATIONS
Mail Contact: ARTHUR TITUS
PO BOX 560
OLEAN, NY 14760
Mail Phone: (716) 375-3114
Tank Secret: False Date Entered: 09/06/2001 13:41:52
Last Test: Not reported Due Date: Not reported
Pipe Flag: False Owner Mark: 1
Renew Date: 09/08/92 Date Expired: 09/28/94
Is it There: False Is Updated: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 8800
Unique Tank Id Number: 19058
Date Pre-Printed Renewal App Form Was Last Printed: 06/01/2000

CBS Number: 9-000289 Telephone: (716) 375-3122
Owner: DRESSER RAND TURBO PRODUCTS
PO BOX 560
OLEAN, NY 14760
(716) 375-3000
Facility Status: Active
Total Tanks: 3
Tank Status: In Service
Tank Error Status: Minor Data Missing
Tank Location: Aboveground
Install Date: 10/80
Capacity (Gal): 3000
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Not reported
Extnl Protection:
Intrnl Protection: Not reported
Tank Containment: Diking
Pipe Type: PLASTIC Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Pipe Containment: Not reported Haz Percent: 0
Leak Detection: Not reported
Overfill Protection: Not reported
Chemical: Methanol
Tank Closed: 08/90
PBS Number: Not reported SWIS Code: 0412
Federal ID: Not reported
MOSF Number: Not reported CAS Number: 67561
SPDES Number: 0-094781 ICS Number: 9-178397

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND TURBO PRODUCTS DIVISION (Continued)

S102639545

Facility Type: Manufacturing
Operator: ARTHUR TITUS
Emergency Contact: PATRICK KELLAM
Certified Date: 09/10/2001
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: DRESSER RAND, OLEAN OPERATIONS
Mail Contact: ARTHUR TITUS
PO BOX 560
OLEAN, NY 14760
Mail Phone: (716) 375-3114
Tank Secret: False
Last Test: Not reported
Pipe Flag: False
Renew Date: 09/08/92
Is it There: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 8800
Unique Tank Id Number: F1
Date Pre-Printed Renewal App Form Was Last Printed: 06/01/2000
Date Entered: 09/28/1990 07:40:46
Due Date: Not reported
Owner Mark: 1
Date Expired: 09/28/94
Is Updated: False

CBS Number: 9-000289
Owner: DRESSER RAND TURBO PRODUCTS
PO BOX 560
OLEAN, NY 14760
(716) 375-3000
Telephone: (716) 375-3122
Facility Status: Active
Total Tanks: 3
Tank Status: In Service
Tank Error Status: Minor Data Missing
Tank Location: Aboveground
Install Date: 10/80
Capacity (Gal): 3000
Tank Type: Fiberglass reinforced plastic (FRP)
Substance: Not reported
Extnl Protection:
Intnl Protection: Not reported
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: Not reported
Pipe External: Not reported
Pipe Containment: Not reported
Leak Detection: Not reported
Overfill Protection: Not reported
Chemical: Methanol
Tank Closed: 08/90
PBS Number: Not reported
Federal ID: Not reported
MOSF Number: Not reported
SPDES Number: 0-094781
Facility Type: Manufacturing
Operator: ARTHUR TITUS
Emergency Contact: PATRICK KELLAM
Certified Date: 09/10/2001
Pipe Location: Not reported
Haz Percent: 0
SWIS Code: 0412
CAS Number: 67561
ICS Number: 9-178397
Facility Town: OLEAN (C)
Emergency Phone: (716) 375-3445
Expiration Date: 09/28/2002

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND TURBO PRODUCTS DIVISION (Continued)

S102639545

Owner type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Mail Name:	DRESSER RAND, OLEAN OPERATIONS	
Mail Contact:	ARTHUR TITUS	
	PO BOX 560	
	OLEAN, NY 14760	
Mail Phone:	(716) 375-3114	
Tank Secret:	False	Date Entered: 09/28/1990 07:40:58
Last Test:	Not reported	Due Date: Not reported
Pipe Flag:	False	Owner Mark: 1
Renew Date:	09/08/92	Date Expired: 09/28/94
Is it There:	False	Is Updated: False
Owner Status:	F	
Certificate Needs to be Printed:	False	
Fiscal Amt for Registration Fee Correct:	True	
Renewal Has Been Printed for Facility:	True	
Total Capacity of All Active Tanks(gal):	8800	
Unique Tank Id Number:	F2	
Date Pre-Printed Renewal App Form Was Last Printed:	06/01/2000	

This is the most recent NY CBS AST data for this site.

[Click this hyperlink](#) while viewing on your computer to access
2 additional NY CBS AST record(s) in the EDR Site Report.

H37
ESE
1/4-1/2
2116 ft.

DRESSER RAND
FIFTH STREET
OLEAN, NY

NY Spills S102134380
N/A

Site 7 of 8 in cluster H

Relative:
Higher

Actual:
1427 ft.

SPILLS:

Spill Number: 9311272
Spill Date: 12/15/93
ID: 192772
Date Call Received: 12/16/93
Region Close Date: 08/31/95
Material Spilled: UNKNOWN PETROLEUM
Water Affected: Not reported
Spill Cause: Unknown
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: Unknown lbs.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9311272
Spill Date: 12/15/1993 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported

Region of Spill: 9
Reported to Dept: 12/16/93 13:28

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Unknown
Water Affected: Not reported
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported

Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 375-3111
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DRESSER RAND (Continued)

S102134380

Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: DRESSER RAND
Spiller Address: PO BOX 560
OLEAN, NY 14760
DEC Remarks: 12/16/93: MF/PHIL SMITH/TELECON - PETROLEUM CONTAMINATED SOIL REMOVED
WHEN DIGGING FOUNDATION IN MACHINE SHOP OF PLANT 1. SOIL MAY BE
BIOTREATED. 01/05/94: MF 1/4/94 SITE VISIT/RP. FOUNDATION FOR MACHINE
DUG IN MIDDLE OF MILL/ CONTAMINATED SOIL R
EMOVED. SAMPLES TAKEN, TO BE BIOREMEDIATED. NO PETROLEUM USAGE IN AREA.
06/14/94: MF 4/4/94 SITE VISIT/PHIL SMITH, GAVE ME EXCAVATION SAMPLE
RESULTS, 8270 TCLP. NOTHING DETECTED. KERO WASTE OIL DETECTED IN
REMOVED SOIL. UPDATE LETTER TO RP, RESP
ONSE BY 7/15/94. 07/11/94: MF 7/5/94 LETTER FROM RP. RECEIVED SAMPLE
RESULTS. KERO LUB OIL. EXCAVATION NO BN DETECTED. BIO TREATMENT NOT
STARTED, ADDITIONAL MACHINE TOOL INSTALLATIONS. ADDITIONAL CONTAMINATION
POSSIBLE. 03/31/95: MF 3/31/95 RE
CEIVED BIOTREATMENT PLAN, TREATMENT TO START 4/6/95. 03/31/95: MF
3/31/95 RECEIVED BIOTREATMENT PLAN, TREATMENT TO START 4/6/95. ALSO
REVCEIVED SOIL SAMPLE RESULTS, NON HAZ. 07/06/95: MF LETTER TO RP
REQUESTING UPDATE BY 7/28/95. 08/31/95: MF
7/28/95 SITE VISIT/KEN FOSTER, CHECKED BIOPILE. SOIL HAS BEEN TREATED
WILL BE SAMPLED. 08/31/95: MF 8/31/95 RECEIVED BIOPILE SAMPLE RESULTS.
SOIL, CLEAN. CLOSURE LETTER TO RP. NO FURTHER ACTION NECESSARY.
Remark: CONTAMINATED SOIL DISCOVERED WHILE EXCAVATING FOR FOUNDATION.
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum

Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

Spill Closed Dt: 08/31/95

Spill Notifier: Responsible Party

PBS Number: Not reported

Cleanup Ceased: 08/31/95

Last Inspection: 07/28/95

Cleanup Meets Std: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /

Enforcement Date: / /

Invstgn Complete: / /

UST Involvement: False

Spill Record Last Update: 09/12/95

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 12/20/93

Date Region Sent Summary to Central Office: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DRESSER RAND (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102134380

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

H38
ESE
1/4-1/2
2116 ft.

DRESSER RAND-MERCURY
FIFTH STREET
OLEAN, NY

NY Spills S102134816
N/A

Site 8 of 8 in cluster H

Relative:
Higher

Actual:
1427 ft.

SPILLS:

Spill Number: 9410189
Spill Date: 10/01/94
ID: 206963
Date Call Received: 10/24/94
Region Close Date: 12/27/94
Material Spilled: MERCURY
Water Affected: Not reported
Spill Cause: Housekeeping
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: 0 Gal.
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9410189
Spill Date: 10/01/1994 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported
Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Housekeeping
Water Affected: Not reported
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: DRESSER RAND
Spiller Address: PO BOX 560
OLEAN, NY 14760

Region of Spill: 9
Reported to Dept: 10/24/94 13:49

Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
Facility Tele: (716) 375-3304
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks: 11/01/94: MF 10/24/94 TELECON RP, HG IN SOIL ANALYSIS DIRECT METHOD).
RP TO DO TCLP. 11/18/94: MF 11/18/94 RECEIVED FAX OF HG TCLP SAMPLE
RESULTS, <.002 PPM. TELECON GRAIG BLASKE, NO IN LEFT MESSAGE.
12/27/94: MF 11/18/94 RECEIVED FAX OF HG TCL
P SAMPLE RESULTS, <.002 PPM. TELECON GRAIG BLASKE, NO IN LEFT MESSAGE.
NO FURTHER ACTION NECESSARY. ONLY CONCERNED PARAMETERS SAMPLED FOR B, CR
HG.

Remark: MERCURY IN SOIL ANALYSIS

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND-MERCURY (Continued)

S102134816

Gross Leak Rate: Not reported
Material:
Material Class Type: 2
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: MERCURY
Class Type: Hazardous
Chem Abstract Service Number: MERCURY
Last Date: Not reported
Num Times Material Entry in File: 0
Spill Closed Dt: 12/27/94
Spill Notifier: Responsible Party PBS Number: Not reported
Cleanup Ceased: 12/27/94
Last Inspection: / / Cleanup Meets Std: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / / Enforcement Date: / /
Investig Complete: / / UST Involvement: False
Spill Record Last Update: 01/10/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/01/94
Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

I39
NNW
1/4-1/2
2160 ft.

WESTERN REGIONAL CRIME LABORATORY
722 HOMER STREET
OLEAN, NY 14760

UST U003316674
N/A

Site 1 of 4 in cluster I

Relative:
Higher

Actual:
1425 ft.

PBS UST:
PBS Number: 9-059706 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 0466
Operator: NEW YORK STATE POLICE
(716) 373-5525
Emergency Contact: STATION COMMANDER
(716) 373-5525
Total Tanks: 0
Owner: NYS DIV STATE POLICE- DIV HQ
BLDG 22 STATE CAMPUS
ALBANY, NY 12226
(518) 457-6811
Owner Type: State Government
Owner Mark: First Owner
Owner Subtype: NYS Division of State Police
Mailing Address: NYS DIV STATE POLICE - DIV HQ
ATTN: MAJOR-ADMINISTRATION
BLDG 22 STATE CAMPUS
1220 WASHINGTON AVE
ALBANY, NY 12226
(518) 457-6811
Tank Status: Closed - Removed
Capacity (gals): 2000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WESTERN REGIONAL CRIME LABORATORY (Continued)

U003316674

Tank Location:	UNDERGROUND	Install Date:	07/01/1986
Tank Id:	1	Product Stored:	UNLEADED GASOLINE
Tank Type:	Steel/carbon steel	Pipe Internal:	NONE
Tank Internal:	FIBERGLASS LINER (FRP)	Pipe Type:	STEEL/IRON
Pipe Location:	Above/Underground Combination		
Tank External:	NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	05/01/1993	Next Test Date:	Not reported
Date Closed:	09/01/1998	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	10/17/1991
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	02/20/1998
Old PBS Number:	Not reported	Expiration Date:	12/30/2001
Inspected Date:	10/16/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

I40
NNW
1/4-1/2
2160 ft.

NYS POLICE WESTERN CRIME LABORATORY
722 HOMER ST
OLEAN, NY 14760

RCRA-SQG 1004763079
FINDS NYU005001011

Site 2 of 4 in cluster I

Relative:
Higher

RCRAInfo:
Owner: NON REGULATED
(716) 555-1212

Actual:
1426 ft.

EPA ID: NYU005001011

Contact: Not reported

Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
I41	NNW	1/4-1/2	2160 ft.		NYS POLICE WESTERN REGIONAL CRIME LAB 722 HOMER ST OLEAN, NY 14760 Site 3 of 4 in cluster I	RCRA-SQG	1007264861	NYR000123232
Relative: Higher					RCRAInfo: Owner: CITY OF OLEAN (716) 373-5525 EPA ID: NYR000123232 Contact: ROBERT CAMPBELL (716) 373-5525 Classification: Conditionally Exempt Small Quantity Generator TSDF Activities: Not reported Violation Status: No violations found			
Actual: 1426 ft.								
J42	NNE	1/4-1/2	2161 ft.		NEW YORK STATE D.E.C. 356 FRANKLIN ST OLEAN, NY 14760 Site 1 of 2 in cluster J	FINDS	1007251616	110017237970
Relative: Higher					FINDS: Other Pertinent Environmental Activity Identified at Site: RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM			
Actual: 1428 ft.								
I43	NNW	1/4-1/2	2171 ft.		NYS POLICE/NYSOGS 722 HOMER STREET OLEAN, NY Site 4 of 4 in cluster I	LTANKS	S103479565	N/A
Relative: Higher					LTANKS: Spill Number: 9807382 Spill Date: 09/16/1998 13:00 ID: Not reported Material Spilled: Not reported Region Close Dt: Not reported Water Affected: Not reported Resource Affected: On Land Spill Cause: Tank Failure Facility Contact: OWEN BYRNE Investigator: JFO Caller Name: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Phone: Not reported PBS: Not reported Spiller Contact: MIKE BECHELLI Spiller: NYS POLICE/NYSOGS Spiller Address: 722 HOMER STREET OLEAN, NY Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken. Spill Closed Dt: 03/17/99 Spill Notifier: Responsible Party Cleanup Ceased: / / Last Inspection: 09/18/98	Region of Spill: 9 Reported to Dept: 09/16/98 13:13 Date Call Received: Not reported Amount Spilled: Not reported Spill Source: Other Non Commercial/Industrial Facility Tele: () - SWIS: 04 Caller Agency: Not reported Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: (716) 373-5525 PBS Number: Not reported		
Actual: 1426 ft.								

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

NYS POLICE/NYSOGS (Continued)

EDR ID Number
EPA ID Number

Database(s)

S103479565

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 07/21/00
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/16/98
Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 09/16/98: JFO NOTE. SPILL ORIGINALLY SENT TO REGION 7, BOB CORCORAN CORRECTED 09/18/98: JFO ON SITE, MET WITH MIKE BICELLI WITH THE STATE TROOPER. HOLE BACKFILLED AND SAMPLES TAKEN. SOIL STAGED ON PLASTIC. 02/04/99: JFO RECEIVED CLOSURE REPORT WITH REQUEST FOR NO FURTHER ACTION LETTER. REPORT DOESN'T CONTAIN THE DISPOSAL RECEIPTS FOR SOIL. 02/05/99: JFO CALL TO OWEN BYRNE (OGS), NOT IN, LEFT MESSAGE ON MACHINE. 02/08/99: JFO CALL TO JOHN WAECHTER (SUBMITTED REPORT), NOT IN, LEFT MESSAGE ON MACHINE. 02/10/99: JFO CALL TO OWEN BYRNE. HE WILL FORWARD RECEIPTS WHEN HE FINDS THEM. 02/24/99: JFO SENT LETTER TO CONFIRM OUR TELEPHONE CONVERSATION. 03/17/99: JFO RECEIVED DISPOSAL RECEIPTS FOR CONTAMINATED SOIL. SENT CLOSURE LETTER. NO FURTHER ACTION REQUIRED. CLOSED

Spill Cause: caller pulling tank, found contamination.

Spill Number: 9807382
Spill Date: 09/16/98
ID: 265890
Material Spilled: GASOLINE
Region Close Dt: 03/17/99
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 09/16/98
Amount Spilled: Unknown Gal.
Spill Source: OTHER NON COMM/INSTITUTIONAL
Tank Size: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

J44
NNE
1/4-1/2
2177 ft.

RUPP RENTAL & SALES CORP
355 FRANKLIN ST
OLEAN, NY 14760

RCRA-SQG
FINDS
1000791096
NYD987025988

Site 2 of 2 in cluster J

Relative:
Higher

RCRAInfo:

Owner: BLUE BIRD INDUSTRIAL PARK INC
(716) 372-5500

Actual:
1428 ft.

EPA ID: NYD987025988

Contact: Not reported

Classification: Small Quantity Generator

TSD Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

45
WNW
1/4-1/2
2467 ft.

CASELLA TRUCK
HOMER STREET/ BUFFALO ST
OLEAN, NY

NY Spills
S106385198
N/A

Relative:
Higher

SPILLS:

Spill Number: 0475042

Spill Date: 04/22/04

ID: 15615

Date Call Received: 04/22/04

Region Close Date: 04/26/04

Material Spilled: HYDRAULIC OIL

Water Affected: Not reported

Spill Cause: Equipment Failure

Tank Number: Not reported

Test Method: Not reported

Region of Spill: 9

Reported to Dept: / /

Amount Spilled: 20 Gal.

Spill Source: COMMERCIAL VEHICLE

Resource Affected: Soil

Tank Size: Not reported

Leak Rate: Not reported

K46
SE
1/4-1/2
2510 ft.

CITY OLEAN MIDDLE SCHOOL
420 NORTH 7TH STREET
OLEAN, NY

NY Spills
S103572023
N/A

Relative:
Higher

Site 1 of 4 in cluster K

SPILLS:

Spill Number: 9801286

Spill Date: 04/28/98

ID: 259534

Date Call Received: 04/29/98

Region Close Date: 04/25/01

Material Spilled: #2 FUEL OIL

Water Affected: Not reported

Spill Cause: Other

Tank Number: Not reported

Test Method: Not reported

Region of Spill: 9

Reported to Dept: / /

Amount Spilled: Unknown Gal.

Spill Source: OTHER NON COMM/INSTITUTIONAL

Resource Affected: On Land

Tank Size: Not reported

Leak Rate: Not reported

Spill Number: 9801286

Spill Date: 04/28/1998 17:30

ID: Not reported

Date Call Received: Not reported

Region of Spill: 9

Reported to Dept: 04/29/98 14:36

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

CITY OLEAN MIDDLE SCHOOL (Continued)

S103572023

Region Close Date :	Not reported	Amount Spilled:	Not reported
Material Spilled:	Not reported	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	Resource Affected:	On Land
Spill Cause:	Other	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	Facility Tele:	(716) 375-4414
Facility Contact:	JOE MAHAR	SWIS:	04
Investigator:	MF	Caller Agency:	Not reported
Caller Name:	Not reported	Caller Extension:	Not reported
Caller Phone:	Not reported	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported		
PBS:	Not reported	Spiller Phone:	(716) 375-4414
Spiller Contact:	JOE MAHAR		
Spiller:	OLEAN CITY SCHOOL DIST		
Spiller Address:	410 WEST SULLIVAN		
	OLEAN, NY 14760		

DEC Remarks : 04/30/98: MF TELECON JOE MAHAR, WHEN DOING ENV DRILLING FOR AN ADDITION FOUND CONTAMINATION ON THE WATER TABLE. THEY ARE LOCATED ON WAYNE STREET AND 7TH. 05/01/98: MF SITE INSPECTION, MET JOE MAHAR DAVE FIDURKO, OLEAN SCHOOLS. THEY ARE PUTTING ON AN ADDITION ENV COMPANY DID BORINGS FOUND UNKNOWN PETROLEUM CONTAMINATION. EXPLAINED TO JOE DAVE IF CRUDE OIL, WE WILL NOT REQUIRE REMEDIATION EXCEPT FOR EXCESS SOIL. IF OTHER PET CONTAMINATION, REMEDIATION WILL BE NECESSARY. SITE WAS ONCE A GLASS FACTORY WITH PET TANKS 40 S 50 S. MF TELECON CONTRACTOR. GEOLOGIC 607-836-4400, JOE NOSSEL. THEY WILL ANALYZE SAMPLES 4 FOR 8021, 8270 BN S 310-13. 05/21/98: MF RECEIVED FAX OF ANALYTICAL RESULTS OF GW SOIL FROM BORINGS. ONE AREA OF CONCERN, GNY-4, EAST SIDE OF ATHLETIC BUILDING. 8021 IN WATER CAN BE 1, NO 8270 IN WATER. 8021 IN SOIL OK, 8270 IN SOIL, NEEDS REMEDIATION. 310-13 DONE IN WATER GNY-4, FUEL OIL F/O) AND LUBE OIL L/O) DETECTED. IN GNY-8, F/O L/O DETECTED. IN THE SOIL AT GNY-4, HI LEVEL OF F/O L/O DETECTED. NO STARS DETECTED IN GNY-8 WATER. 05/22/98: MF LETTER TO RP, REMEDIATION PLAN FOR GNY-4 8 BY 8/3/98. 11/04/98: MF RECEIVED 10/30/98 REPORT. ADDITIONAL SOIL BORINGS ANALYTICAL WORK DONE. CONTRACTOR RECOMMENDS 3 AREA BE EXCAVATED SOIL DISPOSED OF. LETTER TO RP OKING PLAN WITH 1 ADDITIONAL AREA THAT HAS TO BE REMEDIATED. SCHEDULE BY 12/31/98. 12/10/98: MF RNL MEETING AT OLEAN MIDDLE SCHOOL SEE SIGN IN SHEET /SCHOOL CONSULTANT. DISCUSSED REMEDIATION: SOIL TO BE REMOVED IN THE AREA OF MW 3 GNY-18, APPX 300 YARDS, THIS IS EAST OF ATHLETIC BUILDING. TO THE WEST OF ATHLETIC BUILDING AREA OF MW-8 AN EXCAVATION WILL BE DUG, THE SHEEN FP WILL BE VACCED EXCAVATION SAMPLED FOR 8021 8270 BN S. A HEALTH ASSESSMENT WILL BE DONE IF NECESSARY. THEY WILL SEND A LETTER TO THIS EFFECT. IF BOND ISSUE PASSES, WORK WON T BEGINS UNTIL THE YEAR 2000. IF IT DOESN T PASS, REMEDIATION STILL NECESSARY. 12/21/98: MF LETTER FROM GEOLOGIC CONFIRMING WHAT WE DISCUSSED AT 12/10/98 MEETING. THEY WANT THIS CONFIRMED. ADDITIONAL REMEDIATION WILL BE DONE IN THE AREA OF MW 4, GNY-30, 31, 36 36 IN THE AREA SURROUNDING GNY-18. SOIL WILL BE EXCAVATED DOWN TO THE WATER TABLE. IF ANY PET SHEETING NOTICED IT WILL BE VACCED. CONTAMINATED SOIL WILL BE DISPOSED OF. GW SAMPLES WILL BE TAKEN ANALYZED FOR 8021 8270 BN S. 6/23/00 FG MET WITH PATRICK MCCOY MICHAEL FITZNER OF CIMINELLI AND CHRIS YOUNG OF OLEAN FIRE DEPT AND ROB RAY OF OLEAN ENGRG DEPT AND PETE LOGEL OF S.ST.GEORGE

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CITY OLEAN MIDDLE SCHOOL (Continued)

S103572023

SUBCONTRACTORS AND JEFF CONTINO OF MAXIM WHO WILL BE THE ENVRL MONITOR. WE MET TO DISCUSS THE PROJECT. WORK IS TO START ON 6/26/00. THEY WILL START WITH B-11 AND B-3. THEY WERE UNAWARE OF REQUIREMENTS FOR REMEDIATION AT B-30, 35, 36 18. I SHOWED THEM THE LETTERS FROM MIKE FRANKS TO MR. MAHAR MAKING THIS REQUIREMENT AND THEN THE CONFIRMATION LETTER FROM GEOLOGIC TO MR. FRANKS. THEY WERE UNAWARE OF THE REQUIREMENTS AND WILL HAVE TO MAKE ADJUSTMENTS AND ADD ONS. THEY WILL RUN INTO GROUNDWATER DURING THIS PROJECT AND HAVE MADE NO PROVISIONS. MR. CONTINO RECOMMENDED HAVING A FRAC TANK ON SITE THEN UTILIZING CARBON THEN DISCHARGING TO THE STORM. THEY WILL DISCUSS THIS. MR. LOGEL SAID HE WASN'T AWARE THAT THERE WOULD BE GROUNDWATER AND HE DOESN'T KNOW IF HE CAN HANDLE IT. THE PROJECT WILL CONTINUE THROUGH OCTOBER 2001 AND THEY WON'T RUN INTO THE GROUNDWATER SECTION FOR A WHILE AND WILL ADDRESS IT WHEN IT COMES UP. THEY WILL CONTACT US WHEN THE EXCAVATION IS COMPLETE. 06/29/00: MF TELECON FROM STEVE VALVO, ASKED IF WE COULD GIVE HIM AN EMERGENCY HAULER'S PERMIT FOR HAULING THIS WASTE TO THE CHAUTAUQUA COUNTY LANDFILL. HE SAID MIKE VENDETTE WOULD USUALLY GIVE HIM THE PERMITS. I TOLD HIM WE WOULD NOT GIVE HIM A HAULER'S PERMIT. HE SAID HE WANTS TO SIGN UP FOR A 9A PERMIT AND I REFERRED HIM TO THE ALBANY SOLID WASTE GROUP. 07/11/00: MF SITE INSPECTION, MET MAXIM, TONY NOTARTO, ET ALUST GEORG E. REMOVING SOIL ALONG WAYNE ST., OLD FP ON GW AT APPX 18. EXCAVATION BEING DEWATERED, WILL REMOVE ADDITIONAL SOIL. STRONG OLD PETROLEUM ODOR. AREA BY BALL DIAMOND ALREADY EXCAVATED. 07/12/00: MF SITE MEETING WITH JEFF CANDINO, MAXIM/TOM WEEKS, PAT MCCOY, CIMINELLI/DAVE FERDERCO, JOE MAHAR, OLEAN SCHOOLS. MINOR AMOUNT OF OLD FP IN EXCAVATION MW 4 AREA. NO ODOR NOTICED. THEY WANT TO KNOW HOW FAR THEY HAVE TO DIG SINCE IT APPEARS CONTAMINATION IS ALL OVER. EXPLAINED IF CRUDE OIL EXCAVATION CAN STOP. OLD SAMPLE RESULTS INDICATE LUBE OIL. THEY WILL GET A SAMPLE FROM CRUDE OIL WELL IN THE AREA TRY TO MATCH. IN THE MEAN TIME THEY WILL SAMPLE SIDES BOTTOM ANALYZE FOR 8021 8270 BNS, TCLP. 07/22/00: MF TELECON JEFF CONDINO, MAXIM. CLAIMED FP CAME BACK CRUDE OIL, BOTTOM SEDIMENT SAMPLE RESULTS LUBE OIL. 8021 8270 BNS CAME BACK WHERE SPILL CAN BE I. RECEIVE FAX OF ANALYTICAL IN MW 4 AREA. EAST WALL - BS 8021 8270 TCLP SOUTH WALL - TOLUENE 21 PPB, m p-XYLENE - 21 PPB o-XYLENE - 6 PPB 8270 - BDL WEST WALL - TOLUENE - 5 PPB 8270 - BDL NORTH WALL - 8021 BS 8270 BDL BOTTOM WATER - 8021 BS 8270 - BDL CRUDE OIL DETECTED IN 310-13 - BOTTON PRODUCT LUBE OIL DETECTED IN 310-13 - BOTTON SEDIMENT 07/21/00: MF SITE INSPECTION, MET TONY, MAXIM/ MIKE, CIMINELLI/ DAVE FERDOCO, SCHOOL. NEW AREA OF CONTAMINATION UNCOVERED BETWEEN BALL DIAMOND MW 3. CONTAMINATION FOUND 1.5 TO 4 DEEP IT APPEARS TO BE DIESEL OR FUEL OIL, THERE IS PIPING JUST UNDER THE GROUND. TOLD ALL PARTIES THAT THIS CONTAMINATION WILL ALSO HAVE TO BE REMOVED TO DIG BACK PIPING TO FIND POSSIBLE UST. MW 3 AREA TO BE DUG OUT 7/25/00. 07/24/00: MF SITE INSPECTION, MET MIKE, CIMINE LLI. 2 LARGE UST'S UNCOVERED, ONE IS FULL OF WATER THE OTHER FULL OF SLUDGE WATER. THEY WILL PUMP REMOVE THESE TANKS. THEY ALSO DUG A TEST PIT IN MW 3 AREA. THEY FOUND STRONG ODOR, CRADLES STRAPPING AT APPX 18. IT APPEARS A UST WAS REMOVED IN THIS AREA, CONTAMINATION REMAINS, TO BE ADDRESSED LATER. 07/28/00: MF SITE INSPECTION, MET BOB DUFF/ST. GEORGE/MIKE FITZNER, CIMINELLI. 500

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

CITY OLEAN MIDDLE SCHOOL (Continued)

S103572023

GALLON GASOLINE FOUND IN THE AREA OF THE 2 UST S. THIS TANK WILL BE PUMPED REMOVED TOMORROW. THEY ARE NOW PUMPING GW IN THIS AREA. GW IS AT APPX 5'. VISIT/JOE MAHAR AFTER REVIEWING PLAN OF THE AREA. PLAN SHOWS 3 AREAS WHERE UST S WERE ONCE LOCATED. ASKED JOE FOR A COPY OF FPRINT WHY WE WERE NOT INFORMED OF THIS YEARS AGO. PAT MCCOY WILL GET A COPY FOR ME. DUFF MIKE FITZNER WANTS ME TO BE ON SITE TOMORROW WHEN 500 GALLON TANK IS REMOVED. MAXIM CAN'T MAKE IT. THEY WANT TO TREAT THE CONTAMINATED WATER ON SITE. TOLD THEM IT CAN BE DISCHARGED IF IT MEETS STARS AFTER IT IS FILTERED. 07/29/00: MF SITE INSPECTION, NO ONE ON SITE. 07/31/00: MF SITE MEETING/MIKE FITZNER/BOB DUFF/PETE FROM ST GEORGE/TONY FROM MAXIM. DISCUSSED SAMPLING OIL IN LARGE TANK. CHATUAQUA COUNTY LANDFILL WILL TAKE TANK IF CONTENTS SOLIDIFIED. ASKED FOR A 310-13, IG NITABILITY, PCB S, TCLP FOR LEAD CHROME BENZENE. 08/02/00: MF SITE INSPECTION, MET MIKE/TONY PAT. THE TWO LARGE UST S HAVE BEEN REMOVED THE AREA SAMPLED. TANKS 9 x 32 4 10 x 32. 08/07/00: MF SITE INSPECTION, MET MIKE, TEST NOT BACK AS YET FOR TANK CONTENTS EXCAVATION SAMPLES. 08/08/00: MF SITE INSPECTION, MET MIKE PAT, SAMPLE RESULTS FOR POOL AREA BENZENE AT .3 ONLY PARAMETER ABOVE STARS TCLP. 08/10/00: MF AND RNL SITE INSPECTION, NOTHING GOING ON, NO SUPERVISORS ON SITE. 08/11/00: MF SITE MEETING/MIKE MCCOY, MIKE FITZNER, DAVE FERDOKO, JEFF, MAXIM. DISCUSSED DIGGING IN AREA OF UST LOCATION ON MAP. AREA B-3 COMPLETED ALONG WITH ALL AREAS ASKED FOR EXCEPT MW 3 AREA GNY-18 AREA. THEY WANT ME TO WRITE A LETTER TO JOE MAHAR REGARDING GNY-18 PLUS THE AREAS OF THE UST S AS SHOWN ON THE MAP. THEY HAVE SAMPLE RESULTS FROM MW 3 AREA WHICH CLAIM ITS CRUDE OIL IN THIS AREA. TOLD THEM FIRST SAMPLING RESULTS INDICATE DIESEL FUEL PLUS THERE ARE SADDLES FOR UST S IN THIS AREA THUS AREA MUST BE REMEDIATED. 08/14/00: MF LETTER TO JOE MAHAR, AREA AROUND GNY-18 MUST BE REMEDIATED THE AREAS WHERE UST S ARE SHOWN ON DRAWING 685 MUST BE EXCAVATED TO DETERMINE IF ANY TANKS OR CONTAMINATION EXIST. SCHEDULE BY 8/31/00. 09/07/00: MF SITE MEETING/MIKE FITZNER, PAT MCCOY, CIMINELLI. JEFF FROM MAXIM WAS A NO SHOW. THEY GAVE ME EXCAVATION SAMPLE RESULTS FROM SB-18, 8021 8270 BN S TCLP, ND. LUBE OIL DETECTED. EXCAVATION 2P WEST OF SB-18, ND FOR 8021 8270 BN S 310-13. THESE ARE BORINGS IN THE AREA OF WHERE UST S WERE ONCE LOCATED. SEE SITE MAPS. 01/03/01: MF RECEIVED 12/7/00 REPORT. EIGHT AREAS REMEDIATED AT THIS SITE. EXCAVATIONS SAMPLED, ALL AREAS ND 8021, 8270 BN S OR BS DIRECT TCLP. ONE AREA MW 3 NEEDS ADDITIONAL REMEDIATION. HIGH 8021 SOIL READINGS, ABOVE STARS. RECEIVED SOIL DISPOSAL RECEIPTS APPX 3000 TONS OF SOIL DISPOSED OF. NOTE AREA SB-18 IS THE SAME AS AREA GNY-18. 01/04/01: MF LETTER TO RP, ADDITIONAL REMEDIATION IN THE AREA OF MW 3. SCHEDULE 2/15/01. 04/24/01: MF SITE MEETING, PAT MCCOY, CIMINELLI, EXPLAINED TO HIM THAT I WILL CHECK SAMPLE RESULTS FROM MW 3 COMPARE THEM TO TAGM S. THIS IS THE LAST AREA TO BE REMEDIATED. 04/25/01: MF COMPAIRED 7/24/00 MW 3 SOIL SAMPLING RESULTS SEE EMPIRE GEO-SERVICE 1/4/01 REPORT TO TAGMS. RESULTS ARE BELOW OR AT TAGMS FOR ALL 8021 COMPOUNDS. THEREFORE REMEDIATION NOT NECESSARY IN THIS AREA. THEREFORE SPILL I, NO FURTHER ACTION NECESSARY. LETTER SENT. Remark: CALLER DOING SITE WORK FOUND CONTAMINATED SOIL. Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY OLEAN MIDDLE SCHOOL (Continued)

EDR ID Number
EPA ID Number

Database(s)

S103572023

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Spill Closed Dt: 04/25/01

Spill Notifier: Responsible Party

PBS Number: Not reported

Cleanup Ceased: 04/25/01

Last Inspection: 04/24/01

Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /

Enforcement Date: / /

Investgn Complete: / /

UST Involvement: False

Spill Record Last Update: 07/19/01

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 04/29/98

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

K47
SE
1/4-1/2
2510 ft.

OLEAN CENTRAL SCHOOL
420 W 7TH ST
OLEAN, NY

NY Spills S105140835
N/A

Site 2 of 4 in cluster K

Relative:
Higher

SPILLS:

Actual:
1429 ft.

Spill Number: 0175218

Spill Date: 07/01/01

ID: 50376

Date Call Received: 07/17/01

Region Close Date: 10/09/01

Material Spilled: DIESEL

Water Affected: Not reported

Spill Cause: Other

Tank Number: Not reported

Test Method: Not reported

Region of Spill: 9

Reported to Dept: / /

Amount Spilled: 0 Gal.

Spill Source: OTHER NON COMM/INSTITUTIONAL

Resource Affected: On Land

Tank Size: Not reported

Leak Rate: Not reported

Spill Number: 0175218

Spill Date: 07/01/2001 12:00

ID: Not reported

Date Call Received: Not reported

Region Close Date: Not reported

Region of Spill: 9

Reported to Dept: 07/17/01 11:23

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

OLEAN CENTRAL SCHOOL (Continued)

S105140835

Material Spilled:	Not reported	Amount Spilled:	Not reported
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Facility Contact:	JOE MAHAR	Facility Tele:	(716) 375-4414
Investigator:	MF	SWIS:	04
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
PBS:	Not reported		
Spiller Contact:	MIKE FITZNER	Spiller Phone:	(716) 372-3554
Spiller:	OLEAN CENTRAL SCHOOLS		
Spiller Address:	420 N SULLIVAN OLEAN, NY 14760		

DEC Remarks : 07/17/01: MF S/MIKE FITZNER, CIMINELLI/ST GEORGE CONST/BOB DUFF, DUFF
S ENVIRONMENTAL. ABANDON 12K RIVETED UST FOUND WHEN INSTALLING PARKING
LOT. TAK HAS APPX 18' OF WATER IN IT. TANK IS UNCOVERED. NO HOLES
NOTICED IN IT. NO ODOR TO EXCAVATION. NO
CONTAMINATED SOIL NOTICED. EXPLAINED CLEANING. SAMPLING OF EXCAVATION
TO ALL PARTIES. 07/18/01: MF S/MIKE FITZNER, PAT MCCOY,
CIMINELLI/BOB DUFF. TANK REMOVED. EXCAVATION OPEN. NO ODOR OR STAINING
IN EXCAVATION NOTICED. DUFF TO PUMP. CLEAN TAN
K. AGAIN EXPLAINED EXCAVATION SAMPLING. 07/19/01: MF LETTER TO RP
CIMINELLI. 07/23/01: MF RECEIVED EXCAVATION SAMPLING RESULTS. WALLS
4' FLOOR SAMPLED SEPARATELY 8021 8270 BN S DIRECT. ALL RESULTS
BELOW TAGMS. NO CONTAMINATED SOIL. NO
FURTHER ACTION NECESSARY.

Remark: 12K ABANDON UST FOUND ON CONSTRUCTION SITE DURING PARKING LOT
INSTALLATION.

Spill Class: No spill occurred. No DEC Response. No corrective action required.

Tank Test:

PBS Number:	Not reported
Tank Number:	Not reported
Test Method:	Not reported
Capacity of Failed Tank:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	1
Quantity Spilled:	0
Units:	Gallons
Unknown Qty Spilled:	No
Quantity Recovered:	0
Unknown Qty Recovered:	False
Material:	DIESEL
Class Type:	Petroleum
Chem Abstract Service Number:	DIESEL
Last Date:	07/28/1994
Num Times Material Entry In File:	10625

Spill Closed Dt: 10/09/01

Spill Notifier: Other

Cleanup Ceased: 10/09/01

Last Inspection: 07/18/01

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /

Invstgn Complete: / /

PBS Number: Not reported

Cleanup Meets Std: True

Enforcement Date: / /

UST Involvement: False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

OLEAN CENTRAL SCHOOL (Continued)

S105140835

Spill Record Last Update: 10/09/01
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/19/01 08:39
Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

K48 OLEAN MIDDLE SCHOOL
SE 420 NORTH 7TH STREET
1/4-1/2 OLEAN, NY
2510 ft.

NY Spills S103573079
N/A

Relative:
Higher

Site 3 of 4 in cluster K

Actual:
1429 ft.

SPILLS:

Spill Number: 9875109
Spill Date: 10/01/98
ID: 267129
Date Call Received: 10/08/98
Region Close Date: 11/04/98
Material Spilled: #2 FUEL OIL
LUBRICATING OIL
LUBE OIL

Region of Spill: 9
Reported to Dept: / /

Water Affected: Not reported
Spill Cause: Other
Tank Number: Not reported
Test Method: Not reported

Amount Spilled: Unknown Gal.
Unknown Gal.
Unknown Gal.

Spill Source: OTHER NON COMM/INSTITUTIONAL
Resource Affected: Groundwater
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9875109
Spill Date: 10/01/1998 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported

Region of Spill: 9
Reported to Dept: 10/08/98 12:00

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Other
Water Affected: Not reported
Facility Contact: JOE MAHAR
Investigator: FG
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: OLEAN MIDDLE SCHOOL
Spiller Address: 420 NORTH 7TH STREET
OLEAN, NY

Amount Spilled: Not reported
Spill Source: Other Non Commercial/Industrial
Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
Facility Tele: (716) 375-4414
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks: 11/4/98 THIS IS A DUPLICATE OF SPILL NUMBER 9801286. PLEASE REFER TO THAT SPILL NUMBER FOR ALL FURTHER ACTION. THIS SPILL CAN BE CLOSED.
Remark: SITE ASSESSMENT SUBMITTED SHOWS LUBRICATING AND FUEL OIL CONTAMINATION IN SOILS AND GROUNDWATER.
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Tank Test:
PBS Number: Not reported
Tank Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

OLEAN MIDDLE SCHOOL (Continued)

S103573079

Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: LUBE OIL
Class Type: Petroleum
Chem Abstract Service Number: LUBE OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 295
Material: LUBRICATING OIL
Class Type: Petroleum
Chem Abstract Service Number: LUBRICATING OIL
Last Date: Not reported
Num Times Material Entry In File: 292
Spill Closed Dt: 11/04/98
Spill Notifier: Responsible Party PBS Number: Not reported
Cleanup Ceased: / /
Last Inspection: / / Cleanup Meets Std: True
Recommended Penalty: Penalty Not Recommended Enforcement Date: / /
Spiller Cleanup Dt: / / UST Involvement: False
Invstgn Complete: / /
Spill Record Last Update: 10/08/99
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/16/99 14:11
Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

K49 OLEAN CENTRAL SCHOOL DIST
SE 420 N 7TH ST
1/4-1/2 OLEAN, NY 14760
2518 ft.

Database(s) EDR ID Number
EPA ID Number

RCRA-SQG 1001113410
FINDS NYR000024000

Relative: Site 4 of 4 in cluster K
Higher

RCRAInfo:
Owner: OLEAN CENTRAL SCHOOL DIST
(716) 375-4400
Actual: EPA ID: NYR000024000
1429 ft.
Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access
additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

L50 VAN DER HORST CORPORATION
ENE 314 PENN AVENUE
1/2-1 OLEAN, NY 14760
2683 ft.

SHWS S101657953
N/A

Relative: Site 1 of 5 in cluster L
Higher

SHWS:
EPA ID: NYD980780928
Actual: Region: 9
1430 ft. Classification: SITE IS PROPERLY CLOSED - REQUIRES CONTINUED MANAGEMENT
Facility ID Number: 905008
Lat/Long: 42:05:26 / 78:26:15
Acres: 2 Acres
Site Type: DUMP
Owner Name: VAN DER HORST CORPORATION
Owner Address: 11818 RIDGEVIEW
Owner Name: RG Scott, Inc.
Owner Address: 11818 Ridgeview
Owner Disposal: VAN DER HORST CORPORATION
Operator Disposal 1: VAN DER HORST CORPORATION
State Op Address 1: 314 PENN AVE.
Operator Disposal 2: Van Der Horst Corporation
State Op Address 2: 314 Penn Avenue
Operator Disposal 3: Not reported
State Op address 3: Not reported
Operator Disposal 4: Not reported
State Op Address 4: Not reported
HWDP from: 1941
From to: 1952
Waste type 1: WASTE CHROMIC ACID
Waste quantity 1: UNKNOWN
Waste type 2: CHROMIC ACID CONTAMINATED WASTEWATER
Waste quantity 2: UNKNOWN
Waste type 3: Not reported
Waste quantity 3: Not reported
Waste type 4: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

VAN DER HORST CORPORATION (Continued)

S101657953

Waste quantity 4 : Not reported
Waste type 5 : Not reported
Waste quantity 5 : Not reported
Waste type 6 : Not reported
Waste quantity 6 : Not reported
Waste type 7 : Not reported
Waste quantity 7 : Not reported
Waste type 8 : Not reported
Waste quantity 8 : Not reported
Waste type 9 : Not reported
Waste quantity 9 : Not reported
Site Description :

The site is the former location of chromium plating facility located adjacent to a residential area. It is alleged that spent chromic acid solutions and contaminated waste water were disposed at the site. The facility was operated from the early 1940s to June 1987. A full-scale Remedial Investigation / Feasibility Study was initiated by the NYSDEC in late 1988. EPA completed an emergency removal action in 1991 to mitigate the imminent threat posed by the chemicals stored inside of the building. Phase I and Phase II Remedial Investigations (RI) confirmed contamination in the soils, groundwater and City storm sewers around the site. Contamination was also detected in the sediments of Olean Creek. A Phase III RI was completed in June 1991 to determine the contamination of the building structure. A Record of Decision was signed on March 26, 1992 and called for asbestos removal and building demolition (for off-site disposal); the excavation of contaminated soil and sediment from Olean Creek for off site disposal; the extraction and treatment of contaminated groundwater (if required); and long term monitoring. Contaminated residential soils have been removed and above grade structures demolished. Final residential yard restorations were completed in spring 1995. Remedial construction, to remove contaminated subsurface soils, began in September 1996 and was completed in mid 1997. During this remedial work, a large mass of soil contaminated with very high levels of chromium was identified. This monolith of highly contaminated soil was approximately 4000 cubic yards in size and was located 18 ft. below the ground surface. Remedial construction was initiated in April of 1999 and was completed by October 1999. A total of 31,539 tons of contaminated building and soil has been removed from the site at a cost of approximately \$9,767,837.00. Annual groundwater monitoring is in progress to determine the effectiveness of the remediation and evaluate post remediation groundwater conditions on the site.

Health Problems Assessment :

Residential surface soil adjacent to the site showed elevated levels of arsenic, lead and chromium confirming airborne transport of site-related contaminants. Soil removal from and restoration of the residential yards was completed in July 1995. Removal of on-site surface soil and restoration was completed in 1997. The groundwater has been contaminated with chromium, lead and tetrachloroethene. Human exposures via drinking water are not expected because homes in the area are served by public water. The NYSDOH completed a health evaluation of residents within the historic area of air emission deposition and concluded that respiratory health effects from the exposure to the substances emitted could result in chronic effects on the residents.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

VAN DER HORST CORPORATION (Continued)

S101657953

idents. The NYSDOH completed a cancer incidence study of the City of Olean in May 1990 and concluded that overall cancer incidence in the City of Olean did not differ from other comparable areas of NYS between 1976-86. Results of air monitoring during excavation work indicated nothing of public health significance in airborne dust.

Environmental Problems : All contaminated surface soil has been removed, as well as the sub-surface chromium monolith. The site is in long-term O&M and annual sampling has shown chromium levels in groundwater leveling off.

L51 VAN DER HORST CORP OF AMERICA
ENE 314 PENN AVENUE
1/2-1 OLEAN, NY 14760
2694 ft.

CERCLIS 1000110509
RCRA-SQG NYD980780928
FINDS
UST
AST

Relative:
Higher

Site 2 of 5 in cluster L

Actual:
1430 ft.

CERCLIS Classification Data:

Site incident category: Not reported

Federal Facility: Not a Federal Facility

Non NPL Status: Other Cleanup Activity: State-Lead Cleanup

Ownership Status: Not reported

NPL Status: Not on the NPL

Site Description: VAN DER HORST #1 WAS AN OPERATING PLATING FACILITY UNTIL JULY OF 1987, WHEN STRIKE CLOSED THE PLANT. AFTER A PROBLEM WITH THE SPRINKLER SYSTEM DREW ATTENTION TO THE PLANT IN 1988, NYSDEC CONDUCT A SITE INVESTIGATION WHICH CONFIRMED THAT MANY

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	09/01/1984
Assessment:	PRELIMINARY ASSESSMENT	Completed:	09/01/1984
Assessment:	SITE INSPECTION	Completed:	05/01/1991
Assessment:	REMOVAL	Completed:	04/30/1992
Assessment:	PREPARATION OF COST DOCM PKGE	Completed:	02/14/1995
Assessment:	NON-NPL PRP SEARCH	Completed:	09/28/1995

CERCLIS Site Status:

Not reported

CERCLIS Alias Name(s):

VAN DER HORST #1

RCRAInfo:

Contact: REPORTING SECTION
(518) 457-0532

Classification: Small Quantity Generator

TSD Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND INFORMATION SYSTEM
NEW YORK-FACILITY INFORMATION SYSTEM
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

PBS UST:

PBS Number:	9-224162	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	VAN DER HORST CORP OF AMERICA (716) 372-5200		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

VAN DER HORST CORP OF AMERICA (Continued)

1000110500

Emergency Contact: ROBERT BUSH
(716) 372-5200
Total Tanks: 0
Owner: VAN DER HORST CORP OF AMERICA
314 PENN AVE
OLEAN, NY 14760
(716) 372-5200
Owner Type: Not reported
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: VAN DER HORST CORP OF AMERICA
314 PENN AVE
OLEAN, NY 14760
(716) 372-5200
Tank Status: Closed - Removed
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: 101
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: Not reported
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: 2
Date Tested: Not reported
Date Closed: 12/01/1996
Deleted: False
Dead Letter: True
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: Not reported
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: Not reported
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: Not reported
Pipe Type: Not reported
Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing
Renewal Date: 05/27/1992
Federal ID: Not reported
Facility Screen: Minor data missing
Certification Date: 08/17/1987
Expiration Date: 08/17/1992
Inspector: Not reported
PBS AST:
PBS Number: 9-224162
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Facility Type: Not reported
Owner Type: Not reported
Owner Sub Type: Not reported
Owner: VAN DER HORST CORP OF AMERICA
314 PENN AVE
OLEAN, NY 14760
CBS Number: Not reported
SWIS Code: 0466
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

VAN DER HORST CORP OF AMERICA (Continued)

1000110509

Owner Phone: (716) 372-5200
Facility Phone: (716) 372-5200
Operator: VAN DER HORST CORP OF AMERICA
Emergency Name: ROBERT BUSH
Emergency Phone: (716) 372-5200
Total Tanks: 0
Total Capacity: 0
Tank ID: 102
Capacity (Gal): 500
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: GALVANIZED STEEL
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Gravity
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: VAN DER HORST CORP OF AMERICA
Mailing Address: 314 PENN AVE
OLEAN, NY 14760
Mailing Contact: Not reported
Mailing Telephone: (716) 372-5200
Owner Mark: First Owner Expiration Date: 08/17/1992
Certification Flag: False Certification Date: 08/17/1987
Renew Flag: False Renew Date: 05/27/1992
Lat/Long: Not reported
Dead Letter: True
Facility Screen: Minor data missing
Owner Screen: Minor data missing
Tank Screen: 0
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

L52 VAN DER HORS
ENE 314 PENN AVENUE
1/2-1 OLEAN, NY 14760
2694 ft.
Relative: Site 3 of 5 in cluster L
Higher
Actual:
1430 ft.

RCRA-SQG 1007204998
NYP000791871

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

VAN DER HORS (Continued)

1007204998

RCRAInfo:

Contact: JACK D HARMON
(908) 321-6789

Classification: Small Quantity Generator
TSD Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

L53
ENE
1/2-1
2694 ft.

R G SCOTT
314 PENN AVE
OLEAN, NY 14760

RCRA-SQG 1000140752
RAATS NYD071468292

Site 4 of 5 in cluster L

Relative:
Higher

RCRAInfo:

Owner: VAN DER HORST CORPORATION OF AMERICA
(716) 372-5200

Actual:
1430 ft.

EPA ID: NYD071468292

Contact: ROBERT BUSH
(716) 372-2946

Classification: Small Quantity Generator
TSD Activities: Not reported

Violation Status: Violations exist

Regulation Violated:	Not reported
Area of Violation:	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	01/31/1983
Actual Date Achieved Compliance:	01/11/1984
Enforcement Action:	INITIAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	10/17/1983
Penalty Type:	Proposed Monetary Penalty
Enforcement Action:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	11/14/1983
Penalty Type:	Proposed Monetary Penalty

There are 1 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>
Financial Record Review	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)

Date of
Compliance
19840111

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

54
East
1/2-1
2702 ft.
GLEN & DICKS AUTOMOTIVE MACHINE
888 N 4TH ST
OLEAN, NY 14760

RCRA-SQG
FINDS
1004758617
NYD987012457

Relative:
Higher

RCRAInfo:

Owner: RICHARD GOOD
(716) 373-0659

Actual:
1430 ft.

EPA ID: NYD987012457

Contact: RICHARD GOOD
(716) 373-0659

Classification: Conditionally Exempt Small Quantity Generator
TSD Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access
additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

L55
ENE
1/2-1
2720 ft.
MCKEAN MACHINERY SALES, INC.
921 N.4TH ST.
OLEAN, NY 14760

UST
LTANKS
U003318195
N/A

Relative:
Higher

Site 5 of 5 in cluster L

LTANKS:

Actual:
1430 ft.

Spill Number: 9610968
Spill Date: 12/05/1996 07:00

ID: Not reported

Material Spilled: Not reported

Region Close Dt: Not reported

Water Affected: Not reported

Resource Affected: Groundwater

Spill Cause: Tank Failure

Facility Contact: DAN FOWLER

Investigator: MNP

Caller Name: Not reported

Caller Phone: Not reported

Notifier Name: Not reported

Notifier Phone: Not reported

PBS: Not reported

Spiller Contact: Not reported

Spiller: MCKEAN MACHINE

Spiller Address: 921 NORTH FOURTH STREET
OLEAN, NY

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/12/98

Spill Notifier: DEC

Cleanup Ceased: / /

Last Inspection: 02/26/97

Cleanup Meets Standard: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: / /

Enforcement Date: / /

Region of Spill: 9

Reported to Dept: 12/05/96 09:40

Date Call Received: Not reported

Amount Spilled: Not reported

Spill Source: Other Commercial/Industrial

Facility Tele: (716) 372-7733

SWIS: 04

Caller Agency: Not reported

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Spiller Phone: Not reported

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

MCKEAN MACHINERY SALES, INC. (Continued)

U003316195

Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 09/08/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/96
Date Region Sent Summary to Central Office: / /
Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Spill Cause: DISCOVERED ABANDONED FUEL OIL UST FULL OF WATER SPILL FAXED FROM REGION
9

Spill Number: 9610968
Spill Date: 12/05/96
ID: 241881
Material Spilled: #2 FUEL OIL
Region Close Dt: 02/12/98
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 12/05/96
Amount Spilled: Unknown Gal.

Spill Source: OTHER COMM/INDUSTRIAL

Tank Size: Not reported
Leak Rate: Not reported

Click this hyperlink while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

PBS UST:

PBS Number: 9-439843
SPDES Number: Not reported
Operator: MCKEAN MACHINERY SALES, INC.
(716) 372-7733
Emergency Contact: DAN FOWLER
(716) 372-8543
Total Tanks: 0
Owner: ARTHUR ROSEN
921 N. 4TH ST.
OLEAN, NY 14760
(716) 372-7733
Owner Type: Corporate/Commercial
Owner Mark: First Owner
CBS Number: Not reported
SWIS ID: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MCKEAN MACHINERY SALES, INC. (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318195

Owner Subtype:	Not reported		
Mailing Address:	ARTHUR ROSEN 921 N. 4TH ST. OLEAN, NY 14760 (716) 372-7733		
Tank Status:	Closed - Removed		
Capacity (gals):	8000		
Tank Location:	UNDERGROUND		
Tank Id:	001	Install Date:	01/01/1973
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	PAINTED/ASPHALT COATING/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	Product Level Gauge, None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	05/01/1990	Test Method:	Not reported
Delated:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	06/28/1988
Old PBS Number:	Not reported	Expiration Date:	06/28/1993
Inspected Date:	10/04/1989	Inspector:	SIBBL
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	OTHER RETAIL SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-439843	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	MCKEAN MACHINERY SALES, INC. (716) 372-7733		
Emergency Contact:	DAN FOWLER (716) 372-8543		
Total Tanks:	0		
Owner:	ARTHUR ROSEN 921 N. 4TH ST. OLEAN, NY 14760 (716) 372-7733		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	ARTHUR ROSEN 921 N. 4TH ST. OLEAN, NY 14760 (716) 372-7733		
Tank Status:	Closed - Removed		
Capacity (gals):	1000		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MCKEAN MACHINERY SALES, INC. (Continued)

U003318195

Tank Location:	UNDERGROUND	Install Date:	01/01/1973
Tank Id:	002	Product Stored:	LEADED GASOLINE
Tank Type:	Steel/carbon steel	Pipe Internal:	NONE
Tank Internal:	NONE	Pipe Type:	STEEL/IRON
Pipe Location:	Underground		
Tank External:	PAINTED/ASPHALT COATING/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	PAINTED/ASPHALT COATING/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	Product Level Gauge, None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	05/01/1990	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	06/28/1988
Old PBS Number:	Not reported	Expiration Date:	06/28/1993
Inspected Date:	10/04/1989	Inspector:	SIBBL
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER RETAIL SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

56
SE
1/2-1
2798 ft.

STORM DRAIN
326 N. 7TH STREET
OLEAN, NY

NY Spills S106001618
N/A

Relative:
Higher

SPILLS:

Actual:
1431 ft.

Spill Number:	0175536	Region of Spill:	9
Spill Date:	03/05/02	Reported to Dept:	/ /
ID:	29590		
Date Call Received:	03/06/02		
Region Close Date:	03/21/02		
Material Spilled:	WASTE OIL	Amount Spilled:	0 Gal.
Water Affected:	Not reported	Spill Source:	PASSENGER VEHICLE
Spill Cause:	Deliberate	Resource Affected:	In Sewer
Tank Number:	Not reported	Tank Size:	Not reported
Test Method:	Not reported	Leak Rate:	Not reported

M57
NNE
1/2-1
2821 ft.

R G SCOTT
900 W CONNELL ST
OLEAN, NY 14760

RCRA-SQG 1000140751
FINDS NYD000822932

Relative:
Higher

Site 1 of 5 in cluster M

Actual:
1430 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

R G SCOTT (Continued)

1000140751

RCRAInfo:

Owner: VAN DER HORST CORP
(716) 372-5200
EPA ID: NYD000822932
Contact: ROBERT BUSH
(716) 372-2946

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

N58 NYSEG - OLEAN SERVICE CENTER
SSW 1798 W SULLIVAN ST
1/2-1 OLEAN, NY 14760
2881 ft.

PADS 1004762037
FINDS NYR000092908
RCRA-LQG

Relative:
Lower

Site 1 of 2 in cluster N

Actual:
1418 ft.

RCRAInfo:

Owner: NYSEG
(607) 762-7498
EPA ID: NYR000092908
Contact: JOSEPH SIMONE
(607) 762-7498

Classification: Large Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access
additional NY MANIFEST detail in the EDR Site Report.

CT MANIFEST

[Click this hyperlink](#) while viewing on your computer to access
additional CT MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

N59 NYS GAS & ELECTRIC
SSW 1798 WEST SULLIVAN STREET
1/2-1 OLEAN, NY
2890 ft.

NY Spills S102680430
N/A

Relative:
Lower

Site 2 of 2 in cluster N

Actual:
1418 ft.

SPILLS:

Spill Number: 9501233
Spill Date: 04/27/95
ID: 215264
Date Call Received: 04/28/95
Region Close Date: 11/17/95

Region of Spill: 9
Reported to Dept: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

NYS GAS & ELECTRIC (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102580430

Material Spilled: UNKNOWN PETROLEUM
Water Affected: Not reported
Spill Cause: Abandoned Drums
Tank Number: Not reported
Test Method: Not reported

Amount Spilled: 0 Gal.
Spill Source: UNKNOWN
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9501233
Spill Date: 04/27/1995 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported

Region of Spill: 9
Reported to Dept: 04/28/95 09:00

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Abandoned Drums
Water Affected: Not reported
Facility Contact: Not reported
Investigator: JDC
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: UNKNOWN
Spiller Address: Not reported

Amount Spilled: Not reported
Spill Source: Unknown
Resource Affected: On Land
Spill Source: Unknown
Facility Tele: Not reported
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks: 04/28/95: JDC ON SITE MET W/ MR DU BREUIL AND MR THOMSON OF NYSEG, IDENTIFIED 20 DRUMS AND 2-1,000 GALLON TANKS IN OVERGROWN FIELD. ALL WERE HEAVILY RUSTED AND EMPTY. NO FURTHER ACTION REQUIRED. 06/12/95: JDC TELCON W/ OTTO TERTNIK, BECI WHO IDENTIFIED AN UNKNOWN LIQUID IN ONE OF THE THREE TANKS. SANDBURG OIL CO OWNS PROPERTY, BECI WILL WRITE OWNER TO REMOVE DRUMS AND TANKS. CLOSE ON WORK COMPLETION. 11/14/95: JDC LEFT MESSAGE FOR TERTINEK TO RETURN CALL. 11/17/95: JDC TELCON W/ A TERTINEK, BECI CONFIRMED TANK WAS EMPTY AND THAT NYSEG WAS REMOVING TANKS FROM SITE AS SCRAP. NO FURTHER ACTION REQUIRED.
Remark: 40-50 55) GALLON DRUMS REPORTED BEHIND NYSEG OFFICE.
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NYS GAS & ELECTRIC (Continued)

S102680430

Num Times Material Entry In File: 16414
Spill Closed Dt: 11/17/95
Spill Notifier: Affected Persons PBS Number: Not reported
Cleanup Ceased: 04/28/95
Last Inspection: 04/28/95 Cleanup Meets Std: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dtl: / / Enforcement Date: / /
Invstgn Complete: / / UST Involvement: False
Spill Record Last Update: 12/22/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/01/95
Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

M60
NNE
1/2-1
2962 ft.

LOCTITE CORPORATION
211 FRANKLIN STREET
OLEAN, NY 14760

FINDS 1000400702
RCRA-LQG 14760HYSLL21
TRIS
CORRACTS

Relative:
Higher

Site 2 of 5 in cluster M

CORRACTS Data:

Actual:
1430 ft.

EPA Id: NYD042569079
Region: 2
Area Name: SITEWIDE
Actual Date: 09/22/1992
Corrective Action: CA050 - RFA Completed
2002 NAICS Title: Custom Compounding of Purchased Resins
Adhesive Manufacturing
Paint and Coating Manufacturing
Plastics Material and Resin Manufacturing

EPA Id: NYD042569079
Region: 2
Area Name: SITEWIDE
Actual Date: 07/19/1994
Corrective Action: CA070NO - RFA Determination Of Need For An RFI, RFI is Not Necessary
2002 NAICS Title: Custom Compounding of Purchased Resins
Adhesive Manufacturing
Paint and Coating Manufacturing
Plastics Material and Resin Manufacturing

EPA Id: NYD042569079
Region: 2
Area Name: SITEWIDE
Actual Date: 09/08/1993
Corrective Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective action priority
2002 NAICS Title: Custom Compounding of Purchased Resins
Adhesive Manufacturing
Paint and Coating Manufacturing
Plastics Material and Resin Manufacturing

EPA Id: NYD042569079
Region: 2

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

LOCTITE CORPORATION (Continued)

1000400702

Area Name: SITEWIDE
Actual Date: 02/02/1994
Corrective Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective action priority
2002 NAICS Title: Custom Compounding of Purchased Resins
Adhesive Manufacturing
Paint and Coating Manufacturing
Plastics Material and Resin Manufacturing

RCRAInfo Corrective Action Summary:

Event: RFA Determination Of Need For An RFI, RFI is Not Necessary;
Event Date: 07/19/1994
Event: CA Prioritization, Facility or area was assigned a low corrective action priority.
Event Date: 02/02/1994
Event: CA Prioritization, Facility or area was assigned a low corrective action priority.
Event Date: 09/08/1993
Event: RFA Completed
Event Date: 09/22/1992

RCRAInfo:

Owner: 8
(716) 372-6300
EPA ID: NYD042569079
Contact: JAMES P HORNBERG
(716) 372-6300

Classification: Large Quantity Generator
TSDF Activities: Not reported

BIENNIAL REPORTS:

Last Biennial Reporting Year: 2001

Waste	Quantity (Lbs)	Waste	Quantity (Lbs)
D001	128595.00	D002	559.00
D003	376.00	D006	1002.00
D007	376.00	D035	17882.00
F002	183.00	F003	138903.00
F005	102705.00	LABP	376.00
U154	472.00		

Violation Status: Violations exist

Regulation Violated: 372.2(a)(8)(i)(a);374-3.2(a)(I
Area of Violation: GENERATOR-OTHER REQUIREMENTS
Date Violation Determined: 07/17/2001
Actual Date Achieved Compliance: 07/17/2001
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 07/19/2001
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 09/26/1999
Actual Date Achieved Compliance: 09/30/1999
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 09/30/1999

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

LOCTITE CORPORATION (Continued)

1000400702

Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 07/24/1990
Actual Date Achieved Compliance: 04/22/1991
Enforcement Action: INITIAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 09/24/1990
Penalty Type: Proposed Monetary Penalty
Enforcement Action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 03/13/1991
Penalty Type: Proposed Monetary Penalty
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 06/20/1988
Actual Date Achieved Compliance: 09/02/1988
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 06/20/1988
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 10/16/1985
Actual Date Achieved Compliance: 02/20/1986
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/15/1986
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 01/07/1985
Actual Date Achieved Compliance: 02/13/1985
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/07/1985
Penalty Type: Not reported

Penalty Summary:	Penalty Description	Penalty Date	Penalty Amount	Lead Agency
	Final Monetary Penalty	3/13/1991	6000	STATE

There are 6 violation record(s) reported at this site:

Evaluation	Area of Violation	Date of Compliance
Compliance Evaluation Inspection	GENERATOR-OTHER REQUIREMENTS	20010717
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19990930
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19910422
Non-Financial Record Review	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19880902
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19850220
Non-Financial Record Review	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19850213

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

LOCTITE CORPORATION (Continued)

1000400702

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
NATIONAL COMPLIANCE DATABASE SYSTEM
NATIONAL ENVIRONMENTAL PERFORMANCE TRACK
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM
TOXIC CHEMICAL RELEASE INVENTORY SYSTEM

M61 DEXTER ELECTRONIC MATERIA
NNE 211 FRANKLIN STREET
1/2-1 OLEAN, NY
2962 ft.

NY Spills S104497030
N/A

Relative:
Higher

Actual:
1430 ft.

Site 3 of 5 in cluster M

SPILLS:

Spill Number: 0375048
Spill Date: 04/25/03
ID: 16478
Date Call Received: 04/25/03
Region Close Date: 04/25/03
Material Spilled: HYDRAULIC OIL
Water Affected: Not reported
Spill Cause: Equipment Failure
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: 5 Gal.
Spill Source: COMMERCIAL VEHICLE
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

M62 DEXTER COMPANY
NNE 211 FRANKLIN STREET
1/2-1 OLEAN, NY
2962 ft.

NY Spills 1003030334
N/A

Relative:
Higher

Actual:
1430 ft.

Site 4 of 5 in cluster M

SPILLS:

Spill Number: 0175283
Spill Date: 08/27/01
ID: 52267
Date Call Received: 08/27/01
Region Close Date: 08/27/01
Material Spilled: HYDRAULIC OIL
Water Affected: Not reported
Spill Cause: Equipment Failure
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: 5 Gal.
Spill Source: COMMERCIAL VEHICLE
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 0175283
Spill Date: 08/27/2001 09:15
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported
Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported

Region of Spill: 9
Reported to Dept: 08/27/01 10:00

Amount Spilled: Not reported
Spill Source: Commercial Vehicle
Resource Affected: On Land
Spill Source: Commercial Vehicle

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DEXTER COMPANY (Continued)

1003830334

Facility Contact: CHRIS CHAPMAN
Investigator: KAB
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: WASTE MANAGEMENT
Spiller Address: 10860 OLEAN ROAD
CHAFFEE, NY 14030
Facility Tele: (716) 496-5000
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

DEC Remarks : 08/27/01: KAB/CHRIS CHAPMAN/TELECON - APPROX. 5 GALS. OF HYDRAULIC OIL
SPILLED TO BLACKTOP AS A RESULT OF LINE LEAK ON REFUSE TRUCK. WASTE
MANAGEMENT CLEANING UP SPILLAGE AND WILL DISPOSE IN REGULAR WASTE
STREAM. NO FURTHER ACTION NECESSARY. CLOSE O
UT.

Remark: HYDRAULIC LEAK ON REFUSE TRUCK. SPILLAGE TO BLACKTOP BEING CLEANED UP BY
RP.

Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 5
Units: Gallons
Unknown Qty Spilled: 5
Quantity Recovered: 5
Unknown Qty Recovered: False
Material: HYDRAULIC OIL
Class Type: Petroleum
Chem Abstract Service Number: HYDRAULIC OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 1846

Spill Closed Dt: 08/27/01

Spill Notifier: Responsible Party

PBS Number: Not reported

Cleanup Ceased: / /

Cleanup Meets Std: True

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /

Enforcement Date: / /

Invstgn Complete: / /

UST Involvement: False

Spill Record Last Update: 08/27/01

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered in Computer Data File: 08/27/01 09:57

Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access
additional NY SPILLS detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

M63 LOCTITE CORPORATION
NNE 211 FRANKLIN ST
1/2-1 OLEAN, NY 14760
2962 ft.

UST U003316360
N/A

Site 5 of 5 in cluster M

Relative:
Higher

PBS UST:

PBS Number:

9-014605

CBS Number: Not reported

Actual:
1430 ft.

SPDES Number:

Not reported

SWIS ID: 0466

Operator:

LOCTITE CORPORATION

(716) 372-6300

Emergency Contact:

JAMES A COLEGROVE

(716) 372-6300

Total Tanks:

1

Owner:

LOCTITE CORPORATION

211 FRANKLIN STREET

OLEAN, NY 14760

(716) 372-6300

Owner Type:

Corporate/Commercial

Owner Mark:

Second Owner

Owner Subtype:

Not reported

Mailing Address:

LOCTITE CORPORATION

ATTN: JAMES COLEGROVE

211 FRANKLIN STREET

OLEAN, NY 14760

(716) 372-6300

Tank Status:

Closed Prior to 04/91 (Either Closed In-Place or Removed)

Capacity (gals):

10000

Tank Location:

UNDERGROUND

Tank Id:

1

Install Date: 09/01/1970

Tank Type:

Steel/carbon steel

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Internal:

Not reported

Pipe Internal: Not reported

Pipe Location:

1

Pipe Type: STEEL/IRON

Tank External:

Not reported

Missing Data for Tank:

Minor Data Missing

Pipe External:

Not reported

Second Containment:

NONE

Leak Detection:

NONE

Overfill Prot:

Product Level Gauge

Dispenser: Suction

Date Tested:

Not reported

Next Test Date: Not reported

Date Closed:

Not reported

Test Method: Not reported

Deleted:

False

Updated: False

Dead Letter:

False

Owner Screen: No data missing

FAMT:

Fiscal amount for registration fee is correct

Total Capacity:

10000

Renewal Date: Not reported

Tank Screen:

No data missing

Federal ID: Not reported

Renew Flag:

Renwal has not been printed

Facility Screen: No data missing

Certification Flag:

False

Certification Date: 11/16/2001

Old PBS Number:

Not reported

Expiration Date: 11/14/2006

Inspected Date:

10/25/1996

Inspector: BAJ

Inspection Result:

Not reported

Lat/long:

42|05|20 / 78|26|23

Facility Type:

MANUFACTURING

Town or City:

OLEAN

Town or City Code:

66

County Code:

04

Region:

9

PBS OWNHIST

Operator:

LOCTITE CORPORATION

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LOCTITE CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003315360

Emergency:	JAMES A COLEGROVE	Old PBSNO:	Not reported
Emergency Tel:	(716) 372-6300		
Facility Type:	MANUFACTURING		
Facility Owner:	LOCTITE CORPORATION		
Facility Address:	211 FRANKLIN ST OLEAN, NY 14760		
Inspector:	BAJ	Inspect Date:	10/25/1996
Insp Result:	Not reported	Federal ID:	06-0321410
Owner:	DEXTER CORPORATION HYSOL DIVISION		
Owner Tel:	(716) 372-6300	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	DEXTER CORPORATION HYSOL DIVISION 211 FRANKLIN ST OLEAN, NY 14760 JAMES A COLEGROVE (716) 372-6300		
Owner Mark:	First Owner		
Certify Date:	09/02/2001	Expiration:	09/02/2001
Total Capacity (Gal):	10000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	42 05 20 / 78 26 23		
County Facility:	0466		
Facility Phone :	(716) 372-6300		
Num of Active Tanks :	1		
Facility Owner:	DEXTER CORPORATION HYSOL DIVISION		
Facility Address:	211 FRANKLIN ST OLEAN, NY 14760		
Owner Phone:	(716) 372-6300		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occur in Computer :	11/14/2001		
Facility Record Updated:	True		
PBS Number:	9-014605	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	LOCTITE CORPORATION (716) 372-6300		
Emergency Contact:	JAMES A COLEGROVE (716) 372-6300		
Total Tanks:	1		
Owner:	LOCTITE CORPORATION 211 FRANKLIN STREET OLEAN, NY 14760 (716) 372-6300		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	LOCTITE CORPORATION ATTN: JAMES COLEGROVE 211 FRANKLIN STREET OLEAN, NY 14760 (716) 372-6300		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LOCTITE CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

U002316360

Tank Status: In Service
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: 2
Tank Type: Fiberglass reinforced plastic (FRP)
Tank Internal: FIBERGLASS LINER (FRP)
Pipe Location: Underground
Tank External: FIBERGLASS
Missing Data for Tank: No Missing Data
Pipe External: FIBERGLASS
Second Containment: DOUBLED-WALLED TANK/NONE
Leak Detection: INTERSTITIAL MONITORING
Overfill Prot: Product Level Gauge, Catch Basin
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 10000
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 10/25/1996
Inspection Result: Not reported
Lat/long: 42|05|20 / 78|26|23
Facility Type: MANUFACTURING
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9

Install Date: 12/01/1987
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: FIBERGLASS LINER (FRP)
Pipe Type: FIBERGLASS (FRP)
Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 11/16/2001
Expiration Date: 11/14/2006
Inspector: BAJ

PBS OWNHIST

Operator: LOCTITE CORPORATION
Emergency: JAMES A COLEGROVE
Emergency Tel: (716) 372-6300
Facility Type: MANUFACTURING
Facility Owner: LOCTITE CORPORATION
Facility Address: 211 FRANKLIN ST
OLEAN, NY 14760
Old PBSNO: Not reported

Inspector: BAJ
Insp Result: Not reported
Owner: DEXTER CORPORATION HYSOL DIVISION
Owner Tel: (716) 372-6300
Owner Subtype: Not reported
Mail Address: DEXTER CORPORATION HYSOL DIVISION
211 FRANKLIN ST
OLEAN, NY 14760
JAMES A COLEGROVE
(716) 372-6300

Owner Mark: First Owner
Certify Date: 09/02/2001
Total Capacity (Gal): 10000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : 42|05|20 / 78|26|23
County Facility: 0466
Facility Phone : (716) 372-6300

Inspect Date: 10/25/1996
Federal ID: 06-0321410
Owner Type: Corporate/Commercial
Expiration: 09/02/2001

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LOCTITE CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003316360

Num of Active Tanks : 1
Facility Owner: DEXTER CORPORATION HYSOL DIVISION
Facility Address: 211 FRANKLIN ST

OLEAN, NY 14760
Owner Phone: (716) 372-6300
Facility Status: 1
Certificate Needs Printed : False
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: True
Dt Ownership Transfer Occurr in Computer : 11/14/2001
Facility Record Updated: True

O64
ENE
1/2-1
3260 ft.

FRED'S CONTRACT CLEANERS
1002 SOUTH UNION STREET
OLEAN, NY

NY Spills S104497842
N/A

Site 1 of 2 In cluster O

Relative:
Higher

Actual:
1427 ft.

SPIILLS:

Spill Number: 9000084
Spill Date: 03/21/90
ID: 140578
Date Call Received: 04/01/90
Region Close Date : 04/04/90
Material Spilled: Not reported
Water Affected: OLEAN CREEK
Spill Cause: Deliberate
Tank Number: Not reported
Test Method: Not reported

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: Not reported
Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Surface Water
Tank Size : Not reported
Leak Rate: Not reported

Spill Number: 9000084
Spill Date: 03/21/1990 12:00
ID: Not reported
Date Call Received: Not reported
Region Close Date : Not reported

Region of Spill: 9
Reported to Dept: 04/01/90 12:00

Material Spilled: Not reported
Water Affected: OLEAN CREEK
Spill Cause: Deliberate
Water Affected: OLEAN CREEK
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: FRED'S CONTRACT CLEARERS
Spiller Address: 1002 SOUTH UNION STREET
OLEAN, NY

Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Resource Affected: Surface Water
Spill Source: Other Commercial/Industrial
Facility Tele: Not reported
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks : 04/04/90: REPORT FROM CACHD REC. HANDLED BY THEM,REPORT TO DIV. WATER.

09/29/95: This is additional information about material spilled from
the translation of the old spill file: MILKY SUBSTANCE.

Remark: WASH DOWN FLOORS TO STORM RECIEVER

Spill Class: Not reported

Tank Test:

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

FRED'S CONTRACT CLEANERS (Continued)

S104497842

Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: Not reported
Quantity Spilled: Not reported
Units: Not reported
Unknown Qty Spilled: Not reported
Quantity Recovered: Not reported
Unknown Qty Recovered: Not reported
Material: Not reported
Class Type: Not reported
Chem Abstract Service Number: Not reported
Last Date: Not reported
Num Times Material Entry in File: Not reported
Spill Closed Dt: 04/04/90
Spill Notifier: Health Department PBS Number: Not reported
Cleanup Ceased: 04/04/90
Last Inspection: / / Cleanup Meets Std: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / / Enforcement Date: / /
Invstgn Complete: / / UST Involvement: False
Spill Record Last Update: 04/17/90
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 04/04/90
Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

065
ENE
1/2-1
3261 ft.

OLEAN CENTRAL SCHOOL DIST
1001 N UNION ST
OLEAN, NY 14760

RCRA-SQG 1001113409
FINDS NYR000023994

Relative:
Higher

Site 2 of 2 in cluster O

Actual:
1427 ft.

RCRAInfo:
Owner: OLEAN CENTRAL SCHOOL DIST
(716) 375-4400
EPA ID: NYR000023994
Contact: Not reported
Classification: Small Quantity Generator
TSD Activities: Not reported
Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

OLEAN CENTRAL SCHOOL DIST (Continued)

1001113409

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

66
SSW
1/2-1
3335 ft.

OLEAN CENTRAL SCHOOL DIST
1626 WASHINGTON ST
OLEAN, NY 14760

RCRA-SQG 1001113411
FINDS NYR000024018

Relative:
Lower

RCRAInfo:

Owner: OLEAN CENTRAL SCHOOL DIST
(716) 375-4400

Actual:
1418 ft.

EPA ID: NYR000024018

Contact: Not reported

Classification: Small Quantity Generator

TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access
additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

67
East
1/2-1
3387 ft.

PEPSI COLA CO. (OLEAN BOTTLING WORKS)
243 ROOT ST.
OLEAN, NY 14760

CBS AST S102639159
N/A

Relative:
Equal

CBS AST:

CBS Number: 9-000231 Telephone: (716) 372-3821

Owner: PEPSI COLA BOTTLING
243 ROOT ST. P.O. BOX 644
OLEAN, NY 14760
(716) 372-3065

Facility Status: Active

Total Tanks: 0

Tank Status: 0

Tank Error Status: No Missing Data

Tank Location: Aboveground

Install Date: 06/83

Capacity (Gal): 2000

Tank Type: Plastic

Substance: Single Hazardous Substance on DEC List

Extnl Protection: None

Intrnl Protection: None

Tank Containment: None

Pipe Type: STEEL/IRON

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: None

Haz Percent: 50

Leak Detection: None

Overflow Protection: Not reported

Chemical: Sodium hydroxide

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PEPSI COLA CO. (OLEAN BOTTLING WORKS) (Continued)

S102639159

Tank Closed:	05/96	SWIS Code:	0412
PBS Number:	Not reported	CAS Number:	1310732
Federal ID:	Not reported	ICS Number:	9-002054
MOSF Number:	Not reported	Facility Town:	OLEAN (C)
SPDES Number:	Not reported	Emergency Phone:	(716) 372-3821
Facility Type:	Other	Expiration Date:	07/19/1997
Operator:	DAVID GEUDER		
Emergency Contact:	MIKE BAIRE		
Certified Date:	04/11/1995		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PEPSI COLA CO. (OLEAN BOTTLING WORKS)		
Mail Contact:	SANDRA NIESKES		
	243 ROOT STREET		
	OLEAN, NY 14760		
Mail Phone:	(716) 372-3065	Date Entered:	07/19/1989 11:19:04
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported	Owner Mark:	1
Pipe Flag:	False	Date Expired:	07/19/95
Renew Date:	04/01/93	Is Updated:	False
Is it There:	False		
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	No		
Unique Tank Id Number:	00001		
Date Pre-Printed Renewal App Form Was Last Printed:	04/01/1997		

68
ESE
1/2-1
3604 ft.

OSM CORPORATION
317 WAYNE ST
OLEAN, NY 14760

RCRA-SQG 1000122728
FINDS NYD042574210

Relative:
Equal

RCRAInfo:
Owner: JAMES F OLSON
(212) 555-1212

Actual:
1425 ft.

EPA ID: NYD042574210

Contact: Not reported

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
NEW YORK-FACILITY INFORMATION SYSTEM
NATIONAL COMPLIANCE DATABASE SYSTEM
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

P69 CATTARAUGUS COUNTY D P W
SSE BUFFALO ST & SEVENTH ST COR OF
1/2-1 ALLEGANY, NY 14706
3613 ft.

RCRA-SQG 1000981154
FINDS NY0000924274

Site 1 of 2 in cluster P

Relative:
Higher

RCRAInfo:

Owner: CATTARAUGUS COUNTY
(716) 938-9121

Actual:
1433 ft.

EPA ID: NY0000924274

Contact: Not reported

Classification: Small Quantity Generator

TSD Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

P70 ALLEGANY
SSE BUFFALO & SEVENTH ST
1/2-1 ALLEGANY, NY 14706
3636 ft.

UST U003317967
AST N/A

Site 2 of 2 in cluster P

Relative:
Higher

PBS UST:

PBS Number: 9-414395
SPDES Number: Not reported
Operator: CATTARAUGUS COUNTY DPW
(716) 373-0470

CBS Number: Not reported
SWIS ID: 0420

Emergency Contact: CHARLES COOLIDGE
(716) 699-4015

Total Tanks: 3

Owner: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Owner Type: Local Government

Owner Mark: First Owner

Owner Subtype: Not reported

Mailing Address: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Tank Status: Closed Prior to 04/91 (Either Closed In-Place or Removed)

Capacity (gals): 2000

Tank Location: UNDERGROUND

Tank Id: 1

Tank Type: Steel/carbon steel

Tank Internal: Not reported

Pipe Location: 1

Tank External: Not reported

Missing Data for Tank: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: Product Level Gauge

Date Tested: Not reported

Date Closed: Not reported

Install Date: 12/01/1955

Product Stored: LEADED GASOLINE

Pipe Internal: Not reported

Pipe Type: STEEL/IRON

Dispenser: Suction

Next Test Date: Not reported

Test Method: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

ALLEGANY (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317967

Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20250	Renewal Date:	09/03/1992
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	10/02/1997
Old PBS Number:	Not reported	Expiration Date:	11/16/2002
Inspected Date:	02/19/1997	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	OTHER		
Town or City:	ALLEGANY		
Town or City Code:	20		
County Code:	04		
Region:	9		

PBS Number:	9-414395	CBS Number:	Not reported
SPODES Number:	Not reported	SWIS ID:	0420
Operator:	CATTARAUGUS COUNTY DPW		

Emergency Contact: CHARLES COOLIDGE
(716) 699-4015

Total Tanks: 3
Owner: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Owner Type: Local Government
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Tank Status: Closed Prior to 04/91 (Either Closed In-Place or Removed)
Capacity (gals): 2000

Tank Location: UNDERGROUND
Tank Id: AL2

Tank Type: Steel/carbon steel

Tank Internal: Not reported

Pipe Location: 1

Tank External: Not reported

Missing Data for Tank: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: Product Level Gauge

Date Tested: Not reported

Date Closed: Not reported

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 20250

Tank Screen: Minor data missing

Renew Flag: Renwal has not been printed

Certification Flag: False

Install Date:	12/01/1955
Product Stored:	LEADED GASOLINE
Pipe Internal:	Not reported
Pipe Type:	STEEL/IRON

Dispenser:	Suction
Next Test Date:	Not reported
Test Method:	Not reported
Updated:	False
Owner Screen:	Minor data missing

Renewal Date:	09/03/1992
Federal ID:	Not reported
Facility Screen:	No data missing
Certification Date:	10/02/1997

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

ALLEGANY (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317967

Old PBS Number: Not reported
Inspected Date: 02/19/1997
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: OTHER
Town or City: ALLEGANY
Town or City Code: 20
County Code: 04
Region: 9

Expiration Date: 11/16/2002
Inspector: BAJ

PBS Number: 9-414395
SPDES Number: Not reported
Operator: CATTARAUGUS COUNTY DPW
(716) 373-0470
Emergency Contact: CHARLES COOLIDGE
(716) 699-4015

CBS Number: Not reported
SWIS ID: 0420

Total Tanks: 3
Owner: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121
Owner Type: Local Government
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Tank Status: In Service
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: AL3
Tank Type: Steel/carbon steel
Tank Internal: NONE
Pipe Location: Underground
Tank External: SACRIFICIAL ANODE

Install Date: 06/01/1988
Product Stored: UNLEADED GASOLINE
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL

Missing Data for Tank: No Missing Data
Pipe External: SACRIFICIAL ANODE
Second Containment: DOUBLED-WALLED TANK
Leak Detection: INTERSTITIAL MONITORING
Overfill Prot: Product Level Gauge, Float Vent Valve
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Total Capacity: 20250
Tank Screen: Minor data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 02/19/1997
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: OTHER
Town or City: ALLEGANY
Town or City Code: 20

Renewal Date: 09/03/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 10/02/1997
Expiration Date: 11/16/2002
Inspector: BAJ

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

ALLEGANY (Continued)

U003317967

County Code: 04
Region: 9

PBS Number: 9-414395
SPDES Number: Not reported
Operator: CATTARAUGUS COUNTY DPW
(716) 373-0470
Emergency Contact: CHARLES COOLIDGE
(716) 699-4015

CBS Number: Not reported
SWIS ID: 0420

Total Tanks: 3
Owner: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Owner Type: Local Government
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
(716) 938-9121

Tank Status: In Service
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: AL4
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: Underground
Tank External: SACRIFICIAL ANODE

Install Date: 06/01/1988
Product Stored: DIESEL
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

Missing Data for Tank: Minor Data Missing
Pipe External: SACRIFICIAL ANODE
Second Containment: DOUBLED-WALLED TANK
Leak Detection: INTERSTITIAL MONITORING

Overfill Prot: Product Level Gauge, Float Vent Valve
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Total Capacity: 20250
Tank Screen: Minor data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 02/19/1997
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: OTHER
Town or City: ALLEGANY
Town or City Code: 20
County Code: 04
Region: 9

Renewal Date: 09/03/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 10/02/1997
Expiration Date: 11/16/2002
Inspector: BAJ

PBS AST:

PBS Number: 9-414395
SPDES Number: Not reported
Federal ID: Not reported

CBS Number: Not reported
SWIS Code: 0420
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLEGANY (Continued)

U003317967

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER
Owner Type: Local Government
Owner Sub Type: Not reported
Owner: CATTARAUGUS COUNTY DPW
214 MAIN ST
LITTLE VALLEY, NY 14755
Owner Phone: (716) 938-9121
Facility Phone: (716) 373-0470
Operator: CATTARAUGUS COUNTY DPW
Emergency Name: CHARLES COOLIDGE
Emergency Phone: (716) 699-4015
Total Tanks: 3
Total Capacity: 20250
Tank ID: T006
Capacity (Gal): 250
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: LUBE OIL
Tank Type: Steel/carbon steel
Install Date: 12/01/1987
Tank Internal: NONE
Tank External: NONE
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: 02/19/1997
Result of Inspection: Not reported
Mailing Name: CATTARAUGUS COUNTY DPW
Mailing Address: 214 MAIN ST
LITTLE VALLEY, NY 14755
Mailing Contact: Not reported
Mailing Telephone: (716) 938-9121
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: Minor data missing
Tank Screen: Minor data missing
Town or City: ALLEGANY
Town or City Code: 20
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: BAJ

Expiration Date: 11/16/2002
Certification Date: 10/02/1997
Renew Date: 09/03/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

71 BUSH BROS PLATING INC
SW 2000 W SULLIVAN ST
1/2-1 OLEAN, NY 14760
3697 ft.

Database(s) EDR ID Number
RCRA-SQG 1000237789
FINDS NYD002124980

Relative: RCRAInfo:
Lower Owner: BUSH BROS PLATING INC
(212) 555-1212
Actual: EPA ID: NYD002124980
1415 ft. Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

72 BOUCH'S AUTO SERVICE
South 1401 WEST STATE
1/2-1 OLEAN, NY 14760
4014 ft.

UST U003317111
LTANKS N/A

Relative: LTANKS:
Lower Spill Number: 8705570
Spill Date: 10/01/1987 15:55
Actual: ID: Not reported
1420 ft. Material Spilled: Not reported
Region Closed Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: BOUCH'S AUTO SERVICE
Spiller Address: 1401 WEST STATE STREET
OLEAN, NY
Spill Class: Not reported
Spill Closed Dt: 10/05/87
Spill Notifier: Tank Tester
Cleanup Ceased: 10/05/87
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 10/23/87
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/02/87
Date Region Sent Summary to Central Office: / /

Region of Spill: 9
Reported to Dept: 10/01/87 16:40
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Gas Station
Facility Tele: (716) 372-5955
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BOUCH'S AUTO SERVICE (Continued)

U003317111

Tank Test:

PBS Number: 7-128120
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: / / : MJH TELCON 10/02/87 TANKS PUMPED OUT AND TO UNCOVER TOPS. / /
: MJH TELCON 10/02/87 TANKS TO BE REMOVED 10/05/87 CACHD NOTIFIED. / /
: LQR TELCON CACHD 10/05/87 TANK REMOVED 10/03/87 SPILLER CLEANED UP. /
/ : LQR TELCON CACHD 10/05/87 TANK REMOVED 10/03/87 SPILLER CLEANED UP,
CACHD INSPECTED SITE.

Spill Cause: 2-4000 GAL TANKS MANIFOLD - 4686 LEAK RATE

Spill Number: 8705570 Region of Spill: 9
Spill Date: 10/01/87 Reported to Dept: / /
ID: 112525 Date Call Received: 10/01/87
Material Spilled: GASOLINE Amount Spilled: 0 Gal.
Region Close Dt: 10/05/87
Water Affected: Not reported Spill Source: GASOLINE STATION
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

PBS UST:

PBS Number: 9-384933 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 0466
Operator: BOUCH'S AUTO SERVICE
(716) 372-5955
Emergency Contact: BOUCH'S AUTO SERVICE
(716) 372-5955
Total Tanks: 0
Owner: JOHN DERX
WINDFALL RD
OLEAN, NY 14760
(716) 373-1465
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: JOHN DERX
WINDFALL RD
OLEAN, NY 14760
(716) 373-1465
Tank Status: Closed - Removed

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BOUCH'S AUTO SERVICE (Continued)

U003317111

Capacity (gals):	4000	Install Date:	Not reported
Tank Location:	UNDERGROUND	Product Stored:	LEADED GASOLINE
Tank Id:	001	Pipe Internal:	Not reported
Tank Type:	Steel/carbon steel	Pipe Type:	STEEL/IRON
Tank Internal:	Not reported		
Pipe Location:	1		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	10/01/1987	Next Test Date:	Not reported
Date Closed:	10/01/1987	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/20/1987
Old PBS Number:	Not reported	Expiration Date:	07/20/1992
Inspected Date:	10/03/1989	Inspector:	JES
Inspection Result:	3		
Lat/Long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-384933	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	BOUCH'S AUTO SERVICE (716) 372-5955		
Emergency Contact:	BOUCH'S AUTO SERVICE (716) 372-5955		
Total Tanks:	0		
Owner:	JOHN DERX WINDFALL RD OLEAN, NY 14760 (716) 373-1465		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	JOHN DERX WINDFALL RD OLEAN, NY 14760 (716) 373-1465		
Tank Status:	Closed - Removed	Install Date:	Not reported
Capacity (gals):	4000	Product Stored:	UNLEADED GASOLINE
Tank Location:	UNDERGROUND	Pipe Internal:	Not reported
Tank Id:	002	Pipe Type:	STEEL/IRON
Tank Type:	Steel/carbon steel		
Tank Internal:	Not reported		
Pipe Location:	1		
Tank External:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

BOUCH'S AUTO SERVICE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317111

Missing Data for Tank:	Minor Data Missing	Dispenser:	Suction
Pipe External:	Not reported	Next Test Date:	Not reported
Second Containment:	NONE	Test Method:	HORNER
Leak Detection:	NONE	Updated:	True
Overfill Prot:	Product Level Gauge	Owner Screen:	Minor data missing
Date Tested:	10/01/1987	Renewal Date:	Not reported
Date Closed:	10/01/1987	Federal ID:	Not reported
Deleted:	False	Facility Screen:	No data missing
Dead Letter:	False	Certification Date:	07/20/1987
FAMT:	Fiscal amount for registration fee is correct	Expiration Date:	07/20/1992
Total Capacity:	0	Inspector:	JES
Tank Screen:	0		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	10/03/1989		
Inspection Result:	3		
Lat/Long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-384933	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	BOUCH'S AUTO SERVICE (716) 372-5955		
Emergency Contact:	BOUCH'S AUTO SERVICE (716) 372-5955		
Total Tanks:	0		
Owner:	JOHN DERX WINDFALL RD OLEAN, NY 14760 (716) 373-1465		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	JOHN DERX WINDFALL RD OLEAN, NY 14760 (716) 373-1465		
Tank Status:	Closed - Removed	Install Date:	Not reported
Capacity (gals):	4000	Product Stored:	UNLEADED GASOLINE
Tank Location:	UNDERGROUND	Pipe Internal:	Not reported
Tank Id:	003	Pipe Type:	STEEL/IRON
Tank Type:	Steel/carbon steel		
Tank Internal:	Not reported		
Pipe Location:	1		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	10/01/1987	Next Test Date:	Not reported
Date Closed:	10/01/1987	Test Method:	HORNER

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

BOUCH'S AUTO SERVICE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317111

Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/20/1987
Old PBS Number:	Not reported	Expiration Date:	07/20/1992
Inspected Date:	10/03/1989	Inspector:	JES
Inspection Result:	3		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

73
South
1/2-1
4098 ft.

LEVALLEY MCLEOD
1624 WEST STATE STREET
OLEAN, NY

LTANKS S100119036
N/A

Relative:
Lower

Actual:
1419 ft.

LTANKS:

Spill Number: 9000300
Spill Date: 07/28/1989 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: LEVALLEY MCLEOD
Spiller Address: 301 WILLIAMS STREET
ELMIRA, NY
Spill Class: Not reported
Spill Closed Dt: 04/25/90
Spill Notifier: Citizen
Cleanup Ceased: 04/25/90
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 05/08/90
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 04/11/90
Date Region Sent Summary to Central Office: / /
Tank Test:

Region of Spill: 9
Reported to Dept: 04/09/90 14:30
Date Call Received: Not reported
Amount Spilled: Not reported

Spill Source: Other Non Commercial/Industrial

Facility Tele: (800) 638-1218
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

LEVALLEY MCLEOD (Continued)

S100119936

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 04/09/90: OWNER TO SEND RESULTS OF SITE SURVEY. 04/23/90: LQR TELCON W/
CAMPBELL REMEDIATING SITE. 05/08/90: RNL 05/08/90, SEE SPILL 9000786 FOR
FURTHER INFORMATION, THIS SPILL CLOSED.

Spill Cause: CONTAMINATION FOUND ON PROPERTY, BANK WILL NOT GIVE MORTGAGE. REFERENCE SPI
LL 9000786

Spill Number: 9000786
Spill Date: 04/23/1990 08:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: LEVALLEY MCLEOD
Spiller Address: 301 WILLIAMS STREET
ELMIRA, NY

Region of Spill: 9
Reported to Dept: 04/23/90 11:30
Date Call Received: Not reported
Amount Spilled: Not reported

Spill Source: Other Commercial/Industrial

Facility Tele: (800) 638-1218
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 02/13/91
Spill Notifier: Responsible Party
Cleanup Ceased: 02/13/91
Last Inspection: / /

PBS Number: Not reported

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 02/21/91
Is Updated: False
Corrective Action Plan Submitted: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LEVALLEY MCLEOD (Continued)

S100119936

Date Spill Entered In Computer Data File: 04/25/90

Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 20
Units: Gallons
Unknown Qty Spilled: 20
Quantity Recovered: 17
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 04/23/90: LQR TELCON W/ CAMPBELL REMIADATING SOIL. 08/28/90: MF DISPOSAL LETTER SENT GIVING UNTIL 9/30/90. 10/02/90: MF 2ND DISPOSAL LETTER SENT GIVING UNTIL 10/31/90. 10/02/90: MF 2ND DISPOSAL LETTER SENT GIVING UNTIL 10/31/90. MEMO TP CACHD REQUESTING REPORT. 02/13/91: MF RECEIVED SOME SORT OF DISPOSAL RECEIPT. LETTER SENT TO GRIFFITH OIL REGARDING SOIL RECEIPTS. NO FURTHER ACTION NECESSARY.

Spill Cause: CONTAMINATED SOIL FOUND REFERENCE SPILL 9000300

Spill Number: 9000300
Spill Date: 07/28/89
ID: 140883
Material Spilled: GASOLINE
Region Close Dt: 04/25/90
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 04/09/90
Amount Spilled: 0 Gal.

Spill Source: OTHER NON COMM/INSTITUTIONAL

Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9000786
Spill Date: 04/23/90
ID: 141403
Material Spilled: GASOLINE
Region Close Dt: 02/13/91
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 04/23/90
Amount Spilled: 20 Gal.

Spill Source: OTHER COMM/INDUSTRIAL

Tank Size: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

74
SSE
1/2-1
4179 ft.

AUTO ZONE - OLEAN
1008 WEST STATE STREET
OLEAN, NY

Database(s) EDR ID Number
EPA ID Number

LTANKS S103238833
N/A

Relative:
Lower

Actual:
1423 ft.

LTANKS:

Spill Number: 9802627
Spill Date: 05/01/1998 12:00

Region of Spill: 9
Reported to Dept: 05/29/98 14:36

ID: Not reported

Date Call Received: Not reported

Material Spilled: Not reported

Amount Spilled: Not reported

Region Close Dt: Not reported

Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Resource Affected: Groundwater

Spill Cause: Tank Failure

Facility Contact: LARRY HASTY

Facility Tele: (901) 495-8755

Investigator: MF

SWIS: 04

Caller Name: Not reported

Caller Agency: Not reported

Caller Phone: Not reported

Caller Extension: Not reported

Notifier Name: Not reported

Notifier Agency: Not reported

Notifier Phone: Not reported

Notifier Extension: Not reported

PBS: Not reported

Spiller Contact: JOHN RUPP

Spiller Phone: (716) 675-9171

Spiller: AUTO ZONE

Spiller Address: 60 MADISON AVENUE
MEMPHIS, TN 38101

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 08/20/98

Spill Notifier: Other

PBS Number: Not reported

Cleanup Ceased: 08/20/98

Last Inspection: 06/04/98

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: True

Spill Record Last Update: 09/08/98

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 05/29/98

Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: Not reported

Leak Rate Failed Tank: Not reported

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: 0

Units: Gallons

Unknown Qty Spilled: No

Quantity Recovered: 0

Unknown Qty Recovered: True

Material: #2 FUEL OIL

Class Type: Petroleum

Chem Abstract Service Number: #2 FUEL OIL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AUTO ZONE - OLEAN (Continued)

S103238833

Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 05/28/98: MF RECEIVED RESULTS FROM A 1K GASOLINE A 1K FO UST REMOVAL. HI
GH 8270 BN RESULTS FROM THE SIDES BOTTOM OF FO TANK. DIRECT METHOD. 06/0
1/98: MF TELECON JOHN RUPP, BUILDING IS PUT UP. TELECON WITH CHRIS YOUNG
, OLEAN BUILDING INSP. CLAIMED HE FOLLOWED REMOVAL THAT SOIL WAS REMOVED
FOR FOUNDATION IN THIS AREA. TOLD HIM AREA WILL HAVE TO BE RESAMPLED. WA
NTS ME TO WORK WITH JOHN RUPP. 06/04/98: MF RNL SITE VISIT, MET WITH BIL
L MAZIERSKI, PRIME CONTRACTOR AND CHRIS YOUNG, CITY OF OLEAN. DISCUSSED
RESAMPLING OF FUEL OIL TANK AREA FOR 8270 BN S TCLP. ADDITIONAL SOIL HAS
BEEN REMOVED FROM THIS AREA FOR FOUNDATION FOR BUILDING. CARMON COSTA TO
BE CALLED FOR RESAMPLING. 07/06/98: MF RECEIVED RESAMPLE RESULTS. ONLY 1
BN COMPOUNDS ON REPORT. 08/05/98: MF TELECON WITH CARMON COSTA 675-4654.
HE WILL CHECK INTO ANALYSIS GET BACK TO ME. 08/10/98: MF LETTER TO JOHN
RUPP, AREA MUST BE RESAMPLED ANALYZED USING EPA METHOD 8270 BN S. SAME A
S THE 6/5/98 LETTER SENT TO THEM. 08/13/98: MF RECEIVED CORRECTED SAMPLE
RESULTS FROM CARMON COSTA. 8270 BN RESULTS INCLUDED, ALL PARAMETERS <DL.
MF TELECON EXPRESS LABS, THEY DIDN'T CALCULATE 8270 BN RESULTS ORIGINAL
Y. NO FURTHER ACTION NECESSARY.
Spill Cause: contaminated excavation results from removal of 1k 2 fuel oil 1k gasoli
ne ust
Spill Number: 9802627 Region of Spill: 9
Spill Date: 05/01/98 Reported to Dept: / /
ID: 260763 Date Call Received: 05/29/98
Material Spilled: #2 FUEL OIL Amount Spilled: 0 Gal.
Region Close Dt: 08/20/98
Water Affected: Not reported Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

Q75 FORMER DOW EQUIPMENT
East 101-109 MAIN STREET
1/2-1 OLEAN, NY
4274 ft.

LTANKS S104276741
N/A

Relative: Site 1 of 3 in cluster Q
Lower LTANKS:

Actual: 1422 ft.
Spill Number: 9515830 Region of Spill: 9
Spill Date: 11/27/1995 13:36 Reported to Dept: 03/11/96 13:34
ID: Not reported Date Call Received: Not reported
Material Spilled: Not reported Amount Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Resource Affected: On Land
Spill Cause: Tank Failure
Facility Contact: Not reported Facility Tele: Not reported
Investigator: TED SWIS: 04
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
PBS: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: AO-HUMADI, CHOCHAN, HILAL.
Spiller Address: 2223 WEST STATE STREET

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

FORMER DOW EQUIPMENT (Continued)

EDR ID Number
EPA ID Number

Database(s)

S104276741

OLEAN, NY 14760
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/19/97
Spill Notifier: Other PBS Number: Not reported
Cleanup Ceased: / /
Last Inspection: 11/05/97
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 02/06/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 03/11/96
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry in File: 16414
Spill Cause: contamination found during drilling of geo-technical borings. elevated
pid readings and petroleum odors noted

Spill Number: 9515830 Region of Spill: 9
Spill Date: 11/27/95 Reported to Dept: / /
ID: 229912 Date Call Received: 03/11/96
Material Spilled: UNKNOWN PETROLEUM Amount Spilled: 0 Gal.
Region Close Dt: 01/19/97
Water Affected: Not reported Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: On Land
Spill Cause: Tank Failure
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

Click this hyperlink while viewing on your computer to access
additional LTANKS detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EOR ID Number
EPA ID Number

Q76
East
1/2-1
4280 ft.

SUNOCO A-PLUS 0363-0217
607 NORTH UNION
OLEAN, NY

LTANKS
S102660873
N/A

Site 2 of 3 in cluster Q

Relative:
Lower

Actual:
1422 ft.

LTANKS:

Spill Number: 9100514
Spill Date: 04/16/1991 10:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: SUN COMPANY
Spiller Address: 301 WEST HIAWATHA BLVD.
SYRACUSE, NY 13204
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/15/94
Spill Notifier: Responsible Party
Cleanup Ceased: 08/15/94
Last Inspection: 05/12/94
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 07/24/00
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 04/17/91
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum

Region of Spill: 9
Reported to Dept: 04/16/91 13:23
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Gas Station
Facility Tele: (800) 457-7776
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SUNOCO A-PLUS 0363-0217 (Continued)

S102660873

Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry in File: 21329
Spill Cause: PRODUCT DISCOVERED IN MW AT ATLANTIC GAS STATION

Spill Number: 9100614 Region of Spill: 9
Spill Date: 04/16/91 Reported to Dept: / /
ID: 154557 Date Call Received: 04/16/91
Material Spilled: GASOLINE Amount Spilled: 0 Gal.
Region Close Dt: 08/15/94
Water Affected: Not reported Spill Source: GASOLINE STATION
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

Q77
East
1/2-1
4280 ft.

SUGAR CREEK
607 N UNION ST
OLEAN, NY

LTANKS S105995900
N/A

Site 3 of 3 in cluster Q

Relative:
Lower

LTANKS:

Actual:
1422 ft.

Spill Number: 0201809 Region of Spill: 9
Spill Date: 05/19/02 Reported to Dept: / /
ID: 32700 Date Call Received: 05/19/02
Material Spilled: GASOLINE Amount Spilled: 15 Gal.
Region Close Dt: 05/22/02
Water Affected: Not reported Spill Source: TANK TRUCK
Resource Affected: On Land
Spill Cause: Tank Overfill
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

R78
SSE
1/2-1
4393 ft.

WILSON FARMS #958
815 W STATE ST
OLEAN, NY 14760

UST U003318567
LTANKS N/A

Site 1 of 5 in cluster R

Relative:
Lower

LTANKS:

Actual:
1419 ft.

Spill Number: 9300471 Region of Spill: 9
Spill Date: 04/09/1993 08:00 Reported to Dept: 04/07/93 09:15
ID: Not reported Date Call Received: Not reported
Material Spilled: Not reported Amount Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported Spill Source: Gas Station
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: TIM HARDY Facility Tele: (716) 783-2638
Investigator: MF SWIS: 04
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

WILSON FARMS #958 (Continued)

U003318567

Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
PBS: Not reported
Spiller Contact: TIM HARDY Spiller Phone: (716) 783-2638
Spiller: SUGAR CREEK
Spiller Address: 760 BROOKS AVENUE
ROCHESTER, NY 14619
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Spill Notifier: Other PBS Number: 9-496103
Cleanup Ceased: / /
Last Inspection: 08/06/98
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 12/17/01
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 04/13/93
Date Region Sent Summary to Central Office: 07/11/95

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 800
Units: Gallons
Unknown Qty Spilled: 800
Quantity Recovered: 500
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

Spill Cause: MIDGRADE TANK HAS INVENTORY LOSS. TANK IS EMPTY AND WILL BE REMOVED.

Spill Number: 9300471 Region of Spill: 9
Spill Date: 04/09/93 Reported to Dept: / /
iD: 181929 Date Call Received: 04/07/93
Material Spilled: GASOLINE Amount Spilled: 800 Gal.
Region Close Dt: 01/24/02
Water Affected: Not reported Spill Source: GASOLINE STATION
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported Tank Size: 0
Test Method: UNKNOWN Leak Rate: 0.00
PBS: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number
Database(s)

U003318567

[Click this hyperlink](#) while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

PBS UST:

PBS Number:	9-498831	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	WILSON FARMS (716) 372-7909		
Emergency Contact:	RICHARD HALL (716) 635-5493		
Total Tanks:	4		
Owner:	TOPS, INC. 6363 MAIN STREET WILLIAMSVILLE, NY 14221 (716) 635-5100		
Owner Type:	Corporate/Commercial		
Owner Mark:	Third Owner		
Owner Subtype:	Not reported		
Mailing Address:	WILSON FARMS ATTN: RICHARD HALL 6363 MAIN STREET WILLIAMSVILLE, NY 14221 (716) 635-5493		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	1	Install Date:	06/01/1972
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	10/01/1987	Next Test Date:	Not reported
Date Closed:	04/01/1993	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	19500	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	06/02/2000
Old PBS Number:	119695	Expiration Date:	06/01/2005
Inspected Date:	09/11/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER RETAIL SALES, RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS OWNHIST			
Operator:	CAMPBELL OIL CO INC		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318567

Emergency:	BILLIE WIGHTMAN	Old PBSNO:	119695
Emergency Tel:	(716) 372-4473		
Facility Type:	Not reported		
Facility Owner:	WEST STATE MINI MARKET		
Facility Address:	815 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		
	OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
DI Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	CAMPBELL OIL CO INC		
Emergency:	BILLIE WIGHTMAN	Old PBSNO:	119695
Emergency Tel:	(716) 372-4473		
Facility Type:	Not reported		
Facility Owner:	WEST STATE MINI MARKET		
Facility Address:	815 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continuad)

U003318567

Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		
	OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
Dt Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	WILSON FARMS		
Emergency:	RICHARD HALL		
Emergency Tel:	(716) 635-5493	Old PBSNO:	119695
Facility Type:	CB		
Facility Owner:	WILSON FARMS #958		
Facility Address:	815 W STATE ST		
	OLEAN, NY 14760		
Inspector:	BAJ	Inspect Date:	09/11/1996
Insp Result:	Not reported	Federal ID:	16-0844737
Owner:	TOPS, INC	Owner Type:	Corporate/Commercial
Owner Tel:	(716) 635-5100		
Owner Subtype:	Not reported		
Mail Address:	WILSON FARMS		
	6363 MAIN ST		
	WILLIAMSVILLE, NY 14221		
	RICHARD HALL		
	(716) 635-5493		
Owner Mark:	Second Owner	Expiration:	12/19/2004
Certify Date:	12/19/2004		
Total Capacity (Gal):	19500		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-7909		
Num of Active Tanks :	4		
Facility Owner:	TOPS, INC		
Facility Address:	6363 MAIN ST		
	WILLIAMSVILLE, NY 14221		
Owner Phone:	(716) 635-5100		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	06/01/2000		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continued)

U003318567

Facility Record Updated: True

PBS Number: 9-498831
SPDES Number: Not reported
Operator: WILSON FARMS
(716) 372-7909
Emergency Contact: RICHARD HALL
(716) 635-5493
Total Tanks: 4
Owner: TOPS, INC.
6363 MAIN STREET
WILLIAMSVILLE, NY 14221
(716) 635-5100
Owner Type: Corporate/Commercial
Owner Mark: Third Owner
Owner Subtype: Not reported
Mailing Address: WILSON FARMS
ATTN: RICHARD HALL
6363 MAIN STREET
WILLIAMSVILLE, NY 14221
(716) 635-5493

CBS Number: Not reported
SWIS ID: 0466

Tank Status: Closed - Removed

Capacity (gals): 4000

Tank Location: UNDERGROUND

Tank Id: 2

Tank Type: Steel/carbon steel

Tank Internal: Not reported

Pipe Location: 2

Tank External: Not reported

Missing Data for Tank: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: Product Level Gauge

Date Tested: 10/01/1987

Date Closed: 04/01/1993

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 19500

Tank Screen: No data missing

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: 119695

Inspected Date: 09/11/1996

Inspection Result: Not reported

Lat/Long: Not reported

Facility Type: OTHER RETAIL SALES, RETAIL GASOLINE SALES

Town or City: OLEAN

Town or City Code: 66

County Code: 04

Region: 9

Install Date: 06/01/1972
Product Stored: UNLEADED GASOLINE
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

Dispenser: Suction
Next Test Date: Not reported
Test Method: PETRO-TITE
Updated: True
Owner Screen: No data missing

Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 06/02/2000
Expiration Date: 06/01/2005
Inspector: BAJ

PBS OWNHIST

Operator: CAMPBELL OIL CO INC
Emergency: BILLIE WIGHTMAN
Emergency Tel: (716) 372-4473
Facility Type: Not reported

Old PBSNO: 119695

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318567

Facility Owner:	WEST STATE MINI MARKET	Inspect Date:	Not reported
Facility Address:	815 W STATE ST	Federal ID:	Not reported
	OLEAN, NY 14760	Owner Type:	Not reported
Inspector:	Not reported		
Insp Result:	Not reported		
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171		
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		
	OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
DI Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	CAMPBELL OIL CO INC		
Emergency:	BILLIE WIGHTMAN		
Emergency Tel:	(716) 372-4473	Old PBSNO:	119695
Facility Type:	Not reported		
Facility Owner:	WEST STATE MINI MARKET		
Facility Address:	815 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC	Owner Type:	Not reported
Owner Tel:	(716) 372-2171		
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continued)

U003318567

Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-4473
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD

OLEAN, NY 14760
Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer : Not reported
Facility Record Updated: False

Operator: WILSON FARMS
Emergency: RICHARD HALL
Emergency Tel: (716) 635-5493
Facility Type: CB
Facility Owner: WILSON FARMS #958
Facility Address: 815 W STATE ST
OLEAN, NY 14760

Old PBSNO: 119695

Inspector: BAJ
Insp Result: Not reported
Owner: TOPS, INC
Owner Tel: (716) 635-5100
Owner Subtype: Not reported
Mail Address: WILSON FARMS
6363 MAIN ST
WILLIAMSVILLE, NY 14221
RICHARD HALL
(716) 635-5493

Inspect Date: 09/11/1996
Federal ID: 16-0844737
Owner Type: Corporate/Commercial

Owner Mark: Second Owner
Certify Date: 12/19/2004
Total Capacity (Gal): 19500

Expiration: 12/19/2004

CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-7909
Num of Active Tanks : 4
Facility Owner: TOPS, INC
Facility Address: 6363 MAIN ST

WILLIAMSVILLE, NY 14221
Owner Phone: (716) 635-5100
Facility Status: 1
Certificate Needs Printed : False
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: True
Dt Ownership Transfer Occurr in Computer : 06/01/2000
Facility Record Updated: True

PBS Number: 9-498831

CBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318567

SPDES Number:	Not reported	SWIS ID:	0466
Operator:	WILSON FARMS (716) 372-7909		
Emergency Contact:	RICHARD HALL (716) 635-5493		
Total Tanks:	4		
Owner:	TOPS, INC. 6363 MAIN STREET WILLIAMSVILLE, NY 14221 (716) 635-5100		
Owner Type:	Corporate/Commercial		
Owner Mark:	Third Owner		
Owner Subtype:	Not reported		
Mailing Address:	WILSON FARMS ATTN: RICHARD HALL 6363 MAIN STREET WILLIAMSVILLE, NY 14221 (716) 635-5493		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	3	Install Date:	06/01/1972
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	10/01/1997	Next Test Date:	Not reported
Date Closed:	04/01/1993	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	19500	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	06/02/2000
Old PBS Number:	119695	Expiration Date:	06/01/2005
Inspected Date:	09/11/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	OTHER RETAIL SALES, RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS OWNHIST			
Operator:	CAMPBELL OIL CO INC		
Emergency:	BILLIE WIGHTMAN		
Emergency Tel:	(716) 372-4473	Old PBSNO:	119695
Facility Type:	Not reported		
Facility Owner:	WEST STATE MINI MARKET		
Facility Address:	815 W STATE ST OLEAN, NY 14760		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continued)

U003318567

Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC	Owner Type:	Not reported
Owner Tel:	(716) 372-2171		
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC EAST STATE RD OLEAN, NY 14760 Not reported (716) 372-2171		
Owner Mark:	First Owner	Expiration:	08/24/1992
Certify Date:	08/24/1992		
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
Dt Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	CAMPBELL OIL CO INC		
Emergency:	BILLIE WIGHTMAN		
Emergency Tel:	(716) 372-4473	Old PBSNO:	119695
Facility Type:	Not reported		
Facility Owner:	WEST STATE MINI MARKET		
Facility Address:	815 W STATE ST OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC	Owner Type:	Not reported
Owner Tel:	(716) 372-2171		
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC EAST STATE RD OLEAN, NY 14760 Not reported (716) 372-2171		
Owner Mark:	First Owner	Expiration:	08/24/1992
Certify Date:	08/24/1992		
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continued)

U003318567

Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD

Owner Phone: OLEAN, NY 14760
(716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occur in Computer : Not reported
Facility Record Updated: False

Operator: WILSON FARMS
Emergency: RICHARD HALL
Emergency Tel: (716) 635-5493
Facility Type: CB
Facility Owner:
Facility Address:

Old PBSNO: 119695

WILSON FARMS #958
815 W STATE ST
OLEAN, NY 14760

Inspector: BAJ
Insp Result: Not reported
Owner: TOPS, INC
Owner Tel: (716) 635-5100
Owner Subtype: Not reported
Mail Address: WILSON FARMS
6363 MAIN ST
WILLIAMSVILLE, NY 14221
RICHARD HALL
(716) 635-5493

Inspect Date: 09/11/1996
Federal ID: 16-0844737

Owner Type: Corporate/Commercial

Owner Mark:
Certify Date: 12/19/2004
Total Capacity (Gal): 19500

Expiration: 12/19/2004

CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-7909
Num of Active Tanks : 4
Facility Owner: TOPS, INC
Facility Address: 6363 MAIN ST

Owner Phone: WILLIAMSVILLE, NY 14221
(716) 635-5100
Facility Status: 1
Certificate Needs Printed : False
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: True
Dt Ownership Transfer Occur in Computer : 06/01/2000
Facility Record Updated: True

PBS Number: 9-498831
SPDES Number: Not reported
Operator: WILSON FARMS
(716) 372-7909

CBS Number: Not reported
SWIS ID: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

WILSON FARMS #958 (Continued)

U003318567

Emergency Contact:	RICHARD HALL (716) 635-5493		
Total Tanks:	4		
Owner:	TOPS, INC. 6363 MAIN STREET WILLIAMSVILLE, NY 14221 (716) 635-5100		
Owner Type:	Corporate/Commercial		
Owner Mark:	Third Owner		
Owner Subtype:	Not reported		
Mailing Address:	WILSON FARMS ATTN: RICHARD HALL 6363 MAIN STREET WILLIAMSVILLE, NY 14221 (716) 635-5493		
Tank Status:	Closed - Removed		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND		
Tank Id:	4	Install Date:	06/01/1972
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	10/01/1987	Next Test Date:	Not reported
Date Closed:	03/01/1993	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	19500	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	06/02/2000
Old PBS Number:	119695	Expiration Date:	06/01/2005
Inspected Date:	09/11/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	OTHER RETAIL SALES, RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS OWNHIST			
Operator:	CAMPBELL OIL CO INC		
Emergency:	BILLIE WIGHTMAN		
Emergency Tel:	(716) 372-4473	Old PBSNO:	119695
Facility Type:	Not reported		
Facility Owner:			
Facility Address:	WEST STATE MINI MARKET 815 W STATE ST OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318567

Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC EAST STATE RD OLEAN, NY 14760 Not reported (716) 372-2171		
Owner Mark:	First Owner	Expiration:	08/24/1992
Certify Date:	08/24/1992		
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
DI Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	CAMPBELL OIL CO INC		
Emergency:	BILLIE WIGHTMAN		
Emergency Tel:	(716) 372-4473	Old PBSNO:	119695
Facility Type:	Not reported		
Facility Owner:	WEST STATE MINI MARKET		
Facility Address:	815 W STATE ST OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC EAST STATE RD OLEAN, NY 14760 Not reported (716) 372-2171		
Owner Mark:	First Owner	Expiration:	08/24/1992
Certify Date:	08/24/1992		
Total Capacity (Gal):	14000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-4473		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318567

Owner Phone:	OLEAN, NY 14760 (716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
Dt Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	WILSON FARMS		
Emergency:	RICHARD HALL		
Emergency Tel:	(716) 635-5493	Old PBSNO:	119695
Facility Type:	CB		
Facility Owner:	WILSON FARMS #958		
Facility Address:	815 W STATE ST OLEAN, NY 14760		
Inspector:	BAJ	Inspect Date:	09/11/1996
Insp Result:	Not reported	Federal ID:	16-0844737
Owner:	TOPS, INC		
Owner Tel:	(716) 635-5100	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	WILSON FARMS 6363 MAIN ST WILLIAMSVILLE, NY 14221 RICHARD HALL (716) 635-5493		
Owner Mark:	Second Owner		
Certify Date:	12/19/2004	Expiration:	12/19/2004
Total Capacity (Gal):	19500		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-7909		
Num of Active Tanks :	4		
Facility Owner:	TOPS, INC		
Facility Address:	6363 MAIN ST WILLIAMSVILLE, NY 14221		
Owner Phone:	(716) 635-5100		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	06/01/2000		
Facility Record Updated:	True		
PBS Number:	9-498831	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	WILSON FARMS (716) 372-7909		
Emergency Contact:	RICHARD HALL (716) 635-5493		
Total Tanks:	4		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continued)

U003318567

Owner: TOPS, INC.
6363 MAIN STREET
WILLIAMSVILLE, NY 14221
(716) 635-5100
Owner Type: Corporate/Commercial
Owner Mark: Third Owner
Owner Subtype: Not reported
Mailing Address: WILSON FARMS
ATTN: RICHARD HALL
6363 MAIN STREET
WILLIAMSVILLE, NY 14221
(716) 635-5493
Tank Status: In Service
Capacity (gals): 8000
Tank Location: UNDERGROUND
Tank Id: 5
Tank Type: Fiberglass reinforced plastic (FRP)
Tank Internal: FIBERGLASS LINER (FRP)
Pipe Location: Underground
Tank External: FIBERGLASS/NONE
Missing Data for Tank: No Missing Data
Pipe External: OTHER/NONE
Second Containment: DOUBLED-WALLED TANK/NONE
Leak Detection: INTERSTITIAL MONITORING/GROUNDWATER WELL
Overfill Prot: Float Vent Valve, Catch Basin
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 19500
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: 119695
Inspected Date: 09/11/1996
Inspection Result: Not reported
Lat/Long: Not reported
Facility Type: OTHER RETAIL SALES, RETAIL GASOLINE SALES
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: 04/01/1993
Product Stored: UNLEADED GASOLINE
Pipe Internal: OTHER
Pipe Type: NOT DEFINED
Dispenser: Submersible
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 06/02/2000
Expiration Date: 06/01/2005
Inspector: BAJ

PBS OWNHIST

Operator: CAMPBELL OIL CO INC
Emergency: BILLIE WIGHTMAN
Emergency Tel: (716) 372-4473
Facility Type: Not reported
Facility Owner: WEST STATE MINI MARKET
Facility Address: 815 W STATE ST
OLEAN, NY 14760
Old PBSNO: 119695
Inspector: Not reported
Insp Result: Not reported
Owner: CAMPBELL OIL CO INC
Owner Tel: (716) 372-2171
Owner Subtype: Not reported
Mail Address: CAMPBELL OIL CO INC
Inspect Date: Not reported
Federal ID: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

WILSON FARMS #958 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318567

EAST STATE RD
OLEAN, NY 14760
Not reported
(716) 372-2171
Owner Mark: First Owner
Certify Date: 08/24/1992 Expiration: 08/24/1992
Total Capacity (Gal): 14000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-4473
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD

OLEAN, NY 14760
Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer : Not reported
Facility Record Updated: False

Operator: CAMPBELL OIL CO INC
Emergency: BILLIE WIGHTMAN
Emergency Tel: (716) 372-4473 Old PBSNO: 119695
Facility Type: Not reported
Facility Owner: WEST STATE MINI MARKET
Facility Address: 815 W STATE ST
OLEAN, NY 14760

Inspector: Not reported Inspect Date: Not reported
Insp Result: Not reported Federal ID: Not reported
Owner: CAMPBELL OIL CO INC
Owner Tel: (716) 372-2171 Owner Type: Not reported
Owner Subtype: Not reported
Mail Address: CAMPBELL OIL CO INC
EAST STATE RD
OLEAN, NY 14760
Not reported
(716) 372-2171
Owner Mark: First Owner
Certify Date: 08/24/1992 Expiration: 08/24/1992
Total Capacity (Gal): 14000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-4473
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD

OLEAN, NY 14760
Owner Phone: (716) 372-2171

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

WILSON FARMS #958 (Continued)

U003318567

Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer : Not reported
Facility Record Updated: False

Operator: WILSON FARMS
Emergency: RICHARD HALL
Emergency Tel: (716) 635-5493
Facility Type: CB
Facility Owner:
Facility Address:

Old PBSNO: 119695

WILSON FARMS #958
815 W STATE ST
OLEAN, NY 14760

Inspector: BAJ
Insp Result: Not reported
Owner: TOPS, INC
Owner Tel: (716) 635-5100
Owner Subtype: Not reported
Mail Address: WILSON FARMS
6363 MAIN ST
WILLIAMSVILLE, NY 14221
RICHARD HALL
(716) 635-5493

Inspect Date: 09/11/1996
Federal ID: 16-0844737

Owner Type: Corporate/Commercial

Owner Mark: Second Owner

Certify Date: 12/19/2004

Expiration: 12/19/2004

Total Capacity (Gal): 19500

CBS Registration Num : Not reported

SPDES Number: Not reported

Lat/Long : Not reported

County Facility: 0466

Facility Phone : (716) 372-7909

Num of Active Tanks : 4

Facility Owner: TOPS, INC

Facility Address: 6363 MAIN ST

WILLIAMSVILLE, NY 14221

Owner Phone: (716) 635-5100

Facility Status: 1

Certificate Needs Printed : False

Renewal Printed : False

Pre-printed Renewal Form Last Printed : Not reported

Fiscal Amt For Registration Fee Pbsrect: True

Dt Ownership Transfer Occurr in Computer : 06/01/2000

Facility Record Updated: True

This is the most recent NY PBS data for this site.

[Click this hyperlink](#) while viewing on your computer to access
3 additional NY PBS record(s) in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

R79
SSE
1/2-1
4410 ft.

CAMPBELL OIL
7TH ST. / WEST STATE ST.
OLEAN, NY

LTANKS
S100154648
N/A

Site 2 of 5 in cluster R

Relative:
Lower

Actual:
1419 ft.

LTANKS:

Spill Number:	8500991	Region of Spill:	9
Spill Date:	05/10/1986 12:00	Reported to Dept:	05/12/86 08:15
ID:	Not reported	Date Call Received:	Not reported
Material Spilled:	Not reported	Amount Spilled:	Not reported
Region Close Dt:	Not reported	Spill Source:	Gas Station
Water Affected:	Not reported	Facility Tele:	(716) 372-2171
Resource Affected:	Groundwater	SWIS:	04
Spill Cause:	Tank Test Failure	Caller Agency:	Not reported
Facility Contact:	Not reported	Caller Extension:	Not reported
Investigator:	RNL	Notifier Agency:	Not reported
Caller Name:	Not reported	Notifier Extension:	Not reported
Caller Phone:	Not reported	Spiller Phone:	Not reported
Notifier Name:	Not reported		
Notifier Phone:	Not reported		
PBS:	Not reported		
Spiller Contact:	Not reported		
Spiller:	CAMPBELL OIL		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	07/18/86		
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Cleanup Ceased:	07/18/86		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	True		
Spill Record Last Update:	07/23/86		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	05/30/86		
Date Region Sent Summary to Central Office:	/ /		
Tank Test:			
PBS Number:	7-128864		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Not reported		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	GASOLINE		
Class Type:	Petroleum		
Chem Abstract Service Number:	GASOLINE		
Last Date:	09/29/1994		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CAMPBELL OIL (Continued)

S100154648

Num Times Material Entry In File: 21329
DEC Remarks: / / : CACHD, C. HELGAS, CONTACTED 05/12/86; LEAKING TANKS 05/12/86, TANKS REMOVED BY 06/03/86; MONITOR CLEANUP BY SPILLER. / / : CACHD, W. R. EISNER, SATISFIED 07/18/86, CLEANED UP BY SPILLER, MONITORING WELL INSTALLED. / / : CACHD, C. HELGAS, CONTACTED 05/12/86; LEAKING TANKS 05/12/86, TANKS REMOVED BY 06/03/86.
Spill Cause: REPORTED AS RIVER OF OIL
Spill Number: 8600991
Spill Date: 05/10/86
ID: 99882
Material Spilled: GASOLINE
Region Close Dt: 07/18/86
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 05/12/86
Amount Spilled: 0 lbs.
Spill Source: GASOLINE STATION
Tank Size: Not reported
Leak Rate: Not reported

R80
SSE
1/2-1
4410 ft.

SUGAR CREEK
7TH / WEST STATE STREET
OLEAN, NY

LTANKS S100250773
N/A

Site 3 of 5 in cluster R

Relative:
Lower

Actual:
1419 ft.

LTANKS:

Spill Number: 9002047
Spill Date: 05/22/1990 14:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: SUGAR CREEK
Spiller Address: 710 BROOKS AVENUE
ROCHESTER, NY 14619
Spill Class: Not reported
Spill Closed Dt: 08/27/90
Spill Notifier: Responsible Party
Cleanup Ceased: 08/27/90
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 02/24/98
Is Updated: False
Region of Spill: 9
Reported to Dept: 05/22/90 15:37
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Gas Station
Facility Tele: (716) 436-2691
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: 9-499807

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SUGAR CREEK (Continued)

S100250773

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/23/90
Date Region Sent Summary to Central Office: / /
Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: KEROSENE
Class Type: Petroleum
Chem Abstract Service Number: KEROSENE
Last Date: 09/29/1994
Num Times Material Entry In File: 2052

DEC Remarks: 05/22/90: TED TELCON W/ SPILLER TO EXCAVATE 5/24-25/90. 06/25/90: MF TE
LECON TOM JIANNORE, HE CLAIMED TANK HAD AN AIR POCKET. TANK WAS VENTED R
ETESTED, IT PASSED. RETEST RESULTS WILL BE SENT. 08/27/90: MF RECIVED RE
TEST RESULTS, TANK PASSED, AIR POCKET RESPONSIBLE FOR FIRST FAILURE. NO
FUTHER ACTION NECESSARY.

Spill Cause: 2000 GAL TANK LEAK RATE -.642 GPH

Spill Number: 9002047 Region of Spill: 9
Spill Date: 05/22/90 Reported to Dept: / /
ID: 142638 Date Call Received: 05/22/90
Material Spilled: KEROSENE Amount Spilled: 0 lbs.
Region Close Dt: 08/27/90
Water Affected: Not reported Spill Source: GASOLINE STATION
Resource Affected: On Land
Spill Cause: Tank Test Failure
Tank Number: 002 Tank Size: 0
Test Method: UNKNOWN Leak Rate: 0.00
PBS: Not reported

[Click this hyperlink](#) while viewing on your computer to access
additional LTANKS detail in the EDR Site Report.

R81 SUGAR CREEK STORE #74
SSE WEST STATE AT 7TH STREET
1/2-1 OLEAN, NY
4415 ft.

LTANKS S103238997
N/A

Site 4 of 5 in cluster R

Relative:
Lower

Actual:
1419 ft.

LTANKS:

Spill Number: 9004468 Region of Spill: 9
Spill Date: 07/23/1990 08:00 Reported to Dept: 07/23/90 11:30
ID: Not reported Date Call Received: Not reported
Material Spilled: Not reported Amount Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported Spill Source: Passenger Vehicle
Resource Affected: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported

Facility Tele: Not reported
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SUGAR CREEK STORE #74 (Continued)

S103238997

Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: SUGAR CREEK
Spiller Address: 760 BROOKS AVENUE
ROCHESTER, NY 14169

Spill Class: Not reported
Spill Closed Dt: 07/30/90
Spill Notifier: Affected Persons PBS Number: Not reported
Cleanup Ceased: 07/30/90

Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 01/10/96
Is Updated: False

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/25/90
Date Region Sent Summary to Central Office: / /

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 10
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 07/23/90: RNL INFO. 07/23/90, OLEAN FD CLEANED UP SPILL, GRIFFITH OIL WI
LL PICK UP ADSORBANTS AND DISPOSE WITH THEIR NORMAL TRASH, NO FURTHER AC
TION REQUIRED.

Spill Cause: DRIVER OVERFILLED TANK

Spill Number: 9004468 Region of Spill: 9
Spill Date: 07/23/90 Reported to Dept: / /
ID: 145067 Date Call Received: 07/23/90
Material Spilled: GASOLINE Amount Spilled: 10 Gal.
Region Close Dt: 07/30/90
Water Affected: Not reported Spill Source: PASSENGER VEHICLE
Resource Affected: On Land
Spill Cause: Tank Overfill
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

R22 SUGAR CREEK (QUIK LUBE)
SSE 717 WEST STATE AT 7TH ST
1/2-1 OLEAN, NY
4427 ft.

LTANKS S103037543
N/A

Relative:
Lower

Site 5 of 5 in cluster R

Actual:
1419 ft.

LTANKS:

Spill Number: 9312137
Spill Date: 01/11/1994 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: TOM GIANNONE
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: LYNN HASKINS
Spiller: SUGAR CREEK/GRIFFITH OIL
Spiller Address: 760 BROOKS AVENUE
ROCHESTER, NY 14619
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/17/97
Spill Notifier: Other
Cleanup Ceased: 07/17/97
Last Inspection: 01/10/97
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 07/24/00
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 01/14/94
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum

Region of Spill: 9
Reported to Dept: 01/12/94 09:45
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Gas Station
Facility Tele: (716) 436-2691
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (716) 373-7949
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUGAR CREEK (QUIK LUBE) (Continued)

EDR ID Number
EPA ID Number

Database(s)

S103037543

Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Spill Cause: CONTAMINATION DISCOVERED DURING TANK REMOVAL.

Spill Number: 9312137
Spill Date: 01/11/94
ID: 193576
Material Spilled: GASOLINE
Region Close Dt: 07/17/97
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: Not reported

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 01/12/94
Amount Spilled: Unknown lbs.

Spill Source: GASOLINE STATION

Tank Size: Not reported
Leak Rate: Not reported

Click this hyperlink while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

83
NE
1/2-1
4598 ft.

DRESSER RAND - RIVER ST
1306 RIVER STREET
OLEAN, NY

LTANKS S101340833
N/A

Relative:
Lower

LTANKS:

Actual:
1424 ft.

Spill Number: 9413229
Spill Date: 12/27/1994 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: DRESSER RAND
Spiller Address: PO BOX 560
OLEAN, NY 14760

Region of Spill: 9
Reported to Dept: 01/03/95 10:13
Date Call Received: Not reported
Amount Spilled: Not reported

Spill Source: Other Commercial/Industrial

Facility Tele: (716) 375-3304
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 09/07/95
Spill Notifier: Responsible Party
Cleanup Ceased: 09/07/95
Last Inspection: 01/03/95
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 09/13/95
Is Updated: False

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DRESSER RAND - RIVER ST (Continued)

S101340833

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/05/95
Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 01/05/95: MF 1/3/95 SITE VISIT/CREIG BLASKE, CONTAMINATION BELOW 2-9K US
T CRUSHED IN PLACE. SITE OUT OF SERVICE, TO BE SOLD. 01/09/95: MF 1/9/95
LOW LEVELS OF CONTAMINATIO 8021) FROM AROUND FILLED IN PLACE TANKS 2/5/
80). LETTER TO RP, STATUS, I. NO FURTHER ACTION NECESSARY AT THIS TIME.
04/04/95: MF 3/31/95 SOIL TO BE REMOVED FROM TANK AREA. TANKS FILLED WIT
H SOIL WITHOUT BEING CLEANED. TO BE REMOVED. SOIL TO BE BIOTREATED AT 5T
H STREET. WORK TO START 4/5/95. 09/07/95: MF 9/7/95 RECEIVED BIOTREATED
SOIL SAMPLE RESULTS, CLEAN. ALSO TANK EXCAVATION SAMPLE RESULTS, BELOW
STARS. NO FURTHER ACTION NECESSARY, LETTER TO RP. 09/13/95: MF SPILL ORI
GINALLY MADE INACTIVE, RP WANTED TO SELL PROPERTY HENCE EXCAVATED TANKS
SOIL. SOIL BIOTREATED. EXCAVATION RESAMPLED, BELOW STARS. SPILL CLOSED.
Spill Cause: ANALYSES FROM CLOSED IN PLACE UST SHOWS CONTAMINATION - TANKS CLOSED 2/5
/80.

Spill Number: 9413229 Region of Spill: 9
Spill Date: 12/27/94 Reported to Dept: / /
ID: 210272 Date Call Received: 01/03/95
Material Spilled: GASOLINE Amount Spilled: 0 lbs.
Region Close Dt: 09/07/95
Water Affected: Not reported Spill Source: OTHER COMM/INDUSTRIAL
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported Tank Size: Not reported
Test Method: Not reported Leak Rate: Not reported
PBS: Not reported

84 SUGAR CREEK STORE #86
SSW 2120 W STATE ST
1/2-1 OLEAN, NY 14760
4676 ft.

UST U003318545
LTANKS N/A

Relative: LTANKS:
Lower Spill Number: 9302316 Region of Spill: 9
Spill Date: 05/19/1993 12:50 Reported to Dept: 05/19/93 13:00
Actual: ID: Not reported Date Call Received: Not reported
1415 ft. Material Spilled: Not reported Amount Spilled: Not reported
Region Close Dt: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUGAR CREEK STORE #86 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318545

Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: SUGAR CREEK
Spiller Address: 760 BROOKS AVENUE
ROCHESTER, NY 14619
Spill Source: Gas Station
Facility Tele: Not reported
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/23/93
Spill Notifier: Tank Tester
Cleanup Ceased: 12/23/93
Last Inspection: 12/10/93
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 02/24/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 05/21/93
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry in File: 21329

DEC Remarks: 05/24/93: MF 5/24/93 UNABLE TO CONTACT RP, ON VACATION. LETTER SENT. 08/09/93: MF 6/23/93 SITE VISIT/CONTRACTOR 4 UST S REMOVED. CONTAMINATED SOIL ENCOUNTERED STAGEE ON SITE. EXCAVATION SAMPLES TAKEN. 08/09/93: MF 1ST SOIL DISPOSAL SAMPLING LETTER SENT GIVING UNTIL 8/31/93. 09/07/93: MF B/18/93 RECEIVED TEST RESULTS FROM BOTH TANK EXCAVATIONS. CLEAN. WAITING FOR SOIL DISPOSAL RECEIPT. 09/29/93: MF 9/28/93 SITE VISIT, NO ONE ON SITE. CONTAMINATED SOIL ON SITE UNCOVERED. LETTER TO RP REQUESTIONDISPOSAL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SUGAR CREEK STORE #86 (Continued)

U003310545

BY 10/29/93. 10/21/93: MF 10/4/93 FAX FROM CONTRACTOR. SOIL DISPOSAL SCHEDULED FOR WEEK OF 10/18/93. 12/13/93: MF 12/10/93 SITE VISIT, NO ONE ON SITE. SOIL PILE GONE. 12/23/93: MF 12/23/93 RECEIVED SOIL DISPOSAL RECEIPT, NO FURTHER ACTION NECESSARY. 12/23/93: MF 12/23/93 RECEIVED SOIL DISPOSAL RECEIPT, NO FURTHER ACTION NECESSARY. SPILL 1 AS EXCAVATION TEST RESULT APPX 300 PPB BTEX. CITY WATER IN THIS AREA. LETTER TO RP.
Spill Cause: TANK TEST FAILURE AT SUGAR CREEK GAS STATION, 86

Spill Number:	9302316	Region of Spill:	9
Spill Date:	05/19/93	Reported to Dept:	11
ID:	183893	Date Call Received:	05/19/93
Material Spilled:	GASOLINE	Amount Spilled:	Unknown lbs.
Region Close Dt:	12/23/93	Spill Source:	GASOLINE STATION
Water Affected:	Not reported		
Resource Affected:	On Land		
Spill Cause:	Tank Test Failure		
Tank Number:	Not reported	Tank Size:	Not reported
Test Method:	Not reported	Leak Rate:	Not reported
PBS:	9-600064		

PBS UST:

PBS Number:	9-496103	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0465
Operator:	SUGAR CREEK STORES		

(716) 436-2691
Emergency Contact: JEFF GARDNER
(716) 372-9786

Total Tanks: 0
Owner: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691

Owner Type: Not reported
Owner Mark: Second Owner
Owner Subtype: Not reported
Mailing Address: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691

Tank Status: Closed - Removed
Capacity (gals): 4000
Tank Location: UNDERGROUND
Tank Id: 1

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: 2
Tank External: Not reported

Missing Data for Tank: Minor Data Missing
Pipe External: Not reported

Second Containment: NONE
Leak Detection: NONE

Overfill Prot: Product Level Gauge
Date Tested: 05/01/1993

Date Closed: 06/01/1993

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 0

Install Date: 06/01/1965
Product Stored: UNLEADED GASOLINE
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

Dispenser: Suction
Next Test Date: Not reported
Test Method: HORNER
Updated: True
Owner Screen: Minor data missing

Renewal Date: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUGAR CREEK STORE #86 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318545

Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	03/05/1993
Old PBS Number:	119709	Expiration Date:	11/27/1994
Inspected Date:	10/04/1989	Inspector:	JES
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

PBS OWNHIST

Operator:	CAMPBELL OIL CO INC		
Emergency:	CHARLES A GIARDINE		
Emergency Tel:	(716) 372-9786	Old PBSNO:	119709
Facility Type:	Not reported		
Facility Owner:	21ST STREET CAR WASH		
Facility Address:	2120 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	13000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-9786		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		
	OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
Dt Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		

Operator:	CAMPBELL OIL CO INC		
Emergency:	CHARLES A GIARDINE		
Emergency Tel:	(716) 372-9786	Old PBSNO:	119709
Facility Type:	Not reported		
Facility Owner:	21ST STREET CAR WASH		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SUGAR CREEK STORE #86 (Continued)

U003318545

Facility Address: 2120 W STATE ST
OLEAN, NY 14760

Inspector: Not reported Inspect Date: Not reported
Insp Result: Not reported Federal ID: Not reported
Owner: CAMPBELL OIL CO INC
Owner Tel: (716) 372-2171 Owner Type: Not reported
Owner Subtype: Not reported
Mail Address: CAMPBELL OIL CO INC
EAST STATE RD
OLEAN, NY 14760
Not reported
(716) 372-2171

Owner Mark: First Owner
Certify Date: 08/24/1992 Expiration: 08/24/1992
Total Capacity (Gal): 13000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-9786
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD
OLEAN, NY 14760

Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occur in Computer : Not reported
Facility Record Updated: False

PBS Number: 9-496103 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 0466
Operator: SUGAR CREEK STORES
(716) 436-2691

Emergency Contact: JEFF GARDNER
(716) 372-9786

Total Tanks: 0
Owner: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691

Owner Type: Not reported
Owner Mark: Second Owner
Owner Subtype: Not reported
Mailing Address: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691

Tank Status: Closed - Removed
Capacity (gals): 4000
Tank Location: UNDERGROUND
Tank Id: 2
Tank Type: Steel/carbon steel

Install Date: 06/01/1965
Product Stored: UNLEADED GASOLINE

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

SUGAR CREEK STORE #86 (Continued)

U003318545

Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	11/01/1987	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	PETRO-TITE
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	03/05/1993
Old PBS Number:	119709	Expiration Date:	11/27/1994
Inspected Date:	10/04/1989	Inspector:	JES
Inspection Result:	Not reported		
Lat/Long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

PBS OWNHIST

Operator:	CAMPBELL OIL CO INC		
Emergency:	CHARLES A GIARDINE		
Emergency Tel:	(716) 372-9786	Old PBSNO:	119709
Facility Type:	Not reported		
Facility Owner:	21ST STREET CAR WASH		
Facility Address:	2120 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	13000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0465		
Facility Phone :	(716) 372-9786		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		

OLEAN, NY 14760

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SUGAR CREEK STORE #86 (Continued)

U003318545

Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed: Not reported
Renewal Printed: False
Pre-printed Renewal Form Last Printed: Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer: Not reported
Facility Record Updated: False

Operator: CAMPBELL OIL CO INC
Emergency: CHARLES A GIARDINE
Emergency Tel: (716) 372-9786 Old PBSNO: 119709
Facility Type: Not reported
Facility Owner: 21ST STREET CAR WASH
Facility Address: 2120 W STATE ST
OLEAN, NY 14760

Inspector: Not reported Inspect Date: Not reported
Insp Result: Not reported Federal ID: Not reported
Owner: CAMPBELL OIL CO INC
Owner Tel: (716) 372-2171 Owner Type: Not reported
Owner Subtype: Not reported
Mail Address: CAMPBELL OIL CO INC

EAST STATE RD
OLEAN, NY 14760
Not reported
(716) 372-2171

Owner Mark: First Owner
Certify Date: 08/24/1992 Expiration: 08/24/1992
Total Capacity (Gall): 13000

CBS Registration Num: Not reported
SPDES Number: Not reported
Lat/Long: Not reported
County Facility: 0466
Facility Phone: (716) 372-9786
Num of Active Tanks: 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD

OLEAN, NY 14760
Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed: Not reported
Renewal Printed: False
Pre-printed Renewal Form Last Printed: Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer: Not reported
Facility Record Updated: False

PBS Number: 9-496103 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 0466
Operator: SUGAR CREEK STORES
(716) 436-2691
Emergency Contact: JEFF GARDNER
(716) 372-9786
Total Tanks: 0
Owner: SUGAR CREEK STORES INC
760 BROOKS AVE

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUGAR CREEK STORE #86 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318545

ROCHESTER, NY 14619
(716) 436-2691
Owner Type: Not reported
Owner Mark: Second Owner
Owner Subtype: Not reported
Mailing Address: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691
Tank Status: Closed - Removed
Capacity (gals): 4000
Tank Location: UNDERGROUND
Tank Id: 3
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: 2
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Product Level Gauge
Date Tested: 05/01/1993
Date Closed: 06/01/1993
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 0
Tank Screen: 0
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: 119709
Inspected Date: 10/04/1999
Inspection Result: Not reported
Lat/Long: Not reported
Facility Type: RETAIL GASOLINE SALES
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: 06/01/1965
Product Stored: UNLEADED GASOLINE
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL
Dispenser: Suction
Next Test Date: Not reported
Test Method: HORNER
Updated: True
Owner Screen: Minor data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 03/05/1993
Expiration Date: 11/27/1994
Inspector: JES
Old PBSNO: 119709
Facility Owner: 21ST STREET CAR WASH
Facility Address: 2120 W STATE ST
OLEAN, NY 14760
Inspector: Not reported
Insp Result: Not reported
Owner: CAMPBELL OIL CO INC
Owner Tel: (716) 372-2171
Owner Subtype: Not reported
Mail Address: CAMPBELL OIL CO INC
EAST STATE RD
OLEAN, NY 14760
Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

SUGAR CREEK STORE #86 (Continued)

U003318545

(716) 372-2171
Owner Mark: First Owner
Certify Date: 08/24/1992 Expiration: 08/24/1992
Total Capacity (Gal): 13000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-9786
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD
OLEAN, NY 14760
Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer : Not reported
Facility Record Updated: False
Operator: CAMPBELL OIL CO INC
Emergency: CHARLES A GIARDINE
Emergency Tel: (716) 372-9786 Old PBSNO: 119709
Facility Type: Not reported
Facility Owner: 21ST STREET CAR WASH
Facility Address: 2120 W STATE ST
OLEAN, NY 14760
Inspector: Not reported Inspect Date: Not reported
Insp Result: Not reported Federal ID: Not reported
Owner: CAMPBELL OIL CO INC
Owner Tel: (716) 372-2171 Owner Type: Not reported
Owner Subtype: Not reported
Mail Address: CAMPBELL OIL CO INC
EAST STATE RD
OLEAN, NY 14760
Not reported
(716) 372-2171
Owner Mark: First Owner
Certify Date: 08/24/1992 Expiration: 08/24/1992
Total Capacity (Gal): 13000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-9786
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD
OLEAN, NY 14760
Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SUGAR CREEK STORE #86 (Continued)

U003318545

Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer : Not reported
Facility Record Updated: False

PBS Number: 9-496103 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 0466
Operator: SUGAR CREEK STORES

(716) 436-2691
Emergency Contact: JEFF GARDNER
(716) 372-9786

Total Tanks: 0
Owner: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691

Owner Type: Not reported
Owner Mark: Second Owner
Owner Subtype: Not reported
Mailing Address: SUGAR CREEK STORES INC
760 BROOKS AVE
ROCHESTER, NY 14619
(716) 436-2691

Tank Status: Closed - Removed

Capacity (gals): 1000

Tank Location: UNDERGROUND

Tank Id: 4

Tank Type: Steel/carbon steel

Tank Internal: Not reported

Pipe Location: 2

Tank External: Not reported

Missing Data for Tank: Minor Data Missing

Pipe External: Not reported

Second Containment: NONE

Leak Detection: NONE

Overfill Prot: Product Level Gauge

Date Tested: Not reported

Date Closed: 06/01/1993

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 0

Tank Screen: 0

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: 119709

Inspected Date: 10/04/1989

Inspection Result: Not reported

Lat/Long: Not reported

Facility Type: RETAIL GASOLINE SALES

Town or City: OLEAN

Town or City Code: 66

County Code: 04

Region: 9

Install Date: 06/01/1965
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: Minor data missing

Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 03/05/1993
Expiration Date: 11/27/1994
Inspector: JES

PBS OWNHIST

Operator: CAMPBELL OIL CO INC
Emergency: CHARLES A GIARDINE

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SUGAR CREEK STORE #86 (Continued)

U003318545

Emergency Tel:	(716) 372-9786	Old PBSNO:	119709
Facility Type:	Not reported		
Facility Owner:	21ST STREET CAR WASH		
Facility Address:	2120 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	13000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	0466		
Facility Phone :	(716) 372-9786		
Num of Active Tanks :	4		
Facility Owner:	CAMPBELL OIL CO INC		
Facility Address:	EAST STATE RD		
	OLEAN, NY 14760		
Owner Phone:	(716) 372-2171		
Facility Status:	1		
Certificate Needs Printed :	Not reported		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	False		
Dt Ownership Transfer Occurr in Computer :	Not reported		
Facility Record Updated:	False		
Operator:	CAMPBELL OIL CO INC		
Emergency:	CHARLES A GIARDINE		
Emergency Tel:	(716) 372-9786	Old PBSNO:	119709
Facility Type:	Not reported		
Facility Owner:	21ST STREET CAR WASH		
Facility Address:	2120 W STATE ST		
	OLEAN, NY 14760		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	CAMPBELL OIL CO INC		
Owner Tel:	(716) 372-2171	Owner Type:	Not reported
Owner Subtype:	Not reported		
Mail Address:	CAMPBELL OIL CO INC		
	EAST STATE RD		
	OLEAN, NY 14760		
	Not reported		
	(716) 372-2171		
Owner Mark:	First Owner		
Certify Date:	08/24/1992	Expiration:	08/24/1992
Total Capacity (Gal):	13000		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SUGAR CREEK STORE #86 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003318545

CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 0466
Facility Phone : (716) 372-9786
Num of Active Tanks : 4
Facility Owner: CAMPBELL OIL CO INC
Facility Address: EAST STATE RD

OLEAN, NY 14760
Owner Phone: (716) 372-2171
Facility Status: 1
Certificate Needs Printed : Not reported
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: False
Dt Ownership Transfer Occurr in Computer : Not reported
Facility Record Updated: False

85
NNE
1/2-1
4847 ft.

SOUTHERN TIER RECYCLING
225 HOMER STREET
OLEAN, NY 14760

SWF/LF S102245243
AST N/A
SWRCY
NY Spills

Relative:
Higher

LF:

Actual:
1429 ft.

Secondary Addr : Not reported
Phone Number : Not reported
Owner Type : Private
Owner Address : 25 Greens Hill Lane PO Box 866
Not reported
Rutland, VT 5702
Owner Email : Not reported
Contact Name : Paul Whittaker
Contact Address : 225 Homer Street
Not reported
Olean, NY 14760
Contact Email : Not reported
Activity Desc : Transfer station - registered
Activity Number : 05R11
Active : No
North Coordinate : Not reported
Regulatory Status : None
Waste Type : Not reported
Waste : Not reported
Authorization # : 05R11
Expiration Date : 10/17/1997
Flag : INACTIVE

Region Code : Not reported
Owner Name : Casella Waste Management of NY; Inc.

Owner Phone : 7167750325

Contact Phone : 7163726905

Accuracy Code : Not reported
East Coordinate : Not reported

Authorization Date : 04/13/94

Secondary Addr : Not reported
Phone Number : Not reported
Owner Type : Private
Owner Address : 25 Greens Hill Lane PO Box 866
Not reported
Rutland, VT
Owner Email : Not reported
Contact Name : Paul Whittaker
Contact Address : 225 Homer Street
Not reported
Olean, NY

Region Code : Not reported
Owner Name : Casella Waste Management of NY; Inc.

Owner Phone : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SOUTHERN TIER RECYCLING (Continued)

S102245243

Contact Email :	Not reported	Contact Phone :	Not reported
Activity Desc :	Source separated solid waste recyclables		
Activity Number :	05M04		
Active :	Yes	Accuracy Code :	Not reported
North Coordinate :	Not reported	East Coordinate :	Not reported
Regulatory Status	Registration		
Waste Type :	Source Separated Recyclables (Metal/Glass/Paper/Plastic)		
Waste:	Not reported		
Authorization # :	05M04	Authorization Date :	12/06/93
Expiration Date :	Not reported		
Flag :	ACTIVE		
Secondary Addr :	Not reported	Region Code :	Not reported
Phone Number :	Not reported	Owner Name :	Casella Waste Management of NY, Inc.
Owner Type :	Private		
Owner Address :	25 Greens Hill Lane PO Box 866		
	Not reported		
	Rutland, VT		
Owner Email :	Not reported	Owner Phone :	Not reported
Contact Name :	Paul Whittaker		
Contact Address :	225 Homer Street		
	Not reported		
	Olean, NY 14760		
Contact Email :	Not reported	Contact Phone :	Not reported
Activity Desc :	Transfer station - regulated		
Activity Number :	05T11		
Active :	Yes	Accuracy Code :	4.2 - Utilization of GIS and existing spatial data
North Coordinate :	4666803	East Coordinate :	215649
Regulatory Status	Permit		
Waste Type :	Residential		
Waste:	Not reported		
Authorization # :	9-0466-00018/00001	Authorization Date :	02/28/01
Expiration Date :	03/01/06		
Flag :	ACTIVE		
Secondary Addr :	Not reported	Region Code :	Not reported
Phone Number :	7163726905	Owner Name :	Casella Waste Management of NY, Inc.
Owner Type :	Private		
Owner Address :	25 Greens Hill Lane PO Box 866		
	Not reported		
	Rutland, VT		
Owner Email :	Not reported	Owner Phone :	Not reported
Contact Name :	Paul Whittaker		
Contact Address :	225 Homer Street		
	Not reported		
	Olean, NY 14760		
Contact Email :	Not reported	Contact Phone :	7163726905
Activity Desc :	C&D processing - registered		
Activity Number :	05W02		
Active :	No	Accuracy Code :	Not reported
North Coordinate :	Not reported	East Coordinate :	Not reported
Regulatory Status	None		
Waste Type :	Not reported		
Waste:	Not reported		
Authorization # :	05W02	Authorization Date :	5/18/1994
Expiration Date :	10/27/1997		
Flag :	INACTIVE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SOUTHERN TIER RECYCLING (Continued)

S102245243

SPILLS:

Spill Number:	9516439	Region of Spill:	9
Spill Date:	03/01/96	Reported to Dept:	1 /
ID:	230505		
Date Call Received:	03/21/96		
Region Close Date :	04/05/96		
Material Spilled:	UNKNOWN MATERIAL	Amount Spilled:	Unknown Gal.
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Spill Cause:	Deliberate	Resource Affected:	Surface Water
Tank Number:	Not reported	Tank Size :	Not reported
Test Method:	Not reported	Leak Rate:	Not reported

Spill Number:	9516439	Region of Spill:	9
Spill Date:	03/01/1996 12:00	Reported to Dept:	03/21/96 10:50
ID:	Not reported		
Date Call Received:	Not reported		
Region Close Date :	Not reported		
Material Spilled:	Not reported	Amount Spilled:	Not reported
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Cause:	Deliberate	Resource Affected:	Surface Water
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Facility Contact:	Not reported	Facility Tele:	() -
Investigator:	MF	SWIS:	04
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
PBS:	Not reported		
Spiller Contact:	ED RENAUD	Spiller Phone:	(716) 372-6905
Spiller:	NONE		
Spiller Address:	-		

DEC Remarks : 03/21/96: MF SITE VISIT/ED RENAUD, OWNER. COMPLAINT OF HOSE FROM BUILDING TO DITCH. HOSE IS TO DRAIN AREA BY OFF LOADING RAMP. RAMP SLOPES, NO DI S. HOSE DRAINS ONLY RAIN WATER. NO FURTHER ACTION NECESSARY. 04/05/96: MF T/C GERRY WILLETT, ECO 933 -7459. TOLD HIM OF MY FINDINGS.

Remark: corrugated hose from southern tier recycling on homer st in oleon must be checked per anonymous source. discharging to adjacent stream.

Spill Class: No spill occurred. No DEC Response. No corrective action required.

Tank Test:

PBS Number:	Not reported
Tank Number:	Not reported
Test Method:	Not reported
Capacity of Failed Tank:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	4
Quantity Spilled:	0
Units:	Gallons
Unknown Qty Spilled:	No
Quantity Recovered:	0
Unknown Qty Recovered:	False
Material:	UNKNOWN MATERIAL
Class Type:	Unknown
Chem Abstract Service Number:	UNKNOWN MATERIAL
Last Date:	11/09/1994

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SOUTHERN TIER RECYCLING (Continued)

S102245243

Num Times Material Entry in File: 9140
Spill Closed Dt: 04/05/96
Spill Notifier: Federal Government PBS Number: Not reported
Cleanup Ceased: 04/05/96
Last Inspection: 03/21/96 Cleanup Meets Std: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / / Enforcement Date: / /
Invstgn Complete: / / UST Involvement: False
Spill Record Last Update: 05/13/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/21/96
Date Region Sent Summary to Central Office: / /

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

NY SWRCY

Permit #: 05M04
Region: 9 Phone Number: 7163726905
Owner Type: Private
Owner Name: Casella Waste Management of NY, Inc.
Owner Address: 25 Greens Hill Lane PO Box 866
Rutland, VT 5702
Owner Email: Not reported Owner Phone: (716) 775-0325
Contact Name: Paul Wittaker
Contact Address: 225 Homer Street
225 Homer Street
Olean, NY 14760
Contact Email: Not reported Contact Phone: (716) 372-6905
North Coordinate: Not reported East Coordinate: Not reported
Active: Yes
Accuracy Code: Not reported
Regulatory Status: Registration Activity Number: 05M04
Auth. Date: 12/6/1993 Expiration Date: Not reported
Activity Desc: Source separated solid waste recyclables
Waste Types: Source Separated Recyclables (Metal/Glass/Paper/Plastic)

PBS AST:

PBS Number: 9-600530 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 0412
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: TRUCKING/TRANSPORTATION
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: CASELLA WASTE MANAGEMENT OF N.Y., INC.
25 GREENS HILL LANE, P.O. BOX 866
RUTLAND, VT 05702
Owner Phone: (800) 227-3552
Facility Phone: (716) 372-6905
Operator: PAUL WITTAKER
Emergency Name: PAUL WITTAKER
Emergency Phone: (716) 372-6905
Total Tanks: 4
Total Capacity: 22500

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SOUTHERN TIER RECYCLING (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102245243

Tank ID: 001
Capacity (Gal): 10000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Install Date: 06/01/2001
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/PREFABRICATED STEEL DIKE
Pipe Type: NONE
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: OTHER
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: CASELLA WASTE MANAGEMENT, INC.
Mailing Address: 3 PITKIN COURT
MONTPELIER, VT 05602
Mailing Contact: EUGENE J. MARTIN
Mailing Telephone: (802) 223-7221
Owner Mark: First Owner Expiration Date: 07/06/2006
Certification Flag: False Certification Date: 07/13/2001
Renew Flag: False Renew Date: / /
Lat/Long: 42|05|33 / 78|27|04
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN (C)
Town or City Code: 12
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-600530 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 0412
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: TRUCKING/TRANSPORTATION
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: CASELLA WASTE MANAGEMENT OF N.Y., INC.
25 GREENS HILL LANE, P.O. BOX 866
RUTLAND, VT 05702
Owner Phone: (800) 227-3552
Facility Phone: (716) 372-6905
Operator: PAUL WITTAKER
Emergency Name: PAUL WITTAKER
Emergency Phone: (716) 372-6905

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EOR ID Number
EPA ID Number

SOUTHERN TIER RECYCLING (Continued)

S102245243

Total Tanks: 4
Total Capacity: 22600
Tank ID: 002
Capacity (Gal): 12000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Install Date: 06/01/2001
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/NONE
Pipe Type: GALVANIZED STEEL
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: OTHER
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: CASELLA WASTE MANAGEMENT, INC.
Mailing Address: 3 PITKIN COURT
MONTPELIER, VT 05602
Mailing Contact: EUGENE J. MARTIN
Mailing Telephone: (802) 223-7221
Owner Mark: First Owner Expiration Date: 07/06/2006
Certification Flag: False Certification Date: 07/13/2001
Renew Flag: False Renew Date: / /
Lat/Long: 42|05|33 / 78|27|04
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN (C)
Town or City Code: 12
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 9-600530 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 0412
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: TRUCKING/TRANSPORTATION
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: CASELLA WASTE MANAGEMENT OF N.Y., INC.
25 GREENS HILL LANE, P.O. BOX 866
RUTLAND, VT 05702
Owner Phone: (800) 227-3552
Facility Phone: (716) 372-6905
Operator: PAUL WITTAKER

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SOUTHERN TIER RECYCLING (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102245243

Emergency Name: PAUL WITTAKER
Emergency Phone: (716) 372-6905
Total Tanks: 4
Total Capacity: 22600
Tank ID: 003
Capacity (Gal): 300
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 06/01/2001
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/DOUBLED-WALLED TANK
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: OTHER
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: True
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: CASELLA WASTE MANAGEMENT, INC.
Mailing Address: 3 PITKIN COURT
MONTPELIER, VT 05602
Mailing Contact: EUGENE J. MARTIN
Mailing Telephone: (802) 223-7221
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: 42|05|33 / 78|27|04
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN (C)
Town or City Code: 12
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True
Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: Not reported
Expiration Date: 07/06/2006
Certification Date: 07/13/2001
Renew Date: / /
PBS Number: 9-600530
SPDES Number: Not reported
Federal ID: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: TRUCKING/TRANSPORTATION
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: CASELLA WASTE MANAGEMENT OF N.Y., INC.
25 GREENS HILL LANE, P.O. BOX 866
RUTLAND, VT 05702
Owner Phone: (800) 227-3552
CBS Number: Not reported
SWIS Code: 0412
Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SOUTHERN TIER RECYCLING (Continued)

S102245243

Facility Phone: (716) 372-6905
Operator: PAUL WITTAKER
Emergency Name: PAUL WITTAKER
Emergency Phone: (716) 372-6905
Total Tanks: 4
Total Capacity: 22600
Tank ID: 004
Capacity (Gal): 300
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: 06/01/2001
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/DOUBLED-WALLED TANK
Pipe Type: STEEL/IRON
Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: OTHER
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: CASELLA WASTE MANAGEMENT, INC.
Mailing Address: 3 PITKIN COURT
MONTPELIER, VT 05602
Mailing Contact: EUGENE J. MARTIN
Mailing Telephone: (802) 223-7221
Owner Mark: First Owner Expiration Date: 07/06/2006
Certification Flag: False Certification Date: 07/13/2001
Renew Flag: False Renew Date: / /
Lat/Long: 42|05|33 / 78|27|04
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: OLEAN (C)
Town or City Code: 12
County Code: 04
Region: 9
Fiscal Amount for Registration Fee is Correct: True

86 CITY OF OLEAN GARAGE
East 701 NORTH BARRY ST
1/2-1 OLEAN, NY 14760
4868 ft.

UST U003317625
LTANKS N/A
NY Spills

Relative:
Lower

SPILLS:

Actual:
1423 ft.

Spill Number: 9713767
Spill Date: 03/12/98
ID: 257413
Date Call Received: 03/12/98
Region Close Date: 08/10/98
Material Spilled: GASOLINE

Region of Spill: 9
Reported to Dept: / /

Amount Spilled: 15 Gal.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY OF OLEAN GARAGE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317625

Water Affected: Not reported
Spill Cause: Human Error
Tank Number: Not reported
Test Method: Not reported

Spill Source: OTHER NON COMM/INSTITUTIONAL
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 9713767
Spill Date: 03/12/1998 11:30
ID: Not reported
Date Call Received: Not reported
Region Close Date: Not reported

Region of Spill: 9
Reported to Dept: 03/12/98 11:55

Material Spilled: Not reported
Water Affected: Not reported
Spill Cause: Human Error
Water Affected: Not reported
Facility Contact: PETER MARCUS
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CITY OF OLEAN DPW
Spiller Address: MUNICIPAL BUILDING
OLEAN, NY 14760

Amount Spilled: Not reported
Spill Source: Other Non Commercial/Industrial
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
Facility Tele: (716) 376-5650
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

DEC Remarks: 03/12/98: MF S/V/PETER MARCUS, BOB HARRINGTON, CITY OF OLEAN DPW. DRIVER
PULLED AWAY FROM GASOLINE DISPENSOR WITH HOSE IN HIS FUEL TANK. LOST
APPX 15 GALLONS OF GASOLINE. SAND APPLIED, REMOVED STAGED IN 5 DRUMS
ON SITE. GAVE PETER LANDFILL LIST. D
ISPOSAL TO BE ARRANGED. SPILL CLEANED. 03/18/98: MF LETTER TO RP.
06/01/98: MF 1ST SOIL DISPOSAL LETTER, DUE 6/30/98. 08/10/98: MF
RECEIVED SOIL DISPOSAL RECEIPT, NO FURTHER ACTION NECESSARY.
Remark: DRIVER PULLED AWAY FROM PUMP WITH NOZZLE IN TANK. SPILLAGE TO GROUND.
SAND APPLIED TO SPILLAGE.

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 15
Units: Gallons
Unknown Qty Spilled: 15
Quantity Recovered: 13
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry in File: 21329

Spill Closed Dt: 08/10/98

Spill Notifier: Responsible Party

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CITY OF OLEAN GARAGE (Continued)

U003317625

Cleanup Ceased: 03/10/98
Last Inspection: 03/12/98
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Invstgn Complete: / /
Spill Record Last Update: 03/09/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 03/12/98
Date Region Sent Summary to Central Office: / /

Cleanup Meets Std: True
Enforcement Date: / /
UST Involvement: False

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

LTANKS:

Spill Number: 8503983
Spill Date: 02/13/1986 09:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CITY OF OLEAN
Spiller Address: 701 NORTH BARRY STREET
OLEAN, NY

Region of Spill: 9
Reported to Dept: 02/13/86 10:00
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Non Commercial/Industrial

Facility Tele: (716) 372-2200
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 09/14/87
Spill Notifier: Responsible Party
Cleanup Ceased: 09/14/87
Last Inspection: 09/14/87
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 01/21/00
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 06/16/86
Date Region Sent Summary to Central Office: / /

PBS Number: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY OF OLEAN GARAGE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317625

Material:

Material Class Type: 1
Quantity Spilled: 300
Units: Gallons
Unknown Qty Spilled: 300
Quantity Recovered: 250
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry in File: 21329

Spill Cause: PETER MARCUS CONTACT FOR CITY OF OLEAN DPW

Spill Number: 9600741
Spill Date: 04/16/1996 10:30
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: PETER MARCUS
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: CITY OF OLEAN
Spiller Address: MUNICIPAL BUILDING
OLEAN, NY 14760
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/12/96
Spill Notifier: Other
Cleanup Ceased: 09/12/96
Last Inspection: 05/17/96
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 01/10/00
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 04/16/96
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Region of Spill: 9
Reported to Dept: 04/16/96 11:00
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Non Commercial/Industrial
Facility Tele: (716) 375-5650
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY OF OLEAN GARAGE (Continued)

U003317625

Material:

Material Class Type: 4
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN MATERIAL
Class Type: Unknown
Chem Abstract Service Number: UNKNOWN MATERIAL
Last Date: 11/09/1994
Num Times Material Entry in File: 9140

DEC Remarks: 04/16/96: MF SITE VISIT/ELMWOOD TANK/PETER MARCUS. 4 UST'S REMOVED IN 3 LOCATIONS. 2-250 WASTE OIL, CONTAMINATED SOIL GROUNDWATER. 1-.5K DIESEL, NO CONTAMINATED NOTICED. 1-.5K KEROSENE, CONTAMINATION. EXPLAINED SOIL DISPOSAL EXCAVATION SAMPLING TO BOTH PARTIES. LETTER SENT. 05/09/96: MF RECEIVED EXCAVATION ANALYTICAL RESULTS. WASTE OIL TANK EXCAVATION ABOVE STARS. LETTER TO RP. REMEDIATION PLAN BY 5/31/96. 05/17/96: MF SITE VISIT /JOE KLOC, ELMWOOD TANK. EXCAVATING DEEPER WASTE OIL TANK AREA. EXCAVATION APPX 11 x 6 x 13 DEEP. NO SHEEN NOTICED ON GROUNDWATER, GROUNDWATER SAMPLED. 06/12/96: MF RECEIVED GROUNDWATER SAMPLE RESULTS, 8270BN BELOW STARS. 1 8021 COMPOUND ABOVE STARS. SITE CAN BE 1 WHEN DISPOSAL RECEIPTS RECEIVED. 07/01/96: MF 1ST SOIL DISPOSAL LETTER, DUE 7/19/96. 07/31/96: MF RECEIVED SOIL DISPOSAL RECEIPTS. 08/05/96: MF T/C DICK SEIFERT, ELMWOOD TANK. THEY WILL RESAMPLE EXCAVATION, WANT COMPLETE CLOSURE. 09/12/96: MF RECEIVED FAX OF EXCAVATION SAMPLE RESULTS. SOIL SAMPLED. NO GROUNDWATER IN EXCAVATION PER MY 9/11/96 T/C WITH PETE HITCHCOCK. EXCAVATION S TILL OPEN). NO 8021 COMPOUNDS DETECTED, A FEW 8270BN COMPOUNDS OVER LIMIT. SITE 1. LETTER SENT. DIRECT METHOD.

Spill Cause: Not reported

Spill Number: 9600741
Spill Date: 04/16/96
ID: 231726
Material Spilled: UNKNOWN MATERIAL
Region Close Dt: 09/12/96
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-414344

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 04/16/96
Amount Spilled: Unknown Gal.
Spill Source: OTHER NON COMM/INSTITUTIONAL
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 8503983
Spill Date: 02/13/86
ID: 98531
Material Spilled: GASOLINE
Region Close Dt: 09/14/87
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-414344

Region of Spill: 9
Reported to Dept: / /
Date Call Received: 02/13/86
Amount Spilled: 300 Gal.
Spill Source: OTHER NON COMM/INSTITUTIONAL
Tank Size: Not reported
Leak Rate: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY OF OLEAN GARAGE (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003317625

PBS UST:

PBS Number: 9-414344 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 0466
Operator: ROBERT HARRINGTON
(716) 376-5691
Emergency Contact: POLICE DEPARTMENT
(716) 376-5677

Total Tanks:

2

Owner:

CITY OF OLEAN
MUNICIPAL BUILDING, P.O. BOX 668
OLEAN, NY 14760
(716) 376-5650

Owner Type: Local Government

Owner Mark: First Owner

Owner Subtype: Not reported

Mailing Address: CITY OF OLEAN
ATTN: PETER MARCUS, DIRECTOR
DEPARTMENT OF PUBLIC WORKS
MUNICIPAL BUILDING, P.O. BOX 668
OLEAN, NY 14760
(716) 376-5650

Tank Status: Closed - Removed

Capacity (gals): 500

Tank Location: UNDERGROUND

Tank Id: 3

Tank Type: Steel/carbon steel

Tank Internal: NONE

Pipe Location: Aboveground

Tank External: NONE/NONE

Missing Data for Tank: Minor Data Missing

Pipe External: NONE/NONE

Second Containment: NONE/NONE

Leak Detection: NONE/NONE

Overfill Prot: None

Date Tested: Not reported

Date Closed: 04/01/1996

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 20000

Tank Screen: No data missing

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: Not reported

Inspected Date: 09/16/1996

Inspection Result: Not reported

Lat/Long: 42[05]50 / 78[25]51

Facility Type: OTHER

Town or City: OLEAN

Town or City Code: 66

County Code: 04

Region: 9

Install Date: 09/01/1952
Product Stored: KEROSENE
Pipe Internal: NONE
Pipe Type: STEEL/IRON

Dispenser: Not reported
Next Test Date: Not reported
Test Method: Not reported
Updated: True
Owner Screen: No data missing

Renewal Date: 05/27/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 07/14/2000
Expiration Date: 08/17/2002
Inspector: BAJ

PBS Number: 9-414344
SPDES Number: Not reported
Operator: ROBERT HARRINGTON
(716) 376-5691

CBS Number: Not reported
SWIS ID: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY OF OLEAN GARAGE (Continued)

U003317625

Emergency Contact:	POLICE DEPARTMENT (716) 376-5677		
Total Tanks:	2		
Owner:	CITY OF OLEAN MUNICIPAL BUILDING, P.O. BOX 668 OLEAN, NY 14760 (716) 376-5650		
Owner Type:	Local Government		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	CITY OF OLEAN ATTN: PETER MARCUS, DIRECTOR DEPARTMENT OF PUBLIC WORKS MUNICIPAL BUILDING, P.O. BOX 668 OLEAN, NY 14760 (716) 376-5650		
Tank Status:	In Service		
Capacity (gals):	10000		
Tank Location:	UNDERGROUND		
Tank Id:	1	Install Date:	01/01/1986
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	PAINTED/ASPHALT COATING/SACRIFICIAL ANODE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	DOUBLED-WALLED TANK/NONE		
Leak Detection:	INTERSTITIAL MONITORING/NONE		
Overfill Prot:	Automatic Shut-Off, Catch Basin	Dispenser:	Suction
Date Tested:	07/07/2000	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	21
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	05/27/1992
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/14/2000
Old PBS Number:	Not reported	Expiration Date:	08/17/2002
Inspected Date:	09/16/1996	Inspector:	8AJ
Inspection Result:	Not reported		
Lat/long:	42 05 50 / 78 25 51		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-414344	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	ROBERT HARRINGTON (716) 376-5691		
Emergency Contact:	POLICE DEPARTMENT (716) 376-5677		
Total Tanks:	2		
Owner:	CITY OF OLEAN MUNICIPAL BUILDING, P.O. BOX 668		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY OF OLEAN GARAGE (Continued)

U003317625

OLEAN, NY 14760
(716) 376-5650
Owner Type: Local Government
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: CITY OF OLEAN
ATTN: PETER MARCUS, DIRECTOR
DEPARTMENT OF PUBLIC WORKS
MUNICIPAL BUILDING; P.O. BOX 668
OLEAN, NY 14760
(716) 376-5650
Tank Status: In Service
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: 2
Tank Type: Steel/carbon steel
Tank Internal: NONE
Pipe Location: Underground
Tank External: PAINTED/ASPHALT COATING/SACRIFICIAL ANODE
Missing Data for Tank: No Missing Data
Pipe External: NONE/NONE
Second Containment: DOUBLED-WALLED TANK/NONE
Leak Detection: INTERSTITIAL MONITORING/NONE
Overfill Prot: Automatic Shut-Off, Catch Basin
Date Tested: 07/07/2000
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 20000
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 09/16/1996
Inspection Result: Not reported
Lat/long: 42|05|50 / 78|25|51
Facility Type: OTHER
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: 01/01/1986
Product Stored: DIESEL
Pipe Internal: NONE
Pipe Type: GALVANIZED STEEL
Dispenser: None
Next Test Date: Not reported
Test Method: 21
Updated: True
Owner Screen: No data missing
Renewal Date: 05/27/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 07/14/2000
Expiration Date: 08/17/2002
Inspector: BAJ

87
ESE
1/2-1
4913 ft.
SADER GENERAL CONST.
302 UNION STREET
OLEAN, NY 0

SWF/LF S101650667
N/A

Relative:
Higher

LF:

Secondary Addr : Not reported
Phone Number : Not reported
Owner Type : Private
Owner Address : 302 UNION STREET
Not reported
Olean, NY
Owner Email : Not reported
Contact Name : Not reported
Contact Address : Not reported
Not reported

Region Code : Not reported
Owner Name : George W. Sader
Owner Phone : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SADER GENERAL CONST. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101650667

Contact Email : Not reported
Activity Desc : Landfill - construction and demolition debris
Activity Number : 05D13
Active : No
North Coordinate : Not reported
Regulatory Status : None
Waste Type : Not reported
Waste : Not reported
Authorization # : None
Expiration Date : Not reported
Flag : INACTIVE
Contact Phone : Not reported
Accuracy Code : Not reported
East Coordinate : Not reported
Authorization Date : Not reported

88
East
1/2-1
4931 ft.

KWIK FILL M084
428 MAIN ST
OLEAN, NY 14760

RCRA-SQG 1000266436
FINDS NYD986886141
LTANKS
NY Spills

Relative:
Lower

RCRAInfo:

Owner: UNITED REFINING
(212) 555-1212

Actual:
1422 ft.

EPA ID: NYD986886141

Contact: Not reported

Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access
additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

SPILLS:

Spill Number: 0111126
Spill Date: 02/22/02
ID: 29189
Date Call Received: 02/22/02
Region Close Date: 04/15/02
Material Spilled: GASOLINE
Water Affected: Not reported
Spill Cause: Other
Tank Number: Not reported
Test Method: Not reported
Region of Spill: 9
Reported to Dept: / /
Amount Spilled: Unknown Gal.
Spill Source: GASOLINE STATION
Resource Affected: On Land
Tank Size: Not reported
Leak Rate: Not reported

This is the most recent NY SPILLS record for this site.

[Click this hyperlink](#) while viewing on your computer to access
additional NY SPILLS detail in the EDR Site Report.

LTANKS:

Spill Number: 8808789
Spill Date: 01/31/1989 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Region of Spill: 9
Reported to Dept: 02/09/89 14:00
Date Call Received: Not reported
Amount Spilled: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

KWIK FILL M084 (Continued)

1000266436

Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: UNITED REFINING COMPANY
Spiller Address: BOX 780
WARREN, PENNSYLVANIA 16365
Spill Class: Not reported
Spill Closed Dt: 02/24/89
Spill Notifier: Fire Department
Cleanup Ceased: 02/24/89
Last Inspection: 02/10/89
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 03/08/89
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/15/89
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 02/10/89: LQR ON SITE TANK FILL HAD BEEN FIXED. 02/24/89: LETTER REC. FROM SPILLER EXPLAINING REMEDIATION DONE.
Spill Cause: TANK TAKING ON WATER
Spill Number: 8904248
Spill Date: 07/28/1989 16:00
ID: Not reported
Material Spilled: Not reported
Spill Source: Gas Station
Facility Tele: (800) 336-1643
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported
Region of Spill: 9
Reported to Dept: 07/28/89 16:09
Date Call Received: Not reported
Amount Spilled: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

KWIK FILL M084 (Continued)

1000266435

Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: MF
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: UNITED REFINING
Spiller Address: 8 CLARK STREET
WARREN, PA 16365
Spill Class: Not reported
Spill Closed Dt: 08/21/90
Spill Notifier: Tank Tester
Cleanup Ceased: 08/21/90
Last Inspection: 08/20/90
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/30/90
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 08/02/89
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry in File: 21329

Spill Source: Gas Station

Facility Tele: (800) 335-1643
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

PBS Number: 9-025077

DEC Remarks: 01/24/89: LETTER SENT TO MONITOR WELL. 08/01/89: LQR ON SITE TANK EMPTI
ED. 08/03/89: LQR TELCON W/ SPILLER BIDS OUT TO REMOVE ALL TANKS. 09/1
3/89: LQR TELCON W/ SPILLER REMOVAL OF ALL TANKS IN 2WKS. 09/13/89: LET
TER TO SPILLER TO REMOVAL OF ALL TANKS 30 DAYS. 11/30/89: LQR ON SITE RE
MOVAL OF ALL TANKS 2 LEFT IN PLACE AND FILLED MW PLACED. 12/13/89: REP
ORT FROM CACHD REC. 01/22/90: REPORT FROM CACHD REC. SITE INSP. LETTER T
O BE SENT. 02/09/90: LETTER REC. REGARDING MONITOR WELL. 03/26/90: LQR

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

KWIK FILL M084 (Continued)

1000266436

ON SITE MW DRY AND CLEAR. 03/29/90: LETTER TO SPILLER TO PLACE MW TO GR
OUNDWATER. 05/07/90: REPORT FROM SPILLER REC. MW CLEAR. 05/31/90: LQR
ON SITE MW CLEAR. 08/01/90: MF 7/11/90 SITE VISIT, CHECKED MW S. NO LIQ
UID IN THEM. 08/21/90: MFSITE VISIT, CHECKED THE MW. NO PRODUCT/SHEEN NO
TICED. WELL HAS BEEN CLEAR SINCE 3/90. NO FUTHER ACTION NECESSARY.

Spill Cause: 4000 GAL TANK LEAK RATE 0.06 GPH

Spill Number: 8808789
Spill Date: 01/31/89
ID: 126690
Material Spilled: GASOLINE
Region Close Dt: 02/24/89
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-026077
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 02/09/89
Amount Spilled: 0 Gal.

Spill Source: GASOLINE STATION

Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 8904248
Spill Date: 07/28/89
ID: 132332
Material Spilled: GASOLINE
Region Close Dt: 08/21/90
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-026077
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 07/28/89
Amount Spilled: 1 Gal.

Spill Source: GASOLINE STATION

Tank Size: Not reported
Leak Rate: Not reported

S89
ESE
1/2-1
5029 ft.
BLUE BIRD COACH LINES INC
502 N BARRY ST
OLEAN, NY 14760

RCRA-SQG 1000195473
FINDS NYD012993994
LTANKS
NY Spills

Site 1 of 2 in cluster S

Relative:
Lower

Actual:
1423 ft.

RCRAInfo:
Owner: BLUE BIRD COACH LINES INC
(212) 555-1212
EPA ID: NYD012993994
Contact: TED HAGUE
(716) 372-5500

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: 372.2(a)(8),(c)(3),(c)1
Area of Violation: GENERATOR-SQG REQUIREMENTS
Date Violation Determined: 04/30/2001
Actual Date Achieved Compliance: 05/31/2001

Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 05/03/2001
Penalty Type: Not reported

Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 01/03/1995

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BLUE BIRD COACH LINES INC (Continued)

1000195473

Actual Date Achieved Compliance: 02/06/1995
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/03/1995
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-LAND BAN REQUIREMENTS
Date Violation Determined: 01/03/1995
Actual Date Achieved Compliance: 02/06/1995
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/03/1995
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-MANIFEST REQUIREMENTS
Date Violation Determined: 01/03/1995
Actual Date Achieved Compliance: 02/06/1995
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/03/1995
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-MANIFEST REQUIREMENTS
Date Violation Determined: 12/16/1992
Actual Date Achieved Compliance: 06/22/1993
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 12/16/1992
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-LAND BAN REQUIREMENTS
Date Violation Determined: 12/16/1992
Actual Date Achieved Compliance: 06/22/1993
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 12/16/1992
Penalty Type: Not reported

There are 6 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-SQG REQUIREMENTS	20010531
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19950206
	GENERATOR-LAND BAN REQUIREMENTS	19950206
	GENERATOR-MANIFEST REQUIREMENTS	19950206
Compliance Evaluation Inspection	GENERATOR-MANIFEST REQUIREMENTS	19930622
	GENERATOR-LAND BAN REQUIREMENTS	19930622

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

BLUE BIRD COACH LINES INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000195473

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

SPIILLS:

Spill Number:	9612793	Region of Spill:	9
Spill Date:	01/01/97	Reported to Dept:	/ /
ID:	243585		
Date Call Received:	01/24/97		
Region Close Date :	03/17/97		
Material Spilled:	DIESEL	Amount Spilled:	10 Gal.
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Tank Number:	Not reported	Tank Size :	Not reported
Test Method:	Not reported	Leak Rate:	Not reported

Spill Number:	9612793	Region of Spill:	9
Spill Date:	01/01/1997 12:00	Reported to Dept:	01/24/97 12:30
ID:	Not reported		
Date Call Received:	Not reported		
Region Close Date :	Not reported		
Material Spilled:	Not reported	Amount Spilled:	Not reported
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Facility Contact:	LOUIS MAGNANO	Facility Tele:	(716) 372-5500
Investigator:	TED	SWIS:	04
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
PBS:	Not reported		
Spiller Contact:	DAVE YOUNGS	Spiller Phone:	(716) 372-5500
Spiller:	BLUE BIRD		
Spiller Address:	ONE BLUE BIRD SQUARE OLEAN, NY 14760		

DEC Remarks : 01/24/97: MF SITE INSPECT. NOTED LEAKAGE AROUND DIESEL DISPENSOR. SPOKE WITH DAVE YOUNG (BLUE BIRD) TO ARRANGE REPAIR. 01/31/97: TED TELECON WITH DAVE YOUNG, PUMP HAD LEAKING SEALS, REPAIRED MONDAY 1/27/97).
02/02/97: TED TELECON WITH STEVE
SELLBURG, REQUESTED COPY OF INVOICE FOR REPAIR WORK ON DISPENSOR.
02/03/97: DEC SENT LETTER REQUESTING COPY OF INVOICE FOR REPAIR WORK ON DISPENSOR. 03/06/97: DEC SENT LETTER REQUESTING INVOICE FOR REPAIR WORK. 03/13/97: RECEIVED COPY OF INVOICE FOR REPAIR WORK, THREE SHAFT SEALS REPLACED. CLOSED SPILL 3/17/97.
Remark: LEAKING PUMP ON DIESEL DISPENSOR
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

BLUE BIRD COACH LINES INC (Continued)

1000195473

Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 10
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
Spill Closed Dt: 03/17/97
Spill Notifier: DEC
Cleanup Ceased: / /
Last Inspection: 01/24/97
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Investgn Complete: / /
Spill Record Last Update: 10/22/99
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/97
Date Region Sent Summary to Central Office: / /
PBS Number: Not reported
Cleanup Meets Std: True
Enforcement Date: / /
UST Involvement: False

This is the most recent NY SPILLS record for this site.

Click this hyperlink while viewing on your computer to access additional NY SPILLS detail in the EDR Site Report.

LTANKS:

Spill Number: 8908671
Spill Date: 12/01/1989 13:20
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: BLUE BIRD BUS
Spiller Address: 1 BLUE BIRD SQUARE
OLEAN, NY 14760
Region of Spill: 9
Reported to Dept: 12/01/89 16:05
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial
Facility Tele: Not reported
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Not reported
Spill Closed Dt: 12/04/89
Spill Notifier: Tank Tester
Cleanup Ceased: 12/04/89
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BLUE BIRD COACH LINES INC (Continued)

1000195473

UST Involvement: True
Spill Record Last Update: 01/24/00
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/89
Date Region Sent Summary to Central Office: / /

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 12/04/89: REFER TO SPILL 8402943, TANK FAILURE. 12/05/89: MJH TELCON W/
CACHD TO SITE INSP., TANKS TO BE REMOVED 12/05/89.

Spill Cause: 2000 GAL AND 2-4000 GAL TANK FAILURE -.2328, -.2869 GPH

Spill Number:	8908671	Region of Spill:	9
Spill Date:	12/01/89	Reported to Dept:	/ /
ID:	136749	Date Call Received:	12/01/89
Material Spilled:	GASOLINE	Amount Spilled:	0 Gal.
Region Close Dt:	12/04/89		
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Resource Affected:	Groundwater		
Spill Cause:	Tank Test Failure		
Tank Number:	Not reported	Tank Size:	Not reported
Test Method:	Not reported	Leak Rate:	Not reported
PBS:	9-423130		

S90
ESE
1/2-1
5032 ft.

BLUE BIRD/CVS PHARMACY
DELAWARE / NORTH BARRY
OLEAN, NY

LTANKS S103939523
N/A

Relative:
Lower

Site 2 of 2 in cluster S

Actual:
1423 ft.

LTANKS:

Spill Number:	8402943	Region of Spill:	9
Spill Date:	01/18/1985 12:00	Reported to Dept:	02/01/85 12:00
ID:	Not reported	Date Call Received:	Not reported
Material Spilled:	Not reported	Amount Spilled:	Not reported
Region Close Dt:	Not reported		
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Resource Affected:	Groundwater		
Spill Cause:	Tank Failure		
Facility Contact:	Not reported	Facility Tele:	(716) 372-5500
Investigator:	TED	SWIS:	04
Caller Name:	Not reported	Caller Agency:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

BLUE BIRD/CVS PHARMACY (Continued)

S103939523

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: BLUE BIRD BUS
Spiller Address: MAIN STREET
OLEAN, NY
Spill Class: Known release that creates a file or hazard. DEC Response. Unknown
Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: / /
Spill Notifier: Health Department
Cleanup Ceased: / /
Last Inspection: 09/07/01
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 12/11/01
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 06/06/86
Date Region Sent Summary to Central Office: 03/14/90
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Spill Cause: FUMES IN CVS PHARMACY STORE - INTERIM ISR 1 SENT 10/17/88, INTERIM IS
R 2 SENT 03/14/90
Spill Number: 8402943
Spill Date: 01/18/85
ID: 97402
Material Spilled: GASOLINE
Region Close Dt: Not closed
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 02/01/85
Amount Spilled: Unknown Gal.
Spill Source: OTHER COMM/INDUSTRIAL
Tank Size: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLUE BIRD/CVS PHARMACY (Continued)

S103939523

PBS: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional LTANKS detail in the EDR Site Report.

91
East
1/2-1
5121 ft.

OLEAN GENERAL HOSPITAL
515 MAIN ST
OLEAN, NY 14760

RCRA-SQG
FINDS
UST
LTANKS

1000150431
NYD030223192

Relative:
Equal

RCRAInfo:

Owner: NONPROFIT CORP
(212) 555-1212
EPA ID: NYD030223192
Contact: LAWRENCE KOHL
(716) 373-2600

Actual:
1425 ft.

Classification: Small Quantity Generator
TSD Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
NEW YORK-FACILITY INFORMATION SYSTEM
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

LTANKS:

Spill Number: 8907778
Spill Date: 11/06/1989 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: OLEAN GENERAL HOSPITAL
Spiller Address: 515 MAIN STREET
OLEAN, NY 14760

Region of Spill: 9
Reported to Dept: 11/06/89 12:10
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial

Facility Tele: (716) 373-2600
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 04/10/90
Spill Notifier: Responsible Party
Cleanup Ceased: 04/10/90
Last Inspection: 11/06/89
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLEAN GENERAL HOSPITAL (Continued)

1000150431

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 04/17/90
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/06/89
Date Region Sent Summary to Central Office: / /
Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: KEROSENE
Class Type: Petroleum
Chem Abstract Service Number: KEROSENE
Last Date: 09/29/1994
Num Times Material Entry In File: 2052

DEC Remarks: 11/06/89: LQR ON SITE MET OWNERS OF PROPERTY AND CONTACTED CACHD TO OVER
SEE. 04/10/90: LQR MET W/ CACHD REPORT REC.

Spill Cause: TANK FOUND DURING AN EXCAVATION

Spill Number: 8909262
Spill Date: 12/14/1989 16:00
ID: Not reported
Material Spilled: Not reported
Region Closed Dt: Not reported
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Facility Contact: Not reported
Investigator: LQR
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: OLEAN GENERAL HOSPITAL
Spiller Address: 515 MAIN STREET
OLEAN, NY 14760

Region of Spill: 9
Reported to Dept: 12/21/89 13:35
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Non Commercial/Industrial

Facility Tele: (716) 373-2600
SWIS: 04
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 04/10/90
Spill Notifier: Affected Persons
Cleanup Ceased: 04/10/90
Last Inspection: / /

PBS Number: Not reported

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLEAN GENERAL HOSPITAL (Continued)

1000150431

Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 04/17/90
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/28/89
Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 12/22/89: RNL TELCON W/ SPILLER AND CACHD TO FOLLOW UP ON. 04/10/90: LQ
R MET W/ CACHD REPORT REC.

Spill Cause: 1000 GAL TANK REMOVED CONTAMINATED SOIL FOUND

Spill Number: 8907778
Spill Date: 11/06/89
ID: 135881
Material Spilled: KEROSENE
Region Close Dt: 04/10/90
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-386650
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 11/06/89
Amount Spilled: 0 Gal.
Spill Source: OTHER COMM/INDUSTRIAL
Tank Size: Not reported
Leak Rate: Not reported

Spill Number: 8909262
Spill Date: 12/14/89
ID: 137346
Material Spilled: #2 FUEL OIL
Region Close Dt: 04/10/90
Water Affected: Not reported
Resource Affected: Groundwater
Spill Cause: Tank Failure
Tank Number: Not reported
Test Method: Not reported
PBS: 9-386650
Region of Spill: 9
Reported to Dept: / /
Date Call Received: 12/21/89
Amount Spilled: 0 Gal.
Spill Source: OTHER NON COMM/INSTITUTIONAL
Tank Size: Not reported
Leak Rate: Not reported

PBS UST:

PBS Number: 9-386650

CBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLEAN GENERAL HOSPITAL (Continued)

1000150431

SPDES Number:	Not reported	SWIS ID:	0466
Operator:	OLEAN GENERAL HOSPITAL (716) 373-2600		
Emergency Contact:	TERRY BENNETT (716) 372-3850		
Total Tanks:	2		
Owner:	OLEAN GEN HOSP CORP 515 MAIN ST OLEAN, NY 14760 (716) 373-2600		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	OLEAN GEN HOSP CORP 515 MAIN ST OLEAN, NY 14760 (716) 373-2600		
Tank Status:	Closed - Removed		
Capacity (gals):	20000		
Tank Location:	UNDERGROUND		
Tank Id:	1		
Tank Type:	Fiberglass reinforced plastic (FRP)		
Tank Internal:	NONE		
Pipe Location:	Underground		
Tank External:	FIBERGLASS/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	JACKETED/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	Product Level Gauge, None		
Date Tested:	Not reported		
Date Closed:	08/01/1999		
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	16000		
Tank Screen:	No data missing		
Renewal Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	09/16/1996		
Inspection Result:	Not reported		
Lat/long:	42 05 25 / 78 25 40		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-386650		
SPDES Number:	Not reported		
Operator:	OLEAN GENERAL HOSPITAL (716) 373-2600		
Emergency Contact:	TERRY BENNETT (716) 372-3850		
Total Tanks:	2		
Owner:	OLEAN GEN HOSP CORP		
Install Date:	09/01/1984		
Product Stored:	NOS 5 OR 6 FUEL OIL		
Pipe Internal:	NONE		
Pipe Type:	STEEL/IRON		
Dispenser:	Suction		
Next Test Date:	Not reported		
Test Method:	Not reported		
Updated:	True		
Owner Screen:	Minor data missing		
Renewal Date:	05/01/1992		
Federal ID:	Not reported		
Facility Screen:	No data missing		
Certification Date:	08/25/1999		
Expiration Date:	07/20/2002		
Inspector:	BAJ		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

OLEAN GENERAL HOSPITAL (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000150431

515 MAIN ST
OLEAN, NY 14760
(716) 373-2600
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: OLEAN GEN HOSP CORP
515 MAIN ST
OLEAN, NY 14760
(716) 373-2600
Tank Status: Closed Prior to 04/91 (Either Closed In-Place or Removed)
Capacity (gals): 12000
Tank Location: UNDERGROUND
Tank Id: 2
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: 1
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: WRAPPED (PIPING)
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Product Level Gauge
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 16000
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 09/16/1996
Inspection Result: Not reported
Lat/long: 42|05|25 / 78|25|40
Facility Type: OTHER
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9
Install Date: 06/01/1972
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: Not reported
Pipe Type: STEEL/IRON
Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: False
Owner Screen: Minor data missing
Renewal Date: 05/01/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 08/25/1999
Expiration Date: 07/20/2002
Inspector: BAJ
PBS Number: 9-386650
SPDES Number: Not reported
Operator: OLEAN GENERAL HOSPITAL
(716) 373-2600
Emergency Contact: TERRY BENNETT
(716) 372-3850
Total Tanks: 2
Owner: OLEAN GEN HOSP CORP
515 MAIN ST
OLEAN, NY 14760
(716) 373-2600
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: OLEAN GEN HOSP CORP
CBS Number: Not reported
SWIS ID: 0466

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLEAN GENERAL HOSPITAL (Continued)

1000150431

515 MAIN ST
OLEAN, NY 14760
(716) 373-2600

Tank Status: Closed Prior to 04/91 (Either Closed In-Place or Removed)
Capacity (gals): 1000
Tank Location: UNDERGROUND
Tank Id: 3
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: 2
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Product Level Gauge
Date Tested: Not reported
Date Closed: Not reported
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 16000
Tank Screen: No data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: 09/16/1996
Inspection Result: Not reported
Lat/long: 42|05|25 / 78|25|40
Facility Type: OTHER
Town or City: OLEAN
Town or City Code: 66
County Code: 04
Region: 9

Install Date: 06/01/1972
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: Not reported
Pipe Type: GALVANIZED STEEL

Dispenser: Suction
Next Test Date: Not reported
Test Method: Not reported
Updated: False
Owner Screen: Minor data missing

Renewal Date: 05/01/1992
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 08/25/1999
Expiration Date: 07/20/2002
Inspector: BAJ

PBS Number: 9-386650
SPDES Number: Not reported
Operator: OLEAN GENERAL HOSPITAL
(716) 373-2600
Emergency Contact: TERRY BENNETT
(716) 372-3850
Total Tanks: 2
Owner: OLEAN GEN HOSP CORP
515 MAIN ST
OLEAN, NY 14760
(716) 373-2600
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: OLEAN GEN HOSP CORP
515 MAIN ST
OLEAN, NY 14760
(716) 373-2600

CBS Number: Not reported
SWIS ID: 0466

Tank Status: In Service
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: 4
Install Date: 07/01/1987

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLEAN GENERAL HOSPITAL (Continued)

1000150431

Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	FIBERGLASS/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	SACRIFICIAL ANODE/NONE		
Second Containment:	DOUBLED-WALLED TANK/NONE		
Leak Detection:	INTERSTITIAL MONITORING/NONE		
Overfill Prot:	Product Level Gauge, None	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	16000	Renewal Date:	05/01/1992
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	08/25/1999
Old PBS Number:	Not reported	Expiration Date:	07/20/2002
Inspected Date:	09/16/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/long:	42 05 25 / 78 25 40		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		
PBS Number:	9-386650	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	0466
Operator:	OLEAN GENERAL HOSPITAL (716) 373-2600		
Emergency Contact:	TERRY BENNETT (716) 372-3850		
Total Tanks:	2		
Owner:	OLEAN GEN HOSP CORP 515 MAIN ST OLEAN, NY 14760 (716) 373-2600		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	OLEAN GEN HOSP CORP 515 MAIN ST OLEAN, NY 14760 (716) 373-2600		
Tank Status:	In Service		
Capacity (gals):	6000		
Tank Location:	UNDERGROUND		
Tank Id:	5	Install Date:	07/01/1987
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	FIBERGLASS/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	SACRIFICIAL ANODE/NONE		
Second Containment:	DOUBLED-WALLED TANK/NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLEAN GENERAL HOSPITAL (Continued)

1000150431

Leak Detection:	INTERSTITIAL MONITORING/NONE	Dispenser:	Suction
Overfill Prot:	Product Level Gauge, None	Next Test Date:	Not reported
Date Tested:	Not reported	Test Method:	Not reported
Date Closed:	Not reported	Updated:	True
Deleted:	False	Owner Screen:	Minor data missing
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	16000	Renewal Date:	05/01/1992
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	08/25/1999
Old PBS Number:	Not reported	Expiration Date:	07/20/2002
Inspected Date:	09/16/1996	Inspector:	BAJ
Inspection Result:	Not reported		
Lat/Long:	42 05 25 / 78 25 40		
Facility Type:	OTHER		
Town or City:	OLEAN		
Town or City Code:	66		
County Code:	04		
Region:	9		

92
SE
1/2-1
5272 ft.

STROEHMANN BAKERIES INCORPORATED
111 NORTH SECOND ST
OLEAN, NY 14760

RCRA-SQG 1000551688
FINDS NYD986940450
LTANKS

Relative:
Higher

RCRAInfo:
Owner: STROEHMANN BAKERIES INC
(212) 555-1212
EPA ID: NYD986940450
Contact: Not reported

Actual:
1429 ft.

Classification: Small Quantity Generator
TSD Activities: Not reported

Violation Status: No violations found

NY MANIFEST

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST detail in the EDR Site Report.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AEROMETRIC INFORMATION RETRIEVAL SYSTEM/AIRS FACILITY SYSTEM
NEW YORK-FACILITY INFORMATION SYSTEM
RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

LTANKS:

Spill Number:	8708517	Region of Spill:	9
Spill Date:	01/05/1988 14:05	Reported to Dept:	01/05/87 15:50
ID:	Not reported	Date Call Received:	Not reported
Material Spilled:	Not reported	Amount Spilled:	Not reported
Region Close Dt:	Not reported	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported		
Resource Affected:	Groundwater		
Spill Cause:	Tank Test Failure	Facility Tele:	(716) 372-8444
Facility Contact:	Not reported	SWIS:	04
Investigator:	LQR	Caller Agency:	Not reported
Caller Name:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

STROEHMANN BAKERIES INCORPORATED (Continued)

1000551688

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
PBS: Not reported
Spiller Contact: Not reported
Spiller: STROEHMANN BAKERY CO
Spiller Address: 111 NORHT 2ND STREET
CLEAN, NY 14760

Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 02/11/88
Spill Notifier: Tank Tester
Cleanup Ceased: 02/11/88
Last Inspection: 01/12/88
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 02/18/88
Is Updated: False

PBS Number: Not reported

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/07/88
Date Region Sent Summary to Central Office: / /

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: / / : LQR TELCON 01/06/87 TESTER FOR SPILLERS PHONE NUMBER. / / : LQ
R TELCON 01/07/87 SPILLER TO RETEST 01/11-12/88. / / : LQR TELCON 01/0
7/87 SPILLER TO RETEST 01/11-12/88; RNL SITE INSP. 01/12/88, TANK BEING
RETESTED. 02/11/88: LQR MEY J.CAMPBELL 02/11/88 RETEST RESULTS REC.

Spill Cause: 10000 GAL UNDERGROUND TANK LEAK RATE -.181 GPH

Spill Number: 9312831
Spill Date: 12/03/1993 12:00
ID: Not reported
Material Spilled: Not reported
Region Close Dt: Not reported
Water Affected: Not reported
Resource Affected: On Land
Spill Cause: Tank Failure

Region of Spill: 9
Reported to Dept: 01/25/94 12:00
Date Call Received: Not reported
Amount Spilled: Not reported
Spill Source: Other Commercial/Industrial

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

STROEHMANN BAKERIES INCORPORATED (Continued)

1000551688

Facility Contact: Not reported Facility Tele: (716) 372-8444
Investigator: FG SWIS: 04
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
PBS: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: STROEHMAN'S BAKERY
Spiller Address: 111 NORTH 2ND STREET
OLEAN, NY 14760
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/10/94
Spill Notifier: Other PBS Number: Not reported
Cleanup Ceased: 03/10/94
Last Inspection: 03/08/94
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 10/08/99
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/03/94
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
DEC Remarks: 02/04/94: TED SCOTT, STROEHMAN/TELECON - STROEHMAN WILL RESAMPLE IN SPRING BECAUSE GROUND IS SNOW-COVERED AND FROZEN NOW. HE REQUESTS THAT SITE BE CLOSED, IF POSSIBLE. 03/09/94: MF SITE VISIT 3/8/94. EXCAVATION HAS BEEN BACKFILLED WITH STONE. BAKERY LOCATED AT 3RD W. STATE ST. GAS UST WAS LOCATED ADJACENT TO THE FLOUR STORAGE SILO. 03/10/94: STROEHMANN SENT LETTER ACCEPTING THE INACTIVE STATUS. SITE CAN BE MADE INACTIVE.
Spill Cause: CONTAMINATION DISCOVERED DURING TANK EXCAVATION.
Spill Number: 8708517 Region of Spill: 9
Spill Date: 01/05/88 Reported to Dept: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

STROEHMANN BAKERIES INCORPORATED (Continued)

1000551688

ID:	105075	Date Call Received:	01/05/87
Material Spilled:	#2 FUEL OIL	Amount Spilled:	0 Gal.
Region Close Dt:	02/11/88		
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Resource Affected:	Groundwater		
Spill Cause:	Tank Test Failure		
Tank Number:	Not reported	Tank Size:	Not reported
Test Method:	Not reported	Leak Rate:	Not reported
PBS:	Not reported		
Spill Number:	9312831	Region of Spill:	9
Spill Date:	12/03/93	Reported to Dept:	/ /
ID:	194092	Date Call Received:	01/25/94
Material Spilled:	UNKNOWN PETROLEUM	Amount Spilled:	Unknown lbs.
Region Close Dt:	03/10/94		
Water Affected:	Not reported	Spill Source:	OTHER COMM/INDUSTRIAL
Resource Affected:	On Land		
Spill Cause:	Tank Failure		
Tank Number:	Not reported	Tank Size:	Not reported
Test Method:	Not reported	Leak Rate:	Not reported
PBS:	Not reported		

93
SE
> 1
7461 ft.

LEVI BARRETS SOLE LEATHER TANNERY
220 EAST GREEN ST.
OLEAN, NY

Coal Gas G000000571
N/A

Relative:
Lower

COAL GAS SITE DESCRIPTION:

Site is on the southern side of Green, and the eastern side of Adams. Site is bordered by the Olean River to the east.

Actual:
1420 ft.

©Copyright 1993 Real Property Scan, Inc.

ORPHAN SUMMARY

City	EOR ID	Site Name	Site Address	Zip	Date(s)
ALLEGANY	U003317639	ALLEGANY TRUCK STOP	ROUTE 417	14706	UST, LTANKS
ALLEGANY	S103593103	CARTERS	FOUR MILE ROAD	14706	SWFLF
ALLEGANY	S105998128	COLONIAL VILLAGE	3974 W RTE 417 #51	14706	LTANKS
ALLEGANY	S104076065	ALLEGANY TRANSFER STATION	WEST UNION STREET	14706	SWFLF, SWRCY
OLEAN	S102133045	DRESSER RAND	NORTH 12TH STREET	14760	NY Spills
OLEAN	S102134216	OILY SUBSTANCE FROM PIPE	14TH STREET	14760	NY Spills
OLEAN	S102134219	14TH STREET OUTFALL	14TH STREET	14760	NY Spills
OLEAN	S106469301	NIMO FACILITY	SOUTH 14TH ST	14760	NY Spills
OLEAN	U003318249	TEAM CHEVROLET-JEEP EAGLE	RT. 16, OLEAN-HINSDALE HIGHWAY	14760	UST, AST
OLEAN	1000447228	MEYER BARNARD CHEV GEO INC	RTE 16N	14760	RCRA-SQG, FINDS
OLEAN	1000191694	NYS DOT	RTE 17 VARIOUS LOCATIONS	14760	RCRA-SQG, FINDS
OLEAN	1000553040	NYS DOT	RTE 17 OVER OLEAN CRK	14760	RCRA-SQG, FINDS
OLEAN	100476235	NYS DOT BIN 109206182	RTE 17 OVER JOHNSON ST	14760	RCRA-SQG, FINDS
OLEAN	S103557927	LEAKING TRUCK ON ROUTE 16	RTE 17	14760	LTANKS
OLEAN	S100155020	CITY OF OLEAN DPV	SOUTH 19 STREET	14760	LTANKS
OLEAN	U003317622	OLEAN WASTE WATER TREATMENT PLANT	SOUTH 19TH ST	14760	UST, AST
OLEAN	1001028593	OLEAN CITY OF - SAINT FRANCIS WELL	20TH ST S ADJ ST FRANCIS HOSP	14760	RCRA-SQG, FINDS
OLEAN	S102132459	OIL IN CREEK	ROUTE 29 / STATE LINE	14760	NY Spills
OLEAN	S100250677	OLEAN PUBLIC LIBRARY	NORTH 2ND STREET	14760	LTANKS
OLEAN	S103562591	CATTARAUGUS COUNTY DEV.	ROUTE 417	14760	NY Spills
OLEAN	S104539336	OIL IN POND IN FORENS PK	ROUTE 417	14760	NY Spills
OLEAN	1000363101	CARR BROTHERS MEASURING STATION	N 4TH ST	14760	RCRA-SQG, FINDS
OLEAN	S106468041	CONRAIL	BUFFALO STREET	14760	NY Spills
OLEAN	S102132140	VACANT LOT - DRUM OLEAN	CHEERY STREET	14760	NY Spills
OLEAN	1003864322	VAN DER HORST #2	900 WEST CONNELL ST.	14760	RCRA-SQG, CERC-NFRAP
OLEAN	S106698531	DRUMS AT SUB-CON	CONSTITUTION AVE	14760	NY Spills
OLEAN	S103561962	OLEAN CREEK STORM SEWER	DELAWARE AVE	14760	NY Spills
OLEAN	S102132057	OLEAN CREEK-OUTFALL	DELAWARE AVENUE	14760	NY Spills
OLEAN	S102133419	BLUE BIRD BUS	DELAWARE AVENUE	14760	NY Spills
OLEAN	S105912684	LEE'S SEPTIC SERVICE	DIRT ROAD	14760	SWFLF
OLEAN	1007294999	VAN DER HORS	FRANKLIN & CONNELL STS	14760	RCRA-SQG
OLEAN	A100183664	ANDERSON EQUIPMENT COMPANY (NY), I	355 EAST FRANKLIN ST.	14760	AST
OLEAN	S102132422	BLUE BIRD	FRANKLIN STREET	14760	NY Spills
OLEAN	S102132983	FRANKLIN STREET	FRANKLIN STREET	14760	NY Spills
OLEAN	S104789251	NORFOLK SOUTHERN RAILROAD	FRANKLIN STREET	14760	NY Spills
OLEAN	S102401582	TRUCK AT OLEAN LUMBER	202 GREEN STREET	14760	NY Spills
OLEAN	S103582556	HASTING ROAD BRIDGE	HASTING ROAD / RTE 17	14760	NY Spills
OLEAN	S102134549	OLEAN NURSING HOME	WEST HENLEY NURSING HOME	14760	NY Spills
OLEAN	1807125326	EAST OLEAN #02 SUB	HIGHLAND AVE	14760	FINDS
OLEAN	1807112073	EAST OLEAN #02 SUB	HIGHLAND AVE	14760	RCRA-SQG
OLEAN	S104510731	OLEAN CREEK SHEEN	MAIN STREET	14760	NY Spills
OLEAN	S102132136	OLEAN CREEK MAIN STREET	MAIN STREET / DELAWARE	14760	NY Spills
OLEAN	1004759883	UNL-MARTS INC	9TH AT WAYNE STS	14760	RCRA-SQG, FINDS

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
OLEAN	S100177553	DEWITT CONCRETE-OLEAN	WAYNE STREET	14760	LTANKS
OLEAN	S102244947	AGWAY INDUSTRIAL PARK	WAYNE STREET	14760	NY Spills
OLEAN	S103562756	DRESSER RAND #4	WAYNE STREET	14760	NY Spills
OLEAN	S104953863	CROSSETT INC. TRUCK	WAYNE / 9TH STREETS	14760	NY Spills

EPA Waste Codes Addendum

Code	Description
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSLEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D003	A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BE WASTE GUNPOWDER.
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D018	BENZENE
D035	METHYL ETHYL KETONE
D040	TRICHLOROETHYLENE
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND

EPA Waste Codes Addendum

Code	Description
	F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
LABP	LAB PACK
U154	METHANOL (I)
U154	METHYL ALCOHOL (I)
U158	BENZENAMINE, 4,4'-METHYLENEBIS(2-CHLORO-
U158	4,4'-METHYLENEBIS(2-CHLOROANILINE)
U223	BENZENE, 1,3-DIISOCYANATOMETHYL- (R,T)
U223	TOLUENE DIISOCYANATE (R,T)

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

NPL: National Priority List

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/28/05

Date Made Active at EDR: 05/16/05

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 05/04/05

Elapsed ASTM days: 12

Date of Last EDR Contact: 05/04/05

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1

Telephone 617-918-1143

EPA Region 6

Telephone: 214-655-6659

EPA Region 3

Telephone 215-814-5418

EPA Region 8

Telephone: 303-312-6774

EPA Region 4

Telephone 404-562-8033

Proposed NPL: Proposed National Priority List Sites

Source: EPA

Telephone: N/A

Date of Government Version: 04/27/05

Date Made Active at EDR: 05/16/05

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 05/04/05

Elapsed ASTM days: 12

Date of Last EDR Contact: 05/04/05

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/15/05

Date Made Active at EDR: 04/06/05

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 03/22/05

Elapsed ASTM days: 15

Date of Last EDR Contact: 03/22/05

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/22/05
Date Made Active at EDR: 04/06/05
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 04/01/05
Elapsed ASTM days: 5
Date of Last EDR Contact: 04/01/05

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/29/05
Date Made Active at EDR: 05/16/05
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 04/11/05
Elapsed ASTM days: 35
Date of Last EDR Contact: 03/07/05

RCRA: Resource Conservation and Recovery Act Information

Source: EPA

Telephone: 800-424-9346

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 05/20/05
Date Made Active at EDR: 06/09/05
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 05/24/05
Elapsed ASTM days: 16
Date of Last EDR Contact: 05/24/05

ERNS: Emergency Response Notification System

Source: National Response Center, United States Coast Guard

Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/04
Date Made Active at EDR: 03/24/05
Database Release Frequency: Annually

Date of Data Arrival at EDR: 01/27/05
Elapsed ASTM days: 56
Date of Last EDR Contact: 04/25/05

FEDERAL ASTM SUPPLEMENTAL RECORDS

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/01/01
Database Release Frequency: Biennially

Date of Last EDR Contact: 04/15/05
Date of Next Scheduled EDR Contact: 06/13/05

CONSENT: Superfund (CERCLA) Consent Decrees

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/14/04
Database Release Frequency: Varies

Date of Last EDR Contact: 04/26/05
Date of Next Scheduled EDR Contact: 07/25/05

ROD: Records Of Decision

Source: EPA

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/10/05
Database Release Frequency: Annually

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

DELISTED NPL: National Priority List Deletions

Source: EPA

Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/28/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 05/04/05
Date of Next Scheduled EDR Contact: 08/01/05

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA

Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/11/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation

Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/04
Database Release Frequency: Annually

Date of Last EDR Contact: 04/19/05
Date of Next Scheduled EDR Contact: 07/18/05

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/14/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

MINES: Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/11/05
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/30/05
Date of Next Scheduled EDR Contact: 06/27/05

NPL LIENS: Federal Superfund Liens

Source: EPA
Telephone: 202-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/22/05
Date of Next Scheduled EDR Contact: 05/23/05

PADS: PCB Activity Database System

Source: EPA
Telephone: 202-564-3887

PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/30/05
Database Release Frequency: Annually

Date of Last EDR Contact: 05/10/05
Date of Next Scheduled EDR Contact: 08/08/05

DOD: Department of Defense Sites

Source: USGS
Telephone: 703-692-8801

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 10/01/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 02/08/05
Date of Next Scheduled EDR Contact: 05/09/05

UMTRA: Uranium Mill Tailings Sites

Source: Department of Energy
Telephone: 505-845-0011

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized. In 1978, 24 inactive uranium mill tailings sites in Oregon, Idaho, Wyoming, Utah, Colorado, New Mexico, Texas, North Dakota, South Dakota, Pennsylvania, and on Navajo and Hopi tribal lands, were targeted for cleanup by the Department of Energy.

Date of Government Version: 12/29/04
Database Release Frequency: Varies

Date of Last EDR Contact: 03/22/05
Date of Next Scheduled EDR Contact: 06/20/05

ODI: Open Dump Inventory

Source: Environmental Protection Agency
Telephone: 800-424-9346

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/85
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 05/23/95
Date of Next Scheduled EDR Contact: N/A

FUDS: Formerly Used Defense Sites

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/03
Database Release Frequency: Varies

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

INDIAN RESERV: Indian Reservations

Source: USGS

Telephone: 202-208-3710

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 10/01/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 02/08/05
Date of Next Scheduled EDR Contact: 05/09/05

US ENG CONTROLS: Engineering Controls Sites List

Source: Environmental Protection Agency

Telephone: 703-603-8867

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/10/05
Database Release Frequency: Varies

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 03/07/05
Date of Next Scheduled EDR Contact: 06/06/05

TRIS: Toxic Chemical Release Inventory System

Source: EPA

Telephone: 202-566-0250

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/02
Database Release Frequency: Annually

Date of Last EDR Contact: 03/22/05
Date of Next Scheduled EDR Contact: 06/20/05

TSCA: Toxic Substances Control Act

Source: EPA

Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/02
Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 04/05/05
Date of Next Scheduled EDR Contact: 06/06/05

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA

Telephone: 202-566-1667

Date of Government Version: 04/13/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/21/05
Date of Next Scheduled EDR Contact: 06/20/05

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SSTS: Section 7 Tracking Systems

Source: EPA

Telephone: 202-564-4203

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/03

Database Release Frequency: Annually

Date of Last EDR Contact: 04/19/05

Date of Next Scheduled EDR Contact: 07/18/05

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/13/05

Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/21/05

Date of Next Scheduled EDR Contact: 06/20/05

STATE OF NEW YORK ASTM STANDARD RECORDS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation

Telephone: 518-402-9622

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 05/16/05

Date Made Active at EDR: 06/09/05

Database Release Frequency: Annually

Date of Data Arrival at EDR: 05/19/05

Elapsed ASTM days: 21

Date of Last EDR Contact: 05/13/05

SWF/LF: Facility Register

Source: Department of Environmental Conservation

Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/03/05

Date Made Active at EDR: 05/17/05

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 05/04/05

Elapsed ASTM days: 13

Date of Last EDR Contact: 05/02/05

LTANKS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 05/02/05

Date Made Active at EDR: 05/31/05

Database Release Frequency: Varies

Date of Data Arrival at EDR: 05/04/05

Elapsed ASTM days: 27

Date of Last EDR Contact: 04/25/05

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 04/25/05

CBS UST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 04/25/05

MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 04/25/05

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation

Telephone: 518-402-9711

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Government Version: 12/17/04

Date Made Active at EDR: 01/31/05

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 12/17/04

Elapsed ASTM days: 45

Date of Last EDR Contact: 04/04/05

SWRCY: Registered Recycling Facility List

Source: Department of Environmental Conservation

Telephone: 518-402-8705

A listing of recycling facilities.

Date of Government Version: 05/16/05

Date Made Active at EDR: 05/31/05

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 05/16/05

Elapsed ASTM days: 15

Date of Last EDR Contact: 05/16/05

SWTIRE: Registered Waste Tire Storage & Facility List

Source: Department of Environmental Conservation

Telephone: 518-402-8694

Date of Government Version: 04/01/04

Date Made Active at EDR: 06/25/04

Database Release Frequency: Annually

Date of Data Arrival at EDR: 05/19/04

Elapsed ASTM days: 37

Date of Last EDR Contact: 02/17/05

STATE OF NEW YORK ASTM SUPPLEMENTAL RECORDS

HSWDS: Hazardous Substance Waste Disposal Site Inventory

Source: Department of Environmental Conservation

Telephone: 518-402-9554

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/01/02
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/28/05
Date of Next Scheduled EDR Contact: 05/30/05

AST: Petroleum Bulk Storage

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Registered Aboveground Storage Tanks.

Date of Government Version: 01/01/02
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 04/25/05
Date of Next Scheduled EDR Contact: 07/25/05

CBS AST: Chemical Bulk Storage Database

Source: NYSDEC
Telephone: 518-402-9549
Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/02
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 04/25/05
Date of Next Scheduled EDR Contact: 07/25/05

MOSF AST: Major Oil Storage Facilities Database

Source: NYSDEC
Telephone: 518-402-9549
Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/02
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 04/25/05
Date of Next Scheduled EDR Contact: 07/25/05

SPILLS: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 05/02/05
Database Release Frequency: Varies

Date of Last EDR Contact: 04/25/05
Date of Next Scheduled EDR Contact: 07/25/05

DEL SHWS: Delisted Registry Sites

Source: Department of Environmental Conservation
Telephone: 518-402-9622
A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 04/01/04
Database Release Frequency: Annually

Date of Last EDR Contact: 02/24/05
Date of Next Scheduled EDR Contact: 05/23/05

ENG CONTROLS: Registry of Engineering Controls

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Environmental Remediation sites that have engineering controls in place.

Date of Government Version: N/A
Database Release Frequency: Quarterly

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

DRYCLEANERS: Registered Drycleaners

Source: Department of Environmental Conservation
Telephone: 518-402-8403
A listing of all registered drycleaning facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/15/04
Database Release Frequency: Varies

Date of Last EDR Contact: 05/21/04
Date of Next Scheduled EDR Contact: N/A

SPDES: State Pollutant Discharge Elimination System
Source: Department of Environmental Conservation
Telephone: 518-402-8233

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 02/23/05
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/07/05
Date of Next Scheduled EDR Contact: 05/09/05

AIRS: Air Emissions Data
Source: Department of Environmental Conservation
Telephone: 518-402-8452

Date of Government Version: 12/31/02
Database Release Frequency: Annually

Date of Last EDR Contact: 02/22/05
Date of Next Scheduled EDR Contact: 05/23/05

LOCAL RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing
Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 01/19/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/01/05
Date of Next Scheduled EDR Contact: 05/30/05

Cortland County Storage Tank Listing
Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 01/19/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/01/05
Date of Next Scheduled EDR Contact: 05/30/05

NASSAU COUNTY:

Registered Tank Database
Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 05/21/03
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/01/05
Date of Next Scheduled EDR Contact: 05/02/05

Registered Tank Database
Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 05/21/03
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/01/05
Date of Next Scheduled EDR Contact: 05/02/05

Storage Tank Database
Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/25/04
Database Release Frequency: Varies

Date of Last EDR Contact: 02/18/05
Date of Next Scheduled EDR Contact: 05/09/05

Storage Tank Database

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000

Date of Government Version: 05/25/04
Database Release Frequency: Varies

Date of Last EDR Contact: 02/18/05
Date of Next Scheduled EDR Contact: 05/09/05

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 04/18/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

Petroleum Bulk Storage Database

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 04/18/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

SUFFOLK COUNTY:

Storage Tank Database

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521

Date of Government Version: 04/16/04
Database Release Frequency: Annually

Date of Last EDR Contact: 03/01/05
Date of Next Scheduled EDR Contact: 05/30/05

Storage Tank Database

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521

Date of Government Version: 04/16/04
Database Release Frequency: Annually

Date of Last EDR Contact: 03/01/05
Date of Next Scheduled EDR Contact: 05/30/05

WESTCHESTER COUNTY:

Listing of Storage Tanks

Source: Westchester County Department of Health
Telephone: 914-813-5161
Listing of underground storage tanks in Westchester County.

Date of Government Version: 02/15/05
Database Release Frequency: Varies

Date of Last EDR Contact: 02/28/05
Date of Next Scheduled EDR Contact: 05/30/05

Listing of Storage Tanks

Source: Westchester County Department of Health
Telephone: 914-813-5161
Listing of aboveground storage tanks in Westchester County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/15/05
Database Release Frequency: Varies

Date of Last EDR Contact: 02/28/05
Date of Next Scheduled EDR Contact: 05/30/05

EDR PROPRIETARY HISTORICAL DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

BROWNFIELDS DATABASES

Brownfields: Brownfields Site List

Source: Department of Environmental Conservation
Telephone: 518-402-9764

Date of Government Version: 12/17/04
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 06/13/05

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation
Telephone: 518-402-9711

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Government Version: 12/17/04
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 06/13/05

US BROWNFIELDS: A Listing of Brownfields Sites

Source: Environmental Protection Agency
Telephone: 202-566-2777

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 01/10/05
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/14/05
Date of Next Scheduled EDR Contact: 06/13/05

US INST CONTROL: Sites with Institutional Controls

Source: Environmental Protection Agency
Telephone: 703-603-8867

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/10/05
Database Release Frequency: Varies

Date of Last EDR Contact: 04/04/05
Date of Next Scheduled EDR Contact: 07/04/05

INST CONTROL: Registry of Institutional Controls
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/16/05
Database Release Frequency: Quarterly

Date of Last EDR Contact: 05/13/05
Date of Next Scheduled EDR Contact: 08/22/05

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health
Telephone: 212-676-2444

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

New York State Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Coverages are based on official New York State Freshwater Wetlands Maps as described in Article 24-0301 of the Environmental Conservation Law.

STREET AND ADDRESS INFORMATION

© 2004 Geographic Data Technology, Inc., Rel. 07/2004. This product contains proprietary and confidential property of Geographic Data Technology, Inc. Unauthorized use, including copying for other than testing and standard backup procedures, of this product is expressly prohibited.

GEOCHECK® - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

FORMER OLEAN NITROGEN COMPLEX
1404-06 BUFFALO STREET
OLEAN, NY 14760

TARGET PROPERTY COORDINATES

Latitude (North):	42.088402 - 42° 5' 18.2"
Longitude (West):	78.445602 - 78° 26' 44.2"
Universal Transverse Mercator:	Zone 17
UTM X (Meters):	711269.3
UTM Y (Meters):	4662535.5
Elevation:	1425 ft. above sea level

EDR's GeoCheck Physical Setting Source Addendum has been developed to assist the environmental professional with the collection of physical setting source information in accordance with ASTM 1527-00, Section 7.2.3. Section 7.2.3 requires that a current USGS 7.5 Minute Topographic Map (or equivalent, such as the USGS Digital Elevation Model) be reviewed. It also requires that one or more additional physical setting sources be sought when (1) conditions have been identified in which hazardous substances or petroleum products are likely to migrate to or from the property, and (2) more information than is provided in the current USGS 7.5 Minute Topographic Map (or equivalent) is generally obtained, pursuant to local good commercial or customary practice, to assess the impact of migration of recognized environmental conditions in connection with the property. Such additional physical setting sources generally include information about the topographic, hydrologic, hydrogeologic, and geologic characteristics of a site, and wells in the area.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata. EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

USGS Topographic Map: 42078-A4 OLEAN, NY
General Topographic Gradient: General NNW
Source: USGS 7.5 min quad index

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County
CATTARAUGUS, NY

FEMA Flood
Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 3600880001B

Additional Panels in search area: 3600890005B
3600610010B

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property
CLEAN

NWI Electronic
Data Coverage
Not Available

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data:*

Search Radius: 1.25 miles
Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION</u> <u>FROM TP</u>	<u>GENERAL DIRECTION</u> <u>GROUNDWATER FLOW</u>
Not Reported		

* 2009 Site-specific hydrogeological data gathered by CERCLIS Aesthetics, Inc., Bellingham, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Devonian
Series: Upper Devonian
Code: D3 (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: UNADILLA

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained. Soils have intermediate water holding capacity. Depth to water table is more than 6 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: LOW

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	8 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 2.00 Min: 0.60	Max: 6.00 Min: 4.50
2	8 inches	42 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 2.00 Min: 0.60	Max: 6.00 Min: 4.50
3	42 inches	72 inches	very gravelly - sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 20.00 Min: 2.00	Max: 7.80 Min: 5.10

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: gravelly - silt loam

Surficial Soil Types: gravelly - silt loam

Shallow Soil Types: silt loam

Deeper Soil Types: stratified
very fine sandy loam
silt loam
very gravelly - loamy coarse sand
very gravelly - loamy sand

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

According to ASTM E 1527-00, Section 7.2.2, "one or more additional state or local sources of environmental records may be checked, in the discretion of the environmental professional, to enhance and supplement federal and state sources... Factors to consider in determining which local or additional state records, if any, should be checked include (1) whether they are reasonably ascertainable, (2) whether they are sufficiently useful, accurate, and complete in light of the objective of the records review (see 7.1.1), and (3) whether they are obtained, pursuant to local, good commercial or customary practice." One of the record sources listed in Section 7.2.2 is water well information. Water well information can be used to assist the environmental professional in assessing sources that may impact groundwater flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS2242081	0 - 1/8 Mile NNW
2	USGS2242079	1/8 - 1/4 Mile WNW
3	USGS2242076	1/8 - 1/4 Mile WSW
A4	USGS2242084	1/8 - 1/4 Mile NE
A5	USGS2242087	1/8 - 1/4 Mile NNE
6	USGS2242090	1/4 - 1/2 Mile NE
7	USGS2242067	1/4 - 1/2 Mile SE
8	USGS2242083	1/4 - 1/2 Mile ENE
B9	USGS2242096	1/4 - 1/2 Mile NE
10	USGS2242085	1/4 - 1/2 Mile ENE
11	USGS2242082	1/4 - 1/2 Mile West
12	USGS2242094	1/4 - 1/2 Mile NE
13	USGS2242068	1/4 - 1/2 Mile SW
B14	USGS2242097	1/4 - 1/2 Mile NNE
15	USGS2242060	1/4 - 1/2 Mile SE
16	USGS2242075	1/4 - 1/2 Mile East
17	USGS2242098	1/2 - 1 Mile NE
18	USGS2242059	1/2 - 1 Mile SSW
19	USGS2242058	1/2 - 1 Mile SSW
21	USGS2242249	1/2 - 1 Mile SW
22	USGS2242104	1/2 - 1 Mile NW
C23	USGS2242243	1/2 - 1 Mile SE
24	USGS2242103	1/2 - 1 Mile NE
C25	USGS2242242	1/2 - 1 Mile SE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
20	NY0000345	1/2 - 1 Mile North

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 1443737.2s



County Boundary

Major Roads

Contour Lines

Airports

Earthquake epicenter, Richter 5 or greater

Water Wells

Public Water Supply Wells

Cluster of Multiple Icons

Groundwater Flow Direction

(GI) Indeterminate Groundwater Flow at Location

(GV) Groundwater Flow Varies at Location

(HD) Closest Hydrogeological Data

TARGET PROPERTY: Former Olean Nitrogen Complex
ADDRESS: 1404-06 Buffalo Street
CITY/STATE/ZIP: Olean NY 14760
LAT/LONG: 42.0884 / 78.4456

CUSTOMER: Plumley Engineering
CONTACT: Jenna Webb
INQUIRY #: 1443737.2s
DATE: June 14, 2005 8:44 am

Copyright © 2005 EDR, Inc. © 2004 GDT, Inc. All Rights Reserved

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
NNW
0 - 1/8 Mile
Higher

FED USGS USGS2242081

Agency cd:	USGS	Site no:	420521078264601
Site name:	CT 511		
Latitude:	420521		
Longitude:	0782646	Dec lat:	42.08923166
Dec lon:	-78.44585363	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1425.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19240101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	QUATERNARY		
Well depth:	104	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1924-10-01	Ground water data end date:	1924-10-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1924-10-01	23.00	

2
WNW
1/8 - 1/4 Mile
Lower

FED USGS USGS2242079

Agency cd:	USGS	Site no:	420520078265501
Site name:	CT 55		
Latitude:	420520		
Longitude:	0782655	Dec lat:	42.08895386
Dec lon:	-78.44835372	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	1425.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York, Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19240101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	82.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1924-09-01	Ground water data end date:	1924-09-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1924-09-01	23.00	

3
WSW
1/8 - 1/4 Mile
Lower

FED USGS USGS2242076

Agency cd:	USGS	Site no:	420514078265501
Site name:	CT 327		
Latitude:	420514	Dec lat:	42.08728719
Longitude:	0782655	Coor meth:	M
Dec lon:	-78.44835371	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	009
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	OLEAN M-07-4	Altitude method:	M
Altitude:	1425.00	Altitude datum:	NGVD29
Altitude accuracy:	10		
Hydrologic:	Upper Allegheny, Pennsylvania, New York, Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19250101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	93.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1925-04-01	Ground water data end date:	1925-04-01
Ground water data count:	1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1925-04-01	17.00	

A4
NE
1/8 - 1/4 Mile
Higher

FED USGS USGS2242084

Agency cd:	USGS	Site no:	420526078263601
Site name:	CT 58		
Latitude:	420526		
Longitude:	0782636	Dec lat:	42.09062057
Dec lon:	-78.44307576	Coord meth:	M
Coord acc:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19660101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	82.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1966-01-01	Ground water data end date:	1966-01-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1966-01-01	22.00	

A5
NNE
1/8 - 1/4 Mile
Higher

FED USGS USGS2242087

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420528078263701
Site name:	CT 350		
Latitude:	420528		
Longitude:	0782637	Dec lat:	42.09117613
Dec lon:	-78.44335355	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19240101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	86.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1924-10-01	Ground water data end date:	1924-10-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1924-10-01	21.00	

6
NE
1/4 - 1/2 Mile
Higher

FED USGS USGS2242090

Agency cd:	USGS	Site no:	420529078263201
Site name:	CT 61		
Latitude:	420529		
Longitude:	0782632	Dec lat:	42.09145392
Dec lon:	-78.44196461	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19660101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	73.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1966-09-01
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1966-09-01

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1966-09-01	21.00	

7

SE

1/4 - 1/2 Mile
 Higher

FED USGS

USGS2242067

Agency cd:	USGS	Site no:	420506078263101
Site name:	CT 345		
Latitude:	420506		
Longitude:	0782631	Dec lat:	42.08506499
Dec lon:	-78.4416868	Coord meth:	M
Coord acc:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	1426.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	64.6	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1971-04-15	Ground water data end date:	1971-04-15
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1971-04-15	33	

Note: A nearby site that taps the same aquifer had been pumped recently.

8

ENE

1/4 - 1/2 Mile
 Higher

FED USGS

USGS2242083

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420526078262601
Site name:	CT 512		
Latitude:	420526		
Longitude:	0782626	Dec lat:	42.09062059
Dec lon:	-78.44029788	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19660101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	67.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1966-03-01	Ground water data end date:	1966-03-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1966-03-01	18.00	

B9
NE
1/4 - 1/2 Mile
Higher

FED USGS USGS2242096

Agency cd:	USGS	Site no:	420534078263001
Site name:	CT 66		
Latitude:	420534		
Longitude:	0782630	Dec lat:	42.09284282
Dec lon:	-78.44140905	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19660101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	72.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1966-09-01
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1966-09-01

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1966-09-01	22.00	

10

ENE

1/4 - 1/2 Mile

Higher

FED USGS

USGS2242085

Agency cd:	USGS	Site no:	420527078262101
Site name:	CT 59		
Latitude:	420527	Dec lat:	42.09089838
Longitude:	0782621	Coor meth:	M
Dec lon:	-78.43890895	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	009
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	OLEAN M-07-4	Altitude method:	M
Altitude:	1430.00	Altitude datum:	NGVD29
Altitude accuracy:	10		
Hydrologic:	Upper Allegheny, Pennsylvania, New York, Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19660101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH	Hole depth:	Not Reported
Well depth:	67.0	Project number:	Not Reported
Source of depth data:	Not Reported	Daily flow data begin date:	0000-00-00
Real time data flag:	0	Daily flow data count:	0
Daily flow data end date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data begin date:	0000-00-00	Water quality data begin date:	0000-00-00
Peak flow data count:	0	Water quality data count:	0
Water quality data end date:	0000-00-00	Ground water data end date:	1966-03-01
Ground water data begin date:	1966-03-01		
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1966-03-01	18.00	

11

West

1/4 - 1/2 Mile

Lower

FED USGS

USGS2242082

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420521078271201
Site name:	CT 357		
Latitude:	420521		
Longitude:	0782712	Dec lat:	42.08923161
Dec lon:	-78.45307611	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	1410.00	Altitude method:	M
Altitude accuracy:	2	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	19770819	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Unconfined single aquifer		
Aquifer:	Not Reported		
Well depth:	22.75	Hole depth:	22.75
Source of depth data:	reporting agency (generally USGS)	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1977-08-19	Ground water data end date:	1977-08-19
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1977-08-19	11.28	

12
NE
1/4 - 1/2 Mile
Higher

FED USGS USGS2242094

Agency cd:	USGS	Site no:	420531078262301
Site name:	CT 362		
Latitude:	420531		
Longitude:	0782623	Dec lat:	42.09200949
Dec lon:	-78.43946453	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19660101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	72.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1966-03-01
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1966-03-01

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1966-03-01	21.00	

13

SW

1/4 - 1/2 Mile

Lower

FED USGS

USGS2242060

Agency cd:	USGS	Site no:	420506078270901
Site name:	CT 121		
Latitude:	420506		
Longitude:	0782709	Dec lat:	42.08506493
Dec lon:	-78.45224273	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	1418.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	60	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1970-02-00	Ground water data end date:	1970-02-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1970-02	29.73	

Note: A nearby site that taps the same aquifer had been pumped recently.

B14

NNE

1/4 - 1/2 Mile

Higher

FED USGS

USGS2242097

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420537078262901
Site name:	CT 385		
Latitude:	420537		
Longitude:	0782629	Dec lat:	42.09367616
Dec lon:	-78.44113126	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1433.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19281012
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	70.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1928-09-01	Ground water data end date:	1928-09-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1928-09-01	31.00	

15
SE
1/4 - 1/2 Mile
Higher

FED USGS USGS2242060

Agency cd:	USGS	Site no:	420459078262701
Site name:	CT 487		
Latitude:	420459		
Longitude:	0782627	Dec lat:	42.08312055
Dec lon:	-78.44057564	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	20	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19320101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	118	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 1946-03-00
 Ground water data begin date: 1974-00-00
 Ground water data count: 1

Water quality data begin date: 1946-03-00
 Water quality data count: 1
 Ground water data end date: 1974-00-00

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1974	22.00	

16

East
 1/4 - 1/2 Mile
 Higher

FED USGS

USGS2242075

Agency cd:	USGS	Site no:	420514078261101
Site name:	CT 366		
Latitude:	420514		
Longitude:	0782611	Dec lat:	42.08728726
Dec lon:	-78.43613105	Coor meth:	M
Coor acc:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	5.	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19380101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	83.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1946-03-00
Water quality data end date:	1946-03-00	Water quality data count:	1
Ground water data begin date:	1974-00-00	Ground water data end date:	1974-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1974	20.00	

17

NE
 1/2 - 1 Mile
 Higher

FED USGS

USGS2242098

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420541078262401
Site name:	CT 68		
Latitude:	420541		
Longitude:	0782624	Dec lat:	42.09478728
Dec lon:	-78.43974233	Coor meth:	M
Coor acc:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	5.	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19450101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	70.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1974-00-00	Ground water data end date:	1974-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1974	32.00	

18
SSW
1/2 - 1 Mile
Lower

FED USGS USGS2242059

Agency cd:	USGS	Site no:	420453078270201
Site name:	CT 313		
Latitude:	420453		
Longitude:	0782702	Dec lat:	42.08145381
Dec lon:	-78.4502982	Coor meth:	M
Coor acc:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	Not Reported	Altitude method:	Not Reported
Altitude accuracy:	Not Reported	Altitude datum:	Not Reported
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1971-02-19
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1971-02-19

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1971-02-19	19.83	

19
 SSW
 1/2 - 1 Mile
 Lower

FED USGS USGS2242058

Agency cd:	USGS	Site no:	420448078270001
Site name:	CT 378		
Latitude:	420448		
Longitude:	0782700	Dec lat:	42.08006492
Dec lon:	-78.44974262	Coord meth:	M
Coord accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	1415.00	Altitude method:	M
Altitude accuracy:	2	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	197708	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Test hole, not completed as a well
Aquifer Type:	Not Reported		
Aquifer:	QUATERNARY		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

20
 North
 1/2 - 1 Mile
 Higher

FRDS PWS NY0000345

PWS ID:	NY0000345	PWS Status:	Active
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	OLEAN CITY		
	P.O. BOX 668 MUNICIPAL BLDG.		
	OLEAN, NY 14760		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Addressee / Facility: System Owner/Responsible Party
MARCUS PETER
CITY OF OLEAN
P.O. BOX 668 MUNICIPAL BLDG.
OLEAN, NY 14760

Facility Latitude: 42 04 19
Facility Latitude: 42 04 07
Facility Latitude: 42 04 19
Facility Latitude: 42 05 51
City Served: OLEAN (C)
Treatment Class: Not Reported

Facility Longitude: 078 24 15
Facility Longitude: 078 24 10
Facility Longitude: 078 24 23
Facility Longitude: 078 26 39

Population: Not Reported

PWS currently has or had major violation(s) or enforcement: No

21
SW
1/2 - 1 Mile
Lower

FED USGS USGS2242249

Agency cd:	USGS	Site no:	420447078271401
Site name:	CT 356		
Latitude:	420447		
Longitude:	0782714	Dec lat:	42.07978712
Dec lon:	-78.45363165	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	1415.00	Altitude method:	M
Altitude accuracy:	2	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	19780920
Date inventoried:	19781016	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	QUATERNARY		
Well depth:	106	Hole depth:	106
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1978-11-01	Ground water data end date:	1978-11-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1978-11-01	22.5	

22
NW
1/2 - 1 Mile
Higher

FED USGS USGS2242104

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420555070272501
Site name:	CT 63		
Latitude:	420555		
Longitude:	0702725	Dec lat:	42.09867609
Dec lon:	-78.4566374	Coord meth:	M
Coord acc:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	24000
Altitude:	1417.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1971-02-02	Ground water data end date:	1971-02-02
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1971-02-02	23.58	

C23
SE
1/2 - 1 Mile
Higher

FED USGS USGS2242243

Agency cd:	USGS	Site no:	420440078260601
Site name:	CT 464		
Latitude:	420440		
Longitude:	0782606	Dec lat:	42.07784277
Dec lon:	-78.43474207	Coord meth:	M
Coord acc:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1430.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York, Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19390101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	77.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1974-00-00
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1974-00-00

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1974	15.00	

24
 NE
 1/2 - 1 Mile
 Lower

FED USGS USGS2242103

Agency cd:	USGS	Site no:	420547078255301
Site name:	CT 71		
Latitude:	420547		
Longitude:	0782553	Dec lat:	42.09645401
Dec lon:	-78.43113092	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1423.00	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York. Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19360101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	265	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1938-01-01	Ground water data end date:	1938-01-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1938-01-01	18.00	

C25
 SE
 1/2 - 1 Mile
 Higher

FED USGS USGS2242242

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	420440076260201
Site name:	CT 37		
Latitude:	420440		
Longitude:	0782602	Dec lat:	42.07784278
Dec lon:	-78.43363092	Coord meth:	M
Coord ascr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	009
Country:	US	Land net:	Not Reported
Location map:	OLEAN M-07-4	Map scale:	Not Reported
Altitude:	1428.00	Altitude method:	M
Altitude accuracy:	5.	Altitude datum:	NGVD29
Hydrologic:	Upper Allegheny, Pennsylvania, New York, Area = 2560 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19640101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N	Type of ground water site:	Single well, other than collector or Ranney type
Aquifer Type:	Not Reported		
Aquifer:	OUTWASH		
Well depth:	95.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1967-10-02
Water quality data end date:	1967-10-02	Water quality data count:	1
Ground water data begin date:	1974-00-00	Ground water data end date:	1974-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1974	40.00	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

Zip	Num Sites	< 4 Pci/L	>= 4 Pci/L	>= 20 Pci/L	Avg > 4 Pci/L	Max Pci/L
14760	346	235 (67.9%)	100 (28.9%)	11 (3.2%)	4.26	56.2
14760	2	0 (0%)	2 (100%)	0 (0%)	7.10	9.9

Federal EPA Radon Zone for CATTARAUGUS County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for CATTARAUGUS COUNTY, NY

Number of sites tested: 65

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	1.780 pCi/L	83%	17%	0%
Basement	2.760 pCi/L	62%	31%	8%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002. 7.5-Minute DEMs correspond to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

New York State Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Coverages are based on official New York State Freshwater Wetlands Maps as described in Article 24-0301 of the Environmental Conservation Law.

HYDROGEOLOGIC INFORMATION

AQUIFLOW[®] Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the data of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health
Telephone: 518-458-6731

New York Facility and Manifest Data

Source: NYSDEC
Telephone: 518-457-6585
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

RADON

State Database: NY Radon

Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information

Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRRA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration




PHOTO 1



PHOTO 2




PHOTO 3




PHOTO 4




PHOTO 5




PHOTO 6




PHOTO 7



PHOTO 8



PHOTO 9




PHOTO 10



PHOTO 11




PHOTO 12




PHOTO 13



PHOTO 14



PHOTO 15



PHOTO 16




PHOTO 17




PHOTO 18




PHOTO 19



PHOTO 20



PHOTO 21




PHOTO 22



PHOTO 23



PHOTO 24



PHOTO 25




PHOTO 26



PHOTO 27



PHOTO 28



PHOTO 29



PHOTO 30



PHOTO 31



PHOTO 32




PHOTO 33