




**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

September 18, 1995

Mr. Thomas Voss
Engineering Technician III
NYSDEC Region #6
317 Washington Street
Watertown, New York 13601



Re: Parish Energy Fuels, Inc.
Route 342 Bioremediation Project
Watertown, N.Y.
Spill # 94-08981

Dear Mr. Voss:

In accordance with your meeting with Bob Foresti (CES) on Monday, August 28, 1995, please accept the following text as a progress report on the above referenced site. Although the Bioremediation Plan, dated October 27, 1994, states "a final report will be issued once the entire program is drawn to a close", we felt this report would assist with future discussions regarding the site. We will continue to keep your office updated on the progress with this project.

On Thursday, August 31, 1995 personnel from Certified Environmental Services, Inc. (CES) travelled to the Parish Energy Fuels, Inc. (PEF), Route 342 Biocell to inspect the physical condition of the cell and conduct the monthly sampling. Mr. Wendell Walldroff of Walldroff Equipment (tilling contractor) was also present to conduct a scheduled tilling of the biocell. The tilling was completed with a combination disc and chisel plow attachment to increase aeration/dilation of the soils, to homogenize moisture content and aid in the volatilization of the contaminants. As you discussed with Mr. Foresti, the tilling schedule for the above referenced site has been increased to every three weeks.

In addition, enclosed please find a copy of the most recent analytical results for samples taken on August 31, 1995 as well as previous data collected in December 1994, April 1995 and July 1995 (Attachment A). The data indicates the concentration of petroleum hydrocarbons have decreased, and that moisture and pH have been maintained at acceptable levels suitable for bioremediation.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 09/19/95

SAMPLE NUMBER- 91343 SAMPLE ID- Southeast (Sec. I)
DATE SAMPLED- 08/31/95
DATE RECEIVED- 09/01/95 SAMPLER- Kevin R. Rowe
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe

SAMPLE MATRIX- SO
TIME SAMPLED- 1130
RECEIVED BY- CAM
TYPE SAMPLE- Composite


Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		09/06/95	1420	JDC	31.8 mg/Kg
NITRATE/NITRITE	EPA 353.3		09/07/95		JDC	31.3 mg/Kg
PH IN WATER	EPA 150.1		09/05/95		BJC	8.89 std units
TOTAL SOLIDS	EPA 160.3		09/06/95	1615	BJC	918000 mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	09/06/95	KSA 09/16/95		KMS	
GASOLINE	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
KEROSENE	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
FUEL OIL	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
DIESEL	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
MOTOR OIL	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 50 mg/Kg

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



913413

File : RUN ____23.001
 Run : 09
 Path : C:\CHROM
 Collection : 21:29:09 Sep 16 1995 Method : DEMO1
 Integration: 21:29:09 Sep 16 1995 Method : DEMO1
 Report : 22:44:21 Sep 16 1995 Method : DEMO1



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 09/19/95

SAMPLE NUMBER- 91344 SAMPLE ID- Southwest (Sec. II) SAMPLE MATRIX- SO
DATE SAMPLED- 08/31/95 TIME SAMPLED- 1200
DATE RECEIVED- 09/01/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		09/06/95	1420	JDC	36.8 mg/Kg
NITRATE/NITRITE	EPA 353.3		09/07/95		JDC	23.2 mg/Kg
PH IN WATER	EPA 150.1		09/05/95		BJC	8.87 std units
TOTAL SOLIDS	EPA 160.3		09/06/95	1615	BJC	901000 mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	09/06/95	KSA 09/16/95		KMS	
GASOLINE	DOH 310-13	09/06/95	KSA 09/16/95		KMS	24 mg/Kg
KEROSENE	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
FUEL OIL	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
DIESEL	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 10 mg/Kg
MOTOR OIL	DOH 310-13	09/06/95	KSA 09/16/95		KMS	< 50 mg/Kg

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.

[illegible]

10.0-

39.5 -

Number of people in household

Number of people in household who are 65 years of age or older

0 1 2 3 4 5 6 7 8 9 10

0 1 2 3 4 5 6 7 8 9 10

21. 73

5-22 307

1999

103, 224

24-2-

53.44

52.66

35 724

-36, 367

174 28, 654

-57-334

39.121

1991

2-43, 594

-46, 314

53.3 -

49-56

52.644

1. 2. 3.

9/3/12



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 09/19/95

SAMPLE NUMBER- 91345 SAMPLE ID- Northwest (Sec. III) SAMPLE MATRIX- SO
DATE SAMPLED- 08/31/95 TIME SAMPLED- 1230
DATE RECEIVED- 09/01/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite


Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP		ANALYSIS		RESULT	UNITS
		DATE	BY	DATE	TIME		
AMMONIA AS N	SM17 4500G			09/06/95	1420 JDC	42.0 mg/Kg	
NITRATE/NITRITE	EPA 353.3			09/07/95	JDC	19.7 mg/Kg	
PH IN WATER	EPA 150.1			09/05/95	BJC	8.79 std units	
TOTAL SOLIDS	EPA 160.3			09/06/95	1615 BJC	900000 mg/Kg	
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	09/07/95	KSA	09/16/95	KMS		
GASOLINE	DOH 310-13	09/07/95	KSA	09/16/95	KMS	30 mg/Kg	
KEROSENE	DOH 310-13	09/07/95	KSA	09/16/95	KMS	< 10 mg/Kg	
FUEL OIL	DOH 310-13	09/07/95	KSA	09/16/95	KMS	< 10 mg/Kg	
DIESEL	DOH 310-13	09/07/95	KSA	09/16/95	KMS	< 10 mg/Kg	
MOTOR OIL	DOH 310-13	09/07/95	KSA	09/16/95	KMS	< 50 mg/Kg	

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.





Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 09/19/95

SAMPLE NUMBER- 91346 SAMPLE ID- Northeast (Sec. IV) SAMPLE MATRIX- SO
DATE SAMPLED- 08/31/95 TIME SAMPLED- 1300
DATE RECEIVED- 09/01/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1


ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		09/06/95	1420	JDC	31.0 mg/Kg
NITRATE/NITRITE	EPA 353.3		09/07/95		JDC	16.6 mg/Kg
PH IN WATER	EPA 150.1		09/05/95		BJC	8.59 std units
TOTAL SOLIDS	EPA 160.3		09/06/95	1615	BJC	899000 mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	09/07/95	KSA 09/16/95		KMS	
GASOLINE	DOH 310-13	09/07/95	KSA 09/16/95		KMS	170 mg/Kg
KEROSENE	DOH 310-13	09/07/95	KSA 09/16/95		KMS	< 60 mg/Kg
FUEL OIL	DOH 310-13	09/07/95	KSA 09/16/95		KMS	< 30 mg/Kg
DIESEL	DOH 310-13	09/07/95	KSA 09/16/95		KMS	< 30 mg/Kg
MOTOR OIL	DOH 310-13	09/07/95	KSA 09/16/95		KMS	< 60 mg/Kg

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.

91316



CHAIN OF CUSTODY RECORD

[illegible]

White - CES's Copy • Canary - Return to Client with Report • Pink - Client's Initial Copy



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 08/16/95

SAMPLE NUMBER- 88236 SAMPLE ID- Southeast (Sec. I)
DATE SAMPLED- 07/12/95
DATE RECEIVED- 07/14/95 SAMPLER- Kevin R. Rowe
TIME RECEIVED- 1530 DELIVERED BY- Kevin R. Rowe

SAMPLE MATRIX- SO
TIME SAMPLED- 1230
RECEIVED BY- CAM
TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
AMMONIA AS N	SM17 4500G		07/21/95		JDC	40.2	mg/Kg
NITRATE/NITRITE	EPA 353.3		07/25/95		JDC	12.7	mg/Kg
PH IN WATER	EPA 150.1		07/19/95		BJC	8.72	std units
TOTAL SOLIDS	EPA 160.3		07/19/95	1640	LAL	893000	mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	07/22/95	KSA 08/04/95		KSA		
GASOLINE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**85	mg/Kg
KEROSENE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20	mg/Kg
FUEL OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20	mg/Kg
DIESEL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20	mg/Kg
MOTOR OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**35	mg/Kg

Approved By

**TPH DOH 310-13 - Approximate Concentrations. Please be advised this method is specifically related to the subjective interpretation of the analyst.

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 08/16/95

SAMPLE NUMBER- 88237 SAMPLE ID- Southwest (Sec. II) SAMPLE MATRIX- SO
DATE SAMPLED- 07/12/95 TIME SAMPLED- 1330
DATE RECEIVED- 07/14/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 1530 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		07/21/95		JDC	40.0 mg/Kg
NITRATE/NITRITE	EPA 353.3		07/25/95		JDC	14.5 mg/Kg
PH IN WATER	EPA 150.1		07/19/95		BJC	8.81 std units
TOTAL SOLIDS	EPA 160.3		07/19/95	1640	LAL	883000 mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	07/22/95	KSA 08/04/95		KSA	
GASOLINE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**85 mg/Kg
KEROSENE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
FUEL OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
DIESEL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
MOTOR OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**35 mg/Kg

Approved By

**TPH DOH 310-13 - Approximate Concentrations. Please be advised this method is specifically related to the subjective interpretation of the analyst.

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 08/16/95

SAMPLE NUMBER- 88238 SAMPLE ID- Northwest (Sec. III) SAMPLE MATRIX- SO
DATE SAMPLED- 07/12/95 TIME SAMPLED- 1415
DATE RECEIVED- 07/14/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 1530 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		07/21/95		JDC	34.5 mg/Kg
NITRATE/NITRITE	EPA 353.3		07/25/95		JDC	10.0 mg/Kg
PH IN WATER	EPA 150.1		07/19/95		BJC	8.76 std units
TOTAL SOLIDS	EPA 160.3		07/19/95	1640	LAL	901000 mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	07/22/95	KSA 08/04/95		KSA	
GASOLINE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**85 mg/Kg
KEROSENE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
FUEL OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
DIESEL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
MOTOR OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**35 mg/Kg

Approved By

**TPH DOH 310-13 - Approximate Concentrations. Please be advised this method is specifically related to the subjective interpretation of the analyst.

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 08/16/95


SAMPLE NUMBER- 88239 SAMPLE ID- Northeast (Sec. IV)
DATE SAMPLED- 07/12/95
DATE RECEIVED- 07/14/95 SAMPLER- Kevin R. Rowe
TIME RECEIVED- 1530 DELIVERED BY- Kevin R. Rowe

SAMPLE MATRIX- SO
TIME SAMPLED- 1510
RECEIVED BY- CAM
TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		07/21/95		JDC	30.5 mg/Kg
NITRATE/NITRITE	EPA 353.3		07/25/95		JDC	9.86 mg/Kg
PH IN WATER	EPA 150.1		07/19/95		BJC	8.81 std units
TOTAL SOLIDS	EPA 160.3		07/19/95	1640	LAL	899000 mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	07/22/95	KSA 08/04/95		KSA	
GASOLINE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**30 mg/Kg
KEROSENE	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
FUEL OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
DIESEL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	< 20 mg/Kg
MOTOR OIL	DOH 310-13	07/22/95	KSA 08/04/95		KSA	**50 mg/Kg

Approved By



**TPH DOH 310-13 - Approximate Concentrations. Please be advised this method is specifically related to the subjective interpretation of the analyst.

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.

CHAIN OF CUSTODY RECORD

[illegible]

White - CES's Copy • Canary - Return to Client with Report • Pink - Client's Initial Copy



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 05/09/95

SAMPLE NUMBER- 81436 SAMPLE ID- Southeast (Sec. I)
DATE SAMPLED- 04/20/95 LOCATION- Route 342
DATE RECEIVED- 04/21/95 SAMPLER- Kevin R. Rowe
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe

SAMPLE MATRIK- SO
TIME SAMPLED- 1545
RECEIVED BY- CAM
TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP		ANALYSIS		TIME	BY	RESULT	UNITS
		DATE	BY	DATE					
AMMONIA AS N	SM17 4500G			04/27/95		1125	JDC	38.0	mg/Kg
NITRATE/NITRITE	EPA 353.3			04/26/95			JDC	50.9	mg/Kg
PH IN WATER	EPA 150.1			04/26/95			BJC	8.64	std units
TOTAL SOLIDS	EPA 160.3			04/26/95		1420	BJC	876000	mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	04/26/95	KSA	04/24/95			KMS		
GASOLINE	DOH 310-13	04/26/95	KSA	04/24/95			KMS	70	mg/Kg
KEROSENE	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 30	mg/Kg
FUEL OIL	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 30	mg/Kg
DIESEL	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 30	mg/Kg
MOTOR OIL	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 60	mg/Kg

Note: Analysis performed and reported on a mg/Kg wet weight basis.

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 05/09/95

SAMPLE NUMBER- 81437 SAMPLE ID- Southwest (Sec. II) SAMPLE MATRIX- SO
DATE SAMPLED- 04/20/95 LOCATION- Route 342 TIME SAMPLED- 1600
DATE RECEIVED- 04/21/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP		ANALYSIS		TIME	BY	RESULT	UNITS
		DATE	BY	DATE					
AMMONIA AS N	SM17 4500G			04/27/95		1125	JDC	30.6	mg/Kg
NITRATE/NITRITE	EPA 353.3			04/26/95			JDC	11.0	mg/Kg
PH IN WATER	EPA 150.1			04/26/95			BJC	8.78	std units
TOTAL SOLIDS	EPA 160.3			04/26/95		1420	BJC	866000	mg/Kg
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	04/26/95	KSA	04/24/95			KMS		
GASOLINE	DOH 310-13	04/26/95	KSA	04/24/95			KMS	90	mg/Kg
KEROSENE	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 30	mg/Kg
FUEL OIL	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 30	mg/Kg
DIESEL	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 30	mg/Kg
MOTOR OIL	DOH 310-13	04/26/95	KSA	04/24/95			KMS	< 60	mg/Kg

Note: Analysis performed and reported on a mg/Kg wet weight basis.

Approved By

YSDOH ELAP #11246

ES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 05/09/95

SAMPLE NUMBER- 81438 SAMPLE ID- Northwest (Sec. III) SAMPLE MATRIX- SO
DATE SAMPLED- 04/20/95 LOCATION- Route 342 TIME SAMPLED- 1615
DATE RECEIVED- 04/21/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP		ANALYSIS		TIME	BY	RESULT	UNITS
		DATE	BY	DATE					
AMMONIA AS N	SM17 4500G			04/27/95	1125	JDC	32.4	mg/Kg	
NITRATE/NITRITE	EPA 353.3			04/26/95		JDC	35.9	mg/Kg	
PH IN WATER	EPA 150.1			04/26/95		BJC	8.66	std units	
TOTAL SOLIDS	EPA 160.3			04/26/95	1420	BJC	863000	mg/Kg	
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	04/27/95	KSA	04/24/95		KMS			
GASOLINE	DOH 310-13	04/27/95	KSA	04/24/95		KMS	60	mg/Kg	
KEROSENE	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 30	mg/Kg	
FUEL OIL	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 30	mg/Kg	
DIESEL	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 30	mg/Kg	
MOTOR OIL	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 60	mg/Kg	

Note: Analysis performed and reported on a mg/Kg wet weight basis.

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
4254 N. RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt. 342 Bio-Cell
DATE: 05/09/95

SAMPLE NUMBER- 81439 SAMPLE ID- Northeast (Sec. IV) SAMPLE MATRIX- SO
DATE SAMPLED- 04/20/95 LOCATION- Route 342 TIME SAMPLED- 1630
DATE RECEIVED- 04/21/95 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0800 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP		ANALYSIS		TIME	BY	RESULT UNITS
		DATE	BY	DATE				
AMMONIA AS N	SM17 4500G			04/27/95	1125	JDC	29.2 mg/Kg	
NITRATE/NITRITE	EPA 353.3			04/26/95		JDC	78.8 mg/Kg	
PH IN WATER	EPA 150.1			04/26/95		BJC	8.61 std units	
TOTAL SOLIDS	EPA 160.3			04/26/95	1420	BJC	880000 mg/Kg	
TOTAL PETROLEUM HYDROCARBONS	DOH 310-13	04/27/95	KSA	04/24/95		KMS		
GASOLINE	DOH 310-13	04/27/95	KSA	04/24/95		KMS	60 mg/Kg	
KEROSENE	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 30 mg/Kg	
FUEL OIL	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 30 mg/Kg	
DIESEL	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 30 mg/Kg	
MOTOR OIL	DOH 310-13	04/27/95	KSA	04/24/95		KMS	< 60 mg/Kg	

Note: Analysis performed and reported on a mg/Kg wet weight basis.

Approved By

NYSDOH ELAP #11246

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.

CHAIN OF CUSTODY RECORD

[illegible]

White - CES's Copy • Canary - Return to Client with Report • Pink - Client's Initial Copy



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
NORTH RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt 342-Bio Cell
DATE: 02/03/95

SAMPLE NUMBER- 75846 SAMPLE ID- Southeast (Sec. I)
DATE SAMPLED- 12/29/94 LOCATION- Route 342
DATE RECEIVED- 12/30/94 SAMPLER- Kevin R. Rowe
TIME RECEIVED- 0830 DELIVERED BY- Kevin R. Rowe

SAMPLE MATRIX- SO
TIME SAMPLED- 1600
RECEIVED BY- CAM
TYPE SAMPLE- Composite

Page 1 of 3

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
AMMONIA AS N	SM17 4500G		01/12/95	1100	BJC	49.0	mg/Kg
NITRATE/NITRITE	EPA 353.3		01/10/95		JDC	6.8	mg/Kg
PH IN WATER	EPA 150.1		01/03/95		BJC	8.93	std units
TOTAL SOLIDS	EPA 160.3		01/04/95	1120	BJC	925000	mg/Kg
EPA 8021 SCAN	EPA 8021		01/13/95		KMS		
BENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
ETHYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
TOLUENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
O-XYLENE	EPA 8021		01/13/95		KMS	19600	ug/Kg
M-XYLENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
P-XYLENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
N-PROPYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
P-ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
1,2,4-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	3100	ug/Kg
1,3,5-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	15800	ug/Kg
N-BUTYLBENZENE	EPA 8021		01/13/95		KMS	23400	ug/Kg
SEC-BUTYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
NAPHTHALENE	EPA 8021		01/13/95		KMS	< 10000	ug/Kg
METHYL-T-BUTYL ETHER	EPA 8021		01/13/95		KMS	< 10000	ug/Kg
NYSDOH 310-13 TPH	DOH 310-13	01/09/95	KSA 01/11/95		KMS	Positive	



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75846

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
EPA 8270 BASE NEUTRALS	EPA 8270		01/05/95		ELS		
ACENAPHTHENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
ACENAPHTHYLENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
ANTHRACENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
BENZO(A)ANTHRACENE	EPA 8270		01/05/95		ELS	63	ug/Kg
BENZO(B)FLUORANTHENE	EPA 8270		01/05/95		ELS	94**	ug/Kg
BENZO(K)FLUORANTHENE	EPA 8270		01/05/95		ELS	**	ug/Kg
BENZO(G,H,I)PERYLENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
BENZO(A)PYRENE	EPA 8270		01/05/95		ELS	52	ug/Kg
BENZIDINE	EPA 8270		01/05/95		ELS	< 920	ug/Kg
BUTYL BENZYL PHTHALATE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
BIS(2-CHLOROETHOXY)METHANE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
BIS(2-CHLOROETHYL)ETHER	EPA 8270		01/05/95		ELS	< 230	ug/Kg
BIS(2-CHLOROISOPROPYL)ETHER	EPA 8270		01/05/95		ELS	< 230	ug/Kg
BIS(S-ETHYLHEXYL)PHTHALATE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
BROMOPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 230	ug/Kg
2-CHLORONAPHTHALENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
CHLOROPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 230	ug/Kg
CHRYSENE	EPA 8270		01/05/95		ELS	59	ug/Kg
DIBENZO(A,H)ANTHRACENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
DI-N-BUTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
1,2-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
1,3-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
1,4-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
3,3'-DICHLOROBENZIDINE	EPA 8270		01/05/95		ELS	< 920	ug/Kg
DIETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
DIMETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
2,4-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
2,6-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
DI-N-OCTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
FLUORANTHENE	EPA 8270		01/05/95		ELS	140	ug/Kg



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75846

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
FLUORENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
HEXACHLOROBENZENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
HEXACHLOROBUTADIENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
HEXACHLOROCYCLOPENTADIENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
HEXACHLOROETHANE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
INDENO(1,2,3-CD)PYRENE	EPA 8270		01/05/95		ELS	< 45	ug/Kg
ISOPHORONE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
NAPHTHALENE	EPA 8270		01/05/95		ELS	1700	ug/Kg
NITROBENZENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
N-NITROSODI-N-PROPYLAMINE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
N-NITROSODIPHENYLAMINE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
N-NITROSODIMETHYLAMINE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
1,2-DIPHENYLHYDRAZINE	EPA 8270		01/05/95		ELS	< 230	ug/Kg
PHENANTHRENE	EPA 8270		01/05/95		ELS	120	ug/Kg
PYRENE	EPA 8270		01/05/95		ELS	110	ug/Kg
1,2,4-TRICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 230	ug/Kg

Note: EPA 8270 analysis performed by ELAP #11375.

**Compounds co-elute.

TPH - Contaminant identified as Gasoline, concentration ~400ppm.

Please be advised this method is specifically related to the subjective interpretation of the analyst.

NYSDOH ELAP #11246

Approved By

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
NORTH RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt 342-Bio Cell
DATE: 02/03/95

SAMPLE NUMBER- 75847 SAMPLE ID- Southwest (Sec. II) SAMPLE MATRIX- SO
DATE SAMPLED- 12/29/94 LOCATION- Route 342 TIME SAMPLED- 1615
DATE RECEIVED- 12/30/94 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0830 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 3

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
AMMONIA AS N	SM17 4500G		01/12/95	1100	BJC	28.0 mg/Kg
NITRATE/NITRITE	EPA 353.3		01/10/95		JDC	6.7 mg/Kg
PH IN WATER	EPA 150.1		01/03/95		BJC	7.44 std units
TOTAL SOLIDS	EPA 160.3		01/04/95	1120	BJC	790000 mg/Kg
EPA 8021 SCAN	EPA 8021		01/13/95		KMS	
BENZENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
ETHYLBENZENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
TOLUENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
O-XYLENE	EPA 8021		01/13/95		KMS	19800 ug/Kg
M-XYLENE	EPA 8021		01/13/95		KMS	14000* ug/Kg
P-XYLENE	EPA 8021		01/13/95		KMS	* ug/Kg
ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
N-PROPYLBENZENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
P-ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
1,2,4-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	30800 ug/Kg
1,3,5-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	22800 ug/Kg
N-BUTYLBENZENE	EPA 8021		01/13/95		KMS	30300 ug/Kg
SEC-BUTYLBENZENE	EPA 8021		01/13/95		KMS	< 5000 ug/Kg
NAPHTHALENE	EPA 8021		01/13/95		KMS	< 25000 ug/Kg
METHYL-T-BUTYL ETHER	EPA 8021		01/13/95		KMS	< 25000 ug/Kg
NYSDOH 310-13 TPH	DOH 310-13	01/09/95	KSA 01/11/95		KMS	Positive



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75847

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
EPA 8270 BASE NEUTRALS	EPA 8270		01/05/95		ELS	
ACENAPHTHENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
ACENAPHTHYLENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
ANTHRACENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
BENZO(A)ANTHRACENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
BENZO(B)FLUORANTHENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
BENZO(K)FLUORANTHENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
BENZO(G,H,I)PERYLENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
BENZO(A)PYRENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
BENZIDINE	EPA 8270		01/05/95		ELS	< 960 ug/Kg
BUTYL BENZYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
BIS(2-CHLOROETHOXY)METHANE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
BIS(2-CHLOROETHYL)ETHER	EPA 8270		01/05/95		ELS	< 240 ug/Kg
BIS(2-CHLOROISOPROPYL)ETHER	EPA 8270		01/05/95		ELS	< 240 ug/Kg
BIS(S-ETHYLHEXYL)PHTHALATE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
BROMOPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 240 ug/Kg
2-CHLORONAPHTHALENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
CHLOROPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 240 ug/Kg
CHRYSENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
DIBENZO(A,H)ANTHRACENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
DI-N-BUTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
1,2-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
1,3-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
1,4-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
3,3'-DICHLOROBENZIDINE	EPA 8270		01/05/95		ELS	< 960 ug/Kg
DIETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
DIMETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
2,4-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
2,6-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
DI-N-OCTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
FLUORANTHENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75847

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
FLUORENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
HEXACHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
HEXACHLOROBUTADIENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
HEXACHLOROCYCLOPENTADIENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
HEXACHLOROETHANE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
INDENO(1,2,3-CD) PYRENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
ISOPHORONE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
NAPHTHALENE	EPA 8270		01/05/95		ELS	3700 ug/Kg
NITROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
N-NITROSODI-N-PROPYLAMINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
N-NITROSODIPHENYLAMINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
N-NITROSODIMETHYLAMINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
1,2-DIPHENYLHYDRAZINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
PHENANTHRENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
PYRENE	EPA 8270		01/05/95		ELS	< 48 ug/Kg
1,2,4-TRICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg

Note: EPA 8270 analysis performed by ELAP #11375.

**Compounds co-elute.

TPH - Contaminant identified as Gasoline, concentration 800ppm.

Please be advised this method is specifically related to the subjective interpretation of the analyst.

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH ELAP #11246

Approved By

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
NORTH RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt 342-Bio Cell
DATE: 02/03/95

SAMPLE NUMBER- 75848 SAMPLE ID- Northwest (Sec. III)
DATE SAMPLED- 12/29/94 LOCATION- Route 342
DATE RECEIVED- 12/30/94 SAMPLER- Kevin R. Rowe
TIME RECEIVED- 0830 DELIVERED BY- Kevin R. Rowe
SAMPLE MATRIX- SO
TIME SAMPLED- 1625
RECEIVED BY- CAM
TYPE SAMPLE- Composite

Page 1 of 3

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
AMMONIA AS N	SM17 4500G		01/12/95	1100	BJC	40.0	mg/Kg
NITRATE/NITRITE	EPA 353.3		01/10/95		JDC	5.4	mg/Kg
PH IN WATER	EPA 150.1		01/03/95		BJC	8.80	std units
TOTAL SOLIDS	EPA 160.3		01/04/95	1120	BJC	859000	mg/Kg
EPA 8021 SCAN	EPA 8021		01/13/95		KMS		
BENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
ETHYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
TOLUENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
O-XYLENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
M-XYLENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
P-XYLENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
N-PROPYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
P-ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
1,2,4-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	6300	ug/Kg
1,3,5-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	23000	ug/Kg
N-BUTYLBENZENE	EPA 8021		01/13/95		KMS	32600	ug/Kg
SEC-BUTYLBENZENE	EPA 8021		01/13/95		KMS	< 2000	ug/Kg
NAPHTHALENE	EPA 8021		01/13/95		KMS	< 10000	ug/Kg
METHYL-T-BUTYL ETHER	EPA 8021		01/13/95		KMS	< 10000	ug/Kg
NYSDOH 310-13 TPH	DOH 310-13	01/09/95	KSA 01/11/95		KMS	Positive	



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75848

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
EPA 8270 BASE NEUTRALS	EPA 8270		01/05/95		ELS		
ACENAPHTHENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
ACENAPHTHYLENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
ANTHRACENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
BENZO(A)ANTHRACENE	EPA 8270		01/05/95		ELS	91	ug/Kg
BENZO(B)FLUORANTHENE	EPA 8270		01/05/95		ELS	94**	ug/Kg
BENZO(K)FLUORANTHENE	EPA 8270		01/05/95		ELS	**	ug/Kg
BENZO(G,H,I)PERYLENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
BENZO(A)PYRENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
BENZIDINE	EPA 8270		01/05/95		ELS	< 920	ug/Kg
BUTYL BENZYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
BIS(2-CHLOROETHOXY)METHANE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
BIS(2-CHLOROETHYL)ETHER	EPA 8270		01/05/95		ELS	< 240	ug/Kg
BIS(2-CHLOROISOPROPYL)ETHER	EPA 8270		01/05/95		ELS	< 240	ug/Kg
BIS(S-ETHYLHEXYL)PHTHALATE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
BROMOPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 240	ug/Kg
2-CHLORONAPHTHALENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
CHLOROPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 240	ug/Kg
CHRYSENE	EPA 8270		01/05/95		ELS	71	ug/Kg
DIBENZO(A,H)ANTHRACENE	EPA 8270		01/05/95		ELS	< 47	ug/Kg
DI-N-BUTYL PHTHALATE	EPA 8270		01/05/95		ELS	700	ug/Kg
1,2-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
1,3-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
1,4-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
3,3'-DICHLOROBENZIDINE	EPA 8270		01/05/95		ELS	< 920	ug/Kg
DIETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
DIMETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
2,4-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
2,6-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
DI-N-OCTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 240	ug/Kg
FLUORANTHENE	EPA 8270		01/05/95		ELS	220	ug/Kg



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75848

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
FLUORENE	EPA 8270		01/05/95		ELS	< 47 ug/Kg
HEXACHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
HEXACHLOROBUTADIENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
HEXACHLOROCYCLOPENTADIENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
HEXACHLOROETHANE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
INDENO(1,2,3-CD)PYRENE	EPA 8270		01/05/95		ELS	< 47 ug/Kg
ISOPHORONE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
NAPHTHALENE	EPA 8270		01/05/95		ELS	2600 ug/Kg
NITROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
N-NITROSODI-N-PROPYLAMINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
N-NITROSODIPHENYLAMINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
N-NITROSODIMETHYLAMINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
1,2-DIPHENYLHYDRAZINE	EPA 8270		01/05/95		ELS	< 240 ug/Kg
PHENANTHRENE	EPA 8270		01/05/95		ELS	230 ug/Kg
PYRENE	EPA 8270		01/05/95		ELS	170 ug/Kg
1,2,4-TRICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 240 ug/Kg

Note: EPA 8270 analysis performed by ELAP #11375.

**Compounds co-elute.

PH - Contaminant identified as Gasoline, concentration 800ppm.

Please be advised this method is specifically related to the subjective interpretation of the analyst.

YSDOH ELAP #11246

Approved By

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if the completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

PARISH ENERGY
NORTH RAILROAD ST.
PARISH, NY 13131-
Attn: MR. DAVID CHAPMAN

PROJECT NAME: Rt 342-Bio Cell
DATE: 02/03/95

SAMPLE NUMBER- 75849 SAMPLE ID- Northeast (Sec. IV) SAMPLE MATRIX- SO
DATE SAMPLED- 12/29/94 LOCATION- Route 342 TIME SAMPLED- 1635
DATE RECEIVED- 12/30/94 SAMPLER- Kevin R. Rowe RECEIVED BY- CAM
TIME RECEIVED- 0830 DELIVERED BY- Kevin R. Rowe TYPE SAMPLE- Composite

Page 1 of 3

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
AMMONIA AS N	SM17 4500G		01/12/95	1100	BJC	48.0	mg/Kg
NITRATE/NITRITE	EPA 353.3		01/10/95		JDC	8.9	mg/Kg
PH IN WATER	EPA 150.1		01/03/95		BJC	8.70	std units
TOTAL SOLIDS	EPA 160.3		01/04/95	1120	BJC	904000	mg/Kg
EPA 8021 SCAN	EPA 8021		01/13/95		KMS		
BENZENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
ETHYLBENZENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
TOLUENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
O-XYLENE	EPA 8021		01/13/95		KMS	3800	ug/Kg
M-XYLENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
P-XYLENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
N-PROPYLBENZENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
P-ISOPROPYLBENZENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
1,2,4-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	2600	ug/Kg
1,3,5-TRIMETHYLBENZENE	EPA 8021		01/13/95		KMS	9200	ug/Kg
N-BUTYLBENZENE	EPA 8021		01/13/95		KMS	12800	ug/Kg
SEC-BUTYLBENZENE	EPA 8021		01/13/95		KMS	< 1000	ug/Kg
NAPHTHALENE	EPA 8021		01/13/95		KMS	< 5000	ug/Kg
METHYL-T-BUTYL ETHER	EPA 8021		01/13/95		KMS	< 5000	ug/Kg
NYSDOH 310-13 TPH	DOH 310-13	01/09/95	KSA 01/11/95		KMS	Positive	



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75849

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
EPA 8270 BASE NEUTRALS	EPA 8270		01/05/95		ELS		
ACENAPHTHENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
ACENAPHTHYLENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
ANTHRACENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
BENZO(A)ANTHRACENE	EPA 8270		01/05/95		ELS	60	ug/Kg
BENZO(B)FLUORANTHENE	EPA 8270		01/05/95		ELS	85**	ug/Kg
BENZO(K)FLUORANTHENE	EPA 8270		01/05/95		ELS	**	ug/Kg
BENZO(G,H,I)PERYLENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
BENZO(A)PYRENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
BENZIDINE	EPA 8270		01/05/95		ELS	< 880	ug/Kg
BUTYL BENZYL PHTHALATE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
BIS(2-CHLOROETHOXY)METHANE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
BIS(2-CHLOROETHYL)ETHER	EPA 8270		01/05/95		ELS	< 220	ug/Kg
BIS(2-CHLOROISOPROPYL)ETHER	EPA 8270		01/05/95		ELS	< 220	ug/Kg
BIS(S-ETHYLHEXYL)PHTHALATE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
BROMOPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 220	ug/Kg
2-CHLORONAPHTHALENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
CHLOROPHENYLPHENYL ETHER	EPA 8270		01/05/95		ELS	< 220	ug/Kg
CHRYSENE	EPA 8270		01/05/95		ELS	51	ug/Kg
DIBENZO(A,H)ANTHRACENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
DI-N-BUTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
1,2-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
1,3-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
1,4-DICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
3,3'-DICHLOROBENZIDINE	EPA 8270		01/05/95		ELS	< 880	ug/Kg
DIETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
DIMETHYL PHTHALATE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
2,4-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
2,6-DINITROTOLUENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
DI-N-OCTYL PHTHALATE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
FLUORANTHENE	EPA 8270		01/05/95		ELS	130	ug/Kg



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 75849

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
FLUORENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
HEXACHLOROBENZENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
HEXACHLOROBUTADIENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
HEXACHLOROCYCLOPENTADIENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
HEXACHLOROETHANE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
INDENO(1,2,3-CD)PYRENE	EPA 8270		01/05/95		ELS	< 44	ug/Kg
ISOPHORONE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
NAPHTHALENE	EPA 8270		01/05/95		ELS	1200	ug/Kg
NITROBENZENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
N-NITROSODI-N-PROPYLAMINE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
N-NITROSODIPHENYLAMINE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
N-NITROSODIMETHYLAMINE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
1,2-DIPHENYLHYDRAZINE	EPA 8270		01/05/95		ELS	< 220	ug/Kg
PHENANTHRENE	EPA 8270		01/05/95		ELS	120	ug/Kg
PYRENE	EPA 8270		01/05/95		ELS	110	ug/Kg
1,2,4-TRICHLOROBENZENE	EPA 8270		01/05/95		ELS	< 220	ug/Kg

Note: EPA 8270 analysis performed by ELAP #11375.

**Compounds co-elute.

TPH - Contaminant identified as Gasoline, concentration 400ppm.

Please be advised this method is specifically related to the subjective interpretation of the analyst.

YSDOH ELAP #11246

Approved By

CES does warrant that laboratory or field services completed by its employees were conducted in accordance with the environmental services and analytical industries recognized methods or standards. CES does not assume any other liabilities other than re-performance of the work if he completed services were determined to be deficient due to the negligence of CES. CES will not accept any liability in whole or in part as a result of data interpretation by the client.

CHAIN OF CUSTODY RECORD

[illegible]

White - CES's Copy • Canary - Return to Client with Report • Pink - Client's Initial Copy