

ALASKAN OIL, INC
ROUTE 13 & CEMETERY STREET
ALTMAR, NEW YORK

SPILL NO. 9614774

GROUNDWATER/RECOVERY SYSTEM REPORT
SECOND QUARTER 2000
(APRIL - JUNE)

PREPARED FOR

Alaskan Oil, Inc.
120 Wilkinson Street
Syracuse, New York

PREPARED BY

Barton & Loguidice, P.C.
Consulting Engineers
290 Elwood Davis Road
Box 3107
Syracuse, New York 13220

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	1
2.0 GROUNDWATER MONITORING	1
3.0 RECOVERY SYSTEM MONITORING	2
4.0 RECOMMENDATIONS	2

TABLES

Table 1 - Second Quarter 2000 Monitoring Well Data
Table 2 - Second Quarter 2000 Recovery System Data
Table 3 - Groundwater Elevation Data

FIGURES

Figure 1 - Site Map and Groundwater Elevations
Figure 2 - Estimated BTEX Isopleth Map

APPENDICES

Appendix A - CES Laboratory Report Monitoring Well Data
Appendix B - CES Laboratory Report Recovery System Data
Appendix C - Historical Data Summary

1.0 INTRODUCTION

The following report presents the results of the Second Quarter 2000 monitoring at the Alaskan Oil, Inc. (AOI) property located at Route 13 and Cemetery Street in Altmar, New York. The site is part of the Multi-Site Response Program/Voluntary Cleanup Agreement, between AOI and the New York State Department of Environmental Conservation (NYSDEC), and monitoring is conducted for installed groundwater monitoring wells and a product recovery system.

2.0 GROUNDWATER MONITORING

Groundwater samples were collected from eight monitoring wells and the recovery well on May 31, 2000 by personnel from Clemett and Co. The samples were submitted to Certified Environmental Services for analysis of volatile petroleum hydrocarbons (EPA Method 8021). Seven of the nine wells sampled exhibited volatile organic compounds (VOC's) in exceedence of DEC STARS Guidance Values. Table 1 summarizes the detected VOC's and the complete CES laboratory report is attached in Appendix A. Historical ground water data is attached in Appendix C.

Clemett and Co. personnel also measured the static water level of each well sampled on May 31, 2000. Table 3 illustrates the measured water levels and the groundwater elevations based on well surveying data conducted by CES. The groundwater elevations are also depicted on Figure 1. In general, groundwater appears to be flowing over a shallow gradient from east to west towards the wetland west of the site. As mentioned in the First Quarter 2000 report, some of the monitoring points at the site may be influenced by the storm water drains at the facility. Due to the shallow gradient at the site, the possibility of storm drain influence upon water levels, and the uncertainty of the well casing survey data, groundwater contours were not delineated on Figure 1.

3.0 RECOVERY SYSTEM MONITORING

Influent, mid, and effluent samples were collected from the carbon treatment system by Barton & Loguidice, P.C. personnel on April 25, May 24 and June 21, 2000. All samples were submitted to CES for analysis of volatile petroleum hydrocarbons by EPA Method 502.2. No compounds were detected in any of the samples submitted. The method detection limits ranged from 0.7 to 5.0 ug/l. The results are summarized in Table 2 and the complete CES laboratory reports are presented in Appendix B. Historical recovery system data is attached in Appendix C.

4.0 RECOMMENDATIONS

The existing site map does not appear to be accurately scaled. Given this inaccuracy, representative groundwater contours can not be accurately depicted. Prior to collecting the next round of groundwater samples, the elevations and locations of the monitoring wells should be resurveyed. This information will provide essential data to accurately assess groundwater flow and contamination pathways in the third report quarter.

Monthly groundwater treatment recovery system samples will continue to be collected during the Third Quarter 2000. In addition to monitoring, a HIVAC groundwater treatment system is scheduled to be installed in August.

Table 1
Monitoring Well Data (Detected Compounds Only)
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	Second Quarter 2000 (Results in ug/l) May 31, 2000								
		RW-1	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12
Full EPA 8021										
Benzene	0.7	4,700	5,300	<0.7	1.0	21	<0.7	1,600	1.0	8,900
Toluene	5	22,600	9,000	<1.0	<1.0	1.6	<1.0	5,600	<1.0	22,000
Ethylbenzene	5	3,000	800	<1.0	4.1	11	<1.0	575	2.6	3,100
Isopropylbenzene	5	<250	<100	<1.0	2.3	<1.0	<1.0	<250	<1.0	<250
p-Isopropyltoluene	5	<250	<100	<1.0	9.9	<1.0	<1.0	<250	<1.0	<250
Total Xylenes	5	23,600	7,400	<1.0	7.3	12	<1.0	10,400	11.2	16,400
n-Propylbenzene	5	350	<100	<1.0	18	1.7	<1.0	275	2.4	375
1,3,5-Trimethylbenzene	5	1,550	450	<1.0	30	3.3	<1.0	1,400	5.0	1,000
1,2,4-Trimethylbenzene	5	4,100	1,300	<1.0	88	6.3	<1.0	3,100	13	2,600
n-Butylbenzene	5	675	170	<1.0	82	1.2	<1.0	1,100	5.2	425
Napthalene	10	1,600	336	<1.0	19	2.2	<1.0	940	3.6	1,000
BTEX	—	53,900	22,500	ND	12.4	46	ND	18,175	14.8	50,400

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

█ = Above DEC Guidance Values

ND = None Detected

DRH: 639.002

Table 2
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l								
		April 25, 2000			May 24, 2000			June 21, 2000		
		Influent	Mid	Effluent	Influent	Mid	Effluent	Influent	Mid	Effluent
<u>EPA Method 502.2</u>										
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion


 = Above DEC Guidance Values

DRH: 639.002



Table 3
Water Level Elevation Data
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetery Road

	MW-1		MW-4		MW-5		MW-6		MW-9		MW-10		MW-11		MW-12	
	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation
TOP OF PVC PIPE ELEVATION		100.00		99.65		99.23		100.50		99.46		99.87		99.47		99.21
Top of Screen ELEVATION		98.00		97.70		95.20		96.50		96.61		96.87		96.50		96.00
Depth to Bottom		11.90		13.80		14.25		14.50		13.40		13.60		13.15		13.80
DATE	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation
01/25/00	5.91	94.09	--	92.71	6.52	92.71	4.82	95.68	--	--	6.81	93.06	--	--	6.24	92.97
02/09/00	6.13	93.87	6.67	92.98	6.75	92.48	5.57	94.93	6.80	92.66	7.05	92.82	6.82	92.65	6.51	92.70
03/08/00	5.14	94.86	--	93.15	6.08	93.15	--	--	--	--	6.26	93.61	--	--	5.79	93.42
05/15/00	5.69	94.31	--	92.70	6.53	92.70	5.71	94.79	--	--	6.75	93.12	--	--	5.30	93.91




- LEGEND:**
- GS- - STORM CATCH BASIN
 - - STORM CATCH BASIN
 - MW-1 (94.31) - MONITORING WELL / GROUNDWATER ELEVATION (5/31/00)
 - ⊕ - DRINKING WATER WELL
 - ST — - STORM SEWER LINE WITH FLOW DIRECTION
 - - PROPERTY BOUNDARY
 - - DRINKING WATER SUPPLY LINE
- APPROXIMATE SCALE: 1:50'

Barton & Loguidice, P.C.
Consulting Engineers
 290 Elwood Davis Road / Box 3107, Syracuse, New York 13220

ALASKAN OIL, INC.
 ROUTE 13 AND CEMETERY STREET
SITE MAP & GROUND WATER ELEVATIONS
 ALTMAR NEW YORK

Figure
1
 Project No.
639.004



APPROXIMATE SCALE: 1"=50'

Barton
& Loguidice, P.C.
 Consulting Engineers

290 Elwood Davis Road / Box 3107, Syracuse, New York 13220

ALASKAN OIL, INC.
 ROUTE 13 AND CEMETERY STREET

**ESTIMATED BTEX
 ISOPLETH MAP**

ALTAMAR

NEW YORK

Figure

2

Project No.

639,004

APPENDIX A
CES LABORATORY REPORT
MONITORING WELL DATA

5/15/00

AOI - Altmar, NY. #326

2nd Qtr 2000 GW Sampling Event

RW-1	NP / 5.88	TD-19.50	WV-00	WVR-15.00	TS-14:05
MW-1	NP / 5.69	TD-11.75	WV-.96	WVR-2.90	TS-15:35
MW-4	NP / 5.94	TD-9.30	WV-.53	WVR-1.61	TS-14:40
MW-5	NP / 6.53	TD-11.20	WV-.74	WVR-2.24	TS-12:20
MW-6	NP / 5.71	TD-11.30	WV-.89	WVR-2.68	TS-12:45
MW-9	NP / 6.52	TD-12.85	WV-1.01	WVR-3.03	TS-11:25
MW-10	NP / 6.75	TD-13.00	WV-1.00	WVR-3.00	TS-11:55
MW-11	NP / 5.17	TD-14.00	WV-1.40	WVR-1.40	TS-15:10
MW-12	5.30 / 5.31	TD-13.00	WV-13.0	WVR-1.23	TS-13:15
Field Blank					TS-11:00

NOTE: All wells were given ample recharge time prior to obtaining samples. All wells appeared to be in satisfactory condition. All samples were properly transferred and turned into CES Laboratories in Syracuse at 16:35 on 5/15/00 under PO # CES - 277. All samples were turned in under Normal TAT.

****** All monitoring wells exhibited no petro sheen or petro odor with exception of MW-1, MW-4, MW-10 & RW-1 which presented both. (petro sheen w/gasoline odors)

****** All monitoring wells were non-detect of free phase product with exception of MW-12 which presented .01". (Color - light amber / yellow, Gasoline odor)

****** Viscous liquid (possibly old motor oil) was visibly observed in MW-4. No surface stain was present near the well protector. The pvc well casing was in tact with the expandable well plug tightly secured. The possibility of surface impact could be considered due to the fact that employees of the mini-mart park their vehicles near that particular area.

JUN - 6 2000

Record of Monitoring Well Gauging Data

Site: Altmar #326

Address: Altmar Mini-Mart, Route 13 & Cemetery Street, Altmar, NY

Survey: Monthly

Clemett Job #: 99342

DATE	MW-1		MW-5		MW-6		MW-10		MW-12		RW-1	
	DTW	DTP	DTW	DTP	DTW	DTP	DTW	DTP	DTW	DTP	DTW	DTP
12/13/99	6.40	ND	6.35	ND	5.50	ND	7.00	ND	5.10	ND	6.28	6.30
12/29/99	5.90	ND	6.50	ND	4.60	ND	6.45	ND	6.43	ND	7.18	7.20
1/25/00	5.91	ND	6.52	ND	4.82	ND	6.81	ND	6.24	ND	6.40	6.42
2/9/00	6.15	ND	6.75	ND	5.75	ND	7.05	ND	6.51	ND	6.78	6.80
3/8/00	5.14	ND	6.08	ND	NS	NS	6.26	ND	5.79	ND	NS	NS
4/00	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
5/15/00	5.69	ND	6.53	ND	5.71	ND	6.75	ND	5.30	5.31	5.88	ND

MW = Monitoring Well

RW = Recovery Well

DTW = Depth to Water

DTP = Depth to Product

ND = Non Detect



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214358 SAMPLE ID- 99085/RW-1
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1405
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	4700	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	675	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214358

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,3-DICHLOROENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,4-DICHLOROENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	3000	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 250	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	1600	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	350	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	22600	ug/L
1,2,3-TRICHLOROENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2,4-TRICHLOROENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214358

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 250 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	4100 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	1550 ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 250 ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	7900 ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*15700 ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 1500 ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:



(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214359 SAMPLE ID- 99085/MW-1
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1535
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	5300	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 100	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	170	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 100	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 100	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 100	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214359

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLORO BENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,3-DICHLORO BENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,4-DICHLORO BENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 100	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 100	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 100	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 100	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 100	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 100	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	800	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 100	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 100	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 100	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	336	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 100	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	9000	ug/L
1,2,3-TRICHLORO BENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,2,4-TRICHLORO BENZENE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 100	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214359

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 100 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 100 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 100 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	1300 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	450 ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 100 ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	2400 ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*5000 ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 500 ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214360 SAMPLE ID- 99085/MW-4
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1440
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD	
BENZENE	EPA 8021	05/22/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214360

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214360

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214361 SAMPLE ID- 99085/MW-5
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1220
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	1.0	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	82	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214361

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	4.1	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	2.3	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	9.9	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	19	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	18	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214361

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	88	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	30	ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	1.8	ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*5.5	ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 5.0	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214362 SAMPLE ID- 99085/MW-6
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1245
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	21	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	1.2	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214362

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	11	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	2.2	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	1.7	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	1.6	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214362

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	6.3	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	3.3	ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*12	ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 5.0	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214363 SAMPLE ID- 99085/MW-9
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1125
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD	
BENZENE	EPA 8021	05/22/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214363

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214363

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214364 SAMPLE ID- 99085/MW-10
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1155
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	1600	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	1100	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214364

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	575	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 250	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	940	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	275	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	5600	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 214364

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	3100	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	1400	ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	3800	ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*6600	ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 1500	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214365 SAMPLE ID- 99085/MW-11
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1510
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	1.0	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	5.2	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214365

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	2.6	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	3.6	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	2.4	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214365

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	13	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	5.0	ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	2.2	ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*9.0	ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 5.0	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214366 SAMPLE ID- 99085/MW-12
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1315
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD		
BENZENE	EPA 8021	05/22/00		BLD	8900	ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 250	ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	425	ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 250	ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214366

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 250	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	3100	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 250	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 250	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 250	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	1000	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	375	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 250	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	22000	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 214366

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 250 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 250 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 250 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	2600 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	1000 ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 250 ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	4900 ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	*11500 ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 1500 ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: AOI, #326-Altmar
DATE: 05/31/2000

SAMPLE NUMBER- 214367 SAMPLE ID- 99085/Blank
DATE SAMPLED- 05/15/00
DATE RECEIVED- 05/15/00 SAMPLER- Jim Jones
TIME RECEIVED- 1635 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1100
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	05/22/00		BLD	
BENZENE	EPA 8021	05/22/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	05/22/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	05/22/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214367

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	05/22/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 214367

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
VINYL CHLORIDE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
P-XYLENE	EPA 8021	05/22/00		BLD	< 1.0 ug/L
METHLY-T-BUTYL ETHER	EPA 8021	05/22/00		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Cornett AND CO., INC.

IN OF CUSTODY RECORD
(Page 1 of 1) 37668

SAMPLE LOG NO.

99085-

JOB NO. AOI-326

SITE

SITE Altmar, NY.

2nd Qtr. GW Sampling Event

[illegible]

APPENDIX B
CES LABORATORY REPORT
RECOVERY SYSTEM DATA



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 05/15/2000

SAMPLE NUMBER- 212429 SAMPLE ID- Altmar Influent
DATE SAMPLED- 04/25/00
DATE RECEIVED- 04/25/00 SAMPLER- David Hanny
TIME RECEIVED- 1640 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	05/09/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	05/09/00		BLD	
Benzene	EPA 502.2	05/09/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 212429

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 05/15/2000

SAMPLE NUMBER- 212430 SAMPLE ID- Altmar Mid
DATE SAMPLED- 04/25/00
DATE RECEIVED- 04/25/00 SAMPLER- David Hanny
TIME RECEIVED- 1640 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	05/09/00		BLD	< 5.0	ug/L
EPA 502.2 Scan	EPA 502.2	05/09/00		BLD		
Benzene	EPA 502.2	05/09/00		BLD	< 0.7	ug/L
Trichloroethene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Toluene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Tetrachloroethene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Chlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Ethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
m-Xylene & p-Xylene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
o-Xylene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Styrene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Isopropylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
n-Propylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Bromobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
2-Chlorotoluene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,3,5-Trimethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
4-Chlorotoluene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
tert-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2,4-Trimethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
sec-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
p-Isopropyltoluene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 212430

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,3-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 05/15/2000

SAMPLE NUMBER- 212431 SAMPLE ID- Altmar Effluent
DATE SAMPLED- 04/25/00
DATE RECEIVED- 04/25/00 SAMPLER- David Hanny
TIME RECEIVED- 1640 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	05/09/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	05/09/00		BLD	
Benzene	EPA 502.2	05/09/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	05/09/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 212431

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,3-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	05/09/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

37296
37297



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

CHAIN OF CUSTODY RECORD

Client: <u>BARTON & Loguidice</u> Phone: <u>457-5200</u> Address: <u>290 Elwood Davis Rd.</u> Fax: <u>451-0052</u> <u>Box 3107, Syracuse NY 13229</u> P.O. #: <u>Clemett (CES-232)</u> Contact Person: <u>David Hanny</u> Project: <u>Alaskan Oil - Altmar</u>						Analysis EPA 502.2 - MTBE												
Sampled By (print): _____ (sign): _____																		
LAB USE ONLY	CES LOG NO.	COLLECTED		CORRECTION	MATERIAL	CLIENT ID/ SAMPLE LOCATION	# OF CONT.	COMMENTS										
		DATE	TIME															
	212429	4/25/00	9:00 am	X	0	Altmar Influent	2	X										Phase Four results to
	212430	↓	↓	X	1	Altmar mid	2	X										B&L (atten: Dave Hanny)
	212431	↓	↓	X	1	Altmar Effluent	2	X										& Jones at
																		Clemett & Co. Inc.
	212432	4/25/00				T. Blank												2020 Kennebec St.
																		P.O. Box 69
																		Syracuse, NY 13211
																		Call by Clemett
																		CES - 232
Relinquished By:		Date:		Time:		Received By:		Date:		Time:								
David R. Hanny		4/25/00		4:40														
Relinquished By:		Date:		Time:		Received By Lab:		Date:		Time:								
						Deborah Squires		4/25/00		1640								



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 06/08/2000

SAMPLE NUMBER- 217019 SAMPLE ID- Influent
DATE SAMPLED- 05/24/00
DATE RECEIVED- 05/24/00 SAMPLER- James Saxton
TIME RECEIVED- 1605 DELIVERED BY- James Saxton

SAMPLE MATRIX- WA
TIME SAMPLED- 1450
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	06/01/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	06/01/00		BLD	
Benzene	EPA 502.2	06/01/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 217019

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	06/01/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 06/08/2000

SAMPLE NUMBER- 217020 SAMPLE ID- Mid
DATE SAMPLED- 05/24/00
DATE RECEIVED- 05/24/00 SAMPLER- James Saxton
TIME RECEIVED- 1605 DELIVERED BY- James Saxton

SAMPLE MATRIX- WA
TIME SAMPLED- 1455
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	06/02/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	06/02/00		BLD	
Benzene	EPA 502.2	06/02/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 217020

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 06/08/2000

SAMPLE NUMBER- 217021 SAMPLE ID- Effluent
DATE SAMPLED- 05/24/00
DATE RECEIVED- 05/24/00 SAMPLER- James Saxton
TIME RECEIVED- 1605 DELIVERED BY- James Saxton

SAMPLE MATRIX- WA
TIME SAMPLED- 1500
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	06/02/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	06/02/00		BLD	
Benzene	EPA 502.2	06/02/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 217021

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 06/08/2000

SAMPLE NUMBER- 217022 SAMPLE ID- Trip Blank
DATE SAMPLED- 05/24/00
DATE RECEIVED- 05/24/00 SAMPLER- James Saxton
TIME RECEIVED- 1605 DELIVERED BY- James Saxton

SAMPLE MATRIX- WA
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	06/02/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	06/02/00		BLD	
Benzene	EPA 502.2	06/02/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	06/02/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 217022

ANALYSIS	METHOD	ANALYSIS		BY	RESULT	UNITS
		DATE	TIME			
1,3-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	06/02/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



***Certified
Environmental
Services, Inc.***

**1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107**

CHAIN OF CUSTODY RECORD

[illegible]



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

13 2000

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 07/11/2000

SAMPLE NUMBER- 220191 SAMPLE ID- Altmar Influent
DATE SAMPLED- 06/21/00
DATE RECEIVED- 06/21/00 SAMPLER- David Hanny
TIME RECEIVED- 1230 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	07/05/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	07/05/00		BLD	
Benzene	EPA 502.2	07/05/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 220191

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:



(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 07/11/2000

SAMPLE NUMBER- 220192 SAMPLE ID- Altmar Mid
DATE SAMPLED- 06/21/00
DATE RECEIVED- 06/21/00 SAMPLER- David Hanny
TIME RECEIVED- 1230 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	07/05/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	07/05/00		BLD	
Benzene	EPA 502.2	07/05/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 220192

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan-Altmar
DATE: 07/11/2000

SAMPLE NUMBER- 220193 SAMPLE ID- Altmar Effluent
DATE SAMPLED- 06/21/00
DATE RECEIVED- 06/21/00 SAMPLER- David Hanny
TIME RECEIVED- 1230 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- CAM
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	07/05/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	07/05/00		BLD	
Benzene	EPA 502.2	07/05/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 220193

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	07/05/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



***Certified
Environmental
Services, Inc.***

**1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107**

CHAIN OF CUSTODY RECORD

Client: <u>Barton & Loguidice</u>		Phone: <u>457-5200</u>		Analysis						
Address: <u>290 Elwood Davis</u>		Fax: <u>451-0052</u>								
<u>Syr. NY 13220</u>		P.O. #: <u>CES-285</u>								
Contact Person: <u>DAVID HANNY</u>		Project: <u>Alaskan-Altmar</u>								
Sampled By (print): <u>DAVID HANNY</u>				(sign): <u>David Hanny</u>						
LAB USE ONLY		COLLECTED		M A T R I X	CLIENT ID/ SAMPLE LOCATION	# OF CONT.	COMMENTS			
CES LOG NO.										
220191		4/21/00	0900	X	Altmar Influent	2	X			For & Mail results
220192		↓	↓	X	Altmar Mid	2	X			to D. Hanny &
220193		↓	↓	X	Altmar Effluent	2	X			for results to
220200		↓	↓		Trip Blank		X			Jim Jones @
										Clemett.
										Bill to Alaskan
										CES-285
Relinquished By: <u>David P. Hanny</u>		Date: <u>6/21/00</u>	Time: <u>1230</u>	Received By: <u>[Signature]</u>		Date: <u>6/21/00</u>	Time: <u>1230</u>			
Relinquished By: <u>[Signature]</u>		Date: <u>6/21/00</u>	Time: <u>1230</u>	Received By Lab: <u>[Signature]</u>		Date: <u>6/21/00</u>	Time: <u>1230</u>			

APPENDIX C
HISTORICAL LABORATORY DATA

Historical BTEX Data
Monitoring Wells
Alaskan Oil, Inc.
Altkmar Mini Mart
Rt. 13 & Cemetary Road

Date	BTEX Concentrations (ug/l)										
	RW-1	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12		
04-Jun-97	-	79,600	ND	--	--	ND	--	--	--		
25-Jul-97	-	75,700	ND	435	3,194	ND	--	--	--		
13-Oct-97	-	7,700	ND	189	36	ND	--	--	--		
09-Jan-98	-	3,570	ND	64	1,662	ND	--	--	--		
14-May-98	-	Free product	ND	14	3,712	ND	11,500	--	--		
06-Aug-98	-	68,000	ND	123	1,162	ND	42,800	41,200	13,760		
13-Nov-98	42,800	28,000	ND	193	1,100	ND	42,000	46,000	17,000		
08-Feb-99	48,000	16,800	ND	26	1,554	ND	52,500	41,400	1,215		
21-Jun-99	55,800	3,440	ND	86	360	ND	39,700	66,230	7,070		
09-Feb-00	56,900	15,000	7	299	1,643	10	20,590	9,100	43,200		

Notes

BTEX Concentrations are the summed concentrations of Benzene, Toluene, Ethylbenzene and Total Xylenes.

ND - None Detected

MW-1 was not sampled when free product was observed.

DRH: 639.002

B&E
Engineering, PC.
Consulting Engineers

**Historical Influent Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l							
		9/15/98	10/16/98	11/13/98	12/31/98	6/10/99	1/25/00	2/24/00	3/21/00
<u>EPA Method 502.2</u>									
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

 = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers

**Historical Mid Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l							
		9/15/98	10/16/98	11/13/98	12/31/98	6/10/99	1/25/00	2/24/00	3/21/00
EPA Method 502.2									
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

██████████ = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers

**Historical Effluent Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l							
		9/15/98	10/16/98	11/13/98	12/31/98	6/10/99	1/25/00	2/24/00	3/21/00
<u>EPA Method 502.2</u>									
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

 = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers