

Barton
&**L**oguidice, P.C.
Consulting Engineers

July 26, 2000

Harry Warner
New York State Department of
Environmental Conservation
Region 7
615 Erie Boulevard West
Syracuse, New York 13204-2400


File: 639.002

Dear Mr. Warner:

Please find attached the First Quarter 2000 Groundwater/Recovery System Monitoring Report for the Altmar, New York Alaskan Oil site. Please call if you have any questions regarding the report.

Very truly yours,


BARTON & LOGUIDICE, P.C.



David R. Hanny
Environmental Scientist

DRH/nsk

cc: Scott Blake
Thom DiCaprio
Rich Neugebaur



ALASKAN OIL, INC
ROUTE 13 & CEMETERY STREET
ALTMAR, NEW YORK

SPILL NO. 9614774

GROUNDWATER/RECOVERY SYSTEM REPORT

FIRST QUARTER 2000

(JANUARY - MARCH)

PREPARED FOR

Alaskan Oil, Inc.
120 Wilkinson Street
Syracuse, New York

PREPARED BY

Barton & Loguidice, P.C.
Consulting Engineers
290 Elwood Davis Road
Box 3107
Syracuse, New York 13220

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	1
2.0 GROUNDWATER MONITORING	1
3.0 RECOVERY SYSTEM MONITORING	2
4.0 RECOMMENDATIONS	2

TABLES

- Table 1 - First Quarter 2000 Monitoring Well Data
- Table 2 - First Quarter 2000 Recovery System Data
- Table 3 - Groundwater Elevation Data

FIGURES

- Figure 1 - Site Map and Groundwater Elevations
- Figure 2 - Estimated BTEX Isopleth Map

APPENDICES

- Appendix A - CES Laboratory Report Monitoring Well Data
- Appendix B - CES Laboratory Report Recovery System Data
- Appendix C - Historical Data Summary

1.0 INTRODUCTION

The following report presents the results of the First Quarter 2000 groundwater monitoring wells and recovery system sampling events at the Alaskan Oil, Inc. (AOI) property located at Route 13 and Cemetery Street in Altmar, New York. The site is part of the Multi-Site Response Program/Voluntary Cleanup Agreement, between AOI and the New York State Department of Environmental Conservation (NYSDEC).

2.0 GROUNDWATER MONITORING

Groundwater samples were collected from eight monitoring wells and the recovery well on February 9, 2000 by personnel from Clemett and Co. The samples were submitted to Certified Environmental Services for analysis of volatile petroleum hydrocarbons (EPA Method 8021). Each of the wells sampled had volatile organic compounds (VOC's) in exceedence of DEC STARS Guidance Values. Table 1 summarizes the detected VOC's and the complete CES laboratory report is attached in Appendix A. Historical ground water data is attached in Appendix C.

Clemett and Co. personnel also measured the static water level of each well sampled on February 9, 2000. Table 3 illustrates the measured water levels and the groundwater elevations based on well surveying data conducted by Certified Environmental Services. The groundwater elevations are also depicted on Figure 1. In general, groundwater appears to be flowing over a shallow gradient from east to west towards the wetland west of the site. However, some of the static water level data collected (i.e. MW-6 and MW-12) does not appear to be representative of natural site conditions. These wells, and possibly other monitoring points at the site, may be influenced by the storm water drains at the facility. Given the shallow gradient at the site, the possibility of storm drain influence upon water levels, and the uncertainty of the well casing survey data, groundwater contours were not delineated on Figure 1.


Table 1
Monitoring Wells
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	First Quarter 2000 (Results in ug/l) 2/9/00								
		RW-1	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12
EPA Method 502.2										
Benzene	0.7	5,400	3,300	<0.7	<10	625	<0.7	1,850	<500	8,000
Toluene	5	19,500	5,100	<1.0	12	300	5.5	7,100	1,200	18,400
Ethylbenzene	5	2,500	800	3.0	127	185	<1.0	940	1,000	2,600
Total Xylenes	5	29,500	5,800	3.8	160	533	4.3	10,700	6,900	14,200
Isopropyl benzene	5	<250	<50	<1.0	10	<25	<1.0	<100	<500	<500
n-Propylbenzene	5	375	<50	<1.0	60	<25	<1.0	195	<500	<500
1,3,5-Trimethylbenzene	5	2,000	475	1.2	73	<25	<1.0	970	<500	720
1,2,4-Trimethylbenzene	5	6,300	1,400	6.3	284	190	<1.0	2,700	1,700	2,300
n-Butylbenzene	5	850	190	2.7	120	35	<1.0	2,700	<500	<500
Napthalene	10	2,300	240	<1.0	65	<25	<1.0	690	<500	600
MTBE	50	<1500	<150	<5.0	<50	<150	<5.0	<500	<2500	<2500
BTEX	—	56,900	15,000	6.8	299	1,643	9.8	20,590	9,100	43,200

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

 = Above DEC Guidance Values

DRH: 639.002



Table 2
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l								
		1/25/00			2/24/00			3/21/00		
		Influent	Mid	Effluent	Influent	Mid	Effluent	Influent	Mid	Effluent
EPA Method 502.2										
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

█ = Above DEC Guidance Values

DRH: 639.002



Table 3
Water Level Elevation Data
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12
Top of PVC Pipe Elevation	100.0	99.7	99.2	100.5	99.5	99.9	99.5	99.2
Top of Screen Elevation	98.0	97.7	95.2	96.5	96.6	96.9	96.5	96.0
Depth to Well Bottom	11.9	13.8	14.3	14.5	13.4	13.6	13.2	13.8
DATE	SWL GW EL.	SWL GW EL.	SWL GW EL.	SWL GW EL.	SWL GW EL.	SWL GW EL.	SWL GW EL.	SWL GW EL.
2/9/00	6.1 93.9	6.7 93.0	6.8 92.5	5.6 94.9	6.8 92.7	7.1 92.8	6.8 92.7	6.5 92.7



Notes

SWL = Static water level

GW El. = Groundwater elevation

DRH: 639.004






- LEGEND:**
- GS- - STORM CATCH BASIN
 - - STORM CATCH BASIN
 - ⊕ MW-1 (93.87) - MONITORING WELL/ GROUNDWATER ELEVATION (2/9/00)
 - ⊕ - DRINKING WATER WELL
 - ST — - STORM SEWER LINE WITH FLOW DIRECTION
 - - - - - PROPERTY BOUNDARY
 - — — — - DRINKING WATER SUPPLY LINE

APPROXIMATE SCALE: 1/50'

Barton & Loguidice, P.C.
Consulting Engineers
 290 Elwood Davis Road / Box 3107, Syracuse, New York 13220

ALASKAN OIL, INC.
 ROUTE 13 AND CEMETERY STREET
SITE MAP & GROUND WATER ELEVATIONS
 ALTMAR NEW YORK

Figure
1
 Project No.
639.004



LEGEND:

- ND - NOT DETECTED BASED ON HISTORIC DATA
- GS- - STORM CATCH BASIN
- - STORM CATCH BASIN
- MW-1 (15,000) - MONITORING WELL/ BTEX CONCENTRATION (2/9/00)
- ⊕ - DRINKING WATER WELL
- ST - STORM SEWER LINE WITH FLOW DIRECTION
- - - - - PROPERTY BOUNDARY
- — — — — DRINKING WATER SUPPLY LINE

APPROXIMATE SCALE: 1"=50'

- 1-100 ug/l
- 100-10,000 ug/l
- 10,000-40,000 ug/l
- 40,000+ ug/l

Barton
&L Loguidice, P.C.
 Consulting Engineers
 250 Elwood Davis Road / Box 3107, Syracuse, New York 13220

ALASKAN OIL, INC.
 ROUTE 13 AND CEMETERY STREET
ESTIMATED BTEX ISOPLETH MAP
 ALTMAR NEW YORK

Figure
2
 Project No.
639.004

APPENDIX A

**CES LABORATORY REPORT
MONITORING WELL DATA**



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207147 SAMPLE ID- 99045/Trip Blank SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 1025
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD	
BENZENE	EPA 8021	02/23/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207147

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207147

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207148 SAMPLE ID- 99045/RW-1 SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 1230
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS		BY	RESULT	UNITS
		DATE	TIME			
EPA 8021 SCAN	EPA 8021	02/23/00		BLD		
BENZENE	EPA 8021	02/23/00		BLD	5400	ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 250	ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	850	ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 250	ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 250	ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 250	ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207148

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 250	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 250	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 250	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 250	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 250	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 250	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	2500	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 250	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 250	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 250	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	2300	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	375	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 250	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	19500	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 250	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207148

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 250 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 250 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 250 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	6300 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	2000 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 250 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	10250 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*19250 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 1500 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Clemett & Co. Inc.
 2020 Lemoyne Ave.
 Syracuse, NY 13211-
 Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
 DATE: 03/07/2000

SAMPLE NUMBER-	207149	SAMPLE ID-	99045/MW-1	SAMPLE MATRIX-	WA
DATE SAMPLED-	02/09/00			TIME SAMPLED-	1005
DATE RECEIVED-	02/09/00	SAMPLER-	J. Costello/R. Becken	RECEIVED BY-	DJS
TIME RECEIVED-	1415	DELIVERED BY-	Richard Becken	TYPE SAMPLE-	Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS			RESULT	UNITS
		DATE	TIME	BY		
EPA 8021 SCAN	EPA 8021	02/23/00		BLD		
BENZENE	EPA 8021	02/23/00		BLD	3300	ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 50	ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	190	ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 50	ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 50	ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 50	ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L



CONTINUATION OF DATA FOR SAMPLE NUMBER 207149

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 50	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 50	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 50	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 50	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 50	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 50	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	800	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 50	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 50	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 50	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	240	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 50	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	5100	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 50	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207149

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 50 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 50 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 50 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	1400 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	475 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 50 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	1700 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*4100 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 150 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207150 SAMPLE ID- 99045/MW-4 SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 1020
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD	
BENZENE	EPA 8021	02/23/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	2.7 ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207150

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	3.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207150

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
TRICHLOROFUOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	6.3 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	1.2 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*3.8 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 5.0 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Clemett & Co. Inc.
 2020 Lemoyne Ave.
 Syracuse, NY 13211-
 Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
 DATE: 03/07/2000

SAMPLE NUMBER- 207151 SAMPLE ID- 99045/MW-5 SAMPLE MATRIX- WA
 DATE SAMPLED- 02/09/00 TIME SAMPLED- 1145
 DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
 TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS		RESULT	UNITS
		DATE	TIME BY		
EPA 8021 SCAN	EPA 8021	02/23/00	BLD		
BENZENE	EPA 8021	02/23/00	BLD	< 10	ug/L
BROMOBENZENE	EPA 8021	02/23/00	BLD	< 10	ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
BROMOFORM	EPA 8021	02/23/00	BLD	< 10	ug/L
BROMOMETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00	BLD	120	ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00	BLD	< 10	ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00	BLD	< 10	ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00	BLD	< 10	ug/L
CHLOROBENZENE	EPA 8021	02/23/00	BLD	< 10	ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
CHLOROETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
CHLOROFORM	EPA 8021	02/23/00	BLD	< 10	ug/L
CHLOROMETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00	BLD	< 10	ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00	BLD	< 10	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00	BLD	< 10	ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L
DIBROMOMETHANE	EPA 8021	02/23/00	BLD	< 10	ug/L



CONTINUATION OF DATA FOR SAMPLE NUMBER 207151

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 10	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 10	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 10	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 10	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 10	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 10	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 10	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	127	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 10	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	10	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 10	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 10	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	65	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	60	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 10	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	12	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 10	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207151

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 10 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 10 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 10 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	284 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	73 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 10 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	< 10 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*160 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 50 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207152 SAMPLE ID- 99045/MW-6 SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 1050
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD		
BENZENE	EPA 8021	02/23/00		BLD	625	ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 25	ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 25	ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	35	ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 25	ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 25	ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 25	ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 25	ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 25	ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 25	ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 25	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 25	ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 25	ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207152

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-DICHLOROENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,3-DICHLOROENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,4-DICHLOROENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 25 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 25 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 25 ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 25 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 25 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 25 ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	185 ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 25 ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 25 ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 25 ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	< 25 ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 25 ug/L
TOLUENE	EPA 8021	02/23/00		BLD	300 ug/L
1,2,3-TRICHLOROENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,2,4-TRICHLOROENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207152

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 25 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 25 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	190 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	< 25 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 25 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	108 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*425 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 150 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Clemett & Co. Inc.
 2020 Lemoyne Ave.
 Syracuse, NY 13211-
 Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
 DATE: 03/07/2000

SAMPLE NUMBER- 207153 SAMPLE ID- 99045/MW-9 SAMPLE MATRIX- WA
 DATE SAMPLED- 02/09/00 TIME SAMPLED- 1115
 DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
 TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD	
BENZENE	EPA 8021	02/23/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207153

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	5.5	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 1.0	ug/L

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207153

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*4.3 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 5.0 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207154 SAMPLE ID- 99045/MW-10 SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 1135
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD		
BENZENE	EPA 8021	02/23/00		BLD	1850	ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 100	ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	2700	ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 100	ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 100	ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 100	ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207154

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 100	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 100	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 100	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 100	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 100	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 100	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	940	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 100	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 100	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 100	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	690	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	195	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 100	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	7100	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 100	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207154

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 100 ug/L
TRICHLOROFUOROMETHANE	EPA 8021	02/23/00		BLD	< 100 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 100 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	2700 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	970 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 100 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	2600 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*8100 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 500 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207155 SAMPLE ID- 99045/MW-11 SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 0945
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD	
BENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 500 ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 500 ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 500 ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 500 ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207155

ANALYSIS	METHOD	ANALYSIS		BY	RESULT	UNITS
		DATE	TIME			
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500	ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 500	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 500	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 500	ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	1000	ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 500	ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 500	ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 500	ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	< 500	ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 500	ug/L
TOLUENE	EPA 8021	02/23/00		BLD	1200	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207155

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500	ug/L
TRICHLOROFUOROMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	1700	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 500	ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	1900	ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*5000	ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 2500	ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
2020 Lemoyne Ave.
Syracuse, NY 13211-
Attn: Mr. Thomas DiCaprio

PROJECT NAME: 99342/Altmar
DATE: 03/07/2000

SAMPLE NUMBER- 207156 SAMPLE ID- 99045/MW-12 SAMPLE MATRIX- WA
DATE SAMPLED- 02/09/00 TIME SAMPLED- 1220
DATE RECEIVED- 02/09/00 SAMPLER- J. Costello/R. Becken RECEIVED BY- DJS
TIME RECEIVED- 1415 DELIVERED BY- Richard Becken TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	02/23/00		BLD		
BENZENE	EPA 8021	02/23/00		BLD	8000	ug/L
BROMOBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
BROMOCHLOROMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
BROMODICHLOROMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
BROMOFORM	EPA 8021	02/23/00		BLD	< 500	ug/L
BROMOMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
N-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
SEC-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
TERT-BUTYLBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
CARBON TETRACHLORIDE	EPA 8021	02/23/00		BLD	< 500	ug/L
CHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500	ug/L
CHLORODIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
CHLOROETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
CHLOROFORM	EPA 8021	02/23/00		BLD	< 500	ug/L
CHLOROMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
2-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 500	ug/L
4-CHLOROTOLUENE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500	ug/L
1,2-DIBROMOETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L
DIBROMOMETHANE	EPA 8021	02/23/00		BLD	< 500	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 207156

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
1,2-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,3-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,4-DICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2-DICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,3-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500 ug/L
2,2-DICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 500 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 500 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	02/23/00		BLD	< 500 ug/L
ETHYLBENZENE	EPA 8021	02/23/00		BLD	2600 ug/L
HEXACHLOROBUTADIENE	EPA 8021	02/23/00		BLD	< 500 ug/L
ISOPROPYLBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	02/23/00		BLD	< 500 ug/L
METHYLENE CHLORIDE	EPA 8021	02/23/00		BLD	< 500 ug/L
NAPHTHALENE	EPA 8021	02/23/00		BLD	600 ug/L
N-PROPYLBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
STYRENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
TETRACHLOROETHENE	EPA 8021	02/23/00		BLD	< 500 ug/L
TOLUENE	EPA 8021	02/23/00		BLD	18400 ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 207156

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
TRICHLOROETHENE	EPA 8021	02/23/00		BLD	< 500 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	02/23/00		BLD	< 500 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	2300 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	02/23/00		BLD	720 ug/L
VINYL CHLORIDE	EPA 8021	02/23/00		BLD	< 500 ug/L
O-XYLENE	EPA 8021	02/23/00		BLD	4000 ug/L
M-XYLENE	EPA 8021	02/23/00		BLD	*10200 ug/L
P-XYLENE	EPA 8021	02/23/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	02/23/00		BLD	< 2500 ug/L

*Chromatographically, m & p-Xylene co-elutes. Therefore the reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



2020 Lemoyne St., PO Box 69
 Syracuse, NY 13211
 Phone: (315) 454-4435
 Fax: (315) 454-~~8815~~ 8815

CHAIN OF CUSTODY RECORD

(Page 1 of 1) 35983

SAMPLE LOG NO. 99045

JOB NO. 99342

SITE Altmar

1st Quarter 2000

Lab Use Only	Sample ID	Date	Time	Turnaround Time				# of Cont.	EPA 503.1 WMTBE										Lab	Address	COMMENTS									
				Normal	24 Hr.	72 Hr.	Other		EPA 503.1 WMTBE	EPA 502.2 WMTBE	EPA 602 WMTBE	NYS DOH 310.13	NYS DOH 310.14	EPA 8021 WMTBE	TOTALS STARS	TCLP FULL	EPA 8270 BN	TOTALS STARS				TCLP FULL	EPA 8100	FLASH POINT	PAINT FILTER	LEAD TOTAL	TCLP	BENZENE TOTAL	TCLP	TOTAL METALS (RCRA 8)
	Triobank	2/9/00	1025	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																			207147	LES		
	RWI	2/9/00	1230	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207148	141 Gie Bude	
	MW1	2/9/00	1005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207149	S44 NY 13210	
	MW4	2/9/00	1020	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207150		
	MW5	2/9/00	1145	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207151		
	MW10	2/9/00	1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207152		
	MW9	2/9/00	1115	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207153		
	MW10	2/9/00	1135	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207154		
	MW11	2/9/00	0945	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207155		
	MW12	2/9/00	1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/100																				207156		

Relinquished by (sampler): James X. Mello Date: 2/9/00 Time: 2:15P
 Relinquished by: Richard C. Becker Date: 2-9-00 Time: 2:15P
 Relinquished by: _____ Date: _____ Time: _____

APPENDIX B


CES LABORATORY REPORT

RECOVERY SYSTEM DATA



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107



February 18, 2000

Alaskan Oil, Inc.
ATTN: Mr. Scott Blake
120 Wilkinson Street
Syracuse, NY 13204

**RE: Altmar Mini Mart
Route 13 & Cemetery Road, Altmar, New York
Well Water Sampling and Analysis
Monthly Analytical Report - January 2000 Sampling**

Dear Mr. Blake:

Please accept the following as the January 2000 monthly analytical report for the water samples collected for analysis from the supply well located at the Altmar Mini-Mart on Route 13, Altmar, New York. Groundwater samples were collected for laboratory analysis by CES personnel on January 25, 2000 from the water treatment system at the above referenced site. Water samples were analyzed for volatile organic compounds including methyl-tertiary-butyl-ether (MTBE) in accordance with USEPA Method 502.2.

A. Influent Sample Analytical Results:

Results from laboratory analysis conducted on the influent groundwater sample collected prior to entering the granular activated carbon system did not reveal an elevated concentration of volatile organic compounds including MTBE above laboratory detection limits and is therefore in compliance with NYSDEC Water Quality Regulations.

B. Mid-point Sample Analytical Results:

Results from laboratory analysis conducted on the water sample collected between the two granular activated carbon canisters, referred to as the mid-point sample did not reveal an elevated concentration of volatile organic compounds including MTBE above laboratory detection limits and is therefore in compliance with NYSDEC Water Quality Regulations.



Mr. Scott Blake
February 18, 2000
Page #2

C. Effluent Sample Analytical Results:

Results from laboratory analysis conducted on the water sample collected after the two granular activated carbon canisters did not reveal an elevated concentration of volatile organic compounds including MTBE above laboratory detection limits and is therefore in compliance with NYSDEC Water Quality Regulations.

The laboratory analytical reports for the above-mentioned samples are provided as *ATTACHMENT "A"*. Should you have questions or concerns relative to the information provided, please do not hesitate to contact me at (315)478-2374.

Sincerely,
Certified Environmental Services, Inc.

A handwritten signature in black ink, appearing to read "Eric E. Murdock", is written over the typed name.

Eric E. Murdock
Environmental Services Manager

ATTACHMENT "A" Results from laboratory analysis from January 25, 2000 sampling



ATTACHMENT A

**Results from Laboratory Analysis on Groundwater Samples
Before 1ST Carbon, Between Carbons, and After 2ND Carbon
Collected January 25, 2000**



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

ALASKAN OIL, INC.
120 WILKINSON ST.
SYRACUSE, NY 13204-
Attn: MR. RICH NEUGEBAUER

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 01/28/00

SAMPLE NUMBER- 206117 SAMPLE ID- Influent
DATE SAMPLED- 01/25/00
DATE RECEIVED- 01/25/00 SAMPLER- Dan Leone
TIME RECEIVED- 1450 DELIVERED BY- Dan Leone

SAMPLE MATRIX- WA
TIME SAMPLED- 0915
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	01/28/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	01/28/00		BLD	
Benzene	EPA 502.2	01/28/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 206117

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

ALASKAN OIL, INC.
120 WILKINSON ST.
SYRACUSE, NY 13204-
Attn: MR. RICH NEUGEBAUER

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 01/28/00

SAMPLE NUMBER- 206118 SAMPLE ID- Middle
DATE SAMPLED- 01/25/00
DATE RECEIVED- 01/25/00 SAMPLER- Dan Leone
TIME RECEIVED- 1450 DELIVERED BY- Dan Leone

SAMPLE MATRIX- WA
TIME SAMPLED- 0920
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	01/28/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	01/28/00		BLD	
Benzene	EPA 502.2	01/28/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 206118

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,3-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

ALASKAN OIL, INC.
120 WILKINSON ST.
SYRACUSE, NY 13204-
Attn: MR. RICH NEUGEBAUER

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 01/28/00

SAMPLE NUMBER- 206119 SAMPLE ID- Effluent
DATE SAMPLED- 01/25/00
DATE RECEIVED- 01/25/00 SAMPLER- Dan Leone
TIME RECEIVED- 1450 DELIVERED BY- Dan Leone

SAMPLE MATRIX- WA
TIME SAMPLED- 0926
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	01/28/00		BLD	< 5.0	ug/L
EPA 502.2 Scan	EPA 502.2	01/28/00		BLD		
Benzene	EPA 502.2	01/28/00		BLD	< 0.7	ug/L
Trichloroethene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Toluene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Tetrachloroethene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Chlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Ethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
m-Xylene & p-Xylene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
o-Xylene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Styrene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Isopropylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
n-Propylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
Bromobenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
2-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
1,3,5-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
4-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
tert-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
1,2,4-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
sec-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L
p-Isopropyltoluene	EPA 502.2	01/28/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 206119

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

ALASKAN OIL, INC.
120 WILKINSON ST.
SYRACUSE, NY 13204-
Attn: MR. RICH NEUGEBAUER

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 01/28/00

SAMPLE NUMBER- 206120 SAMPLE ID- Trip Blank
DATE SAMPLED- 01/25/00
DATE RECEIVED- 01/25/00 SAMPLER- Dan Leone
TIME RECEIVED- 1450 DELIVERED BY- Dan Leone

SAMPLE MATRIX- WA
TIME SAMPLED- 0805
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	01/28/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	01/28/00		BLD	
Benzene	EPA 502.2	01/28/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 206120

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	01/28/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

35735



Certified Environmental Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

CHAIN OF CUSTODY RECORD

Client: <u>Alaskan Oil, Inc.</u>				Phone: _____		Analysis	
Address: _____				Fax: _____			
Contact Person: <u>Richard Neugebauer</u>				P.O. #: _____			
Project: <u>Altmar Mini-Mart Monthly</u>							
Sampled By (print): <u>Dan Leone</u>				Sign: <u>[Signature]</u>			
LAB USE ONLY	COLLECTED		M A T R I C O R I P B X	CLIENT ID/ SAMPLE LOCATION	# OF CONT.	COMMENTS	
CES LOG NO.	DATE	TIME					
206117	1/25/00	9:15	XW	INF. (system)	2	X	
206118		9:20	XW	MID. (system)	2	X	
206119		9:26	XW	EFF. (system)	2	X	
206120	↓	8:05	XW	Trip Blank	1	X	
Relinquished By: <u>[Signature]</u>				Date: <u>1/25/00</u>	Time: <u>14:50</u>	Received By: _____	
Relinquished By: _____				Date: _____	Time: _____	Received By Lab: <u>D. Squires</u>	
				Date: <u>1/25/00</u>	Time: <u>14:50</u>		



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

MAR 14 2000

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: ~~AGI/PEP, #326-Altmar~~
DATE: 03/13/2000

SAMPLE NUMBER- 208179 SAMPLE ID- Altmar Influent
DATE SAMPLED- 02/24/00
DATE RECEIVED- 02/24/00 SAMPLER- David Hanny
TIME RECEIVED- 1230 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 1000
RECEIVED BY- DJS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
METHYL-T-BUTYL ETHER	EPA 502.2	03/08/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	03/08/00		BLD	
Benzene	EPA 502.2	03/08/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 208179

ANALYSIS	METHOD	ANALYSIS		BY	RESULT UNITS
		DATE	TIME		
1,3-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 03/13/2000

SAMPLE NUMBER- 208180 SAMPLE ID- Altmar Mid SAMPLE MATRIX- WA
DATE SAMPLED- 02/24/00 TIME SAMPLED- 1000
DATE RECEIVED- 02/24/00 SAMPLER- David Hanny RECEIVED BY- DJS
TIME RECEIVED- 1230 DELIVERED BY- David Hanny TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
METHYL-T-BUTYL ETHER	EPA 502.2	03/08/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	03/08/00		BLD	
Benzene	EPA 502.2	03/08/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L




Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 208180

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 03/13/2000

SAMPLE NUMBER- 208181 SAMPLE ID- Altmar Effluent SAMPLE MATRIX- WA
DATE SAMPLED- 02/24/00 TIME SAMPLED- 1000
DATE RECEIVED- 02/24/00 SAMPLER- David Hanny RECEIVED BY- DJS
TIME RECEIVED- 1230 DELIVERED BY- David Hanny TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	03/08/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	03/08/00		BLD	
Benzene	EPA 502.2	03/08/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 208181

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
1,3-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	03/08/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

35104

CHAIN OF CUSTODY RECORD

Client: <u>BARTON & Longridge</u>		Phone: <u>457-5200</u>		Analysis				
Address: <u>290 Elwood Davis Rd.</u>		Fax: <u>457-0052</u>						
<u>Box 3107 Syracuse NY 13220</u>		P.O. #: <u>100011 (CES-198)</u>						
Contact Person: <u>David Adams</u>	Project: <u>Asbestos - A Home</u>							
Sampled By (print): <u>[Signature]</u>			Sampled By (sign):					
LAB USE ONLY			M A T R I A L					
CES LOG NO.	COLLECTED		C O R R E C T I O N	CLIENT ID/ SAMPLE LOCATION	# OF CONT.	COMMENTS		
	DATE	TIME	P B X					
208179	2/24/00	10:00am		Asbestos inflorent	2 X			
208180				Asbestos mid	2 X			
208181				Asbestos effluent	2 X			
						2001 Longwood St. E. Box 18 Syracuse NY 13211		
						2/24/00		
Relinquished By: <u>[Signature]</u>			Date: <u>2/24/00</u>	Time: <u>2:00</u>	Received By:		Date: _____	Time: _____
Relinquished By: <u>[Signature]</u>			Date: _____	Time: _____	Received By Lab: <u>[Signature]</u>		Date: <u>2/24/00</u>	Time: <u>2:30</u>



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

APR 6 2000

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 04/05/2000

SAMPLE NUMBER- 210154 SAMPLE ID- Altmar Influent SAMPLE MATRIX- WA
DATE SAMPLED- 03/21/00 TIME SAMPLED- 0930
DATE RECEIVED- 03/21/00 SAMPLER- David Hanny RECEIVED BY- DJS
TIME RECEIVED- 1040 DELIVERED BY- David Hanny TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	04/03/00		BLD	< 5.0	ug/L
EPA 502.2 Scan	EPA 502.2	04/03/00		BLD		
Benzene	EPA 502.2	04/03/00		BLD	< 0.7	ug/L
Trichloroethene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Toluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Tetrachloroethene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Chlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Ethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
m-Xylene & p-Xylene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
o-Xylene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Styrene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Isopropylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
n-Propylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Bromobenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
2-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
1,3,5-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
4-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
tert-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
1,2,4-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
sec-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
p-Isopropyltoluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 210154

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
1,3-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
DATE: 04/05/2000

SAMPLE NUMBER- 210155 SAMPLE ID- Altmar Mid SAMPLE MATRIX- WA
DATE SAMPLED- 03/21/00 TIME SAMPLED- 0930
DATE RECEIVED- 03/21/00 SAMPLER- David Hanny RECEIVED BY- DJS
TIME RECEIVED- 1040 DELIVERED BY- David Hanny TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	04/03/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	04/03/00		BLD	
Benzene	EPA 502.2	04/03/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 210155

ANALYSIS	METHOD	ANALYSIS		BY	RESULT UNITS
		DATE	TIME		
1,3-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Barton & Loguidice, P.C.
 Box 3107
 Syracuse, NY 13220-
 Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
 DATE: 04/05/2000

SAMPLE NUMBER- 210156 SAMPLE ID- Altmar Effluent
 DATE SAMPLED- 03/21/00
 DATE RECEIVED- 03/21/00 SAMPLER- David Hanny
 TIME RECEIVED- 1040 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
 TIME SAMPLED- 0930
 RECEIVED BY- DJS
 TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	04/03/00		BLD	< 5.0	ug/L
EPA 502.2 Scan	EPA 502.2	04/03/00		BLD		
Benzene	EPA 502.2	04/03/00		BLD	< 0.7	ug/L
Trichloroethene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Toluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Tetrachloroethene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Chlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Ethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
m-Xylene & p-Xylene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
o-Xylene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Styrene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Isopropylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
n-Propylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
Bromobenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
2-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
1,3,5-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
4-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
tert-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
1,2,4-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
sec-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L
p-Isopropyltoluene	EPA 502.2	04/03/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 210156

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
1,3-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY



(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Barton & Loguidice, P.C.
 Box 3107
 Syracuse, NY 13220-
 Attn: Mr. David Hanny

PROJECT NAME: AOI/PEF, #326-Altmar
 DATE: 04/05/2000

SAMPLE NUMBER- 210221 SAMPLE ID- Trip Blank SAMPLE MATRIX- WA
 DATE SAMPLED- 03/21/00
 DATE RECEIVED- 03/21/00 SAMPLER- David Hanny RECEIVED BY- DJS
 TIME RECEIVED- 1040 DELIVERED BY- David Hanny TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	04/03/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	04/03/00		BLD	
Benzene	EPA 502.2	04/03/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L




Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 210221

ANALYSIS	METHOD	ANALYSIS			RESULT UNITS
		DATE	TIME	BY	
1,3-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	04/03/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


Terms and Conditions on Reverse Side

36659



Certified Environmental Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

36678

CHAIN OF CUSTODY RECORD

Client: <u>Boston & Associates</u> Phone: <u>478-2374</u>				Analysis			
Address: <u>210 Belmont Ave</u> Fax: <u>478-2374</u>							
Contact Person: <u>[Signature]</u> P.O. #: <u>(478-2374)</u>							
Project: <u>Water at Albany</u>							
Sampled By (print): <u>[Signature]</u>				(sign):			
LAB USE ONLY				M A R T			
CES LOG NO.	COLLECTED		C O R R I M P B X	CLIENT ID/ SAMPLE LOCATION	# OF CONT.	COMMENTS	
	DATE	TIME					
210154	3/2/00	9:00am	X	Albany	2	X	
210155	↓	↓	X	Albany	2	X	
210156	↓	↓	X	Albany	2	X	
210221				TRIP Blank			
Relinquished By: <u>[Signature]</u>				Date: <u>3/2/00</u>	Time: <u>10:40</u>	Received By:	
Relinquished By: <u>[Signature]</u>				Date:	Time:	Received By Lab: <u>Deborah Squires</u>	
						Date: <u>3/2/00</u>	Time: <u>10:40</u>

APPENDIX C
HISTORICAL LABORATORY DATA

**Historical BTEX Data
Monitoring Wells
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Date	BTEX Concentrations (ug/l)								
	RW-1	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12
04-Jun-97	--	79,600	ND	--	--	ND	--	--	--
25-Jul-97	--	75,700	ND	435	3,194	ND	--	--	--
13-Oct-97	--	7,700	ND	189	36	ND	--	--	--
09-Jan-98	--	3,570	ND	64	1,662	ND	--	--	--
14-May-98	--	Free product	ND	14	3,712	ND	11,500	--	--
06-Aug-98	--	68,000	ND	123	1,162	ND	42,800	41,200	13,760
13-Nov-98	42,800	28,000	ND	193	1,100	ND	42,000	46,000	17,000
08-Feb-99	48,000	16,800	ND	26	1,554	ND	52,500	41,400	1,215
21-Jun-99	55,800	3,440	ND	86	360	ND	39,700	66,230	7,070
07-Mar-00	56,900	15,000	7	299	1,643	10	20,590	9,100	43,200

Notes

BTEX Concentrations are the summed concentrations of Benzene, Toluene, Ethylbenzene and Total Xylenes.

ND - None Detected

MW-1 was not sampled when free product was observed.

DRH: 639.002



**Historical Influent Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l							
		9/15/98	10/16/98	11/13/98	12/31/98	6/10/99	1/25/00	2/24/00	3/21/00
<u>EPA Method 502.2</u>									
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

█ = Above DEC Guidance Values

DRH: 639.002



**Historical Mid Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l							
		9/15/98	10/16/98	11/13/98	12/31/98	6/10/99	1/25/00	2/24/00	3/21/00
EPA Method 502.2									
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

██████████ = Above DEC Guidance Values

DRH: 639.002



**Historical Effluent Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l							
		9/15/98	10/16/98	11/13/98	12/31/98	6/10/99	1/25/00	2/24/00	3/21/00
<u>EPA Method 502.2</u>									
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

█ = Above DEC Guidance Values

DRH: 639.002

