

**ALASKAN OIL, INC.
ALTMAR, NEW YORK**

**ROUTE 13 & CEMETERY STREET
SPILL NO. 9614774**

**GROUNDWATER/RECOVERY
SYSTEM REPORT
FOURTH QUARTER 2000**

(OCTOBER – DECEMBER)

**Barton
& Loguidice, P.C.**
Consulting Engineers

**290 Elwood Davis Road
Box 3107
Syracuse, New York 13220**



recycled paper

ALASKAN OIL, INC
ROUTE 13 & CEMETERY STREET
ALTMAR, NEW YORK

SPILL NO. 9614774

GROUNDWATER/RECOVERY SYSTEM REPORT

FOURTH QUARTER 2000

(OCTOBER - DECEMBER)

PREPARED FOR

Alaskan Oil, Inc.
2020 Lemoyne Street
Syracuse, New York 13211

PREPARED BY

Barton & Loguidice, P.C.
Consulting Engineers
290 Elwood Davis Road
Box 3107
Syracuse, New York 13220

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	1
2.0 GROUNDWATER MONITORING	1
3.0 RECOVERY SYSTEM MONITORING	1
4.0 HIVAC MONITORING	2
5.0 CONCLUSIONS AND RECOMMENDATIONS	2

TABLES

Table 1 - Fourth Quarter 2000 Monitoring Well Data
Table 2 - Fourth Quarter 2000 Recovery System Data
Table 3 - Groundwater Elevation Data
Table 4 - Fourth Quarter 2000 HIVAC Monitoring Data

FIGURES

Figure 1 - Site Map and Groundwater Elevations
Figure 2 - Estimated BTEX Isopleth Map

APPENDICES

Appendix A - CES Laboratory Report Monitoring Well Data
Appendix B - CES Laboratory Report Recovery System Data
Appendix C - CES Laboratory Report HIVAC Monitoring Data
Appendix D - Historical Data Summary

1.0 INTRODUCTION

The following report presents the results of the Fourth Quarter 2000 monitoring at the Alaskan Oil, Inc. (AOI) property located at Route 13 and Cemetery Street in Altmar, New York. The site is part of the Multi-Site Response Program/Voluntary Cleanup Agreement, between AOI and the New York State Department of Environmental Conservation (NYSDEC), and monitoring is conducted for a drinking water treatment system, installed groundwater monitoring wells, and a HiVac product recovery system.

2.0 GROUNDWATER MONITORING

Groundwater samples were collected from eight monitoring wells on November 21, 2000 by personnel from Clemett and Co. The samples were submitted to Certified Environmental Services for analysis of volatile petroleum hydrocarbons (EPA Method 8021). Five of the nine wells sampled exhibited volatile organic compounds (VOC's) in exceedence of DEC STARS Guidance Values. Table 1 summarizes the detected VOC's and the complete CES laboratory report is attached in Appendix A. Historical ground water data is attached in Appendix D.

Clemett and Co. personnel also measured the static water level of each well sampled on November 21, 2000. Table 3 illustrates the measured water levels and the groundwater elevations based on well surveying data conducted by CES. The groundwater elevations are also depicted on Figure 1. In general, groundwater appears to be flowing over a shallow gradient from east to west towards the wetland west of the site. As mentioned in the previous 2000 report some of the monitoring points at the site may be influenced by the storm water drains at the facility. Due to the shallow gradient at the site, the possibility of storm drain influence upon water levels, and the uncertainty of the well casing survey data, groundwater contours were not delineated on Figure 1.

3.0 RECOVERY SYSTEM MONITORING

Influent, mid, and effluent samples were collected from the carbon treatment system by Barton & Loguidice, P.C. personnel on October 23, November 27, and December 28, 2000. All samples were submitted to CES for analysis of volatile petroleum hydrocarbons by EPA Method 502.2. No compounds were detected in any of the samples submitted. The method detection limits ranged from 0.7 to 5.0 ug/l. The results are summarized in Table 2 and the complete CES laboratory reports are presented in Appendix B. Historical recovery system data is attached in Appendix D.

4.0 HIVAC MONITORING

Clemett and Co., Inc. restarted operation of a HIVAC groundwater treatment system in November 2000. Personnel from Clemett and Company collected influent, mid and effluent samples from the system on November 21, 2000 and December 22, 2000. Five compounds in the effluent sample were observed to be in exceedance of State guidance values during the November monitoring. No compounds were detected (0.7-5.0 ugle detection limit) in the effluent sample during the December monitoring. Continued monitoring of the treatment system should be conducted while in operation. The results of the HIVAC monitoring are discussed in Table 4 and the complete CES laboratory reports are attached in Appendix C.

5.0 CONCLUSIONS AND RECOMMENDATIONS

As stated during the Third Quarter 2000 Report, an activated carbon treatment system has been in operation on the site's drinking water supply since August 1998. Since sampling of the system commenced in September 1998, no volatile organic compounds have been detected in the influent. The location of the drinking water supply well is up gradient from the spill, and therefore, is not impacted by the spill. Given the above, we recommend that:

- The current monthly sampling of the treatment system be modified. Since the site's water source is from the well and Alaskan Oil is currently remediating the site, the treatment system should be continued to be operated. Sampling of the system's influent only (EPA Method 502.2) should be conducted on a semi-annual basis to ensure supply water quality during remediation efforts at the site.
- The current quarterly monitoring of the groundwater wells should be reduced to semi-annual (EPA 8021). A sufficient background data set has been acquired, and semi-annual monitoring will allow for the assessment of remedial practices. Influent, mid, and effluent samples will continue to be collected from the carbon treatment system until NYSDEC approval of the above.

The HIVAC groundwater treatment system should continue to be monitored (EPA 8021) on a monthly basis during operation. Barton & Loguidice, P.C. will survey the elevations of the existing monitoring wells in April 2001.

Table 1
Monitoring Well Data (Detected Compounds Only)
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	Fourth Quarter 2000 (Results in ug/l) November 21, 2000								
		RW-1	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12
Full EPA 8021										
Benzene	1	Not	2.8	<0.7	<0.7	30	<0.7	1,700	<5.0	6,500
Toluene	5	Sampled	2.4	<1.0	<1.0	<1.0	<1.0	15,250	31	15,500
Ethylbenzene	5		<1.0	<1.0	<1.0	16	<1.0	2,100	240	2,500
Total Xylenes	5		<1.0	<1.0	<1.0	46	<1.0	15,000	1535	17,600
Isopropylbenzene	5		<1.0	<1.0	<1.0	<1.0	<1.0	<200	16	<200
n-Propylbenzene	5		<1.0	<1.0	<1.0	2.2	<1.0	200	55	450
1,3,5-Trimethylbenzene	5		<1.0	<1.0	1.2	4.2	<1.0	1,400	260	1,800
1,2,4-Trimethylbenzene	5		<1.0	<1.0	3.2	18.0	<1.0	3,600	740	5,000
n-Butylbenzene	5		<1.0	<1.0	2.7	1.2	<1.0	800	100	1,300
Napthalene	10		<1.0	<1.0	<1.0	6.0	<1.0	1,100	120	1,500
BTEX	--	--	5.2	ND	ND	92	ND	34,050	1,806	42,100

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

= Above DEC Guidance Values

ND = None Detected

DRH: 639.002

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

Table 2
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	Fourth Quarter 2000 (Results in ug/l)								
		October 23, 2000			November 27, 2000			December 28, 2000		
		Influent	Mid	Effluent	Influent	Mid	Effluent	Influent	Mid	Effluent
EPA Method 502.2										
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

..... = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers

■

■

■

■

■

■

■

■

■

■

■

■

■

■

■

■

■

■

■

Table 3
Water Level Elevation Data
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

	MW-1		MW-4		MW-5		MW-6		MW-9		MW-10		MW-11		MW-12	
	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation
TOP OF PVC PIPE ELEVATION		100.00		99.65		99.23		100.50		99.46		99.87		99.47		99.21
Top of Screen ELEVATION		98.00		97.70		95.20		96.50		96.61		96.87		96.50		96.00
Depth to Bottom		11.90		13.80		14.25		14.50		13.40		13.60		13.15		13.80
DATE	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation	water level	elevation
01/25/00	5.91	94.09	--	--	6.52	92.71	4.82	95.68	--	--	6.81	93.06	--	--	6.24	92.97
02/09/00	6.13	93.87	6.67	92.98	6.75	92.48	5.57	94.93	6.80	92.66	7.05	92.82	6.82	92.65	6.51	92.70
03/08/00	5.14	94.86	--	--	6.08	93.15	--	--	--	--	6.26	93.61	--	--	5.79	93.42
05/15/00	5.69	94.31	--	--	6.53	92.70	5.71	94.79	--	--	6.75	93.12	--	--	5.30	93.91
08/08/00	6.45	93.55	6.57	93.08	6.82	92.41	6.87	93.63	6.89	92.57	7.17	92.70	7.11	92.36	7.90	91.31
11/21/00	6.21	93.79	6.58	93.07	6.92	92.31	6.14	94.36	7.03	92.43	7.11	92.76	6.97	92.50	6.46	92.75

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Table 4
HIVAC Monitoring
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road

Detected Compounds	NYSDEC Guidance Values (ppb)*	Fourth Quarter 2000 (Results in ug/l)					
		November 21, 2000			December 22, 2000		
		Influent	Mid	Effluent	Influent	Mid	Effluent
<u>EPA Method 8021</u>							
Benzene	1	77	30	1.6	31	8.5	<0.7
Toluene	5	820	180	8.5	295	55	<1.0
Ethylbenzene	5	150	39	2.4	78	6	<1.0
Total Xylenes	5	1,780	430	34.0	1,240	285	<1.0
Isopropylbenzene	5	12	<5.0	<1.0	5.5	<5.0	<1.0
N-Propylbenzene	5	20	<5.0	<1.0	11	<5.0	<1.0
1,3,5-Trimethylbenzene	5	170	60	5.7	118	32	<1.0
1,2,4-Trimethylbenzene	5	507	130	14.0	305	62	<1.0
n-Butylbenzene	5	92	25	2.3	58	15	<1.0
Napthalene	10	160	31	3.3	120	28	<1.0
MTBE	50	<25	<25	<5.0	<25	<25	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

..... = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers

1

2

3

4

5

6

7

8

9

10

11

12

13

14


15

16

17

18

19



LEGEND:

- GS- - STORM CATCH BASIN
- - STORM CATCH BASIN
- ⊕ MW-1 (93.79) - MONITORING WELL/
GROUNDWATER ELEVATION
(11/21/00)
- ⊕ - DRINKING WATER WELL
- ST — - STORM SEWER LINE
WITH FLOW DIRECTION
- - PROPERTY BOUNDARY
- - DRINKING WATER
SUPPLY LINE

APPROXIMATE SCALE: 1:50'

BL
Bartlett
Ludwig, P.C.
Consulting Engineers
290 Elwood Davis Road / Box 3107, Syracuse, New York 13220

ALASKAN OIL, INC.
ROUTE 13 AND CEMETERY STREET
**SITE MAP & GROUND
WATER ELEVATIONS**

ALTMAR


NEW YORK

Figure

1

Project No.

639.002



LEGEND:


- GS- - STORM CATCH BASIN
- - STORM CATCH BASIN
- MW-1 (5.2) - MONITORING WELL/ BTEX CONCENTRATION (11/21/00)
- - DRINKING WATER WELL
- ST — - STORM SEWER LINE WITH FLOW DIRECTION
- - - - - PROPERTY BOUNDARY
- - - - - DRINKING WATER SUPPLY LINE
- ND - NONE DETECTED (HYDROCARBONS)
- NS - NOT SAMPLED



- 1-100 ug/l

- 100-20,000 ug/l

- 20,000-40,000 ug/l



- >40,000+ ug/l

APPROXIMATE SCALE: 1"=50'

B L
Consulting Engineers

290 Elwood Davis Road / Box 3107, Syracuse, New York 13220

ALASKAN OIL, INC.
ROUTE 13 AND CEMETERY STREET

ESTIMATED BTEX ISOPLETH MAP

ALTMAR

NEW YORK

Figure

2

Project No.

639.002




FIGURE 2

SCALE 1" = 30'

DATE April 2000

SITE MAP

with Proposed HVE Well Locations

Alaskan Oil, Inc.
Rt. 13 & Cemetery Rd.
Altmar, NY

Clemett AND CO., INC.
Geoscience Department

APPENDIX A

**CES LABORATORY REPORT
MONITORING WELL DATA**

4th Quarter 2000 Monitoring Well Gauging Data

Site: Altmar #326

Address: Altmar Mini-Mart, Route 13 & Cemetery Street, Altmar, NY

Date: November 22, 2000

	DTP	DTW	DTB
MW-1	NA	6.21	11.75
MW-4	NA	6.58	9.30
MW-5	NA	6.92	11.20
MW-6	NA	6.14	11.30
MW-9	NA	7.03	12.85
MW-10	NA	7.11	13.0
MW-11	NA	6.97	14.0
MW-12	NA	6.46	13.0

DTW = Depth to Water

DTP = Depth to Product

DTB = Depth to Well Bottom

NA = Not Applicable



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

DEC 15 2000

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20294/AOI, #326-Altmar
DATE: 12/11/2000

SAMPLE NUMBER- 235902 SAMPLE ID- 99177/Trip Blank
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 0820
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/01/00		BLD	
BENZENE	EPA 8021	12/01/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	12/01/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	12/01/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235902

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235902

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
VINYL CHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
P-XYLENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/01/00		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20294/AOI, #326-Altmar
DATE: 12/11/2000

SAMPLE NUMBER- 235903 SAMPLE ID- 99177/MW-1
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 0940
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/01/00		BLD		
BENZENE	EPA 8021	12/01/00		BLD	2.8	ug/L
BROMOBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235903

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/01/00		BLD	2.4	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235903

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
VINYL CHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
P-XYLENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/01/00		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20294/AOI, #326-Altmar
DATE: 12/11/2000

SAMPLE NUMBER- 235904 SAMPLE ID- 99177/MW-4
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1620
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/01/00		BLD		
BENZENE	EPA 8021	12/01/00		BLD	< 0.7	ug/L
BROMOBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	12/01/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235904

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/01/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235904

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
VINYL CHLORIDE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
P-XYLENE	EPA 8021	12/01/00		BLD	< 1.0 ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/01/00		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

SAMPLE NUMBER- 235905 SAMPLE ID- 99177/MW-5
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1035
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD	
BENZENE	EPA 8021	12/02/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	2.7 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235905

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235905

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	3.2 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	1.2 ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235906 SAMPLE ID- 99177/MW-6
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1410
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD		
BENZENE	EPA 8021	12/02/00		BLD	30	ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	1.2	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235906

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	16 ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	6.0 ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	2.2 ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235906

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	18 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	4.2 ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*46 ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 5.0 ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235907 SAMPLE ID- 99177/MW-9
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1150
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD	
BENZENE	EPA 8021	12/02/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235907

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235907

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235908 SAMPLE ID- 99177/MW-10
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1115
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD		
BENZENE	EPA 8021	12/02/00		BLD	1700	ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	800	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 200	ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235908

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 200	ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	2100	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 200	ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 200	ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 200	ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	1100	ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	200	ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TOLUENE	EPA 8021	12/02/00		BLD	15250	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235908

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 200 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	3600 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	1400 ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 200 ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	4400 ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*10600 ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	* ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 1000 ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235909 SAMPLE ID- 99177/MW-11
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1455
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD		
BENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 5.0	ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	100	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235909

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	240 ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	16 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	120 ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	55 ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TOLUENE	EPA 8021	12/02/00		BLD	31 ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235909

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	740	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	260	ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	435	ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*1100	ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 100	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235910 SAMPLE ID- 99177/MW-12
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1320
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD		
BENZENE	EPA 8021	12/02/00		BLD	6500	ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 200	ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	1300	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 200	ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 200	ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235910

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 200	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 200	ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	2500	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 200	ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 200	ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 200	ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	1500	ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	450	ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TOLUENE	EPA 8021	12/02/00		BLD	15500	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235910

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 200	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 200	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	5000	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	1800	ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 200	ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	5800	ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*11800	ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 1000	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235911 SAMPLE ID- 99177/System Influent
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 0855
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD	
BENZENE	EPA 8021	12/02/00		BLD	77 ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	92 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235911

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	150	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	12	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	160	ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	20	ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TOLUENE	EPA 8021	12/02/00		BLD	820	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235911

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	507	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	170	ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	680	ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*1100	ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 25	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Altmar

SAMPLE NUMBER- 235912 SAMPLE ID- 99177/System Mid
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 0850
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD	
BENZENE	EPA 8021	12/02/00		BLD	30 ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 5.0 ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	25 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235912

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	39 ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	31 ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
TOLUENE	EPA 8021	12/02/00		BLD	180 ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 5.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235912

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	130	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	60	ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 5.0	ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	180	ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*250	ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	*	ug/L
METHLY-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 25	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

DATE: 12/11/2000

PROJECT NAME: 20294/AOI, #326-Aitmaf

SAMPLE NUMBER- 235913 SAMPLE ID- 99177/System Effluent
DATE SAMPLED- 11/21/00
DATE RECEIVED- 11/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 0955 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 0845
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/02/00		BLD	
BENZENE	EPA 8021	12/02/00		BLD	1.6 ug/L
BROMOBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	12/02/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/02/00		BLD	2.3 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	12/02/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	12/02/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 235913

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/02/00		BLD	2.4	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/02/00		BLD	3.3	ug/L
N-PROPYLBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/02/00		BLD	8.5	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3


CONTINUATION OF DATA FOR SAMPLE NUMBER 235913

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	14	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/02/00		BLD	5.7	ug/L
VINYL CHLORIDE	EPA 8021	12/02/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	12/02/00		BLD	15	ug/L
M-XYLENE	EPA 8021	12/02/00		BLD	*19	ug/L
P-XYLENE	EPA 8021	12/02/00		BLD	*	ug/L
METHYL-T-BUTYL ETHER	EPA 8021	12/02/00		BLD	< 5.0	ug/L

*Chromatographically, para and meta-Xylene co-elutes on the gas chromatogram. The reported value may therefore represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

CHAIN OF CUSTODY RECORD

APPENDIX B

**CES LABORATORY REPORT
RECOVERY SYSTEM DATA**



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

NOV 13 2000

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/08/2000

SAMPLE NUMBER- 232874 SAMPLE ID- Influent
DATE SAMPLED- 10/23/00
DATE RECEIVED- 10/23/00 SAMPLER- David Hanny
TIME RECEIVED- 1430 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	10/31/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	10/31/00		BLD	
Benzene	EPA 502.2	10/31/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 232874

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/08/2000

SAMPLE NUMBER- 232875 SAMPLE ID- Mid
DATE SAMPLED- 10/23/00
DATE RECEIVED- 10/23/00 SAMPLER- David Hanny
TIME RECEIVED- 1430 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	10/31/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	10/31/00		BLD	
Benzene	EPA 502.2	10/31/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 232875

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/08/2000

SAMPLE NUMBER- 232876 SAMPLE ID- Effluent
DATE SAMPLED- 10/23/00
DATE RECEIVED- 10/23/00 SAMPLER- David Hanny
TIME RECEIVED- 1430 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	10/31/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	10/31/00		BLD	
Benzene	EPA 502.2	10/31/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 232876

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/08/2000

SAMPLE NUMBER- 232877 SAMPLE ID- Trip Blank
DATE SAMPLED- 10/23/00
DATE RECEIVED- 10/23/00 SAMPLER- David Hanny
TIME RECEIVED- 1430 DELIVERED BY- David Hanny

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	10/31/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	10/31/00		BLD	
Benzene	EPA 502.2	10/31/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2


CONTINUATION OF DATA FOR SAMPLE NUMBER 232877

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	10/31/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY


(Terms and Conditions on Reverse Side)





**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

NOV 29 2000

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/27/2000

SAMPLE NUMBER- 234972 SAMPLE ID- Altmar Influent
DATE SAMPLED- 11/10/00
DATE RECEIVED- 11/10/00 SAMPLER- Edward DeSocio
TIME RECEIVED- 1440 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA
TIME SAMPLED- 1235
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	11/20/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	11/20/00		BLD	
Benzene	EPA 502.2	11/20/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 234972

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/27/2000

SAMPLE NUMBER- 234973 SAMPLE ID- Altmar Mid
DATE SAMPLED- 11/10/00
DATE RECEIVED- 11/10/00 SAMPLER- Edward DeSocio
TIME RECEIVED- 1440 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA
TIME SAMPLED- 1245
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	11/20/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	11/20/00		BLD	
Benzene	EPA 502.2	11/20/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 234973

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,3-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/27/2000

SAMPLE NUMBER- 234974 SAMPLE ID- Altmar Effluent
DATE SAMPLED- 11/10/00
DATE RECEIVED- 11/10/00 SAMPLER- Edward DeSocio
TIME RECEIVED- 1440 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA
TIME SAMPLED- 1255
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	11/20/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	11/20/00		BLD	
Benzene	EPA 502.2	11/20/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 234974

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 11/27/2000

SAMPLE NUMBER- 234975 SAMPLE ID- Trip Blank
DATE SAMPLED- 11/10/00
DATE RECEIVED- 11/10/00 SAMPLER- Edward DeSocio
TIME RECEIVED- 1440 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	11/20/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	11/20/00		BLD	
Benzene	EPA 502.2	11/20/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 234975

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	11/20/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



***Certified
Environmental
Services, Inc.***

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

CHAIN OF CUSTODY RECORD

Client: <u>Arthur J. Laporte</u>		Phone: <u>408-250-1000</u>		Analysis							
Address: <u>270 Edward Paine Rd</u>		Fax: <u>408-250-1002</u>									
City: <u>NY</u>		P.O. #: <u>CEI-117</u>									
Contact Person: <u>Don Henry</u>		Project: <u>Altman</u>									
Sampled By (print): <u>Ed DeSera</u>				(sign): <u>[Signature]</u>							
LAB USE ONLY			C O R R E C T I O N S	M A I N T E N A N C E	CLIENT ID/ SAMPLE LOCATION	# OF CONT.					
CES LOG NO.											COLLECTED
	DATE	TIME									
234972	11/10/00	12:05	*		Altman Elephant	2					For results to
234973	1	12:15	*		Altman M.D.	2					Jim Jones of University
234974	↓	12:25	*		Altman Elephant	2	↓				Call to the Attorney
234975					Trip Blank	1					CEI-244
Relinquished By: <u>[Signature]</u>			Date: <u>11/10/00</u>		Time: <u>2:10</u>		Received By:			Date:	Time:
Relinquished By:			Date:		Time:		Received By Lab: <u>See home</u>			Date: <u>11/10</u>	Time: <u>1:40</u>



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

DEC 29 2000

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 12/28/2000

SAMPLE NUMBER- 237895 SAMPLE ID- Altmar Mid
DATE SAMPLED- 12/19/00
DATE RECEIVED- 12/19/00 SAMPLER- Information Not Provided
TIME RECEIVED- 1600 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA
TIME SAMPLED- 1420
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	12/22/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	12/22/00		BLD	
Benzene	EPA 502.2	12/22/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 237895

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,3-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 12/28/2000

SAMPLE NUMBER- 237896 SAMPLE ID- Altmar Influent
DATE SAMPLED- 12/19/00
DATE RECEIVED- 12/19/00 SAMPLER- Information Not Provided
TIME RECEIVED- 1600 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA
TIME SAMPLED- 1420
RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	12/22/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	12/22/00		BLD	
Benzene	EPA 502.2	12/22/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 237896

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 12/28/2000

SAMPLE NUMBER- 237897	SAMPLE ID- Altmar Effluent	SAMPLE MATRIX- WA
DATE SAMPLED- 12/19/00		TIME SAMPLED- 1420
DATE RECEIVED- 12/19/00	SAMPLER- Information Not Provided	RECEIVED BY- tmk
TIME RECEIVED- 1600	DELIVERED BY- Edward DeSocio	TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	12/22/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	12/22/00		BLD	
Benzene	EPA 502.2	12/22/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 237897

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,3-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
n-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,4-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Hexachlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Naphthalene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,3-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Barton & Loguidice, P.C.
Box 3107
Syracuse, NY 13220-
Attn: Mr. David Hanny

PROJECT NAME: Alaskan/#326-Altmar
DATE: 12/28/2000

SAMPLE NUMBER- 237898 SAMPLE ID- Trip Blank
DATE SAMPLED- 12/19/00
DATE RECEIVED- 12/19/00 SAMPLER- Information Not Provided
TIME RECEIVED- 1600 DELIVERED BY- Edward DeSocio

SAMPLE MATRIX- WA

RECEIVED BY- tmk
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
METHYL-T-BUTYL ETHER	EPA 502.2	12/22/00		BLD	< 5.0 ug/L
EPA 502.2 Scan	EPA 502.2	12/22/00		BLD	
Benzene	EPA 502.2	12/22/00		BLD	< 0.7 ug/L
Trichloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Toluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Tetrachloroethene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Chlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Ethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
m-Xylene & p-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
o-Xylene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Styrene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Isopropylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
n-Propylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
Bromobenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
2-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,3,5-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
4-Chlorotoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
tert-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
1,2,4-Trimethylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
sec-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L
p-Isopropyltoluene	EPA 502.2	12/22/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 237898

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,3-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
n-Butylbenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,2,4-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
Hexachlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
Naphthalene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L
1,2,3-Trichlorobenzene	EPA 502.2	12/22/00		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



***Certified
Environmental
Services, Inc.***

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

CHAIN OF CUSTODY RECORD

Client: <u>Barton J. Lepore</u>		Phone: <u>957-2000</u>		Analysis										
Address: <u>290 Elwood Ave. Rd.</u> <u>Syr. NY 13220</u>		Fax: <u>951-0002</u>												
Contact Person: <u>Dave Murray</u>		P.O. #: <u>CES-918</u>												
Project: <u>Altman M. M. Mt.</u>		(sign):												
LAB USE ONLY		COLLECTED		CORRECTION M A T R I X	CLIENT ID/ SAMPLE LOCATION	# OF CONT.	COMMENTS							
CES LOG NO.	DATE	TIME	P B X											
237895	12/19/00	1420	X	Altman Mt	2	X								EPA 502 + MTBE
237896	↓	↓	X	Altman Influent	2	X								
237897	↓	↓	X	Altman Effluent	2	X								
237898				Trip Blank	1									
Relinquished By: <u>Ed DeSocio</u>		Date: <u>12/19/00</u>	Time: <u>1600</u>	Received By:		Date:	Time:							
Relinquished By: <u>Richard Dof-</u>		Date: <u>12/19/00</u>	Time: <u>1600</u>	Received By Lab: <u>MK</u>		Date: <u>12/19/00</u>	Time: <u>1600</u>							

APPENDIX C

CES LABORATORY REPORT - HIVAC MONITORING DATA

Table 1

**Alaskan Oil, Inc.
Route 13 and Cemetary Street
Altmar, New York**

HVE Recovery Rate Data

Date	Hours Since Last Reading	Flow Rate (cfm)	PID Reading (ppm)	Removal Rate of Gasoline (lbs./hr.)	Removal Rate of Gasoline (gal./hr.)	Removal of Gasoline (gal.)
11/27/00	0	13.5	633	0.145	0.0235	0.0021
12/1/00	96	13	421	0.093	0.0151	1.8539
12/4/00	72	13	366	0.085	0.0138	1.0405
12/8/00	96	13	241	0.053	0.0086	1.0779
12/12/00	96	13	262	0.058	0.0094	0.8647
12/13/00	24	13	197	0.044	0.0071	0.1973
12/15/00	48	12.5	229	0.049	0.0079	0.3588
12/22/00	168	13.5	129	0.030	0.0048	1.0855

Total Volume of Gasoline Removed: 6.461 gallons

Total Volume of Groundwater Treated: 31,932 gallons



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20327/AOI, #326-Altmar HVE
DATE: 01/03/2001

SAMPLE NUMBER- 238202 SAMPLE ID- 99193/Trip Blank
DATE SAMPLED- 12/22/00
DATE RECEIVED- 12/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 1225 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1010
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/28/00		BLD		
BENZENE	EPA 8021	12/28/00		BLD	< 0.7	ug/L
BROMOBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
BROMOFORM	EPA 8021	12/28/00		BLD	< 1.0	ug/L
BROMOMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CHLOROFORM	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CHLOROMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
DIBROMOMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 228202

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
ETHYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
NAPHTHALENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
N-PROPYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
STYRENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
TOLUENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238202

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
VINYL CHLORIDE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
O-XYLENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
M-XYLENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
P-XYLENE	EPA 8021	12/28/00		BLD	< 1.0	ug/L
METHYL-T-BUTYL ETHER	EPA 8021	12/28/00		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11245

APPROVED BY:



(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20327/AOI, #326-Altmar HVE
DATE: 01/03/2001

SAMPLE NUMBER- 238203 SAMPLE ID- 99193/System Influent
DATE SAMPLED- 12/22/00
DATE RECEIVED- 12/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 1225 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1025
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/28/00		BLD		
BENZENE	EPA 8021	12/28/00		BLD	31	ug/L
BROMOBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
BROMOFORM	EPA 8021	12/28/00		BLD	< 5.0	ug/L
BROMOMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/28/00		BLD	58	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CHLOROBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CHLOROFORM	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CHLOROMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
DIBROMOMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238203

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
ETHYLBENZENE	EPA 8021	12/28/00		BLD	78	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/28/00		BLD	5.5	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
NAPHTHALENE	EPA 8021	12/28/00		BLD	120	ug/L
N-PROPYLBENZENE	EPA 8021	12/28/00		BLD	11	ug/L
STYRENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
TOLUENE	EPA 8021	12/28/00		BLD	295	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/28/00		BLD	< 5.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238203

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/28/00		BLD	< 5.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/28/00		BLD	< 5.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 5.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/28/00		BLD	305 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/28/00		BLD	118 ug/L
VINYL CHLORIDE	EPA 8021	12/28/00		BLD	< 5.0 ug/L
O-XYLENE	EPA 8021	12/28/00		BLD	500 ug/L
M-XYLENE	EPA 8021	12/28/00		BLD	*740 ug/L
P-XYLENE	EPA 8021	12/28/00		BLD	* ug/L
METHYL-T-BUTYL ETHER	EPA 8021	12/28/00		BLD	< 25 ug/L

*Chromatographically, para & meta-Xylene co-elutes. The reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSIS

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20327/AOI, #326-Altmar HVE
DATE: 01/03/2001

SAMPLE NUMBER- 238204 SAMPLE ID- 99193/System Mid
DATE SAMPLED- 12/22/00
DATE RECEIVED- 12/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 1225 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1020
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 8021 SCAN	EPA 8021	12/29/00		BLD		
BENZENE	EPA 8021	12/29/00		BLD	8.5	ug/L
BROMOBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
BROMOCHLOROMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
BROMODICHLOROMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
BROMOFORM	EPA 8021	12/29/00		BLD	< 5.0	ug/L
BROMOMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
N-BUTYLBENZENE	EPA 8021	12/29/00		BLD	15	ug/L
SEC-BUTYLBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
TERT-BUTYLBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CARBON TETRACHLORIDE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CHLOROBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CHLOROFORM	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CHLOROMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
2-CHLOROTOLUENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
4-CHLOROTOLUENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2-DIBROMOETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
DIBROMOMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238204

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1-DICHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2-DICHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1-DICHLOROETHENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
ETHYLBENZENE	EPA 8021	12/29/00		BLD	6.0	ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
ISOPROPYLBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
METHYLENE CHLORIDE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
NAPHTHALENE	EPA 8021	12/29/00		BLD	28	ug/L
N-PROPYLBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
STYRENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
TETRACHLOROETHENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
TOLUENE	EPA 8021	12/29/00		BLD	55	ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238204

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
TRICHLOROETHENE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/29/00		BLD	62	ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/29/00		BLD	32	ug/L
VINYL CHLORIDE	EPA 8021	12/29/00		BLD	< 5.0	ug/L
O-XYLENE	EPA 8021	12/29/00		BLD	125	ug/L
M-XYLENE	EPA 8021	12/29/00		BLD	*160	ug/L
P-XYLENE	EPA 8021	12/29/00		BLD	*	ug/L
METHYL-T-BUTYL ETHER	EPA 8021	12/29/00		BLD	< 25	ug/L

*Chromatographically, para & meta-Xylene co-elutes. The reported value may represent either of these compounds or a combination thereof.

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Clemett & Co. Inc.
P. O. Box 69
Syracuse, NY 13211-
Attn: Ms. Jamie Costello

PROJECT NAME: 20327/AOI, #326-Altmar HVE
DATE: 01/03/2001

SAMPLE NUMBER- 238205 SAMPLE ID- 99193/System Effluent
DATE SAMPLED- 12/22/00
DATE RECEIVED- 12/22/00 SAMPLER- Jim Jones
TIME RECEIVED- 1225 DELIVERED BY- Jim Jones

SAMPLE MATRIX- WA
TIME SAMPLED- 1015
RECEIVED BY- sml
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 8021 SCAN	EPA 8021	12/29/00		BLD	
BENZENE	EPA 8021	12/29/00		BLD	< 0.7 ug/L
BROMOBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
BROMOCHLOROMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
BROMOFORM	EPA 8021	12/29/00		BLD	< 1.0 ug/L
BROMOMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
N-BUTYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
SEC-BUTYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
TERT-BUTYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CHLORODIBROMOMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CHLOROFORM	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CHLOROMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
2-CHLOROTOLUENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
4-CHLOROTOLUENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2-DIBROMOETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
DIBROMOMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238205

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-DICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
DICHLORODIFLUOROMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CIS-1,2-DICHLOROETHENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,3-DICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
2,2-DICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1-DICHLOROPROPENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
ETHYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
HEXACHLOROBUTADIENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
ISOPROPYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
P-ISOPROPYLTOLUENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
NAPHTHALENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
N-PROPYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
STYRENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1,1,2-TETRACHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
TOLUENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2,4-TRICHLOROBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,1,2-TRICHLOROETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238205

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
VINYL CHLORIDE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
P-XYLENE	EPA 8021	12/29/00		BLD	< 1.0 ug/L
METHYL-T-BUTYL ETHER	EPA 8021	12/29/00		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Cornett AND CO., INC.

2020 Lemoyne St., PO Box 69
Syracuse, NY 13211
Phone: (315) 454-4435
Fax: (315) 454-0215

SAMPLE LOG NO.

JOB NO.

SITE

(Page 1 of 1)

* ALTIMAR - HVE

१०३

SITE AST-Altmas

[illegible]



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 238202

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
TRICHLOROETHENE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
1,2,3-TRICHLOROPROPANE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
1,2,4-TRIMETHYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
1,3,5-TRIMETHYLBENZENE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
VINYL CHLORIDE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
O-XYLENE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
M-XYLENE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
P-XYLENE	EPA 8021	12/28/00		BLD	< 1.0 ug/L
METHYL-T-BUTYL ETHER	EPA 8021	12/28/00		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

APPENDIX D

HISTORIC DATA SUMMARY

**Historical BTEX Data
Monitoring Wells
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Date	BTEX Concentrations (ug/l)								
	RW-1	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12
04-Jun-97	--	79,600	ND	--	--	ND	--	--	--
25-Jul-97	--	75,700	ND	435	3,194	ND	--	--	--
13-Oct-97	--	7,700	ND	189	36	ND	--	--	--
09-Jan-98	--	3,570	ND	64	1,662	ND	--	--	--
14-May-98	--	Free product	ND	14	3,712	ND	11,500	--	--
06-Aug-98	--	68,000	ND	123	1,162	ND	42,800	41,200	13,760
13-Nov-98	42,800	28,000	ND	193	1,100	ND	42,000	46,000	17,000
08-Feb-99	48,000	16,800	ND	26	1,554	ND	52,500	41,400	1,215
21-Jun-99	55,800	3,440	ND	86	360	ND	39,700	66,230	7,070
09-Feb-00	56,900	15,000	7	299	1,643	10	20,590	9,100	43,200
31-May-00	53,900	22,800	ND	12	46	ND	18,175	15	50,400
08-Aug-00	51,700	25,000	ND	359	6	ND	32,875	ND	51,300
21-Nov-00	--	5	ND	ND	92	ND	34,050	1,806	42,100

Notes

BTEX Concentrations are the summed concentrations of Benzene, Toluene, Ethylbenzene and Total Xylenes.

ND - None Detected

MW-1 was not sampled when free product was observed.

DRH: 639.002



**Historical Influent Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l													
		Sep-98	Oct-98	Nov-98	Dec-98	Jun-99	Jan-00	Feb-00	Mar-00	Apr-00	May-00	Jun-00	Jul-00	Aug-00	Sep-00
EPA Method 502.2															
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
m,p-Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

..... = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers

**Historical Mid Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetery Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l													
		Sep-98	Oct-98	Nov-98	Dec-98	Jun-99	Jan-00	Feb-00	Mar-00	Apr-00	May-00	Jun-00	Jul-00	Aug-00	Sep-00
EPA Method 502.2															
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

..... = Above DEC Guidance Values

DRH: 639.002

Barton
& Loguidice, P.C.
Consulting Engineers

**Historical Effluent Data
Recovery System
Alaskan Oil, Inc.
Altmar Mini Mart
Rt. 13 & Cemetary Road**

Detected Compounds	NYSDEC Guidance Values (ppb)*	Results in ug/l													
		Sep-98	Oct-98	Nov-98	Dec-98	Jun-99	Jan-00	Feb-00	Mar-00	Apr-00	May-00	Jun-00	Jul-00	Aug-00	Sep-00
EPA Method 502.2															
Benzene	0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Total Xylenes	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Styrene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Isopropyl benzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Propylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Bromobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4-Chlorotoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
tert-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trimethylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
sec-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
p-Isopropyltoluene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,4-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
n-Butylbenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2-Dichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Hexachlorobenzene	0.04	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Napthalene	10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,3-Trichlorobenzene	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MTBE	50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes

*NYSDEC Guidance Values from June 1998 Memo

ug/l = part per billion

..... = Above DEC Guidance Values

DRH: 639.002

Barton
& L
Loguidice, P.C.
Consulting Engineers