


Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0249, (800) 842-4667

Certified in:
• Connecticut
• Delaware
• Maryland
• Massachusetts
• New Hampshire
• New Jersey
• New York
• Pennsylvania
• Rhode Island



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346961	CLIENT SAMPLE ID:	MW-4	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,1,1,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,1-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,2-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromoethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3,5-trimethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,4-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-isopropyltoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
benzene	<0.700	UG/L	06/19/03	EPA 8021B	MNE
bromobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromodichloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromoform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE

ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346961 CLIENT SAMPLE ID: MW-4			DATE SAMPLED: 06/16/03		
Volatile - 8021					
carbon tetrachloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dichlorodifluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
ethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
hexachlorobutadiene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
isopropylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
methylene chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
mtbe	<1.00	UG/L	06/19/03	EPA 8021B	MNE
naphthalene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
n-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
n-propylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
sec-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
styrene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tert-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tetrachloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
toluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichlorofluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
vinyl chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, m+p	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, o	<1.00	UG/L	06/19/03	EPA 8021B	MNE

SAMPLE #: 346962		CLIENT SAMPLE ID:	MW-5	DATE SAMPLED: 06/16/03		
Volatile - 8021						
1,1,1,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE	
1,1,1-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE	
1,1,2,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE	
1,1,2-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE	
1,1-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE	
1,1-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE	
1,1-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE	



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346962	CLIENT SAMPLE ID:	MW-5	DATE SAMPLED:	06/16/03	
Volatile - 8021					
1,2,3-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	5.30	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromoethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3,5-trimethylbenzene	4.77	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,4-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-isopropyltoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
benzene	<0.700	UG/L	06/19/03	EPA 8021B	MNE
bromobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromodichloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromoform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
carbon tetrachloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dichlorodifluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
ethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
hexachlorobutadiene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
isopropylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
methylene chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
mtbe	<1.00	UG/L	06/19/03	EPA 8021B	MNE
naphthalene	<1.00	UG/L	06/19/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346962	CLIENT SAMPLE ID:	MW-5	DATE SAMPLED: 06/16/03		
Volatile - 8021					
n-butylbenzene	7.38	UG/L	06/19/03	EPA 8021B	MNE
n-propylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
sec-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
styrene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tert-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tetrachloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
toluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichlorofluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
vinyl chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, m+p	2.72	UG/L	06/19/03	EPA 8021B	MNE
xylene, o	2.27	UG/L	06/19/03	EPA 8021B	MNE
SAMPLE #: 346963	CLIENT SAMPLE ID:	MW-6	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,1,1,2-tetrachloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,1,1-trichloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,1,2,2-tetrachloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,1,2-trichloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,1-dichloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,1-dichloroethene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,1-dichloropropene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2,3-trichlorobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2,3-trichloropropane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	110	UG/L	06/23/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2-dibromoethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2-dichlorobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2-dichloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,2-dichloropropane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,3,5-trimethylbenzene	27.4	UG/L	06/23/03	EPA 8021B	MNE
1,3-dichlorobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,3-dichloropropane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
1,4-dichlorobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
2,2-dichloropropane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<25.0	UG/L	06/23/03	EPA 8021B	MNE
2-chlorotoluene	<25.0	UG/L	06/23/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346963	CLIENT SAMPLE ID:	MW-6	DATE SAMPLED: 06/16/03		
Volatile - 8021					
4-chlorotoluene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
4-isopropyltoluene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
benzene	524	UG/L	06/23/03	EPA 8021B	MNE
bromobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
bromochloromethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
bromodichloromethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
bromoform	<25.0	UG/L	06/23/03	EPA 8021B	MNE
bromomethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
carbon tetrachloride	<25.0	UG/L	06/23/03	EPA 8021B	MNE
chlorobenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
chloroethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
chloroform	<25.0	UG/L	06/23/03	EPA 8021B	MNE
chloromethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
dibromochloromethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
dibromomethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
dichlorodifluoromethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
ethylbenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
hexachlorobutadiene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
isopropylbenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
methylene chloride	<25.0	UG/L	06/23/03	EPA 8021B	MNE
mtbe	<25.0	UG/L	06/23/03	EPA 8021B	MNE
naphthalene	115	UG/L	06/23/03	EPA 8021B	MNE
n-butylbenzene	45.1	UG/L	06/23/03	EPA 8021B	MNE
n-propylbenzene	27.4	UG/L	06/23/03	EPA 8021B	MNE
sec-butylbenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
styrene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
tert-butylbenzene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
tetrachloroethene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
toluene	158	UG/L	06/23/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
trichloroethene	<25.0	UG/L	06/23/03	EPA 8021B	MNE
trichlorofluoromethane	<25.0	UG/L	06/23/03	EPA 8021B	MNE
vinyl chloride	<25.0	UG/L	06/23/03	EPA 8021B	MNE
xylene, m+p	46.2	UG/L	06/23/03	EPA 8021B	MNE
xylene, o	98.9	UG/L	06/23/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346964	CLIENT SAMPLE ID:	MW-9	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,1,1,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,1-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,2-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromoethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3,5-trimethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,4-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-isopropyltoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
benzene	<0.700	UG/L	06/19/03	EPA 8021B	MNE
bromobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromodichloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromoform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
carbon tetrachloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346964	CLIENT SAMPLE ID:	MW-9	DATE SAMPLED: 06/16/03		
Volatile - 8021					
dichlorodifluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
ethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
hexachlorobutadiene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
isopropylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
methylene chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
mtbe	<1.00	UG/L	06/19/03	EPA 8021B	MNE
naphthalene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
n-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
n-propylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
sec-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
styrene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tert-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tetrachloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
toluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichlorofluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
vinyl chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, m+p	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, o	<1.00	UG/L	06/19/03	EPA 8021B	MNE
SAMPLE #: 346965	CLIENT SAMPLE ID:	MW-10	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,1,1,2-tetrachloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,1,1-trichloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,1,2,2-tetrachloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,1,2-trichloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,1-dichloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,1-dichloroethene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,1-dichloropropene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2,3-trichlorobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2,3-trichloropropane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	763	UG/L	06/20/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2-dibromoethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2-dichlorobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2-dichloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,2-dichloropropane	<25.0	UG/L	06/20/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346965 CLIENT SAMPLE ID: MW-10				DATE SAMPLED: 06/16/03	
Volatile - 8021					
1,3,5-trimethylbenzene	400	UG/L	06/20/03	EPA 8021B	MNE
1,3-dichlorobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,3-dichloropropane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
1,4-dichlorobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
2,2-dichloropropane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<25.0	UG/L	06/20/03	EPA 8021B	MNE
2-chlorotoluene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
4-chlorotoluene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
4-Isopropyltoluene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
benzene	31.6	UG/L	06/20/03	EPA 8021B	MNE
bromobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
bromochloromethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
bromodichloromethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
bromoform	<25.0	UG/L	06/20/03	EPA 8021B	MNE
bromomethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
carbon tetrachloride	<25.0	UG/L	06/20/03	EPA 8021B	MNE
chlorobenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
chloroethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
chloroform	<25.0	UG/L	06/20/03	EPA 8021B	MNE
chloromethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
dibromochloromethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
dibromomethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
dichlorodifluoromethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
ethylbenzene	144	UG/L	06/20/03	EPA 8021B	MNE
hexachlorobutadiene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
isopropylbenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
methylene chloride	<25.0	UG/L	06/20/03	EPA 8021B	MNE
mtbe	<25.0	UG/L	06/20/03	EPA 8021B	MNE
naphthalene	189	UG/L	06/20/03	EPA 8021B	MNE
n-butylbenzene	193	UG/L	06/20/03	EPA 8021B	MNE
n-propylbenzene	33.5	UG/L	06/20/03	EPA 8021B	MNE
sec-butylbenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
styrene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
tert-butylbenzene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
tetrachloroethene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
toluene	1780	UG/L	06/20/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<25.0	UG/L	06/20/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOL-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346965	CLIENT SAMPLE ID:	MW-10	DATE SAMPLED: 06/16/03		
Volatile - 8021					
trichloroethene	<25.0	UG/L	06/20/03	EPA 8021B	MNE
trichlorofluoromethane	<25.0	UG/L	06/20/03	EPA 8021B	MNE
vinyl chloride	<25.0	UG/L	06/20/03	EPA 8021B	MNE
xylene, m+p	2020	UG/L	06/20/03	EPA 8021B	MNE
xylene, o	1030	UG/L	06/20/03	EPA 8021B	MNE
SAMPLE #: 346966	CLIENT SAMPLE ID:	MW-11	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,1,1,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,1-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1,2-trichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,1-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,3-trichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dibromoethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3,5-trimethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,3-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
1,4-dichlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2,2-dichloropropane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<1.00	UG/L	06/19/03	EPA 8021B	MNE
2-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-chlorotoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
4-isopropyltoluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
benzene	<0.700	UG/L	06/19/03	EPA 8021B	MNE
bromobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromodichloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromoform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
bromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
carbon tetrachloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE



ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346966	CLIENT SAMPLE ID:	MW-11	DATE SAMPLED: 06/16/03		
Volatile - 8021					
chlorobenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloroform	<1.00	UG/L	06/19/03	EPA 8021B	MNE
chloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromochloromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dibromomethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
dichlorodifluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
ethylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
hexachlorobutadiene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
isopropylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
methylene chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
mtbe	<1.00	UG/L	06/19/03	EPA 8021B	MNE
naphthalene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
n-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
n-propylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
sec-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
styrene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tert-butylbenzene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
tetrachloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
toluene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichloroethene	<1.00	UG/L	06/19/03	EPA 8021B	MNE
trichlorofluoromethane	<1.00	UG/L	06/19/03	EPA 8021B	MNE
vinyl chloride	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, m+p	<1.00	UG/L	06/19/03	EPA 8021B	MNE
xylene, o	<1.00	UG/L	06/19/03	EPA 8021B	MNE

SAMPLE #: 346967	CLIENT SAMPLE ID:	MW-12	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,1,1,2-tetrachloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,1,1-trichloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,1,2,2-tetrachloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,1,2-trichloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,1-dichloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,1-dichloroethene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,1-dichloropropene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2,3-trichlorobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE



Environmental
LABORATORY SERVICES

ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346967	CLIENT SAMPLE ID:	MW-12	DATE SAMPLED: 06/16/03		
Volatile - 8021					
1,2,3-trichloropropane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2,4-trichlorobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2,4-trimethylbenzene	214	UG/L	06/21/03	EPA 8021B	MNE
1,2-dibromo-3-chloropropane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2-dibromoethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2-dichlorobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2-dichloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,2-dichloropropane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,3,5-trimethylbenzene	103	UG/L	06/21/03	EPA 8021B	MNE
1,3-dichlorobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,3-dichloropropane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
1,4-dichlorobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
2,2-dichloropropane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
2-chloroethyl vinyl ether	<25.0	UG/L	06/21/03	EPA 8021B	MNE
2-chlorotoluene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
4-chlorotoluene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
4-isopropyltoluene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
benzene	1270	UG/L	06/21/03	EPA 8021B	MNE
bromobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
bromochloromethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
bromodichloromethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
bromoform	<25.0	UG/L	06/21/03	EPA 8021B	MNE
bromomethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
carbon tetrachloride	<25.0	UG/L	06/21/03	EPA 8021B	MNE
chlorobenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
chloroethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
chloroform	<25.0	UG/L	06/21/03	EPA 8021B	MNE
chloromethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
cis-1,2-dichloroethene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
cis-1,3-dichloropropene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
dibromochloromethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
dibromomethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
dichlorodifluoromethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
ethylbenzene	95.9	UG/L	06/21/03	EPA 8021B	MNE
hexachlorobutadiene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
isopropylbenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
methylene chloride	<25.0	UG/L	06/21/03	EPA 8021B	MNE
mtbe	<25.0	UG/L	06/21/03	EPA 8021B	MNE
naphthalene	143	UG/L	06/21/03	EPA 8021B	MNE
n-butylbenzene	102	UG/L	06/21/03	EPA 8021B	MNE




ALASKAN OIL
2020 Lemoyne Street
P.O. Box 69
Syracuse, NY 13211
ATTN: Ms. Jennifer Hull
PO#: AOI-1011

PROJECT #: 205224
RECEIVED: 06/16/2003

Site Address:
ALTMAN

CLIENT JOB NUMBER: 23089

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 346967	CLIENT SAMPLE ID:	MW-12		DATE SAMPLED:	06/16/03
Volatile - 8021					
n-propylbenzene	40.4	UG/L	06/21/03	EPA 8021B	MNE
sec-butylbenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
styrene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
tert-butylbenzene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
tetrachloroethene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
toluene	1130	UG/L	06/21/03	EPA 8021B	MNE
trans-1,2-dichloroethene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
trans-1,3-dichloropropene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
trichloroethene	<25.0	UG/L	06/21/03	EPA 8021B	MNE
trichlorofluoromethane	<25.0	UG/L	06/21/03	EPA 8021B	MNE
vinyl chloride	<25.0	UG/L	06/21/03	EPA 8021B	MNE
xylene, m+p	378	UG/L	06/21/03	EPA 8021B	MNE
xylene, o	293	UG/L	06/21/03	EPA 8021B	MNE


Wendy J. Umberger
Laboratory Director

06/24/2003
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.



Environmental
LABORATORY SERVICES

Cornett AND CO., INC.

N OF CUSTODY REC
(Page ____ of ____)

SITE Colman

[illegible]