



File 4840
Gaetano


Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 · 315-735-1916 · Fax 315-735-6365 · E-mail jee@prominetinc.com

December 6, 2002

Peter Ouderkirk, P.E.
Project Manager
New York State Department of Environmental Conservation
317 Washington Street
Watertown, New York 13601

Re: General Cable Site



Dear Mr. Ouderkirk:

Enclosed, please find the Progress Report for the General Cable Site.

Please call with any questions.

Sincerely,


JACK EISENBACH ENGINEERING, P.C.

Mark P. Ruhnke, P.E.
Managing Engineer

C02517-05
Enclosure

cc: Charles Gaetano (one copy of report)
Barry R. Kogut, Esq. (one copy of report)

OLD GENERAL CABLE SITE
PROGRESS REPORT
VOLUNTARY REMEDIAL AGREEMENT
(INDEX NUMBER: D6-0001-97-07)



DATE ISSUED: December 6, 2002

Old General Cable Site
Rome, New York

Completed by:

Jack Eisenbach Engineering, P.C.



Mark P. Ruhnke
Managing Engineer

TABLE OF CONTENTS

1.0	Summary	1
2.0	Canterbury Parcel	1
3.0	Northern Redevelopment Area	1
4.0	Rod Mill Parcel	1

APPENDIX

Appendix A.....	NYSDEC Correspondence
Appendix B.....	PCB Sampling Report

1.0 SUMMARY

This progress report summarizes the remedial work completed at the Old General Cable Site under the Voluntary Remedial Agreement (VRA) between Charles A. Gaetano (Owner) and the New York State Department of Environmental Conservation (NYSDEC). The remedial work required is identified in the Remedial Work Plans attached to the VRA.

Since the last progress report (October 1999), A No Further Action (NFA) letter was issued for the Northern Redevelopment parcel. Since then the Owner had donated the parcel to the City of Rome.

2.0 CANTERBURY PARCEL

NFA letter has been received and the Owner continues to retain property.

3.0 NORTHERN REDEVELOPMENT AREA

NFA issued and Owner has donated the parcel to the City of Rome.

4.0 ROD MILL PARCEL

Jack Eisenbach Engineering, P.C. (JEE) has collected soil samples from the sump area at Building #11 and from the petroleum impacted soil adjacent to the Former above ground storage tank, located along the canal. These samples were analyzed for the presence of PCBs. The result revealed no detection of any PCBs (See Appendix-B for results and sample locations).

Schedule

Send letter to Ruhnke

Pending work

Delays / Problems

APPENDIX A
NYSDEC Correspondence

New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 6


Dulles State Office Building, 317 Washington Street, Watertown, New York 13601-3787

Phone: (315) 785-2513 • FAX: (315) 785-2422

Website: www.dec.state.ny.us



November 18, 2002



Mr. Mark P. Ruhnke
JACK EISENBACH ENGINEERING, P.C.
291 Genesee Street
Utica, New York 13501


RE: GAETANO VOLUNTARY CLEANUP PROGRAM

Dear Mr. Ruhnke:

Thank you for your recent update concerning the above referenced site. The Department is eager to complete the Rod Mill Project this year. In order to demonstrate progress, please prepare and submit the monthly progress report in accordance with Section III, page 16 of the Voluntary Cleanup Agreement # D6-0001-97-07. Please submit these required reports to this office by the first of each month. The report should include a schedule for the implementation of the required remediation.

I look forward to receiving your report on or before December 1, 2002. If you have any questions, please feel free to contact me.

Sincerely,


Peter S. Ouderkirk, P.E.
Project Manager

PSO:kw

cc: Darrell M. Sweredoski
John Sheehan - NYSDOH

APPENDIX B
PCB SAMPLING REPORT



Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 · 315-735-1916 · Fax 315-735-6365 · E-mail jee@prominetinc.com

December 5, 2002

Peter Ouderkirk, P.E.
Project Manager
New York State Department of Environmental Conservation
317 Washington Street
Watertown, New York 13601

Re: General Cable Site

Dear Mr. Ouderkirk:

Enclosed, please find the sample results and sample location plans for the PCB sampling completed at the General Cable Site, Rod Mill Parcel.


Five (5) soil samples were collected from the former sump at Building #11, and one (1) sample was collected from the petroleum-contaminated soil adjacent to the former above-ground storage tank, located along the canal. The samples were analyzed for the presence of PCB's and the results reveal no detection of the analyzed compounds. The sample results and sample location plans are attached for your record.

Based on the sampling results, JEE requests closure on the required PCBs testing at the Rod Mill Parcel.

Please call with any questions.

Sincerely,


JACK EISENBACH ENGINEERING, P.C.




Mark P. Ruhnke, P.E.
Managing Engineer


C02517-04
Enclosure

cc: Charles Gaetano (one copy of report)
Barry R. Kogut, Esq. (one copy of report)




Sump Location





AST Tank Location

KEY PLAN



NORTH



KEY:



Test Pit

TP-TANK

FORMER OIL TANK


SCILAB

Please Reply To:

SCILAB BOSTON, INC.
Eight School Street
Weymouth, MA 02189
TEL: (781) 337-9334 FAX: (781) 337-7642

FACSIMILE TELECOPY TRANSMISSION

To: Jack Eisenbach
Jack Eisenbach Engineering
Fax # 315-735-6365


SCILAB Job# 0211-00175
Subject: GENERAL CABLE

Pages: 

Date: Tuesday, November 26, 2002

Time: 5:20:47PM

Comments:



CONFIDENTIALITY NOTICE: Unless otherwise indicated, the information contained in this facsimile communication is confidential information intended for the use of the individual named above. If the reader of this communication is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please immediately notify the sender by telephone and return the original message to the above address via US Postal Service at our expense. Preliminary data reported here will be verified before final report is issued. Samples are disposed of in 60 days unless otherwise instructed by the protocol or special instructions in writing. Thank you.

THE SCILAB GROUP OF LABORATORIES

Certified Analysis Service 24 Hours a Day - 7 Days a Week Competitive Prices
Visit our website - www.scilabs

**SCIENTIFIC
LABORATORIES, INC.**
117 EAST 30TH STREET
NEW YORK, NY 10016
TEL: (212) 679-8600
FAX: (212) 679-9392

**SCILAB
CALIFORNIA, INC.**
24416 SOUTH MAIN ST.
CARSON, CA 90745
TEL: (310) 843-4868
FAX: (310) 834-4772

**SCILAB
BOSTON, INC.**
8 SCHOOL STREET
WEYMOUTH, MA 02189
TEL: (781) 337-9334
FAX: (781) 337-7642

**SCIENTIFIC
LABORATORIES, INC.**
13635 GENITO ROAD
MIDLOTHIAN, VA 23112
TEL: (804) 783-1200
FAX: (804) 783-1800

Laboratory Report

Report Date 11/26/2002
Workorder No. 0211-00175

Customer: Jack Eisenbach Engineering
291 Genesee Street
Utica, NY 13501

Attention: Jack Eisenbach
Subject: GENERAL CABLE

Sample: 001 TP-TANK
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	76	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
TCMX (SURROGATE)		48.3	%		NAC	11/26/2002	
DCB (SURROGATE)		75.3	%		NAC	11/26/2002	
Percent Solids		86.0	%		TLL	11/12/2002	

Sample: 002 TP-1 BOTTOM 7'
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	97	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
TCMX (SURROGATE)		45.2	%		NAC	11/26/2002	

Certifications: MA: MA069 NY:10982 CT: PH0119 RI:A45 CA:2050 NJ: 59744

Sample: 002 TP-1 BOTTOM 7'
(Continued)

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
DCB (SURROGATE)		43.7	%		NAC	11/26/2002	
Percent Solids		68.4	%		TLL	11/12/2002	

Sample: 003 TP-1 SIDE WALL
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	88	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
TCMX (SURROGATE)		41.2	%		NAC	11/26/2002	
DCB (SURROGATE)		22.4	%		NAC	11/26/2002	
Percent Solids		75.0	%		TLL	11/12/2002	

Sample: 004 TP-2 SIDE WALL
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	94	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
TCMX (SURROGATE)		57.0	%		NAC	11/26/2002	
DCB (SURROGATE)		71.0	%		NAC	11/26/2002	

Customer: Jack Eisenbach Engineering

Workorder No. 0211-00175

Sample: 004 TP-2 SIDE WALL
(Continued)

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
Percent Solids		70.6	%		TLL	11/12/2002	

Sample: 005 TP-3 BOTTOM 7'
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	99	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
TCMX (SURROGATE)		65.7	%		NAC	11/26/2002	
DCB (SURROGATE)		67.4	%		NAC	11/26/2002	
Percent Solids		67.5	%		TLL	11/12/2002	

Sample: 006 TP-3 SIDE WALL
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	89	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
TCMX (SURROGATE)		46.1	%		NAC	11/26/2002	
DCB (SURROGATE)		30.2	%		NAC	11/26/2002	
Percent Solids		74.4	%		TLL	11/12/2002	

Certifications: MA: MA069 NY:10982 CT: PH0119 RI:A45 CA:2050 NJ: 59744

NOV 20 2002 10:23 AM SCILAB BOSTON
601 337 7642 TU 13157356365 P.05/06




SCILAB

Customer: Jack Eisenbach Engineering

Workorder No. 0211-00175

To the best of my knowledge this report is true and accurate.

Authorized By:



John J. Sulkowski, Laboratory Director



Jack Eisenbach Engineering, P.C.


291 Genesee Street, Utica, New York 13501 · 315-735-1916 · Fax 315-735-6365 · E-mail jee@prominetinc.com

File 4840
Gaetano

December 5, 2002

Peter Ouderkirk, P.E.
Project Manager
New York State Department of Environmental Conservation
317 Washington Street
Watertown, New York 13601

Re: General Cable Site



Dear Mr. Ouderkirk:

Enclosed, please find the sample results and sample location plans for the PCB sampling completed at the General Cable Site, Rod Mill Parcel.

Five (5) soil samples were collected from the former sump at Building #11, and one (1) sample was collected from the petroleum-contaminated soil adjacent to the former above-ground storage tank, located along the canal. The samples were analyzed for the presence of PCB's and the results reveal no detection of the analyzed compounds. The sample results and sample location plans are attached for your record.

Based on the sampling results, JEE requests closure on the required PCBs testing at the Rod Mill Parcel.

Please call with any questions.

Sincerely,


JACK EISENBACH ENGINEERING, P.C.


Mark P. Ruhnke, P.E.
Managing Engineer

C02517-04
Enclosure


cc: Charles Gaetano (one copy of report)
Barry R. Kogut, Esq. (one copy of report)

Send letter accepting PCB data
reference original request letter



Sump Location

Key Plan




KEY:




Test Pit

NOT TO SCALE



AST Tank Location

KEY PLAN





SCILAB**Please Reply To:**

SCILAB BOSTON, INC.
Eight School Street
Weymouth, MA 02189
TEL:(781)337-9334 FAX:(781)337-7642

FACSIMILE TELECOPY TRANSMISSION

To: Jack Eisenbach
Jack Eisenbach Engineering

SCILAB Job# 0211-00175**Subject:** GENERAL CABLE**Fax #** 315-735-6365**Pages:** 6**Date:** Tuesday, November 26, 2002**Time:** 5:20:47PM**Comments:**


CONFIDENTIALITY NOTICE: Unless otherwise indicated, the information contained in this facsimile communication is confidential information intended for the use of the individual named above. If the reader of this communication is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please immediately notify the sender by telephone and return the original message to the above address via US Postal Service at our expense. Preliminary data reported here will be verified before final report is issued. Samples are disposed of in 60 days unless otherwise instructed by the protocol or special instructions in writing. Thank you.

THE SCILAB GROUP OF LABORATORIES

Certified Analysis Service 24 Hours a Day - 7 Days a Week Competitive Prices

Visit our website - www.scilabs.com

**SCIENTIFIC
LABORATORIES, INC.**
117 EAST 30TH STREET
NEW YORK, NY 10016
TEL: (212) 679-8600
FAX: (212) 679-9392

**SCILAB
CALIFORNIA, INC.**
24416 SOUTH MAIN ST.
CARSON, CA 90745
TEL: (310) 843-4868
FAX: (310) 834-4772

**SCILAB
BOSTON, INC.**
8 SCHOOL STREET
WEYMOUTH, MA 02189
TEL: (781) 337-9334
FAX: (781) 337-7642

**SCIENTIFIC
LABORATORIES, INC.**
13635 GENITO ROAD
MIDLOTHIAN, VA 23112
TEL: (804) 783-1200
FAX: (804) 783-1800


SCILAB

Eight School Street
Weymouth, MA 02189
781-337-9334

Laboratory Report

Report Date 11/26/2002
Workorder No. 0211-00175

Customer: Jack Eisenbach Engineering
291 Genesee Street
Utica, NY 13501

Attention: Jack Eisenbach
Subject: GENERAL CABLE

Sample: 001 TP-TANK
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	76	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	37	NAC	11/26/2002	
TCMX (SURROGATE)		48.3	%		NAC	11/26/2002	
DCB (SURROGATE)		75.3	%		NAC	11/26/2002	
Percent Solids		86.0	%		TLL	11/12/2002	

Sample: 002 TP-1 BOTTOM 7'
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	97	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	48	NAC	11/26/2002	
TCMX (SURROGATE)		45.2	%		NAC	11/26/2002	

Certifications: MA: MA069 NY:10982 CT: PH0119 RI:A45 CA:2050 NJ: 59744


SCILAB

Customer: Jack Eisenbach Engineering

Workorder No. 0211-00175

Sample: 002 TP-1 BOTTOM 7'
(Continued)

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
DCB (SURROGATE)		43.7	%		NAC	11/26/2002	
Percent Solids		68.4	%		TLL	11/12/2002	

Sample: 003 TP-1 SIDE WALL
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	88	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	43	NAC	11/26/2002	
TCMX (SURROGATE)		41.2	%		NAC	11/26/2002	
DCB (SURROGATE)		22.4	%		NAC	11/26/2002	
Percent Solids		75.0	%		TLL	11/12/2002	

Sample: 004 TP-2 SIDE WALL
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	94	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	46	NAC	11/26/2002	
TCMX (SURROGATE)		57.0	%		NAC	11/26/2002	
DCB (SURROGATE)		71.0	%		NAC	11/26/2002	


SCILAB

Customer: Jack Eisenbach Engineering

Workorder No. 0211-00175

Sample: 004 TP-2 SIDE WALL
(Continued)

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
Percent Solids		70.6	%		TLL	11/12/2002	

Sample: 005 TP-3 BOTTOM 7'
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	99	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	49	NAC	11/26/2002	
TCMX (SURROGATE)		65.7	%		NAC	11/26/2002	
DCB (SURROGATE)		67.4	%		NAC	11/26/2002	
Percent Solids		67.5	%		TLL	11/12/2002	

Sample: 006 TP-3 SIDE WALL
Date: 11/06/2002 Time: 1:00:00AM
Matrix: SOIL

Parameter	Method	Results	Units	PQL	Analyst	Analysis Date	Qual
PCBs EPA 8082					NAC	11/26/2002	
PCB-1016	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1221	EPA 8082	ND	ug/Kg	89	NAC	11/26/2002	
PCB-1232	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1242	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1248	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1254	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
PCB-1260	EPA 8082	ND	ug/Kg	44	NAC	11/26/2002	
TCMX (SURROGATE)		46.1	%		NAC	11/26/2002	
DCB (SURROGATE)		30.2	%		NAC	11/26/2002	
Percent Solids		74.4	%		TLL	11/12/2002	

Certifications: MA: MA069 NY:10982 CT: PH0119 RI:A45 CA:2050 NJ: 59744


SCILAB

Customer: Jack Eisenbach Engineering

Workorder No. 0211-00175

To the best of my knowledge this report is true and accurate.

Authorized By:


John J. Sulkowski, Laboratory Director


New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 6

Dulles State Office Building, 317 Washington Street, Watertown, New York 13601-3787

Phone: (315) 785-2513 • FAX: (315) 785-2422

Website: www.dec.state.ny.us



Erin M. Crotty
Commissioner

November 18, 2002

Mr. Mark P. Ruhnke
JACK EISENBACH ENGINEERING, P.C.
291 Genesee Street
Utica, New York 13501

RE: GAETANO VOLUNTARY CLEANUP PROGRAM

Dear Mr. Ruhnke:


Thank you for your recent update concerning the above referenced site. The Department is eager to complete the Rod Mill Project this year. In order to demonstrate progress, please prepare and submit the monthly progress report in accordance with Section III, page 16 of the Voluntary Cleanup Agreement # D6-0001-97-07. Please submit these required reports to this office by the first of each month. The report should include a schedule for the implementation of the required remediation.

I look forward to receiving your report on or before December 1, 2002. If you have any questions, please feel free to contact me.

Sincerely,

Peter S. Ouder Kirk, P.E.
Project Manager

PSO:kw

cc:  Darrell M. Sweredoski + 
John Sheehan - NYSDOH