

Upstate Laboratories, Inc.


Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: ~~Box 289~~ * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Box 169, Eastwood Station



Mr. John Rashak
NYSDEC-Region 3
21 S. Putt Corners Rd.
New Paltz, NY 12561-1620

Thursday, August 04, 2005

RE: Revonak Dry Cleaners

Order No.: U0507049

Dear Mr. John Rashak:

Upstate Laboratories, Inc. received 2 sample(s) on 7/6/05 for the analyses presented in the following report.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala

President/CEO

Upstate Laboratories, Inc.

Date: 04-Aug-05

CLIENT: NYSDEC-Region 3
Lab Order: U0507049
Project: Revonak Dry Cleaners
Lab ID: U0507049-001

Client Sample ID: VP-1-Pre
Collection Date: 6/30/05 12:15:00 PM

Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD		SW8260B				Analyst: Sub
1,1,1-Trichloroethane	2.0	0.15		ppbV	1	7/11/05
1,1,2,2-Tetrachloroethane	ND	0.15		ppbV	1	7/11/05
1,1,2-Trichloroethane	ND	0.15		ppbV	1	7/11/05
1,1-Dichloroethane	ND	0.15		ppbV	1	7/11/05
1,1-Dichloroethene	ND	0.15		ppbV	1	7/11/05
1,2,4-Trichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,2,4-Trimethylbenzene	3.7	0.15		ppbV	1	7/11/05
1,2-Dibromoethane	ND	0.15		ppbV	1	7/11/05
1,2-Dichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,2-Dichloroethane	ND	0.15		ppbV	1	7/11/05
1,2-Dichloropropane	ND	0.15		ppbV	1	7/11/05
1,3,5-Trimethylbenzene	1.7	0.15		ppbV	1	7/11/05
1,3-Butadiene	ND	0.15		ppbV	1	7/11/05
1,3-Dichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,4-Dichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,4-Dioxane	ND	0.30		ppbV	1	7/11/05
2,2,4-Trimethylpentane	0.23	0.15		ppbV	1	7/11/05
2-Butanone	ND	0.15		ppbV	1	7/11/05
2-Hexanone	ND	0.15		ppbV	1	7/11/05
2-Propanol	ND	0.15		ppbV	1	7/11/05
4-Ethyltoluene	1.2	0.15		ppbV	1	7/11/05
4-Methyl-2-pentanone	6.6	0.15		ppbV	1	7/11/05
Acetone	20	0.30		ppbV	1	7/11/05
Allyl Chloride	ND	0.15		ppbV	1	7/11/05
Benzene	34	0.15		ppbV	1	7/11/05
Benzyl chloride	ND	0.15		ppbV	1	7/11/05
Bromodichloromethane	ND	0.15		ppbV	1	7/11/05
Bromoform	ND	0.15		ppbV	1	7/11/05
Bromomethane	ND	0.15		ppbV	1	7/11/05
Carbon disulfide	2.5	0.15		ppbV	1	7/11/05
Carbon tetrachloride	ND	0.15		ppbV	1	7/11/05
Chlorobenzene	ND	0.15		ppbV	1	7/11/05
Chloroethane	2.9	0.15		ppbV	1	7/11/05
Chloroform	0.55	0.15		ppbV	1	7/11/05
Chloromethane	ND	0.15		ppbV	1	7/11/05
cis-1,2-Dichloroethene	780	0.15		ppbV	1	7/11/05
cis-1,3-Dichloropropene	ND	0.15		ppbV	1	7/11/05
Cyclohexane	ND	0.15		ppbV	1	7/11/05
Cyclohexylamine	ND	5.0		ppbV	1	7/11/05

Approved By: PFFDate: 8-4-05

Page 1 of 4

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 04-Aug-05

CLIENT: NYSDEC-Region 3
Lab Order: U0507049
Project: Revonak Dry Cleaners
Lab ID: U0507049-001

Client Sample ID: VP-1-Pre
Collection Date: 6/30/05 12:15:00 PM

Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD		SW8260B		Analyst: Sub		
Dibromochloromethane	ND	0.15		ppbV	1	7/11/05
Ethyl acetate	ND	0.25		ppbV	1	7/11/05
Ethylbenzene	5.4	0.15		ppbV	1	7/11/05
Freon 11	2.8	0.15		ppbV	1	7/11/05
Freon 114	ND	0.15		ppbV	1	7/11/05
Freon 12	0.87	0.15		ppbV	1	7/11/05
Freon-113	ND	0.15		ppbV	1	7/11/05
Heptane	ND	0.75		ppbV	1	7/11/05
Hexachlorobutadiene	ND	0.15		ppbV	1	7/11/05
Hexane	1.3	0.15		ppbV	1	7/11/05
m,p-Xylene	19	0.15		ppbV	1	7/11/05
Methyl tert-butyl ether	ND	0.15		ppbV	1	7/11/05
Methylene chloride	ND	0.15		ppbV	1	7/11/05
Morpholine	ND	5.0		ppbV	1	7/11/05
o-Xylene	5.6	0.15		ppbV	1	7/11/05
Propylene	ND	0.15		ppbV	1	7/11/05
Styrene	3.4	0.15		ppbV	1	7/11/05
Tetrachloroethene	14000	0.15		ppbV	1	7/11/05
Tetrahydrofuran	ND	0.15		ppbV	1	7/11/05
Toluene	10	0.75		ppbV	1	7/11/05
trans-1,2-Dichloroethene	4.0	0.15		ppbV	1	7/11/05
trans-1,3-Dichloropropene	ND	0.15		ppbV	1	7/11/05
Trichloroethene	71	0.15		ppbV	1	7/11/05
Vinyl acetate	ND	0.15		ppbV	1	7/11/05
Vinyl Bromide	ND	0.15		ppbV	1	7/11/05
Vinyl chloride	0.42	0.15		ppbV	1	7/11/05

Approved By: PFF

Date: 8-4-05

Page 2 of 4

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 04-Aug-05

CLIENT: NYSDEC-Region 3
Lab Order: U0507049
Project: Revonak Dry Cleaners
Lab ID: U0507049-002

Client Sample ID: VP-1-Post
Collection Date: 6/30/05 3:50:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD		SW8260B		Analyst: Sub		
1,1,1-Trichloroethane	ND	0.15		ppbV	1	7/11/05
1,1,2,2-Tetrachloroethane	ND	0.15		ppbV	1	7/11/05
1,1,2-Trichloroethane	ND	0.15		ppbV	1	7/11/05
1,1-Dichloroethane	ND	0.15		ppbV	1	7/11/05
1,1-Dichloroethene	ND	0.15		ppbV	1	7/11/05
1,2,4-Trichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,2,4-Trimethylbenzene	1.8	0.15		ppbV	1	7/11/05
1,2-Dibromoethane	ND	0.15		ppbV	1	7/11/05
1,2-Dichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,2-Dichloroethane	ND	0.15		ppbV	1	7/11/05
1,2-Dichloropropane	ND	0.15		ppbV	1	7/11/05
1,3,5-Trimethylbenzene	1.2	0.15		ppbV	1	7/11/05
1,3-Butadiene	ND	0.15		ppbV	1	7/11/05
1,3-Dichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,4-Dichlorobenzene	ND	0.15		ppbV	1	7/11/05
1,4-Dioxane	ND	0.30		ppbV	1	7/11/05
2,2,4-Trimethylpentane	ND	0.15		ppbV	1	7/11/05
2-Butanone	ND	0.15		ppbV	1	7/11/05
2-Hexanone	ND	0.15		ppbV	1	7/11/05
2-Propanol	ND	0.15		ppbV	1	7/11/05
4-Ethyltoluene	0.49	0.15		ppbV	1	7/11/05
4-Methyl-2-pentanone	0.88	0.15		ppbV	1	7/11/05
Acetone	9.0	0.30		ppbV	1	7/11/05
Allyl Chloride	ND	0.15		ppbV	1	7/11/05
Benzene	1.7	0.15		ppbV	1	7/11/05
Benzyl chloride	ND	0.15		ppbV	1	7/11/05
Bromodichloromethane	ND	0.15		ppbV	1	7/11/05
Bromoform	ND	0.15		ppbV	1	7/11/05
Bromomethane	ND	0.15		ppbV	1	7/11/05
Carbon disulfide	ND	0.15		ppbV	1	7/11/05
Carbon tetrachloride	0.16	0.15		ppbV	1	7/11/05
Chlorobenzene	ND	0.15		ppbV	1	7/11/05
Chloroethane	ND	0.15		ppbV	1	7/11/05
Chloroform	ND	0.15		ppbV	1	7/11/05
Chloromethane	ND	0.15		ppbV	1	7/11/05
cis-1,2-Dichloroethene	ND	0.15		ppbV	1	7/11/05
cis-1,3-Dichloropropene	ND	0.15		ppbV	1	7/11/05
Cyclohexane	ND	0.15		ppbV	1	7/11/05
Cyclohexylamine	ND	5.0		ppbV	1	7/11/05

Approved By: PFF

Date: 8-4-05

Page 3 of 4

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 04-Aug-05

CLIENT: NYSDEC-Region 3
Lab Order: U0507049
Project: Revonak Dry Cleaners
Lab ID: U0507049-002

Client Sample ID: VP-1-Post
Collection Date: 6/30/05 3:50:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD		SW8260B		Analyst: Sub		
Dibromochloromethane	ND	0.15		ppbV	1	7/11/05
Ethyl acetate	ND	0.25		ppbV	1	7/11/05
Ethylbenzene	1.5	0.15		ppbV	1	7/11/05
Freon 11	4.0	0.15		ppbV	1	7/11/05
Freon 114	ND	0.15		ppbV	1	7/11/05
Freon 12	0.78	0.15		ppbV	1	7/11/05
Freon-113	ND	0.15		ppbV	1	7/11/05
Heptane	ND	0.75		ppbV	1	7/11/05
Hexachlorobutadiene	ND	0.15		ppbV	1	7/11/05
Hexane	0.96	0.15		ppbV	1	7/11/05
m,p-Xylene	4.0	0.15		ppbV	1	7/11/05
Methyl tert-butyl ether	ND	0.15		ppbV	1	7/11/05
Methylene chloride	ND	0.15		ppbV	1	7/11/05
Morpholine	ND	5.0		ppbV	1	7/11/05
o-Xylene	2.0	0.15		ppbV	1	7/11/05
Propylene	ND	0.15		ppbV	1	7/11/05
Styrene	1.1	0.15		ppbV	1	7/11/05
Tetrachloroethene	51	0.15		ppbV	1	7/11/05
Tetrahydrofuran	ND	0.15		ppbV	1	7/11/05
Toluene	4.0	0.75		ppbV	1	7/11/05
trans-1,2-Dichloroethene	ND	0.15		ppbV	1	7/11/05
trans-1,3-Dichloropropene	ND	0.15		ppbV	1	7/11/05
Trichloroethene	6.6	0.15		ppbV	1	7/11/05
Vinyl acetate	ND	0.15		ppbV	1	7/11/05
Vinyl Bromide	ND	0.15		ppbV	1	7/11/05
Vinyl chloride	ND	0.15		ppbV	1	7/11/05

Approved By: PFF

Date: 8-4-05

Page 4 of 4

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Chain of Custody Record

6034 Corporate Drive E. Syracuse New York 13057
(315) 437 0255 Fax 437 1209

Client:

Project # Project Name

NYSDEC-Region 3

Client Contact:

Phone #

Location (city/state) Address

Reynolds Dry Cleaners

John Rashak

(845) 256-3179

New Paltz, NY

Sample ID

Date

Time

Matrix

GRAB

OR COMPOSITE

UL Internal Use Only

of

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

</