

# Environmental PRODUCTS & SERVICES, INC.


P.O. Box 24398, Rochester, NY 14624  
(716) 436-5660 FAX (716) 436-6139

"The Environmental Compliance Specialist"

FAX TRANSMITTAL MEMO	
To <b>TODD CAFFE</b>	From <b>GLENDA COMBES</b>
Company <b>NYS DEC</b>	Date <b>9-16-96</b>
Fax No. <b>226-2909</b>	Job No. <b>R0898</b>
Telephone No.	No. of Pages (including cover page) <b>5</b>
Subject <b>ANALYTICAL RESULTS</b>	
Comments	
<p><b>TODD,</b></p> <p>Here are the analytical results of the soil sampled from Floyd Sharp's excavation. If you have any questions please feel free to call at any time.</p> <p>As discussed we will fill in the excavation and remove the excavated soil staged on site.</p> <p>Thanks again <i>Glen Combes</i></p>	

NOTE: This facsimile and the information it contains are intended to be confidential communication only to the addressee. If you received this facsimile in error, please notify us by telephone and return the original fax to this office by mail.

Branch Locations: Albany, Buffalo, Newburgh, Syracuse, NY; Bridgeport, CT; Boston, Springfield, MA; Linden, NJ; Harrisburg, PA



Certified in:  
 • Connecticut  
 • Delaware  
 • Maryland  
 • Massachusetts  
 • New Hampshire  
 • New Jersey  
 • New York  
 • Pennsylvania  
 • Rhode Island



## Environmental

LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212  
 (315) 458-8033, FAX (315) 458-0249, (800) 842-4667

E.P.S. - ROCHESTER  
 230 MCKEE RD.  
 P.O. BOX 24398  
 ROCHESTER NY 14624  
 ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 964517  
 RECEIVED: 09/06/96

P.O. # 32735  
 CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 108018 CLIENT SAMPLE ID: R639 PIT BOTTOM & SIDEWALL DATE SAMPLED: 09/05/96					
SQUIDS, TOTAL	82	PERCENT	09/12/96	EPA 160.3	SKW
VOL ORGANICS - EPA 8260		MG/KG DRY WT.	09/10/96	EPA 8260	DJ
ACETONE	<0.28				
ACRYLONITRILE	<1.1				
BENZENE	<0.057				
BROMOBENZENE	<0.057				
BROMOCHLOROMETHANE	<0.057				
BROMODICHLOROMETHANE	<0.057				
BROMOFORM	<0.057				
BROMOMETHANE	<0.28				
2-BUTANONE	<0.057				
N-BUTYLBENZENE	<0.057				
SEC-BUTYLBENZENE	<0.057				
TERT-BUTYLBENZENE	<0.057				
CARBON DISULFIDE	<0.057				
CARBON TETRACHLORIDE	<0.057				
CHLOROBENZENE	<0.057				
CHLOROETHANE	<0.28				
CHLOROFORM	<0.057				
CHLOROMETHANE	<0.28				
2-CHLOROTOLUENE	<0.057				
4-CHLOROTOLUENE	<0.057				
DIBROMOCHLOROMETHANE	<0.057				
DIBROMOMETHANE	<0.057				
1,2-DIBROMO-3-CHLOROPROPANE	<0.057				
1,2-DIBROMOETHANE	<0.057				
1,2-DICHLOROBENZENE	<0.057				
1,3-DICHLOROBENZENE	<0.057				
1,4-DICHLOROBENZENE	<0.057				
TRANS-1,2-DICHLOROETHENE	<0.057				
TRANS-1,3-DICHLOROPROPENE	<0.057				



E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 964517  
RECEIVED: 09/06/96

P.O. # 32735  
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORM BY
SAMPLE #: 108018 CLIENT SAMPLE ID: R639 PIT BOTTOM & SIDEWALLS DATE SAMPLED: 09/05/96					
VOL ORGANICS - EPA 8260		MG/KG DRY WT.	09/10/96	EPA 8260	DJ
TRANS-1,4-DICHLORO-2-BUTENE	<1.1				
1,3-DICHLOROPROPANE	<0.057				
2,2-DICHLOROPROPANE	<0.057				
DICHLORODIFLUOROMETHANE	<0.28				
1,1-DICHLOROETHANE	<0.057				
1,3-DICHLOROETHANE	<0.057				
1,1-DICHLOROETHENE	<0.057				
CIS-1,2-DICHLOROETHENE	<0.057				
1,2-DICHLOROPROPANE	<0.057				
1,1-DICHLOROPROPENE	<0.057				
CIS-1,3-DICHLOROPROPENE	<0.057				
ETHYLBENZENE	<0.057				
HEXACHLOROBUTADIENE	<0.057				
2-HEXANONE	<0.28				
IODOMETHANE	<0.057				
ISOPROPYLBENZENE	<0.057				
4-ISOPROPYLTOLUENE	<0.057				
METHYLENE CHLORIDE	<0.057				
4-METHYL-2-PENTANONE	<0.28				
MTBE	<0.057				
NAPHTHALENE	<0.057				
N-PROPYLBENZENE	<0.057				
STYRENE	<0.057				
1,1,1,2-TETRACHLOROETHANE	<0.057				
1,1,2,2-TETRACHLOROETHANE	<0.057				
TETRACHLOROETHENE	<0.057				
TOLUENE	<0.057				
1,1,1-TRICHLOROETHANE	<0.057				
1,1,2-TRICHLOROETHANE	<0.057				
1,2,3-TRICHLOROBENZENE	<0.057				
1,2,4-TRICHLOROBENZENE	<0.057				




Post-it® Fax Note	7671	Date	9/16/96	# of pages	2
To	Greg Senechal		From	Todd Coffee	
Co./Dept.			Co.		
Phone #			Phone #		
Fax #			Fax #		

E.P.S. - ROCHESTER  
 230 MCKEE RD.  
 P.O. BOX 24398  
 ROCHESTER NY 14624  
 ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 964517  
 RECEIVED: 09/06/96

P.O. # 32735  
 CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORM BY
SAMPLE #: 108018 CLIENT SAMPLE ID: R639 PIT BOTTOM & SIDEWALLS DATE SAMPLED: 09/05/96					
VOL ORGANICS - EPA 8260		MG/KG DRY WT.	09/10/96	EPA 8260	DJ
TRICHLOROETHENE	<0.057				
TRICHLOROFLUOROMETHANE	<0.28				
1,2,3-TRICHLOROPROPANE	<0.057				
1,2,4-TRIMETHYLBENZENE	<0.057				
1,3,5-TRIMETHYLBENZENE	<0.057				
VINYL ACETATE	<0.28				
VINYL CHLORIDE	<0.11				
XYLENES (TOTAL)	<0.057				

  
 Douglas W. Mendrala  
 Laboratory Director

09/13/96  
 Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise state











**Environmental**  
PRODUCTS & SERVICES, INC.

P.O. Box 24398, Rochester, NY 14624 (716) 436-5660, FAX (716) 436-6139, (800) 807-7455

July 22, 1996

Mr. Floyd Sharp  
*Sharps Automotive*  
7399 West Henrietta Road  
Rush, New York 14543

**RE: WORK PLAN AND COST ESTIMATE FOR SOIL REMOVAL, SAMPLING,  
AND MONITORING WELL INSTALLATION AT 7399 WEST HENRIETTA  
ROAD, RUSH, NEW YORK**

Dear Mr. Sharp:

Environmental Products & Services, Inc. is submitting for your review and approval the following work plan and attached cost estimate for work to be performed for Sharp's Automotive at 7399 West Henrietta Road, Rush, New York.

The following work plan was based upon a conversation with Mr. Todd Cafoe of the New York State Department of Environmental Conservation. Mr. Cafoe requested the affected soils (in the dry well area located at the end of the PVC drain pipe) be excavated and disposed. Samples from the remaining soil materials (side walls and bottom of the excavation), will be collected and analyzed by EPA method 8260 to confirm the removal of all contaminated soil from the affected area. A representative groundwater sample is to be collected using a properly installed well to insure sample integrity. This well is to be installed in the natural soil outside of the excavation. The groundwater sample will be analyzed by EPA method 8260.

Environmental Products & Services, Inc. will provide all labor, materials, and equipment necessary to perform the following:



- Emergency Response
- Remediation
- Waste Mgmt. and Disposal
- EPA Training
- Industrial Maintenance
- Geoscience
- Products
- Analytical Services

**COPY**

**WORK PLAN**

**Phase I - Soil Excavation, Disposal, and Soil Sampling**

During the first phase of the project, the soil in the area of the dry well will be removed. This material will be excavated using a rubber tire backhoe and loaded directly for transportation to an approved disposal facility. During excavation, soil samples from the side walls and base of the excavation will be collected in ziplock plastic bags and the headspace scanned using an HNu PID meter. These data will be used to identify the limits of contaminated soil in the excavation. The native soils will also be observed to determine the appropriate type of drilling equipment to be used for the well installation.

Once the limits of contamination have been determined, confirmatory soil samples of the side walls and excavation floor will be collected in appropriate glass jars and submitted to Environmental Laboratory Services in Syracuse, New York for analysis by EPA method 8260.

The excavation will be backfilled with clean run of bank material after confirmatory soil samples have been collected.

**Phase II - Drilling, Well Installation, and Water Sampling**

Environmental Products & Services, Inc. will drill and install a small diameter monitoring well to collect a representative groundwater sample in the vicinity of the former dry well . The Concord direct push drill rig will be employed to advance the boring providing the subsurface conditions allow the use of this equipment.

If an alternate method of drilling is required, a separate bid will be provided utilizing the appropriate drilling equipment to properly install the well.

Once installed, the well will be purged to remove drill cuttings and fine soil particles from the sand pack to provide better hydraulic connection to the aquifer. A sample of the groundwater will then be collected, delivered to Environmental Laboratory Services and analyzed by EPA method 8260.






Thank you for the opportunity to quote on the above. If you have any questions or require further information, please do not hesitate to contact me at (716) 436-5660.

Very truly yours,

ENVIRONMENTAL PRODUCTS & SERVICES, INC.



Glenn O. Combes, Senior Hydrogeologist  
*Rochester Division*

GOC/smk  
9240.679.922

Attachment

- cc: **Mr. Todd Cafoe**, *New York State Department of Environmental Conservation* (without attachment)
- Mr. David Dake, *Environmental Products & Services, Inc.*
- Mr. Jack Briggs, *Environmental Products & Services, Inc.*

If you are in agreement with this proposal, please sign below and return a copy for our files.

This proposal is understood and accepted:

By: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_





MAR-11-96 MON 13:47 ELS



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034  
RECEIVED: 02/28/96

P.O. # 32400  
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104315	CLIENT SAMPLE ID: R574	TEST PIT COMP	DATE SAMPLED: 02/27/96		
SOLIDS, TOTAL	87	PERCENT	02/29/96	EPA 160.3	SKW
PETROLEUM HYDROCARBONS - TOTAL		MG/KG DRY WT.	03/08/96	NYS 310.13	SM
GASOLINE	NP				
KEROSENE	<55.5				
FUEL OIL	<55.5				
LUBE OIL	P				

ND - NONE DETECTED  
P - PRESENT

RESULTS ARE QUANTITATED AGAINST IN-HOUSE REFERENCE MATERIAL.

A COPY OF THE CHROMATOGRAM, WITH THE OPERATOR'S NOTES IS ATTACHED.

REFERENCE MATERIALS:

UNLEADED GASOLINE	KEROSENE
FUEL OIL #2	LUBE OIL SAE 10
FUEL OIL #4	LUBE OIL SAE 20
FUEL OIL #6	LUBE OIL SAE 30
	LUBE OIL SAE 40

THIS METHOD REQUIRES SUBJECTIVE INTERPRETATIONS BY THE ANALYST.

VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	03/04/96	EP
ACETONE	<0.29			
ACRYLONITRILE	<1.1			
BENZENE	<0.057			
BROMOBENZENE	<0.057			
BROMOCHLOROMETHANE	<0.057			
BROMODICHLOROMETHANE	<0.057			
BROMOFORM	<0.057			
BROMOMETHANE	<0.29			
2-BUTANONE	<0.29			
N-BUTYLBENZENE	<0.057			
SEC-BUTYLBENZENE	<0.057			

Soil and groundwater  
Sample results taken  
at outfall 2/27/96

Your Full-Service Analytic

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Ham,

MAR-11-96 MON 13:47 ELS



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034  
RECEIVED: 02/28/96

P.O. # 32400  
CLIENT JOB NUMBER: R0898

soil

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104315	CLIENT SAMPLE ID: R57	TEST PIT COMP	DATE SAMPLED: 02/27/96		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	03/04/96	EPA 8260	DJ
TERT-BUTYLBENZENE	<0.057				
CARBON DISULFIDE	<0.067				
CARBON TETRACHLORIDE	<0.057				
CHLOROBENZENE	<0.057				
CHLOROETHANE	<0.29				
CHLOROFORM	<0.057				
CHLOROMETHANE	<0.29				
2-CHLOROTOLUENE	<0.057				
4-CHLOROTOLUENE	<0.057				
DIBROMOCHLOROMETHANE	<0.057				
DIBROMOMETHANE	<0.057				
1,2-DIBROMO-3-CHLOROPROPANE	<0.057				
1,2-DIBROMOETHANE	<0.057				
1,2-DICHLOROBENZENE	<0.057				
1,3-DICHLOROBENZENE	<0.057				
1,4-DICHLOROBENZENE	<0.057				
TRANS-1,2-DICHLOROETHENE	<0.057				
TRANS-1,3-DICHLOROPROPENE	<0.057				
TRANS-1,4-DICHLORO-2-BUTENE	<1.1				
1,3-DICHLOROPROPANE	<0.057				
2,2-DICHLOROPROPANE	<0.057				
DICHLORODIFLUOROMETHANE	<0.29				
1,1-DICHLOROETHANE	<0.057				
1,2-DICHLOROETHANE	<0.057				
1,1-DICHLOROETHENE	<0.057				
CIS-1,2-DICHLOROETHENE	<0.057				
1,2-DICHLOROPROPANE	<0.057				
1,1-DICHLOROPROPENE	<0.057				
CIS-1,3-DICHLOROPROPENE	<0.057				
ETHYLBENZENE	<0.057				
HEXACHLOROBUTADIENE	<0.057				


Page 2

## Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



MAR-11-96 MON 13:50 EL5



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034  
RECEIVED: 02/28/96

P.O. # 32400  
CLIENT JOB NUMBER: R0898

Soil

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104315	CLIENT SAMPLE ID: R574	TEST PIT COMP	DATE SAMPLED: 02/27/96		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	03/04/96	EPA 8260	DJ
2-HEXANONE	<0.29				
IODOMETHANE	<0.29				
ISOPROPYLBENZENE	<0.057				
4-ISOPROPYLTOLUENE	<0.057				
METHYLENE CHLORIDE	<0.057				
4-METHYL-2-PENTANONE	<0.29				
MTBE	<0.057				
NAPHTHALENE	<0.057				
N-PROPYLBENZENE	<0.057				
STYRENE	<0.057				
1,1,1,2-TETRACHLOROETHANE	<0.057				
1,1,2,2-TETRACHLOROETHANE	<0.057				
TETRACHLOROETHENE	0.63	ppm (630 ppb)			
TOLUENE	<0.057				
1,1,1-TRICHLOROETHANE	<0.057				
1,1,2-TRICHLOROETHANE	<0.057				
1,2,3-TRICHLOROBENZENE	<0.057				
1,2,4-TRICHLOROBENZENE	<0.057				
TRICHLOROETHENE	<0.057				
TRICHLOROFLUOROMETHANE	<0.29				
1,1,3-TRICHLOROPROPANE	<0.057				
1,2,4-TRIMETHYLBENZENE	<0.057				
1,3,5-TRIMETHYLBENZENE	<0.057				
VINYL ACETATE	<0.29				
VINYL CHLORIDE	<0.29				
XYLENES (TOTAL)	<0.057				

SAMPLE #: 104316 CLIENT SAMPLE ID: R574 TEST PIT WATER DATE SAMPLED: 02/27/96

VOL. ORGANICS - EPA 8260 UG/L 02/28/96 EPA 8260 DJ  
ACETONE <5.0

Page 3

## Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034  
RECEIVED: 02/28/96

P.O. # 32400  
CLIENT JOB NUMBER: R0898

*Water*

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104316	CLIENT SAMPLE ID: R574	TEST PIT WATER	DATE SAMPLED: 02/27/96		
VOL. ORGANICS - EPA 8260		UG/L	02/28/96	EPA 8260	DJ
ACRYLONITRILE	<20.0				
BENZENE	<1.0				
BROMOBENZENE	<1.0				
BROMOCHLOROMETHANE	<1.0				
BROMODICHLOROMETHANE	<1.0				
BROMOFORM	<1.0				
BROMOMETHANE	<5.0				
2-BUTANONE	<5.0				
N-BUTYLBENZENE	<1.0				
SEC-BUTYLBENZENE	<1.0				
TERT-BUTYLBENZENE	<1.0				
CARBON DISULFIDE	<1.0				
CARBON TETRACHLORIDE	<1.0				
CHLOROBENZENE	<1.0				
CHLOROETHANE	<5.0				
CHLOROFORM	<1.0				
CHLOROMETHANE	<5.0				
2-CHLOROTOLUENE	<1.0				
4-CHLOROTOLUENE	<1.0				
DIBROMOCHLOROMETHANE	<1.0				
DIBROMOMETHANE	<1.0				
1,2-DIBROMO-3-CHLOROPROPANE	<1.0				
1,2-DIBROMOETHANE	<1.0				
1,2-DICHLOROETHANE	<1.0				
1,3-DICHLOROETHANE	<1.0				
1,4-DICHLOROETHANE	<1.0				
TRANS-1,2-DICHLOROETHENE	<1.0				
TRANS-1,3-DICHLOROPROPENE	<1.0				
TRANS-1,4-DICHLORO-2-BUTENE	<20.0				
1,3-DICHLOROPROPANE	<1.0				
2,2-DICHLOROPROPANE	<1.0				

Page 4

**Your Full-Service Analytical Laboratory**

Holding Certifications In Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



MAR-11-96 MON 13:50 ELS



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034  
RECEIVED: 02/28/96

P.O. # 32400  
CLIENT JOB NUMBER: R0898

*Water*

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104316	CLIENT SAMPLE ID: R574	<u>TEST PIT WATER</u>	DATE SAMPLED: 02/27/96		
VOL. ORGANICS - EPA 8260		UG/L	02/28/96	EPA 8260	DJ
DICHLORODIFLUOROMETHANE	<5.0				
1,1-DICHLOROETHANE	<1.0				
1,2-DICHLOROETHANE	<1.0				
1,1-DICHLOROETHENE	<1.0				
CIS-1,2-DICHLOROETHENE	<u>35.6</u>				
1,2-DICHLOROPROPANE	<1.0				
1,1-DICHLOROPROPENE	<1.0				
CIS-1,3-DICHLOROPROPENE	<1.0				
ETHYLBENZENE	<1.0				
HEXACHLOROBUTADIENE	<1.0				
2-HEXANONE	<5.0				
IODOMETHANE	<5.0				
ISOPROPYLBENZENE	<1.0				
4-ISOPROPYLTOLUENE	<1.0				
METHYLENE CHLORIDE	<1.0				
4-METHYL-2-PENTANONE	<5.0				
MTBE	<u>3.3</u>				
NAPHTHALENE	<1.0				
N-PROPYLBENZENE	<1.0				
STYRENE	<1.0				
1,1,1,2-TETRACHLOROETHANE	<1.0				
1,1,2,2-TETRACHLOROETHANE	<1.0				
TETRACHLOROETHENE	<u>26.8</u>				
TOLUENE	<u>1.2</u>				
1,1,1-TRICHLOROETHANE	<1.0				
1,1,2-TRICHLOROETHANE	<1.0				
1,2,3-TRICHLOROBENZENE	<1.0				
1,2,4-TRICHLOROBENZENE	<1.0				
TRICHLOROETHENE	<u>1.4</u>				
TRICHLOROFLUOROMETHANE	<5.0				
1,2,3-TRICHLOROPROPANE	<1.0				

Page 5

## Your Full-Service Analytical Laboratory

Holding Certifications In Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

North Syracuse, NY 13212  
FAX (315) 458-0249


(800) 842-4667

E.P.S. - ROCHESTER  
230 MCKEE RD.  
P.O. BOX 24398  
ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034  
RECEIVED: 02/28/96

P.O. # 32400  
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104316	CLIENT SAMPLE ID: R574	TEST PIT WATER	DATE SAMPLED: 02/27/96		
VOL. ORGANICS - EPA 8260		UG/L	02/28/96	EPA 8260	DJ
1,2,4-TRIMETHYLBENZENE	<1.0				
1,3,5-TRIMETHYLBENZENE	<1.0				
VINYL ACETATE	<5.0				
VINYL CHLORIDE	<5.0				
XYLENES (TOTAL)	<1.0				

  
Douglas W. Mendrala  
Laboratory Director

03/11/96  
Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.


**Your Full-Service Analytical Laboratory**

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island









# Environmental PRODUCTS & SERVICES, INC.

P.O. Box 24398

Rochester, NY 14624

(716) 436-5660

FAX (716) 436-6139

(800) THE-TANK

Spill # 9505924  
Rush  
Merrill Co.

September 26, 1995

Composite Soil  
Sample results  
from samples ≈ 15'  
from outfall

## RECEIVED

SEP 29 1995

REGION J

Mr. Floyd Sharp  
7399 West Henrietta Road  
Rush, New York 14543

RE: SHARP'S AUTOMOTIVE SALES SOIL ANALYSIS DIV. OF SPILLS MGMT.  
ROUTES 15 AND 251, RUSH, NEW YORK

Dear Mr. Sharp:

Environmental Products & Services, Inc. was retained by you to prepare and analyze a soil sample from the rear of the property located at the above referenced site. The sample was prepared utilizing a two-man power auger capable of boring a depth of 36 inches. Three borings were made, with the soil composited into one sample for analysis.

The sample was analyzed at Environmental Laboratory Services (ELS), 7280 Caswell Street, North Syracuse, New York, 13212 (New York State ELAP Laboratory Certification #11375). The sample was analyzed for Total Petroleum Hydrocarbon (TPH) by NYS Method 310.13 and for Volatile Organics (VOCs) by EPA Method 8260.

Results indicate that gasoline and lube oil were not detected by NYS Method 310.13. Kerosene and fuel oil were detected, but at quantities below 11 parts per million (ppm). The VOCs scan yielded no compounds detected above 1.1 ppm, and all were below the EPA Hazardous Waste Level as outlined in the Resource Conservation and Recovery Act (RCRA) found in 40 CFR 260-280.

DATE OF ANALYSIS:	9/12/95
DATE RECEIVED AT ELS:	9/13/95
EXTRACTION BEGAN:	9/13/95
EXTRACTION COMPLETED AND ANALYSIS STARTED:	9/13/95
ANALYTICAL REPORT SIGNED BY LABORATORY DIRECTOR:	9/22/95

Corporate Office  
(315) 471-0503

Albany, NY  
(518) 465-4000

Boston, MA  
(617) 933-6666

Bridgeport, CT  
(203) 300-3030

Buffalo, NY  
(716) 695-6600

Harrisburg, PA  
(717) 564-4200

Linden, NJ  
(908) 486-8600

Newburgh, NY  
(914) 561-0707

Springfield, MA  
(413) 731-1000


Syracuse, NY  
(315) 461-6600



The analytical report has been sent under separate cover. Thank you for the opportunity to provide this service for you. If you have any additional questions or require further information, please do not hesitate to contact me.

Very truly yours,

ENVIRONMENTAL PRODUCTS & SERVICES, INC.



Jack T. Briggs, CHMM  
Project Manager  
Rochester Branch

JTB/alm  
9694.0642.916

**RECEIVED**  
SEP 29 1995  
REGION 5  
DIV. OF SPILLS MGMT.



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

RECEIVED  
SEP 25 1995

ENVIRONMENTAL PRODUCTS &  
SERVICES, INC. - ROCHESTER

Sharp's Motor Corp  
678R0642  
R 524

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685	CLIENT SAMPLE ID: R524 SHARP		DATE SAMPLED: 09/12/95		
SOLIDS, TOTAL	91	PERCENT	09/13/95	EPA 160.3	MM
PETROLEUM HYDROCARBONS - TOTAL		MG/KG DRY WT.	09/21/95	NYS 310.13	SM
GASOLINE	ND				
KEROSENE	<11				
FUEL OIL	<11				
LUBE OIL	ND				

ND - NONE DETECTED  
P - PRESENT

RESULTS ARE QUANTITATED AGAINST IN-HOUSE REFERENCE MATERIAL.

A COPY OF THE CHROMATOGRAM, WITH THE OPERATOR'S NOTES IS ATTACHED.

REFERENCE MATERIALS:

UNLEADED GASOLINE	KEROSENE
FUEL OIL #2	LUBE OIL SAE 10
FUEL OIL #4	LUBE OIL SAE 20
FUEL OIL #6	LUBE OIL SAE 30
	LUBE OIL SAE 40

THIS METHOD REQUIRES SUBJECTIVE INTERPRETATIONS BY THE ANALYST.

VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	DATE	METHOD	PERFORMED BY
ACETONE	<0.275		09/14/95	EPA 8260	DJ
ACRYLONITRILE	<1.1				
BENZENE	<0.055				
BROMOBENZENE	<0.055				
BROMOCHLOROMETHANE	<0.055				
BROMODICHLOROMETHANE	<0.055				
BROMOFORM	<0.055				
BROMOMETHANE	<0.550				
2-BUTANONE	<0.275				
N-BUTYLBENZENE	<0.055				
SEC-BUTYLBENZENE	<0.055				

RECEIVED  
OCT - 4 1995  
SPILLS / PBS  
NYS DEC REGION 8

**Your Full-Service Analytical Laboratory**

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island





# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033 FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685 CLIENT SAMPLE ID: R524 SHARP			DATE SAMPLED: 09/12/95		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
TERT-BUTYLBENZENE	<0.055				
CARBON DISULFIDE	<0.055				
CARBON TETRACHLORIDE	<0.055				
CHLOROBENZENE	<0.055				
CHLOROETHANE	<0.275				
CHLOROFORM	<0.055				
CHLOROMETHANE	<0.275				
2-CHLOROTOLUENE	<0.055				
4-CHLOROTOLUENE	<0.055				
DIBROMOCHLOROMETHANE	<0.055				
DIBROMOMETHANE	<0.055				
1,2-DIBROMO-3-CHLOROPROPANE	<0.055				
i,2-DIBROMOETHANE	<0.055				
1,2-DICHLOROBENZENE	<0.055				
1,3-DICHLOROBENZENE	<0.055				
1,4-DICHLOROBENZENE	<0.055				
TRANS-1,2-DICHLOROETHENE	<0.055				
TRANS-1,3-DICHLOROPROPENE	<0.055				
TRANS-1,4-DICHLORO-2-BUTENE	<1.1				
1,3-DICHLOROPROPANE	<0.055				
2,2-DICHLOROPROPANE	<0.055				
DICHLORODIFLUOROMETHANE	<0.275				
1,1-DICHLOROETHANE	<0.055				
1,2-DICHLOROETHANE	<0.055				
1,1-DICHLOROETHENE	<0.055				
CIS-1,2-DICHLOROETHENE	<0.055				
1,2-DICHLOROPROPANE	<0.055				
1,1-DICHLOROPROPENE	<0.055				
CIS-1,3-DICHLOROPROPENE	<0.055				
TRANS-1,3-DICHLOROPROPENE	<0.055				
ETHYLBENZENE	<0.055				

**Your Full-Service Analytical Laboratory**

*Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island*



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685		CLIENT SAMPLE ID: R524 SHARP		DATE SAMPLED: 09/12/95	
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
HEXACHLOROBUTADIENE	<0.055				
2-HEXANONE	<0.275				
IODOMETHANE	<0.055				
ISOPROPYLBENZENE	<0.055				
4-ISOPROPYLTOLUENE	<0.055				
METHYLENE CHLORIDE	<0.055				
4-METHYL-2-PENTANONE	<0.275				
MTBE	<0.055				
NAPHTHALENE	<0.055				
N-PROPYLBENZENE	<0.055				
STYRENE	<0.055				
1,1,1,2-TETRACHLOROETHANE	<0.055				
1,1,2,2-TETRACHLOROETHANE	<0.055				
TETRACHLOROETHENE	<0.055				
TOLUENE	<0.055				
1,1,1-TRICHLOROETHANE	<0.055				
1,1,2-TRICHLOROETHANE	<0.055				
1,2,3-TRICHLOROBENZENE	<0.055				
1,2,4-TRICHLOROBENZENE	<0.055				
TRICHLOROETHENE	<0.055				
TRICHLOROFLUOROMETHANE	<0.275				
1,2,3-TRICHLOROPROPANE	<0.055				
1,2,4-TRIMETHYLBENZENE	<0.055				
1,3,5-TRIMETHYLBENZENE	<0.055				
VINYL ACETATE	<0.275				
VINYL CHLORIDE	<0.110				
XYLENES (TOTAL)	<0.055				

**Your Full-Service Analytical Laboratory**

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island





# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

Douglas W. Mendrala  
Laboratory Director

09/22/95  
Date


All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.

---

**Your Full-Service Analytical Laboratory**

*Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island*

SAMPLE # 112685







# Upstate Laboratories inc.

Shipping: 6034 Corporate Dr. • E. Syracuse, NY 13057 • (315) 437-0255 • Fax (315) 437-1209  
Mailing: Box 289 • Syracuse, NY 13205  
Albany (518) 459-3134  
Binghamton (607) 724-0478

Buffalo (716) 662-2118  
Rochester (716) 436-9070  
New Jersey (201) 703-1324

July 17, 1995

Mr. Greg Senecal  
LaBella Associates, P.C.  
300 State St.  
Rochester, NY 14614

Re: Analysis Report #17995156 - 95-494 Sharp's Motors Soil Analysis

Dear Mr. Senecal:

Please find enclosed the results for your sample which was received on June 27, 1995.


We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your sample. Samples will be disposed of approximately one month from final report date.

Should you have any questions, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

  
Anthony J. Scala  
Director

*Initial Soil Testing Results from outfall*

AJS/sl

Enclosures: report, invoice



cc/encs: N. Scala, ULI file

**Note:** Faxed results were given to your office on 7/13 and 7/14/95. AJS

**Disclaimer:** The test results and procedures utilized, and laboratory interpretations of data obtained by ULI as contained in this report are believed by ULI to be accurate and reliable for sample(s) tested. In accepting this report, the customer agrees that the full extent of any and all liability for actual and consequential damages of ULI for the services performed shall be equal to the fee charged to the customer for the services as liquidated damages.

DATE: 07/17/95

Upstate Laboratories, Inc.  
 Analysis Results  
 Report Number: 17995156  
 Client I.D.: LABELLA ASSOCIATES, P.C.  
 Sampled by: Client

APPROVAL:   
 QC:   
 Lab I.D.: 10170

95-494 SHARP'S  
 MOTORS SOIL ANALYSIS OF-1 0945H 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

PARAMETERS	RESULTS	KEY	FILE#
Percent Solids	81%		WA9020
Total Aluminum	6500mg/kg dw		MA4044
Total Antimony	<20mg/kg dw		MA4064
Total Arsenic by furnace method	1.8mg/kg dw		MA4080
Total Barium	25mg/kg dw		MA4044
Total Beryllium	<0.4mg/kg dw		MA4044
Total Cadmium	1.4mg/kg dw		MA4044
Total Calcium	16,000mg/kg dw		MA4044
Total Chromium	9.5mg/kg dw		MA4044
Total Cobalt	4.7mg/kg dw		MA4044
Total Copper	20mg/kg dw		MA4044
Total Iron	8800mg/kg dw		MA4044
Total Lead	15mg/kg dw		MA4044
Total Magnesium	31,000mg/kg dw		MA4044
Total Manganese	200mg/kg dw		MA4044
Total Mercury	0.032mg/kg dw		MA5000
Total Nickel	10mg/kg dw		MA4044
Total Potassium	790mg/kg dw		MA4065
Total Selenium by furnace method	0.43mg/kg dw		MA4098
Total Silver	<4mg/kg dw		MA4044
Total Sodium	220mg/kg dw		MA4073
Total Thallium	<0.2mg/kg dw		MA4094
Total Vanadium	<20mg/kg dw		MA4044
Total Zinc	64mg/kg dw		MA4044

## TCL Volatiles by EPA Method 8260



Chloromethane	<4600ug/kg dw	01	VM0672
Bromomethane	<4600ug/kg dw	01	VM0672
Vinyl Chloride	<4600ug/kg dw	01	VM0672
Chloroethane	<4600ug/kg dw	01	VM0672
Methylene Chloride	<4600ug/kg dw	01	VM0672
Acetone	<46,000ug/kg dw	01	VM0672
Carbon Disulfide	<4600ug/kg dw	01	VM0672
1,1-Dichloroethane	<4600ug/kg dw	01	VM0672
1,1-Dichloroethane	<4600ug/kg dw	01	VM0672
trans-1,2-Dichloroethane	<4600ug/kg dw	01	VM0672
cis-1,2-Dichloroethane	<4600ug/kg dw	01	VM0672
Chloroform	<4600ug/kg dw	01	VM0672
1,2-Dichloroethane	<4600ug/kg dw	01	VM0672
2-Butanone	<46,000ug/kg dw	01	VM0672
1,1,1-Trichloroethane	<4600ug/kg dw	01	VM0672
Carbon Tetrachloride	<4600ug/kg dw	01	VM0672

dw = Dry weight



DATE: 07/17/95

Upstate Laboratories, Inc.  
 Analysis Results  
 Report Number: 17995156  
 Client I.D.: LABELLA ASSOCIATES, P.C.  
 Sampled by: Client

APPROVAL:   
 QC:   
 Lab I.D.: 10170

95-494 SHARP'S  
 MOTORS SOIL ANALYSIS OF-1 0945R 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

PARAMETERS	RESULTS	KEY	FILE#
Bromodichloromethane	<4600ug/kg dw	01	VM0672
1,2-Dichloropropane	<4600ug/kg dw	01	VM0672
cis-1,3-Dichloropropene	<4600ug/kg dw	01	VM0672
Trichloroethene	<4600ug/kg dw	01	VM0672
Dibromochloromethane	<4600ug/kg dw	01	VM0672
1,1,2-Trichloroethane	<4600ug/kg dw	01	VM0672
Benzene	<4600ug/kg dw	01	VM0672
trans-1,3-Dichloropropene	<4600ug/kg dw	01	VM0672
Bromoform	<4600ug/kg dw	01	VM0672
4-Methyl-2-pentanone	<46,000ug/kg dw	01	VM0672
2-Hexanone	<46,000ug/kg dw	01	VM0672
Tetrachloroethene	14,000ug/kg dw		VM0672
1,1,2,2-Tetrachloroethane	<4600ug/kg dw	01	VM0672
Toluene	<4600ug/kg dw	01	VM0672
Chlorobenzene	<4600ug/kg dw	01	VM0672
Ethylbenzene	<4600ug/kg dw	01	VM0672
Styrene	<4600ug/kg dw	01	VM0672
m-Xylene and p-Xylene	7700ug/kg dw		VM0672
o-Xylene	6200ug/kg dw		VM0672

## TCL Semivolatiles by EPA Method 8270



Phenol	<410ug/kg dw	SA0598
bis(2-Chloroethyl)ether	<410ug/kg dw	SA0598
2-Chlorophenol	<410ug/kg dw	SA0598
1,3-Dichlorobenzene	<410ug/kg dw	SA0598
1,4-Dichlorobenzene	<410ug/kg dw	SA0598
1,2-Dichlorobenzene	<410ug/kg dw	SA0598
2-Methylphenol	<410ug/kg dw	SA0598
2,2'-Oxybis(1-Chloropropane)	<410ug/kg dw	SA0598
4-Methylphenol	<410ug/kg dw	SA0598
n-Nitrosodi-n-propylamine	<410ug/kg dw	SA0598
Hexachloroethane	<410ug/kg dw	SA0598
Nitrobenzene	<410ug/kg dw	SA0598
Isophorone	<410ug/kg dw	SA0598
2-Nitrophenol	<410ug/kg dw	SA0598
2,4-Dimethylphenol	<410ug/kg dw	SA0598
bis(2-Chloroethoxy)methane	<410ug/kg dw	SA0598
2,4-Dichlorophenol	<410ug/kg dw	SA0598
1,2,4-Trichlorobenzene	<410ug/kg dw	SA0598
Naphthalene	<410ug/kg dw	SA0598
4-Chloroaniline	<410ug/kg dw	SA0598
Hexachlorobutadiene	<410ug/kg dw	SA0598

dw = Dry weight



DATE: 07/17/95

Upstate Laboratories, Inc.  
 Analysis Results  
 Report Number: 17995156  
 Client I.D.: LABELLA ASSOCIATES, P.C.  
 Sampled by: Client

APPROVAL:   
 QC:   
 Lab I.D.: 10170

95-494 SHARP'S  
 MOTORS SOIL ANALYSIS OF-1 0945H 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

## PARAMETERS

## RESULTS

## KEY



## FILE#

PARAMETERS	RESULTS	KEY	FILE#
4-Chloro-3-methylphenol	<410ug/kg dw		SA0598
2-Methylnaphthalene	1300ug/kg dw		SA0598
Hexachlorocyclopentadiene	<410ug/kg dw		SA0598
2,4,6-Trichlorophenol	<410ug/kg dw		SA0598
2,4,5-Trichlorophenol	<410ug/kg dw		SA0598
2-Chloronaphthalene	<410ug/kg dw		SA0598
2-Nitroaniline	<4100ug/kg dw		SA0598
Dimethylphthalate	<410ug/kg dw		SA0598
Acenaphthylene	<410ug/kg dw		SA0598
2,6-Dinitrotoluene	<410ug/kg dw		SA0598
3-Nitroaniline	<4100ug/kg dw		SA0598
Acenaphthene	<410ug/kg dw		SA0598
2,4-Dinitrophenol	<4100ug/kg dw		SA0598
4-Nitrophenol	<4100ug/kg dw		SA0598
Dibenzofuran	<410ug/kg dw		SA0598
2,4-Dinitrotoluene	<410ug/kg dw		SA0598
Diethylphthalate	<410ug/kg dw		SA0598
4-Chlorophenylphenylether	<410ug/kg dw		SA0598
Fluorene	<410ug/kg dw		SA0598
4-Nitroaniline	<4100ug/kg dw		SA0598
2-Methyl-4,6-dinitrophenol	<4100ug/kg dw		SA0598
n-Nitrosodiphenylamine	<410ug/kg dw		SA0598
4-Bromophenylphenylether	<410ug/kg dw		SA0598
Hexachlorobenzene	<410ug/kg dw		SA0598
Pentachlorophenol	<820ug/kg dw		SA0598
Phenanthrene	1400ug/kg dw		SA0598
Anthracene	<410ug/kg dw		SA0598
Carbazole	<410ug/kg dw		SA0598
di-n-butylphthalate	<410ug/kg dw		SA0598
Fluoranthene	<410ug/kg dw		SA0598
Pyrene	<410ug/kg dw		SA0598
Butylbenzylphthalate	<410ug/kg dw		SA0598
3,3'-Dichlorobenzidine	<410ug/kg dw		SA0598
Benzo (a) anthracene	<410ug/kg dw		SA0598
Chrysene	<410ug/kg dw		SA0598
bis(2-Ethylhexyl) phthalate	1600ug/kg dw		SA0598
di-n-octylphthalate	<410ug/kg dw		SA0598
Benzo (b) fluoranthene	<410ug/kg dw		SA0598
Benzo (k) fluoranthene	<410ug/kg dw		SA0598
Benzo (a) pyrene	<410ug/kg dw		SA0598
Indeno (1,2,3-cd) pyrene	<410ug/kg dw		SA0598

dw = Dry weight

DATE: 07/17/95

Upstate Laboratories, Inc.  
 Analysis Results  
 Report Number: 17995156  
 Client I.D.: LABELLA ASSOCIATES, P.C.  
 Sampled by: Client

APPROVAL:   
 QC:   
 Lab I.D.: 10170

95-494 SHARP'S  
 MOTORS SOIL ANALYSIS OF-1 0945H 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

PARAMETERS	RESULTS	KEY	FILE#
Dibenzo (a, h) anthracene	<410ug/kg dw	---	SA0598
Benzo (ghi) perylene	<410ug/kg dw	---	SA0598
PCB (Aroclors) by EPA Method 8080			
Aroclor 1016	<1mg/kg dw		PA1899
Aroclor 1221	<1mg/kg dw		PA1899
Aroclor 1232	<1mg/kg dw		PA1899
Aroclor 1242	<1mg/kg dw		PA1899
Aroclor 1248	<1mg/kg dw		PA1899
Aroclor 1254	<1mg/kg dw		PA1899
Aroclor 1260	<1mg/kg dw		PA1899
Total PCB	<1mg/kg dw		PA1899

dw = Dry weight




## KEY PAGE

- 1 MATRIX INTERFERENCE PRECLUDES LOWER DETECTION LIMITS
- 2 MATRIX INTERFERENCE
- 3 PRESENT IN BLANK
- 4 ANALYSIS NOT PERFORMED BECAUSE OF INSUFFICIENT SAMPLE
- 5 THE PRESENCE OF OTHER TARGET ANALYTE(S) PRECLUDES LOWER DETECTION LIMITS
- 6 BLANK CORRECTED
- 7 HEAD SPACE PRESENT IN SAMPLE
- 8 BDL(BELOW DETECTION LIMITS)
- 9 MDL(METHOD DETECTION LIMITS)
- 10 ADL(AVERAGE DETECTION LIMITS)
- 11 PQL(PRACTICAL QUANTITATION LIMIT)
- 12 SAMPLE ANALYZED OVER HOLDING TIME
- 13 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL DUE TO CONTAMINATION FROM THE FILTERING PROCEDURE
- 14 SAMPLED BY ULI
- 15 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL; HOWEVER, THE VALUES ARE WITHIN EXPERIMENTAL ERROR
- 16 SUBCONTRACTED
- 17 PARAMETER NOT ANALYZED WITHIN 15 MINUTES OF SAMPLING
- 18 DEPENDING UPON THE INTENDED USE OF THIS TEST RESULT, CONFIRMATION BY GC/MS OR DUAL COLUMN CHROMATOGRAPHY MAY BE REQUIRED
- 19 CALCULATION BASED ON DRY WEIGHT
- 20 INDICATES AN ESTIMATED VALUE, DETECTED BUT BELOW THE PRACTICAL QUANTITATION LIMIT
- 21 UG/KG AS REC.D / UG/KG DRY WT
- 22 MG/KG AS REC.D / MG/KG DRY WT
- 23 INSUFFICIENT SAMPLE PRECLUDES LOWER DETECTION LIMITS
- 24 SAMPLE DILUTED/BLANK CORRECTED
- 25 ND(NON-DETECTED)
- 26 MATRIX INTERFERENCE PRECLUDES LOWER DETECTION LIMITS/BLANK CORRECTED
- 27 SPIKE RECOVERY ABNORMALLY HIGH/LOW DUE TO MATRIX INTERFERENCE
- 28 POST-DIGESTION SPIKE FOR FURNACE AA ANALYSIS IS OUTSIDE OF THE CONTROL LIMITS (85-115%); HOWEVER, THE SAMPLE CONCENTRATION IS BELOW THE PQL
- 29 ANALYZED BY METHOD OF STANDARD ADDITIONS
- 30 METHOD PERFORMANCE STUDY HAS NOT BEEN COMPLETED/ND(NON-DETECTED)
- 31 FIELD MEASURED PARAMETER TAKEN BY CLIENT
- 32 TARGET ANALYTE IS BIODEGRADED AND/OR ENVIRONMENTALLY WEATHERED
- 33 NON-POTABLE WATER SOURCE
- 34 INDIVIDUAL AROCLORS DO NOT CARRY A DETECTION LIMIT BUT ARE INCLUSIVE TO THE TOTAL PCB CONTENT
- 35 THE HYDROCARBONS DETECTED IN THE SAMPLE DID NOT CROSS-MATCH WITH COMMON PETROLEUM DISTILLATES
- 36 MATRIX INTERFERENCE CAUSING SPIKES TO RESULT IN LESS THAN 50.0% RECOVERY
- 37 MILLIGRAMS PER LITER (MG/L) / POUNDS (LBS) PER DAY
- 38 MILLIGRAMS PER LITER (MG/L) OF RESIDUAL CHLORINE (CL2) / POUNDS (LBS) PER DAY OF CL2
- 39 MICROGRAMS PER LITER (UG/L) / POUNDS (LBS) PER DAY
- 40 MILLIGRAMS PER LITER (MG/L) LINEAR ALKYL SULFONATE (LAS) / POUNDS (LBS) PER DAY LAS
- 41 RESULTS ARE REPORTED ON AN AS REC.D BASIS
- 42 THE SAMPLE WAS ANALYZED ON A TOTAL BASIS; THE TEST RESULT CAN BE COMPARED TO THE TCLP REGULATORY CRITERIA BY DIVIDING THE TEST RESULT BY 20, CREATING A THEORETICAL TCLP VALUE
- 43 METAL BY CONCENTRATION PROCEDURE
- 44 POSSIBLE CONTAMINATION FROM FIELD/LABORATORY





Rt 251




Rt 15

x = approx. location of composite samples.

- → outfall of floor drain  $\approx 3$  ft below grade
- ground water encountered at  $\approx 4\frac{1}{2}$  ft below grade.

OFFICE 533-1630  
HOME 533-1782



**SHARP'S MOTOR**  
CORPORATION  
QUALITY CARS & TRUCKS

FLOYD H. SHARP  
PRESIDENT

7283 W. HENRIETTA RD.  
RUSH, N. Y. 14543

# NYSDEC SPILL REPORT FORM



DEC REGION# 8 (Avon) SPILL NUMBER 9505924  
 SPILL NAME: SHARPS MOTORS DEC LEAD: MZ  
 CALLER'S NAME: GREG SENEAL NOTIFIER'S NAME: \_\_\_\_\_  
 CALLER'S AGENCY: LA BELLA NOTIFIER'S AGENCY: \_\_\_\_\_  
 CALLER'S PHONE: (716) 454-6110 EXT. \_\_\_\_\_ NOTIFIER'S PHONE: \_\_\_\_\_ EXT. \_\_\_\_\_

SPILL DATE: 07/17/95 TIME: 12:00  
 CALL RECEIVED DATE: 08/11/95 TIME: 10:30 RECEIVED BY CID #: \_\_\_\_\_

Material Spilled	Mat. Class	Am't Spilled	Units	Am't Recovered
1) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____
2) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____
3) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____
4) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____

<p><b>SPILL LOCATION</b></p> PLACE: <u>SHARPS MOTORS</u> STREET: <u>7283 WEST HENRIETTA ROAD</u> T/C/V: <u>RUSH</u> CO: <u>MONROE</u> CONTACT: _____ PHONE: _____ EXT. _____	<p><b>POTENTIAL SPILLER</b></p> NAME: <u>SHARPS MOTORS</u> STREET: _____ CITY: _____ STATE: _____ ZIP: _____ CONTACT: _____ PHONE: <u>(716) 533-1630</u> EXT. _____
--	--

<p><b>SPILL CAUSE</b></p> <table border="0"> <tr> <td>Human Error</td> <td>Tank Test Failure*</td> <td>Tank Failure</td> </tr> <tr> <td>Traffic Accident</td> <td><u>Housekeeping</u></td> <td>Tank Overfill</td> </tr> <tr> <td>Equipment Failure</td> <td>Deliberate</td> <td>Other</td> </tr> <tr> <td>Vandalism</td> <td>Abandoned Drums</td> <td>Unknown</td> </tr> </table>	Human Error	Tank Test Failure*	Tank Failure	Traffic Accident	<u>Housekeeping</u>	Tank Overfill	Equipment Failure	Deliberate	Other	Vandalism	Abandoned Drums	Unknown	<p><b>SPILL SOURCE</b></p> <table border="0"> <tr> <td>Gas Station</td> <td>Private Dwelling</td> <td>Non-Maj Facility</td> </tr> <tr> <td>Passenger Vehicle</td> <td>Vessel</td> <td><u>Comm/Indust</u></td> </tr> <tr> <td>Comm. Vehicle</td> <td>Railroad Car</td> <td>Non-Comm/Instit</td> </tr> <tr> <td>Tank Truck</td> <td>Major Facility</td> <td>Unknown</td> </tr> </table>	Gas Station	Private Dwelling	Non-Maj Facility	Passenger Vehicle	Vessel	<u>Comm/Indust</u>	Comm. Vehicle	Railroad Car	Non-Comm/Instit	Tank Truck	Major Facility	Unknown
Human Error	Tank Test Failure*	Tank Failure																							
Traffic Accident	<u>Housekeeping</u>	Tank Overfill																							
Equipment Failure	Deliberate	Other																							
Vandalism	Abandoned Drums	Unknown																							
Gas Station	Private Dwelling	Non-Maj Facility																							
Passenger Vehicle	Vessel	<u>Comm/Indust</u>																							
Comm. Vehicle	Railroad Car	Non-Comm/Instit																							
Tank Truck	Major Facility	Unknown																							

<p><b>RESOURCE AFFECTED</b></p> <table border="0"> <tr> <td><u>On Land</u></td> <td>Groundwater</td> <td>Air</td> </tr> <tr> <td>In Sewer</td> <td>Surface Water**</td> <td></td> </tr> </table>	<u>On Land</u>	Groundwater	Air	In Sewer	Surface Water**		<p><b>SPILL REPORTED BY</b></p> <table border="0"> <tr> <td>Responsible Party</td> <td>Tank Tester</td> <td>Local Agency</td> </tr> <tr> <td>Affected Persons</td> <td>DEC</td> <td>Federal Gov't</td> </tr> <tr> <td>Police Department</td> <td>Citizen</td> <td><u>Other</u></td> </tr> <tr> <td>Fire Department</td> <td>Health Dept.</td> <td></td> </tr> </table>	Responsible Party	Tank Tester	Local Agency	Affected Persons	DEC	Federal Gov't	Police Department	Citizen	<u>Other</u>	Fire Department	Health Dept.	
<u>On Land</u>	Groundwater	Air																	
In Sewer	Surface Water**																		
Responsible Party	Tank Tester	Local Agency																	
Affected Persons	DEC	Federal Gov't																	
Police Department	Citizen	<u>Other</u>																	
Fire Department	Health Dept.																		

**CALLER REMARKS:** TEST PIT NEAR OUTLET OF FLOOR DRAIN REVEALED CONTAMINANTS. LEVELS OF M, O, P, XYLENE & PERC FOUND. PERC @ 14,000 MG/KG; XYLENE M, P @ 7,700 UG/KG; O @ 6,200 MG/KG

*PBS Number	Tank Number	Tank Size	Test Method	Leak Rate

PRIMARY CONTACT CALLED DATE: \_\_\_\_\_ TIME: \_\_\_\_\_ hrs. REACHED DATE: \_\_\_\_\_ TIME: \_\_\_\_\_ hrs.  
 SECONDARY CONT. CALLED DATE: \_\_\_\_\_ TIME: \_\_\_\_\_ hrs. FAXED BY CID#: \_\_\_\_\_

PIN #	T & A	Cost Center	ISR to Central Office
Cleanup Ceased	Meets St'ds	NO	Last Inspection 02/27/96 Penalty NO
RP-CUI	ENF-INIT	INVS-COM	CAP
UST Trust Eligible NO	Site: A B <u>C</u> D E	Resp. Party 1 2 <u>3</u> 4 5 6	Reg Close Date



---

DEC REMARKS

08/11/95: ZAMIARSKI TO FOLLOW-UP. ALSO REFERRED TO WATER DIV FOR FOLLOW-UP ON FLOOR DRAIN.

08/22/95: MZ SPOKE TO FLOYD SHARP REGARDIING WORK TO BE DONE. MZ PROVIDED SHARP WITH NAMES OF CONTRACTORS.

09/22/95: MZ SPOKE TO SHARP WHO STATED EP&S WAS HIRED TO DO WORK. SOIL SAMPLES WERE TAKEN & SHARP IS WAITING FOR RESULTS. SHARP TO NOTIFY MZ WHEN RESULTS ARE IN.

09/28/95: This is additional information about material spilled from the translation of the old spill file: TETRACHLORETHYLENE.

02/07/96 IN SEPT 1995, SHARP HIRED EP&S TO TAKE SOIL SAMPLES NEAR FLOOR DRAIN OUTFALL. A COMPOSITE SAMPLE WAS TAKEN FROM THREE BORINGS, EACH APPROXIMATELY 15 FT FROM OUTFALL. ON 09/29/95, A COPY OF THE RESULTS WAS RECEIVED BY THIS DEPT. EPA 8260 WAS USED. ON 02/05/96 JACK BRIGGS CONTACTED MZ FOR INSTRUCTION ON ADDITIONAL TESTING. ON 02/07/96 MZ NOTIFIED BRIGGS TO TAKE COMPOSITE SAMPLE AT DIFFERENT DEPTHS, AT THE OUTFALL AND RUN EPA 8260.

02/27/96 MZ ON SITE WITH FLOYD SHARP, RANDY KLOSKO OF EP&S AND GREG SENEAL OF LABELLA ASSOC; EP&S EXCAVATING AT OUTFALL OF OLD FLOOR DRAIN. PIPE IS APPROX 2 FT BELOW GRADE. A COMPOSITE SAMPLE WILL BE MADE UP OF SOILS AT THE OUTFALL AND SOILS 2 FT BELOW THE OUTFALL. SOME STAINING NOTED. HEADSPACE ANALYSIS GAVE READING OF 13 PPM. GROUNDWATER ENCOUNTERED 3 FT BELOW OUTFALL (5 FT BELOW GROUND SURFACE). A WATER SAMPLE ALSO TAKEN. WILL HAVE EPA 8260 RUN ON BOTH SOIL & WATER.

---



# Environmental PRODUCTS & SERVICES, INC.

(315) 471-0503 FAX (315) 475-8920

### INVOICE NO.

080174

### DATE

Sep 26/95

REMIT TO:  
P.O. Box 315  
Syracuse, NY 13209

SHARPS MOTOR CORP  
ATTN ACCOUNTS PAYABLE  
7399 W HENRIETTA RD  
RUSH NY 14543

Our Ref: SHA008  
Your Ref: R0642

Job No: R0642

Ship to:  
7399 W. HENRIETTA RD., RUSH.NY

Description	Qty	Unit Pr.	Total
CONTACT: FLOYD SHARP			
9/12/95			
PROVIDED LABOR AND EQUIPMENT TO PERFORM SOIL SAMPLING OF THREE LOCATIONS FOR COMPOSITE SOIL TESTING. ANALYTICAL RESULTS ATTACHED. AS PER QUOTE: ** JOB COMPLETE **	1.00	693.00	693.00
Subtotal			693.00
SALES TAX PAYABLE - MONROE 8%			55.44
Net Invoice			748.44
PAID ON ACCOUNT			693.00
BALANCE DUE			55.44

1 1/2% per month Service Charge will be added to all past-due invoices.

NET 10 DAYS



CUST. COPY



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

RECEIVED

SEP 25 1995

ENVIRONMENTAL PRODUCTS &  
SERVICES, INC. - ROCHESTER

Sharp's Motor Corp  
678R0642  
R 524

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685	CLIENT SAMPLE ID: R524 SHARP		DATE SAMPLED: 09/12/95		
SOLIDS, TOTAL	91	PERCENT	09/13/95	EPA 160.3	MM
PETROLEUM HYDROCARBONS - TOTAL		MG/KG DRY WT.	09/21/95	NYS 310.13	SM
GASOLINE	ND				
KEROSENE	<11				
FUEL OIL	<11				
LUBE OIL	ND				

ND - NONE DETECTED  
P - PRESENT

RESULTS ARE QUANTITATED AGAINST IN-HOUSE REFERENCE MATERIAL.

A COPY OF THE CHROMATOGRAM, WITH THE OPERATOR'S NOTES IS ATTACHED.

REFERENCE MATERIALS:


UNLEADED GASOLINE	KEROSENE
FUEL OIL #2	LUBE OIL SAE 10
FUEL OIL #4	LUBE OIL SAE 20
FUEL OIL #6	LUBE OIL SAE 30
	LUBE OIL SAE 40

THIS METHOD REQUIRES SUBJECTIVE INTERPRETATIONS BY THE ANALYST.

VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
ACETONE	<0.275		09/14/95	EPA 8260	DJ
ACRYLONITRILE	<1.1				
BENZENE	<0.055				
BROMOBENZENE	<0.055				
BROMOCHLOROMETHANE	<0.055				
BROMODICHLOROMETHANE	<0.055				
BROMOFORM	<0.055				
BROMOMETHANE	<0.550				
2-BUTANONE	<0.275				
N-BUTYLBENZENE	<0.055				
SEC-BUTYLBENZENE	<0.055				

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



# Environmental PRODUCTS & SERVICES, INC.

P.O. Box 24398

Rochester, NY 14624

(716) 436-5660

FAX (716) 436-6139

(800) THE-TANK

September 26, 1995

Mr. Floyd Sharp  
7399 West Henrietta Road  
Rush, New York 14543

**RE: SHARP'S AUTOMOTIVE SALES SOIL ANALYSIS REPORT  
ROUTES 15 AND 251, RUSH, NEW YORK**

Dear Mr. Sharp:

Environmental Products & Services, Inc. was retained by you to prepare and analyze a soil sample from the rear of the property located at the above referenced site. The sample was prepared utilizing a two-man power auger capable of boring a depth of 36 inches. Three borings were made, with the soil composited into one sample for analysis.

The sample was analyzed at Environmental Laboratory Services (ELS), 7280 Caswell Street, North Syracuse, New York, 13212 (New York State ELAP Laboratory Certification #11375). The sample was analyzed for Total Petroleum Hydrocarbon (TPH) by NYS Method 310.13 and for Volatile Organics (VOCs) by EPA Method 8260.

Results indicate that gasoline and lube oil were not detected by NYS Method 310.13. Kerosene and fuel oil were detected, but at quantities below 11 parts per million (ppm). The VOCs scan yielded no compounds detected above 1.1 ppm, and all were below the EPA Hazardous Waste Level as outlined in the Resource Conservation and Recovery Act (RCRA) found in 40 CFR 260-280.

DATE OF ANALYSIS:	9/12/95
DATE RECEIVED AT ELS:	9/13/95
EXTRACTION BEGAN:	9/13/95
EXTRACTION COMPLETED AND ANALYSIS STARTED:	9/13/95
ANALYTICAL REPORT SIGNED BY LABORATORY DIRECTOR:	9/22/95

*\$55.44 Jaf*

Corporate Office  
(315) 471-0503

Albany, NY  
(518) 465-4000

Boston, MA  
(617) 933-6666

Bridgeport, CT  
(203) 380-3838

Buffalo, NY  
(716) 685-6600

Harrisburg, PA  
(717) 564-4200

Linden, NJ  
(908) 486-8600

Newburgh, NY  
(914) 561-0707

Springfield, MA  
(413) 731-1000

Syracuse, NY  
(315) 451-6666





# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249


North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

  
Douglas W. Mendrala  
Laboratory Director

09/22/95  
Date


All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.

---

**Your Full-Service Analytical Laboratory**

*Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island*

SAMPLE # 112685







# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

North Syracuse, NY 13212  
FAX (315) 458-0249

(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR


P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685 CLIENT SAMPLE ID: R524 SHARP			DATE SAMPLED: 09/12/95		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
TERT-BUTYLBENZENE	<0.055				
CARBON DISULFIDE	<0.055				
CARBON TETRACHLORIDE	<0.055				
CHLOROBENZENE	<0.055				
CHLOROETHANE	<0.275				
CHLOROFORM	<0.055				
CHLOROMETHANE	<0.275				
2-CHLOROTOLUENE	<0.055				
4-CHLOROTOLUENE	<0.055				
DIBROMOCHLOROMETHANE	<0.055				
DIBROMOMETHANE	<0.055				
1,2-DIBROMO-3-CHLOROPROPANE	<0.055				
1,2-DIBROMOETHANE	<0.055				
1,2-DICHLOROBENZENE	<0.055				
1,3-DICHLOROBENZENE	<0.055				
1,4-DICHLOROBENZENE	<0.055				
TRANS-1,2-DICHLOROETHENE	<0.055				
TRANS-1,3-DICHLOROPROPENE	<0.055				
TRANS-1,4-DICHLORO-2-BUTENE	<1.1				
1,3-DICHLOROPROPANE	<0.055				
2,2-DICHLOROPROPANE	<0.055				
DICHLORODIFLUOROMETHANE	<0.275				
1,1-DICHLOROETHANE	<0.055				
1,2-DICHLOROETHANE	<0.055				
1,1-DICHLOROETHENE	<0.055				
CIS-1,2-DICHLOROETHENE	<0.055				
1,2-DICHLOROPROPANE	<0.055				
1,1-DICHLOROPROPENE	<0.055				
CIS-1,3-DICHLOROPROPENE	<0.055				
TRANS-1,3-DICHLOROPROPENE	<0.055				
ETHYLBENZENE	<0.055				

Page 2

**Your Full-Service Analytical Laboratory**

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



# Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park  
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212  
(800) 842-4667

E.P.S. - ROCHESTER  
P.O. BOX 24398

PROJECT #: 951802  
RECEIVED: 09/13/95

ROCHESTER NY 14624  
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114  
CLIENT JOB NUMBER: 678 R0642

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
<b>SAMPLE #: 112685</b>	<b>CLIENT SAMPLE ID: R524 SHARP</b>		<b>DATE SAMPLED: 09/12/95</b>		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
HEXACHLOROBUTADIENE	<0.055				
2-HEXANONE	<0.275				
IODOMETHANE	<0.055				
ISOPROPYLBENZENE	<0.055				
4-ISOPROPYLTOLUENE	<0.055				
METHYLENE CHLORIDE	<0.055				
4-METHYL-2-PENTANONE	<0.275				
MTBE	<0.055				
NAPHTHALENE	<0.055				
N-PROPYLBENZENE	<0.055				
STYRENE	<0.055				
1,1,1,2-TETRACHLOROETHANE	<0.055				
1,1,2,2-TETRACHLOROETHANE	<0.055				
TETRACHLOROETHENE	<0.055				
TOLUENE	<0.055				
1,1,1-TRICHLOROETHANE	<0.055				
1,1,2-TRICHLOROETHANE	<0.055				
1,2,3-TRICHLOROBENZENE	<0.055				
1,2,4-TRICHLOROBENZENE	<0.055				
TRICHLOROETHENE	<0.055				
TRICHLOROFLUOROMETHANE	<0.275				
1,2,3-TRICHLOROPROPANE	<0.055				
1,2,4-TRIMETHYLBENZENE	<0.055				
1,3,5-TRIMETHYLBENZENE	<0.055				
VINYL ACETATE	<0.275				
VINYL CHLORIDE	<0.110				
XYLENES (TOTAL)	<0.055				

**Your Full-Service Analytical Laboratory**


Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



The analytical report has been sent under separate cover. Thank you for the opportunity to provide this service for you. If you have any additional questions or require further information, please do not hesitate to contact me.

Very truly yours,

ENVIRONMENTAL PRODUCTS & SERVICES, INC.



Jack T. Briggs, CHMM  
Project Manager  
*Rochester Branch*

JTB/alm

9694.0642.916

