

NYSDEC SPILL REPORT FORM

RECEIVED
DEC 03 2003
DERIVATIVE WASTE REMED REGION 8

DEC REGION# 8 (Avon) SPILL NUMBER 9505924
 SPILL NAME: SHARPS MOTORS DEC LEAD: MZ
 CALLER'S NAME: GREG SENEAL NOTIFIER'S NAME: _____
 CALLER'S AGENCY: LA BELLA NOTIFIER'S AGENCY: _____
 CALLER'S PHONE: (716) 454-6110 EXT. _____ NOTIFIER'S PHONE: _____ EXT. _____

SPILL DATE: 07/17/1995 TIME: 12:00
 CALL RECEIVED DATE: 08/11/1995 TIME: 10:30 RECEIVED BY CID #: _____

Material Spilled	Mat. Class	Am't Spilled	Units	Am't Recovered
1) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____
2) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____
3) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____
4) _____	Pet-Haz-Other-Unk.	_____	Gal - Lbs	_____

SPILL LOCATION	POTENTIAL SPILLER
PLACE: <u>SHARPS MOTORS</u>	NAME: <u>SHARPS MOTORS</u>
STREET: <u>7283 WEST HENRIETTA ROAD</u>	STREET: _____
T/C/V: <u>RUSH</u> CO: <u>MONROE</u>	CITY: _____
CONTACT: _____	STATE: _____ ZIP: _____
PHONE: _____ EXT. _____	CONTACT: _____
	PHONE: <u>(716) 533-1630</u> EXT. _____

SPILL CAUSE	SPILL SOURCE
Human Error	Gas Station
Tank Test Failure*	Private Dwelling
Traffic Accident	Passenger Vehicle
Equipment Failure	Comm. Vehicle
Vandalism	Tank Truck
Tank Failure	Non-Maj Facility
Tank Overfill	Vessel
Other	Railroad Car
Unknown	Major Facility
	Unknown

RESOURCE AFFECTED	SPILL REPORTED BY
<u>On Land</u>	Responsible Party
Groundwater	Affected Persons
Air	Police Department
Surface Water**	Fire Department
	Tank Tester
	Local Agency
	DEC
	Citizen
	Health Dept.
	Federal Gov't
	<u>Other</u>

** WATERBODY: _____

CALLER REMARKS: TEST PIT NEAR OUTLET OF FLOOR DRAIN REVEALED CONTAMINANTS. LEVELS OF M, O, P, SYLENE & PERC FOUND. PERC @ 14,000 MG/KG; XYLENE M, P @ 7,700 UG/KG; O @ 6,200 MG/KG

PBS Number	Tank Number	Tank Size	Test Method	Leak Rate
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

PRIMARY CONTACT CALLED DATE: _____ TIME: _____ hrs. REACHED DATE: _____ TIME: _____ hrs.
 SECONDARY CONT. CALLED DATE: _____ TIME: _____ hrs. FAXED BY CID#: _____

PIN #	T & A	Cost Center	ISR to Central Office
Cleanup Ceased	Meets St'ds	NO	Last Inspection 02/27/1996
RP-CUI	ENF-INIT	INVES-COM	Penalty NO
UST Trust Eligible NO	Site: A B <u>C</u> D E	Resp. Party 1 2 <u>3</u> 4 5 6	CAP
		Reg Close Date	09/25/1996

Created on 08/14/1995 Last Updated on 09/25/1996 Is Updated? NO EDO DATA INPUT []
 Date Printed: 12/02/2003

DEC REMARKS

08/11/95: ZAMIARSKI TO FOLLOW-UP. ALSO REFERRED TO WATER DIV FOR FOLLOW-UP ON FLOOR DRAIN.

08/22/95: MZ SPOKE TO FLOYD SHARP REGARDIING WORK TO BE DONE. MZ PROVIDED SHARP WITH NAMES OF CONTRACTORS.

09/22/95: MZ SPOKE TO SHARP WHO STATED EP&S WAS HIRED TO DO WORK. SOIL SAMPLES WERE TAKEN & SHARP IS WAITING FOR RESULTS. SHARP TO NOTIFY MZ WHEN RESULTS ARE IN.

09/28/95: This is additional information about material spilled from the translation of the old spill file: TETRACHLORETHYLENE.

02/07/96 IN SEPT 1995, SHARP HIRED EP&S TO TAKE SOIL SAMPLES NEAR FLOOR DRAIN OUTFALL. A COMPOSITE SAMPLE WAS TAKEN FROM THREE BORINGS, EACH APPROXIMATELY 15 FT FROM OUTFALL. ON 09/29/95, A COPY OF THE RESULTS WAS RECEIVED BY THIS DEPT. EPA 8260 WAS USED. ON 02/05/96 JACK BRIGGS CONTACTED MZ FOR INSTRUCTION ON ADDITIONAL TESTING. ON 02/07/96 MZ NOTIFIED BRIGGS TO TAKE COMPOSITE SAMPLE AT DIFFERENT DEPTHS, AT THE OUTFALL AND RUN EPA 8260.

02/27/96 MZ ON SITE WITH FLOYD SHARP, RANDY KLOSKO OF EP&S AND GREG SENEAL OF LABELLA ASSOC; EP&S EXCAVATING AT OUTFALL OF OLD FLOOR DRAIN. PIPE IS APPROX 2 FT BELOW GRADE. A COMPOSITE SAMPLE WILL BE MADE UP OF SOILS AT THE OUTFALL AND SOILS 2 FT BELOW THE OUTFALL. SOME STAINING NOTED. HEADSPACE ANALYSIS GAVE READING OF 13 PPM. GROUNDWATER ENCOUNTERED 3 FT BELOW OUTFALL (5 FT BELOW GROUND SURFACE). A WATER SAMPLE ALSO TAKEN. WILL HAVE EPA 8260 RUN ON BOTH SOIL & WATER.

03/12/96 RECEIVED LAB RESULTS FROM EP&S. ELEVATED LEVELS OF TETRACHLOROETHENE AND CIS-1,2-DICHLOROETHANE IN GROUNDWATER.

03/22/96 REFERRED TO HWR FOR FOLLOWUP.

RECEIVED
DEC 03 2003
DERMAZ WASTE HEDDING
REGION 8



TRANSMITTAL SLIP

Spill # 9505924

Rush, Monroe

TO	Floyd Sharp	DATE	8/22/95
FROM	Mike Zamiatshi MEX		
RE:	Here is the list of landfills and permitted haulers. In addition to those we spoke of on the telephone, there are some companies that can provide all of the service needed (AW4 meter, backhoe, permitted hauler, etc.). These are Environmental Products + Service (436-5666), Marco of NY (247-6955) and Allwash (458-3950). When you think you have dug out/removed all of the contamination, a confirmatory soil sample must be taken. EPA method 8260 or ^{an} equivalent method must be used. If there are any questions, call me at 716 226 2466.		

FOR ACTION AS INDICATED:

- | | | |
|--|---|--|
| ☐ Please Handle | ☐ For Your Information | ☐ Comments |
| ☐ Approval/Signature | ☐ File | ☐ Return to me by _____ |
| ☐ Prepare Reply for _____ Signature | | |
| ☐ _____ | | |

NYSDEC REGION 8 SPILLS MANAGEMENT
6274 EAST AVON-LIMA ROAD, AVON, NY 14414



DATE: 2/27/96

SPILL #: 9505984

PIN #:

SPILL NAME: Sharps Motor

INSPECTOR: MZ

LOCATION: 7283 W. Henrietta Rd.

TIME: 0930

TOWN: Rush

COUNTY: Monroe

WEATHER: cloudy

INSPECTION NARRATIVE (Sketch, Discussions, Agreements, Observations):

MZ on site w/ Floyd Sharp (owner), Greg Senechal (Labella), Randy Klasko (LTPS).

- EPTs excavating at outfall. Will get below outfall + screen w/ hNu. (2-3 ppm).
Composite sample taken from at outfall and ~2 ft below outfall.

Some staining noted.

- G.W. at ~3' below outfall (5 ft b.g.s.). Water sample taken.

Soil to be analyzed using 8260

Water to be analyzed using 8260

Took headspace sample from 2 ft below outfall → warmed in truck → 13 ppm

CONTRACTOR & SUBS:

PERSONNEL:

TIMES:

EQUIPMENT:

TIMES:

IF CLOSING - MEETS STANDARDS Y/N

COMPUTER UPDATE

Spill # 9505924

Rush
Murrel Co.**Upstate
Laboratories Inc.**

Shipping: 6034 Corporate Dr. • E. Syracuse, NY 13057 • (315) 437-0255 • Fax: (315) 437-1209
 Mailing: Box 289 • Syracuse, NY 13206
 Albany (518) 459-3134
 Binghamton (607) 724-0478

Buffalo (716) 662-2118
 Rochester (716) 436-9070
 New Jersey (201) 703-1324

July 17, 1995

Mr. Greg Senecal
 LaBella Associates, P.C.
 300 State St.
 Rochester, NY 14614

Post-it Fax Note

7671

Date	8/22/95	# of pages	8
To	Mike Zamarski	From	G. Senecal
Co/Dept.	NYSDDEC Spill	Co.	LaBella
Phone #	226-8139	Phone #	454-6110
Fax #	226-8139	Fax #	

Re: Analysis Report #17995156 - 95-494 Sharp's Motors Soil Analysis

Dear Mr. Senecal:

Please find enclosed the results for your sample which was received on June 27, 1995.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your sample. Samples will be disposed of approximately one month from final report date.

Should you have any questions, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
 Director

Received By	LaBella Associates, P.C.
JUL 19 1995	
CHIEF	
PROJ. MGR.	

AJS/sl

Enclosures: report, invoice

cc/encs: N. Scala, ULI
 file

Note: Faxed results were given to your office on 7/13 and 7/14/95. AJS

Disclaimer: The test results and procedures utilized, and laboratory interpretations of data obtained by ULI as contained in this report are believed by ULI to be accurate and reliable for sample(s) tested. In accepting this report, the customer agrees that the full extent of any and all liability for actual and consequential damages of ULI for the services performed shall be equal to the fee charged to the customer for the services as liquidated damages.

DATE: 07/17/95

Upstate Laboratories, Inc.

Analysis Results

Report Number: 17995156

Client I.D.: LABELLA ASSOCIATES, P.C.

Sampled by: Client

APPROVAL: QC: 

Lab I.D.: 10170

95-494 SHARP'S

MOTOR SOIL ANALYSIS OF-1 0945H 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

PARAMETERS	RESULTS	STAND. CPT	KEY	FILE#
Percent Solids	81%			WA9020
Total Aluminum	6500mg/kg dw			MA4044
Total Antimony	<2mg/kg dw			MA4064
Total Arsenic by furnace method	1.0mg/kg dw	5		MA4080
Total Barium	25mg/kg dw	100		MA4044
Total Beryllium	<0.4mg/kg dw			MA4044
Total Cadmium	1.0mg/kg dw	1		MA4044
Total Calcium	16000mg/kg dw			MA4044
Total Chromium	9.0mg/kg dw	5		MA4044
Total Cobalt	4.0mg/kg dw			MA4044
Total Copper	20mg/kg dw			MA4044
Total Iron	8800mg/kg dw	— 7		MA4044
Total Lead	15mg/kg dw	5		MA4044
Total Magnesium	31000mg/kg dw	— 50		MA4044
Total Manganese	20mg/kg dw			MA4044
Total Mercury	0.032mg/kg dw	.2		MA5000
Total Nickel	10mg/kg dw			MA4044
Total Potassium	790mg/kg dw			MA4065
Total Selenium by furnace method	0.13mg/kg dw	1		MA4098
Total Silver	<4mg/kg dw	5		MA4044
Total Sodium	220mg/kg dw			MA4073
Total Thallium	<0.2mg/kg dw			MA4094
Total Vanadium	<20mg/kg dw			MA4044
Total Zinc	64mg/kg dw	— 20		MA4044

TCL Volatiles by EPA Method 8260

Chloromethane	<4500ug/kg dw	01	VM0672
Bromomethane	<4500ug/kg dw	01	VM0672
Vinyl Chloride	<4500ug/kg dw	01	VM0672
Chloroethane	<4500ug/kg dw	01	VM0672
Methylene Chloride	<4500ug/kg dw	01	VM0672
Acetone	<46,000ug/kg dw	01	VM0672
Carbon Disulfide	<4500ug/kg dw	01	VM0672
1,1-Dichloroethane	<4500ug/kg dw	01	VM0672
1,1-Dichloroethane	<4500ug/kg dw	01	VM0672
trans-1,2-Dichloroethane	<4500ug/kg dw	01	VM0672
cis-1,2-Dichloroethane	<4500ug/kg dw	01	VM0672
Chloroform	<4500ug/kg dw	01	VM0672
1,2-Dichloroethane	<4500ug/kg dw	01	VM0672
2-Butanone	<46,000ug/kg dw	01	VM0672
1,1,1-Trichloroethane	<4500ug/kg dw	01	VM0672
Carbon Tetrachloride	<4500ug/kg dw	01	VM0672

dw = Dry weight

DATE: 07/17/95

Upstate Laboratories, Inc.

Analysis Results

Report Number: 17995156

Client I.D.: LABELLA ASSOCIATES, P.C.

Sampled by: Client

APPROVAL: QC: 

Lab I.D.: 10170

95-494 SHERP'S

MOTOR 801L ANALYSIS OF-1 0945H 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

PARAMETERS

RESULTS

KEY

FILES

PARAMETERS	RESULTS	KEY	FILES
Bromodichloromethane	<4.00ug/kg dw	01	VM0672
1,2-Dichloropropane	<4.00ug/kg dw	01	VM0672
cis-1,3-Dichloropropene	<4.00ug/kg dw	01	VM0672
Trichloroethene	<4.00ug/kg dw	01	VM0672
Dibromochloromethane	<4.00ug/kg dw	01	VM0672
1,1,2-Trichloroethane	<4.00ug/kg dw	01	VM0672
Benzene	<4.00ug/kg dw	01	VM0672
trans-1,3-Dichloropropene	<4.00ug/kg dw	01	VM0672
Bromoform	<4.00ug/kg dw	01	VM0672
4-Methyl-2-pentanone	<4.000ug/kg dw	01	VM0672
2-Hexanone	<4.000ug/kg dw	01	VM0672
Tetrachloroethene	14.000ug/kg dw		VM0672
1,1,2,2-Tetrachloroethane	<4.00ug/kg dw	01	VM0672
Toluene	<4.00ug/kg dw	01	VM0672
Chlorobenzene	<4.00ug/kg dw	01	VM0672
Ethylbenzene	<4.00ug/kg dw	01	VM0672
Styrene	<4.00ug/kg dw	01	VM0672
m-Xylene and p-Xylene	77.00ug/kg dw		VM0672
o-Xylene	62.00ug/kg dw		VM0672

TCL Semivolatiles by EPA Method 8270

PARAMETERS	RESULTS	FILES
Phenol	<4.0ug/kg dw	SA0598
bis(2-Chloroethyl) ether	<4.0ug/kg dw	SA0598
2-Chlorophenol	<4.0ug/kg dw	SA0598
1,3-Dichlorobenzene	<4.0ug/kg dw	SA0598
1,4-Dichlorobenzene	<4.0ug/kg dw	SA0598
1,2-Dichlorobenzene	<4.0ug/kg dw	SA0598
2-Methylphenol	<4.0ug/kg dw	SA0598
2,2'-Oxybis(1-Chloropropane)	<4.0ug/kg dw	SA0598
4-Methylphenol	<4.0ug/kg dw	SA0598
n-Nitrosodi-n-propylamine	<4.0ug/kg dw	SA0598
Hexachloroethane	<4.0ug/kg dw	SA0598
Nitrobenzene	<4.0ug/kg dw	SA0598
Isophorone	<4.0ug/kg dw	SA0598
2-Nitrophenol	<4.0ug/kg dw	SA0598
2,4-Dimethylphenol	<4.0ug/kg dw	SA0598
bis(2-Chloroethoxy) methane	<4.0ug/kg dw	SA0598
2,4-Dichlorophenol	<4.0ug/kg dw	SA0598
1,2,4-Trichlorobenzene	<4.0ug/kg dw	SA0598
Naphthalene	<4.0ug/kg dw	SA0598
4-Chloroaniline	<4.0ug/kg dw	SA0598
Hexachlorobutadiene	<4.0ug/kg dw	SA0598

dw = Dry weight

DATE: 07/17/95

Upstate Laboratories, Inc.
Analysis Results

Report Number: 17995156

Client I.D.: LABELLA ASSOCIATES, P.C.

Sampled by: Client

APPROVAL: QC: 

Lab I.D.: 10170

95-494 SHARP'S

MOTOR 8012 ANALYSIS OF-1 0945H 06/27/95 G

ULX I.D.: 17995156

Matrix: Soil

PARAMETERS

RESULTS

KEY

FILE#

PARAMETERS	RESULTS	KEY	FILE#
4-Chloro-3-methylphenol	<410ug/kg dw		SA0598
2-Methylnaphthalene	1360ug/kg dw		SA0598
Hexachlorocyclopentadiene	<410ug/kg dw		SA0598
2,4,6-Trichlorophenol	<410ug/kg dw		SA0598
2,4,5-Trichlorophenol	<410ug/kg dw		SA0598
2-Chloronaphthalene	<410ug/kg dw		SA0598
2-Nitroaniline	<4100ug/kg dw		SA0598
Dimethylphthalate	<410ug/kg dw		SA0598
Acenaphthylene	<410ug/kg dw		SA0598
2,6-Dinitrotoluene	<410ug/kg dw		SA0598
3-Nitroaniline	<4100ug/kg dw		SA0598
Acenaphthene	<410ug/kg dw		SA0598
2,4-Dinitrophenol	<4100ug/kg dw		SA0598
4-Nitrophenol	<4100ug/kg dw		SA0598
Dibenzofuran	<410ug/kg dw		SA0598
2,4-Dinitrotoluene	<410ug/kg dw		SA0598
Diethylphthalate	<410ug/kg dw		SA0598
4-Chlorophenylphenylether	<410ug/kg dw		SA0598
Fluorene	<410ug/kg dw		SA0598
4-Nitroaniline	<4100ug/kg dw		SA0598
2-Methyl-4,6-dinitrophenol	<4100ug/kg dw		SA0598
n-Nitrosodiphenylamine	<410ug/kg dw		SA0598
4-Bromophenylphenylether	<410ug/kg dw		SA0598
Hexachlorobenzene	<410ug/kg dw		SA0598
Pentachlorophenol	<810ug/kg dw		SA0598
Phenanthrene	1460ug/kg dw		SA0598
Anthracene	<410ug/kg dw		SA0598
Carbazole	<410ug/kg dw		SA0598
di-n-butylphthalate	<410ug/kg dw		SA0598
Fluoranthene	<410ug/kg dw		SA0598
Pyrene	<410ug/kg dw		SA0598
Butylbenzylphthalate	<410ug/kg dw		SA0598
3,3'-Dichlorobenzidine	<410ug/kg dw		SA0598
Benzo (a) anthracene	<410ug/kg dw		SA0598
Chrysene	<410ug/kg dw		SA0598
bis (2-Ethylhexyl) phthalate	1600ug/kg dw		SA0598
di-n-octylphthalate	<410ug/kg dw		SA0598
Benzo (b) Fluoranthene	<410ug/kg dw		SA0598
Benzo (k) Fluoranthene	<410ug/kg dw		SA0598
Benzo (a) pyrene	<410ug/kg dw		SA0598
Indeno (1,2,3-cd) pyrene	<410ug/kg dw		SA0598

dw = Dry weight

DATE: 07/17/95

Upstate Laboratories, Inc.
Analysis Results
Report Number: 17995156
Client I.D.: LABELLA ASSOCIATES, P.C.
Sampled by: Client

APPROVAL: 
QC 
Lab I.D.: 10170

95-494 SHARP'S
MOTORS SOIL ANALYSIS OF-1 0945H 06/27/95 G

ULI I.D.: 17995156

Matrix: Soil

PARAMETERS

RESULTS

KEY

FILE#

Dibenzo (a,h) anthracene
Benzo (ghi) perylene

<470ug/kg dw
<470ug/kg dw

SA0598
SA0598

PCB (Aroclors) by EPA Method 8080

Aroclor 1016
Aroclor 1221
Aroclor 1232
Aroclor 1242
Aroclor 1248
Aroclor 1254
Aroclor 1260
Total PCB

<1ug/kg dw
<1ug/kg dw
<1ug/kg dw
<1ug/kg dw
<1ug/kg dw
<1ug/kg dw
<1ug/kg dw
<1ug/kg dw

PA1899
PA1899
PA1899
PA1899
PA1899
PA1899
PA1899
PA1899

dw = Dry weight

KEY PAGE

- 1 MATRIX INTERFERENCE PRECLUDES LOWER DETECTION LIMITS
- 2 MATRIX INTERFERENCE
- 3 PRESENT IN BLANK
- 4 ANALYSIS NOT PERFORMED BECAUSE OF INSUFFICIENT SAMPLE
- 5 THE PRESENCE OF OTHER TARGET ANALYTE(S) PRECLUDES LOWER DETECTION LIMITS
- 6 BLANK CORRECTED
- 7 HEAD SPACE PRESENT IN SAMPLE
- 8 BDL(BELOW DETECTION LIMITS)
- 9 MDL(METHOD DETECTION LIMITS)
- 10 ADL(AVERAGE DETECTION LIMITS)
- 11 PQL(PRACTICAL QUANTITATION LIMIT)
- 12 SAMPLE ANALYZED OVER HOLDING TIME
- 13 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL DUE TO CONTAMINATION FROM THE FILTERING PROCEDURE
- 14 SAMPLED BY ULI
- 15 DISSOLVED VALUE MAY BE HIGHER THAN TOTAL; HOWEVER, THE VALUES ARE WITHIN EXPERIMENTAL ERROR
- 16 SUBCONTRACTED
- 17 PARAMETER NOT ANALYZED WITHIN 15 MINUTES OF SAMPLING
- 18 DEPENDING UPON THE INTENDED USE OF THIS TEST RESULT, CONFIRMATION BY GC/MS OR DUAL COLUMN CHROMATOGRAPHY MAY BE REQUIRED
- 19 CALCULATION BASED ON DRY WEIGHT
- 20 INDICATES AN ESTIMATED VALUE, DETECTED BUT BELOW THE PRACTICAL QUANTITATION LIMIT
- 21 UG/KG AS REC.D / UG/KG DRY WT
- 22 MG/KG AS REC.D / MG/KG DRY WT
- 23 INSUFFICIENT SAMPLE PRECLUDES LOWER DETECTION LIMITS
- 24 SAMPLE DILUTED/BLANK CORRECTED
- 25 ND(NON-DETECTED)
- 26 MATRIX INTERFERENCE PRECLUDES LOWER DETECTION LIMITS/BLANK CORRECTED
- 27 SPIKE RECOVERY ABNORMALLY HIGH/LOW DUE TO MATRIX INTERFERENCE
- 28 POST-DIGESTION SPIKE FOR FURNACE AA ANALYSIS IS OUTSIDE OF THE CONTROL LIMITS (85-115%); HOWEVER, THE SAMPLE CONCENTRATION IS BELOW THE PQL
- 29 ANALYZED BY METHOD OF STANDARD ADDITIONS
- 30 METHOD PERFORMANCE STUDY HAS NOT BEEN COMPLETED/ND(NON-DETECTED)
- 31 FIELD MEASURED PARAMETER TAKEN BY CLIENT
- 32 TARGET ANALYTE IS BIODEGRADED AND/OR ENVIRONMENTALLY WEATHERED
- 33 NON-POTABLE WATER SOURCE
- 34 INDIVIDUAL AROCLORS DO NOT CARRY A DETECTION LIMIT BUT ARE INCLUSIVE TO THE TOTAL PCB CONTENT
- 35 THE HYDROCARBONS DETECTED IN THE SAMPLE DID NOT CROSS-MATCH WITH COMMON PETROLEUM DISTILLATES
- 36 MATRIX INTERFERENCE CAUSING SPIKES TO RESULT IN LESS THAN 50.0% RECOVERY
- 37 MILLIGRAMS PER LITER (MG/L) / POUNDS (LBS) PER DAY
- 38 MILLIGRAMS PER LITER (MG/L) OF RESIDUAL CHLORINE (CL2) / POUNDS (LBS) PER DAY OF CL2
- 39 MICROGRAMS PER LITER (UG/L) / POUNDS (LBS) PER DAY
- 40 MILLIGRAMS PER LITER (MG/L) LINEAR ALKYL SULFONATE (LAS) / POUNDS (LBS) PER DAY LAS
- 41 RESULTS ARE REPORTED ON AN AS REC.D BASIS
- 42 THE SAMPLE WAS ANALYZED ON A TOTAL BASIS; THE TEST RESULT CAN BE COMPARED TO THE TCLP REGULATORY CRITERIA BY DIVIDING THE TEST RESULT BY 20, CREATING A THEORETICAL TCLP VALUE
- 43 METAL BY CONCENTRATION PROCEDURE
- 44 POSSIBLE CONTAMINATION FROM FIELD/LABORATORY

Upstate Laboratories inc.

Shipping: 6034 Corporate Drive • East Syracuse, New York 13057 • (315) 437-0254

Mailing: Box 289 • Syracuse, New York 13206

Southern Region (607) 724-0478

Western Region (716) 436-9070

Eastern Region (518) 459-3134

N. Jersey Region (201) 703-1324

INFORMATION REGARDING YOUR CHAIN OF CUSTODY RECORD


Any information on the Chain of Custody Record that appears in parentheses may be information that did not originally appear, and was later added by ULI personnel.

Please let one of our Environmental Project Coordinators (EPC) know if we could provide you with a typed Chain of Custody Record for this or any of our projects. This typed Chain of Custody Record may facilitate a faster turnaround time of your project through our laboratory.

Thank you.

Chains Of Custody Record

Client: LABElla ASSOCIATES		Project # / Project Name		Shapiro's Motors		No. of Containers		Remarks							
Client Contact: GREG SENECA		Phone # 454-6110		Location (City/State) Address 300 STATE ST. ROCHESTER NY 14614		Grab or Comp.		Internal Use Only							
Sample ID	Date	Time	Matrix	Grab or Comp.	Internal Use Only	1	2	3	4	5	6	7	8	9	10
OF-1	6/27/95	0945	Soil	Grab	17995150	(4)	X	X	X	X					
Parameter and method															
sample bottle:															
type															
size															
pres.															
Sampled by: (Print) Dennis Peck															
Company: LaBella															
Relinquished by: (Signature) Dennis Peck															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date															
Time															
Relinquished by: (Signature) Murphy															
Date															
Time															
Received by: (Signature) Murphy															
Date</															



Rochester, NY 14624

(800) THE-TANK

RECEIVED

REGION 5

RE: SHARP'S AUTOMOTIVE SALES SOIL ANALYSIS REPORT DIV. OF SPILLS MGMT.
 ROUTES 15 AND 251, RUSH, NEW YORK

Environmental Products & Services, Inc. was retained by you to prepare and analyze a soil sample from the rear of the property located at the above referenced site. The sample was prepared utilizing a two-man power auger capable of boring a depth of 36 inches. Three borings were made, with the soil composited into one sample for analysis.

The sample was analyzed at Environmental Laboratory Services (ELS), 7280 Caswell Street, North Syracuse, New York, 13212 (New York State ELAP Laboratory Certification #11375). The sample was analyzed for Total Petroleum Hydrocarbon (TPH) by NYS Method 310.13 and for Volatile Organics (VOCs) by EPA Method 8260.

Results indicate that gasoline and lube oil were not detected by NYS Method 310.13. Kerosene and fuel oil were detected, but at quantities below 11 parts per million (ppm). The VOCs scan yielded no compounds detected above 1.1 ppm, and all were below the EPA Hazardous Waste Level as outlined in the Resource Conservation and Recovery Act (RCRA) found in 40 CFR 260-280.

DATE OF ANALYSIS: 9/12/95
DATE RECEIVED AT ELS: 9/13/95
EXTRACTION BEGAN: 9/13/95
EXTRACTION COMPLETED AND ANALYSIS STARTED: 9/13/95
ANALYTICAL REPORT SIGNED BY LABORATORY DIRECTOR: 9/22/95

Syracuse, NY
(315) 451-6666

The analytical report has been sent under separate cover. Thank you for the opportunity to provide this service for you. If you have any additional questions or require further information, please do not hesitate to contact me.

Very truly yours,

ENVIRONMENTAL PRODUCTS & SERVICES, INC.

Jack T. Briggs

Jack T. Briggs, CHMM
Project Manager
Rochester Branch

JTB/alm

9694.0642.916

RECEIVED

SEP 29 1995

REGION 5
DIV. OF SPILLS MGMT.



Environmental
PRODUCTS & SERVICES, INC.



Environmental

PRODUCTS & SERVICES INC.

Branch Offices throughout NY, PA, NJ and New England

Jack T. Briggs, CHMM

PROJECT MANAGER

P.O. Box 24398
Rochester, NY 14624
(716) 436-5660

Corporate Headquarters
(800) THE-TANK
Fax (716) 436-6139

RECEIVED

SEP 29 1995

**REGION 3
DIV. OF SPILLS MGMT.**

CUST. COPY



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
P.O. BOX 24398

PROJECT #: 951802
RECEIVED: 09/13/95

ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114
CLIENT JOB NUMBER: 678 R0642

RECEIVED

SEP 25 1995

ENVIRONMENTAL PRODUCTS &
SERVICES, INC. - ROCHESTER

Sharp's Motor Corp
678R0642
R 524

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685	CLIENT SAMPLE ID: R524 SHARP		DATE SAMPLED: 09/12/95		
SOLIDS, TOTAL	91	PERCENT	09/13/95	EPA 160.3	MM
PETROLEUM HYDROCARBONS - TOTAL		MG/KG DRY WT.	09/21/95	NYS 310.13	SM
GASOLINE	ND				
KEROSENE	<11				
FUEL OIL	<11				
LUBE OIL	ND				

ND - NONE DETECTED
P - PRESENT

RESULTS ARE QUANTITATED AGAINST IN-HOUSE REFERENCE MATERIAL.

A COPY OF THE CHROMATOGRAM, WITH THE OPERATOR'S NOTES IS ATTACHED.

REFERENCE MATERIALS:

UNLEADED GASOLINE	KEROSENE
FUEL OIL #2	LUBE OIL SAE 10
FUEL OIL #4	LUBE OIL SAE 20
FUEL OIL #6	LUBE OIL SAE 30
	LUBE OIL SAE 40

THIS METHOD REQUIRES SUBJECTIVE INTERPRETATIONS BY THE ANALYST.

VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
ACETONE	<0.275				
ACRYLONITRILE	<1.1				
BENZENE	<0.055				
BROMOBENZENE	<0.055				
BROMOCHLOROMETHANE	<0.055				
BROMODICHLOROMETHANE	<0.055				
BROMOFORM	<0.055				
BROMOMETHANE	<0.550				
2-BUTANONE	<0.275				
N-BUTYLBENZENE	<0.055				
SEC-BUTYLBENZENE	<0.055				

Page 1

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island

RECEIVED
OCT - 4 1995
SPILLS / PBS
NYS DEC REGION 8



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
P.O. BOX 24398

PROJECT #: 951802
RECEIVED: 09/13/95

ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114
CLIENT JOB NUMBER: 678 R0642

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685 CLIENT SAMPLE ID: R524 SHARP			DATE SAMPLED: 09/12/95		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
TERT-BUTYLBENZENE	<0.055				
CARBON DISULFIDE	<0.055				
CARBON TETRACHLORIDE	<0.055				
CHLOROBENZENE	<0.055				
CHLOROETHANE	<0.275				
CHLOROFORM	<0.055				
CHLOROMETHANE	<0.275				
2-CHLOROTOLUENE	<0.055				
4-CHLOROTOLUENE	<0.055				
DIBROMOCHLOROMETHANE	<0.055				
DIBROMOMETHANE	<0.055				
1,2-DIBROMO-3-CHLOROPROPANE	<0.055				
1,2-DIBROMOETHANE	<0.055				
1,2-DICHLOROBENZENE	<0.055				
1,3-DICHLOROBENZENE	<0.055				
1,4-DICHLOROBENZENE	<0.055				
TRANS-1,2-DICHLOROETHENE	<0.055				
TRANS-1,3-DICHLOROPROPENE	<0.055				
TRANS-1,4-DICHLORO-2-BUTENE	<1.1				
1,3-DICHLOROPROPANE	<0.055				
2,2-DICHLOROPROPANE	<0.055				
DICHLORODIFLUOROMETHANE	<0.275				
1,1-DICHLOROETHANE	<0.055				
1,2-DICHLOROETHANE	<0.055				
1,1-DICHLOROETHENE	<0.055				
CIS-1,2-DICHLOROETHENE	<0.055				
1,2-DICHLOROPROPANE	<0.055				
1,1-DICHLOROPROPENE	<0.055				
CIS-1,3-DICHLOROPROPENE	<0.055				
TRANS-1,3-DICHLOROPROPENE	<0.055				
ETHYLBENZENE	<0.055				

Page 2

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
P.O. BOX 24398

PROJECT #: 951802
RECEIVED: 09/13/95

ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114
CLIENT JOB NUMBER: 678 R0642

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 112685 CLIENT SAMPLE ID: R524 SHARP			DATE SAMPLED: 09/12/95		
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	09/14/95	EPA 8260	DJ
HEXACHLOROBUTADIENE	<0.055				
2-HEXANONE	<0.275				
IODOMETHANE	<0.055				
ISOPROPYLBENZENE	<0.055				
4-ISOPROPYLTOLUENE	<0.055				
METHYLENE CHLORIDE	<0.055				
4-METHYL-2-PENTANONE	<0.275				
MTBE	<0.055				
NAPHTHALENE	<0.055				
N-PROPYLBENZENE	<0.055				
STYRENE	<0.055				
1,1,1,2-TETRACHLOROETHANE	<0.055				
1,1,2,2-TETRACHLOROETHANE	<0.055				
TETRACHLOROETHENE	<0.055				
TOLUENE	<0.055				
1,1,1-TRICHLOROETHANE	<0.055				
1,1,2-TRICHLOROETHANE	<0.055				
1,2,3-TRICHLOROBENZENE	<0.055				
1,2,4-TRICHLOROBENZENE	<0.055				
TRICHLOROETHENE	<0.055				
TRICHLOROFLUOROMETHANE	<0.275				
1,2,3-TRICHLOROPROPANE	<0.055				
1,2,4-TRIMETHYLBENZENE	<0.055				
1,3,5-TRIMETHYLBENZENE	<0.055				
VINYL ACETATE	<0.275				
VINYL CHLORIDE	<0.110				
XYLENES (TOTAL)	<0.055				

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249


North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
P.O. BOX 24398

PROJECT #: 951802
RECEIVED: 09/13/95

ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

P.O. # 32114
CLIENT JOB NUMBER: 678 R0642


Douglas W. Mendrala
Laboratory Director

09/22/95
Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island

SAMPLE # 112685





Environmental

PRODUCTS & SERVICES, INC.

(315) 471-0503 / (800) 843-8265

CHAIN OF CUSTODY RECORD

EPS LAB LOG NO. PS241

JOB NUMBER: 0782442 PIN NUMBER: _____

P.O. NUMBER: 32114 SPILL NUMBER: _____

LABORATORY: ELC
ADDRESS: _____
PHONE NO.: _____

REPORTING REQUIREMENTS (other than mail):
☐ PHONE NO.: _____
☒ FAX NO.: 714-436-6139

TURN AROUND TIME
24-HOUR ☐
48-HOUR ☐
NORMAL ☒
OTHER ☐

SPECIAL DETECTION LIMITS
Yes ☐ No ☒
(Specify) _____

SPECIAL QA/QC LEVEL
Yes ☐ No ☒
(Specify) _____

WASTE SAMPLE
Yes ☐ No ☒

CONTAINER TYPE:

V - VOA VIALS
G - GLASS
P - PLASTIC
O - OTHER _____

SAMPLE TYPE:

G - GRAB
C - COMPOSITE
W - WIPE
SS - SURFACE SCRAPE
O - OTHER (SPECIFY) _____

SAMPLE ID/
DESCRIPTION

DATE

TIME

CONTAINER

MATRIX

TYPE
(ENTER CODE)

PRESERVATIVE

Number
Size
Type (Enter Code)

Groundwater
Soil
Sludge
Other _____

HCl
HNO₃
H₂SO₄
Ice (4°C)
Teflon Liner
Filtered
Other _____

CORROS ☐ FLASH ☐ REACT ☐ pH ☐
TCLP: METALS ☐ VOA ☐ SEMI-VOA ☐
TCLP: PEST ☐ HERB ☐
TOTAL METALS ☐ LIST: _____
OIL AND GREASE: EPA 413.1 ☐ EPA 413.2 ☐
TPH: EPA 418.1 (IR) ☐ NYS DOH 310-13 (GC) ☒
EPA 503.1 ☐ EPA 524 ☐ WITH MTBE ☐
EPA 601 ☐ EPA 8010 ☐
BTEX: EPA 602 ☐ EPA 8020 ☐ WITH MTBE ☐
EPA 608 ☐ EPA 8080 ☐ PCB ONLY ☐
EPA 624 ☐ EPA 8240 ☐ (+15) ☐ EPA 8260 ☒
EPA 625 ☐ EPA 8270 ☐ (+25) ☐ EPA 8250 ☐

ANALYSIS REQUESTED

SPECIAL INSTRUCTIONS

COMMENTS

For Lab Use Only

112685 SHARP

9/12/15

1 L

Soil

C

X

X

X

CUSTODY TRANSFERS

EPS CONTACT:

SACE T. BRIDGES

PHONE NO.: 714-436-2666

SAMPLED BY:

JACI MOTHY BATES

DATE

TIME

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RELINQUISHED BY:

JACI MOTHY BATES

DATE

TIME

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RELINQUISHED BY:

JACI MOTHY BATES

DATE

TIME

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RELINQUISHED BY:

JACI MOTHY BATES

DATE

TIME

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:


RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:



Environmental

PRODUCTS & SERVICES, INC.

P.O. Box 24398, Rochester, NY 14624
(716) 436-5660 FAX (716) 436-6139

"The Environmental Compliance Specialist"

FAX TRANSMITTAL MEMO

To *Mike Zamiatzki*

From *JACK BRIELS*

Company *NYSDDEC - Arun*

Date *3/12/96*

Fax No.

Job No.

Telephone No.

No. of Pages
(including cover page)

Subject

FLOYD SHARD PROPERTY

Comments

Mike -

*Here is the Analytical Report. Where do we
go from here?*

Thanks.

Jack

NOTE: This facsimile and the information it contains are intended to be confidential communication only to the addressee. If you received this facsimile in error, please notify us by telephone and return the original fax to this office by mail.

Branch Locations:

Albany, Buffalo, Newburgh, Syracuse, NY; Bridgeport, CT; Boston, Springfield, MA; Linden, NJ; Harrisburg, PA

MAR-11-96 MON 13:47 ELS



Environmental

LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033North Syracuse, NY 13212
FAX (315) 458-0249

(800) 842-4667

E.P.S. - ROCHESTER
230 MCKEE RD.
P.O. BOX 24398
ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034
RECEIVED: 02/28/96

P.O. # 32400
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #1 104315	CLIENT SAMPLE ID: R574	TEST PIT COMP	DATE SAMPLED: 02/27/96		
SOLIDS, TOTAL	87	PERCENT	02/29/96	EPA 160.3	SKW
PETROLEUM HYDROCARBONS - TOTAL		MG/KG DRY WT.	03/08/96	NYS 310.13	SM
GASOLINE	NP				
KEROSENE	<55.5				
FUEL OIL	<55.5				
LUBE OIL	P				

ND - NONE DETECTED
P - PRESENT

RESULTS ARE QUANTITATED AGAINST IN-HOUSE REFERENCE MATERIAL.

A COPY OF THE CHROMATOGRAM, WITH THE OPERATOR'S NOTES IS ATTACHED.

REFERENCE MATERIALS:

UNLEADED GASOLINE	KEROSENE
FUEL OIL #2	LUBE OIL SAE 10
FUEL OIL #4	LUBE OIL SAE 20
FUEL OIL #6	LUBE OIL SAE 30
	LUBE OIL SAE 40

THIS METHOD REQUIRES SUBJECTIVE INTERPRETATIONS BY THE ANALYST.

VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	03/04/96	EPA 8260	DJ
ACETONE	<0.29				
ACRYLONITRILE	<1.1				
BENZENE	<0.057				
BROMOBENZENE	<0.057				
BROMOCHLOROMETHANE	<0.057				
BROMODICHLOROMETHANE	<0.057				
BROMOFORM	<0.057				
BROMOMETHANE	<0.29				
2-BUTANONE	<0.29				
N-BUTYLBENZENE	<0.057				
SEC-BUTYLBENZENE	<0.057				

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



Environmental

LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
230 MCKEE RD.
P.O. BOX 24398
ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034
RECEIVED: 02/28/96

P.O. # 32400
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104315 CLIENT SAMPLE ID: R574 TEST PIT COMP DATE SAMPLED: 02/27/96					
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	03/04/96	EPA 8260	DJ
TERT-BUTYLBENZENE	<0.057				
CARBON DISULFIDE	<0.057				
CARBON TETRACHLORIDE	<0.057				
CHLOROBENZENE	<0.057				
CHLOROETHANE	<0.29				
CHLOROFORM	<0.057				
CHLOROMETHANE	<0.29				
2-CHLOROTOLUENE	<0.057				
4-CHLOROTOLUENE	<0.057				
DIBROMOCHLOROMETHANE	<0.057				
DIBROMOMETHANE	<0.057				
1,2-DIBROMO-3-CHLOROPROPANE	<0.057				
1,2-DIBROMOETHANE	<0.057				
1,2-DICHLOROBENZENE	<0.057				
1,3-DICHLOROBENZENE	<0.057				
1,4-DICHLOROBENZENE	<0.057				
TRANS-1,2-DICHLOROETHENE	<0.057				
TRANS-1,3-DICHLOROPROPENE	<0.057				
TRANS-1,4-DICHLORO-2-BUTENE	<1.1				
1,3-DICHLOROPROPANE	<0.057				
2,2-DICHLOROPROPANE	<0.057				
DICHLORODIFLUOROMETHANE	<0.29				
1,1-DICHLOROETHANE	<0.057				
1,2-DICHLOROETHANE	<0.057				
1,1-DICHLOROETHENE	<0.057				
CIS-1,2-DICHLOROETHENE	<0.057				
1,2-DICHLOROPROPANE	<0.057				
1,1-DICHLOROPROPENE	<0.057				
CIS-1,3-DICHLOROPROPENE	<0.057				
ETHYLBENZENE	<0.057				
HEXACHLOROBUTADIENE	<0.057				

Page 2

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island

03/12/96

12:29

17164366139

ENVIRONMENTAL PR -> DEC-AVON
3154580249

004/008

MAR-11-96 MON 13:50 EL5



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
230 MCKEE RD.
P.O. BOX 24398
ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034
RECEIVED: 02/28/96

P.O. # 32400
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104315 CLIENT SAMPLE ID: R574 TEST PIT COMP DATE SAMPLED: 02/27/96					
VOL. ORGANICS - EPA 8260		MG/KG DRY WT.	03/04/96	EPA 8260	DJ
2-HEXANONE	<0.29				
IODOMETHANE	<0.29				
ISOPROPYLBENZENE	<0.057				
4-ISOPROPYLTOLUENE	<0.057				
METHYLENE CHLORIDE	<0.057				
4-METHYL-2-PENTANONE	<0.29				
MTBE	<0.057				
NAPHTHALENE	<0.057				
N-PROPYLBENZENE	<0.057				
STYRENE	<0.057				
1,1,1,2-TETRACHLOROETHANE	<0.057				
1,1,2,2-TETRACHLOROETHANE	<0.057				
TETRACHLOROETHENE	0.63	ppm (630 ppb)			
TOLUENE	<0.057				
1,1,1-TRICHLOROETHANE	<0.057				
1,1,2-TRICHLOROETHANE	<0.057				
1,2,3-TRICHLOROBENZENE	<0.057				
1,2,4-TRICHLOROBENZENE	<0.057				
TRICHLOROETHENE	<0.057				
TRICHLOROFLUOROMETHANE	<0.29				
1,2,3-TRICHLOROPROPANE	<0.057				
1,2,4-TRIMETHYLBENZENE	<0.057				
1,3,5-TRIMETHYLBENZENE	<0.067				
VINYL ACETATE	<0.29				
VINYL CHLORIDE	<0.29				
XYLENES (TOTAL)	<0.057				

SAMPLE #: 104316 CLIENT SAMPLE ID: R574 TEST PIT WATER DATE SAMPLED: 02/27/96

VOL. ORGANICS - EPA 8260
ACETONE

<5.0

UG/L

02/28/96 EPA 8260

DJ

Page 3

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
230 MCKEE RD.
P.O. BOX 24398
ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034
RECEIVED: 02/28/96

P.O. # 32400
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104316	CLIENT SAMPLE ID: R574	TEST PIT WATER	DATE SAMPLED: 02/27/96		
VOL. ORGANICS - EPA 8260		UG/L	02/28/96	EPA 8260	DJ
ACRYLONITRILE	<20.0				
BENZENE	<1.0				
BROMOBENZENE	<1.0				
BROMOCHLOROMETHANE	<1.0				
BROMODICHLOROMETHANE	<1.0				
BROMOFORM	<1.0				
BROMOMETHANE	<5.0				
2-BUTANONE	<5.0				
N-BUTYLBENZENE	<1.0				
SEC-BUTYLBENZENE	<1.0				
TERT-BUTYLBENZENE	<1.0				
CARBON DISULFIDE	<1.0				
CARBON TETRACHLORIDE	<1.0				
CHLOROBENZENE	<1.0				
CHLOROETHANE	<5.0				
CHLOROFORM	<1.0				
CHLOROMETHANE	<5.0				
2-CHLOROTOLUENE	<1.0				
4-CHLOROTOLUENE	<1.0				
DIBROMOCHLOROMETHANE	<1.0				
DIBROMOMETHANE	<1.0				
1,2-DIBROMO-3-CHLOROPROPANE	<1.0				
1,2-DIBROMOETHANE	<1.0				
1,2-DICHLOROBENZENE	<1.0				
1,3-DICHLOROBENZENE	<1.0				
1,4-DICHLOROBENZENE	<1.0				
TRANS-1,2-DICHLOROETHENE	<1.0				
TRANS-1,3-DICHLOROPROPENE	<1.0				
TRANS-1,4-DICHLORO-2-BUTENE	<20.0				
1,3-DICHLOROPROPANE	<1.0				
2,2-DICHLOROPROPANE	<1.0				

Page 4

Your Full-Service Analytical Laboratory

Holding Certifications In Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island

MAR-11-96 MON 13:50 ELS



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249

North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
230 MCKEE RD.
P.O. BOX 24398
ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034
RECEIVED: 02/28/96

P.O. # 32400
CLIENT JOB NUMBER: R0898

TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104316 CLIENT SAMPLE ID: R574 TEST PIT WATER DATE SAMPLED: 02/27/96					
VOL. ORGANICS - EPA 8260		UG/L	02/28/96	EPA 8260	DJ
DICHLORODIFLUOROMETHANE	<5.0				
1,1-DICHLOROETHANE	<1.0				
1,2-DICHLOROETHANE	<1.0				
1,1-DICHLOROETHENE	<1.0				
CIS-1,2-DICHLOROETHENE	35.6				
1,2-DICHLOROPROPANE	<1.0				
1,1-DICHLOROPROPENE	<1.0				
CIS-1,3-DICHLOROPROPENE	<1.0				
ETHYLBENZENE	<1.0				
HEXACHLOROBUTADIENE	<1.0				
2-HEXANONE	<5.0				
IODOMETHANE	<5.0				
ISOPROPYLBENZENE	<1.0				
4-ISOPROPYLTOLUENE	<1.0				
METHYLENE CHLORIDE	<1.0				
4-METHYL-2-PENTANONE	<5.0				
MTBE	3.3				
NAPHTHALENE	<1.0				
N-PROPYLBENZENE	<1.0				
STYRENE	<1.0				
1,1,1,2-TETRACHLOROETHANE	<1.0				
1,1,2,2-TETRACHLOROETHANE	<1.0				
TETRACHLOROETHENE	26.8				
TOLUENE	1.2				
1,1,1-TRICHLOROETHANE	<1.0				
1,1,2-TRICHLOROETHANE	<1.0				
1,2,3-TRICHLOROBENZENE	<1.0				
1,2,4-TRICHLOROBENZENE	<1.0				
TRICHLOROETHENE	1.4				
TRICHLOROFUOROMETHANE	<5.0				
1,2,3-TRICHLOROPROPANE	<1.0				

Page 5

Your Full-Service Analytical Laboratory

Holding Certifications in Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New York, Pennsylvania, and Rhode Island



Environmental LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park
(315) 458-8033

FAX (315) 458-0249


North Syracuse, NY 13212
(800) 842-4667

E.P.S. - ROCHESTER
230 MCKEE RD.
P.O. BOX 24398
ROCHESTER NY 14624
ATTN: ENVIRONMENTAL COORDINATOR

PROJECT #: 963034
RECEIVED: 02/28/96

P.O. # 32400
CLIENT JOB NUMBER: R0898


TEST PERFORMED	RESULTS	UNITS	DATE PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 104316 CLIENT SAMPLE ID: R574 TEST PIT WATER DATE SAMPLED: 02/27/96					
VOL. ORGANICS - EPA 8260		UG/L	02/28/96	EPA 8260	DJ
1,2,4-TRIMETHYLBENZENE	<1.0				
1,3,5-TRIMETHYLBENZENE	<1.0				
VINYL ACETATE	<5.0				
VINYL CHLORIDE	<5.0				
XYLENES (TOTAL)	<1.0				


Douglas W. Mendrala
Laboratory Director

03/11/96
Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.

Rt 251



x = approx. location of composite samples.

- → outfall of floor drain ≈ 3 ft below grade.
- ground water encountered at $\approx 4\frac{1}{2}$ ft below grade.