April 15, 2019

Mr. Wayne Mizerak
New York State Department of Environmental Conservation
Division of Environmental Remediation, Remedial Bureau C
625 Broadway
Albany, New York 12233

Re: Site Construction and Utility Installation Summary – 24-Hour Fitness Gym
Post Road Plaza Site, Pelham Manor, New York
Voluntary Cleanup Program Site No. V00110-3

Dear Mr. Mizerak:

On behalf of Levin Management Corporation (Levin Management), Roux Environmental Engineering and Geology, D.P.C. (Roux), has prepared this report to summarize the construction and utility installation activities conducted at Post Road Plaza, Pelham Manor, New York (Site) between April 2017 and January 2019 related to the new 24-Hour Fitness Gym now in operation at the Site. The Site consists of a retail shopping facility with several buildings containing stores and other businesses and associated parking lots. Environmental remediation activities have been on-going at the Site since May 2008. The environmental remediation activities are being performed by the Consolidated Edison Company of New York (Con Edison) to address impacts to soil and groundwater relating to their former operation of the Site as a manufactured gas plant (MGP) facility.

As detailed in the various notifications (Attachment 7) provided to the New York State Department of Environmental Conservation (NYSDEC), Levin Management and 24-Hour Fitness (a tenant at the Site) have completed various Site construction activities in order to facilitate 24-Hour Fitness's occupation of several formerly vacant spaces within the main building at the Site. Several of these tasks required the performance of ground intrusive activities or other work that either modified or temporarily disturbed the environmental engineering controls at the Site or required disturbance and management of the remaining contamination (i.e., excavation of Site soils below the clean fill cap). All such activities were performed in accordance with the NYSDEC-approved Interim Site Management Plan (SMP) dated May 2009.

The Site construction and utility installation activities started in April 2017 and were completed in January 2019. The construction and utility installation tasks included the construction of two swimming pools, a spa, a sauna, installation of underground utilities both inside and outside the building, performance of soil borings and test pits, and modifications to portions of the existing sub-slab depressurization system (SSDS). The locations of the various work areas are shown on Figure 1. A Photographic Log of the work completed is provided in Attachment 1.

Provided below is a detailed discussion of the work performed, the procedures implemented to properly protect and restore the environmental engineering controls, and the documentation and testing related to the work.

209 Shafter Street ■ Islandia, New York 11749 ■ +1.631.232.2600 ■ www.rouxinc.com
California ■ Illinois ■ Massachusetts ■ New Jersey ■ New York ■ Texas

Swimming Pools and Spa Area Construction

A portion of the second floor of the Main Building was recently occupied by a 24-Hour Fitness. As part of the gym's various amenities, two lap pools, a spa, and a sauna were constructed in a portion of the first-floor space below the second-floor portion of the gym. These areas are accessed through a lobby area in the rear central portion of the building and parking is provided for the second-floor occupants via the Site's western parking lot. To construct these facilities, portions of the first-floor space were excavated to depths varying from approximately three to seven feet below the building slab. In this area of the Site, the clean fill cap consists of only the building slab. Accordingly, implementation of the Excavation Work Plan (EWP) included in the SMP was required upon removal of the slab. It should be noted this work was initiated prior to the approval of the final SMP for the Site dated June 2017. Therefore, the work was planned and executed in accordance with the Interim SMP. Notifications regarding the ground-intrusive work tasks were provided to NYSDEC via email on April 7, 2017, August 3, 2017, January 10, 2018, January 12, 2018, and April 16, 2018, in accordance with the SMP. Various additional updates were provided to NYSDEC via email as the work progressed.

Due to the locations of the swimming pools and spa, modifications to the existing sub-slab depressurization system (SSDS) were required. These modifications were detailed in the April 7, 2017 notification email to NYSDEC and included detailed design drawings for removing and rerouting portions of the SSDS. As part of this effort, a section of SSDS piping, approximately 80 feet in length, directly interfered with the locations of the pools and spa and was removed and permanently capped to the south of the 24-Hour Fitness Space as Shown in Figure 1. The segment of SSDS piping located east of the pools (i.e., towards the front portion of the shopping center) was extended and connected to the remaining piping on the north side of the pools (i.e., opposite the permanently capped piping) to maintain influence of the SSDS in these areas. The section of SSDS piping located west of the pools was proposed to be relocated, but instead was supported and protected during construction of the pools and therefore relocation was not necessary. When construction of the pools was completed and the slab restored, the modified segments of the SSDS were inspected, tested, and confirmed to be functioning properly. A summary of the SSDS vacuum monitoring data is provided in Table 1 (attached). The locations and designations of the SSDS monitoring points are shown on Figure 1.

After the initial modifications to the SSDS were completed in April 2017, two (2) geotechnical soil borings were installed to approximately 70 feet below the top of the first-floor slab. Four (4) test pits were also installed in the areas of the existing column footings as detailed in the Notification to NYSDEC dated January 12, 2018. The soil borings and test pits were used to design the excavation support system for the swimming pool and spa excavations. The mass excavation of the swimming pools and spa was completed in March and April 2018. The final modifications and reconnection of the SSDS piping was also completed in April 2018. In addition to excavating and constructing the pools, spa, and sauna, various underground utilities were installed around and below the pools; these mostly included drains and sanitary plumbing, but also piping for treatment and filtration of the pool water. A trench for piping connecting the new sanitary plumbing installed below the building slab to the existing Site sanitary sewer main was also excavated in the loading dock area behind the rear wall of the building. This sewer trench was approximately 40 feet long and approximately two feet in depth (i.e., within the clean fill cap). The sanitary sewer trench was backfilled with clean cap materials and restored with concrete per original conditions. A new gas service was also excavated in the asphalt paved area adjacent to the north wall of the building to provide upgraded gas service to 24-Hour Fitness. This trench was approximately

20 feet in length and approximately two feet in depth (i.e., within the clean fill cap) and was backfilled with the excavated clean fill cap materials and restored with asphalt pavement.

Once the excavations within the building were complete, a spray-applied Liquid Boot® vapor barrier was installed throughout the entire excavated area. The vapor barrier served as both a barrier to soil vapor migrating into the space and as a contact barrier for the various construction trades that were employed to construct the pools, utilities, slabs, and finishes. The extent of the vapor barrier is shown on Figure 1. Details regarding the vapor barrier product are provided in Attachment 6. Clean stone was used as backfill below and beside the pool shells and within the utility trenches as necessary to provide bedding for the associated utility piping and provide a stable base for the pools. A total of 495.15 tons of certified clean stone was imported from Tilcon, Inc. in West Nyack, New York. Copies of the clean fill weight tickets are provided in Attachment 5. Photos of the excavation area, vapor barrier, completed pools and spa, and restored building slab are provided in the Photo Log (Attachment 1).

Waste Management and Disposal

All excess soils generated in connection with the construction of 24-Hour Fitness were either stockpiled within the building in a designated, lined soil stockpile area or stored in 20 cubic yard capacity roll-off containers staged at the rear loading dock pending proper off-Site disposal. The soils were pre-characterized prior to excavation and additional waste characterization samples were collected as required by the soil disposal facility. A total of 1,490.71 tons of soil were disposed at Bayshore Soil Management, LLC in Keasbey, New Jersey. Additionally, two drums containing drill cutting and drilling fluids from the geotechnical soil borings, as well as decontamination water were disposed at Northland Environmental, LLC in Providence, Rhode Island. Copies of all waste disposal manifests are provided in Attachment 4. Copies of the waste characterization analytical results are provided in Attachment 3.

Health and Safety and Community Air Monitoring

All excavation and other intrusive work discussed herein was performed in accordance with the Site-specific health and safety plan (HASP) included in the SMP. Additionally, health and safety air monitoring was performed at all times by Roux during ground-intrusive work activities below the clean fill cap until the Liquid Boot® vapor barrier was installed. Roux monitored the air in and around the work area for volatile organic compounds (VOCs) and particulates to ensure the protection of both the on-Site workers and the surrounding community. At no time were VOCs detected in the work area at concentrations exceeding the action limits detailed in the HASP. Dust control measures including water misting, sweeping, and the use of particulate respirators were employed to assure Site workers were not exposed to concentrations of particulates above the HASP action limits.

Community air monitoring stations were set up upwind and downwind during all excavation and ground intrusive activities below the clean fill cap. At no time were VOCs or particulates detected at concentrations exceeding the action limits provided in the Community Air Monitoring Plan (CAMP) resulting from the excavation work. On several occasions, anomalous exceedances were detected as a result of unrelated activities such as trucks parking adjacent to the monitoring equipment, emissions from off-Site sources (e.g., the adjacent asphalt plant), etc. Such sources were generally identified and corrected, if possible, to avoid multiple exceedances of the CAMP action levels.

The community air monitoring summaries are provided in Attachment 2. Please note some CAMP data are unavailable due to data logging errors or instrument malfunctions. The monitoring instruments were operational at all times during ground-intrusive activities and at no time were instrument alarms or exceedances detected. Also, at no time during the intrusive work activities were instantaneous readings of VOCs detected at concentrations exceeding the CAMP action limit of five parts per million.

If you have any questions or concerns, please feel free to contact either of the undersigned at 631-232-2600 or cbattista@rouxinc.com.

Sincerely,

ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.

Christopher Battista
Senior Construction Manager

Charles J. McGuckin, P.E.
Principal Engineer

Attachments

cc: Richard Rienzo, Consolidated Edison Company of New York
Matthew Harding, Levin Management Corporation
Max Gagneron, Levin Management Corporation
Steve Pratt, Levin Management Corporation

TABLE


SSDS Monitoring Summary


Table 1. SSDS Monitoring Summary - 24 Hour Fitness Swimming Pool Construction
Post Road Plaza, 887 Pelham Parkway, Pelham Manor, New York

Main Building				
Monitoring Point	**Tenant / Location**	**Date**	**Vacuum Measurement (In. W.C.)**	**Comments**
SSDS-4B	Vacant Space	12/2008	0.30	
SSDS-4B	Vacant Space	11/4/2009	0.40	
SSDS-4B	Vacant Space	12/9/2009	1.40	
SSDS-4B	Vacant Space	4/19/2017	~2	Measurement is approximate
SSDS-4B-R	Vacant Space	4/18/2018	1.55	Monitoring Point Relocated Due to Pool Construction
SSDS-4B-R	Vacant Space	2/27/2019	1.17	Monitoring Point Relocated Due to Pool Construction
SSDS-4C	Utility Room	12/2008	0.34	
SSDS-4C	Utility Room	11/4/2009	0.20	
SSDS-4C	Utility Room	12/9/2009	1.40	
SSDS-4C	Utility Room	4/19/2017	~3	Measurement is approximate
SSDS-4C	Utility Room	4/18/2018	1.55	
SSDS-4C	Utility Room	2/27/2019	1.14	
SSDS-4C	Utility Room	3/22/2019	1.25	
SSDS-4D	24 Hour Fitness Pool Room	12/2008	0.52	
SSDS-4D	24 Hour Fitness Pool Room	12/10/2009	1.55	
SSDS-4D	24 Hour Fitness Pool Room	4/19/2017	~2.5	Measurement is approximate
SSDS-4D	24 Hour Fitness Pool Room	4/18/2018	0.05	Area Under Construction - No slab in place
SSDS-4D	24 Hour Fitness Pool Room	2/27/2019	0.89	Slab/Pool Construction Complete - Incomplete Seal on Monitoring Point
SSDS-4D	24 Hour Fitness Pool Room	3/22/2019	1.00	Plug/Monitoring Point Replaced

FIGURE

As-Built Detail





SECTION A–A'
HORIZONTAL SCALE: 1"=15'
VERTICAL SCALE: 1"=10'

LEGEND

- EXISTING 4"ø SOLID WALL SCH. 40 PVC PIPE
- EXISTING 4"ø PERFORATED SCH. 40 PVC PIPE
- NEW 4"ø PERFORATED SCH. 40 PVC PIPE
- NEW 4"ø SOLID WALL SCH. 40 PVC PIPE
- APPROXIMATE EXTENT OF POOL AND UNDERGROUND UTILITIES EXCAVATION AREA (DEPTH VARIES) AND APPROXIMATE EXTENT OF LIQUID BOOT VAPOR BARRIER SYSTEM

DRAWING NOTES

1. SOURCE FOR BASE MAP – FORMER K-MART VAPOR CONTROL SYSTEM PLAN BY MALCOLM PIRNIE, INC. AS REVISED JUNE 3, 2008.
3. SOURCE FOR POOL, SPA AND UTILITY INFORMATION – LEVIN MANAGEMENT CORPORATION 24 HR. FITNESS DEMISING WORK BY CASCO ARCHITECTURAL AND ENGINEERING SERVICES, D.P.C. AS REVISED JULY 18, 2016.

- CONCRETE POOL SHELL AND RESTORED FLOOR SLAB
- STONE SUBBASE AND BACKFILL
- LIQUID BOOT VAPOR BARRIER
- EXISTING SITE SOIL

30' 0 30'

Title:

FORMER K-MART BUILDING
VAPOR CONTROL SYSTEM MODIFICATION
AS-BUILT DETAIL

POST ROAD PLAZA
PELHAM MANOR, NEW YORK

Prepared for:
LEVIN MANAGEMENT CORPORATION

ROUX

Compiled by: C.B.	Date: 31JAN19
Prepared by: G.M.	Scale: AS SHOWN
Project Mgr: C.B.	Project: 1772.0001Y000
File: 1772.0001Y122.04.DWG	

FIGURE 1

V:\CAD\PROJECTS\1772\V0001Y122\1772.0001Y122.04.DWG

ATTACHMENTS

1. 24-Hour Fitness Pool Construction Photo Log
2. CAMP Data Summaries
3. Waste Characterization Data
4. Waste Disposal Documentation
5. Clean Fill Documentation
6. Liquid Boot® Vapor Barrier Details
7. NYSDEC Notifications

ATTACHMENT 1

24-Hour Fitness Pool Construction Photo Log



Photo 1 – Extension of Existing SSDS on East Side of Pools.



Photo 2 – Extension of Existing SSDS on East Side of Pools.



Photo 3 – Excavation to Tie into Existing Sanitary Sewer Main (within clean fill cap).



Photo 4 – Excavation of Pool and Spa Area Inside of The Main Building.



Photo 5 – Excavation of Pool and Spa Area Inside of The Main Building.



Photo 6 – Excavated Soil Storage Area – Pending Offsite Disposal.



Photo 7 – Swimming Pool Excavation Area.



Photo 8 – Swimming Pool and Spa Excavation Areas.



Photo 9 – Post Construction SSDS Monitoring.



Photo 10 – Restoration of Slab Over Relocated SSDS Trench.



Photo 11 – Installation of Liquid Boot Vapor Barrier Below Swimming Pool and Spa Areas.



Photo 12 – Installation of Liquid Boot Vapor Barrier Below Swimming Pool and Spa Areas.



Photo 13 – Clean Fill Stockpile Area (Tilcon, West Nyack, Virgin Quarry Pea Gravel).



Photo 14 – Pool Shell and Pool Utility Construction.



Photo 15 – Pool Shell and Pool Utility Construction.



Photo 16 – Pool Shell and Pool Utility Construction.




Photo 17 – Completed Swimming Pool.




Photo 18 – Completed Swimming Pools and Spa.

ATTACHMENT 2

CAMP Data Summaries

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/18/2017 - 4/19/2017 (night shift)

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/18/2017 22:30	0.025	4/18/2017 22:30	N/A	N/A	
4/18/2017 22:45	0.585	4/18/2017 22:45	N/A	N/A	
4/18/2017 23:00	0.184	4/18/2017 23:00	N/A	N/A	
4/18/2017 23:15	0.206	4/18/2017 23:15	0.124	-0.081	
4/18/2017 23:30	0.169	4/18/2017 23:30	0.132	-0.037	
4/18/2017 23:45	0.127	4/18/2017 23:45	0.113	-0.013	
4/19/2017 0:00	0.099	4/19/2017 0:15	0.109	0.010	
4/19/2017 0:15	0.341	4/19/2017 0:15	0.200	-0.141	
4/19/2017 0:30	0.007	4/19/2017 0:30	0.230	**0.223**	
4/19/2017 0:45	0.006	4/19/2017 0:45	0.029	0.022	
4/19/2017 1:00	0.006	4/19/2017 1:00	0.010	0.004	
4/19/2017 1:15	0.007	4/19/2017 1:15	0.010	0.004	
4/19/2017 1:30	0.006	4/19/2017 1:30	0.011	0.005	
4/19/2017 1:45	0.007	4/19/2017 1:45	0.022	0.015	
4/19/2017 2:00	0.007	4/19/2017 2:00	0.011	0.004	
4/19/2017 2:15	0.007	4/19/2017 2:15	0.011	0.004	
4/19/2017 2:30	0.007	4/19/2017 2:30	0.014	0.007	
4/19/2017 2:45	0.007	4/19/2017 2:45	0.012	0.005	
4/19/2017 3:00	0.011	4/19/2017 3:00	0.013	0.002	
4/19/2017 3:15	0.007	4/19/2017 3:15	0.020	0.013	
4/19/2017 3:30	0.008	4/19/2017 3:30	0.014	0.007	
4/19/2017 3:45	0.008	4/19/2017 3:45	0.014	0.006	
4/19/2017 4:00	0.008	4/19/2017 4:00	0.015	0.006	
4/19/2017 4:15	0.008	4/19/2017 4:15	0.012	0.004	
4/19/2017 4:15	0.008	4/19/2017 4:15	0.013	0.005	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/18/2017 - 4/19/2017 (night shift)

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/18/2017 22:30	0.000	4/18/2017 22:30	N/A	N/A	
4/18/2017 22:45	0.000	4/18/2017 22:45	N/A	N/A	
4/18/2017 23:00	0.000	4/18/2017 23:00	N/A	N/A	
4/18/2017 23:15	0.000	4/18/2017 23:15	0.031	0.031	
4/18/2017 23:30	0.000	4/18/2017 23:30	0.025	0.025	
4/18/2017 23:45	0.000	4/18/2017 23:45	0.000	0.000	
4/19/2017 0:00	0.000	4/19/2017 0:00	0.000	0.000	
4/19/2017 0:15	0.000	4/19/2017 0:15	0.000	0.000	
4/19/2017 0:30	0.000	4/19/2017 0:30	0.000	0.000	
4/19/2017 0:45	0.000	4/19/2017 0:45	0.000	0.000	
4/19/2017 1:00	0.000	4/19/2017 1:00	0.000	0.000	
4/19/2017 1:15	0.000	4/19/2017 1:15	0.000	0.000	
4/19/2017 1:30	0.000	4/19/2017 1:30	0.000	0.000	
4/19/2017 1:45	0.000	4/19/2017 1:45	0.000	0.000	
4/19/2017 2:00	0.000	4/19/2017 2:00	0.000	0.000	
4/19/2017 2:15	0.000	4/19/2017 2:15	0.000	0.000	
4/19/2017 2:30	0.000	4/19/2017 2:30	0.000	0.000	
4/19/2017 2:45	0.000	4/19/2017 2:45	0.000	0.000	
4/19/2017 3:00	0.000	4/19/2017 3:00	0.000	0.000	
4/19/2017 3:15	0.000	4/19/2017 3:15	0.000	0.000	
4/19/2017 3:30	0.000	4/19/2017 3:30	0.000	0.000	
4/19/2017 3:45	0.000	4/19/2017 3:45	0.000	0.000	
4/19/2017 4:00	0.000	4/19/2017 4:00	0.000	0.000	
4/19/2017 4:15	0.000	4/19/2017 4:15	0.000	0.000	
4/19/2017 4:26	0.000	4/19/2017 4:26	0.000	0.000	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/19/2017 - 4/20/2017 (night shift)

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
N/A	N/A	4/19/2017 22:15	0.020	0.020	
4/19/2017 22:30	0.011	4/19/2017 22:30	0.083	0.071	
4/19/2017 22:45	0.017	4/19/2017 22:45	0.060	0.043	
4/19/2017 23:00	0.018	4/19/2017 23:00	0.041	0.024	
4/19/2017 23:15	0.018	4/19/2017 23:15	0.052	0.034	
4/19/2017 23:30	0.018	4/19/2017 23:30	0.033	0.015	
4/19/2017 23:45	0.018	4/19/2017 23:45	0.039	0.021	
4/20/2017 0:00	0.018	4/20/2017 0:00	0.047	0.029	
4/20/2017 0:15	0.197	4/20/2017 0:15	0.031	-0.166	
4/20/2017 0:30	0.365	4/20/2017 0:30	0.028	-0.337	
4/20/2017 0:45	0.429	4/20/2017 0:45	0.030	-0.399	
4/20/2017 1:00	0.389	4/20/2017 1:00	0.037	-0.352	
4/20/2017 1:15	0.572	4/20/2017 1:15	0.029	-0.543	
4/20/2017 1:30	0.561	4/20/2017 1:30	0.039	-0.522	
4/20/2017 1:45	0.371	4/20/2017 1:45	0.026	-0.345	
4/20/2017 2:00	0.323	4/20/2017 2:00	0.021	-0.302	
4/20/2017 2:15	0.402	4/20/2017 2:15	0.020	-0.382	
4/20/2017 2:30	0.191	4/20/2017 2:30	0.108	-0.083	
4/20/2017 2:45	0.019	4/20/2017 2:45	0.102	0.083	
4/20/2017 3:00	0.025	4/20/2017 3:00	0.107	0.081	
4/20/2017 3:15	0.020	4/20/2017 3:15	0.033	0.013	
4/20/2017 3:30	0.019	4/20/2017 3:30	0.027	0.008	
4/20/2017 3:45	0.020	4/20/2017 3:45	0.034	0.015	
4/20/2017 4:00	0.020	4/20/2017 4:00	0.039	0.019	
4/20/2017 4:09	0.020	4/20/2017 4:09	0.112	0.092	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/19/2017 - 4/20/2017 (night shift)

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	4/19/2017 22:15	0.000	0.000	
4/19/2017 22:30	0.000	4/19/2017 22:30	0.164	0.164	
4/19/2017 22:45	0.000	4/19/2017 22:45	0.000	0.000	
4/19/2017 23:00	0.000	4/19/2017 23:00	0.000	0.000	
4/19/2017 23:15	0.000	4/19/2017 23:15	0.000	0.000	
4/19/2017 23:30	0.000	4/19/2017 23:30	0.000	0.000	
4/19/2017 23:45	0.000	4/19/2017 23:45	0.000	0.000	
4/20/2017 0:00	0.000	4/20/2017 0:00	0.416	0.416	
4/20/2017 0:15	0.975	4/20/2017 0:15	0.001	-0.974	
4/20/2017 0:30	1.618	4/20/2017 0:30	0.000	-1.618	
4/20/2017 0:45	1.121	4/20/2017 0:45	0.000	-1.121	
4/20/2017 1:00	0.820	4/20/2017 1:00	0.000	-0.820	
4/20/2017 1:15	0.952	4/20/2017 1:15	0.000	-0.952	
4/20/2017 1:30	1.047	4/20/2017 1:30	0.000	-1.047	
4/20/2017 1:45	0.867	4/20/2017 1:45	0.000	-0.867	
4/20/2017 2:00	0.639	4/20/2017 2:00	0.000	-0.639	
4/20/2017 2:15	0.601	4/20/2017 2:15	0.000	-0.601	
4/20/2017 2:30	0.247	4/20/2017 2:30	0.124	-0.123	
4/20/2017 2:45	0.000	4/20/2017 2:45	0.097	0.097	
4/20/2017 3:00	0.000	4/20/2017 3:00	0.082	0.082	
4/20/2017 3:15	0.000	4/20/2017 3:15	0.000	0.000	
4/20/2017 3:30	0.000	4/20/2017 3:30	0.000	0.000	
4/20/2017 3:45	0.000	4/20/2017 3:45	0.000	0.000	
4/20/2017 4:00	0.000	4/20/2017 4:00	0.000	0.000	
4/20/2017 4:08	0.000	4/20/2017 4:08	0.000	0.000	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/20/2017 - 4/21/2017 (night shift)

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/20/2017 22:30	0.025	N/A	N/A	N/A	
4/20/2017 22:45	0.051	4/20/2017 22:45	0.018	-0.033	
4/20/2017 23:00	0.104	4/20/2017 23:00	0.033	-0.072	
4/20/2017 23:15	0.036	4/20/2017 23:15	0.050	0.015	
4/20/2017 23:30	0.040	4/20/2017 23:30	0.033	-0.008	
4/20/2017 23:45	0.059	4/20/2017 23:45	0.031	-0.028	
4/21/2017 0:00	0.085	4/21/2017 0:00	0.029	-0.056	
4/21/2017 0:15	0.096	4/21/2017 0:15	0.026	-0.070	
4/21/2017 0:30	0.101	4/21/2017 0:30	0.027	-0.074	
4/21/2017 0:45	0.087	4/21/2017 0:45	0.026	-0.060	
4/21/2017 1:00	0.070	4/21/2017 1:00	0.029	-0.041	
4/21/2017 1:15	0.075	4/21/2017 1:15	0.030	-0.045	
4/21/2017 1:30	0.054	4/21/2017 1:30	0.032	-0.023	
4/21/2017 1:45	0.052	4/21/2017 1:45	0.031	-0.020	
4/21/2017 2:00	0.054	4/21/2017 2:00	0.031	-0.022	
4/21/2017 2:15	0.049	4/21/2017 2:15	0.030	-0.019	
4/21/2017 2:30	0.054	4/21/2017 2:30	0.033	-0.021	
4/21/2017 2:45	0.058	4/21/2017 2:45	0.029	-0.030	
4/21/2017 3:00	0.085	4/21/2017 3:00	0.026	-0.059	
4/21/2017 3:15	0.084	4/21/2017 3:15	0.030	-0.054	
4/21/2017 3:30	0.064	4/21/2017 3:30	0.024	-0.040	
4/21/2017 3:45	0.055	4/21/2017 3:45	0.020	-0.035	
4/21/2017 4:00	0.052	4/21/2017 4:00	0.019	-0.033	
4/21/2017 4:15	0.071	4/21/2017 4:15	0.019	-0.052	
4/21/2017 4:30	0.060	4/21/2017 4:30	0.017	-0.043	
4/21/2017 4:45	0.052	4/21/2017 4:45	0.018	-0.034	
4/21/2017 5:00	0.047	4/21/2017 5:00	0.017	-0.031	
4/21/2017 5:15	0.043	4/21/2017 5:15	0.017	-0.026	
4/21/2017 5:24	0.039	4/21/2017 5:24	0.017	-0.022	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/20/2017 - 4/21/2017 (night shift)

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	4/20/2017 22:45	0.000	0.000	
N/A	N/A	4/20/2017 23:00	0.001	0.001	
N/A	N/A	4/20/2017 23:15	0.036	0.036	
N/A	N/A	4/20/2017 23:30	0.034	0.034	
N/A	N/A	4/20/2017 23:45	0.055	0.055	
N/A	N/A	4/21/2017 0:00	0.074	0.074	
N/A	N/A	4/21/2017 0:15	0.081	0.081	
N/A	N/A	4/21/2017 0:30	0.085	0.085	
N/A	N/A	4/21/2017 0:45	0.094	0.094	
N/A	N/A	4/21/2017 1:00	0.103	0.103	
N/A	N/A	4/21/2017 1:15	0.106	0.106	
N/A	N/A	4/21/2017 1:30	0.106	0.106	
N/A	N/A	4/21/2017 1:45	0.117	0.117	
N/A	N/A	4/21/2017 2:00	0.116	0.116	
N/A	N/A	4/21/2017 2:15	0.111	0.111	
N/A	N/A	4/21/2017 2:30	0.121	0.121	
N/A	N/A	4/21/2017 2:45	0.127	0.127	
N/A	N/A	4/21/2017 3:00	0.116	0.116	
N/A	N/A	4/21/2017 3:15	0.117	0.117	
N/A	N/A	4/21/2017 3:29	0.137	0.137	
N/A	N/A	4/21/2017 3:45	0.138	0.138	
N/A	N/A	4/21/2017 4:00	0.146	0.146	
N/A	N/A	4/21/2017 4:15	0.153	0.153	
N/A	N/A	4/21/2017 4:30	0.150	0.150	
N/A	N/A	4/21/2017 4:45	0.152	0.152	
N/A	N/A	4/21/2017 5:00	0.145	0.145	
N/A	N/A	4/21/2017 5:15	0.146	0.146	
N/A	N/A	4/21/2017 5:19	0.147	0.147	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/24/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
N/A	N/A	4/24/2017 7:30	0.030	0.030	UW Instrument Malfunction
N/A	N/A	4/24/2017 7:45	0.043	0.043	
N/A	N/A	4/24/2017 8:00	0.044	0.044	
N/A	N/A	4/24/2017 8:15	0.043	0.043	
N/A	N/A	4/24/2017 8:30	0.045	0.045	
N/A	N/A	4/24/2017 8:45	0.044	0.044	
N/A	N/A	4/24/2017 9:00	0.044	0.044	
N/A	N/A	4/24/2017 9:15	0.040	0.040	
N/A	N/A	4/24/2017 9:30	0.036	0.036	
N/A	N/A	4/24/2017 9:45	0.031	0.031	
N/A	N/A	4/24/2017 10:00	0.023	0.023	
N/A	N/A	4/24/2017 10:15	0.023	0.023	
N/A	N/A	4/24/2017 10:30	0.026	0.026	
N/A	N/A	4/24/2017 10:45	0.025	0.025	
N/A	N/A	4/24/2017 11:00	0.026	0.026	
N/A	N/A	4/24/2017 11:15	0.012	0.012	
N/A	N/A	4/24/2017 11:30	0.019	0.019	
N/A	N/A	4/24/2017 11:45	0.027	0.027	
N/A	N/A	4/24/2017 11:59	0.037	0.037	
N/A	N/A	4/24/2017 12:15	0.053	0.053	
N/A	N/A	4/24/2017 12:30	0.019	0.019	
N/A	N/A	4/24/2017 12:45	0.028	0.028	
N/A	N/A	4/24/2017 13:00	0.027	0.027	
N/A	N/A	4/24/2017 13:15	0.025	0.025	
N/A	N/A	4/24/2017 13:30	0.041	0.041	
N/A	N/A	4/24/2017 13:45	0.059	0.059	
N/A	N/A	4/24/2017 14:00	0.040	0.040	
N/A	N/A	4/24/2017 14:15	0.024	0.024	
N/A	N/A	4/24/2017 14:30	0.031	0.031	
N/A	N/A	4/24/2017 14:45	0.054	0.054	
N/A	N/A	4/24/2017 15:00	0.108	0.108	
N/A	N/A	4/24/2017 15:15	0.090	0.090	
N/A	N/A	4/24/2017 15:30	0.047	0.047	
N/A	N/A	4/24/2017 15:42	0.043	0.043	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/24/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	4/24/2017 7:30	0.050	0.050	UW Instrument Malfunction
N/A	N/A	4/24/2017 7:45	0.000	0.000	
N/A	N/A	4/24/2017 8:00	0.000	0.000	
N/A	N/A	4/24/2017 8:15	0.000	0.000	
N/A	N/A	4/24/2017 8:30	0.001	0.001	
N/A	N/A	4/24/2017 8:45	0.014	0.014	
N/A	N/A	4/24/2017 9:00	0.033	0.033	
N/A	N/A	4/24/2017 9:15	0.047	0.047	
N/A	N/A	4/24/2017 9:30	0.057	0.057	
N/A	N/A	4/24/2017 9:45	0.062	0.062	
N/A	N/A	4/24/2017 10:00	0.073	0.073	
N/A	N/A	4/24/2017 10:15	0.069	0.069	
N/A	N/A	4/24/2017 10:30	0.070	0.070	
N/A	N/A	4/24/2017 10:45	0.079	0.079	
N/A	N/A	4/24/2017 11:00	0.076	0.076	
N/A	N/A	4/24/2017 11:15	0.070	0.070	
N/A	N/A	4/24/2017 11:30	0.073	0.073	
N/A	N/A	4/24/2017 11:45	0.071	0.071	
N/A	N/A	4/24/2017 11:59	0.096	0.096	
N/A	N/A	4/24/2017 12:15	0.155	0.155	
N/A	N/A	4/24/2017 12:30	0.081	0.081	
N/A	N/A	4/24/2017 12:45	0.101	0.101	
N/A	N/A	4/24/2017 13:00	0.110	0.110	
N/A	N/A	4/24/2017 13:15	0.094	0.094	
N/A	N/A	4/24/2017 13:30	0.081	0.081	
N/A	N/A	4/24/2017 13:45	0.097	0.097	
N/A	N/A	4/24/2017 14:00	0.075	0.075	
N/A	N/A	4/24/2017 14:15	0.065	0.065	
N/A	N/A	4/24/2017 14:30	0.065	0.065	
N/A	N/A	4/24/2017 14:45	0.072	0.072	
N/A	N/A	4/24/2017 15:00	0.109	0.109	
N/A	N/A	4/24/2017 15:15	0.083	0.083	
N/A	N/A	4/24/2017 15:30	0.049	0.049	
N/A	N/A	4/24/2017 15:41	0.052	0.052	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/25/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
N/A	N/A	4/25/2017 6:45	0.015	0.015	UP Equipment Malfunction
N/A	N/A	4/25/2017 7:00	0.034	0.034	
N/A	N/A	4/25/2017 7:15	0.036	0.036	
N/A	N/A	4/25/2017 7:30	0.046	0.046	
N/A	N/A	4/25/2017 7:45	0.046	0.046	
N/A	N/A	4/25/2017 8:00	0.048	0.048	
N/A	N/A	4/25/2017 8:15	0.036	0.036	
N/A	N/A	4/25/2017 8:30	0.033	0.033	
N/A	N/A	4/25/2017 8:41	0.040	0.040	
N/A	N/A	4/25/2017 9:00	0.033	0.033	
N/A	N/A	4/25/2017 9:15	0.032	0.032	
N/A	N/A	4/25/2017 9:30	0.040	0.040	
N/A	N/A	4/25/2017 9:45	0.044	0.044	
N/A	N/A	4/25/2017 10:00	0.037	0.037	
N/A	N/A	4/25/2017 10:15	0.029	0.029	
N/A	N/A	4/25/2017 10:30	0.038	0.038	
N/A	N/A	4/25/2017 10:45	0.058	0.058	
N/A	N/A	4/25/2017 11:00	0.048	0.048	
N/A	N/A	4/25/2017 11:15	0.034	0.034	
N/A	N/A	4/25/2017 11:30	0.028	0.028	
N/A	N/A	4/25/2017 11:45	0.032	0.032	
N/A	N/A	4/25/2017 12:00	0.029	0.029	
N/A	N/A	4/25/2017 12:16	0.028	0.028	
N/A	N/A	4/25/2017 12:30	0.024	0.024	
N/A	N/A	4/25/2017 12:45	0.023	0.023	
N/A	N/A	4/25/2017 13:00	0.044	0.044	
N/A	N/A	4/25/2017 13:15	0.039	0.039	
N/A	N/A	4/25/2017 13:30	0.105	0.105	
N/A	N/A	4/25/2017 13:45	0.068	0.068	
N/A	N/A	4/25/2017 14:00	0.085	0.085	
N/A	N/A	4/25/2017 14:15	0.048	0.048	
N/A	N/A	4/25/2017 14:30	0.052	0.052	
N/A	N/A	4/25/2017 14:45	0.049	0.049	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/25/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	4/25/2017 6:45	1.185	1.185	UP Equipment Malfunction
N/A	N/A	4/25/2017 7:00	1.106	1.106	
N/A	N/A	4/25/2017 7:15	1.502	1.502	
N/A	N/A	4/25/2017 7:30	2.640	2.640	
N/A	N/A	4/25/2017 7:45	3.646	3.646	
N/A	N/A	4/25/2017 8:00	4.775	4.775	
N/A	N/A	4/25/2017 8:15	5.299	**5.299**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 8:30	6.108	**6.108**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 8:41	7.054	**7.054**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 9:00	7.208	**7.208**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 9:15	7.324	**7.324**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 9:30	7.760	**7.760**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 9:45	8.122	**8.122**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 10:00	8.009	**8.009**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 10:15	7.930	**7.930**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 10:30	8.090	**8.090**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 10:45	8.788	**8.788**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 11:00	8.934	**8.934**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 11:15	8.193	**8.193**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 11:15	7.836	**7.836**	Equipment Malfunction - False Reading
N/A	N/A	4/25/2017 11:45	0.000	0.000	Equipment Recalibrated
4/25/2017 12:00	0.000	4/25/2017 12:00	0.000	0.000	
4/25/2017 12:15	0.000	4/25/2017 12:16	0.000	0.000	
4/25/2017 12:30	0.000	4/25/2017 12:30	0.000	0.000	
4/25/2017 12:45	0.000	4/25/2017 12:45	0.000	0.000	
4/25/2017 13:00	0.000	4/25/2017 13:00	0.000	0.000	
4/25/2017 13:15	0.000	4/25/2017 13:15	0.753	0.753	
4/25/2017 13:30	0.000	4/25/2017 13:30	0.322	0.322	
4/25/2017 13:45	0.000	4/25/2017 13:45	0.000	0.000	
4/25/2017 14:00	0.000	4/25/2017 14:00	0.594	0.594	
4/25/2017 14:15	0.000	4/25/2017 14:15	0.000	0.000	
4/25/2017 14:30	0.000	4/25/2017 14:30	0.123	0.123	
4/25/2017 14:45	0.000	4/25/2017 14:45	0.745	0.745	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/26/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/26/2017 8:00	N/A	4/26/2017 8:00	0.007	0.007	
4/26/2017 8:15	N/A	4/26/2017 8:15	0.011	0.011	
4/26/2017 8:30	N/A	4/26/2017 8:30	0.006	0.006	
4/26/2017 8:45	N/A	4/26/2017 8:45	0.009	0.009	
4/26/2017 9:00	N/A	4/26/2017 9:00	0.025	0.025	
4/26/2017 9:15	N/A	4/26/2017 9:15	0.008	0.008	
4/26/2017 9:30	N/A	4/26/2017 9:30	0.012	0.012	
4/26/2017 9:45	N/A	4/26/2017 9:45	0.009	0.009	
4/26/2017 10:00	N/A	4/26/2017 10:00	0.027	0.027	
4/26/2017 10:15	N/A	4/26/2017 10:15	0.029	0.029	
4/26/2017 10:30	N/A	4/26/2017 10:30	0.035	0.035	
4/26/2017 10:45	N/A	4/26/2017 10:45	0.062	0.062	
4/26/2017 11:00	N/A	4/26/2017 11:00	0.082	0.082	
4/26/2017 11:15	N/A	4/26/2017 11:15	0.037	0.037	
4/26/2017 11:30	N/A	4/26/2017 11:30	0.047	0.047	
4/26/2017 11:45	N/A	4/26/2017 11:45	0.033	0.033	
4/26/2017 12:00	N/A	4/26/2017 12:00	0.020	0.020	
4/26/2017 12:15	N/A	4/26/2017 12:15	0.015	0.015	
4/26/2017 12:30	N/A	4/26/2017 12:30	0.013	0.013	
4/26/2017 12:45	N/A	4/26/2017 12:45	0.014	0.014	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/26/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/26/2017 8:00	N/A	4/26/2017 8:00	0.000	0.000	
4/26/2017 8:15	0.000	4/26/2017 8:15	0.000	0.000	
4/26/2017 8:30	0.000	4/26/2017 8:30	0.000	0.000	
4/26/2017 8:45	0.000	4/26/2017 8:45	0.000	0.000	
4/26/2017 9:00	0.000	4/26/2017 9:00	0.000	0.000	
4/26/2017 9:15	0.000	4/26/2017 9:15	0.000	0.000	
4/26/2017 9:30	0.000	4/26/2017 9:30	0.000	0.000	
4/26/2017 9:45	0.000	4/26/2017 9:45	0.000	0.000	
4/26/2017 10:00	0.000	4/26/2017 10:00	0.000	0.000	
4/26/2017 10:15	0.000	4/26/2017 10:15	0.000	0.000	
4/26/2017 10:30	0.000	4/26/2017 10:30	0.000	0.000	
4/26/2017 10:45	0.000	4/26/2017 10:45	0.000	0.000	
4/26/2017 11:00	0.000	4/26/2017 11:00	0.000	0.000	
4/26/2017 11:15	0.000	4/26/2017 11:15	0.000	0.000	
4/26/2017 11:30	0.000	4/26/2017 11:30	0.000	0.000	
4/26/2017 11:45	0.000	4/26/2017 11:45	0.000	0.000	
4/26/2017 12:00	0.000	4/26/2017 12:00	0.000	0.000	
4/26/2017 12:15	0.000	4/26/2017 12:15	0.000	0.000	
4/26/2017 12:30	0.000	4/26/2017 12:30	0.000	0.000	
4/26/2017 12:45	0.000	4/26/2017 12:45	0.000	0.000	
4/26/2017 13:00	0.000	N/A	N/A	N/A	
4/26/2017 13:15	0.000	N/A	N/A	N/A	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/27/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
N/A	N/A	4/27/2017 8:30	0	0	
4/27/2017 8:45	N/A	4/27/2017 8:45	0.105	0.105	
4/27/2017 9:00	N/A	4/27/2017 9:00	0.069	0.069	
4/27/2017 9:15	N/A	4/27/2017 9:15	0.073	0.073	
4/27/2017 9:30	N/A	4/27/2017 9:30	0.084	0.084	
4/27/2017 9:45	N/A	4/27/2017 9:45	0.101	0.101	
4/27/2017 10:00	N/A	4/27/2017 10:00	0.106	0.106	
4/27/2017 10:15	N/A	4/27/2017 10:15	0.098	0.098	
4/27/2017 10:30	N/A	4/27/2017 10:30	0.097	0.097	
4/27/2017 10:45	N/A	4/27/2017 10:45	0.093	0.093	
4/27/2017 11:00	N/A	4/27/2017 11:00	0.107	0.107	
4/27/2017 11:15	N/A	4/27/2017 11:15	0.085	0.085	
4/27/2017 11:30	N/A	4/27/2017 11:30	0.17	0.17	
4/27/2017 11:45	N/A	4/27/2017 11:45	0.06	0.06	
4/27/2017 12:00	N/A	4/27/2017 12:00	0.068	0.068	
4/27/2017 12:15	N/A	4/27/2017 12:15	0.201	**0.201**	
4/27/2017 12:30	N/A	4/27/2017 12:30	0.35	0.35	
4/27/2017 12:45	N/A	4/27/2017 12:45	0.146	0.146	
4/27/2017 13:00	N/A	4/27/2017 13:00	0.088	0.088	
4/27/2017 13:15	N/A	4/27/2017 13:15	0.225	**0.225**	
4/27/2017 13:30	N/A	4/27/2017 13:30	0.06	0.06	
4/27/2017 13:45	N/A	4/27/2017 13:45	0.19	0.19	
4/27/2017 14:00	N/A	4/27/2017 14:00	0.117	0.117	
4/27/2017 14:15	N/A	4/27/2017 14:15	0.119	0.119	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/27/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	4/27/2017 8:30	0.199	0.199	
4/27/2017 8:45	0	4/27/2017 8:45	0	0	
4/27/2017 9:00	0	4/27/2017 9:00	0	0	
4/27/2017 9:15	0	4/27/2017 9:15	0	0	
4/27/2017 9:30	0	4/27/2017 9:30	0	0	
4/27/2017 9:45	0	4/27/2017 9:45	0	0	
4/27/2017 10:00	0	4/27/2017 10:00	0	0	
4/27/2017 10:15	0	4/27/2017 10:15	0	0	
4/27/2017 10:30	0	4/27/2017 10:30	0	0	
4/27/2017 10:45	0	4/27/2017 10:45	0	0	
4/27/2017 11:00	0	4/27/2017 11:00	0	0	
4/27/2017 11:15	0	4/27/2017 11:15	0	0	
4/27/2017 11:30	0	4/27/2017 11:30	0	0	
4/27/2017 11:45	0	4/27/2017 11:45	0	0	
4/27/2017 12:00	0	4/27/2017 12:00	0	0	
4/27/2017 12:15	0	4/27/2017 12:15	0	0	
4/27/2017 12:30	0	4/27/2017 12:30	1.232	1.232	
4/27/2017 12:45	0	4/27/2017 12:45	0	0	
4/27/2017 13:00	0	4/27/2017 13:00	0	0	
4/27/2017 13:15	0	4/27/2017 13:15	0	0	
4/27/2017 13:30	0	4/27/2017 13:30	0	0	
4/27/2017 13:45	0	4/27/2017 13:45	0	0	
4/27/2017 14:00	0	4/27/2017 14:00	0	0	
4/27/2017 14:15	0	4/27/2017 14:15	0	0	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/28/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/28/2017 8:00	N/A	N/A	N/A	N/A	
4/28/2017 8:15	N/A	N/A	N/A	N/A	
4/28/2017 8:30	N/A	N/A	N/A	N/A	
4/28/2017 8:45	N/A	N/A	N/A	N/A	
4/28/2017 9:00	N/A	4/28/2017 9:00	0.08	0.08	
4/28/2017 9:15	N/A	4/28/2017 9:15	0.084	0.084	
4/28/2017 9:30	N/A	4/28/2017 9:30	0.103	0.103	
4/28/2017 9:45	N/A	4/28/2017 9:45	0.121	0.121	
4/28/2017 10:00	N/A	4/28/2017 10:00	0.179	**0.179**	
4/28/2017 10:15	N/A	4/28/2017 10:15	0.112	0.112	
4/28/2017 10:30	N/A	4/28/2017 10:30	0.133	0.133	
4/28/2017 10:45	N/A	4/28/2017 10:45	0.111	0.111	
4/28/2017 11:00	N/A	4/28/2017 11:00	0.107	0.107	
4/28/2017 11:15	N/A	4/28/2017 11:15	0.093	0.093	
4/28/2017 11:30	N/A	4/28/2017 11:30	0.196	**0.196**	
4/28/2017 11:45	N/A	4/28/2017 11:45	0.341	**0.341**	
4/28/2017 12:00	N/A	4/28/2017 12:00	0.137	0.137	
4/28/2017 12:15	N/A	4/28/2017 12:15	0.118	0.118	
4/28/2017 12:30	N/A	4/28/2017 12:30	0.128	0.128	
4/28/2017 12:45	N/A	4/28/2017 12:45	0.127	0.127	
4/28/2017 13:00	N/A	4/28/2017 13:00	0.122	0.122	

Roux Associates
Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/28/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/28/2017 8:00	4.699	N/A	N/A	N/A	
4/28/2017 8:15	0	N/A	N/A	N/A	
4/28/2017 8:30	0	N/A	N/A	N/A	
4/28/2017 8:45	0	N/A	N/A	N/A	
4/28/2017 9:00	0	4/28/2017 9:00	0	0	
4/28/2017 9:15	0	4/28/2017 9:15	0	0	
4/28/2017 9:30	0	4/28/2017 9:30	0	0	
4/28/2017 9:45	0	4/28/2017 9:45	0	0	
4/28/2017 10:00	0	4/28/2017 10:00	0	0	
4/28/2017 10:15	0	4/28/2017 10:15	0	0	
4/28/2017 10:30	1.456	4/28/2017 10:30	0	-1.456	
4/28/2017 10:45	2.181	4/28/2017 10:45	0	-2.181	
4/28/2017 11:00	1.529	4/28/2017 11:00	2.001	0.472	
4/28/2017 11:15	1.215	4/28/2017 11:15	0.272	-0.943	
4/28/2017 11:30	0	4/28/2017 11:30	0	0	
4/28/2017 11:45	0	4/28/2017 11:45	0	0	
4/28/2017 12:00	0	4/28/2017 12:00	0	0	
4/28/2017 12:15	0	4/28/2017 12:15	0	0	
4/28/2017 12:30	0	4/28/2017 12:30	0	0	
4/28/2017 12:45	0	4/28/2017 12:45	0	0	
4/28/2017 13:00	0	4/28/2017 13:00	0	0	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/1/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Mass	Time	Mass	Time	mg/m3	
N/A	5/1/2017 15:00	0.001	5/1/2017 15:00	0.001	
N/A	5/1/2017 14:45	0.001	5/1/2017 14:45	0.001	
N/A	5/1/2017 14:30	0.001	5/1/2017 14:30	0.001	
N/A	5/1/2017 14:15	0.001	5/1/2017 14:15	0.001	
N/A	5/1/2017 14:00	0.001	5/1/2017 14:00	0.001	
N/A	5/1/2017 13:45	0.000	5/1/2017 13:45	0.000	
N/A	5/1/2017 13:30	0.110	5/1/2017 13:30	0.110	
N/A	5/1/2017 13:15	0.055	5/1/2017 13:15	0.055	
N/A	5/1/2017 13:00	0.041	5/1/2017 13:00	0.041	
N/A	5/1/2017 12:45	0.031	5/1/2017 12:45	0.031	
N/A	5/1/2017 12:30	0.036	5/1/2017 12:30	0.036	
N/A	5/1/2017 12:15	0.032	5/1/2017 12:15	0.032	
N/A	5/1/2017 12:00	0.027	5/1/2017 12:00	0.027	
N/A	5/1/2017 11:45	0.031	5/1/2017 11:45	0.031	
N/A	5/1/2017 11:30	0.022	5/1/2017 11:30	0.022	
N/A	5/1/2017 11:15	0.026	5/1/2017 11:15	0.026	
N/A	5/1/2017 11:00	0.073	5/1/2017 11:00	0.073	
N/A	5/1/2017 10:45	0.039	5/1/2017 10:45	0.039	
N/A	5/1/2017 10:30	0.078	5/1/2017 10:30	0.078	
N/A	5/1/2017 10:15	0.066	5/1/2017 10:15	0.066	
N/A	5/1/2017 10:00	0.056	5/1/2017 10:00	0.056	
N/A	5/1/2017 9:45	0.099	5/1/2017 9:45	0.099	
N/A	5/1/2017 9:30	0.055	5/1/2017 9:30	0.055	
N/A	5/1/2017 9:15	0.055	5/1/2017 9:15	0.055	
N/A	5/1/2017 9:00	0.026	5/1/2017 9:00	0.026	
N/A	5/1/2017 8:45	0.031	5/1/2017 8:45	0.031	
N/A	5/1/2017 8:30	0.034	5/1/2017 8:30	0.034	
N/A	5/1/2017 8:15	0.048	5/1/2017 8:15	0.048	
N/A	5/1/2017 8:00	0.012	5/1/2017 8:00	0.012	

Community Air Monitoring Program, VOCs (PID)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/1/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
5/1/2017 15:00	0.000	5/1/2017 15:00	0.182	0.182	
5/1/2017 14:45	0.000	5/1/2017 14:45	0.132	0.132	
5/1/2017 14:30	0.000	5/1/2017 14:30	0.160	0.160	
5/1/2017 14:15	0.000	5/1/2017 14:15	0.096	0.096	
5/1/2017 14:00	0.000	5/1/2017 14:00	0.252	0.252	
5/1/2017 13:45	0.000	5/1/2017 13:45	0.152	0.152	
5/1/2017 13:30	0.000	5/1/2017 13:30	0.085	0.085	
5/1/2017 13:15	0.000	5/1/2017 13:15	0.089	0.089	
5/1/2017 13:00	0.000	5/1/2017 13:00	1.230	1.230	
5/1/2017 12:45	0.000	5/1/2017 12:45	0.075	0.075	
5/1/2017 12:30	0.000	5/1/2017 12:30	0.079	0.079	
5/1/2017 12:15	0.000	5/1/2017 12:15	0.085	0.085	
5/1/2017 12:00	0.000	5/1/2017 12:00	0.094	0.094	
5/1/2017 11:45	0.000	5/1/2017 11:45	0.112	0.112	
5/1/2017 11:30	0.000	5/1/2017 11:30	0.102	0.102	
5/1/2017 11:15	0.000	5/1/2017 11:15	0.149	0.149	
5/1/2017 11:00	0.000	5/1/2017 11:00	0.152	0.152	
5/1/2017 10:45	0.000	5/1/2017 10:45	0.187	0.187	
5/1/2017 10:30	0.000	5/1/2017 10:30	0.236	0.236	
5/1/2017 10:15	0.000	5/1/2017 10:15	0.152	0.152	
5/1/2017 10:00	0.000	5/1/2017 10:00	0.141	0.141	
5/1/2017 9:45	0.000	5/1/2017 9:45	0.199	0.199	
5/1/2017 9:30	0.000	5/1/2017 9:30	0.139	0.139	
5/1/2017 9:15	0.000	5/1/2017 9:15	0.097	0.097	
5/1/2017 9:00	0.000	5/1/2017 9:00	0.241	0.241	
5/1/2017 8:45	0.000	5/1/2017 8:45	0.044	0.044	
5/1/2017 8:30	0.000	5/1/2017 8:30	0.000	0.000	
5/1/2017 8:15	0.000	5/1/2017 8:15	0.000	0.000	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/2/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Mass	Time	Mass	Time	mg/m3	
N/A	5/2/2017 8:15	N/A	N/A	N/A	
N/A	5/2/2017 8:30	N/A	N/A	N/A	
N/A	5/2/2017 8:45	N/A	N/A	N/A	
N/A	5/2/2017 9:00	N/A	N/A	N/A	
N/A	5/2/2017 9:15	N/A	N/A	N/A	
N/A	5/2/2017 9:30	N/A	N/A	N/A	
N/A	5/2/2017 9:45	N/A	N/A	N/A	
N/A	5/2/2017 10:00	N/A	N/A	N/A	
N/A	5/2/2017 10:15	N/A	N/A	N/A	
N/A	5/2/2017 10:30	N/A	N/A	N/A	
N/A	5/2/2017 10:45	N/A	N/A	N/A	
N/A	5/2/2017 11:00	N/A	N/A	N/A	
N/A	5/2/2017 11:15	N/A	N/A	N/A	
N/A	5/2/2017 11:30	N/A	N/A	N/A	
N/A	5/2/2017 11:45	0.013	5/2/2017 11:45	0.013	
N/A	5/2/2017 12:00	0.012	5/2/2017 12:00	0.012	
N/A	5/2/2017 12:15	0.07	5/2/2017 12:15	0.07	
N/A	5/2/2017 12:30	0.056	5/2/2017 12:30	0.056	
N/A	5/2/2017 12:45	0.012	5/2/2017 12:45	0.012	
N/A	5/2/2017 13:00	0.014	5/2/2017 13:00	0.014	
N/A	5/2/2017 13:15	0.095	5/2/2017 13:15	0.095	
N/A	5/2/2017 13:30	0.018	5/2/2017 13:30	0.018	
N/A	5/2/2017 13:45	0.115	5/2/2017 13:45	0.115	
N/A	5/2/2017 14:00	0.018	5/2/2017 14:00	0.018	
N/A	5/2/2017 14:15	0.018	5/2/2017 14:15	0.018	
N/A	N/A	0.202	5/2/2017 14:30	**0.202**	

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/2/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
5/2/2017 8:15	0.000	N/A	N/A	N/A	
5/2/2017 8:30	0.122	N/A	N/A	N/A	
5/2/2017 8:45	0.388	N/A	N/A	N/A	
5/2/2017 9:00	0.126	N/A	N/A	N/A	
5/2/2017 9:15	0.140	N/A	N/A	N/A	
5/2/2017 9:30	0.197	N/A	N/A	N/A	
5/2/2017 9:45	0.130	N/A	N/A	N/A	
5/2/2017 10:00	0.174	N/A	N/A	N/A	
5/2/2017 10:15	0.153	N/A	N/A	N/A	
5/2/2017 10:30	0.128	N/A	N/A	N/A	
5/2/2017 10:45	0.135	N/A	N/A	N/A	
5/2/2017 11:00	0.087	N/A	N/A	N/A	
5/2/2017 11:15	0.248	N/A	N/A	N/A	
5/2/2017 11:30	0.081	N/A	N/A	N/A	
5/2/2017 11:45	0.128	5/2/2017 11:45	0.000	-0.128	
5/2/2017 12:00	0.027	5/2/2017 12:00	0.000	-0.027	
5/2/2017 12:15	0.053	5/2/2017 12:15	0.000	-0.053	
5/2/2017 12:30	0.005	5/2/2017 12:30	0.000	-0.005	
5/2/2017 12:45	0.029	5/2/2017 12:45	0.000	-0.029	
5/2/2017 13:00	0.000	5/2/2017 13:00	0.000	0.000	
5/2/2017 13:15	0.000	5/2/2017 13:15	0.000	0.000	
5/2/2017 13:30	0.000	5/2/2017 13:30	0.000	0.000	
5/2/2017 13:45	0.005	5/2/2017 13:45	0.000	-0.005	
5/2/2017 14:00	0.011	5/2/2017 14:00	0.000	-0.011	
5/2/2017 14:15	0.010	5/2/2017 14:15	0.000	-0.010	
N/A	N/A	5/2/2017 14:30	0.000	0.000	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/3/2017

Upwind	Modem: 024968	Downwind	Modem: 02470	Downwind Correction	Comments
Mass	Time	Mass	Time	mg/m3	
N/A	N/A	0.008	5/3/2017 8:15	0.008	
N/A	5/3/2017 8:30	0.009	5/3/2017 8:30	0.009	
N/A	5/3/2017 8:45	0.016	5/3/2017 8:45	0.016	
N/A	5/3/2017 9:00	0.018	5/3/2017 9:00	0.018	
N/A	5/3/2017 9:15	0.010	5/3/2017 9:15	0.010	
N/A	5/3/2017 9:30	0.009	5/3/2017 9:30	0.009	
N/A	5/3/2017 9:45	0.006	5/3/2017 9:45	0.006	
N/A	5/3/2017 10:00	0.006	5/3/2017 10:00	0.006	
N/A	5/3/2017 10:15	0.011	5/3/2017 10:15	0.011	
N/A	5/3/2017 10:30	0.008	5/3/2017 10:30	0.008	
N/A	5/3/2017 10:45	0.005	5/3/2017 10:45	0.005	
N/A	5/3/2017 11:00	0.014	5/3/2017 11:00	0.014	
N/A	5/3/2017 11:15	0.003	5/3/2017 11:15	0.003	
N/A	5/3/2017 11:30	0.015	5/3/2017 11:30	0.015	
N/A	5/3/2017 11:45	0.010	5/3/2017 11:45	0.010	
N/A	5/3/2017 12:00	0.003	5/3/2017 12:00	0.003	
N/A	5/3/2017 12:15	0.002	5/3/2017 12:15	0.002	
N/A	5/3/2017 12:30	0.002	5/3/2017 12:30	0.002	
N/A	5/3/2017 12:45	0.003	5/3/2017 12:45	0.003	
N/A	5/3/2017 13:00	0.005	5/3/2017 13:00	0.005	
N/A	5/3/2017 13:15	0.005	5/3/2017 13:15	0.005	
N/A	5/3/2017 13:30	0.003	5/3/2017 13:30	0.003	
N/A	5/3/2017 13:45	0.004	5/3/2017 13:45	0.004	
N/A	5/3/2017 14:00	0.011	5/3/2017 14:00	0.011	
N/A	5/3/2017 14:15	0.007	5/3/2017 14:15	0.007	
N/A	5/3/2017 14:30	0.002	5/3/2017 14:30	0.002	
N/A	5/3/2017 14:45	0.024	5/3/2017 14:45	0.024	
N/A	5/3/2017 15:00	0.010	5/3/2017 15:00	0.010	
N/A	5/3/2017 15:15	0.010	5/3/2017 15:15	0.010	
N/A	5/3/2017 15:30	0.007	5/3/2017 15:30	0.007	
N/A	5/3/2017 15:45	0.009	5/3/2017 15:45	0.009	

Roux Associates
Community Air Monitoring Program, Dust Track (PM-10)
PM: Chris Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/3/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	0.000	5/3/2017 8:15	0.000	0.000	
5/3/2017 8:30	0.225	5/3/2017 8:30	0.000	-0.225	
5/3/2017 8:45	0.223	5/3/2017 8:45	0.000	-0.223	
5/3/2017 9:00	0.190	5/3/2017 9:00	0.000	-0.190	
5/3/2017 9:15	0.173	5/3/2017 9:15	0.000	-0.173	
5/3/2017 9:30	0.249	5/3/2017 9:30	0.000	-0.249	
5/3/2017 9:45	0.239	5/3/2017 9:45	0.000	-0.239	
5/3/2017 10:00	0.257	5/3/2017 10:00	0.000	-0.257	
5/3/2017 10:15	0.259	5/3/2017 10:15	0.000	-0.259	
5/3/2017 10:30	0.245	5/3/2017 10:30	0.000	-0.245	
5/3/2017 10:45	0.246	5/3/2017 10:45	0.000	-0.246	
5/3/2017 11:00	0.323	5/3/2017 11:00	0.000	-0.323	
5/3/2017 11:15	0.313	5/3/2017 11:15	0.000	-0.313	
5/3/2017 11:30	0.414	5/3/2017 11:30	0.000	-0.414	
5/3/2017 11:45	0.330	5/3/2017 11:45	0.000	-0.330	
5/3/2017 12:00	0.181	5/3/2017 12:00	0.000	-0.181	
5/3/2017 12:15	0.137	5/3/2017 12:15	0.000	-0.137	
5/3/2017 12:30	0.110	5/3/2017 12:30	0.000	-0.110	
5/3/2017 12:45	0.102	5/3/2017 12:45	0.000	-0.102	
5/3/2017 13:00	0.080	5/3/2017 13:00	0.000	-0.080	
5/3/2017 13:15	0.093	5/3/2017 13:15	0.000	-0.093	
5/3/2017 13:30	0.126	5/3/2017 13:30	0.000	-0.126	
5/3/2017 13:45	0.208	5/3/2017 13:45	0.000	-0.208	
5/3/2017 14:00	0.197	5/3/2017 14:00	0.000	-0.197	
5/3/2017 14:15	0.267	5/3/2017 14:15	0.000	-0.267	
5/3/2017 14:30	0.352	5/3/2017 14:30	0.000	-0.352	
5/3/2017 14:45	0.360	5/3/2017 14:45	0.000	-0.360	
5/3/2017 15:00	0.319	5/3/2017 15:00	0.000	-0.319	
5/3/2017 15:15	0.246	5/3/2017 15:15	0.000	-0.246	
5/3/2017 15:30	0.342	5/3/2017 15:30	0.000	-0.342	
5/3/2017 15:45	0.657	5/3/2017 15:45	0.000	-0.657	


DOWNWIND CAMP MONITORING STATION
FUTURE 24 HOUR FITNESS POOL AND SPA AREA
UPWIND CAMP MONITORING STATION
Pelham Pkwy
Country Kitchen
GameStop
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Mitchell's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 6/20/2017

Modem: 30924	Upwind	Modem: 31820	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
6/20/2017 8:15	0.000	6/20/2017 8:15	0.000	0.000	
6/20/2017 8:30	0.000	6/20/2017 8:30	0.000	0.000	
6/20/2017 8:45	0.000	6/20/2017 8:45	0.000	0.000	
6/20/2017 9:00	0.001	6/20/2017 9:00	0.000	-0.001	
6/20/2017 9:15	0.001	6/20/2017 9:15	0.011	0.010	
6/20/2017 9:30	0.000	6/20/2017 9:30	0.019	0.019	
6/20/2017 9:45	0.003	6/20/2017 9:45	0.028	0.025	
6/20/2017 10:00	0.003	6/20/2017 10:00	0.039	0.036	
6/20/2017 10:15	0.003	6/20/2017 10:15	0.051	0.048	
6/20/2017 10:30	0.004	6/20/2017 10:30	0.063	0.059	
6/20/2017 10:45	0.004	6/20/2017 10:45	0.075	0.071	
6/20/2017 11:00	0.005	6/20/2017 11:00	0.085	0.080	
6/20/2017 11:15	0.005	6/20/2017 11:15	0.095	0.090	
6/20/2017 11:30	0.005	6/20/2017 11:30	0.105	0.100	
6/20/2017 11:45	0.005	6/20/2017 11:45	0.115	0.110	
6/20/2017 12:00	0.005	6/20/2017 12:00	0.124	0.119	
6/20/2017 12:15	0.006	6/20/2017 12:15	0.134	0.128	
6/20/2017 12:30	0.006	6/20/2017 12:30	0.144	0.138	
6/20/2017 12:45	0.006	6/20/2017 12:45	0.153	0.147	
6/20/2017 13:00	0.007	6/20/2017 13:00	0.162	0.155	
6/20/2017 13:15	0.007	6/20/2017 13:15	0.170	0.163	
6/20/2017 13:30	0.007	6/20/2017 13:30	0.178	0.171	
6/20/2017 13:45	0.007	6/20/2017 13:45	0.186	0.179	
6/20/2017 14:00	0.008	6/20/2017 14:00	0.194	0.186	
6/20/2017 14:15	0.008	6/20/2017 14:15	0.201	0.193	
6/20/2017 14:30	0.009	6/20/2017 14:30	0.207	0.198	
6/20/2017 14:45	0.009	6/20/2017 14:45	0.214	0.205	
6/20/2017 15:00	0.009	6/20/2017 15:00	0.220	0.211	
6/20/2017 15:15	0.009	6/20/2017 15:15	0.226	0.217	
6/20/2017 15:30	0.009	6/20/2017 15:30	0.232	0.223	
6/20/2017 15:45	0.009	6/20/2017 15:45	0.237	0.228	
6/20/2017 16:00	0.009	6/20/2017 16:00	0.243	0.234	
6/20/2017 16:15	0.009	6/20/2017 16:15	0.248	0.239	
6/20/2017 16:30	0.010	6/20/2017 16:30	0.252	0.242	
6/20/2017 16:45	0.010	6/20/2017 16:45	0.257	0.247	
		6/20/2017 17:00	0.262	0.262	

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 6/20/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	mg/m3	Time	mg/m3	mg/m3	
6/20/2017 8:15	0.000	6/20/2017 8:15	0.000	0.000	
6/20/2017 8:30	0.000	6/20/2017 8:30	0.000	0.000	
6/20/2017 8:45	0.000	6/20/2017 8:45	0.001	0.001	
6/20/2017 9:00	0.000	6/20/2017 9:00	0.002	0.002	
6/20/2017 9:15	0.000	6/20/2017 9:15	0.003	0.003	
6/20/2017 9:30	3.146	6/20/2017 9:30	0.003	-3.143	
6/20/2017 9:45	3.159	6/20/2017 9:45	0.004	-3.155	
6/20/2017 10:00	3.515	6/20/2017 10:00	0.004	-3.511	
6/20/2017 10:15	3.905	6/20/2017 10:15	0.005	-3.900	
6/20/2017 10:30	3.948	6/20/2017 10:30	0.006	-3.942	
6/20/2017 10:45	4.071	6/20/2017 10:45	0.006	-4.065	
6/20/2017 11:00	3.815	6/20/2017 11:00	0.006	-3.809	
6/20/2017 11:15	4.057	6/20/2017 11:15	0.007	-4.050	
6/20/2017 11:30	4.253	6/20/2017 11:30	0.007	-4.246	
6/20/2017 11:45	4.409	6/20/2017 11:45	0.007	-4.402	
6/20/2017 12:00	4.864	6/20/2017 12:00	0.007	-4.857	
6/20/2017 12:15	4.613	6/20/2017 12:15	0.008	-4.605	
6/20/2017 12:30	4.369	6/20/2017 12:30	0.008	-4.361	
6/20/2017 12:45	4.322	6/20/2017 12:45	0.009	-4.313	
6/20/2017 13:00	4.320	6/20/2017 13:00	0.009	-4.311	
6/20/2017 13:15	4.015	6/20/2017 13:15	0.010	-4.005	
6/20/2017 13:30	3.780	6/20/2017 13:30	0.010	-3.770	
6/20/2017 13:45	3.908	6/20/2017 13:45	0.010	-3.898	
6/20/2017 14:00	3.712	6/20/2017 14:00	0.011	-3.701	
6/20/2017 14:15	3.501	6/20/2017 14:15	0.011	-3.490	
6/20/2017 14:30	3.488	6/20/2017 14:30	0.012	-3.476	
6/20/2017 14:45	4.283	6/20/2017 14:45	0.012	-4.271	
6/20/2017 15:00	3.276	6/20/2017 15:00	0.013	-3.263	
6/20/2017 15:15	3.514	6/20/2017 15:15	0.013	-3.501	
6/20/2017 15:30	3.314	6/20/2017 15:30	0.013	-3.301	
6/20/2017 15:45	3.374	6/20/2017 15:45	0.014	-3.360	
6/20/2017 16:00	3.591	6/20/2017 16:00	0.014	-3.577	
6/20/2017 16:15	3.300	6/20/2017 16:15	0.014	-3.286	
6/20/2017 16:30	2.857	6/20/2017 16:30	0.014	-2.843	
6/20/2017 16:45	2.860	6/20/2017 16:45	0.014	-2.846	
		6/20/2017 17:00	0.014	0.014	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Google
Citibank
Pelham Manor
Car Wash & Lube
Shell
Boston Post Rd

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 6/21/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	mg/m3	Time	mg/m3	mg/m3	
6/21/2017 6:45	2.451	6/21/2017 6:45	0.000	-2.451	
6/21/2017 7:00	1.539	6/21/2017 7:00	0.001	-1.538	
6/21/2017 7:15	2.653	6/21/2017 7:15	0.002	-2.651	
6/21/2017 7:30	0.000	6/21/2017 7:30	0.002	0.002	
6/21/2017 7:45	3.430	6/21/2017 7:45	0.003	-3.427	
6/21/2017 8:00	2.815	6/21/2017 8:00	0.003	-2.812	
6/21/2017 9:15	4.330	6/21/2017 9:15	0.000	-4.330	
6/21/2017 9:30	7.484	6/21/2017 9:30	0.000	-7.484	
6/21/2017 9:45	9.088	6/21/2017 9:45	0.001	-9.087	
6/21/2017 10:00	8.781	6/21/2017 10:00	0.001	-8.780	
6/21/2017 10:15	7.213	6/21/2017 10:15	0.001	-7.212	
6/21/2017 10:30	8.663	6/21/2017 10:30	0.002	-8.661	
6/21/2017 10:45	7.098	6/21/2017 10:45	0.002	-7.096	
6/21/2017 11:00	8.751	6/21/2017 11:00	0.002	-8.749	
6/21/2017 11:15	7.911	6/21/2017 11:15	0.003	-7.908	
6/21/2017 11:30	7.664	6/21/2017 11:30	0.003	-7.661	
6/21/2017 11:45	6.761	6/21/2017 11:45	0.003	-6.758	
6/21/2017 12:00	7.023	6/21/2017 12:00	0.004	-7.019	
6/21/2017 12:15	6.605	6/21/2017 12:15	0.004	-6.601	
6/21/2017 12:30	6.911	6/21/2017 12:30	0.005	-6.906	
6/21/2017 12:45	6.900	6/21/2017 12:45	0.005	-6.895	
6/21/2017 13:00	6.933	6/21/2017 13:00	0.005	-6.928	
6/21/2017 13:15	7.232	6/21/2017 13:15	0.006	-7.226	
6/21/2017 13:30	6.187	6/21/2017 13:30	0.006	-6.181	
6/21/2017 13:45	5.096	6/21/2017 13:45	0.006	-5.090	
6/21/2017 14:00	3.876	6/21/2017 14:00	0.007	-3.869	
6/21/2017 14:15	5.133	6/21/2017 14:15	0.007	-5.126	
		6/21/2017 14:30	0.008	0.008	
		6/21/2017 14:45	0.008	0.008	
		6/21/2017 15:00	0.009	0.009	
		6/21/2017 15:15	0.010	0.010	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 6/21/2017

Modem: 30924	Upwind	Modem: 31820	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
6/21/2017 6:45	0.000	6/21/2017 6:45	0.096	0.096	
6/21/2017 7:00	0.001	6/21/2017 7:00	0.103	0.102	
6/21/2017 7:15	0.002	6/21/2017 7:15	0.110	0.108	
6/21/2017 7:30	0.003	6/21/2017 7:30	0.118	0.115	
6/21/2017 7:45	0.003	6/21/2017 7:45	0.126	0.123	
6/21/2017 8:00	0.003	6/21/2017 8:00	0.134	0.131	
6/21/2017 9:15	0.000	6/21/2017 9:15	0.013	0.013	
6/21/2017 9:30	0.001	6/21/2017 9:30	0.013	0.012	
6/21/2017 9:45	0.002	6/21/2017 9:45	0.024	0.022	
6/21/2017 10:00	0.003	6/21/2017 10:00	0.036	0.033	
6/21/2017 10:15	0.004	6/21/2017 10:15	0.047	0.043	
6/21/2017 10:30	0.005	6/21/2017 10:30	0.056	0.051	
6/21/2017 10:45	0.005	6/21/2017 10:45	0.066	0.061	
6/21/2017 11:00	0.006	6/21/2017 11:00	0.078	0.072	
6/21/2017 11:15	0.006	6/21/2017 11:15	0.086	0.080	
6/21/2017 11:30	0.007	6/21/2017 11:30	0.095	0.088	
6/21/2017 11:45	0.007	6/21/2017 11:45	0.102	0.095	
6/21/2017 12:00	0.008	6/21/2017 12:00	0.110	0.102	
6/21/2017 12:15	0.009	6/21/2017 12:15	0.118	0.109	
6/21/2017 12:30	0.011	6/21/2017 12:30	0.125	0.114	
6/21/2017 12:45	0.014	6/21/2017 12:45	0.132	0.118	
6/21/2017 13:00	0.018	6/21/2017 13:00	0.138	0.120	
6/21/2017 13:15	0.021	6/21/2017 13:15	0.145	0.124	
6/21/2017 13:30	0.025	6/21/2017 13:30	0.152	0.127	
6/21/2017 13:45	0.027	6/21/2017 13:45	0.160	0.133	
6/21/2017 14:00	0.028	6/21/2017 14:00	0.167	0.139	
6/21/2017 14:15	0.030	6/21/2017 14:15	0.174	0.144	
		6/21/2017 14:30	0.180	0.180	
		6/21/2017 14:45	0.187	0.187	
		6/21/2017 15:00	0.194	0.194	
		6/21/2017 15:15	0.199	0.199	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 6/26/2017

Modem: 30924	Upwind	Modem: 31820	Downwind	Downwind Corrected Concentration	Comments
Time	mg/m3	Time	mg/m3	mg/m3	
		6/26/2017 7:45	0.000	0.000	
6/26/2017 8:00	0.000	6/26/2017 8:00	0.000	0.000	
6/26/2017 8:15	0.000	6/26/2017 8:15	0.001	0.001	
6/26/2017 8:30	0.001	6/26/2017 8:30	0.001	0.000	
6/26/2017 8:45	0.001	6/26/2017 8:45	0.001	0.000	
6/26/2017 9:00	0.002	6/26/2017 9:00	0.001	-0.001	
6/26/2017 9:15	0.002	6/26/2017 9:15	0.002	0.000	
6/26/2017 9:30	0.002	6/26/2017 9:30	0.002	0.000	
6/26/2017 9:45	0.002	6/26/2017 9:45	0.002	0.000	
6/26/2017 10:00	0.002	6/26/2017 10:00	0.002	0.000	
6/26/2017 10:15	0.004	6/26/2017 10:15	0.003	-0.001	
6/26/2017 10:30	0.007	6/26/2017 10:30	0.004	-0.003	
6/26/2017 10:45	0.008	6/26/2017 10:45	0.005	-0.003	
6/26/2017 11:00	0.009	6/26/2017 11:00	0.005	-0.004	
6/26/2017 11:15	0.018	6/26/2017 11:15	0.005	-0.013	
6/26/2017 11:30	0.018	6/26/2017 11:30	0.006	-0.012	
6/26/2017 11:45	0.018	6/26/2017 11:45	0.006	-0.012	
6/26/2017 12:00	0.018	6/26/2017 12:00	0.007	-0.011	
6/26/2017 12:15	0.018	6/26/2017 12:15	0.007	-0.011	
6/26/2017 12:30	0.019	6/26/2017 12:30	0.008	-0.011	
6/26/2017 12:45	0.019	6/26/2017 12:45	0.008	-0.011	
6/26/2017 13:00	0.019	6/26/2017 13:00	0.008	-0.011	
6/26/2017 13:15	0.019	6/26/2017 13:15	0.009	-0.010	
6/26/2017 13:30	0.019	6/26/2017 13:30	0.010	-0.009	
6/26/2017 13:45	0.019	6/26/2017 13:45	0.011	-0.008	
		6/26/2017 14:00	0.011	0.011	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 6/26/2017

Modem: 30924	Upwind	Modem: 31820	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
		6/26/2017 7:45	0.230	0.230	
6/26/2017 8:00	1.425	6/26/2017 8:00	0.242	-1.183	
6/26/2017 8:15	1.456	6/26/2017 8:15	0.253	-1.203	
6/26/2017 8:30	1.510	6/26/2017 8:30	0.265	-1.245	
6/26/2017 8:45	1.569	6/26/2017 8:45	0.277	-1.292	
6/26/2017 9:00	1.626	6/26/2017 9:00	0.287	-1.339	
6/26/2017 9:15	1.689	6/26/2017 9:15	0.298	-1.391	
6/26/2017 9:30	1.751	6/26/2017 9:30	0.309	-1.442	
6/26/2017 9:45	1.823	6/26/2017 9:45	0.321	-1.502	
6/26/2017 10:00	1.882	6/26/2017 10:00	0.333	-1.549	
6/26/2017 10:15	1.943	6/26/2017 10:15	0.342	-1.601	
6/26/2017 10:30	2.008	6/26/2017 10:30	0.353	-1.655	
6/26/2017 10:45	2.076	6/26/2017 10:45	0.364	-1.712	
6/26/2017 11:00	2.130	6/26/2017 11:00	0.375	-1.755	
6/26/2017 11:15	2.163	6/26/2017 11:15	0.385	-1.778	
6/26/2017 11:30	2.192	6/26/2017 11:30	0.395	-1.797	
6/26/2017 11:45	2.224	6/26/2017 11:45	0.405	-1.819	
6/26/2017 12:00	2.251	6/26/2017 12:00	0.416	-1.835	
6/26/2017 12:15	2.282	6/26/2017 12:15	0.426	-1.856	
6/26/2017 12:30	2.302	6/26/2017 12:30	0.436	-1.866	
6/26/2017 12:45	2.323	6/26/2017 12:45	0.445	-1.878	
6/26/2017 13:00	2.342	6/26/2017 13:00	0.455	-1.887	
6/26/2017 13:15	2.363	6/26/2017 13:15	0.464	-1.899	
6/26/2017 13:30	2.384	6/26/2017 13:30	0.477	-1.907	
6/26/2017 13:45	2.402	6/26/2017 13:45	0.488	-1.914	
		6/26/2017 14:00	0.502	0.502	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 1/16/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
7/5/2017 12:15	0.028	7/5/2017 12:15	0.017	-0.011	
7/5/2017 12:30	0.030	7/5/2017 12:30	0.016	-0.014	
7/5/2017 12:45	0.035	7/5/2017 12:45	0.017	-0.018	
7/5/2017 13:00	0.025	7/5/2017 13:00	0.017	-0.008	
7/5/2017 13:15	0.024	7/5/2017 13:15	0.016	-0.008	
7/5/2017 13:30	0.023	7/5/2017 13:30	0.016	-0.007	
7/5/2017 13:45	0.023	7/5/2017 13:45	0.016	-0.007	
7/5/2017 14:00	0.078	7/5/2017 14:00	0.017	-0.061	
7/5/2017 14:15	0.083	7/5/2017 14:15	0.016	-0.067	
7/5/2017 14:30	0.104	7/5/2017 14:30	0.016	-0.088	
7/5/2017 14:45	0.099	7/5/2017 14:45	0.014	-0.085	
7/5/2017 15:00	0.104	7/5/2017 15:00	0.014	-0.090	
7/5/2017 15:15	0.053	7/5/2017 15:15	0.013	-0.040	
7/5/2017 15:30	0.052	7/5/2017 15:30			

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 1/16/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
7/5/2017 12:15	0.307	7/5/2017 12:15	0.000	0.000	
7/5/2017 12:30	0.300	7/5/2017 12:30	0.000	-0.300	
7/5/2017 12:45	0.300	7/5/2017 12:45	0.000	-0.300	
7/5/2017 13:00	0.373	7/5/2017 13:00	0.000	-0.373	
7/5/2017 13:15	0.320	7/5/2017 13:15	0.000	-0.320	
7/5/2017 13:30	0.300	7/5/2017 13:30	0.000	-0.300	
7/5/2017 13:45	0.300	7/5/2017 13:45	0.000	-0.300	
7/5/2017 14:00	0.300	7/5/2017 14:00	0.000	-0.300	
7/5/2017 14:15	0.373	7/5/2017 14:15	0.000	-0.373	
7/5/2017 14:30	0.320	7/5/2017 14:30	0.000	-0.320	
7/5/2017 14:45	0.300	7/5/2017 14:45	0.000	-0.300	
7/5/2017 15:00	0.327	7/5/2017 15:00	0.000	-0.327	
7/5/2017 15:15	0.353	7/5/2017 15:15	0.000	-0.353	
7/5/2017 15:30	0.287	7/5/2017 15:30	0.000	-0.287	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 1/16/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
7/5/2017 22:30	0.015	7/5/2017 22:30	0.023	0.008	
7/5/2017 22:45	0.014	7/5/2017 22:45	0.017	0.003	
7/5/2017 23:00	0.015	7/5/2017 23:00	0.012	-0.003	
7/5/2017 23:15	0.016	7/5/2017 23:15	0.010	-0.006	
7/5/2017 23:30	0.016	7/5/2017 23:30	0.012	-0.004	
7/5/2017 23:45	0.027	7/5/2017 23:45	0.010	-0.017	
7/6/2017 0:00	0.020	7/6/2017 0:00	0.015	-0.005	
7/6/2017 0:15	0.016	7/6/2017 0:15	0.093	0.077	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 1/16/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
7/5/2017 12:15	0.000	7/5/2017 12:15	0.000	0.000	
7/5/2017 12:30	0.000	7/5/2017 12:30	0.000	0.000	
7/5/2017 12:45	0.000	7/5/2017 12:45	0.000	0.000	
7/5/2017 13:00	0.000	7/5/2017 13:00	0.000	0.000	
7/5/2017 13:15	0.000	7/5/2017 13:15	0.000	0.000	
7/5/2017 13:30	0.000	7/5/2017 13:30	0.000	0.000	
7/5/2017 13:45	0.000	7/5/2017 13:45	0.000	0.000	
7/5/2017 14:00	0.000	7/5/2017 14:00	0.100	0.100	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/1/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
8/1/2017 7:15	Datalogging Error	8/1/2017 7:15	Datalogging Error	N/A	
8/1/2017 7:30	Datalogging Error	8/1/2017 7:30	Datalogging Error	N/A	
8/1/2017 7:45	Datalogging Error	8/1/2017 7:45	Datalogging Error	N/A	
8/1/2017 8:00	Datalogging Error	8/1/2017 8:00	Datalogging Error	N/A	
8/1/2017 8:15	Datalogging Error	8/1/2017 8:15	Datalogging Error	N/A	
8/1/2017 8:30	Datalogging Error	8/1/2017 8:30	Datalogging Error	N/A	
8/1/2017 8:45	Datalogging Error	8/1/2017 8:45	Datalogging Error	N/A	
8/1/2017 9:00	Datalogging Error	8/1/2017 9:00	Datalogging Error	N/A	
8/1/2017 9:15	Datalogging Error	8/1/2017 9:15	Datalogging Error	N/A	
8/1/2017 9:30	Datalogging Error	8/1/2017 9:30	Datalogging Error	N/A	
8/1/2017 9:45	Datalogging Error	8/1/2017 9:45	Datalogging Error	N/A	
8/1/2017 10:00	Datalogging Error	8/1/2017 10:00	Datalogging Error	N/A	
8/1/2017 10:15	Datalogging Error	8/1/2017 10:15	Datalogging Error	N/A	
8/1/2017 10:30	Datalogging Error	8/1/2017 10:30	Datalogging Error	N/A	
8/1/2017 10:45	Datalogging Error	8/1/2017 10:45	Datalogging Error	N/A	
8/1/2017 11:00	Datalogging Error	8/1/2017 11:00	Datalogging Error	N/A	
8/1/2017 11:15	Datalogging Error	8/1/2017 11:15	Datalogging Error	N/A	
8/1/2017 11:30	Datalogging Error	8/1/2017 11:30	Datalogging Error	N/A	
8/1/2017 11:45	Datalogging Error	8/1/2017 11:45	Datalogging Error	N/A	
8/1/2017 12:00	Datalogging Error	8/1/2017 12:00	Datalogging Error	N/A	
8/1/2017 12:15	Datalogging Error	8/1/2017 12:15	Datalogging Error	N/A	
8/1/2017 12:30	Datalogging Error	8/1/2017 12:30	Datalogging Error	N/A	
8/1/2017 12:45	Datalogging Error	8/1/2017 12:45	Datalogging Error	N/A	
8/1/2017 13:00	Datalogging Error	8/1/2017 13:00	Datalogging Error	N/A	
8/1/2017 13:15	Datalogging Error	8/1/2017 13:15	Datalogging Error	N/A	
8/1/2017 13:30	Datalogging Error	8/1/2017 13:30	Datalogging Error	N/A	
8/1/2017 13:45	Datalogging Error	8/1/2017 13:45	Datalogging Error	N/A	
8/1/2017 14:00	Datalogging Error	8/1/2017 14:00	Datalogging Error	N/A	
8/1/2017 14:15	Datalogging Error	8/1/2017 14:15	Datalogging Error	N/A	
8/1/2017 14:30	Datalogging Error	8/1/2017 14:30	Datalogging Error	N/A	
8/1/2017 14:45	Datalogging Error	8/1/2017 14:45	Datalogging Error	N/A	
8/1/2017 15:00	Datalogging Error	8/1/2017 15:00	Datalogging Error	N/A	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/1/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
8/1/2017 7:15	UW Malfunction	8/1/2017 7:15	0.027	0.027	
8/1/2017 7:30	UW Malfunction	8/1/2017 7:30	0.000	0.000	
8/1/2017 7:45	UW Malfunction	8/1/2017 7:45	0.000	0.000	
8/1/2017 8:00	UW Malfunction	8/1/2017 8:00	0.000	0.000	
8/1/2017 8:15	UW Malfunction	8/1/2017 8:15	0.000	0.000	
8/1/2017 8:30	UW Malfunction	8/1/2017 8:30	0.000	0.000	
8/1/2017 8:45	UW Malfunction	8/1/2017 8:45	0.000	0.000	
8/1/2017 9:00	UW Malfunction	8/1/2017 9:00	0.000	0.000	
8/1/2017 9:15	UW Malfunction	8/1/2017 9:15	0.000	0.000	
8/1/2017 9:30	UW Malfunction	8/1/2017 9:30	0.000	0.000	
8/1/2017 9:45	UW Malfunction	8/1/2017 9:45	0.000	0.000	
8/1/2017 10:00	UW Malfunction	8/1/2017 10:00	0.000	0.000	
8/1/2017 10:15	UW Malfunction	8/1/2017 10:15	0.000	0.000	
8/1/2017 10:30	UW Malfunction	8/1/2017 10:30	0.000	0.000	
8/1/2017 10:45	UW Malfunction	8/1/2017 10:45	0.000	0.000	
8/1/2017 11:00	UW Malfunction	8/1/2017 11:00	0.000	0.000	
8/1/2017 11:15	UW Malfunction	8/1/2017 11:15	0.000	0.000	
8/1/2017 11:30	UW Malfunction	8/1/2017 11:30	0.000	0.000	
8/1/2017 11:45	UW Malfunction	8/1/2017 11:45	0.000	0.000	
8/1/2017 12:00	UW Malfunction	8/1/2017 12:00	0.000	0.000	
8/1/2017 12:15	UW Malfunction	8/1/2017 12:15	0.000	0.000	
8/1/2017 12:30	UW Malfunction	8/1/2017 12:30	0.000	0.000	
8/1/2017 12:45	UW Malfunction	8/1/2017 12:45	0.000	0.000	
8/1/2017 13:00	UW Malfunction	8/1/2017 13:00	0.000	0.000	
8/1/2017 13:15	UW Malfunction	8/1/2017 13:15	0.000	0.000	
8/1/2017 13:30	UW Malfunction	8/1/2017 13:30	0.000	0.000	
8/1/2017 13:45	UW Malfunction	8/1/2017 13:45	0.000	0.000	
8/1/2017 14:00	UW Malfunction	8/1/2017 14:00	0.000	0.000	
8/1/2017 14:15	UW Malfunction	8/1/2017 14:15	0.000	0.000	
8/1/2017 14:30	UW Malfunction	8/1/2017 14:30	0.000	0.000	
8/1/2017 14:45	UW Malfunction	8/1/2017 14:45	0.000	0.000	
8/1/2017 15:00	UW Malfunction	8/1/2017 15:00	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/2/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
8/2/2017 7:30	Datalogging Error	8/2/2017 7:30	Datalogging Error	N/A	
8/2/2017 7:45	Datalogging Error	8/2/2017 7:45	Datalogging Error	N/A	
8/2/2017 8:00	Datalogging Error	8/2/2017 8:00	Datalogging Error	N/A	
8/2/2017 8:15	Datalogging Error	8/2/2017 8:15	Datalogging Error	N/A	
8/2/2017 8:30	Datalogging Error	8/2/2017 8:30	Datalogging Error	N/A	
8/2/2017 8:45	Datalogging Error	8/2/2017 8:45	Datalogging Error	N/A	
8/2/2017 9:00	Datalogging Error	8/2/2017 9:00	Datalogging Error	N/A	
8/2/2017 9:15	Datalogging Error	8/2/2017 9:15	Datalogging Error	N/A	
8/2/2017 9:30	Datalogging Error	8/2/2017 9:30	Datalogging Error	N/A	
8/2/2017 9:45	Datalogging Error	8/2/2017 9:45	Datalogging Error	N/A	
8/2/2017 10:00	Datalogging Error	8/2/2017 10:00	Datalogging Error	N/A	
8/2/2017 10:15	Datalogging Error	8/2/2017 10:15	Datalogging Error	N/A	
8/2/2017 10:30	Datalogging Error	8/2/2017 10:30	Datalogging Error	N/A	
8/2/2017 10:45	Datalogging Error	8/2/2017 10:45	Datalogging Error	N/A	
8/2/2017 11:00	Datalogging Error	8/2/2017 11:00	Datalogging Error	N/A	
8/2/2017 11:15	Datalogging Error	8/2/2017 11:15	Datalogging Error	N/A	
8/2/2017 11:30	Datalogging Error	8/2/2017 11:30	Datalogging Error	N/A	
8/2/2017 11:45	Datalogging Error	8/2/2017 11:45	Datalogging Error	N/A	
8/2/2017 12:00	Datalogging Error	8/2/2017 12:00	Datalogging Error	N/A	
8/2/2017 12:15	Datalogging Error	8/2/2017 12:15	Datalogging Error	N/A	
8/2/2017 12:30	Datalogging Error	8/2/2017 12:30	Datalogging Error	N/A	
8/2/2017 12:45	Datalogging Error	8/2/2017 12:45	Datalogging Error	N/A	
8/2/2017 13:00	Datalogging Error	8/2/2017 13:00	Datalogging Error	N/A	
8/2/2017 13:15	Datalogging Error	8/2/2017 13:15	Datalogging Error	N/A	
8/2/2017 13:30	Datalogging Error	8/2/2017 13:30	Datalogging Error	N/A	
8/2/2017 13:45	Datalogging Error	8/2/2017 13:45	Datalogging Error	N/A	
8/2/2017 14:00	Datalogging Error	8/2/2017 14:00	Datalogging Error	N/A	
8/2/2017 14:15	Datalogging Error	8/2/2017 14:15	Datalogging Error	N/A	
8/2/2017 14:30	Datalogging Error	8/2/2017 14:30	Datalogging Error	N/A	
8/2/2017 14:45	Datalogging Error	8/2/2017 14:45	Datalogging Error	N/A	
8/2/2017 15:00	Datalogging Error	8/2/2017 15:00	Datalogging Error	N/A	
8/2/2017 15:15	Datalogging Error	8/2/2017 15:15	Datalogging Error	N/A	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/2/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
8/2/2017 7:30	UW Malfunction	8/2/2017 7:30	0.013	0.013	
8/2/2017 7:45	UW Malfunction	8/2/2017 7:45	0.000	0.000	
8/2/2017 8:00	UW Malfunction	8/2/2017 8:00	0.000	0.000	
8/2/2017 8:15	UW Malfunction	8/2/2017 8:15	0.000	0.000	
8/2/2017 8:30	UW Malfunction	8/2/2017 8:30	0.000	0.000	
8/2/2017 8:45	UW Malfunction	8/2/2017 8:45	0.000	0.000	
8/2/2017 9:00	UW Malfunction	8/2/2017 9:00	0.000	0.000	
8/2/2017 9:15	UW Malfunction	8/2/2017 9:15	0.000	0.000	
8/2/2017 9:30	UW Malfunction	8/2/2017 9:30	0.000	0.000	
8/2/2017 9:45	UW Malfunction	8/2/2017 9:45	0.000	0.000	
8/2/2017 10:00	UW Malfunction	8/2/2017 10:00	0.000	0.000	
8/2/2017 10:15	UW Malfunction	8/2/2017 10:15	0.000	0.000	
8/2/2017 10:30	UW Malfunction	8/2/2017 10:30	0.047	0.047	
8/2/2017 10:45	UW Malfunction	8/2/2017 10:45	0.107	0.107	
8/2/2017 11:00	UW Malfunction	8/2/2017 11:00	0.240	0.240	
8/2/2017 11:15	UW Malfunction	8/2/2017 11:15	0.280	0.280	
8/2/2017 11:30	UW Malfunction	8/2/2017 11:30	0.340	0.340	
8/2/2017 11:45	UW Malfunction	8/2/2017 11:45	0.260	0.260	
8/2/2017 12:00	UW Malfunction	8/2/2017 12:00	0.020	0.020	
8/2/2017 12:15	UW Malfunction	8/2/2017 12:15	0.000	0.000	
8/2/2017 12:30	UW Malfunction	8/2/2017 12:30	0.000	0.000	
8/2/2017 12:45	UW Malfunction	8/2/2017 12:45	0.000	0.000	
8/2/2017 13:00	UW Malfunction	8/2/2017 13:00	0.000	0.000	
8/2/2017 13:15	UW Malfunction	8/2/2017 13:15	0.000	0.000	
8/2/2017 13:30	UW Malfunction	8/2/2017 13:30	0.013	0.013	
8/2/2017 13:45	UW Malfunction	8/2/2017 13:45	0.000	0.000	
8/2/2017 14:00	UW Malfunction	8/2/2017 14:00	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/3/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
8/3/2017 9:45	Datalogging Error	8/3/2017 9:45	Datalogging Error	N/A	
8/3/2017 10:00	Datalogging Error	8/3/2017 10:00	Datalogging Error	N/A	
8/3/2017 10:15	Datalogging Error	8/3/2017 10:15	Datalogging Error	N/A	
8/3/2017 10:30	Datalogging Error	8/3/2017 10:30	Datalogging Error	N/A	
8/3/2017 10:45	Datalogging Error	8/3/2017 10:45	Datalogging Error	N/A	
8/3/2017 11:00	Datalogging Error	8/3/2017 11:00	Datalogging Error	N/A	
8/3/2017 11:15	Datalogging Error	8/3/2017 11:15	Datalogging Error	N/A	
8/3/2017 11:30	Datalogging Error	8/3/2017 11:30	Datalogging Error	N/A	
8/3/2017 11:45	Datalogging Error	8/3/2017 11:45	Datalogging Error	N/A	
8/3/2017 12:00	Datalogging Error	8/3/2017 12:00	Datalogging Error	N/A	
8/3/2017 12:15	Datalogging Error	8/3/2017 12:15	Datalogging Error	N/A	
8/3/2017 12:30	Datalogging Error	8/3/2017 12:30	Datalogging Error	N/A	
8/3/2017 12:45	Datalogging Error	8/3/2017 12:45	Datalogging Error	N/A	
8/3/2017 13:00	Datalogging Error	8/3/2017 13:00	Datalogging Error	N/A	
8/3/2017 13:15	Datalogging Error	8/3/2017 13:15	Datalogging Error	N/A	
8/3/2017 13:30	Datalogging Error	8/3/2017 13:30	Datalogging Error	N/A	
8/3/2017 13:45	Datalogging Error	8/3/2017 13:45	Datalogging Error	N/A	
8/3/2017 14:00	Datalogging Error	8/3/2017 14:00	Datalogging Error	N/A	
8/3/2017 14:15	Datalogging Error	8/3/2017 14:15	Datalogging Error	N/A	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/3/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
8/3/2017 9:45	UW Malfunction	8/3/2017 9:45	#REF!	#REF!	
8/3/2017 10:00	UW Malfunction	8/3/2017 10:00	#REF!	#REF!	
8/3/2017 10:15	UW Malfunction	8/3/2017 10:15	#REF!	#REF!	
8/3/2017 10:30	UW Malfunction	8/3/2017 10:30	#REF!	#REF!	
8/3/2017 10:45	UW Malfunction	8/3/2017 10:45	#REF!	#REF!	
8/3/2017 11:00	UW Malfunction	8/3/2017 11:00	#REF!	#REF!	
8/3/2017 11:15	UW Malfunction	8/3/2017 11:15	#REF!	#REF!	
8/3/2017 11:30	UW Malfunction	8/3/2017 11:30	#REF!	#REF!	
8/3/2017 11:45	UW Malfunction	8/3/2017 11:45	#REF!	#REF!	
8/3/2017 12:00	UW Malfunction	8/3/2017 12:00	#REF!	#REF!	
8/3/2017 12:15	UW Malfunction	8/3/2017 12:15	#REF!	#REF!	
8/3/2017 12:30	UW Malfunction	8/3/2017 12:30	#REF!	#REF!	
8/3/2017 12:45	UW Malfunction	8/3/2017 12:45	#REF!	#REF!	
8/3/2017 13:00	UW Malfunction	8/3/2017 13:00	#REF!	#REF!	
8/3/2017 13:15	UW Malfunction	8/3/2017 13:15	#REF!	#REF!	
8/3/2017 13:30	UW Malfunction	8/3/2017 13:30	#REF!	#REF!	
8/3/2017 13:45	UW Malfunction	8/3/2017 13:45	#REF!	#REF!	
8/3/2017 14:00	UW Malfunction	8/3/2017 14:00	#REF!	#REF!	
8/3/2017 14:15	UW Malfunction	8/3/2017 14:15	#REF!	#REF!	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/8/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
8/8/2017 7:30	Datalogging Error	8/8/2017 7:30	Datalogging Error	N/A	
8/8/2017 7:45	Datalogging Error	8/8/2017 7:45	Datalogging Error	N/A	
8/8/2017 8:00	Datalogging Error	8/8/2017 8:00	Datalogging Error	N/A	
8/8/2017 8:15	Datalogging Error	8/8/2017 8:15	Datalogging Error	N/A	
8/8/2017 8:30	Datalogging Error	8/8/2017 8:30	Datalogging Error	N/A	
8/8/2017 8:45	Datalogging Error	8/8/2017 8:45	Datalogging Error	N/A	
8/8/2017 9:00	Datalogging Error	8/8/2017 9:00	Datalogging Error	N/A	
8/8/2017 9:15	Datalogging Error	8/8/2017 9:15	Datalogging Error	N/A	
8/8/2017 9:30	Datalogging Error	8/8/2017 9:30	Datalogging Error	N/A	
8/8/2017 9:45	Datalogging Error	8/8/2017 9:45	Datalogging Error	N/A	
8/8/2017 10:00	Datalogging Error	8/8/2017 10:00	Datalogging Error	N/A	
8/8/2017 10:15	Datalogging Error	8/8/2017 10:15	Datalogging Error	N/A	
8/8/2017 10:30	Datalogging Error	8/8/2017 10:30	Datalogging Error	N/A	
8/8/2017 10:45	Datalogging Error	8/8/2017 10:45	Datalogging Error	N/A	
8/8/2017 11:00	Datalogging Error	8/8/2017 11:00	Datalogging Error	N/A	
8/8/2017 11:15	Datalogging Error	8/8/2017 11:15	Datalogging Error	N/A	
8/8/2017 11:30	Datalogging Error	8/8/2017 11:30	Datalogging Error	N/A	
8/8/2017 11:45	Datalogging Error	8/8/2017 11:45	Datalogging Error	N/A	
8/8/2017 12:00	Datalogging Error	8/8/2017 12:00	Datalogging Error	N/A	
8/8/2017 12:15	Datalogging Error	8/8/2017 12:15	Datalogging Error	N/A	
8/8/2017 12:30	Datalogging Error	8/8/2017 12:30	Datalogging Error	N/A	
8/8/2017 12:45	Datalogging Error	8/8/2017 12:45	Datalogging Error	N/A	
8/8/2017 13:00	Datalogging Error	8/8/2017 13:00	Datalogging Error	N/A	
8/8/2017 13:15	Datalogging Error	8/8/2017 13:15	Datalogging Error	N/A	
8/8/2017 13:30	Datalogging Error	8/8/2017 13:30	Datalogging Error	N/A	
8/8/2017 13:45	Datalogging Error	8/8/2017 13:45	Datalogging Error	N/A	
8/8/2017 14:00	Datalogging Error	8/8/2017 14:00	Datalogging Error	N/A	
8/8/2017 14:15	Datalogging Error	8/8/2017 14:15	Datalogging Error	N/A	
8/8/2017 14:30	Datalogging Error	8/8/2017 14:30	Datalogging Error	N/A	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/8/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
8/8/2017 7:30	UW Malfunction	8/8/2017 7:30	0.000	0.000	
8/8/2017 7:45	UW Malfunction	8/8/2017 7:45	0.000	0.000	
8/8/2017 8:00	UW Malfunction	8/8/2017 8:00	0.000	0.000	
8/8/2017 8:15	UW Malfunction	8/8/2017 8:15	0.000	0.000	
8/8/2017 8:30	UW Malfunction	8/8/2017 8:30	0.000	0.000	
8/8/2017 8:45	UW Malfunction	8/8/2017 8:45	0.000	0.000	
8/8/2017 9:00	UW Malfunction	8/8/2017 9:00	0.000	0.000	
8/8/2017 9:15	UW Malfunction	8/8/2017 9:15	0.000	0.000	
8/8/2017 9:30	UW Malfunction	8/8/2017 9:30	0.000	0.000	
8/8/2017 9:45	UW Malfunction	8/8/2017 9:45	0.000	0.000	
8/8/2017 10:00	UW Malfunction	8/8/2017 10:00	0.027	0.027	
8/8/2017 10:15	UW Malfunction	8/8/2017 10:15	0.100	0.100	
8/8/2017 10:30	UW Malfunction	8/8/2017 10:30	0.113	0.113	
8/8/2017 10:45	UW Malfunction	8/8/2017 10:45	0.193	0.193	
8/8/2017 11:00	UW Malfunction	8/8/2017 11:00	0.200	0.200	
8/8/2017 11:15	UW Malfunction	8/8/2017 11:15	0.200	0.200	
8/8/2017 11:30	UW Malfunction	8/8/2017 11:30	0.200	0.200	
8/8/2017 11:45	UW Malfunction	8/8/2017 11:45	0.213	0.213	
8/8/2017 12:00	UW Malfunction	8/8/2017 12:00	0.300	0.300	
8/8/2017 12:15	UW Malfunction	8/8/2017 12:15	0.300	0.300	
8/8/2017 12:30	UW Malfunction	8/8/2017 12:30	0.300	0.300	
8/8/2017 12:45	UW Malfunction	8/8/2017 12:45	0.300	0.300	
8/8/2017 13:00	UW Malfunction	8/8/2017 13:00	0.373	0.373	
8/8/2017 13:15	UW Malfunction	8/8/2017 13:15	0.400	0.400	
8/8/2017 13:30	UW Malfunction	8/8/2017 13:30	0.400	0.400	
8/8/2017 13:45	UW Malfunction	8/8/2017 13:45	0.413	0.413	
8/8/2017 14:00	UW Malfunction	8/8/2017 14:00	0.493	0.493	
8/8/2017 14:15	UW Malfunction	8/8/2017 14:15	0.500	0.500	
8/8/2017 14:30	UW Malfunction	8/8/2017 14:30	0.500	0.500	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/9/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
8/9/2017 7:15	Datalogging Error	8/9/2017 7:15	Datalogging Error	N/A	
8/9/2017 7:30	Datalogging Error	8/9/2017 7:30	Datalogging Error	N/A	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/9/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
8/9/2017 7:15	UW Malfunction	8/9/2017 7:15	0.080	0.080	
8/9/2017 7:30	UW Malfunction	8/9/2017 7:30	0.108	0.108	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/24/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
8/24/2017 18:30	UW Malfunction	8/24/2017 18:30	0.057	0.057	
8/24/2017 18:45	UW Malfunction	8/24/2017 18:45	0.022	0.022	
8/24/2017 19:00	UW Malfunction	8/24/2017 19:00	0.021	0.021	
8/24/2017 19:15	UW Malfunction	8/24/2017 19:15	0.031	0.031	
8/24/2017 19:30	UW Malfunction	8/24/2017 19:30	0.028	0.028	
8/24/2017 19:45	UW Malfunction	8/24/2017 19:45	0.028	0.028	
8/24/2017 20:00	UW Malfunction	8/24/2017 20:00	0.076	0.076	
8/24/2017 20:15	UW Malfunction	8/24/2017 20:15	0.087	0.087	
8/24/2017 20:30	UW Malfunction	8/24/2017 20:30	0.059	0.059	
8/24/2017 20:45	UW Malfunction	8/24/2017 20:45	0.126	0.126	
8/24/2017 21:00	UW Malfunction	8/24/2017 21:00	0.078	0.078	
8/24/2017 21:15	UW Malfunction	8/24/2017 21:15	0.070	0.070	
8/24/2017 21:30	UW Malfunction	8/24/2017 21:30	0.064	0.064	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 8/24/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
8/24/2017 18:30	UW Malfunction	8/24/2017 18:30	0.147	0.147	
8/24/2017 18:45	UW Malfunction	8/24/2017 18:45	0.140	0.140	
8/24/2017 19:00	UW Malfunction	8/24/2017 19:00	0.153	0.153	
8/24/2017 19:15	UW Malfunction	8/24/2017 19:15	0.147	0.147	
8/24/2017 19:30	UW Malfunction	8/24/2017 19:30	0.180	0.180	
8/24/2017 19:45	UW Malfunction	8/24/2017 19:45	0.187	0.187	
8/24/2017 20:00	UW Malfunction	8/24/2017 20:00	0.187	0.187	
8/24/2017 20:15	UW Malfunction	8/24/2017 20:15	0.140	0.140	
8/24/2017 20:30	UW Malfunction	8/24/2017 20:30	0.060	0.060	
8/24/2017 20:45	UW Malfunction	8/24/2017 20:45	0.027	0.027	
8/24/2017 21:00	UW Malfunction	8/24/2017 21:00	0.000	0.000	
8/24/2017 21:15	UW Malfunction	8/24/2017 21:15	0.000	0.000	
8/24/2017 21:30	UW Malfunction	8/24/2017 21:30	0.000	0.000	
8/24/2017 21:45	UW Malfunction	8/24/2017 21:45	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/01/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
11/1/2017 21:47	0.019	11/1/2017 21:58	0.018	-0.001	
11/1/2017 22:02	0.021	11/1/2017 22:13	0.022	0.001	
11/1/2017 22:17	0.027	11/1/2017 22:28	0.024	-0.003	
11/1/2017 22:32	0.025	11/1/2017 22:43	0.024	-0.002	
11/1/2017 22:47	0.028	11/1/2017 22:58	0.023	-0.005	
11/1/2017 23:02	0.026	11/1/2017 23:13	0.021	-0.005	
11/1/2017 23:17	0.026	11/1/2017 23:28	0.022	-0.004	
11/1/2017 23:32	0.026	11/1/2017 23:43	0.023	-0.003	
11/1/2017 23:47	0.026	11/1/2017 23:58	0.021	-0.005	
11/2/2017 0:02	0.025	11/2/2017 0:13	0.020	-0.004	
11/2/2017 0:17	0.024	11/2/2017 0:28	0.020	-0.004	
11/2/2017 0:32	0.023	11/2/2017 0:43	0.019	-0.004	
11/2/2017 0:47	0.023	11/2/2017 0:58	0.019	-0.004	
11/2/2017 1:56	0.020	11/2/2018 1:58	0.018	-0.003	
11/2/2017 2:11	0.024	11/2/2018 2:13	0.022	-0.002	
11/2/2017 2:26	0.026	11/2/2018 2:28	0.023	-0.003	
11/2/2017 2:41	0.027	11/2/2018 2:43	0.024	-0.003	
11/2/2017 2:56	0.027	11/2/2018 2:58	0.023	-0.004	
11/2/2017 3:11	0.026	11/2/2018 3:13	0.021	-0.005	
11/2/2017 3:26	0.026	11/2/2018 3:28	0.022	-0.004	
11/2/2017 3:41	0.027	11/2/2018 3:43	0.024	-0.003	
11/2/2017 3:56	0.025	11/2/2018 3:58	0.021	-0.004	
11/2/2017 4:11	0.024	11/2/2018 4:13	0.020	-0.004	
11/2/2017 4:26	0.024	11/2/2018 4:28	0.020	-0.004	
11/2/2017 4:41	0.023	11/2/2018 4:43	0.019	-0.004	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/01/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
11/1/2017 21:47	0.166	11/1/2017 21:58	0.000	0.000	
11/1/2017 22:02	0.000	11/1/2017 22:13	0.000	0.000	
11/1/2017 22:17	0.000	11/1/2017 22:28	0.000	0.000	
11/1/2017 22:32	0.000	11/1/2017 22:43	0.000	0.000	
11/1/2017 22:47	0.000	11/1/2017 22:58	0.000	0.000	
11/1/2017 23:02	0.000	11/1/2017 23:13	0.000	0.000	
11/1/2017 23:17	0.000	11/1/2017 23:28	0.000	0.000	
11/1/2017 23:32	0.000	11/1/2017 23:43	0.000	0.000	
11/1/2017 23:47	0.000	11/1/2017 23:58	0.000	0.000	
11/2/2017 0:02	0.000	11/2/2017 0:13	0.000	0.000	
11/2/2017 0:17	0.000	11/2/2017 0:28	0.000	0.000	
11/2/2017 0:32	0.000	11/2/2017 0:43	0.000	0.000	
11/2/2017 0:47	0.000	11/2/2017 0:58	0.000	0.000	
11/2/2017 1:56	0.000	11/2/2018 1:58	0.000	0.000	
11/2/2017 2:11	0.000	11/2/2018 2:13	0.000	0.000	
11/2/2017 2:26	0.000	11/2/2018 2:28	0.000	0.000	
11/2/2017 2:41	0.000	11/2/2018 2:43	0.000	0.000	
11/2/2017 2:56	0.000	11/2/2018 2:58	0.000	0.000	
11/2/2017 3:11	0.000	11/2/2018 3:13	0.000	0.000	
11/2/2017 3:26	0.000	11/2/2018 3:28	0.000	0.000	
11/2/2017 3:41	0.000	11/2/2018 3:43	0.000	0.000	
11/2/2017 3:56	0.000	11/2/2018 3:58	0.000	0.000	
11/2/2017 4:11	0.000	11/2/2018 4:13	0.000	0.000	
11/2/2017 4:26	0.000	11/2/2018 4:28	0.000	0.000	
11/2/2017 4:41	0.000	11/2/2018 4:43	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/02/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
11/2/2017 20:00	0.007	11/2/2017 20:00	0.010	0.003	
11/2/2017 20:15	0.007	11/2/2017 20:15	0.009	0.002	
11/2/2017 20:30	0.007	11/2/2017 20:30	0.009	0.002	
11/2/2017 20:45	0.007	11/2/2017 20:45	0.009	0.002	
11/2/2017 21:00	0.007	11/2/2017 21:00	0.009	0.002	
11/2/2017 21:15	0.007	11/2/2017 21:15	0.009	0.002	
11/2/2017 21:30	0.007	11/2/2017 21:30	0.009	0.002	
11/2/2017 21:45	0.017	11/2/2017 21:45	0.009	-0.008	
11/2/2017 22:00	0.023	11/2/2017 22:00	0.071	0.048	
11/2/2017 22:15	0.019	11/2/2017 22:15	0.026	0.007	
11/2/2017 22:30	0.020	11/2/2017 22:30	0.024	0.004	
11/2/2017 22:45	0.019	11/2/2017 22:45	0.019	0.000	
11/2/2017 23:00	0.035	11/2/2017 23:00	0.023	-0.012	
11/2/2017 23:15	0.028	11/2/2017 23:15	0.024	-0.004	
11/2/2017 23:30	0.025	11/2/2017 23:30	0.024	-0.002	
11/2/2017 23:45	0.026	11/2/2017 23:45	0.027	0.000	
11/3/2017 0:00	0.025	11/3/2017 0:00	0.024	-0.001	
11/3/2017 0:15	0.026	11/3/2017 0:15	0.023	-0.003	
11/3/2017 0:30	0.028	11/3/2017 0:30	0.022	-0.006	
11/3/2017 0:49	0.007	11/3/2018 0:45	0.009	0.002	
11/3/2017 1:04	0.007	11/3/2018 1:00	0.009	0.002	
11/3/2017 1:19	0.007	11/3/2018 1:15	0.009	0.002	
11/3/2017 1:34	0.019	11/3/2018 1:30	0.009	-0.010	
11/3/2017 1:49	0.023	11/3/2018 1:45	0.010	-0.013	
11/3/2017 2:04	0.018	11/3/2018 2:00	0.074	0.055	
11/3/2017 2:19	0.020	11/3/2018 2:15	0.025	0.005	
11/3/2017 2:33	0.020	11/3/2018 2:30	0.023	0.003	
11/3/2017 2:48	0.036	11/3/2018 2:45	0.020	-0.016	
11/3/2017 3:03	0.027	11/3/2018 3:00	0.023	-0.004	
11/3/2017 3:18	0.025	11/3/2018 3:15	0.024	-0.001	
11/3/2017 3:33	0.026	11/3/2018 3:30	0.024	-0.002	
11/3/2017 3:48	0.025	11/3/2018 3:45	0.026	0.001	
11/3/2017 4:03	**0.026**	11/3/2018 4:00	0.024	-0.002	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/02/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
11/2/2017 20:00	0.795	11/2/2017 20:00	0.000	0.000	
11/2/2017 20:15	0.000	11/2/2017 20:15	0.000	0.000	
11/2/2017 20:30	0.000	11/2/2017 20:30	0.000	0.000	
11/2/2017 20:45	0.000	11/2/2017 20:45	0.000	0.000	
11/2/2017 21:00	0.000	11/2/2017 21:00	0.000	0.000	
11/2/2017 21:15	0.000	11/2/2017 21:15	0.000	0.000	
11/2/2017 21:30	0.000	11/2/2017 21:30	0.000	0.000	
11/2/2017 21:45	0.192	11/2/2017 21:45	0.000	-0.192	
11/2/2017 22:00	0.000	11/2/2017 22:00	0.000	0.000	
11/2/2017 22:15	0.000	11/2/2017 22:15	0.000	0.000	
11/2/2017 22:30	0.000	11/2/2017 22:30	0.000	0.000	
11/2/2017 22:45	0.000	11/2/2017 22:45	0.000	0.000	
11/2/2017 23:00	0.000	11/2/2017 23:00	0.000	0.000	
11/2/2017 23:15	0.000	11/2/2017 23:15	0.000	0.000	
11/2/2017 23:30	0.000	11/2/2017 23:30	0.000	0.000	
11/2/2017 23:45	0.000	11/2/2017 23:45	0.000	0.000	
11/3/2017 0:00	0.000	11/3/2017 0:00	0.000	0.000	
11/3/2017 0:15	0.000	11/3/2017 0:15	0.000	0.000	
11/3/2017 0:30	0.000	11/3/2017 0:30	0.000	0.000	
11/3/2017 0:49	0.000	11/3/2018 0:45	0.000	0.000	
11/3/2017 1:04	0.000	11/3/2018 1:00	0.000	0.000	
11/3/2017 1:19	0.000	11/3/2018 1:15	0.000	0.000	
11/3/2017 1:34	0.000	11/3/2018 1:30	0.000	0.000	
11/3/2017 1:49	0.000	11/3/2018 1:45	0.000	0.000	
11/3/2017 2:04	0.000	11/3/2018 2:00	0.000	0.000	
11/3/2017 2:19	0.000	11/3/2018 2:15	0.000	0.000	
11/3/2017 2:33	0.000	11/3/2018 2:30	0.000	0.000	
11/3/2017 2:48	0.000	11/3/2018 2:45	0.000	0.000	
11/3/2017 3:03	0.000	11/3/2018 3:00	0.000	0.000	
11/3/2017 3:18	0.000	11/3/2018 3:15	0.000	0.000	
11/3/2017 3:33	0.000	11/3/2018 3:30	0.000	0.000	
11/3/2017 3:48	0.000	11/3/2018 3:45	0.000	0.000	
11/3/2017 4:03	0.000	11/3/2018 4:00	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/06/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
11/6/2017 18:30	0.031	11/6/2017 18:30	0.019	-0.012	
11/6/2017 18:45	0.023	11/6/2017 18:45			
11/6/2017 19:15	0.019	11/6/2017 19:15	0.016	-0.003	
11/6/2017 19:30	0.022	11/6/2017 19:30	0.017	-0.006	
11/7/2017 2:00	0.005				
11/7/2017 2:15	0.005				
11/7/2017 2:30	0.005	11/7/2017 2:30	0.001	-0.004	
11/7/2017 2:45	0.006	11/7/2017 2:45	0.001	-0.005	
11/7/2017 3:00	0.005	11/7/2017 3:00	0.001	-0.004	
11/7/2017 3:15	0.007	11/7/2017 3:15	0.001	-0.006	
11/7/2017 3:30	0.006	11/7/2017 3:30	0.001	-0.005	
11/7/2017 3:45	0.006	11/7/2017 3:45	0.004	-0.002	
11/7/2017 4:00	0.015	11/7/2017 4:00	0.006	-0.009	
11/7/2017 4:15	0.008	11/7/2017 4:15	0.006	-0.002	
11/7/2017 4:30	0.007	11/7/2017 4:30	0.006	-0.001	
11/7/2017 4:45	0.008	11/7/2017 4:45	0.008	0.000	
11/7/2017 5:00	0.008	11/7/2017 5:00	0.006	-0.002	
11/7/2017 5:15	0.008	11/7/2017 5:15	0.01	0.002	
11/7/2017 5:30	0.009	11/7/2017 5:30	0.007	-0.002	
11/7/2017 5:45	0.009	11/7/2017 5:45	0.006	-0.003	
11/7/2017 6:00	0.01	11/7/2017 6:00	0.003	-0.007	
11/7/2017 6:15	0.009	11/7/2017 6:15	0.003	-0.006	
11/7/2017 6:30	0.01	11/7/2017 6:30	0.003	-0.007	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/06/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
11/6/2017 18:30	2.0	11/6/2017 18:30	0.0	0.0	
11/6/2017 18:45	1.1	11/6/2017 18:45	0.0	-1.1	
11/6/2017 19:15	1.1	11/6/2017 19:15	0.0	-1.1	
11/6/2017 19:30	0.8	11/6/2017 19:30	0.0	-0.8	
11/7/2017 2:00	0.5		0.0	-0.5	
11/7/2017 2:15	0.4		0.0	-0.4	
11/7/2017 2:30	0.4	11/7/2017 2:30	0.0	-0.4	
11/7/2017 2:45	0.3	11/7/2017 2:45	0.0	-0.3	
11/7/2017 3:00	0.3	11/7/2017 3:00	0.0	-0.3	
11/7/2017 3:15	0.2	11/7/2017 3:15	0.0	-0.2	
11/7/2017 3:30	0.2	11/7/2017 3:30	0.0	-0.2	
11/7/2017 3:45	0.2	11/7/2017 3:45	0.0	-0.2	
11/7/2017 4:00	0.1	11/7/2017 4:00	0.0	-0.1	
11/7/2017 4:15	0.1	11/7/2017 4:15	0.0	-0.1	
11/7/2017 4:30	0.1	11/7/2017 4:30	0.0	-0.1	
11/7/2017 4:45	0.1	11/7/2017 4:45	0.0	-0.1	
11/7/2017 5:00	0.0	11/7/2017 5:00	0.0	0.0	
11/7/2017 5:15	0.0	11/7/2017 5:15	0.0	0.0	
11/7/2017 5:30	0	11/7/2017 5:30	0.0	0.0	
11/7/2017 5:45	0	11/7/2017 5:45	0.0	0.0	
11/7/2017 6:00	0	11/7/2017 6:00	0.0	0.0	
11/7/2017 6:15	0	11/7/2017 6:15	0.0	0.0	
11/7/2017 6:30	0	11/7/2017 6:30	0.0	0.0	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/08/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
11/8/2017 2:00	0.011				
11/8/2017 2:15	0.012				
11/8/2017 2:30	0.013				
11/8/2017 2:45	0.014	11/8/2017 2:45	0.004	-0.010	
11/8/2017 3:00	0.095	11/8/2017 3:00	0.003	-0.092	
11/8/2017 3:15	0.026	11/8/2017 3:15	0.003	-0.023	
11/8/2017 3:30	0.019	11/8/2017 3:30	0.003	-0.016	
11/8/2017 3:45	0.043	11/8/2017 3:45	0.003	-0.040	
11/8/2017 4:00	0.045	11/8/2017 4:00	0.006	-0.039	
11/8/2017 4:15	0.026	11/8/2017 4:15	0.008	-0.018	
11/8/2017 4:30	0.027	11/8/2017 4:30	0.006	-0.021	
11/8/2017 4:45	0.004	11/8/2017 4:45	0.002	-0.002	
11/8/2017 5:00	0.006	11/8/2017 5:00	0.003	-0.003	
11/8/2017 5:15	0.01	11/8/2017 5:15	0.005	-0.005	
11/8/2017 5:30	0.011	11/8/2017 5:30	0.005	-0.006	
11/8/2017 5:45	0.007	11/8/2017 5:45	0.003	-0.004	
11/8/2017 6:00	0.008	11/8/2017 6:00	0.002	-0.006	
11/8/2017 6:15	0.01	11/8/2017 6:15	0.004	-0.006	
11/8/2017 6:30	0.009	11/8/2017 6:30	0.002	-0.007	
11/8/2017 6:45	0.012	11/8/2017 6:45	0.003	-0.009	
11/8/2017 7:00	0.004	11/8/2017 7:00	0.002	-0.002	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/08/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
11/8/2017 2:00	0.0				
11/8/2017 2:15	0.0				
11/8/2017 2:30	0.0				
11/8/2017 2:45	0.0	11/8/2017 2:45	0.0	0.0	
11/8/2017 3:00	0.0	11/8/2017 3:00	0.0	0.0	
11/8/2017 3:15	0.0	11/8/2017 3:15	0.0	0.0	
11/8/2017 3:30	0.0	11/8/2017 3:30	0.0	0.0	
11/8/2017 3:45	0.0	11/8/2017 3:45	0.0	0.0	
11/8/2017 4:00	0.0	11/8/2017 4:00	0.0	0.0	
11/8/2017 4:15	0.0	11/8/2017 4:15	0.0	0.0	
11/8/2017 4:30	0.0	11/8/2017 4:30	0.0	0.0	
11/8/2017 4:45	0.0	11/8/2017 4:45	0.0	0.0	
11/8/2017 5:00	0.0	11/8/2017 5:00	0.0	0.0	
11/8/2017 5:15	0.0	11/8/2017 5:15	0.0	0.0	
11/8/2017 5:30	0.0	11/8/2017 5:30	0.0	0.0	
11/8/2017 5:45	0.0	11/8/2017 5:45	0.0	0.0	
11/8/2017 6:00	0.0	11/8/2017 6:00	0.0	0.0	
11/8/2017 6:15	0.0	11/8/2017 6:15	0.0	0.0	
11/8/2017 6:30	0.0	11/8/2017 6:30	0.0	0.0	
11/8/2017 6:45	0.0	11/8/2017 6:45	0.0	0.0	
11/8/2017 7:00	0.0	11/8/2017 7:00	0.0	0.0	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/09/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
11/9/2017 2:15	0.018	11/9/2017 2:15	0.014	-0.004	
11/9/2017 2:30	0.096	11/9/2017 2:30	0.020	-0.076	
11/9/2017 2:45	0.239	11/9/2017 2:45	0.036	-0.203	
11/9/2017 3:00	0.202	11/9/2017 3:00	0.034	-0.168	
11/9/2017 3:15	0.028	11/9/2017 3:15	0.030	0.002	
11/9/2017 3:30	0.015	11/9/2017 3:30	0.013	-0.002	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 11/09/2017

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
11/9/2017 2:15	0.0	11/9/2017 2:15			
11/9/2017 2:30	0.0	11/9/2017 2:30			
11/9/2017 2:45	0.0	11/9/2017 2:45			
11/9/2017 3:00	0.0	11/9/2017 3:00			
11/9/2017 3:15	0.0	11/9/2017 3:15			
11/9/2017 3:30	0.0	11/9/2017 3:30			


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 1/16/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
1/16/2018 8:45	0.028	1/16/2018 8:45	0.039	0.011	
1/16/2018 9:00	0.029	1/16/2018 9:00	0.038	0.009	
1/16/2018 9:15	0.029	1/16/2018 9:15	0.038	0.010	
1/16/2018 9:30	0.028	1/16/2018 9:30	0.038	0.011	
1/16/2018 9:45	0.028	1/16/2018 9:45	0.040	0.012	
1/16/2018 10:00	0.028	1/16/2018 10:00	0.040	0.013	
1/16/2018 10:15	0.028	1/16/2018 10:15	0.039	0.010	
1/16/2018 10:30	0.028	1/16/2018 10:30	0.039	0.011	
1/16/2018 10:45	0.028	1/16/2018 10:45	0.038	0.010	
1/16/2018 11:00	0.027	1/16/2018 11:00	0.038	0.011	
1/16/2018 11:15	0.027	1/16/2018 11:15	0.040	0.013	
1/16/2018 11:30	0.027	1/16/2018 11:30	0.043	0.016	
1/16/2018 11:45	0.027	1/16/2018 11:45	0.050	0.023	
1/16/2018 12:00	0.028	1/16/2018 12:00	0.048	0.019	
1/16/2018 12:15	0.031	1/16/2018 12:15	0.043	0.012	
1/16/2018 12:30	0.036	1/16/2018 12:30	0.036	-0.001	
1/16/2018 12:45	0.034	1/16/2018 12:45	0.035	0.001	
1/16/2018 13:00	0.030	1/16/2018 13:00	0.035	0.005	
1/16/2018 13:15	0.024	1/16/2018 13:15	0.036	0.012	
1/16/2018 13:30	0.023	1/16/2018 13:30	0.036	0.013	
1/16/2018 13:45	0.024	1/16/2018 13:45	0.037	0.013	
1/16/2018 14:00	0.024	1/16/2018 14:00	0.037	0.013	
1/16/2018 14:15	0.024	1/16/2018 14:15	0.038	0.014	
1/16/2018 14:30	0.024	1/16/2018 14:30	0.038	0.013	
1/16/2018 14:45	0.025	1/16/2018 14:45	0.038	0.013	
1/16/2018 15:00	0.026	1/16/2018 15:00	0.039	0.013	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 1/16/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
1/16/2018 8:45	0.000	1/16/2018 8:45	0.000	0.000	
1/16/2018 9:00	0.000	1/16/2018 9:00	0.000	0.000	
1/16/2018 9:15	0.000	1/16/2018 9:15	0.000	0.000	
1/16/2018 9:30	0.000	1/16/2018 9:30	0.000	0.000	
1/16/2018 9:45	0.000	1/16/2018 9:45	0.000	0.000	
1/16/2018 10:00	0.000	1/16/2018 10:00	0.000	0.000	
1/16/2018 10:15	0.000	1/16/2018 10:15	0.000	0.000	
1/16/2018 10:30	0.000	1/16/2018 10:30	0.000	0.000	
1/16/2018 10:45	0.000	1/16/2018 10:45	0.000	0.000	
1/16/2018 11:00	0.000	1/16/2018 11:00	0.000	0.000	
1/16/2018 11:15	0.000	1/16/2018 11:15	0.000	0.000	
1/16/2018 11:30	0.000	1/16/2018 11:30	0.000	0.000	
1/16/2018 11:45	0.000	1/16/2018 11:45	0.000	0.000	
1/16/2018 12:00	0.000	1/16/2018 12:00	0.000	0.000	
1/16/2018 12:15	0.000	1/16/2018 12:15	0.000	0.000	
1/16/2018 12:30	0.000	1/16/2018 12:30	0.000	0.000	
1/16/2018 12:45	0.000	1/16/2018 12:45	0.000	0.000	
1/16/2018 13:00	0.000	1/16/2018 13:00	0.000	0.000	
1/16/2018 13:15	0.000	1/16/2018 13:15	0.000	0.000	
1/16/2018 13:30	0.000	1/16/2018 13:30	0.000	0.000	
1/16/2018 13:45	0.000	1/16/2018 13:45	0.000	0.000	
1/16/2018 14:00	0.000	1/16/2018 14:00	0.000	0.000	
1/16/2018 14:15	0.000	1/16/2018 14:15	0.000	0.000	
1/16/2018 14:30	0.000	1/16/2018 14:30	0.000	0.000	
1/16/2018 14:45	0.000	1/16/2018 14:45	0.000	0.000	
1/16/2018 15:00	0.000	1/16/2018 15:00	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/12/2018

Modem: 16588	Upwind	Modem: R12151	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/12/2018 8:15	0.013	3/12/2018 8:15	0.054	0.041	
3/12/2018 8:30	0.013	3/12/2018 8:30	0.032	0.019	
3/12/2018 8:45	0.012	3/12/2018 8:45	0.021	0.009	
3/12/2018 9:00	0.012	3/12/2018 9:00	0.026	0.014	
3/12/2018 9:15	0.011	3/12/2018 9:15	0.017	0.006	
3/12/2018 9:30	0.011	3/12/2018 9:30	0.029	0.018	
3/12/2018 9:45	0.011	3/12/2018 9:45	0.031	0.020	
3/12/2018 10:00	0.011	3/12/2018 10:00	0.023	0.012	
3/12/2018 10:15	0.012	3/12/2018 10:15	0.016	0.004	
3/12/2018 10:30	0.011	3/12/2018 10:30	0.047	0.036	
3/12/2018 10:45	0.011	3/12/2018 10:45	0.019	0.008	
3/12/2018 11:00	0.01	3/12/2018 11:00	0.017	0.007	
3/12/2018 11:15	0.009	3/12/2018 11:15	0.011	0.002	
3/12/2018 11:30	0.009	3/12/2018 11:30	0.011	0.002	
3/12/2018 11:45	0.009	3/12/2018 11:45	0.015	0.006	
3/12/2018 12:00	0.012	3/12/2018 12:00	0.011	-0.001	
3/12/2018 12:15	0.01	3/12/2018 12:15	0.012	0.002	
3/12/2018 12:30	0.009	3/12/2018 12:30	0.202	0.193	
3/12/2018 12:45	0.009	3/12/2018 12:45	0.008	-0.001	
3/12/2018 13:00	0.008	3/12/2018 13:00	0.011	0.003	
3/12/2018 13:15	0.009	3/12/2018 13:15	0.022	0.013	
3/12/2018 13:30	0.009	3/12/2018 13:30	0.01	0.001	
3/12/2018 13:45	0.008	3/12/2018 13:45	0.014	0.006	
3/12/2018 14:00	0.008	3/12/2018 14:00	0.02	0.012	
3/12/2018 14:15	0.008	3/12/2018 14:15	0.021	0.013	
3/12/2018 14:30	0.009	3/12/2018 14:30	0.013	0.004	
3/12/2018 14:45	0.009	3/12/2018 14:45	0.015	0.006	
3/12/2018 15:00	0.009	3/12/2018 15:00	0.022	0.013	
3/12/2018 15:15	0.009	3/12/2018 15:15	0.018	0.009	
3/12/2018 15:30	0.009	3/12/2018 15:30	0.015	0.006	
3/12/2018 15:45	0.009	3/12/2018 15:45	0.11	0.101	
3/12/2018 16:00	0.009	3/12/2018 16:00	0.014	0.005	
3/12/2018 16:15	0.009	3/12/2018 16:15	0.014	0.005	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/12/2018

Modem: 037830	Upwind	Modem: 16859	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	3/12/2018 8:15	0.000	0.000	
3/12/2018 8:30	0.000	3/12/2018 8:30	0.000	0.000	
3/12/2018 8:45	0.000	3/12/2018 8:45	0.000	0.000	
3/12/2018 9:00	0.000	3/12/2018 9:00	0.000	0.000	
3/12/2018 9:15	0.000	3/12/2018 9:15	0.000	0.000	
3/12/2018 9:30	0.000	3/12/2018 9:30	0.000	0.000	
3/12/2018 9:45	0.000	3/12/2018 9:45	0.000	0.000	
3/12/2018 10:00	0.000	3/12/2018 10:00	0.000	0.000	
3/12/2018 10:15	0.000	3/12/2018 10:15	0.000	0.000	
3/12/2018 10:30	0.000	3/12/2018 10:30	0.000	0.000	
3/12/2018 10:45	0.000	3/12/2018 10:45	0.000	0.000	
3/12/2018 11:00	0.000	3/12/2018 11:00	0.000	0.000	
3/12/2018 11:15	0.000	3/12/2018 11:15	0.000	0.000	
3/12/2018 11:30	0.000	3/12/2018 11:30	0.000	0.000	
3/12/2018 11:45	0.000	3/12/2018 11:45	0.000	0.000	
3/12/2018 12:00	0.000	3/12/2018 12:00	0.000	0.000	
3/12/2018 12:15	0.000	3/12/2018 12:15	0.000	0.000	
3/12/2018 12:30	0.000	3/12/2018 12:30	0.000	0.000	
3/12/2018 12:45	0.000	3/12/2018 12:45	0.000	0.000	
3/12/2018 13:00	0.000	3/12/2018 13:00	0.000	0.000	
3/12/2018 13:15	0.000	3/12/2018 13:15	0.000	0.000	
3/12/2018 13:30	0.000	3/12/2018 13:30	0.000	0.000	
3/12/2018 13:45	0.000	3/12/2018 13:45	0.000	0.000	
3/12/2018 14:00	0.000	3/12/2018 14:00	0.000	0.000	
3/12/2018 14:15	0.000	3/12/2018 14:15	0.000	0.000	
3/12/2018 14:30	0.000	3/12/2018 14:30	0.000	0.000	
3/12/2018 14:45	0.000	3/12/2018 14:45	0.000	0.000	
3/12/2018 15:00	0.000	3/12/2018 15:00	0.000	0.000	
3/12/2018 15:15	0.000	3/12/2018 15:15	0.000	0.000	
3/12/2018 15:30	0.000	3/12/2018 15:30	0.000	0.000	
3/12/2018 15:45	0.000	3/12/2018 15:45	0.000	0.000	
3/12/2018 16:00	0.000	3/12/2018 16:00	0.000	0.000	
3/12/2018 16:15	0.000	3/12/2018 16:15	0.000	0.000	
3/12/2018 16:45	0.000	3/12/2018 16:45	0.000	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
DOWNWIND CAMP
MONITORING STATION
UPWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Google
Citibank
Shell
Boston Post Rd
Pelham Manor
Car Wash & Lube
Kinetic Sports Clu

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/14/2018

Modem: 16588	Upwind	Modem: R12151	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
		3/14/2018 8:30	0.024	0.024	No UW DUST due to charging error.
		3/14/2018 8:45	0.024	0.024	
		3/14/2018 9:00	0.044	0.044	
		3/14/2018 9:15	0.019	0.019	
		3/14/2018 9:30	0.023	0.023	
		3/14/2018 9:45	0.018	0.018	
		3/14/2018 10:00	0.021	0.021	
		3/14/2018 10:15	0.053	0.053	
		3/14/2018 10:30	0.027	0.027	
		3/14/2018 10:45	0.016	0.016	
		3/14/2018 11:00	0.021	0.021	
		3/14/2018 11:15	0.058	0.058	
		3/14/2018 11:30	0.014	0.014	
		3/14/2018 11:45	0.012	0.012	
		3/14/2018 12:00	0.015	0.015	
		3/14/2018 12:15	0.015	0.015	
		3/14/2018 12:30	0.009	0.009	
		3/14/2018 12:45	0.009	0.009	
		3/14/2018 13:00	0.009	0.009	
		3/14/2018 13:15	0.007	0.007	
		3/14/2018 13:30	0.023	0.023	
		3/14/2018 13:45	0.007	0.007	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/14/2018

Modem: 037830	Upwind	Modem: 16859	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/14/2018 8:45	0.000	3/14/2018 8:45	0.000	0.000	
3/14/2018 9:00	0.000	3/14/2018 9:00	0.100	0.100	
3/14/2018 9:15	0.200	3/14/2018 9:15	0.100	-0.100	
3/14/2018 9:30	0.000	3/14/2018 9:30	0.100	0.100	
3/14/2018 9:45	0.000	3/14/2018 9:45	0.200	0.200	
3/14/2018 10:00	0.000	3/14/2018 10:00	0.100	0.100	
3/14/2018 10:15	0.000	3/14/2018 10:15	0.100	0.100	
3/14/2018 10:30	0.000	3/14/2018 10:30	0.100	0.100	
3/14/2018 10:45	0.000	3/14/2018 10:45	0.100	0.100	
3/14/2018 11:00	0.000	3/14/2018 11:00	0.100	0.100	
3/14/2018 11:15	0.000	3/14/2018 11:15	0.100	0.100	
3/14/2018 11:30	0.000	3/14/2018 11:30	0.100	0.100	
3/14/2018 11:45	0.100	3/14/2018 11:45	0.100	0.000	
3/14/2018 12:00	0.000	3/14/2018 12:00	0.100	0.100	
3/14/2018 12:15	0.000	3/14/2018 12:15	0.100	0.100	
3/14/2018 12:30	0.000	3/14/2018 12:30	0.100	0.100	
3/14/2018 12:45	0.000	3/14/2018 12:45	0.100	0.100	
3/14/2018 13:00	0.000	3/14/2018 13:00	0.100	0.100	
3/14/2018 13:15	0.100	3/14/2018 13:15	0.100	0.000	
3/14/2018 13:30	0.000	3/14/2018 13:30	0.200	0.200	
3/14/2018 13:45	1.200	3/14/2018 13:45	0.100	-1.100	
3/14/2018 14:00	0.400	N/A	N/A	N/A	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/19/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/19/2018 8:53	0.023	3/19/2018 8:53	0.012	-0.011	
3/19/2018 9:08	0.016	3/19/2018 9:08	0.009	-0.007	
3/19/2018 9:23	0.030	3/19/2018 9:23	0.010	-0.020	
3/19/2018 9:38	0.019	3/19/2018 9:38	0.010	-0.009	
3/19/2018 9:53	0.012	3/19/2018 9:53	0.009	-0.003	
3/19/2018 10:08	0.023	3/19/2018 10:08	0.010	-0.013	
3/19/2018 10:23	0.009	3/19/2018 10:23	0.011	0.002	
3/19/2018 10:38	0.012	3/19/2018 10:38	0.013	0.001	
3/19/2018 10:53	0.008	3/19/2018 10:53	0.009	0.001	
3/19/2018 11:08	0.013	3/19/2018 11:08	0.010	-0.003	
3/19/2018 11:23	0.014	3/19/2018 11:23	0.012	-0.002	
3/19/2018 11:38	0.011	3/19/2018 11:38	0.013	0.002	
3/19/2018 11:53	0.008	3/19/2018 11:53	0.012	0.004	
3/19/2018 12:08	0.008	3/19/2018 12:08	0.010	0.002	
3/19/2018 12:23	0.021	3/19/2018 12:23	0.012	-0.009	
3/19/2018 12:38	0.014	3/19/2018 12:38	0.012	-0.002	
3/19/2018 12:53	0.011	3/19/2018 12:53	0.011	0.000	
3/19/2018 13:08	0.013	3/19/2018 13:08	0.011	-0.002	
3/19/2018 13:23	0.011	3/19/2018 13:23	0.014	0.003	
3/19/2018 13:38	0.038	3/19/2018 13:38	0.013	-0.025	
3/19/2018 13:53	0.026	3/19/2018 13:53	0.012	-0.014	
3/19/2018 14:08	0.044	3/19/2018 14:08	0.012	-0.032	
3/19/2018 14:23	0.026	3/19/2018 14:23	0.010	-0.016	
3/19/2018 14:38	0.067	3/19/2018 14:38	0.011	-0.056	
3/19/2018 14:53	0.022	3/19/2018 14:53	0.013	-0.009	
3/19/2018 15:08	0.016	3/19/2018 15:08	0.013	-0.003	
3/19/2018 15:23	0.013	3/19/2018 15:23	0.012	-0.001	
3/19/2018 15:38	0.025	3/19/2018 15:38	0.009	-0.016	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/19/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/19/2018 9:14	2.5	3/19/2018 8:53	0.0	-2.5	
3/19/2018 9:29	2.8	3/19/2018 9:08	0.0	-2.8	
3/19/2018 9:44	2.7	3/19/2018 9:23	0.0	-2.7	
3/19/2018 9:59	3.2	3/19/2018 9:38	0.0	-3.2	
3/19/2018 10:14	3.7	3/19/2018 9:53	0.0	-3.7	
3/19/2018 10:29	3.2	3/19/2018 10:08	0.0	-3.2	
3/19/2018 10:44	3.4	3/19/2018 10:23	0.0	-3.4	
3/19/2018 10:59	3.4	3/19/2018 10:38	0.0	-3.4	
3/19/2018 11:14	3.7	3/19/2018 10:53	0.0	-3.7	
3/19/2018 11:29	3.3	3/19/2018 11:08	0.0	-3.3	
3/19/2018 11:44	3.2	3/19/2018 11:23	0.0	-3.2	
3/19/2018 11:59	3.3	3/19/2018 11:38	0.0	-3.3	
3/19/2018 12:14	2.9	3/19/2018 11:53	0.0	-2.9	
3/19/2018 12:29	4.9	3/19/2018 12:08	0.0	-4.9	
3/19/2018 12:44	4.2	3/19/2018 12:23	0.0	-4.2	
3/19/2018 12:59	3.3	3/19/2018 12:38	0.0	-3.3	
3/19/2018 13:14	4.1	3/19/2018 12:53	0.0	-4.1	
3/19/2018 13:29	3.1	3/19/2018 13:08	0.0	-3.1	
3/19/2018 13:44	3.4	3/19/2018 13:23	0.0	-3.4	
3/19/2018 13:59	3.2	3/19/2018 13:38	0.0	-3.2	
3/19/2018 14:14	5.1	3/19/2018 13:53	0.0	-5.1	
3/19/2018 14:29	3.2	3/19/2018 14:08	0.0	-3.2	
3/19/2018 14:44	4.7	3/19/2018 14:23	0.0	-4.7	
3/19/2018 14:59	3.0	3/19/2018 14:38	0.0	-3.0	
3/19/2018 15:14	4.7	3/19/2018 14:53	0.0	-4.7	
3/19/2018 15:29	4.6	3/19/2018 15:08	0.0	-4.6	
3/19/2018 15:44	3.8	3/19/2018 15:23	0.0	-3.8	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/22/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/22/2018 9:14	0.005	3/22/2018 9:18	0.011	0.006	
3/22/2018 9:29	0.000	3/22/2018 9:33	0.010	0.010	
3/22/2018 9:44	0.000	3/22/2018 9:48	0.009	0.009	
3/22/2018 9:59	0.000	3/22/2018 10:03	0.008	0.008	
3/22/2018 10:14	0.000	3/22/2018 10:18	0.008	0.008	
3/22/2018 10:29	0.003	3/22/2018 10:33	0.008	0.005	
3/22/2018 10:44	0.001	3/22/2018 10:48	0.008	0.007	
3/22/2018 10:59	0.000	3/22/2018 11:03	0.009	0.009	
3/22/2018 11:14	0.000	3/22/2018 11:18	0.009	0.009	
3/22/2018 11:29	0.000	3/22/2018 11:33	0.009	0.009	
3/22/2018 11:44	0.000	3/22/2018 11:48	0.009	0.009	
3/22/2018 11:59	0.000	3/22/2018 12:03	0.009	0.009	
3/22/2018 12:14	0.000	3/22/2018 12:18	0.010	0.010	
3/22/2018 12:29	0.000	3/22/2018 12:33	0.009	0.009	
3/22/2018 12:44	0.002	3/22/2018 12:48	0.009	0.007	
3/22/2018 12:59	0.000	3/22/2018 13:03	0.008	0.008	
3/22/2018 13:14	0.000	3/22/2018 13:18	0.009	0.009	
3/22/2018 13:29	0.000	3/22/2018 13:33	0.009	0.009	
3/22/2018 13:44	0.000	3/22/2018 13:48	0.009	0.009	
3/22/2018 13:59	0.000	3/22/2018 14:03	0.009	0.009	
3/22/2018 14:14	0.000	3/22/2018 14:18	0.008	0.008	
3/22/2018 14:29	0.001	3/22/2018 14:33	0.009	0.008	
3/22/2018 14:44	0.000	3/22/2018 14:48	0.009	0.009	
3/22/2018 14:59	0.000	3/22/2018 15:03	0.009	0.009	
3/22/2018 15:14	0.000	3/22/2018 15:18	0.009	0.009	
3/22/2018 15:29	0.000	3/22/2018 15:33	0.008	0.008	
3/22/2018 15:44	0.001	3/22/2018 15:48	0.009	0.008	
3/22/2018 15:59	0.000	3/22/2018 16:03	0.008	0.008	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/22/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/22/2018 9:14	0.6	3/22/2018 9:18	0.1	-0.5	
3/22/2018 9:29	0.5	3/22/2018 9:33	0.1	-0.4	
3/22/2018 9:44	0.5	3/22/2018 9:48	0.1	-0.4	
3/22/2018 9:59	0.4	3/22/2018 10:03	0.1	-0.3	
3/22/2018 10:14	0.4	3/22/2018 10:18	0.1	-0.3	
3/22/2018 10:29	0.4	3/22/2018 10:33	0.1	-0.3	
3/22/2018 10:44	0.4	3/22/2018 10:48	0.1	-0.3	
3/22/2018 10:59	0.4	3/22/2018 11:03	0.1	-0.3	
3/22/2018 11:14	0.4	3/22/2018 11:18	0.1	-0.3	
3/22/2018 11:29	0.8	3/22/2018 11:33	0.1	-0.7	
3/22/2018 11:44	0.5	3/22/2018 11:48	0.1	-0.4	
3/22/2018 11:59	0.4	3/22/2018 12:03	0.1	-0.3	
3/22/2018 12:14	0.4	3/22/2018 12:18	0.1	-0.3	
3/22/2018 12:29	0.4	3/22/2018 12:33	0.1	-0.3	
3/22/2018 12:44	0.4	3/22/2018 12:48	0.1	-0.3	
3/22/2018 12:59	0.4	3/22/2018 13:03	0.1	-0.3	
3/22/2018 13:14	0.5	3/22/2018 13:18	0.1	-0.4	
3/22/2018 13:29	0.4	3/22/2018 13:33	0.1	-0.3	
3/22/2018 13:44	0.4	3/22/2018 13:48	0.1	-0.3	
3/22/2018 13:59	0.5	3/22/2018 14:03	0.1	-0.4	
3/22/2018 14:14	0.4	3/22/2018 14:18	0.1	-0.3	
3/22/2018 14:29	0.6	3/22/2018 14:33	0.1	-0.5	
3/22/2018 14:44	0.5	3/22/2018 14:48	0.1	-0.4	
3/22/2018 14:59	0.4	3/22/2018 15:03	0.5	0.1	
3/22/2018 15:14	0.5	3/22/2018 15:18	0.1	-0.4	
3/22/2018 15:29	0.5	3/22/2018 15:33	0.1	-0.4	
3/22/2018 15:44	0.5	3/22/2018 15:48	0.1	-0.4	
3/22/2018 15:59	0.4	3/22/2018 16:03	0.1	-0.3	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/23/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/23/2018 8:42	0.012	3/23/2018 8:51	0.019	0.007	
3/23/2018 8:57	0.012	3/23/2018 9:06	0.014	0.002	
3/23/2018 9:12	0.012	3/23/2018 9:21	0.016	0.004	
3/23/2018 9:27	0.013	3/23/2018 9:36	0.020	0.007	
3/23/2018 9:42	0.022	3/23/2018 9:51	0.011	-0.011	
3/23/2018 9:57	0.309	3/23/2018 10:06	0.106	-0.203	
3/23/2018 10:12	0.866	3/23/2018 10:21	0.020	-0.846	
3/23/2018 10:27	0.143	3/23/2018 10:36	0.010	-0.133	
3/23/2018 10:42	0.012	3/23/2018 10:51	0.013	0.001	
3/23/2018 10:57	0.009	3/23/2018 11:06	0.014	0.005	
3/23/2018 11:12	0.009	3/23/2018 11:21	0.014	0.005	
3/23/2018 11:27	0.010	3/23/2018 11:36	0.019	0.009	
3/23/2018 11:42	0.007	3/23/2018 11:51	0.021	0.014	
3/23/2018 11:57	0.008	3/23/2018 12:06	0.010	0.002	
3/23/2018 12:12	0.007	3/23/2018 12:21	0.034	0.027	
3/23/2018 12:27	0.005	3/23/2018 12:36	0.203	0.198	
3/23/2018 12:42	0.011	3/23/2018 12:51	0.128	0.117	
3/23/2018 12:57	0.008	3/23/2018 13:06	0.010	0.002	
3/23/2018 13:12	0.007	3/23/2018 13:21	0.009	0.002	
3/23/2018 13:27	0.006	3/23/2018 13:36	0.007	0.001	
3/23/2018 13:42	0.010	3/23/2018 13:51	0.008	-0.002	
3/23/2018 13:57	0.006	3/23/2018 14:06	0.000	-0.006	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/23/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/23/2018 8:42	0.0	3/23/2018 8:51	0.1	0.1	
3/23/2018 8:57	0.0	3/23/2018 9:06	0.1	0.1	
3/23/2018 9:12	0.4	3/23/2018 9:21	0.1	-0.3	
3/23/2018 9:27	0.1	3/23/2018 9:36	0.1	0.0	
3/23/2018 9:42	0.2	3/23/2018 9:51	0.1	-0.1	
3/23/2018 9:57	0.4	3/23/2018 10:06	0.1	-0.3	
3/23/2018 10:12	2.0	3/23/2018 10:21	0.2	-1.8	
3/23/2018 10:27	0.2	3/23/2018 10:36	0.1	-0.1	
3/23/2018 10:42	0.3	3/23/2018 10:51	0.1	-0.2	
3/23/2018 10:57	0.2	3/23/2018 11:06	0.2	0.0	
3/23/2018 11:12	0.2	3/23/2018 11:21	0.1	-0.1	
3/23/2018 11:27	0.1	3/23/2018 11:36	0.2	0.1	
3/23/2018 11:42	0.1	3/23/2018 11:51	0.1	0.0	
3/23/2018 11:57	0.3	3/23/2018 12:06	0.2	-0.1	
3/23/2018 12:12	0.4	3/23/2018 12:21	0.2	-0.2	
3/23/2018 12:27	0.6	3/23/2018 12:36	0.1	-0.5	
3/23/2018 12:42	0.5	3/23/2018 12:51	0.1	-0.4	
3/23/2018 12:57	0.5	3/23/2018 13:06	0.1	-0.4	
3/23/2018 13:12	0.4	3/23/2018 13:21	0.1	-0.3	
3/23/2018 13:27	0.3	3/23/2018 13:36	0.1	-0.2	
3/23/2018 13:42	0.5	3/23/2018 13:51	0.3	-0.2	
3/23/2018 13:57	0.3	3/23/2018 14:06	0.1	-0.2	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/26/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/26/2018 8:35	0.021	3/26/2018 8:44	0.015	-0.006	
3/26/2018 8:50	0.025	3/26/2018 8:59	0.007	-0.018	
3/26/2018 9:05	0.025	3/26/2018 9:14	0.012	-0.013	
3/26/2018 9:20	0.026	3/26/2018 9:29	0.017	-0.009	
3/26/2018 9:35	0.026	3/26/2018 9:44	0.000	-0.026	
3/26/2018 9:50	0.018	3/26/2018 9:59	0.015	-0.003	
3/26/2018 10:05	0.013	3/26/2018 10:14	0.009	-0.004	
3/26/2018 10:20	0.039	3/26/2018 10:29	0.011	-0.028	
3/26/2018 10:35	0.033	3/26/2018 10:44	0.006	-0.027	
3/26/2018 10:50	0.023	3/26/2018 10:59	0.006	-0.017	
3/26/2018 11:05	0.980	3/26/2018 11:14	0.009	-0.971	
3/26/2018 11:20	0.393	3/26/2018 11:29	0.016	-0.377	
3/26/2018 11:35	0.372	3/26/2018 11:44	0.010	-0.362	
3/26/2018 11:50	0.011	3/26/2018 11:59	0.009	-0.002	
3/26/2018 12:05	0.006	3/26/2018 12:14	0.007	0.001	
3/26/2018 12:20	0.019	3/26/2018 12:29	0.006	-0.013	
3/26/2018 12:35	0.008	3/26/2018 12:44	0.006	-0.002	
3/26/2018 12:50	0.008	3/26/2018 12:59	0.008	0.000	
3/26/2018 13:05	1.020	3/26/2018 13:14	0.013	-1.007	
3/26/2018 13:20	0.155	3/26/2018 13:29	0.011	-0.144	
3/26/2018 13:35	0.117	3/26/2018 13:44	0.008	-0.109	
3/26/2018 13:50	0.006	3/26/2018 13:59	0.007	0.001	
3/26/2018 14:05	0.444	3/26/2018 14:14	0.010	-0.434	
3/26/2018 14:20	0.181	3/26/2018 14:29	0.009	-0.172	
3/26/2018 14:35	0.008	3/26/2018 14:44	0.008	0.000	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/26/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/26/2018 8:35	0.0	3/26/2018 8:44	0.3	0.3	
3/26/2018 8:50	0.0	3/26/2018 8:59	0.3	0.3	
3/26/2018 9:05	0.0	3/26/2018 9:14	0.3	0.3	
3/26/2018 9:20	0.0	3/26/2018 9:29	0.5	0.5	
3/26/2018 9:35	0.0	3/26/2018 9:44	0.0	0.0	
3/26/2018 9:50	0.0	3/26/2018 9:59	0.0	0.0	
3/26/2018 10:05	0.0	3/26/2018 10:14	0.0	0.0	
3/26/2018 10:20	0.0	3/26/2018 10:29	0.0	0.0	
3/26/2018 10:35	0.0	3/26/2018 10:44	0.0	0.0	
3/26/2018 10:50	0.0	3/26/2018 10:59	0.0	0.0	
3/26/2018 11:05	0.0	3/26/2018 11:14	0.0	0.0	
3/26/2018 11:20	0.0	3/26/2018 11:29	0.0	0.0	
3/26/2018 11:35	0.0	3/26/2018 11:44	0.0	0.0	
3/26/2018 11:50	0.0	3/26/2018 11:59	0.0	0.0	
3/26/2018 12:05	0.0	3/26/2018 12:14	0.0	0.0	
3/26/2018 12:20	0.0	3/26/2018 12:29	0.0	0.0	
3/26/2018 12:35	0.0	3/26/2018 12:44	0.0	0.0	
3/26/2018 12:50	0.0	3/26/2018 12:59	0.5	0.5	
3/26/2018 13:05	0.0	3/26/2018 13:14	0.0	0.0	
3/26/2018 13:20	0.0	3/26/2018 13:29	0.0	0.0	
3/26/2018 13:35	0.0	3/26/2018 13:44	0.0	0.0	
3/26/2018 13:50	0.0	3/26/2018 13:59	0.0	0.0	
3/26/2018 14:05	0.0	3/26/2018 14:14	0.0	0.0	
3/26/2018 14:20	0.0	3/26/2018 14:29	0.0	0.0	
3/26/2018 14:35	0.0	3/26/2018 14:44	0.0	0.0	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/27/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/27/2018 8:24	0.078	3/27/2018 8:29	0.019	-0.059	
3/27/2018 8:39	0.022	3/27/2018 8:44	0.015	-0.007	
3/27/2018 8:54	0.021	3/27/2018 8:59	0.014	-0.007	
3/27/2018 9:09	0.031	3/27/2018 9:14	0.011	-0.020	
3/27/2018 9:24	0.037	3/27/2018 9:29	0.009	-0.028	
3/27/2018 9:39	0.031	3/27/2018 9:44	0.009	-0.022	
3/27/2018 9:54	0.020	3/27/2018 9:59	0.009	-0.011	
3/27/2018 10:09	0.050	3/27/2018 10:14	0.009	-0.041	
3/27/2018 10:24	0.015	3/27/2018 10:29	0.010	-0.005	
3/27/2018 10:39	0.015	3/27/2018 10:44	0.012	-0.003	
3/27/2018 10:54	0.024	3/27/2018 10:59	0.013	-0.011	
3/27/2018 11:09	0.020	3/27/2018 11:14	0.012	-0.008	
3/27/2018 11:24	0.015	3/27/2018 11:29	0.010	-0.005	
3/27/2018 11:39	0.014	3/27/2018 11:44	0.010	-0.004	
3/27/2018 11:54	0.017	3/27/2018 11:59	0.010	-0.007	
3/27/2018 12:09	0.013	3/27/2018 12:14	0.011	-0.002	
3/27/2018 12:24	0.020	3/27/2018 12:29	0.021	0.001	
3/27/2018 12:39	0.017	3/27/2018 12:44	0.023	0.006	
3/27/2018 12:54	0.017	3/27/2018 12:59	0.017	0.000	
3/27/2018 13:09	0.018	3/27/2018 13:14	0.022	0.004	
3/27/2018 13:24	0.017	3/27/2018 13:29	0.016	-0.001	
3/27/2018 13:39	0.017	3/27/2018 13:44	0.017	0.000	
3/27/2018 13:54	0.018	3/27/2018 13:59	0.018	0.000	
3/27/2018 14:09	0.017	3/27/2018 14:14	0.018	0.001	
3/27/2018 14:24	0.019	3/27/2018 14:29	0.020	0.001	
3/27/2018 14:39	0.021	3/27/2018 14:44	0.018	-0.003	
3/27/2018 14:54	0.030	3/27/2018 14:59	0.020	-0.010	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/27/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/27/2018 8:24	0.0	3/27/2018 8:29	0.1	0.1	
3/27/2018 8:39	0.0	3/27/2018 8:44	0.1	0.1	
3/27/2018 8:54	0.0	3/27/2018 8:59	0.1	0.1	
3/27/2018 9:09	0.1	3/27/2018 9:14	0.1	0.0	
3/27/2018 9:24	0.1	3/27/2018 9:29	0.1	0.0	
3/27/2018 9:39	0.1	3/27/2018 9:44	0.1	0.0	
3/27/2018 9:54	0.1	3/27/2018 9:59	0.1	0.0	
3/27/2018 10:09	0.1	3/27/2018 10:14	0.1	0.0	
3/27/2018 10:24	0.1	3/27/2018 10:29	0.1	0.0	
3/27/2018 10:39	0.1	3/27/2018 10:44	0.1	0.0	
3/27/2018 10:54	0.1	3/27/2018 10:59	0.1	0.0	
3/27/2018 11:09	0.1	3/27/2018 11:14	0.1	0.0	
3/27/2018 11:24	0.1	3/27/2018 11:29	0.1	0.0	
3/27/2018 11:39	0.1	3/27/2018 11:44	0.1	0.0	
3/27/2018 11:54	0.1	3/27/2018 11:59	0.1	0.0	
3/27/2018 12:09	0.1	3/27/2018 12:14	0.1	0.0	
3/27/2018 12:24	0.1	3/27/2018 12:29	0.1	0.0	
3/27/2018 12:39	0.1	3/27/2018 12:44	0.1	0.0	
3/27/2018 12:54	0.1	3/27/2018 12:59	0.2	0.1	
3/27/2018 13:09	0.1	3/27/2018 13:14	0.2	0.1	
3/27/2018 13:24	0.1	3/27/2018 13:29	0.2	0.1	
3/27/2018 13:39	0.1	3/27/2018 13:44	0.2	0.1	
3/27/2018 13:54	0.1	3/27/2018 13:59	0.2	0.1	
3/27/2018 14:09	0.1	3/27/2018 14:14	0.2	0.1	
3/27/2018 14:24	0.1	3/27/2018 14:29	0.2	0.1	
3/27/2018 14:39	0.1	3/27/2018 14:44	0.2	0.1	
3/27/2018 14:54	0.1	3/27/2018 14:59	0.2	0.1	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/28/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/28/2018 7:30	0.184	3/28/2018 7:46	0.062	-0.122	
3/28/2018 7:45	0.055	3/28/2018 8:01	0.082	0.027	
3/28/2018 8:00	0.116	3/28/2018 8:16	0.075	-0.041	
3/28/2018 8:15	0.100	3/28/2018 8:31	0.064	-0.036	
3/28/2018 8:30	0.076	3/28/2018 8:46	0.067	-0.009	
3/28/2018 8:45	0.062	3/28/2018 9:01	0.080	0.018	
3/28/2018 9:00	0.104	3/28/2018 9:16	0.098	-0.006	
3/28/2018 9:15	0.096	3/28/2018 9:31	0.097	0.001	
3/28/2018 9:30	0.097	3/28/2018 9:46	0.130	0.033	
3/28/2018 9:45	0.181	3/28/2018 10:01	0.056	-0.125	
3/28/2018 10:00	0.077	3/28/2018 10:16	0.047	-0.030	
3/28/2018 10:15	0.049	3/28/2018 10:31	0.052	0.003	
3/28/2018 10:30	0.055	3/28/2018 10:46	0.046	-0.009	
3/28/2018 10:45	0.052	3/28/2018 11:01	0.043	-0.009	
3/28/2018 11:00	0.058	3/28/2018 11:16	0.043	-0.015	
3/28/2018 11:15	0.055	3/28/2018 11:31	0.044	-0.011	
3/28/2018 11:30	0.049	3/28/2018 11:46	0.044	-0.005	
3/28/2018 11:45	0.057	3/28/2018 12:01	0.044	-0.013	
3/28/2018 12:00	0.053	3/28/2018 12:16	0.062	0.009	
3/28/2018 12:15	0.056	3/28/2018 12:31	0.045	-0.011	
3/28/2018 12:30	0.046	3/28/2018 12:46	0.044	-0.002	
3/28/2018 12:45	0.045	3/28/2018 13:01	0.046	0.001	
3/28/2018 13:00	0.058	3/28/2018 13:16	0.057	-0.001	
3/28/2018 13:15	0.084	3/28/2018 13:31	0.054	-0.030	
3/28/2018 13:30	0.094	3/28/2018 13:46	0.057	-0.037	
3/28/2018 13:45	0.062	3/28/2018 14:01	0.062	0.000	
3/28/2018 14:00	0.069	3/28/2018 14:16	0.084	0.015	
3/28/2018 14:15	0.081	3/28/2018 14:31	0.053	-0.028	
3/28/2018 14:30	0.050	3/28/2018 14:46	0.066	0.016	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/28/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/28/2018 7:30	0.0	3/28/2018 7:46	0.0	0.0	
3/28/2018 7:45	0.0	3/28/2018 8:01	0.0	0.0	
3/28/2018 8:00	0.0	3/28/2018 8:16	0.0	0.0	
3/28/2018 8:15	0.0	3/28/2018 8:31	0.0	0.0	
3/28/2018 8:30	0.1	3/28/2018 8:46	0.0	-0.1	
3/28/2018 8:45	0.1	3/28/2018 9:01	0.0	-0.1	
3/28/2018 9:00	0.1	3/28/2018 9:16	0.0	-0.1	
3/28/2018 9:15	0.0	3/28/2018 9:31	0.0	0.0	
3/28/2018 9:30	0.1	3/28/2018 9:46	0.0	-0.1	
3/28/2018 9:45	0.1	3/28/2018 10:01	0.0	-0.1	
3/28/2018 10:00	0.0	3/28/2018 10:16	0.0	0.0	
3/28/2018 10:15	0.0	3/28/2018 10:31	0.0	0.0	
3/28/2018 10:30	0.1	3/28/2018 10:46	0.0	-0.1	
3/28/2018 10:45	0.0	3/28/2018 11:01	0.0	0.0	
3/28/2018 11:00	0.0	3/28/2018 11:16	0.0	0.0	
3/28/2018 11:15	0.0	3/28/2018 11:31	0.0	0.0	
3/28/2018 11:30	0.0	3/28/2018 11:46	0.0	0.0	
3/28/2018 11:45	0.0	3/28/2018 12:01	0.0	0.0	
3/28/2018 12:00	0.0	3/28/2018 12:16	0.0	0.0	
3/28/2018 12:15	0.0	3/28/2018 12:31	0.0	0.0	
3/28/2018 12:30	0.0	3/28/2018 12:46	0.0	0.0	
3/28/2018 12:45	0.2	3/28/2018 13:01	0.0	-0.2	
3/28/2018 13:00	0.0	3/28/2018 13:16	0.0	0.0	
3/28/2018 13:15	0.2	3/28/2018 13:31	0.0	-0.2	
3/28/2018 13:30	0.0	3/28/2018 13:46	0.0	0.0	
3/28/2018 13:45	0.0	3/28/2018 14:01	0.0	0.0	
3/28/2018 14:00	0.0	3/28/2018 14:16	0.0	0.0	
3/28/2018 14:15	0.0	3/28/2018 14:31	0.0	0.0	
3/28/2018 14:30	0.0	3/28/2018 14:46	0.1	0.1	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/29/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/29/2018 8:02	0.140	3/29/2018 8:09	0.024	-0.116	
3/29/2018 8:17	0.070	3/29/2018 8:24	0.018	-0.052	
3/29/2018 8:32	0.084	3/29/2018 8:39	0.019	-0.065	
3/29/2018 8:47	0.066	3/29/2018 8:54	0.021	-0.045	
3/29/2018 9:02	0.064	3/29/2018 9:09	0.027	-0.037	
3/29/2018 9:17	0.075	3/29/2018 9:24	0.029	-0.046	
3/29/2018 9:32	0.080	3/29/2018 9:39	0.023	-0.057	
3/29/2018 9:47	0.085	3/29/2018 9:54	0.022	-0.063	
3/29/2018 10:02	0.073	3/29/2018 10:09	0.025	-0.048	
3/29/2018 10:17	0.069	3/29/2018 10:24	0.020	-0.049	
3/29/2018 10:32	0.096	3/29/2018 10:39	0.026	-0.070	
3/29/2018 10:47	0.086	3/29/2018 10:54	0.028	-0.058	
3/29/2018 11:02	0.092	3/29/2018 11:09	0.030	-0.062	
3/29/2018 11:17	0.090	3/29/2018 11:24	0.036	-0.054	
3/29/2018 11:32	0.097	3/29/2018 11:39	0.036	-0.061	
3/29/2018 11:47	0.123	3/29/2018 11:54	0.039	-0.084	
3/29/2018 12:02	0.103	3/29/2018 12:09	0.035	-0.068	
3/29/2018 12:17	0.100	3/29/2018 12:24	0.037	-0.063	
3/29/2018 12:32	0.111	3/29/2018 12:39	0.031	-0.080	
3/29/2018 12:47	0.093	3/29/2018 12:54	0.031	-0.062	
3/29/2018 13:02	0.100	3/29/2018 13:09	0.030	-0.070	
3/29/2018 13:17	0.122	3/29/2018 13:24	0.031	-0.091	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/29/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
3/29/2018 8:02	0.1	3/29/2018 8:09	0.0	-0.1	
3/29/2018 8:17	0.0	3/29/2018 8:24	0.0	0.0	
3/29/2018 8:32	0.0	3/29/2018 8:39	0.1	0.1	
3/29/2018 8:47	0.0	3/29/2018 8:54	0.1	0.1	
3/29/2018 9:02	0.1	3/29/2018 9:09	0.1	0.0	
3/29/2018 9:17	0.0	3/29/2018 9:24	0.1	0.1	
3/29/2018 9:32	0.1	3/29/2018 9:39	0.1	0.0	
3/29/2018 9:47	0.0	3/29/2018 9:54	0.2	0.2	
3/29/2018 10:02	0.0	3/29/2018 10:09	0.2	0.2	
3/29/2018 10:17	0.0	3/29/2018 10:24	0.3	0.3	
3/29/2018 10:32	0.1	3/29/2018 10:39	0.3	0.2	
3/29/2018 10:47	0.0	3/29/2018 10:54	0.3	0.3	
3/29/2018 11:02	0.0	3/29/2018 11:09	0.4	0.4	
3/29/2018 11:17	0.0	3/29/2018 11:24	0.4	0.4	
3/29/2018 11:32	0.0	3/29/2018 11:39	0.2	0.2	
3/29/2018 11:47	0.0	3/29/2018 11:54	0.3	0.3	
3/29/2018 12:02	0.0	3/29/2018 12:09	0.2	0.2	
3/29/2018 12:17	0.0	3/29/2018 12:24	0.2	0.2	
3/29/2018 12:32	0.0	3/29/2018 12:39	0.2	0.2	
3/29/2018 12:47	0.0	3/29/2018 12:54	0.2	0.2	
3/29/2018 13:02	0.0	3/29/2018 13:09	0.3	0.3	
3/29/2018 13:17	0.1	3/29/2018 13:24	0.3	0.2	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/09/2018

Modem: 16588	Upwind	Modem: R12151	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
3/9/2018 8:30	0.23	N/A	N/A	N/A	
3/9/2018 8:45	0.083	3/9/2018 8:45	0.051	-0.032	
3/9/2018 9:00	0.09	3/9/2018 9:00	0.12	0.030	
3/9/2018 9:15	0.072	3/9/2018 9:15	0.038	-0.034	
3/9/2018 9:30	0.067	3/9/2018 9:30	0.035	-0.032	
3/9/2018 9:45	0.093	3/9/2018 9:45	0.032	-0.061	
3/9/2018 10:00	0.043	3/9/2018 10:00	0.026	-0.017	
3/9/2018 10:15	0.029	3/9/2018 10:15	0.021	-0.008	
3/9/2018 10:30	0.031	3/9/2018 10:30	0.019	-0.012	
3/9/2018 10:45	0.028	3/9/2018 10:45	0.018	-0.010	
3/9/2018 11:00	0.03	3/9/2018 11:00	0.019	-0.011	
3/9/2018 11:15	0.033	3/9/2018 11:15	0.023	-0.010	
3/9/2018 11:30	0.03	3/9/2018 11:30	0.02	-0.010	
3/9/2018 11:45	0.382	3/9/2018 11:45	0.026	-0.356	
3/9/2018 12:00	0.032	3/9/2018 12:00	0.025	-0.007	
3/9/2018 12:15	0.032	3/9/2018 12:15	0.021	-0.011	
3/9/2018 12:30	0.025	3/9/2018 12:30	0.019	-0.006	
3/9/2018 12:45	0.028	3/9/2018 12:45	0.018	-0.010	
3/9/2018 13:00	0.027	3/9/2018 13:00	0.015	-0.012	
3/9/2018 13:15	0.032	3/9/2018 13:15	0.014	-0.018	
3/9/2018 13:30	0.016	3/9/2018 13:30	0.016	0.000	
3/9/2018 13:45	0.021	3/9/2018 13:45	0.015	-0.006	
3/9/2018 14:00	0.016	3/9/2018 14:00	0.013	-0.003	
3/9/2018 14:15	0.013	3/9/2018 14:15	0.012	-0.001	
3/9/2018 14:30	0.014	3/9/2018 14:30	0.024	0.010	
3/9/2018 14:45	0.015	3/9/2018 14:45	0.012	-0.003	
3/9/2018 15:00	0.037	3/9/2018 15:00	0.014	-0.023	
3/9/2018 15:15	0.017	3/9/2018 15:15	0.021	0.004	
3/9/2018 15:30	0.021	3/9/2018 15:30	0.021	0.000	
3/9/2018 15:45	0.017	3/9/2018 15:45	0.035	0.018	
3/9/2018 16:00	0.016	3/9/2018 16:00	0.013	-0.003	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 3/9/2018

Modem: 037830	Upwind	Modem: 16859	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
N/A	N/A	3/9/2018 8:45	0.000	0.000	
N/A	N/A	3/9/2018 9:00	0.000	0.000	
N/A	N/A	3/9/2018 9:15	0.000	0.000	
N/A	N/A	3/9/2018 9:30	0.000	0.000	
N/A	N/A	3/9/2018 9:45	0.000	0.000	
N/A	N/A	3/9/2018 10:00	0.000	0.000	
N/A	N/A	3/9/2018 10:15	0.000	0.000	
N/A	N/A	3/9/2018 10:30	0.000	0.000	
N/A	N/A	3/9/2018 10:45	0.000	0.000	
3/9/2018 11:00	0.000	3/9/2018 11:00	0.000	0.000	Reset UW PID due to flow error.
3/9/2018 11:15	0.000	3/9/2018 11:15	0.000	0.000	
3/9/2018 11:30	0.000	3/9/2018 11:30	0.000	0.000	
3/9/2018 11:45	0.000	3/9/2018 11:45	0.000	0.000	
3/9/2018 12:00	0.000	3/9/2018 12:00	0.000	0.000	
3/9/2018 12:15	0.000	3/9/2018 12:15	0.000	0.000	
3/9/2018 12:30	0.000	3/9/2018 12:30	0.000	0.000	
3/9/2018 12:45	0.000	3/9/2018 12:45	0.000	0.000	
3/9/2018 13:00	0.000	3/9/2018 13:00	0.000	0.000	
3/9/2018 13:15	0.000	3/9/2018 13:15	0.000	0.000	
3/9/2018 13:30	0.000	3/9/2018 13:30	0.000	0.000	
3/9/2018 13:45	0.000	3/9/2018 13:45	0.000	0.000	
3/9/2018 14:00	0.000	3/9/2018 14:00	0.000	0.000	
3/9/2018 14:15	0.000	3/9/2018 14:15	0.000	0.000	
3/9/2018 14:30	0.000	3/9/2018 14:30	0.000	0.000	
3/9/2018 14:45	0.000	3/9/2018 14:45	0.000	0.000	
3/9/2018 15:00	0.000	3/9/2018 15:00	0.000	0.000	
3/9/2018 15:15	0.000	3/9/2018 15:15	0.000	0.000	
3/9/2018 15:30	0.000	3/9/2018 15:30	0.000	0.000	
3/9/2018 15:45	0.000	3/9/2018 15:45	0.000	0.000	
3/9/2018 16:00	0.000	3/9/2018 16:00	0.000	0.000	
3/9/2018 16:15	0.000	3/9/2018 16:15	0.000	0.000	
3/9/2018 16:30	0.000	N/A	N/A	0.000	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Dick's Sporting Goods
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Kinetic Sports Clu
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Pelham Pkwy
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/10/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/10/2018 8:13	0.112	4/10/2018 8:12	0.069	-0.043	
4/10/2018 8:28	0.134	4/10/2018 8:27	0.069	-0.065	
4/10/2018 8:43	0.125	4/10/2018 8:42	0.068	-0.057	
4/10/2018 8:58	0.270	4/10/2018 8:57	0.078	-0.192	
4/10/2018 9:13	0.258	4/10/2018 9:12	0.077	-0.181	
4/10/2018 9:28	0.324	4/10/2018 9:27	0.071	-0.253	
4/10/2018 9:43	0.347	4/10/2018 9:42	0.061	-0.286	
4/10/2018 9:58	0.277	4/10/2018 9:57	0.051	-0.226	
4/10/2018 10:13	0.151	4/10/2018 10:12	0.059	-0.092	
4/10/2018 10:28	0.127	4/10/2018 10:27	0.069	-0.058	
4/10/2018 10:43	0.286	4/10/2018 10:42	0.070	-0.216	
4/10/2018 10:58	0.279	4/10/2018 10:57	0.077	-0.202	
4/10/2018 11:13	0.315	4/10/2018 11:12	0.082	-0.233	
4/10/2018 11:28	0.169	4/10/2018 11:27	0.065	-0.104	
4/10/2018 11:43	0.100	4/10/2018 11:42	0.060	-0.040	
4/10/2018 11:58	0.036	4/10/2018 11:57	0.054	0.018	
4/10/2018 12:13	0.015	4/10/2018 12:12	0.053	0.038	
4/10/2018 12:28	0.009	4/10/2018 12:27	0.049	0.040	
4/10/2018 12:43	0.010	4/10/2018 12:42	0.043	0.033	
4/10/2018 12:58	0.017	4/10/2018 12:57	0.040	0.023	
4/10/2018 13:13	0.008	4/10/2018 13:12	0.036	0.028	
4/10/2018 13:28	0.007	4/10/2018 13:27	0.030	0.023	
4/10/2018 13:43	0.007	4/10/2018 13:42	0.031	0.024	
4/10/2018 13:58	0.011	4/10/2018 13:57	0.029	0.018	
4/10/2018 14:13	0.009	4/10/2018 14:12	0.027	0.018	
4/10/2018 14:28	0.009	4/10/2018 14:27	0.027	0.018	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/10/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/10/2018 8:13	0.0	4/10/2018 8:12	0.0	0.0	
4/10/2018 8:28	0.0	4/10/2018 8:27	0.0	0.0	
4/10/2018 8:43	0.0	4/10/2018 8:42	0.0	0.0	
4/10/2018 8:58	0.0	4/10/2018 8:57	0.0	0.0	
4/10/2018 9:13	0.0	4/10/2018 9:12	0.0	0.0	
4/10/2018 9:28	0.0	4/10/2018 9:27	0.0	0.0	
4/10/2018 9:43	0.0	4/10/2018 9:42	0.0	0.0	
4/10/2018 9:58	0.0	4/10/2018 9:57	0.0	0.0	
4/10/2018 10:13	0.4	4/10/2018 10:12	0.0	-0.4	
4/10/2018 10:28	0.0	4/10/2018 10:27	0.0	0.0	
4/10/2018 10:43	0.1	4/10/2018 10:42	0.0	-0.1	
4/10/2018 10:58	0.2	4/10/2018 10:57	0.0	-0.2	
4/10/2018 11:13	0.4	4/10/2018 11:12	0.0	-0.4	
4/10/2018 11:28	0.2	4/10/2018 11:27	0.0	-0.2	
4/10/2018 11:43	0.1	4/10/2018 11:42	0.0	-0.1	
4/10/2018 11:58	1.7	4/10/2018 11:57	0.0	-1.7	
4/10/2018 12:13	0.4	4/10/2018 12:12	0.0	-0.4	
4/10/2018 12:28	0.0	4/10/2018 12:27	0.0	0.0	
4/10/2018 12:43	0.9	4/10/2018 12:42	0.0	-0.9	
4/10/2018 12:58	0.0	4/10/2018 12:57	0.0	0.0	
4/10/2018 13:13	0.3	4/10/2018 13:12	0.0	-0.3	
4/10/2018 13:28	1.9	4/10/2018 13:27	0.0	-1.9	
4/10/2018 13:43	0.2	4/10/2018 13:42	0.0	-0.2	
4/10/2018 13:58	0.1	4/10/2018 13:57	0.0	-0.1	
4/10/2018 14:13	0.7	4/10/2018 14:12	0.0	-0.7	
4/10/2018 14:28	0.1	4/10/2018 14:27	0.0	-0.1	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/2/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/2/2018 8:56	0.020	4/2/2018 8:52	0.014	-0.006	
4/2/2018 9:11	0.030	4/2/2018 9:07	0.009	-0.021	
4/2/2018 9:26	0.039	4/2/2018 9:22	0.009	-0.030	
4/2/2018 9:41	0.097	4/2/2018 9:37	0.011	-0.086	
4/2/2018 9:56	0.060	4/2/2018 9:52	0.015	-0.045	
4/2/2018 10:11	0.069	4/2/2018 10:07	0.017	-0.052	
4/2/2018 10:26	0.076	4/2/2018 10:22	0.011	-0.065	
4/2/2018 10:41	0.057	4/2/2018 10:37	0.009	-0.048	
4/2/2018 10:56	0.058	4/2/2018 10:52	0.010	-0.048	
4/2/2018 11:11	0.055	4/2/2018 11:07	0.009	-0.046	
4/2/2018 11:26	0.084	4/2/2018 11:22	0.007	-0.077	
4/2/2018 11:41	0.062	4/2/2018 11:37	0.011	-0.051	
4/2/2018 11:56	0.109	4/2/2018 11:52	0.011	-0.098	
4/2/2018 12:11	0.076	4/2/2018 12:07	0.010	-0.066	
4/2/2018 12:26	0.035	4/2/2018 12:22	0.010	-0.025	
4/2/2018 12:41	0.026	4/2/2018 12:37	0.009	-0.017	
4/2/2018 12:56	0.061	4/2/2018 12:52	0.009	-0.052	
4/2/2018 13:11	0.057	4/2/2018 13:07	0.011	-0.046	
4/2/2018 13:26	0.048	4/2/2018 13:22	0.014	-0.034	
4/2/2018 13:41	0.025	4/2/2018 13:37	0.013	-0.012	
4/2/2018 13:56	0.033	4/2/2018 13:52	0.011	-0.022	
4/2/2018 14:11	0.035	4/2/2018 14:07	0.011	-0.024	
4/2/2018 14:26	0.021	4/2/2018 14:22	0.013	-0.008	
4/2/2018 14:41	0.017	4/2/2018 14:37	0.015	-0.002	
4/2/2018 14:56	0.016	4/2/2018 14:52	0.015	-0.001	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/2/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/2/2018 8:56	0.0	4/2/2018 8:52	0.0	0.0	
4/2/2018 9:11	0.0	4/2/2018 9:07	0.0	0.0	
4/2/2018 9:26	0.1	4/2/2018 9:22	0.1	0.0	
4/2/2018 9:41	0.2	4/2/2018 9:37	0.0	-0.2	
4/2/2018 9:56	0.2	4/2/2018 9:52	0.1	-0.1	
4/2/2018 10:11	0.2	4/2/2018 10:07	0.1	-0.1	
4/2/2018 10:26	0.2	4/2/2018 10:22	0.2	0.0	
4/2/2018 10:41	0.3	4/2/2018 10:37	0.1	-0.2	
4/2/2018 10:56	0.3	4/2/2018 10:52	0.1	-0.2	
4/2/2018 11:11	0.3	4/2/2018 11:07	0.1	-0.2	
4/2/2018 11:26	0.3	4/2/2018 11:22	0.2	-0.1	
4/2/2018 11:41	0.2	4/2/2018 11:37	0.1	-0.1	
4/2/2018 11:56	0.3	4/2/2018 11:52	0.2	-0.1	
4/2/2018 12:11	0.4	4/2/2018 12:07	0.2	-0.2	
4/2/2018 12:26	0.2	4/2/2018 12:22	0.2	0.0	
4/2/2018 12:41	0.2	4/2/2018 12:37	0.2	0.0	
4/2/2018 12:56	0.3	4/2/2018 12:52	0.2	-0.1	
4/2/2018 13:11	0.3	4/2/2018 13:07	0.2	-0.1	
4/2/2018 13:26	0.2	4/2/2018 13:22	0.2	0.0	
4/2/2018 13:41	0.2	4/2/2018 13:37	0.4	0.2	
4/2/2018 13:56	0.1	4/2/2018 13:52	0.2	0.1	
4/2/2018 14:11	0.1	4/2/2018 14:07	0.2	0.1	
4/2/2018 14:26	0.2	4/2/2018 14:22	0.2	0.0	
4/2/2018 14:41	0.1	4/2/2018 14:37	0.2	0.1	
4/2/2018 14:56	0.1	4/2/2018 14:52	0.2	0.1	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/3/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/3/2018 7:00	0.105	4/3/2018 7:06	0.036	-0.069	
4/3/2018 7:15	0.069	4/3/2018 7:21	0.028	-0.041	
4/3/2018 7:30	0.068	4/3/2018 7:36	0.038	-0.030	
4/3/2018 7:45	0.072	4/3/2018 7:51	0.034	-0.038	
4/3/2018 8:00	0.083	4/3/2018 8:06	0.033	-0.050	
4/3/2018 8:15	0.067	4/3/2018 8:21	0.044	-0.023	
4/3/2018 8:30	0.063	4/3/2018 8:36	0.033	-0.030	
4/3/2018 8:45	0.059	4/3/2018 8:51	0.025	-0.034	
4/3/2018 9:00	0.053	4/3/2018 9:06	0.026	-0.027	
4/3/2018 9:15	0.047	4/3/2018 9:21	0.023	-0.024	
4/3/2018 9:30	0.043	4/3/2018 9:36	0.021	-0.022	
4/3/2018 9:45	0.034	4/3/2018 9:51	0.016	-0.018	
4/3/2018 10:00	0.029	4/3/2018 10:06	0.01	-0.019	
4/3/2018 10:15	0.045	4/3/2018 10:21	0.009	-0.036	
4/3/2018 10:30	0.034	4/3/2018 10:36	0.009	-0.025	
4/3/2018 10:45	0.063	4/3/2018 10:51	0.011	-0.052	
4/3/2018 11:00	0.046	4/3/2018 11:06	0.011	-0.035	
4/3/2018 11:15	0.042	4/3/2018 11:21	0.009	-0.033	
4/3/2018 11:30	0.027	4/3/2018 11:36	0.008	-0.019	
4/3/2018 11:45	0.021	4/3/2018 11:51	0.009	-0.012	
4/3/2018 12:00	0.025	4/3/2018 12:06	0.011	-0.014	
4/3/2018 12:15	0.055	4/3/2018 12:21	0.009	-0.046	
4/3/2018 12:30	0.024	4/3/2018 12:36	0.009	-0.015	
4/3/2018 12:45	0.025	4/3/2018 12:51	0.009	-0.016	
4/3/2018 13:00	0.039	4/3/2018 13:06	0.011	-0.028	
4/3/2018 13:15	0.049	4/3/2018 13:21	0.011	-0.038	
4/3/2018 13:30	0.048	4/3/2018 13:36	0.009	-0.039	
4/3/2018 13:45	0.048	4/3/2018 13:51	0.011	-0.037	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/3/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/3/2018 7:00	0.0	4/3/2018 7:06	0.0	0.0	
4/3/2018 7:15	0.0	4/3/2018 7:21	0.0	0.0	
4/3/2018 7:30	0.1	4/3/2018 7:36	0.2	0.1	
4/3/2018 7:45	0.1	4/3/2018 7:51	0.1	0.0	
4/3/2018 8:00	0.0	4/3/2018 8:06	0.1	0.1	
4/3/2018 8:15	0.0	4/3/2018 8:21	0.1	0.1	
4/3/2018 8:30	0.0	4/3/2018 8:36	0.1	0.1	
4/3/2018 8:45	0.0	4/3/2018 8:51	0.1	0.1	
4/3/2018 9:00	0.0	4/3/2018 9:06	0.1	0.1	
4/3/2018 9:15	0.0	4/3/2018 9:21	0.1	0.1	
4/3/2018 9:30	0.0	4/3/2018 9:36	0.1	0.1	
4/3/2018 9:45	0.0	4/3/2018 9:51	0.1	0.1	
4/3/2018 10:00	0.1	4/3/2018 10:06	0.1	0.0	
4/3/2018 10:15	0.1	4/3/2018 10:21	0.1	0.0	
4/3/2018 10:30	0.1	4/3/2018 10:36	0.1	0.0	
4/3/2018 10:45	0.1	4/3/2018 10:51	0.3	0.2	
4/3/2018 11:00	0.1	4/3/2018 11:06	0.1	0.0	
4/3/2018 11:15	0.0	4/3/2018 11:21	0.2	0.2	
4/3/2018 11:30	0.0	4/3/2018 11:36	0.1	0.1	
4/3/2018 11:45	0.0	4/3/2018 11:51	0.1	0.1	
4/3/2018 12:00	0.0	4/3/2018 12:06	0.2	0.2	
4/3/2018 12:15	0.0	4/3/2018 12:21	0.1	0.1	
4/3/2018 12:30	0.0	4/3/2018 12:36	0.2	0.2	
4/3/2018 12:45	0.0	4/3/2018 12:51	0.1	0.1	
4/3/2018 13:00	0.1	4/3/2018 13:06	0.2	0.1	
4/3/2018 13:15	0.1	4/3/2018 13:21	0.3	0.2	
4/3/2018 13:30	0.1	4/3/2018 13:36	0.2	0.1	
4/3/2018 13:45	0.1	4/3/2018 13:51	0.2	0.1	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/4/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/4/2018 7:42	0.042	4/4/2018 7:51	0.011	-0.031	
4/4/2018 7:57	0.066	4/4/2018 8:06	0.006	-0.060	
4/4/2018 8:12	0.029	4/4/2018 8:21	0.005	-0.024	
4/4/2018 8:27	0.027	4/4/2018 8:36	0.008	-0.019	
4/4/2018 8:42	0.028	4/4/2018 8:51	0.006	-0.022	
4/4/2018 8:57	0.028	4/4/2018 9:06	0.008	-0.020	
4/4/2018 9:12	0.033	4/4/2018 9:21	0.008	-0.025	
4/4/2018 9:27	0.025	4/4/2018 9:36	0.005	-0.020	
4/4/2018 9:42	0.037	4/4/2018 9:51	0.007	-0.030	
4/4/2018 9:57	0.05	4/4/2018 10:06	0.009	-0.041	
4/4/2018 10:12	0.048	4/4/2018 10:21	0.008	-0.040	
4/4/2018 10:27	0.049	4/4/2018 10:36	0.011	-0.038	
4/4/2018 10:42	0.046	4/4/2018 10:51	0.008	-0.038	
4/4/2018 10:57	0.046	4/4/2018 11:06	0.007	-0.039	
4/4/2018 11:12	0.057	4/4/2018 11:21	0.008	-0.049	
4/4/2018 11:27	0.052	4/4/2018 11:36	0.011	-0.041	
4/4/2018 11:42	0.071	4/4/2018 11:51	0.022	-0.049	
4/4/2018 11:57	0.076	4/4/2018 12:06	0.024	-0.052	
4/4/2018 12:12	0.087	4/4/2018 12:21	0.027	-0.060	
4/4/2018 12:27	0.117	4/4/2018 12:36	0.037	-0.080	
4/4/2018 12:42	0.108	4/4/2018 12:51	0.037	-0.071	
4/4/2018 12:57	0.12	4/4/2018 13:06	0.041	-0.079	
4/4/2018 13:12	0.136	4/4/2018 13:21	0.048	-0.088	
4/4/2018 13:27	0.115	4/4/2018 13:36	0.041	-0.074	
4/4/2018 13:42	0.056	4/4/2018 13:51	0.027	-0.029	
4/4/2018 13:57	0.059	4/4/2018 14:06	0.025	-0.034	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/4/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/4/2018 7:42	0.0	4/4/2018 7:51	0.0	0.0	
4/4/2018 7:57	0.0	4/4/2018 8:06	0.1	0.1	
4/4/2018 8:12	0.0	4/4/2018 8:21	0.1	0.1	
4/4/2018 8:27	0.1	4/4/2018 8:36	0.1	0.0	
4/4/2018 8:42	0.1	4/4/2018 8:51	0.2	0.1	
4/4/2018 8:57	0.1	4/4/2018 9:06	0.1	0.0	
4/4/2018 9:12	0.0	4/4/2018 9:21	0.2	0.2	
4/4/2018 9:27	0.1	4/4/2018 9:36	0.2	0.1	
4/4/2018 9:42	0.1	4/4/2018 9:51	0.2	0.1	
4/4/2018 9:57	0.1	4/4/2018 10:06	0.2	0.1	
4/4/2018 10:12	0.1	4/4/2018 10:21	0.2	0.1	
4/4/2018 10:27	0.1	4/4/2018 10:36	0.2	0.1	
4/4/2018 10:42	0.1	4/4/2018 10:51	0.2	0.1	
4/4/2018 10:57	0.1	4/4/2018 11:06	0.2	0.1	
4/4/2018 11:12	0.1	4/4/2018 11:21	0.3	0.2	
4/4/2018 11:27	0.1	4/4/2018 11:36	0.2	0.1	
4/4/2018 11:42	0.1	4/4/2018 11:51	0.3	0.2	
4/4/2018 11:57	0.1	4/4/2018 12:06	0.3	0.2	
4/4/2018 12:12	0.1	4/4/2018 12:21	0.3	0.2	
4/4/2018 12:27	0.1	4/4/2018 12:36	0.3	0.2	
4/4/2018 12:42	0.1	4/4/2018 12:51	0.4	0.3	
4/4/2018 12:57	0.1	4/4/2018 13:06	0.4	0.3	
4/4/2018 13:12	0.1	4/4/2018 13:21	0.4	0.3	
4/4/2018 13:27	0.1	4/4/2018 13:36	0.4	0.3	
4/4/2018 13:42	0.1	4/4/2018 13:51	0.6	0.5	
4/4/2018 13:57	0.1	4/4/2018 14:06	0.4	0.3	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/6/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/6/2018 7:50	0.03	4/6/2018 7:59	0.008	-0.022	
4/6/2018 8:05	0.025	4/6/2018 8:14	0.009	-0.016	
4/6/2018 8:20	0.036	4/6/2018 8:29	0.013	-0.023	
4/6/2018 8:35	0.038	4/6/2018 8:44	0.015	-0.023	
4/6/2018 8:50	0.042	4/6/2018 8:59	0.016	-0.026	
4/6/2018 9:05	0.041	4/6/2018 9:14	0.021	-0.020	
4/6/2018 9:20	0.044	4/6/2018 9:29	0.017	-0.027	
4/6/2018 9:35	0.039	4/6/2018 9:44	0.015	-0.024	
4/6/2018 9:50	0.04	4/6/2018 9:59	0.013	-0.027	
4/6/2018 10:05	0.037	4/6/2018 10:14	0.012	-0.025	
4/6/2018 10:20	0.055	4/6/2018 10:29	0.011	-0.044	
4/6/2018 10:35	0.038	4/6/2018 10:44	0.013	-0.025	
4/6/2018 10:50	0.043	4/6/2018 10:59	0.013	-0.030	
4/6/2018 11:05	0.155	4/6/2018 11:14	0.016	-0.139	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/6/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/6/2018 7:50	0.0	4/6/2018 7:59	0.0	0.0	
4/6/2018 8:05	0.0	4/6/2018 8:14	0.0	0.0	
4/6/2018 8:20	0.0	4/6/2018 8:29	0.0	0.0	
4/6/2018 8:35	0.0	4/6/2018 8:44	0.0	0.0	
4/6/2018 8:50	0.0	4/6/2018 8:59	0.0	0.0	
4/6/2018 9:05	0.0	4/6/2018 9:14	0.0	0.0	
4/6/2018 9:20	0.0	4/6/2018 9:29	0.0	0.0	
4/6/2018 9:35	0.0	4/6/2018 9:44	0.0	0.0	
4/6/2018 9:50	0.0	4/6/2018 9:59	0.0	0.0	
4/6/2018 10:05	0.0	4/6/2018 10:14	0.0	0.0	
4/6/2018 10:20	0.0	4/6/2018 10:29	0.0	0.0	
4/6/2018 10:35	0.0	4/6/2018 10:44	0.0	0.0	
4/6/2018 10:50	0.0	4/6/2018 10:59	0.0	0.0	
4/6/2018 11:05	0.0	4/6/2018 11:14	0.0	0.0	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/9/2018

Modem: 024968	Upwind	Modem: 02470	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
4/9/2018 7:50	0.019	4/9/2018 7:57	0.013	-0.006	
4/9/2018 8:05	0.014	4/9/2018 8:12	0.011	-0.003	
4/9/2018 8:20	0.010	4/9/2018 8:27	0.011	0.001	
4/9/2018 8:35	0.012	4/9/2018 8:42	0.009	-0.003	
4/9/2018 8:50	0.012	4/9/2018 8:57	0.007	-0.005	
4/9/2018 9:05	0.011	4/9/2018 9:12	0.006	-0.005	
4/9/2018 9:20	0.009	4/9/2018 9:27	0.007	-0.002	
4/9/2018 9:35	0.059	4/9/2018 9:42	0.007	-0.052	
4/9/2018 9:50	0.012	4/9/2018 9:57	0.008	-0.004	
4/9/2018 10:05	0.016	4/9/2018 10:12	0.011	-0.005	
4/9/2018 10:20	0.019	4/9/2018 10:27	0.011	-0.008	
4/9/2018 10:35	0.010	4/9/2018 10:42	0.008	-0.002	
4/9/2018 10:50	0.012	4/9/2018 10:57	0.009	-0.003	
4/9/2018 11:05	0.008	4/9/2018 11:12	0.010	0.002	
4/9/2018 11:20	0.017	4/9/2018 11:27	0.013	-0.004	
4/9/2018 11:35	0.027	4/9/2018 11:42	0.016	-0.011	
4/9/2018 11:50	0.021	4/9/2018 11:57	0.020	-0.001	
4/9/2018 12:05	0.027	4/9/2018 12:12	0.014	-0.013	
4/9/2018 12:20	0.008	4/9/2018 12:27	0.009	0.001	
4/9/2018 12:35	0.007	4/9/2018 12:42	0.006	-0.001	
4/9/2018 12:50	0.007	4/9/2018 12:57	0.012	0.005	
4/9/2018 13:05	0.015	4/9/2018 13:12	0.014	-0.001	
4/9/2018 13:20	0.026	4/9/2018 13:27	0.023	-0.003	
4/9/2018 13:35	0.025	4/9/2018 13:42	0.015	-0.010	
4/9/2018 13:50	0.017	4/9/2018 13:57	0.012	-0.005	
4/9/2018 14:05	0.014	4/9/2018 14:12	0.017	0.003	
4/9/2018 14:20	0.027	4/9/2018 14:27	0.012	-0.015	
4/9/2018 14:35	0.017	4/9/2018 14:42	0.016	-0.001	
4/9/2018 14:50	0.012	4/9/2018 14:57	0.010	-0.002	
4/9/2018 15:05	0.038	4/9/2018 15:12	0.015	-0.023	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 4/9/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
4/9/2018 7:50	0.0	4/9/2018 7:57	0.0	0.0	
4/9/2018 8:05	0.0	4/9/2018 8:12	0.0	0.0	
4/9/2018 8:20	0.0	4/9/2018 8:27	0.0	0.0	
4/9/2018 8:35	0.0	4/9/2018 8:42	0.0	0.0	
4/9/2018 8:50	0.0	4/9/2018 8:57	0.0	0.0	
4/9/2018 9:05	0.0	4/9/2018 9:12	0.0	0.0	
4/9/2018 9:20	0.0	4/9/2018 9:27	0.0	0.0	
4/9/2018 9:35	0.0	4/9/2018 9:42	0.0	0.0	
4/9/2018 9:50	0.0	4/9/2018 9:57	0.0	0.0	
4/9/2018 10:05	0.0	4/9/2018 10:12	0.1	0.1	
4/9/2018 10:20	0.0	4/9/2018 10:27	0.0	0.0	
4/9/2018 10:35	0.0	4/9/2018 10:42	0.2	0.2	
4/9/2018 10:50	0.0	4/9/2018 10:57	0.3	0.3	
4/9/2018 11:05	0.0	4/9/2018 11:12	0.0	0.0	
4/9/2018 11:20	0.0	4/9/2018 11:27	0.2	0.2	
4/9/2018 11:35	0.0	4/9/2018 11:42	0.1	0.1	
4/9/2018 11:50	0.0	4/9/2018 11:57	0.1	0.1	
4/9/2018 12:05	0.0	4/9/2018 12:12	0.0	0.0	
4/9/2018 12:20	0.0	4/9/2018 12:27	0.0	0.0	
4/9/2018 12:35	0.0	4/9/2018 12:42	0.0	0.0	
4/9/2018 12:50	0.0	4/9/2018 12:57	0.1	0.1	
4/9/2018 13:05	0.0	4/9/2018 13:12	0.1	0.1	
4/9/2018 13:20	0.0	4/9/2018 13:27	0.1	0.1	
4/9/2018 13:35	0.0	4/9/2018 13:42	0.3	0.3	
4/9/2018 13:50	0.0	4/9/2018 13:57	0.5	0.5	
4/9/2018 14:05	0.0	4/9/2018 14:12	0.1	0.1	
4/9/2018 14:20	0.0	4/9/2018 14:27	0.2	0.2	
4/9/2018 14:35	0.0	4/9/2018 14:42	0.1	0.1	
4/9/2018 14:50	0.0	4/9/2018 14:57	0.1	0.1	
4/9/2018 15:05	0.0	4/9/2018 15:12	0.0	0.0	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Marshalls Sporting Goods
Pelham Pkwy
Pelham Pkwy
Fairway Market Pelham
ATM
Kinetic Sports Clu
Fairway Market
Pelham Wine & Spirits
Pelham Manor
Car Wash & Lube
Shell
HomeGoods
Pelham Pkwy
Citibank
Boston Post Rd
Marshalls
Google
Wash

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/3/2018

Serial Number: 8530102712	Upwind	Serial Number: 8530092508	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
5/3/2018 8:00	0.112	5/3/2018 7:55	0.187	0.075	
5/3/2018 8:15	0.085	5/3/2018 8:10	0.126	0.041	
5/3/2018 8:30	0.078	5/3/2018 8:25	0.005	-0.073	
5/3/2018 8:45	0.073	5/3/2018 8:40	0.312	0.239	
5/3/2018 9:00	0.058	5/3/2018 8:55	0.045	-0.013	
5/3/2018 9:15	0.071	5/3/2018 9:10	0.014	-0.057	
5/3/2018 9:30	0.074	5/3/2018 9:25	0.010	-0.064	
5/3/2018 9:45	0.073	5/3/2018 9:40	0.015	-0.058	
5/3/2018 10:00	0.059	5/3/2018 9:55	0.022	-0.037	
5/3/2018 10:15	0.070	5/3/2018 10:10	0.029	-0.041	
5/3/2018 10:30	0.056	5/3/2018 10:25	0.084	0.028	
5/3/2018 10:45	0.058	5/3/2018 10:40	0.003	-0.055	
5/3/2018 11:00	0.054	5/3/2018 10:55	0.132	0.078	
5/3/2018 11:15	0.053	5/3/2018 11:10	0.013	-0.040	
5/3/2018 11:30	0.054	5/3/2018 11:25	0.025	-0.029	
5/3/2018 11:45	0.070	5/3/2018 11:40	0.003	-0.067	
5/3/2018 12:00	0.040	5/3/2018 11:55	0.021	-0.019	
5/3/2018 12:15	0.040	5/3/2018 12:10	0.003	-0.037	
5/3/2018 12:30	0.055	5/3/2018 12:25	0.003	-0.052	
5/3/2018 12:45	0.060	5/3/2018 12:40	0.076	0.016	
5/3/2018 13:00	0.053	5/3/2018 12:55	0.003	-0.050	
5/3/2018 13:15	0.055	5/3/2018 13:10	0.033	-0.022	
5/3/2018 13:30	0.062	5/3/2018 13:25	0.053	-0.009	
5/3/2018 13:45	0.059	5/3/2018 13:40	0.054	-0.005	
5/3/2018 14:00	0.049	5/3/2018 13:55	0.039	-0.010	
5/3/2018 14:15	0.052	5/3/2018 14:10	0.036	-0.016	
5/3/2018 14:30	0.060	5/3/2018 14:25	0.087	0.027	
5/3/2018 14:45	0.060	5/3/2018 14:40	0.031	-0.029	
5/3/2018 15:00	0.050	5/3/2018 14:55	0.058	0.008	
5/3/2018 15:15	0.053	5/3/2018 15:10	0.084	0.031	
5/3/2018 15:30	0.041	5/3/2018 15:25	0.064	0.023	
NM	NM	5/3/2018 15:40	0.003	NM	
NM	NM	5/3/2018 15:55	0.033	NM	
5/3/2018 16:12	0.000	5/3/2018 16:10	0.003	0.003	
5/3/2018 16:15	0.019	5/3/2018 16:25	0.092	0.073	
5/3/2018 16:45	0.000	5/3/2018 16:40	0.000	0.000	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/3/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
NM	NM	5/3/2018 7:07	0.4	NM	
5/3/2018 7:24	0.2	5/3/2018 7:22	0.3	0.1	
5/3/2018 7:39	0.2	5/3/2018 7:37	0.4	0.2	
5/3/2018 7:54	0.2	5/3/2018 7:52	0.4	0.2	
5/3/2018 8:09	0.2	5/3/2018 8:07	0.5	0.3	
5/3/2018 8:24	0.2	5/3/2018 8:22	0.5	0.3	
5/3/2018 8:39	0.2	5/3/2018 8:37	0.5	0.3	
5/3/2018 8:54	0.2	5/3/2018 8:52	0.5	0.3	
5/3/2018 9:09	0.3	5/3/2018 9:07	0.5	0.2	
5/3/2018 9:24	0.3	5/3/2018 9:22	0.5	0.2	
5/3/2018 9:39	0.3	5/3/2018 9:37	0.5	0.2	
5/3/2018 9:54	0.3	5/3/2018 9:52	0.4	0.1	
5/3/2018 10:09	0.3	5/3/2018 10:07	0.4	0.1	
5/3/2018 10:24	0.2	5/3/2018 10:22	0.4	0.2	
5/3/2018 10:39	0.2	5/3/2018 10:37	0.4	0.2	
5/3/2018 10:54	0.2	5/3/2018 10:52	0.4	0.2	
5/3/2018 11:09	0.2	5/3/2018 11:07	0.4	0.2	
5/3/2018 11:24	0.2	5/3/2018 11:22	0.4	0.2	
5/3/2018 11:39	0.2	5/3/2018 11:37	0.4	0.2	
5/3/2018 11:54	0.2	5/3/2018 11:52	0.4	0.2	
5/3/2018 12:09	0.2	5/3/2018 12:07	0.4	0.2	
5/3/2018 12:24	0.2	5/3/2018 12:22	0.4	0.2	
5/3/2018 12:39	0.2	5/3/2018 12:37	0.4	0.2	
5/3/2018 12:54	0.2	5/3/2018 12:52	0.4	0.2	
5/3/2018 13:09	0.2	5/3/2018 13:07	0.4	0.2	
5/3/2018 13:24	0.2	5/3/2018 13:22	0.4	0.2	
5/3/2018 13:39	0.2	5/3/2018 13:37	0.4	0.2	
5/3/2018 13:54	0.2	5/3/2018 13:52	0.4	0.2	
5/3/2018 14:09	0.2	5/3/2018 14:07	0.4	0.2	
5/3/2018 14:24	0.2	5/3/2018 14:22	0.4	0.2	
5/3/2018 14:39	0.2	5/3/2018 14:37	0.4	0.2	
5/3/2018 14:54	0.2	5/3/2018 14:52	0.4	0.2	
5/3/2018 15:09	0.2	5/3/2018 15:07	0.4	0.2	
5/3/2018 15:24	0.1	5/3/2018 15:22	0.4	0.3	
5/3/2018 15:39	0.2	5/3/2018 15:37	0.3	0.1	
5/3/2018 15:54	0.1	5/3/2018 15:52	0.3	0.2	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/4/2018

Serial Number: 8530102712	Upwind	Serial Number: 8530092508	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
5/4/2018 7:38	0.034	5/4/2018 7:43	0.030	-0.004	
5/4/2018 7:53	0.028	5/4/2018 7:58	0.029	0.001	
5/4/2018 8:08	0.027	5/4/2018 8:13	0.030	0.003	
5/4/2018 8:23	0.027	5/4/2018 8:28	0.027	0.000	
5/4/2018 8:38	0.024	5/4/2018 8:43	0.028	0.004	
5/4/2018 8:53	0.027	5/4/2018 8:58	0.030	0.003	
5/4/2018 9:08	0.030	5/4/2018 9:13	0.035	0.005	
5/4/2018 9:23	0.028	5/4/2018 9:28	0.033	0.005	
5/4/2018 9:38	0.031	5/4/2018 9:43	0.035	0.004	
5/4/2018 9:53	0.045	5/4/2018 9:58	0.042	-0.003	
5/4/2018 10:08	0.038	5/4/2018 10:13	0.040	0.002	
5/4/2018 10:23	0.049	5/4/2018 10:28	0.046	-0.003	
5/4/2018 10:38	0.047	5/4/2018 10:43	0.050	0.003	
5/4/2018 10:53	0.042	5/4/2018 10:58	0.058	0.016	
5/4/2018 11:08	0.049	5/4/2018 11:13	0.056	0.007	
5/4/2018 11:23	0.039	5/4/2018 11:28	0.044	0.005	
5/4/2018 11:38	0.030	5/4/2018 11:43	0.035	0.005	
5/4/2018 11:53	0.023	5/4/2018 11:58	0.029	0.006	
5/4/2018 12:08	0.039	5/4/2018 12:13	0.042	0.003	
5/4/2018 12:23	0.039	5/4/2018 12:28	0.042	0.003	
5/4/2018 12:38	0.035	5/4/2018 12:43	0.038	0.003	
5/4/2018 12:53	0.029	5/4/2018 12:58	0.035	0.006	
5/4/2018 13:08	0.033	5/4/2018 13:13	0.037	0.004	
5/4/2018 13:23	0.041	5/4/2018 13:28	0.042	0.001	
5/4/2018 13:38	0.037	5/4/2018 13:43	0.042	0.005	
5/4/2018 13:53	0.034	5/4/2018 13:58	0.045	0.011	
5/4/2018 15:15	0.042	5/4/2018 15:17	0.050	0.008	
5/4/2018 15:30	0.041	5/4/2018 15:32	0.058	0.017	
5/4/2018 15:45	0.042	5/4/2018 15:47	0.056	0.014	
5/4/2018 16:00	0.033	5/4/2018 16:02	0.044	0.011	
5/4/2018 16:15	0.029	5/4/2018 16:17	0.040	0.011	
5/4/2018 16:30	0.026	5/4/2018 16:32	0.040	0.014	
5/4/2018 16:45	0.028	5/4/2018 16:47	0.048	0.020	
5/4/2018 17:00	0.028	5/4/2018 17:02	0.043	0.015	
5/4/2018 17:15	0.026	5/4/2018 17:17	0.041	0.015	
5/4/2018 17:30	0.026	5/4/2018 17:32	0.038	0.012	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/4/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
5/4/2018 7:03	0.0	5/4/2018 6:56	0.2	NM	
5/4/2018 7:18	0.0	5/4/2018 7:11	0.1	0.1	
5/4/2018 7:33	0.0	5/4/2018 7:26	0.2	0.2	
5/4/2018 7:48	0.0	5/4/2018 7:41	0.2	0.2	
5/4/2018 8:03	0.0	5/4/2018 7:56	0.2	0.2	
5/4/2018 8:18	0.0	5/4/2018 8:11	0.2	0.2	
5/4/2018 8:33	0.0	5/4/2018 8:26	0.2	0.2	
5/4/2018 8:48	0.0	5/4/2018 8:41	0.3	0.3	
5/4/2018 9:03	0.0	5/4/2018 8:56	0.3	0.3	
5/4/2018 9:18	0.0	5/4/2018 9:11	0.3	0.3	
5/4/2018 9:33	0.0	5/4/2018 9:26	0.3	0.3	
5/4/2018 9:48	0.0	5/4/2018 9:41	0.3	0.3	
5/4/2018 10:03	0.0	5/4/2018 9:56	0.3	0.3	
5/4/2018 10:18	0.0	5/4/2018 10:11	0.3	0.3	
5/4/2018 10:33	0.1	5/4/2018 10:26	0.3	0.2	
5/4/2018 10:48	0.2	5/4/2018 10:41	0.3	0.1	
5/4/2018 11:03	0.1	5/4/2018 10:56	0.3	0.2	
5/4/2018 11:18	0.1	5/4/2018 11:11	0.3	0.2	
5/4/2018 11:33	0.1	5/4/2018 11:26	0.3	0.2	
5/4/2018 11:48	0.0	5/4/2018 11:41	0.4	0.4	
5/4/2018 12:03	0.0	5/4/2018 11:56	0.3	0.3	
5/4/2018 12:18	0.0	5/4/2018 12:11	0.4	0.4	
5/4/2018 12:33	0.1	5/4/2018 12:26	0.4	0.3	
5/4/2018 12:48	0.4	5/4/2018 12:41	0.4	0.0	
5/4/2018 13:03	0.4	5/4/2018 12:56	0.4	0.0	
5/4/2018 13:18	0.3	5/4/2018 13:11	0.4	0.1	
5/4/2018 14:41	0.0	5/4/2018 14:31	0.3	0.3	
5/4/2018 14:56	0.0	5/4/2018 14:46	0.3	0.3	
5/4/2018 15:11	0.0	5/4/2018 15:01	0.4	0.4	
5/4/2018 15:26	0.1	5/4/2018 15:16	0.4	0.3	
5/4/2018 15:41	0.2	5/4/2018 15:31	0.4	0.2	
5/4/2018 15:56	0.3	5/4/2018 15:46	0.4	0.1	
5/4/2018 16:11	0.4	5/4/2018 16:01	0.4	0.0	
5/4/2018 16:26	0.4	5/4/2018 16:16	0.4	0.0	
5/4/2018 16:41	0.4	5/4/2018 16:31	0.4	0.0	
5/4/2018 16:56	0.3	5/4/2018 16:46	0.4	0.1	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

Roux Associates, Inc.
Community Air Monitoring Program, Dust Track (PM-10)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/7/2018

Serial Number: 8530102712	Upwind	Serial Number: 8530092508	Downwind	Downwind Corrected Concentration	Comments
Time	Mass	Time	Mass	mg/m3	
5/7/2018 8:05	0.027	5/7/2018 8:10	0.032	0.005	
5/7/2018 8:20	0.022	5/7/2018 8:25	0.021	-0.001	
5/7/2018 8:35	0.018	5/7/2018 8:40	0.039	0.021	
5/7/2018 8:50	0.016	5/7/2018 8:55	0.063	0.047	
5/7/2018 9:05	0.012	NM	NM	NM	

Roux Associates, Inc.
Community Air Monitoring Program, VOCs (PID)
PM: Christopher Battista
Project: Pelham Manor--24 Hour Fitness
Date: 5/7/2018

SN: 592-919941	Upwind	SN: 592-903953	Downwind	Downwind Corrected Concentration	Comments
Time	PPM	Time	PPM	PPM	
5/7/2018 7:30	0.0	5/7/2018 7:23	1.1	1.1	
5/7/2018 7:45	0.0	5/7/2018 7:38	2.0	2.0	
5/7/2018 8:00	0.1	5/7/2018 7:53	2.4	2.3	
5/7/2018 8:15	0.3	5/7/2018 8:08	2.6	2.3	
5/7/2018 8:30	0.7	NM	NM	NM	


FUTURE 24 HOUR FITNESS
POOL AND SPA AREA
UPWIND CAMP
MONITORING STATION
DOWNWIND CAMP
MONITORING STATION
Country Kitchen
Pelham Pkwy
The Vitamin Shoppe
Banfield Pet Hospi
Michaels
Five Below
Chase Bank
Fairway Market Pelham
ATM
Fairway Market
Pelham Wine & Spirits
HomeGoods
Marshalls
Pelham Manor
Car Wash & Lube
Shell
Citibank
Boston Post Rd
Google

ATTACHMENT 3

Waste Characterization Data

ALS Environmental

34 Dogwood Lane ■ Middletown, PA 17057 ■ Phone: 717-944-5541 ■ Fax: 717-944-1430 ■ www.alsglobal.com
NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 , DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

March 23, 2016

Work Order: 2125684
SDG: ALP127

Results
Alpha Analytical
145 Flanders Road
Westborough, MA 01581

Laboratory Results for: 2016 General Price Sheet

Dear Results:

Enclosed are the analytical results for samples received by the laboratory starting on February 23, 2016.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP. Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads. This laboratory report may not be reproduced, except infull, without the written approval of ALS Environmental. Any events, such as QC failures, are explained in the report narrative.

If you have any questions regarding this certificate of analysis, please contact Ms. Jennifer M Stanhope Lamoreux (Reporting Manager) at (717) 944-5541. You may also contact me via email at jennifer.lamoreux@ALSglobal.com.

Respectfully submitted,

ALS Group USA Corp. dba ALS Environmental

Jennifer M Stanhope Lamoreux
Reporting Manager

Table of Contents

Laboratory Deliverables Checklist..... 3
Chain-of-Custody Records..... 6
Methodology Reviews..... 8
Certificate of Analysis..... 10
Free Liquids by Method 9095 Conformance/Non-Conformance Summaries..... 24
Total Organic Halides by Method 9023 Conformance/Non-Conformance Summaries..... 27
Total Solids Conformance/Non-Conformance Summaries..... 34
Total Solids Raw Data..... 38

Laboratory Deliverables Checklist

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONAIRE

Laboratory Name: ALS Environmental - Middletown
Client: Alpha Analytical
Project Location: L1604674
Project Number: 2125684
Laboratory Sample ID(s): 2125684001 - 010
Sampling Date(s): February 19, 2016
List DKQP Methods Used: 9095, 9023, 2540G

1	For each analytical method referenced in this laboratory report package, were all specificed QA/QC performance criteria followed, including the requirement to explain any criteria failing outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	☑ Yes ☐ No
1A	Were the method specified handling, preservation, and holding time requirements met?	☑ Yes ☐ No ☐ N/A
1B	*EPH Method* : Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	☐ Yes ☐ No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	☑ Yes ☐ No
3	Were samples recevied at an appropriate temperature (4±2°C)?	☐ Yes ☑ No ☐ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☑ Yes ☐ No
5	a) Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b) Were these reporting limits met?	☑ Yes ☐ No ☑ Yes ☐ No ☐ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	☑ Yes ☐ No
7	Are project-specific matrix spikes and/or laboratory duplicate included in this data set?	☑ Yes ☐ No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Note: ALS laboratory acceptable criterion requires sample temperature to be above the freezing point of water up to 6°C.

QC Review Signature: _____ Date: 3/23/2016

Reduced Laboratory Deliverable Checklist

1.	Cover Page listing facility name, address, and phone number, and Project Identification	_____x_____
2.	Table of Contents	_____x____
3.	Chain of Custody	_____x_____
4.	Methodology Review with Sample Holding Times	_____x_____
5.	Laboratory Chronicle	_____x_____
6.	Certificate of Analysis with Signature, Date of Report, Summary Cross-Reference of Field ID #'s vs. Lab ID #'s, and Date of Sampling and Receipt	_____x_____
7.	Method Non-conformance Summaries	_____x_____
8.	Analytical Result and Quality Control Summary Sheets	_____x_____
9.	Raw Data as Required	_____x_____
10.	Lab Facility NJDEP Certification Number	__PA010___

Chain-of-Custody Records

SUB UPS: ALS-PA

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA ANALYTICAL
Westborough, MA TEL: 508-898-9220 FAX: 508-898-9193
Mansfield, MA TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA

2125684

Project Information

Project Name:

Project Location: NY

Project #:

Project Manager: Karyn Raymond

ALPHA Quote #:

Report Information Data Deliverables

☐ FAX ☐ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Ir

☐ Same a

Regulatory Requirements/Report Limits

State/Fed Program | Criteria

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

☐ Yes ☐ No Are MCP Analytical Methods Required?

☐ Yes ☐ No Are CT RCP (Reasonable Confidence Protocols) Required?

Client Information

Client: Alpha Analytical Lab

Address: 8 Walkup Drive

Westborough, Ma 01581

Phone: 508-898-9220

Fax:

Email: subreports@alphalab.com

☐ Those samples have been Previously analyzed by Alpha

Turn-Around Time

X Standard ☐ Rush (ONLY IF PRE-APPROVED)

Due Date : 2/26/2016 Time:

Other Project Specific Requirements/Comments/Detection Limits:

Please reference Alpha Job #L1604674 on this report.

Report to include Method Blank, LCS and LCSD.

Need NJ Reduced Deliverables

all 2 oz jars except * 4 oz jar dom 2123

ANALYSIS

SAMPLE HANDLING
Filtration
☐ Done
☐ Not Needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	EOX	Paint Filter		Sample Specific Comments	
	SB-1/2	2/19/16	15:40	S		☐	☒	☐		1
	SB-1A	2/19/16	10:30	S		☒	☐	☐		1
	SB-1B	2/19/16	11:30	S		☒	☐	☐		1
	SB-2A	2/19/16	15:10	S		☒	☐	☐		1
	SB-2B	2/19/16	15:50	S		☒	☐	☐		1
	SB-3/4	2/19/16	16:45	S		☐	☒	☐		1
	SB-3A	2/19/16	13:15	S		☒	☐	☐		1
	SB-3B	2/19/16	13:30	S		☒	☐	☐		1
	SB-4A	2/19/16	16:30	S		☒	☐	☐		1
	SB-4B	2/19/16	16:50	S		☒	☐	☐		1

	Y	N	Initials
Custody Seals Present?			
(if present) Seals Intact?			
Received on Ice?			AT
COC/Lbls Complete			
Cont in Good Cond?			
Correct Containers?			
Correct Samp Vol?			
Correct Preservation?			
Headspace/Volatiles?			

Cooler Temp: °C

Cooler #:

Therm ID: FH352

Ship Carrier:

FedEx UPS

DHL

Tracking #: 1ZE306540191494933

PLEASE ANSWER QUESTIONS ABOVE!

Container Type	G	G												
Preservative	A	A												

S YOUR PROJECT
MA MCP or CT RCP?

Relinquished By:	Date/Time	Received By:	Date/Time
	2/22/16		2/23/16 1035

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.

2-24-16 2000 SR 2/25

Methodology Reviews

Method Summary

Free Liquids Method 9095B

This method is adapted from U.S. EPA "Test Methods for Evaluating Solid Waste, Physical/Chemical (SW846)," Method 9095B, Revision 2, November 2004. This procedure is used to determine the presence of free liquids in waste samples. 100 grams of sample is placed in a paint filter. A timed period of five minutes is observed to record the presence of any liquid in the collection container.

Total Organic Halogen in Solid Samples by SW-846 9023

SW-846 Method 9023, Third Edition, Revision 0, December 1996. A 2-gram aliquot of a solid sample is extracted with ethyl acetate by sonication to isolate organic halides. A 20-uL aliquot of the extract is injected into a sample boat and pyrolyzed in a 900ºC furnace. The pyrolized product, being carried by a stream of $Ar/0_2$, is then determined by microcoulometric titration. Analyze within 14 days.

Total Solids Residue by SM 2540G

Standard Methods, 20th Edition, Method 2540G. A well-mixed aliquot of the sample is quantitatively transferred to a pre-weighed aluminum or evaporating dish and evaporated to dryness at 103ºC - 105ºC. The percent total solids is calculated using the difference between the wet and dry sample weights. Analyze within 14 days of collection.

Certificate of Analysis

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

February 29, 2016

Results
Alpha Analytical
145 Flanders Road
Westborough, MA 01581

Certificate of Analysis

Project Name:	**2016 General Price Sheet**	Workorder:	**2125684**
Purchase Order:		Workorder ID:	**ALP127|L1604674**

Dear Results:

Enclosed are the analytical results for samples received by the laboratory on Tuesday, February 23, 2016.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Shannon Butler (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

SAMPLE SUMMARY

Workorder: 2125684 ALP127|L1604674

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
2125684001	SB-1/2	Solid	2/19/2016 15:40	2/23/2016 10:32	Collected by Client
2125684002	SB-1A	Solid	2/19/2016 10:30	2/23/2016 10:32	Collected by Client
2125684003	SB-1B	Solid	2/19/2016 11:30	2/23/2016 10:32	Collected by Client
2125684004	SB-2A	Solid	2/19/2016 15:10	2/23/2016 10:32	Collected by Client
2125684005	SB-2B	Solid	2/19/2016 15:50	2/23/2016 10:32	Collected by Client
2125684006	SB-3/4	Solid	2/19/2016 16:45	2/23/2016 10:32	Collected by Client
2125684007	SB-3A	Solid	2/19/2016 13:15	2/23/2016 10:32	Collected by Client
2125684008	SB-3B	Solid	2/19/2016 13:30	2/23/2016 10:32	Collected by Client
2125684009	SB-4A	Solid	2/19/2016 16:30	2/23/2016 10:32	Collected by Client
2125684010	SB-4B	Solid	2/19/2016 16:50	2/23/2016 10:32	Collected by Client

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

SAMPLE SUMMARY

Workorder: 2125684 ALP127|L1604674

Notes

-- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
-- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
-- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
-- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
-- The Chain of Custody document is included as part of this report.
-- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
-- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
-- Method references listed on this report beginning with the prefix “S” followed by a method number (such as S2310B-97) refer to methods from “Standard Methods for the Examination of Water and Wastewater”.
-- For microbiological analyses, the "Prepared" value is the date/time into the incurbator and the "Analyzed" value is the date/time out the incubator.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684001** Date Collected: 2/19/2016 15:40 Matrix: Solid

Sample ID: **SB-1/2** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Free Liquids	Negative					SW846 9095B			2/25/16 07:15	SDL	A
Moisture	16.1		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A
Total Solids	83.9		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684002** Date Collected: 2/19/2016 10:30 Matrix: Solid

Sample ID: **SB-1A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	2.7J	J	mg/kg	6.1	2.7	SW846 9023			2/25/16 10:55	PAG	A
Moisture	18.1		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	81.9		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684003** Date Collected: 2/19/2016 11:30 Matrix: Solid

Sample ID: **SB-1B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.6 U	U	mg/kg	5.6	2.5	SW846 9023			2/25/16 11:07	PAG	A
Moisture	15.6		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	84.4		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684004** Date Collected: 2/19/2016 15:10 Matrix: Solid

Sample ID: **SB-2A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	Cntr
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.1 U	U	mg/kg	5.1	2.3	SW846 9023			2/25/16 11:19	PAG	A
Moisture	5.3		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	94.7		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684005** Date Collected: 2/19/2016 15:50 Matrix: Solid

Sample ID: **SB-2B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	Cntr
WET CHEMISTRY											
Halogen, Total Organic (TOX)	4.9 U	U	mg/kg	4.9	2.2	SW846 9023			2/25/16 11:52	PAG	A
Moisture	3.8		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	96.2		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684006** Date Collected: 2/19/2016 16:45 Matrix: Solid

Sample ID: **SB-3/4** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Free Liquids	Negative					SW846 9095B			2/25/16 07:15	SDL	A
Moisture	11.9		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A
Total Solids	88.1		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684007** Date Collected: 2/19/2016 13:15 Matrix: Solid

Sample ID: **SB-3A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	Cntr
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.2 U	U	mg/kg	5.2	2.3	SW846 9023			2/25/16 15:16	PAG	A
Moisture	7.7		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	92.3		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684008** Date Collected: 2/19/2016 13:30 Matrix: Solid

Sample ID: **SB-3B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.1 U	U	mg/kg	5.1	2.3	SW846 9023			2/25/16 13:34	PAG	A
Moisture	6.6		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	93.4		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684009** Date Collected: 2/19/2016 16:30 Matrix: Solid

Sample ID: **SB-4A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.8 U	U	mg/kg	5.8	2.6	SW846 9023			2/25/16 13:46	PAG	A
Moisture	19.1		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	80.9		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684010** Date Collected: 2/19/2016 16:50 Matrix: Solid

Sample ID: **SB-4B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.1 U	U	mg/kg	5.1	2.2	SW846 9023			2/25/16 13:57	PAG	A
Moisture	6.1		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	93.9		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

Free Liquids by Method 9095 Conformance/Non-Conformance Summaries

ALS Middletown

Free Liquids (Paint Filter Test) by EPA 9095
CONFORMANCE/NON-CONFORMANCE SUMMARY

		NO	YES
1	Holding Time No hold time was cited in EPA Method 9095A		N/A
2	Duplicate One duplicate per 20 samples		x

Additional Comments:

QC Review Signature: Amy K Borden Date: 3/22/2016

Sample Description
2124998001-A

Form 7
Duplicate Summary

Analysis Method:	9095	SDG No.:	ALP-127
Matrix (soil/water):	soil	Lab Sample ID:	2124998001
Units:	N/A	Lab File ID:	N/A
Instrument ID:	N/A	Lab Sample Dup. ID:	2301326
GC Column:	N/A	Dup. Lab File ID:	N/A
Sample % Moisture:	N/A	Dup. % Moisture:	N/A

Analyte	Sample Concentration	Duplicate Concentration	Relative Percent Difference (RPD)	(1)	Acceptable Limit
Paint Filter Test	NEG	NEG	N/A		N/A

(1) The following qualifiers are used:
* : Values outside of acceptable limits

Comments:

Total Organic Halides by Method 9023 Conformance/Non-Conformance Summaries

ALS Middletown

TOX ANALYSIS by SW846 Method 9023
CONFORMANCE/NON-CONFORMANCE SUMMARY

		NO	YES
1	Blank		
	In duplicate, beginning of batch, after every 10 determinations		x
	<10 ug		x
2	Certification Verification Standard		
	Daily at beginning of batch, every 10 determinations, end of run		x
	± 10% of true value		x
3	Check Standard (20 ug)		
	Daily		x
	± 10% of true value		x
4	Soil LCS (500 ug/L)		
	Once every batch of 20		x
	± 10% of true value		x
5	Matrix Spike		
	Daily, every 10 samples, soils every 20 samples		x
	± 20% of true value		x
6	Duplicate		
	Every sample		x
	%RPD ≤20%		x
7	Holding Time		
	within		x

Additional Comments: _____

QC Review Signature: Amy K Borden Date: 3/22/2016

Calculation: ug/L Total Organic Halide

$$\frac{(C1-C3) + (C\ 2 - C3)}{V}$$

C1 = ug Cl - on 1st column
C2 = ug Cl - on 2nd column
C3 = method blank
V = sample volume

Sample Description

SB-2B

Form 3A
Matrix Spike and Matrix Spike Duplicate Recovery Summary

Analysis Method: SW846 9023
Matrix (soil/water): Solid

SDG No.: ALP127
Units: mg/kg
Lab Sample ID: 2125684005
Lab MS Sample ID: 2301640
Lab MSD Sample ID: 2301641

Analyte	Spike Added	Sample Concentration	MS Concentration	MS Recovery (%)	(1)	Acceptable Limits (%)
Halogen, Total Organic (TOX)	476	0.0	483	101		80 - 120

Analyte	Spike Added	MSD Concentration	MSD Recovery (%)	(1)	Acceptable Limits (%)	RPD (%)	(1)	Acc. Lim. (%)
Halogen, Total Organic (TOX)	476	457	95.6		80 - 120	5.35		20

(1) The following qualifiers are used:

* : Values outside of acceptable limits
D : Spikes diluted out

Comments:

Form 4B
Inorganic Blank Summary

Analysis Method: SW846 9023
Instrument: TOX

SDG No.: ALP127

Sample ID	Analyte	Type	Matrix	Analyzed	Result	Q (1)	Units
2301556	Halogen, Total Organic (TOX)	MB	QC-Water	02/25/2016 10:11	5.0	U	mg/kg
2301561	Halogen, Total Organic (TOX)	MB	QC-Water	02/25/2016 13:22	5.0	U	mg/kg
2301562	Halogen, Total Organic (TOX)	MB	QC-Water	02/25/2016 15:05	5.0	U	mg/kg

(1) The following qualifiers are used:

U: The analyte concentration is less than the reporting limit listed
J: The analyte concentration is less than the reporting limit but greater than the method detection limit

Comments:

Form 6B
Inorganic Initial and Continuing Calibration Summary

Analysis Method: 9023 SDG No.: ALP-127

Instrument ID: TOX-100 # 1
Concentration Units: ug

Analyte	Initial Calibration					Continuing Calibration					
	True Conc.	Conc. Recovered (1)2/25/16	Recovery (%)	(2)	Acc. Limit (%)	True Conc.	Conc. Recovered (1)2/25/16	Recovery (%)	(2)	Conc. Recovered (1)2/25/16	Recovery (%)	(2)	Acc. Limit (%)
Total Organic Halogen	10.0	10.35	104		90-110	10.0	9.6	96		10.5	105		90-110
	20.0	20.8	104		90-110								

(1) Analysis Date
(2) The following qualifiers are used:
* : Values outside of acceptable limits

Comments:

Form 6B2
Inorganic Initial and Continuing Calibration Summary

Analysis Method: 9023 SDG No.: ALP-127

Instrument ID: TOX-100
Concentration Units: ug

Analyte	Continuing Calibration										
	True Conc.	Conc. Recovered (1)2/25/16	Recovery (%)	(2)	Conc. Recovered (1)	Recovery (%)	(2)	Conc. Recovered (1)	Recovery (%)	(2)	Acc. Limit (%)
Total Organic Halogen	10.0	10.3	103								90-110

(1) Analysis Date
(2) The following qualifiers are used:
* : Values outside of acceptable limits

Comments:

Form 8B
Laboratory Control Sample (LCS) Recovery Summary

Analysis Method: SW846 9023 SDG No.: ALP127

Matrix (soil/water): QC-Water Instrument ID: TOX

Units: mg/kg

Sample ID	Analyte	Type	Analyzed	True Conc.	Conc. Recovered	Recovery (%)	(1)	Acc. Limit (%)
2301557	Halogen, Total Organic (TOX)	LCS	02/25/2016 10:24	500	527	105		90 - 110
2301558	Halogen, Total Organic (TOX)	LCS	02/25/2016 10:38	500	533	107		90 - 110

(1) The following qualifiers are used:

* : Values outside of acceptable limits

Comments:

Total Solids Conformance/Non-Conformance Summaries

ALS Middletown

TOTAL SOLIDS ANALYSIS by SM 2540G
CONFORMANCE/NON-CONFORMANCE SUMMARY

		NO	YES
1	Oven temperature documented to be 103-105 degrees C		x
2	Samples weighed to constant weight (<4% or <50 mg change)		x
3	Duplicates analyzed every 10 samples and <5% RPD		x
4	Holding Time		
	Analyzed within 14 days of collection		x
	Analyzed within 7 days for dry weight only/volatiles		N/A
	Minimum of 25g required	*x	

Additional Comments: * The sample had a low density and therefore, 25 g of sample would not properly fit in the weigh dish. Thus, a lower weight was used for analysis.

QC Review Signature: Amy K Borden Date: 3/22/2016

Calculation: $\frac{\text{\% Total Solids = (Weight Dried Sample +Dish)-(Weight Dish)}}{\text{(Weight Wet Sample Dish) - (Weight of Dish)}} \times 100$

Sample Description

SB-2A

Form 7
Duplicate Summary

Analysis Method: S2540G-11
Matrix (soil/water): Solid

SDG No.: ALP127
Units: %
Lab Sample ID: 2125684004
Lab Sample Dup ID: 2301631

Analyte	Sample Concentration	Duplicate Concentration	Relative Percent Difference (RPD)	(1)	Acceptable Limit (%)
Total Solids	94.7	94.9	0.23		5

(1) The following qualifiers are used:

* : Values outside of acceptable limits

Comments:

Sample Description

2125682001

Form 7
Duplicate Summary

Analysis Method: S2540G-11
Matrix (soil/water): Solid
SDG No.: ALP127
Units: %
Lab Sample ID: 2125682001
Lab Sample Dup ID: 2301492

Analyte	Sample Concentration	Duplicate Concentration	Relative Percent Difference (RPD)	(1)	Acceptable Limit (%)
Total Solids	70.4	67.8	3.65		5

(1) The following qualifiers are used:

* : Values outside of acceptable limits

Comments:

Total Solids Raw Data

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Total Solids Rev 12/2/2015 Val 0123

Batch: 166442 **Balance ID:** 25 **Queue:** WETC **Analyst:** KAM

File Name: 166442_160225-102133 **Date/Time:** 02/25/16 10:21

Misc:				Oven ID	Thermometer	1st Time In	12:00	2nd Time In	10:04	3rd Time In	12:38	4th Time In	
				8		1st Temp In °C	104	2nd Temp In °C	104	3rd Temp In °C	104	4th Temp In °C	
						1st Time Out	9:53	2nd Time Out	12:24	3rd Time Out		4th Time Out	
						1st Temp Out °C	104	2nd Temp Out °C	104	3rd Temp Out °C		4th Temp Out °C	

Sample ID	Cont ID	Samp Type	TVS	Weight of dish and sample (g) or Volume of sample (ml)	Dish Wt. (g)	1st Dish + Sample Wt (g)	2nd Dish + Sample Wt (g)	3rd Dish + Sample Wt (g)	4th Dish + Sample Wt (g)	TS (%) or (mg/l)	Result1 TARE (g)	Result2 IWT (g)	Result3 FWT (g)
2301484	BALCHK			0.1000	0.1000	0.1000	0.1000			#DIV/0!	0.1000	0.1000	0.1000
2301485 (2125361001)	B	DUP		3.5300	1.1400	3.0800	3.0700			80.7531	1.1400	3.5300	3.0700
2125361001	B	S		3.5300	1.1400	3.0600	3.0600			80.3347	1.1400	3.5300	3.0600
2125361002	B	S		4.8400	1.1400	4.4000	4.4000			88.1081	1.1400	4.8400	4.4000
2125361003	B	S		6.6000	1.1400	5.3700	5.3700			77.4725	1.1400	6.6000	5.3700
2125361004	B	S		7.0000	1.1500	5.5500	5.5500			75.2137	1.1500	7.0000	5.5500
2125361005	B	S		7.1100	1.1300	5.6300	5.6200			75.0836	1.1300	7.1100	5.6200
2125536001	A	S		12.9500	1.1500	12.5000	12.4900			96.1017	1.1500	12.9500	12.4900
2125543001	D	S		10.1300	1.1400	8.9600	8.9500			86.8743	1.1400	10.1300	8.9500
2125543002	D	S		11.9500	1.1400	10.8100	10.8100			89.4542	1.1400	11.9500	10.8100
2125543003	D	S		11.4800	1.1400	10.2300	10.2200			87.8143	1.1400	11.4800	10.2200
2125543004	D	S		13.9000	1.1400	12.1900	12.1500			86.2853	1.1400	13.9000	12.1500
2301486 (2125543005)	D	DUP		15.8700	1.1400	14.4000	14.4000			90.0204	1.1400	15.8700	14.4000
2125543005	D	S		15.1600	1.1400	13.3400	13.3400			87.0185	1.1400	15.1600	13.3400
2125543006	D	S		24.1300	1.1500	20.8900	20.8800			85.8573	1.1500	24.1300	20.8800
2125543007	D	S		16.4200	1.1400	12.3200	12.3100			73.1021	1.1400	16.4200	12.3100
2125543008	D	S		17.0800	1.1300	15.7000	15.7000			91.3480	1.1300	17.0800	15.7000
2125543009	D	S		17.5800	1.1300	15.5400	15.5400			87.5988	1.1300	17.5800	15.5400
2125543010	D	S		17.4000	1.1400	16.4600	16.4600			94.2189	1.1400	17.4000	16.4600
2125543011	D	S		15.9000	1.1500	14.1700	14.1700			88.2712	1.1500	15.9000	14.1700
2125543012	D	S		15.9100	1.1500	13.9400	13.9400			86.6531	1.1500	15.9100	13.9400
2125543013	D	S		19.4300	1.1200	17.2400	17.2400			88.0393	1.1200	19.4300	17.2400
2125543014	D	S		14.9400	1.1400	12.7600	12.7600			84.2029	1.1400	14.9400	12.7600
2301487 (2125543015)	D	DUP		14.1700	1.1400	11.6600	11.6500			80.6600	1.1400	14.1700	11.6500
2125543015	D	S		13.2500	1.1500	11.3700	11.3800			84.5455	1.1500	13.2500	11.3800
2125543016	D	S		16.1100	1.1300	14.9600	14.9700			92.3899	1.1300	16.1100	14.9700
2125543017	D	S		12.2700	1.1300	10.7000	10.6900			85.8169	1.1300	12.2700	10.6900

ALMDT.NOUSER

2125543018	D	S		14.6500	1.1500	13.1500	13.0300	13.03 KAM 2/26/16		88.0000	1.1500	14.6500	13.0300
2125543019	D	S		10.8900	1.1300	8.4700	8.4600			75.1025	1.1300	10.8900	8.4600
2125543020	D	S		16.6200	1.1200	14.1100	14.1200			83.8710	1.1200	16.6200	14.1200
2125543021	D	S		14.3200	1.1100	12.5800	12.5800			86.8282	1.1100	14.3200	12.5800
2125543022	D	S		21.0800	1.1200	19.2700	19.2600			90.8818	1.1200	21.0800	19.2600
2125549001	A	S	X	12.8600	1.1400	12.1200	12.1300			93.7713	1.1400	12.8600	12.1300
2125565001	A	S		13.1100	1.1400	12.5700	12.5700			95.4887	1.1400	13.1100	12.5700
2301488 (2125566001)	A	DUP		8.7400	1.1500	8.2300	8.2400			93.4124	1.1500	8.7400	8.2400
2125566001	A	S		9.9500	1.1200	9.3600	9.3700			93.4315	1.1200	9.9500	9.3700
2125567001	A	S		11.1300	1.1100	10.1400	10.1300			90.0200	1.1100	11.1300	10.1300
2125568001	A	S		14.7300	1.1100	14.1900	14.1800			95.9818	1.1100	14.7300	14.1800
2125569001	A	S		10.3700	1.1200	10.1100	10.1100			97.1892	1.1200	10.3700	10.1100
2125570001	A	S		15.7300	1.1500	15.4700	15.4700			98.2167	1.1500	15.7300	15.4700
2125571003	A	S		14.7100	1.1300	13.0700	13.0600			87.8498	1.1300	14.7100	13.0600
2125572001	A	S		10.8000	1.1200	10.4500	10.4500			96.3843	1.1200	10.8000	10.4500
2125572002	A	S		13.1900	1.1500	12.6800	12.6800			95.7641	1.1500	13.1900	12.6800
2125573001	A	S		16.0300	1.1500	15.7700	15.7700			98.2527	1.1500	16.0300	15.7700
2125574001	A	S		9.9000	1.1500	9.0700	9.0600			90.4000	1.1500	9.9000	9.0600
2301489 (2125575001)	A	DUP		11.2400	1.1400	9.7300	9.7300			85.0495	1.1400	11.2400	9.7300
2125575001	A	S		12.5400	1.1500	11.0000	11.0000			86.4794	1.1500	12.5400	11.0000
2125576001	A	S		11.3100	1.1400	10.6100	10.5900			92.9204	1.1400	11.3100	10.5900
2125581001	A	S		15.3300	1.1100	13.2700	13.2700			85.5134	1.1100	15.3300	13.2700
2125582001	A	S		16.2500	1.1300	8.5000	8.5000			46.7434	1.1300	16.2500	8.5000
2125583001	A	S		21.0800	1.1400	17.8100	17.8200			83.6510	1.1400	21.0800	17.8200
2125584001	A	S		18.1400	1.1300	15.6000	15.6000			85.0676	1.1300	18.1400	15.6000
2125585001	A	S		17.8300	1.1200	16.4700	16.4700			91.8612	1.1200	17.8300	16.4700
2125586001	A	S		18.3900	1.1400	15.4200	15.4200			82.7826	1.1400	18.3900	15.4200
2125587001	A	S		18.4200	1.1500	15.1600	15.1600			81.1233	1.1500	18.4200	15.1600
2125587002	A	S		20.8000	1.1300	16.6000	16.6000			78.6477	1.1300	20.8000	16.6000
2301490 (2125587003)	A	DUP		12.7500	1.1500	10.6000	10.6000			81.4655	1.1500	12.7500	10.6000
2125587003	A	S		13.6300	1.1500	11.5200	11.5200			83.0929	1.1500	13.6300	11.5200
2125587004	A	S		18.3800	1.1400	15.5400	15.5400			83.5267	1.1400	18.3800	15.5400
2125587005	A	S		16.1400	1.1500	12.9700	12.9700			78.8526	1.1500	16.1400	12.9700
2125587006	A	S		19.5500	1.1300	16.0800	16.0800			81.1618	1.1300	19.5500	16.0800
2125587007	A	S		13.4700	1.1500	11.1200	11.1100			80.8442	1.1500	13.4700	11.1100
2125588001	D	S		21.9900	1.1500	19.1000	19.0900			86.0845	1.1500	21.9900	19.0900
2125589001	D	S		25.4500	1.1200	21.9000	21.8900			85.3679	1.1200	25.4500	21.8900
2125590001	D	S		25.5900	1.1400	22.3600	22.3500			86.7485	1.1400	25.5900	22.3500
2125591001	D	S		25.5000	1.1500	21.5600	21.5600			83.8193	1.1500	25.5000	21.5600
2125658001	A	S	X	10.4800	1.1200	3.6000	3.6000			26.4957	1.1200	10.4800	3.6000
2301491 (2125665001)	A	DUP		17.0100	1.1500	14.4000	14.3900			83.4805	1.1500	17.0100	14.3900
2125665001	A	S		14.1200	1.1300	11.6800	11.6700			81.1393	1.1300	14.1200	11.6700
2125667001	A	S		21.4100	1.1200	17.9800	17.9800			83.0951	1.1200	21.4100	17.9800
2125668001	A	S		22.7400	1.1300	18.8000	18.8000			81.7677	1.1300	22.7400	18.8000
2125669001	A	S		21.1500	1.1500	17.5200	17.5200			81.8500	1.1500	21.1500	17.5200
2125670001	A	S		18.9100	1.1400	14.7100	14.7100			76.3647	1.1400	18.9100	14.7100
2125679001	A	S	X	16.7000	1.1300	13.5200	13.5200			79.5761	1.1300	16.7000	13.5200

2125679002	A	S		12.0400	1.1600	10.0400	10.0300			81.5257	1.1600	12.0400	10.0300
2125680001	A	S	X	20.1200	1.1300	14.4800	14.4700			70.2475	1.1300	20.1200	14.4700
2125680002	A	S		14.0500	1.1400	10.6100	10.6200			73.4314	1.1400	14.0500	10.6200
2125681002	A	S		16.3100	1.1500	13.0800	13.0800			78.6939	1.1500	16.3100	13.0800
2301492 (2125682001)	A	DUP	X	11.9200	1.1600	8.4700	8.4600			67.8439	1.1600	11.9200	8.4600
2125682001	A	S	X	15.6400	1.1300	11.3500	11.3400			70.3653	1.1300	15.6400	11.3400
2125682002	A	S		12.8400	1.1600	9.4000	9.4000			70.5479	1.1600	12.8400	9.4000
2125684001	A	S		18.7700	1.1400	15.9500	15.9400			83.9478	1.1400	18.7700	15.9400
2125684006	A	S		16.0000	1.1600	14.2300	14.2300			88.0728	1.1600	16.0000	14.2300
2125703001	A	S		13.2300	1.1500	12.7800	12.7800			96.2748	1.1500	13.2300	12.7800
2125704001	A	S		9.7200	1.1600	1.4400	1.4300			3.1542	1.1600	9.7200	1.4300
2125704002	A	S		10.6100	1.1300	1.4900	1.4900			3.7975	1.1300	10.6100	1.4900
2301493	BALCHK			0.1000	0.1000	0.1000	0.1000			#DIV/0!	0.1000	0.1000	0.1000

End

ANALYST KAM
ENTER REVIEW
SECOND REVIEW CF 3/4/16
APPROVED CF 3/4/16

ALMDT.NOUSER

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Total Solids Rev 12/2/2015 Val 0123

Batch: 166455 Balance ID: 25 Queue: WETC Analyst: KAM

File Name: 166455_160225-141722 Date/Time: 02/25/16 14:42

Misc:	sampl	Oven ID	Thermometer	1st Time In		2nd Time In	9:43	3rd Time In		4th Time In	
		8		1st Temp In °C		2nd Temp In °C	103	3rd Temp In °C		4th Temp In °C	
				1st Time Out	9:31	2nd Time Out	12:02	3rd Time Out		4th Time Out	
				1st Temp Out °C	103	2nd Temp Out °C	103	3rd Temp Out °C		4th Temp Out °C	

Sample ID	Cont ID	Samp Type	TVS	Weight of dish and sample (g) or Volume of sample (ml)	Dish Wt (g)	1st Dish + Sample Wt (g)	2nd Dish + Sample Wt (g)	3rd Dish + Sample Wt (g)	4th Dish + Sample Wt (g)	TS (%) or (mg/l)	Result1 TARE (g)	Result2 IWT (g)	Result3 FWT (g)
2301628	BALCHK			0.1000	0.1000	0.1000	0.1000			#DIV/0!	0.1000	0.1000	0.1000
2301629 (2123359004)	A	DUP		8.0100	1.1600	1.3400	1.3500			2.7737	1.1600	8.0100	1.3500
2123359004	A	S		8.6600	1.1400	1.3400	1.3400			2.6596	1.1400	8.6600	1.3400
2124159001	A	S		12.2300	1.1400	12.2200	12.2100			99.8197	1.1400	12.2300	12.2100
2124746001	A	S		7.7600	1.1600	1.2700	1.2600			1.5152	1.1600	7.7600	1.2600
2124952004	A	S		8.3700	1.1300	1.1500	1.1500			0.2762	1.1300	8.3700	1.1500
2124952005	A	S		7.2800	1.1500	1.1700	1.1700			0.3263	1.1500	7.2800	1.1700
2124975001	A	S		7.2200	1.1300	1.2000	1.2000			1.1494	1.1300	7.2200	1.2000
2124975002	A	S		8.3200	1.1400	1.2100	1.2100			0.9749	1.1400	8.3200	1.2100
2125438001	A	S		6.7800	1.1400	2.1300	2.1200			17.3759	1.1400	6.7800	2.1200
2125452001	A	S		7.5400	1.1300	7.4700	7.4600			98.7520	1.1300	7.5400	7.4600
2125571001	A	S		18.3000	1.1600	16.2900	16.2900			88.2730	1.1600	18.3000	16.2900
2301630 (2125571002)	A	DUP		15.2100	1.1400	13.5400	13.5400			88.1308	1.1400	15.2100	13.5400
2125571002	A	S		18.4400	1.1500	16.4200	16.4100			88.2591	1.1500	18.4400	16.4100
2125572003	A	S		15.8400	1.1200	15.2400	15.2400			95.9239	1.1200	15.8400	15.2400
2125588002	A	S		30.9000	1.1400	26.3600	26.3600			84.7446	1.1400	30.9000	26.3600
2125589002	A	S		34.1100	1.1300	29.1100	29.1100			84.8393	1.1300	34.1100	29.1100
2125590002	A	S		23.3200	1.1400	20.3800	20.3600			86.6546	1.1400	23.3200	20.3600
2125591002	A	S		30.6300	1.1400	26.1800	26.1700			84.8762	1.1400	30.6300	26.1700
2125638001	A	S		23.1800	1.1400	19.7400	19.7400			84.3920	1.1400	23.1800	19.7400
2125639001	A	S		.23.72	1.1300	19.9300	19.9300			#VALUE!	1.1300	.23.72	19.9300
2125684002	A	S		25.5300	1.1300	21.1300	21.1200			81.9262	1.1300	25.5300	21.1200
2125684003	A	S		28.1200	1.1500	23.9200	23.9100			84.3901	1.1500	28.1200	23.9100
2301631 (2125684004)	A	DUP		16.8200	1.1400	16.0200	16.0200			94.8980	1.1400	16.8200	16.0200
2125684004	A	S		12.9800	1.1400	12.3500	12.3500			94.6791	1.1400	12.9800	12.3500
2125684005	A	S		16.5700	1.1400	16.0000	15.9900			96.2411	1.1400	16.5700	15.9900
2125684007		S		18.0600	1.1300	16.7700	16.7600			92.3213	1.1300	18.0600	16.7600

ALMDT.NOUSER

2125684008		S		15.2000	1.1300	14.2700	14.2700			93.3902	1.1300	15.2000	14.2700
2125684009		S		24.5700	1.1500	20.1100	20.1000			80.9137	1.1500	24.5700	20.1000
2125684010		S		13.5600	1.1500	12.8100	12.8000			93.8759	1.1500	13.5600	12.8000
2125724001	A	S		17.9700	1.1500	15.3100	15.3000			84.1260	1.1500	17.9700	15.3000
2125724002	A	S		15.5900	1.1400	14.3800	14.3800			91.6263	1.1400	15.5900	14.3800
2125724003	A	S		15.1200	1.1400	14.2300	14.2300			93.6338	1.1400	15.1200	14.2300
2125724004	A	S		17.4700	1.1300	15.3600	15.3600			87.0869	1.1300	17.4700	15.3600
2301632 (2125724005)	A	DUP		19.0900	1.1300	16.3300	16.3300			84.6325	1.1300	19.0900	16.3300
2125724005	A	S		20.4300	1.1500	17.4400	17.4500			84.5436	1.1500	20.4300	17.4500
2125730001	A	S		13.4600	1.1500	8.7000	8.6900			61.2510	1.1500	13.4600	8.6900
2125730002	A	S		15.9100	1.1400	6.6700	6.6700			37.4408	1.1400	15.9100	6.6700
2125730003	A	S		23.5500	1.1300	13.1900	13.2000			53.8359	1.1300	23.5500	13.2000
2125732001	A	S		25.6200	1.1400	13.3700	13.3600			49.9183	1.1400	25.6200	13.3600
2125747001	B	S		13.4600	1.1600	7.1100	7.1100			48.3740	1.1600	13.4600	7.1100
2125749001	B	S		31.5600	1.1600	27.5700	27.5700			86.8750	1.1600	31.5600	27.5700
2125749002	B	S		23.9900	1.1300	20.2000	20.1900			83.3771	1.1300	23.9900	20.1900
2125749003	B	S		31.8500	1.1400	28.0000	28.0000			87.4634	1.1400	31.8500	28.0000
2125749004	B	S		28.5700	1.1200	25.9900	25.9800			90.5647	1.1200	28.5700	25.9800
2301633 (2125753001)	A	DUP		7.0500	1.1300	1.1900	1.1800			0.8446	1.1300	7.0500	1.1800
2125753001	A	S		7.2800	1.1400	1.2100	1.2100			1.1401	1.1400	7.2800	1.2100
2125753002	A	S		8.5900	1.1500	1.2200	1.2200			0.9409	1.1500	8.5900	1.2200
2125753003	A	S		7.4600	1.1300	1.1800	1.1800			0.7899	1.1300	7.4600	1.1800
2125753004	A	S		8.1500	1.1400	1.2000	1.1900			0.7133	1.1400	8.1500	1.1900
2125753005	A	S		7.7400	1.1300	1.1700	1.1700			0.6051	1.1300	7.7400	1.1700
2125811001	A	S		8.0100	1.1400	3.4300	3.4300			33.3333	1.1400	8.0100	3.4300
2125813001	A	S		3.8700	1.1400	3.7600	3.7500			95.6044	1.1400	3.8700	3.7500
2125813002	A	S		3.8900	1.1500	3.2700	3.2600			77.0073	1.1500	3.8900	3.2600
2125813003	A	S		5.0800	1.1400	4.4700	4.4800			84.7716	1.1400	5.0800	4.4800
2125813004	A	S		6.1000	1.1400	5.7400	5.7300			92.5403	1.1400	6.1000	5.7300
2301634 (2125826001)	A	DUP		17.1800	1.1400	15.3700	15.3600			88.6534	1.1400	17.1800	15.3600
2125826001	A	S		16.0500	1.1400	14.0600	14.0600			86.6533	1.1400	16.0500	14.0600
2125829001	A	S		16.3000	1.1400	14.7700	14.7700			89.9077	1.1400	16.3000	14.7700
2125831001	A	S		20.5500	1.1500	18.5300	18.5300			89.5876	1.1500	20.5500	18.5300
2125878002	B	S		16.9800	1.1100	15.5400	15.5400			90.9263	1.1100	16.9800	15.5400
2125880001	A	S		12.8100	1.1100	10.9900	10.9800			84.3590	1.1100	12.8100	10.9800
2301635	BALCHK			0.1000	0.1000	0.1000	0.1000			#DIV/0!	0.1000	0.1000	0.1000

End

ANALYST KAM
ENTER REVIEW
SECOND REVIEW CF 3/14/16
APPROVED CF 3/14/16

ALMDT.NOUSER

ANALYTICAL REPORT

Lab Number:	L1604674
Client:	Roux Associates, Inc. 209 Shafter Street Islandia, NY 11749-5074
ATTN:	Chris Battista
Phone:	(631) 232-2600
Project Name:	POST ROAD PLAZA-24HR FITNESS
Project Number:	1772.0001Y000
Report Date:	02/29/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1604674-01	SB-1/2	SOIL	PELHAM MANOR, NY	02/19/16 15:40	02/19/16
L1604674-02	SB-1A	SOIL	PELHAM MANOR, NY	02/19/16 10:30	02/19/16
L1604674-03	SB-1B	SOIL	PELHAM MANOR, NY	02/19/16 11:30	02/19/16
L1604674-04	SB-2A	SOIL	PELHAM MANOR, NY	02/19/16 15:10	02/19/16
L1604674-05	SB-2B	SOIL	PELHAM MANOR, NY	02/19/16 15:50	02/19/16
L1604674-06	SB-3/4	SOIL	PELHAM MANOR, NY	02/19/16 16:45	02/19/16
L1604674-07	SB-3A	SOIL	PELHAM MANOR, NY	02/19/16 13:15	02/19/16
L1604674-08	SB-3B	SOIL	PELHAM MANOR, NY	02/19/16 13:30	02/19/16
L1604674-09	SB-4A	SOIL	PELHAM MANOR, NY	02/19/16 16:30	02/19/16
L1604674-10	SB-4B	SOIL	PELHAM MANOR, NY	02/19/16 16:50	02/19/16

Project Name:	POST ROAD PLAZA-24HR FITNESS	**Lab Number:**	L1604674
Project Number:	1772.0001Y000	**Report Date:**	02/29/16

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name:	POST ROAD PLAZA-24HR FITNESS	**Lab Number:**	L1604674
Project Number:	1772.0001Y000	**Report Date:**	02/29/16

Case Narrative (continued)

Report Submission

The analyses of Paint Filter and EOX were subcontracted. A copy of the laboratory report is included as an addendum. Please note: This data is only available in PDF format and is not available on Data Merger.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.


Petroleum Hydrocarbon Quantitation

The WG868139-3 Laboratory Duplicate RPD (54%), performed on L1604674-02, is outside the acceptance criteria. The elevated RPD has been attributed to the non-homogeneous nature of the native sample.

Metals

L1604674-01 and -06: The sample has elevated detection limits for all elements, with the exception of mercury and sulfur, due to the dilution required by matrix interferences encountered during analysis.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Kelly Stenstrom

Title: Technical Director/Representative Date: 02/29/16

ORGANICS

VOLATILES

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 02/24/16 17:02
Analyst: MM
Percent Solids: 97%
TCLP/SPLP Ext. Date: 02/23/16 11:38

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
TCLP Volatiles by EPA 1311 - Westborough Lab						
Chloroform	ND		ug/l	7.5	1.6	10
Carbon tetrachloride	ND		ug/l	5.0	1.3	10
Tetrachloroethene	ND		ug/l	5.0	1.8	10
Chlorobenzene	ND		ug/l	5.0	1.8	10
1,2-Dichloroethane	ND		ug/l	5.0	1.3	10
Benzene	ND		ug/l	5.0	1.6	10
Vinyl chloride	ND		ug/l	10	0.70	10
1,1-Dichloroethene	ND		ug/l	5.0	1.4	10
Trichloroethene	ND		ug/l	5.0	1.8	10
1,4-Dichlorobenzene	ND		ug/l	25	1.9	10
2-Butanone	ND		ug/l	50	19.	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	80		70-130
Toluene-d8	112		70-130
4-Bromofluorobenzene	109		70-130
Dibromofluoromethane	90		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 02/25/16 11:51
Analyst: BN
Percent Solids: 97%

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	14	1.6	1
1,1-Dichloroethane	ND		ug/kg	2.2	0.12	1
Chloroform	ND		ug/kg	2.2	0.53	1
Carbon tetrachloride	ND		ug/kg	1.4	0.30	1
1,2-Dichloropropane	ND		ug/kg	5.0	0.33	1
Dibromochloromethane	ND		ug/kg	1.4	0.22	1
1,1,2-Trichloroethane	ND		ug/kg	2.2	0.44	1
Tetrachloroethene	ND		ug/kg	1.4	0.20	1
Chlorobenzene	ND		ug/kg	1.4	0.50	1
Trichlorofluoromethane	ND		ug/kg	7.2	0.56	1
1,2-Dichloroethane	ND		ug/kg	1.4	0.16	1
1,1,1-Trichloroethane	ND		ug/kg	1.4	0.16	1
Bromodichloromethane	ND		ug/kg	1.4	0.25	1
trans-1,3-Dichloropropene	ND		ug/kg	1.4	0.17	1
cis-1,3-Dichloropropene	ND		ug/kg	1.4	0.17	1
1,3-Dichloropropene, Total	ND		ug/kg	1.4	0.17	1
1,1-Dichloropropene	ND		ug/kg	7.2	0.20	1
Bromoform	ND		ug/kg	5.7	0.34	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.4	0.14	1
Benzene	ND		ug/kg	1.4	0.17	1
Toluene	1.3	J	ug/kg	2.2	0.28	1
Ethylbenzene	ND		ug/kg	1.4	0.18	1
Chloromethane	ND		ug/kg	7.2	0.42	1
Bromomethane	ND		ug/kg	2.9	0.48	1
Vinyl chloride	ND		ug/kg	2.9	0.17	1
Chloroethane	ND		ug/kg	2.9	0.45	1
1,1-Dichloroethene	ND		ug/kg	1.4	0.38	1
trans-1,2-Dichloroethene	ND		ug/kg	2.2	0.30	1
Trichloroethene	ND		ug/kg	1.4	0.18	1
1,2-Dichlorobenzene	ND		ug/kg	7.2	0.22	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01 Date Collected: 02/19/16 15:40

Client ID: SB-1/2 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/kg	7.2	0.19	1
1,4-Dichlorobenzene	ND		ug/kg	7.2	0.20	1
Methyl tert butyl ether	ND		ug/kg	2.9	0.12	1
p/m-Xylene	0.29	J	ug/kg	2.9	0.28	1
o-Xylene	ND		ug/kg	2.9	0.25	1
Xylenes, Total	0.29	J	ug/kg	2.9	0.25	1
cis-1,2-Dichloroethene	ND		ug/kg	1.4	0.20	1
1,2-Dichloroethene, Total	ND		ug/kg	1.4	0.20	1
Dibromomethane	ND		ug/kg	14	0.23	1
Styrene	1.9	J	ug/kg	2.9	0.58	1
Dichlorodifluoromethane	ND		ug/kg	14	0.27	1
Acetone	8.1	J	ug/kg	14	1.5	1
Carbon disulfide	ND		ug/kg	14	1.6	1
2-Butanone	ND		ug/kg	14	0.39	1
Vinyl acetate	ND		ug/kg	14	0.19	1
4-Methyl-2-pentanone	ND		ug/kg	14	0.35	1
1,2,3-Trichloropropane	ND		ug/kg	14	0.23	1
2-Hexanone	ND		ug/kg	14	0.96	1
Bromochloromethane	ND		ug/kg	7.2	0.40	1
2,2-Dichloropropane	ND		ug/kg	7.2	0.32	1
1,2-Dibromoethane	ND		ug/kg	5.7	0.25	1
1,3-Dichloropropane	ND		ug/kg	7.2	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.4	0.46	1
Bromobenzene	ND		ug/kg	7.2	0.30	1
n-Butylbenzene	ND		ug/kg	1.4	0.16	1
sec-Butylbenzene	ND		ug/kg	1.4	0.18	1
tert-Butylbenzene	ND		ug/kg	7.2	0.19	1
o-Chlorotoluene	ND		ug/kg	7.2	0.23	1
p-Chlorotoluene	ND		ug/kg	7.2	0.19	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	7.2	0.57	1
Hexachlorobutadiene	ND		ug/kg	7.2	0.33	1
Isopropylbenzene	ND		ug/kg	1.4	0.15	1
p-Isopropyltoluene	ND		ug/kg	1.4	0.18	1
Naphthalene	0.53	J	ug/kg	7.2	0.20	1
Acrylonitrile	ND		ug/kg	14	0.74	1
Tert-Butyl Alcohol	ND		ug/kg	86	4.2	1
n-Propylbenzene	ND		ug/kg	1.4	0.16	1
1,2,3-Trichlorobenzene	ND		ug/kg	7.2	0.21	1
1,2,4-Trichlorobenzene	ND		ug/kg	7.2	0.26	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01 Date Collected: 02/19/16 15:40

Client ID: SB-1/2 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
1,3,5-Trimethylbenzene	ND		ug/kg	7.2	0.20	1
1,2,4-Trimethylbenzene	ND		ug/kg	7.2	0.20	1
Methyl Acetate	ND		ug/kg	29	0.39	1
Acrolein	ND		ug/kg	36	12.	1
Cyclohexane	ND		ug/kg	29	0.21	1
1,4-Dioxane	ND		ug/kg	140	21.	1
Freon-113	ND		ug/kg	29	0.39	1
p-Diethylbenzene	ND		ug/kg	5.7	0.23	1
p-Ethyltoluene	ND		ug/kg	5.7	0.18	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	5.7	0.19	1
Ethyl ether	ND		ug/kg	7.2	0.37	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	7.2	0.56	1
Methyl cyclohexane	ND		ug/kg	5.7	0.22	1

Tentatively Identified Compounds				
Total TIC Compounds	570	J	ug/kg	1
Undecane, 2,6-dimethyl-	47	NJ	ug/kg	1
Unknown	58	J	ug/kg	1
Unknown	57	J	ug/kg	1
Unknown Alkane	38	J	ug/kg	1
Unknown Naphthalene	100	J	ug/kg	1
Unknown Alkane	43	J	ug/kg	1
Unknown	71	J	ug/kg	1
Unknown	64	J	ug/kg	1
Unknown	58	J	ug/kg	1
Unknown	34	J	ug/kg	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	101		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06
Client ID: SB-3/4
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 02/24/16 17:34
Analyst: MM
Percent Solids: 95%
TCLP/SPLP Ext. Date: 02/23/16 11:38

Date Collected: 02/19/16 16:45
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
TCLP Volatiles by EPA 1311 - Westborough Lab						
Chloroform	ND		ug/l	7.5	1.6	10
Carbon tetrachloride	ND		ug/l	5.0	1.3	10
Tetrachloroethene	ND		ug/l	5.0	1.8	10
Chlorobenzene	ND		ug/l	5.0	1.8	10
1,2-Dichloroethane	ND		ug/l	5.0	1.3	10
Benzene	ND		ug/l	5.0	1.6	10
Vinyl chloride	ND		ug/l	10	0.70	10
1,1-Dichloroethene	ND		ug/l	5.0	1.4	10
Trichloroethene	ND		ug/l	5.0	1.8	10
1,4-Dichlorobenzene	ND		ug/l	25	1.9	10
2-Butanone	ND		ug/l	50	19.	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	83		70-130
Toluene-d8	110		70-130
4-Bromofluorobenzene	109		70-130
Dibromofluoromethane	89		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06
Client ID: SB-3/4
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 02/25/16 12:18
Analyst: BN
Percent Solids: 95%

Date Collected: 02/19/16 16:45
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	16	1.8	1
1,1-Dichloroethane	ND		ug/kg	2.4	0.14	1
Chloroform	ND		ug/kg	2.4	0.61	1
Carbon tetrachloride	ND		ug/kg	1.6	0.34	1
1,2-Dichloropropane	ND		ug/kg	5.7	0.37	1
Dibromochloromethane	ND		ug/kg	1.6	0.25	1
1,1,2-Trichloroethane	ND		ug/kg	2.4	0.50	1
Tetrachloroethene	ND		ug/kg	1.6	0.23	1
Chlorobenzene	ND		ug/kg	1.6	0.57	1
Trichlorofluoromethane	ND		ug/kg	8.2	0.64	1
1,2-Dichloroethane	ND		ug/kg	1.6	0.18	1
1,1,1-Trichloroethane	ND		ug/kg	1.6	0.18	1
Bromodichloromethane	ND		ug/kg	1.6	0.28	1
trans-1,3-Dichloropropene	ND		ug/kg	1.6	0.20	1
cis-1,3-Dichloropropene	ND		ug/kg	1.6	0.19	1
1,3-Dichloropropene, Total	ND		ug/kg	1.6	0.19	1
1,1-Dichloropropene	ND		ug/kg	8.2	0.23	1
Bromoform	ND		ug/kg	6.6	0.39	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.6	0.16	1
Benzene	ND		ug/kg	1.6	0.19	1
Toluene	0.35	J	ug/kg	2.4	0.32	1
Ethylbenzene	ND		ug/kg	1.6	0.21	1
Chloromethane	ND		ug/kg	8.2	0.48	1
Bromomethane	ND		ug/kg	3.3	0.55	1
Vinyl chloride	ND		ug/kg	3.3	0.19	1
Chloroethane	ND		ug/kg	3.3	0.52	1
1,1-Dichloroethene	ND		ug/kg	1.6	0.43	1
trans-1,2-Dichloroethene	ND		ug/kg	2.4	0.35	1
Trichloroethene	ND		ug/kg	1.6	0.20	1
1,2-Dichlorobenzene	ND		ug/kg	8.2	0.25	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06 Date Collected: 02/19/16 16:45

Client ID: SB-3/4 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/kg	8.2	0.22	1
1,4-Dichlorobenzene	ND		ug/kg	8.2	0.23	1
Methyl tert butyl ether	ND		ug/kg	3.3	0.14	1
p/m-Xylene	ND		ug/kg	3.3	0.32	1
o-Xylene	ND		ug/kg	3.3	0.28	1
Xylenes, Total	ND		ug/kg	3.3	0.28	1
cis-1,2-Dichloroethene	ND		ug/kg	1.6	0.23	1
1,2-Dichloroethene, Total	ND		ug/kg	1.6	0.23	1
Dibromomethane	ND		ug/kg	16	0.27	1
Styrene	ND		ug/kg	3.3	0.66	1
Dichlorodifluoromethane	ND		ug/kg	16	0.31	1
Acetone	4.8	J	ug/kg	16	1.7	1
Carbon disulfide	ND		ug/kg	16	1.8	1
2-Butanone	ND		ug/kg	16	0.44	1
Vinyl acetate	ND		ug/kg	16	0.22	1
4-Methyl-2-pentanone	ND		ug/kg	16	0.40	1
1,2,3-Trichloropropane	ND		ug/kg	16	0.27	1
2-Hexanone	ND		ug/kg	16	1.1	1
Bromochloromethane	ND		ug/kg	8.2	0.45	1
2,2-Dichloropropane	ND		ug/kg	8.2	0.37	1
1,2-Dibromoethane	ND		ug/kg	6.6	0.28	1
1,3-Dichloropropane	ND		ug/kg	8.2	0.24	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.6	0.52	1
Bromobenzene	ND		ug/kg	8.2	0.34	1
n-Butylbenzene	ND		ug/kg	1.6	0.19	1
sec-Butylbenzene	ND		ug/kg	1.6	0.20	1
tert-Butylbenzene	ND		ug/kg	8.2	0.22	1
o-Chlorotoluene	ND		ug/kg	8.2	0.26	1
p-Chlorotoluene	ND		ug/kg	8.2	0.22	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	8.2	0.65	1
Hexachlorobutadiene	ND		ug/kg	8.2	0.37	1
Isopropylbenzene	ND		ug/kg	1.6	0.17	1
p-Isopropyltoluene	ND		ug/kg	1.6	0.20	1
Naphthalene	0.57	J	ug/kg	8.2	0.23	1
Acrylonitrile	ND		ug/kg	16	0.84	1
Tert-Butyl Alcohol	ND		ug/kg	98	4.8	1
n-Propylbenzene	ND		ug/kg	1.6	0.18	1
1,2,3-Trichlorobenzene	ND		ug/kg	8.2	0.24	1
1,2,4-Trichlorobenzene	ND		ug/kg	8.2	0.30	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06 Date Collected: 02/19/16 16:45

Client ID: SB-3/4 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
1,3,5-Trimethylbenzene	ND		ug/kg	8.2	0.24	1
1,2,4-Trimethylbenzene	ND		ug/kg	8.2	0.23	1
Methyl Acetate	ND		ug/kg	33	0.44	1
Acrolein	ND		ug/kg	41	13.	1
Cyclohexane	ND		ug/kg	33	0.24	1
1,4-Dioxane	ND		ug/kg	160	24.	1
Freon-113	ND		ug/kg	33	0.45	1
p-Diethylbenzene	ND		ug/kg	6.6	0.26	1
p-Ethyltoluene	ND		ug/kg	6.6	0.20	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	6.6	0.21	1
Ethyl ether	ND		ug/kg	8.2	0.43	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	8.2	0.64	1
Methyl cyclohexane	ND		ug/kg	6.6	0.25	1
Tentatively Identified Compounds						
No Tentatively Identified Compounds	ND		ug/kg			1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	98		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 02/24/16 12:18
Analyst: MM
TCLP/SPLP Extraction Date: 02/23/16 11:38
Extraction Date: 02/23/16 11:38

Parameter	Result	Qualifier	Units	RL	MDL
TCLP Volatiles by EPA 1311 - Westborough Lab for sample(s): 01,06 Batch: WG868087-3					
Chloroform	ND		ug/l	7.5	1.6
Carbon tetrachloride	ND		ug/l	5.0	1.3
Tetrachloroethene	ND		ug/l	5.0	1.8
Chlorobenzene	ND		ug/l	5.0	1.8
1,2-Dichloroethane	ND		ug/l	5.0	1.3
Benzene	ND		ug/l	5.0	1.6
Vinyl chloride	ND		ug/l	10	0.70
1,1-Dichloroethene	ND		ug/l	5.0	1.4
Trichloroethene	ND		ug/l	5.0	1.8
1,4-Dichlorobenzene	ND		ug/l	25	1.9
2-Butanone	ND		ug/l	50	19.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	83		70-130
Toluene-d8	113		70-130
4-Bromofluorobenzene	109		70-130
dibromofluoromethane	88		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 02/25/16 08:15
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01,06 Batch: WG868630-3					
Methylene chloride	ND		ug/kg	10	1.1
1,1-Dichloroethane	ND		ug/kg	1.5	0.09
Chloroform	ND		ug/kg	1.5	0.37
Carbon tetrachloride	ND		ug/kg	1.0	0.21
1,2-Dichloropropane	ND		ug/kg	3.5	0.23
Dibromochloromethane	ND		ug/kg	1.0	0.15
1,1,2-Trichloroethane	ND		ug/kg	1.5	0.30
Tetrachloroethene	ND		ug/kg	1.0	0.14
Chlorobenzene	ND		ug/kg	1.0	0.35
Trichlorofluoromethane	ND		ug/kg	5.0	0.39
1,2-Dichloroethane	ND		ug/kg	1.0	0.11
1,1,1-Trichloroethane	ND		ug/kg	1.0	0.11
Bromodichloromethane	ND		ug/kg	1.0	0.17
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.12
cis-1,3-Dichloropropene	ND		ug/kg	1.0	0.12
1,3-Dichloropropene, Total	ND		ug/kg	1.0	0.12
1,1-Dichloropropene	ND		ug/kg	5.0	0.14
Bromoform	ND		ug/kg	4.0	0.24
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.0	0.10
Benzene	ND		ug/kg	1.0	0.12
Toluene	ND		ug/kg	1.5	0.19
Ethylbenzene	ND		ug/kg	1.0	0.13
Chloromethane	ND		ug/kg	5.0	0.29
Bromomethane	0.47	J	ug/kg	2.0	0.34
Vinyl chloride	ND		ug/kg	2.0	0.12
Chloroethane	ND		ug/kg	2.0	0.32
1,1-Dichloroethene	ND		ug/kg	1.0	0.26
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.21
Trichloroethene	ND		ug/kg	1.0	0.12

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 02/25/16 08:15
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01,06 Batch: WG868630-3					
1,2-Dichlorobenzene	ND		ug/kg	5.0	0.15
1,3-Dichlorobenzene	ND		ug/kg	5.0	0.14
1,4-Dichlorobenzene	ND		ug/kg	5.0	0.14
Methyl tert butyl ether	ND		ug/kg	2.0	0.08
p/m-Xylene	ND		ug/kg	2.0	0.20
o-Xylene	ND		ug/kg	2.0	0.17
Xylenes, Total	ND		ug/kg	2.0	0.17
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.14
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.14
Dibromomethane	ND		ug/kg	10	0.16
Styrene	ND		ug/kg	2.0	0.40
Dichlorodifluoromethane	ND		ug/kg	10	0.19
Acetone	ND		ug/kg	10	1.0
Carbon disulfide	ND		ug/kg	10	1.1
2-Butanone	ND		ug/kg	10	0.27
Vinyl acetate	ND		ug/kg	10	0.13
4-Methyl-2-pentanone	ND		ug/kg	10	0.24
1,2,3-Trichloropropane	ND		ug/kg	10	0.16
2-Hexanone	ND		ug/kg	10	0.67
Bromochloromethane	ND		ug/kg	5.0	0.28
2,2-Dichloropropane	ND		ug/kg	5.0	0.23
1,2-Dibromoethane	ND		ug/kg	4.0	0.17
1,3-Dichloropropane	ND		ug/kg	5.0	0.14
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.0	0.32
Bromobenzene	ND		ug/kg	5.0	0.21
n-Butylbenzene	ND		ug/kg	1.0	0.11
sec-Butylbenzene	ND		ug/kg	1.0	0.12
tert-Butylbenzene	ND		ug/kg	5.0	0.14
o-Chlorotoluene	ND		ug/kg	5.0	0.16

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 02/25/16 08:15
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01,06 Batch: WG868630-3					
p-Chlorotoluene	ND		ug/kg	5.0	0.13
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.0	0.40
Hexachlorobutadiene	ND		ug/kg	5.0	0.23
Isopropylbenzene	ND		ug/kg	1.0	0.10
p-Isopropyltoluene	ND		ug/kg	1.0	0.12
Naphthalene	ND		ug/kg	5.0	0.14
Acrylonitrile	ND		ug/kg	10	0.51
Tert-Butyl Alcohol	ND		ug/kg	60	2.9
n-Propylbenzene	ND		ug/kg	1.0	0.11
1,2,3-Trichlorobenzene	ND		ug/kg	5.0	0.15
1,2,4-Trichlorobenzene	ND		ug/kg	5.0	0.18
1,3,5-Trimethylbenzene	ND		ug/kg	5.0	0.14
1,2,4-Trimethylbenzene	ND		ug/kg	5.0	0.14
Methyl Acetate	ND		ug/kg	20	0.27
Acrolein	ND		ug/kg	25	8.1
Cyclohexane	ND		ug/kg	20	0.15
1,4-Dioxane	ND		ug/kg	100	14.
Freon-113	ND		ug/kg	20	0.27
p-Diethylbenzene	ND		ug/kg	4.0	0.16
p-Ethyltoluene	ND		ug/kg	4.0	0.12
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.0	0.13
Ethyl ether	ND		ug/kg	5.0	0.26
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	0.39
Methyl cyclohexane	ND		ug/kg	4.0	0.15

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 02/25/16 08:15
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01,06 Batch: WG868630-3					
Tentatively Identified Compounds					
No Tentatively Identified Compounds	ND		ug/kg		

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	95		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	97		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
TCLP Volatiles by EPA 1311 - Westborough Lab Associated sample(s): 01,06 Batch: WG868087-1 WG868087-2								
Chloroform	113		117		70-130	3		20
Carbon tetrachloride	113		114		63-132	1		20
Tetrachloroethene	129		130		70-130	1		20
Chlorobenzene	115		116		75-130	1		25
1,2-Dichloroethane	101		105		70-130	4		20
Benzene	115		116		70-130	1		25
Vinyl chloride	101		104		55-140	3		20
1,1-Dichloroethene	125		125		61-145	0		25
Trichloroethene	114		116		70-130	2		25
1,4-Dichlorobenzene	115		117		70-130	2		20
2-Butanone	132		134		63-138	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	84		85		70-130
Toluene-d8	110		110		70-130
4-Bromofluorobenzene	102		102		70-130
Dibromofluoromethane	90		92		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01,06 Batch: WG868630-1 WG868630-2								
Methylene chloride	94		94		70-130	0		30
1,1-Dichloroethane	96		94		70-130	2		30
Chloroform	96		96		70-130	0		30
Carbon tetrachloride	100		97		70-130	3		30
1,2-Dichloropropane	93		93		70-130	0		30
Dibromochloromethane	105		106		70-130	1		30
2-Chloroethylvinyl ether	96		92		70-130	4		30
1,1,2-Trichloroethane	107		106		70-130	1		30
Tetrachloroethene	115		111		70-130	4		30
Chlorobenzene	109		107		70-130	2		30
Trichlorofluoromethane	116		109		70-139	6		30
1,2-Dichloroethane	94		93		70-130	1		30
1,1,1-Trichloroethane	99		96		70-130	3		30
Bromodichloromethane	93		95		70-130	2		30
trans-1,3-Dichloropropene	106		105		70-130	1		30
cis-1,3-Dichloropropene	95		95		70-130	0		30
1,1-Dichloropropene	99		95		70-130	4		30
Bromoform	102		103		70-130	1		30
1,1,2,2-Tetrachloroethane	107		106		70-130	1		30
Benzene	97		95		70-130	2		30
Toluene	109		105		70-130	4		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01,06 Batch: WG868630-1 WG868630-2								
Ethylbenzene	109		106		70-130	3		30
Chloromethane	92		92		52-130	0		30
Bromomethane	82		83		57-147	1		30
Vinyl chloride	90		87		67-130	3		30
Chloroethane	90		86		50-151	5		30
1,1-Dichloroethene	102		98		65-135	4		30
trans-1,2-Dichloroethene	99		98		70-130	1		30
Trichloroethene	97		97		70-130	0		30
1,2-Dichlorobenzene	110		110		70-130	0		30
1,3-Dichlorobenzene	112		111		70-130	1		30
1,4-Dichlorobenzene	113		111		70-130	2		30
Methyl tert butyl ether	93		93		66-130	0		30
p/m-Xylene	108		105		70-130	3		30
o-Xylene	108		106		70-130	2		30
cis-1,2-Dichloroethene	98		98		70-130	0		30
Dibromomethane	97		97		70-130	0		30
Styrene	109		107		70-130	2		30
Dichlorodifluoromethane	98		95		30-146	3		30
Acetone	92		90		54-140	2		30
Carbon disulfide	100		98		59-130	2		30
2-Butanone	88		84		70-130	5		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01,06 Batch: WG868630-1 WG868630-2								
Vinyl acetate	94		93		70-130	1		30
4-Methyl-2-pentanone	87		86		70-130	1		30
1,2,3-Trichloropropane	104		103		68-130	1		30
2-Hexanone	99		98		70-130	1		30
Bromochloromethane	101		99		70-130	2		30
2,2-Dichloropropane	96		95		70-130	1		30
1,2-Dibromoethane	106		106		70-130	0		30
1,3-Dichloropropane	105		103		69-130	2		30
1,1,1,2-Tetrachloroethane	106		105		70-130	1		30
Bromobenzene	111		110		70-130	1		30
n-Butylbenzene	113		111		70-130	2		30
sec-Butylbenzene	114		111		70-130	3		30
tert-Butylbenzene	112		109		70-130	3		30
o-Chlorotoluene	112		108		70-130	4		30
p-Chlorotoluene	112		108		70-130	4		30
1,2-Dibromo-3-chloropropane	98		100		68-130	2		30
Hexachlorobutadiene	119		115		67-130	3		30
Isopropylbenzene	112		108		70-130	4		30
p-Isopropyltoluene	114		112		70-130	2		30
Naphthalene	108		108		70-130	0		30
Acrylonitrile	94		93		70-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01,06 Batch: WG868630-1 WG868630-2								
Isopropyl Ether	94		92		66-130	2		30
tert-Butyl Alcohol	87		89		70-130	2		30
n-Propylbenzene	112		108		70-130	4		30
1,2,3-Trichlorobenzene	115		114		70-130	1		30
1,2,4-Trichlorobenzene	117		115		70-130	2		30
1,3,5-Trimethylbenzene	112		109		70-130	3		30
1,2,4-Trimethylbenzene	112		110		70-130	2		30
Methyl Acetate	93		88		51-146	6		30
Ethyl Acetate	108		**131**	Q	70-130	19		30
Acrolein	90		90		70-130	0		30
Cyclohexane	102		98		59-142	4		30
1,4-Dioxane	80		81		65-136	1		30
1,1,2-Trichloro-1,2,2-Trifluoroethane	106		101		50-139	5		30
p-Diethylbenzene	115		111		70-130	4		30
p-Ethyltoluene	112		109		70-130	3		30
1,2,4,5-Tetramethylbenzene	114		112		70-130	2		30
Tetrahydrofuran	88		91		66-130	3		30
Ethyl ether	76		75		67-130	1		30
trans-1,4-Dichloro-2-butene	107		105		70-130	2		30
Methyl cyclohexane	103		99		70-130	4		30
Ethyl-Tert-Butyl-Ether	94		93		70-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01,06 Batch: WG868630-1 WG868630-2								
Tertiary-Amyl Methyl Ether	93		92		70-130	1		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	93		93		70-130
Toluene-d8	105		104		70-130
4-Bromofluorobenzene	96		95		70-130
Dibromofluoromethane	102		101		70-130

SEMIVOLATILES

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 02/27/16 17:37
Analyst: PS
Percent Solids: 97%
TCLP/SPLP Ext. Date: 02/22/16 14:04

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 02/24/16 19:09

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
TCLP Semivolatiles by EPA 1311 - Westborough Lab						
Hexachlorobenzene	ND		ug/l	10	2.9	1
2,4-Dinitrotoluene	ND		ug/l	25	4.2	1
Hexachlorobutadiene	ND		ug/l	10	3.3	1
Hexachloroethane	ND		ug/l	10	3.4	1
Nitrobenzene	ND		ug/l	10	3.8	1
2,4,6-Trichlorophenol	ND		ug/l	25	3.4	1
Pentachlorophenol	ND		ug/l	50	17.	1
2-Methylphenol	ND		ug/l	25	5.1	1
3-Methylphenol/4-Methylphenol	ND		ug/l	25	5.6	1
2,4,5-Trichlorophenol	ND		ug/l	25	3.6	1
Pyridine	ND		ug/l	25	6.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	75		21-120
Phenol-d6	71		10-120
Nitrobenzene-d5	92		23-120
2-Fluorobiphenyl	87		15-120
2,4,6-Tribromophenol	81		10-120
4-Terphenyl-d14	94		33-120

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 02/27/16 17:52
Analyst: PS
Percent Solids: 97%

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 02/25/16 15:26

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	18.	1
n-Nitrosodimethylamine	ND		ug/kg	340	32.	1
1,2,4-Trichlorobenzene	ND		ug/kg	170	19.	1
Hexachlorobenzene	ND		ug/kg	100	19.	1
Bis(2-chloroethyl)ether	ND		ug/kg	150	23.	1
2-Chloronaphthalene	ND		ug/kg	170	17.	1
1,2-Dichlorobenzene	ND		ug/kg	170	30.	1
1,3-Dichlorobenzene	ND		ug/kg	170	29.	1
1,4-Dichlorobenzene	ND		ug/kg	170	30.	1
3,3'-Dichlorobenzidine	ND		ug/kg	170	45.	1
2,4-Dinitrotoluene	ND		ug/kg	170	34.	1
2,6-Dinitrotoluene	ND		ug/kg	170	29.	1
Fluoranthene	420		ug/kg	100	19.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	170	18.	1
4-Bromophenyl phenyl ether	ND		ug/kg	170	26.	1
Azobenzene	ND		ug/kg	170	16.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	200	29.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	180	17.	1
Hexachlorobutadiene	ND		ug/kg	170	25.	1
Hexachlorocyclopentadiene	ND		ug/kg	480	150	1
Hexachloroethane	ND		ug/kg	140	27.	1
Isophorone	ND		ug/kg	150	22.	1
Naphthalene	93	J	ug/kg	170	20.	1
Nitrobenzene	ND		ug/kg	150	25.	1
NDPA/DPA	ND		ug/kg	140	19.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	170	26.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	170	58.	1
Butyl benzyl phthalate	ND		ug/kg	170	42.	1
Di-n-butylphthalate	ND		ug/kg	170	32.	1
Di-n-octylphthalate	ND		ug/kg	170	57.	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01 Date Collected: 02/19/16 15:40

Client ID: SB-1/2 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	170	16.	1
Dimethyl phthalate	ND		ug/kg	170	35.	1
Benzo(a)anthracene	380		ug/kg	100	19.	1
Benzo(a)pyrene	310		ug/kg	140	41.	1
Benzo(b)fluoranthene	530		ug/kg	100	28.	1
Benzo(k)fluoranthene	190		ug/kg	100	27.	1
Chrysene	500		ug/kg	100	18.	1
Acenaphthylene	360		ug/kg	140	26.	1
Anthracene	140		ug/kg	100	33.	1
Benzo(ghi)perylene	240		ug/kg	140	20.	1
Fluorene	ND		ug/kg	170	16.	1
Phenanthrene	150		ug/kg	100	20.	1
Dibenzo(a,h)anthracene	68	J	ug/kg	100	20.	1
Indeno(1,2,3-cd)pyrene	260		ug/kg	140	24.	1
Pyrene	1200		ug/kg	100	17.	1
Biphenyl	ND		ug/kg	380	39.	1
4-Chloroaniline	ND		ug/kg	170	31.	1
2-Nitroaniline	ND		ug/kg	170	32.	1
3-Nitroaniline	ND		ug/kg	170	32.	1
4-Nitroaniline	ND		ug/kg	170	70.	1
Dibenzofuran	ND		ug/kg	170	16.	1
2-Methylnaphthalene	59	J	ug/kg	200	20.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	18.	1
Acetophenone	50	J	ug/kg	170	21.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	32.	1
p-Chloro-m-cresol	ND		ug/kg	170	25.	1
2-Chlorophenol	ND		ug/kg	170	20.	1
2,4-Dichlorophenol	ND		ug/kg	150	27.	1
2,4-Dimethylphenol	ND		ug/kg	170	56.	1
2-Nitrophenol	ND		ug/kg	360	64.	1
4-Nitrophenol	ND		ug/kg	240	69.	1
2,4-Dinitrophenol	ND		ug/kg	810	79.	1
4,6-Dinitro-o-cresol	ND		ug/kg	440	81.	1
Pentachlorophenol	ND		ug/kg	140	37.	1
Phenol	ND		ug/kg	170	26.	1
2-Methylphenol	ND		ug/kg	170	26.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	240	26.	1
2,4,5-Trichlorophenol	ND		ug/kg	170	32.	1
Benzoic Acid	ND		ug/kg	550	170	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01 Date Collected: 02/19/16 15:40

Client ID: SB-1/2 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzyl Alcohol	ND		ug/kg	170	52.	1
Carbazole	16	J	ug/kg	170	16.	1
Benzaldehyde	ND		ug/kg	220	46.	1
Caprolactam	ND		ug/kg	170	51.	1
Atrazine	ND		ug/kg	140	59.	1
2,3,4,6-Tetrachlorophenol	ND		ug/kg	170	34.	1
Pyridine	ND		ug/kg	680	64.	1
Tentatively Identified Compounds						
Unknown	1200	J	ug/kg			1
Unknown Benzene	1500	J	ug/kg			1
Unknown Benzene	680	J	ug/kg			1
Unknown	700	J	ug/kg			1
Unknown Benzene	370	J	ug/kg			1
Unknown	640	J	ug/kg			1
Unknown Benzene	420	J	ug/kg			1
Unknown Benzene	320	J	ug/kg			1
Unknown Benzene	330	J	ug/kg			1
Unknown	3700	J	ug/kg			1
Unknown Benzene	1900	J	ug/kg			1
Unknown Alkane	430	J	ug/kg			1
Unknown Alkane	280	J	ug/kg			1
Unknown Alkane	280	J	ug/kg			1
Benzo(e)Pyrene	380	NJ	ug/kg			1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	91		25-120
Phenol-d6	89		10-120
Nitrobenzene-d5	93		23-120
2-Fluorobiphenyl	90		30-120
2,4,6-Tribromophenol	109		10-136
4-Terphenyl-d14	88		18-120

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06
Client ID: SB-3/4
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 02/27/16 18:05
Analyst: PS
Percent Solids: 95%
TCLP/SPLP Ext. Date: 02/22/16 14:04

Date Collected: 02/19/16 16:45
Date Received: 02/19/16
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 02/24/16 19:09

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
TCLP Semivolatiles by EPA 1311 - Westborough Lab						
Hexachlorobenzene	ND		ug/l	10	2.9	1
2,4-Dinitrotoluene	ND		ug/l	25	4.2	1
Hexachlorobutadiene	ND		ug/l	10	3.3	1
Hexachloroethane	ND		ug/l	10	3.4	1
Nitrobenzene	ND		ug/l	10	3.8	1
2,4,6-Trichlorophenol	ND		ug/l	25	3.4	1
Pentachlorophenol	ND		ug/l	50	17.	1
2-Methylphenol	ND		ug/l	25	5.1	1
3-Methylphenol/4-Methylphenol	ND		ug/l	25	5.6	1
2,4,5-Trichlorophenol	ND		ug/l	25	3.6	1
Pyridine	ND		ug/l	25	6.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	75		21-120
Phenol-d6	70		10-120
Nitrobenzene-d5	92		23-120
2-Fluorobiphenyl	87		15-120
2,4,6-Tribromophenol	82		10-120
4-Terphenyl-d14	95		33-120

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-06	Date Collected:	02/19/16 16:45
Client ID:	SB-3/4	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8270D	Extraction Date:	02/25/16 15:26
Analytical Date:	02/27/16 18:17		
Analyst:	PS		
Percent Solids:	95%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	18.	1
n-Nitrosodimethylamine	ND		ug/kg	350	33.	1
1,2,4-Trichlorobenzene	ND		ug/kg	170	20.	1
Hexachlorobenzene	ND		ug/kg	100	20.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	24.	1
2-Chloronaphthalene	ND		ug/kg	170	17.	1
1,2-Dichlorobenzene	ND		ug/kg	170	31.	1
1,3-Dichlorobenzene	ND		ug/kg	170	30.	1
1,4-Dichlorobenzene	ND		ug/kg	170	30.	1
3,3'-Dichlorobenzidine	ND		ug/kg	170	46.	1
2,4-Dinitrotoluene	ND		ug/kg	170	35.	1
2,6-Dinitrotoluene	ND		ug/kg	170	30.	1
Fluoranthene	1600		ug/kg	100	20.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	170	19.	1
4-Bromophenyl phenyl ether	ND		ug/kg	170	27.	1
Azobenzene	ND		ug/kg	170	17.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	210	30.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	190	17.	1
Hexachlorobutadiene	ND		ug/kg	170	26.	1
Hexachlorocyclopentadiene	ND		ug/kg	500	160	1
Hexachloroethane	ND		ug/kg	140	28.	1
Isophorone	ND		ug/kg	160	23.	1
Naphthalene	160	J	ug/kg	170	21.	1
Nitrobenzene	ND		ug/kg	160	26.	1
NDPA/DPA	ND		ug/kg	140	20.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	170	27.	1
Bis(2-ethylhexyl)phthalate	100	J	ug/kg	170	60.	1
Butyl benzyl phthalate	ND		ug/kg	170	44.	1
Di-n-butylphthalate	ND		ug/kg	170	33.	1
Di-n-octylphthalate	ND		ug/kg	170	59.	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06 Date Collected: 02/19/16 16:45

Client ID: SB-3/4 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	170	16.	1
Dimethyl phthalate	ND		ug/kg	170	37.	1
Benzo(a)anthracene	1800		ug/kg	100	20.	1
Benzo(a)pyrene	860		ug/kg	140	42.	1
Benzo(b)fluoranthene	1700		ug/kg	100	29.	1
Benzo(k)fluoranthene	630		ug/kg	100	28.	1
Chrysene	2100		ug/kg	100	18.	1
Acenaphthylene	1900		ug/kg	140	27.	1
Anthracene	650		ug/kg	100	34.	1
Benzo(ghi)perylene	810		ug/kg	140	20.	1
Fluorene	ND		ug/kg	170	17.	1
Phenanthrene	520		ug/kg	100	21.	1
Dibenzo(a,h)anthracene	270		ug/kg	100	20.	1
Indeno(1,2,3-cd)pyrene	870		ug/kg	140	24.	1
Pyrene	5000		ug/kg	100	17.	1
Biphenyl	ND		ug/kg	400	40.	1
4-Chloroaniline	ND		ug/kg	170	32.	1
2-Nitroaniline	ND		ug/kg	170	34.	1
3-Nitroaniline	ND		ug/kg	170	33.	1
4-Nitroaniline	ND		ug/kg	170	72.	1
Dibenzofuran	ND		ug/kg	170	16.	1
2-Methylnaphthalene	120	J	ug/kg	210	21.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	18.	1
Acetophenone	200		ug/kg	170	22.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	33.	1
p-Chloro-m-cresol	ND		ug/kg	170	26.	1
2-Chlorophenol	ND		ug/kg	170	21.	1
2,4-Dichlorophenol	ND		ug/kg	160	28.	1
2,4-Dimethylphenol	ND		ug/kg	170	58.	1
2-Nitrophenol	ND		ug/kg	380	66.	1
4-Nitrophenol	ND		ug/kg	240	71.	1
2,4-Dinitrophenol	ND		ug/kg	840	81.	1
4,6-Dinitro-o-cresol	ND		ug/kg	450	84.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	170	26.	1
2-Methylphenol	ND		ug/kg	170	27.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	250	27.	1
2,4,5-Trichlorophenol	ND		ug/kg	170	33.	1
Benzoic Acid	ND		ug/kg	560	180	1

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06 Date Collected: 02/19/16 16:45

Client ID: SB-3/4 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzyl Alcohol	ND		ug/kg	170	53.	1
Carbazole	ND		ug/kg	170	17.	1
Benzaldehyde	ND		ug/kg	230	47.	1
Caprolactam	ND		ug/kg	170	53.	1
Atrazine	ND		ug/kg	140	61.	1
2,3,4,6-Tetrachlorophenol	ND		ug/kg	170	35.	1
Pyridine	ND		ug/kg	700	66.	1
Tentatively Identified Compounds						
Unknown	4200	J	ug/kg			1
Unknown Benzene	5300	J	ug/kg			1
Unknown Benzene	2600	J	ug/kg			1
Unknown	2300	J	ug/kg			1
Unknown	2700	J	ug/kg			1
Unknown Benzene	1500	J	ug/kg			1
Unknown	2000	J	ug/kg			1
Unknown Benzene	1000	J	ug/kg			1
Unknown Benzene	790	J	ug/kg			1
Unknown	2700	J	ug/kg			1
Unknown	1500	J	ug/kg			1
Unknown	1900	J	ug/kg			1
Unknown PAH	750	J	ug/kg			1
Unknown PAH	1000	J	ug/kg			1
Unknown	750	J	ug/kg			1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	91		25-120
Phenol-d6	90		10-120
Nitrobenzene-d5	95		23-120
2-Fluorobiphenyl	103		30-120
2,4,6-Tribromophenol	118		10-136
4-Terphenyl-d14	85		18-120

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 02/27/16 14:50
Analyst: PS
TCLP/SPLP Extraction Date: 02/22/16 14:04

Extraction Method: EPA 3510C
Extraction Date: 02/24/16 19:11

Parameter	Result	Qualifier	Units	RL	MDL
TCLP Semivolatiles by EPA 1311 - Westborough Lab for sample(s): 01,06 Batch: WG868079-1					
Hexachlorobenzene	ND		ug/l	10	2.9
2,4-Dinitrotoluene	ND		ug/l	25	4.2
Hexachlorobutadiene	ND		ug/l	10	3.3
Hexachloroethane	ND		ug/l	10	3.4
Nitrobenzene	ND		ug/l	10	3.8
2,4,6-Trichlorophenol	ND		ug/l	25	3.4
Pentachlorophenol	ND		ug/l	50	17.
2-Methylphenol	ND		ug/l	25	5.1
3-Methylphenol/4-Methylphenol	ND		ug/l	25	5.6
2,4,5-Trichlorophenol	ND		ug/l	25	3.6
Pyridine	ND		ug/l	25	6.0

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	76		21-120
Phenol-d6	71		10-120
Nitrobenzene-d5	94		23-120
2-Fluorobiphenyl	87		15-120
2,4,6-Tribromophenol	79		10-120
4-Terphenyl-d14	89		33-120

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 02/26/16 09:42
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 02/25/16 15:19

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,06 Batch: WG868367-1					
Acenaphthene	ND		ug/kg	130	17.
n-Nitrosodimethylamine	ND		ug/kg	320	31.
1,2,4-Trichlorobenzene	ND		ug/kg	160	18.
Hexachlorobenzene	ND		ug/kg	97	18.
Bis(2-chloroethyl)ether	ND		ug/kg	140	22.
2-Chloronaphthalene	ND		ug/kg	160	16.
1,2-Dichlorobenzene	ND		ug/kg	160	29.
1,3-Dichlorobenzene	ND		ug/kg	160	28.
1,4-Dichlorobenzene	ND		ug/kg	160	28.
3,3'-Dichlorobenzidine	ND		ug/kg	160	43.
2,4-Dinitrotoluene	ND		ug/kg	160	32.
2,6-Dinitrotoluene	ND		ug/kg	160	28.
Fluoranthene	ND		ug/kg	97	19.
4-Chlorophenyl phenyl ether	ND		ug/kg	160	17.
4-Bromophenyl phenyl ether	ND		ug/kg	160	25.
Azobenzene	ND		ug/kg	160	16.
Bis(2-chloroisopropyl)ether	ND		ug/kg	190	28.
Bis(2-chloroethoxy)methane	ND		ug/kg	180	16.
Hexachlorobutadiene	ND		ug/kg	160	24.
Hexachlorocyclopentadiene	ND		ug/kg	460	150
Hexachloroethane	ND		ug/kg	130	26.
Isophorone	ND		ug/kg	140	21.
Naphthalene	ND		ug/kg	160	20.
Nitrobenzene	ND		ug/kg	140	24.
NDPA/DPA	ND		ug/kg	130	18.
n-Nitrosodi-n-propylamine	ND		ug/kg	160	25.
Bis(2-ethylhexyl)phthalate	ND		ug/kg	160	56.
Butyl benzyl phthalate	ND		ug/kg	160	41.
Di-n-butylphthalate	ND		ug/kg	160	31.

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 02/26/16 09:42
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 02/25/16 15:19

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,06 Batch: WG868367-1					
Di-n-octylphthalate	ND		ug/kg	160	55.
Diethyl phthalate	ND		ug/kg	160	15.
Dimethyl phthalate	ND		ug/kg	160	34.
Benzo(a)anthracene	ND		ug/kg	97	18.
Benzo(a)pyrene	ND		ug/kg	130	40.
Benzo(b)fluoranthene	ND		ug/kg	97	27.
Benzo(k)fluoranthene	ND		ug/kg	97	26.
Chrysene	ND		ug/kg	97	17.
Acenaphthylene	ND		ug/kg	130	25.
Anthracene	ND		ug/kg	97	32.
Benzo(ghi)perylene	ND		ug/kg	130	19.
Fluorene	ND		ug/kg	160	16.
Phenanthrene	ND		ug/kg	97	20.
Dibenzo(a,h)anthracene	ND		ug/kg	97	19.
Indeno(1,2,3-cd)pyrene	ND		ug/kg	130	23.
Pyrene	ND		ug/kg	97	16.
Biphenyl	ND		ug/kg	370	38.
4-Chloroaniline	ND		ug/kg	160	30.
2-Nitroaniline	ND		ug/kg	160	31.
3-Nitroaniline	ND		ug/kg	160	30.
4-Nitroaniline	ND		ug/kg	160	67.
Dibenzofuran	ND		ug/kg	160	15.
2-Methylnaphthalene	ND		ug/kg	190	20.
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	160	17.
Acetophenone	ND		ug/kg	160	20.
2,4,6-Trichlorophenol	ND		ug/kg	97	31.
p-Chloro-m-cresol	ND		ug/kg	160	24.
2-Chlorophenol	ND		ug/kg	160	19.
2,4-Dichlorophenol	ND		ug/kg	140	26.

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 02/26/16 09:42
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 02/25/16 15:19

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,06 Batch: WG868367-1					
2,4-Dimethylphenol	ND		ug/kg	160	54.
2-Nitrophenol	ND		ug/kg	350	61.
4-Nitrophenol	ND		ug/kg	230	66.
2,4-Dinitrophenol	ND		ug/kg	780	76.
4,6-Dinitro-o-cresol	ND		ug/kg	420	78.
Pentachlorophenol	ND		ug/kg	130	36.
Phenol	ND		ug/kg	160	24.
2-Methylphenol	ND		ug/kg	160	25.
3-Methylphenol/4-Methylphenol	ND		ug/kg	230	25.
2,4,5-Trichlorophenol	ND		ug/kg	160	31.
Benzoic Acid	ND		ug/kg	520	160
Benzyl Alcohol	ND		ug/kg	160	50.
Carbazole	ND		ug/kg	160	16.
Benzaldehyde	ND		ug/kg	210	44.
Caprolactam	ND		ug/kg	160	49.
Atrazine	ND		ug/kg	130	57.
2,3,4,6-Tetrachlorophenol	ND		ug/kg	160	33.
Pyridine	ND		ug/kg	650	62.

Tentatively Identified Compounds

No Tentatively Identified Compounds	ND	ug/kg

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 02/26/16 09:42
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 02/25/16 15:19

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,06 Batch: WG868367-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	86		25-120
Phenol-d6	93		10-120
Nitrobenzene-d5	99		23-120
2-Fluorobiphenyl	100		30-120
2,4,6-Tribromophenol	95		10-136
4-Terphenyl-d14	114		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
TCLP Semivolatiles by EPA 1311 - Westborough Lab Associated sample(s): 01,06 Batch: WG868079-2 WG868079-3								
Hexachlorobenzene	91		85		40-140	7		30
2,4-Dinitrotoluene	90		83		24-96	8		30
Hexachlorobutadiene	89		84		28-111	6		30
Hexachloroethane	83		77		21-105	8		30
Nitrobenzene	111		107		40-140	4		30
2,4,6-Trichlorophenol	94		90		30-130	4		30
Pentachlorophenol	100		93		9-103	7		30
2-Methylphenol	86		80		30-130	7		30
3-Methylphenol/4-Methylphenol	94		91		30-130	3		30
2,4,5-Trichlorophenol	100		96		30-130	4		30
Pyridine	14		34		10-66	**83**	Q	30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	85		82		21-120
Phenol-d6	79		77		10-120
Nitrobenzene-d5	102		101		23-120
2-Fluorobiphenyl	94		90		15-120
2,4,6-Tribromophenol	91		85		10-120
4-Terphenyl-d14	99		92		33-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,06 Batch: WG868367-2 WG868367-3								
Acenaphthene	109		85		31-137	25		50
Benzidine	**77**	Q	**68**	Q	10-66	12		50
n-Nitrosodimethylamine	78		64		22-100	20		50
1,2,4-Trichlorobenzene	103		85		38-107	19		50
Hexachlorobenzene	129		93		40-140	32		50
Bis(2-chloroethyl)ether	96		79		40-140	19		50
2-Chloronaphthalene	106		86		40-140	21		50
1,2-Dichlorobenzene	97		80		40-140	19		50
1,3-Dichlorobenzene	91		76		40-140	18		50
1,4-Dichlorobenzene	92		78		28-104	16		50
3,3'-Dichlorobenzidine	94		84		40-140	11		50
2,4-Dinitrotoluene	**128**	Q	**95**	Q	28-89	30		50
2,6-Dinitrotoluene	127		97		40-140	27		50
Fluoranthene	124		92		40-140	30		50
4-Chlorophenyl phenyl ether	115		87		40-140	28		50
4-Bromophenyl phenyl ether	123		90		40-140	31		50
Azobenzene	123		92		40-140	29		50
Bis(2-chloroisopropyl)ether	94		80		40-140	16		50
Bis(2-chloroethoxy)methane	109		92		40-117	17		50
Hexachlorobutadiene	105		89		40-140	16		50
Hexachlorocyclopentadiene	**38**	Q	**30**	Q	40-140	24		50

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,06 Batch: WG868367-2 WG868367-3								
Hexachloroethane	100		85		40-140	16		50
Isophorone	117		97		40-140	19		50
Naphthalene	102		83		40-140	21		50
Nitrobenzene	107		86		40-140	22		50
NitrosoDiPhenylAmine(NDPA)/DPA	120		89		36-157	30		50
n-Nitrosodi-n-propylamine	116		95		32-121	20		50
Bis(2-Ethylhexyl)phthalate	111		83		40-140	29		50
Butyl benzyl phthalate	130		96		40-140	30		50
Di-n-butylphthalate	121		90		40-140	29		50
Di-n-octylphthalate	116		86		40-140	30		50
Diethyl phthalate	120		91		40-140	27		50
Dimethyl phthalate	118		90		40-140	27		50
Benzo(a)anthracene	123		90		40-140	31		50
Benzo(a)pyrene	125		92		40-140	30		50
Benzo(b)fluoranthene	120		87		40-140	32		50
Benzo(k)fluoranthene	112		90		40-140	22		50
Chrysene	116		88		40-140	27		50
Acenaphthylene	113		89		40-140	24		50
Anthracene	122		92		40-140	28		50
Benzo(ghi)perylene	114		88		40-140	26		50
Fluorene	116		88		40-140	27		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,06 Batch: WG868367-2 WG868367-3								
Phenanthrene	114		86		40-140	28		50
Dibenzo(a,h)anthracene	117		89		40-140	27		50
Indeno(1,2,3-cd)Pyrene	114		90		40-140	24		50
Pyrene	122		91		35-142	29		50
Biphenyl	**111**	Q	90		54-104	21		50
Aniline	77		59		40-140	26		50
4-Chloroaniline	113		95		40-140	17		50
2-Nitroaniline	122		91		47-134	29		50
3-Nitroaniline	87		66		26-129	27		50
4-Nitroaniline	112		80		41-125	33		50
Dibenzofuran	112		87		40-140	25		50
2-Methylnaphthalene	104		84		40-140	21		50
1,2,4,5-Tetrachlorobenzene	116		94		40-117	21		50
Acetophenone	114		94		14-144	19		50
2,4,6-Trichlorophenol	127		98		30-130	26		50
P-Chloro-M-Cresol	**125**	Q	95		26-103	27		50
2-Chlorophenol	**104**	Q	85		25-102	20		50
2,4-Dichlorophenol	119		93		30-130	25		50
2,4-Dimethylphenol	125		102		30-130	20		50
2-Nitrophenol	111		92		30-130	19		50
4-Nitrophenol	103		80		11-114	25		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,06 Batch: WG868367-2 WG868367-3								
2,4-Dinitrophenol	75		62		4-130	19		50
4,6-Dinitro-o-cresol	106		76		10-130	33		50
Pentachlorophenol	89		67		17-109	28		50
Phenol	**102**	Q	82		26-90	22		50
2-Methylphenol	113		92		30-130.	20		50
3-Methylphenol/4-Methylphenol	123		99		30-130	22		50
2,4,5-Trichlorophenol	118		89		30-130	28		50
Benzoic Acid	32		26		10-66	21		50
Benzyl Alcohol	112		90		40-140	22		50
Carbazole	119		89		54-128	29		50
Benzaldehyde	126		88		40-140	36		50
Caprolactam	**136**	Q	101		15-130	30		50
Atrazine	**162**	Q	**146**	Q	40-140	10		50
2,3,4,6-Tetrachlorophenol	124		90		40-140	32		50
Pyridine	59		48		10-93	21		50
Parathion, ethyl	**164**	Q	**148**	Q	40-140	10		50
1-Methylnaphthalene	107		88		26-130	19		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,06 Batch: WG868367-2 WG868367-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	84		80		25-120
Phenol-d6	93		87		10-120
Nitrobenzene-d5	96		94		23-120
2-Fluorobiphenyl	98		92		30-120
2,4,6-Tribromophenol	101		92		10-136
4-Terphenyl-d14	107		98		18-120

PETROLEUM HYDROCARBONS

Project Name: POST ROAD PLAZA-24HR FITNESS
Lab Number: L1604674
Project Number: 1772.0001Y000
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-01	Date Collected:	02/19/16 15:40
Client ID:	SB-1/2	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	103,NJDEP EPH	Extraction Date:	02/24/16 18:37
Analytical Date:	02/26/16 10:57		
Analyst:	SR		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab						
Total EPH	220		mg/kg	23.5	23.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	90		40-140
o-Terphenyl	91		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-02	Date Collected:	02/19/16 10:30
Client ID:	SB-1A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 14:44		
Analyst:	KD		
Percent Solids:	96%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	ND		ug/kg	2600	50.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	88		70-130
4-Bromofluorobenzene	85		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-02 D	Date Collected:	02/19/16 10:30
Client ID:	SB-1A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 12:44		
Analyst:	DV		
Percent Solids:	96%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	325000		ug/kg	68200	7850	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	92		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-03	Date Collected:	02/19/16 11:30
Client ID:	SB-1B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 16:41		
Analyst:	KD		
Percent Solids:	96%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	560	J	ug/kg	2300	45.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	98		70-130
4-Bromofluorobenzene	96		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-03	Date Collected:	02/19/16 11:30
Client ID:	SB-1B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 08:00		
Analyst:	DV		
Percent Solids:	96%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	195000		ug/kg	34300	3940	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	90		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-04	Date Collected:	02/19/16 15:10
Client ID:	SB-2A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 17:20		
Analyst:	KD		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	ND		ug/kg	2400	47.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	101		70-130
4-Bromofluorobenzene	99		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS
Lab Number: L1604674
Project Number: 1772.0001Y000
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-04	Date Collected:	02/19/16 15:10
Client ID:	SB-2A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 09:05		
Analyst:	DV		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	61600		ug/kg	32800	3770	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	88		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-05	Date Collected:	02/19/16 15:50
Client ID:	SB-2B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 17:59		
Analyst:	KD		
Percent Solids:	96%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	ND		ug/kg	2600	49.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	97		70-130
4-Bromofluorobenzene	95		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-05	Date Collected:	02/19/16 15:50
Client ID:	SB-2B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 08:32		
Analyst:	DV		
Percent Solids:	96%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	136000		ug/kg	33900	3900	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	85		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-06	Date Collected:	02/19/16 16:45
Client ID:	SB-3/4	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	103,NJDEP EPH	Extraction Date:	02/24/16 18:37
Analytical Date:	02/26/16 10:29		
Analyst:	SR		
Percent Solids:	95%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab						
Total EPH	267		mg/kg	24.0	24.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	92		40-140
o-Terphenyl	88		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-07	Date Collected:	02/19/16 13:15
Client ID:	SB-3A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 18:38		
Analyst:	KD		
Percent Solids:	98%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	3400		ug/kg	2500	48.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	98		70-130
4-Bromofluorobenzene	92		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-07	Date Collected:	02/19/16 13:15
Client ID:	SB-3A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 09:13		
Analyst:	DV		
Percent Solids:	98%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	316000		ug/kg	33000	3800	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	95		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-08	Date Collected:	02/19/16 13:30
Client ID:	SB-3B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/25/16 14:14		
Analyst:	KD		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	580	J	ug/kg	2500	48.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	100		70-130
4-Bromofluorobenzene	105		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-08	Date Collected:	02/19/16 13:30
Client ID:	SB-3B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 11:14		
Analyst:	DV		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	130000		ug/kg	34200	3940	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	83		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-09	Date Collected:	02/19/16 16:30
Client ID:	SB-4A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 19:55		
Analyst:	KD		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	780	J	ug/kg	2300	44.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	90		70-130
4-Bromofluorobenzene	87		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS
Lab Number: L1604674
Project Number: 1772.0001Y000
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-09	Date Collected:	02/19/16 16:30
Client ID:	SB-4A	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 09:43		
Analyst:	DV		
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	400000		ug/kg	34000	3910	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	87		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-10	Date Collected:	02/19/16 16:50
Client ID:	SB-4B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	
Analytical Method:	1,8015C(M)		
Analytical Date:	02/24/16 20:34		
Analyst:	KD		
Percent Solids:	95%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Gasoline Range Organics - Westborough Lab						
Gasoline Range Organics	600	J	ug/kg	2600	49.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	97		70-130
4-Bromofluorobenzene	92		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-10	Date Collected:	02/19/16 16:50
Client ID:	SB-4B	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8015C(M)	Extraction Date:	02/25/16 02:41
Analytical Date:	02/26/16 10:44		
Analyst:	DV		
Percent Solids:	95%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Petroleum Hydrocarbon Quantitation - Westborough Lab						
TPH	427000		ug/kg	33600	3860	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	92		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 103,NJDEP EPH
Analytical Date: 02/26/16 07:37
Analyst: SR

Extraction Method: EPA 3546
Extraction Date: 02/24/16 18:37

Parameter	Result	Qualifier	Units	RL	MDL
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab for sample(s): 01,06 Batch: WG868074-1					
Total EPH	ND		mg/kg	23.7	23.7

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	76		40-140
o-Terphenyl	78		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8015C(M)
Analytical Date: 02/26/16 07:12
Analyst: DV

Extraction Method: EPA 3546
Extraction Date: 02/25/16 02:41

Parameter	Result	Qualifier	Units	RL	MDL
Petroleum Hydrocarbon Quantitation - Westborough Lab for sample(s): 02-05,07-10 Batch: WG868139-1					
TPH	ND		ug/kg	31800	3660

Surrogate	%Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	89		40-140

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8015C(M)
Analytical Date: 02/24/16 10:40
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Gasoline Range Organics - Westborough Lab for sample(s): 02-05,07,09-10 Batch: WG868223-3					
Gasoline Range Organics	ND		ug/kg	2500	48.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	100		70-130
4-Bromofluorobenzene	102		70-130

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8015C(M)
Analytical Date: 02/25/16 10:57
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Gasoline Range Organics - Westborough Lab for sample(s): 08 Batch: WG868223-8					
Gasoline Range Organics	ND		ug/kg	2500	48.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	97		70-130
4-Bromofluorobenzene	102		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,06 Batch: WG868074-2 WG868074-3								
Total EPH	108		118		40-140	9		25
Nonane (C9)	86		99		40-140	14		25
Decane (C10)	95		107		40-140	12		25
Dodecane (C12)	96		108		40-140	12		25
Tetradecane (C14)	98		110		40-140	12		25
Hexadecane (C16)	100		112		40-140	11		25
Octadecane (C18)	104		118		40-140	13		25
Eicosane (C20)	102		114		40-140	11		25
Heneicosane (C21)	103		115		40-140	11		25
Docosane (C22)	102		114		40-140	11		25
Tetracosane (C24)	102		114		40-140	11		25
Hexacosane (C26)	102		114		40-140	11		25
Octacosane (C28)	100		112		40-140	11		25
Triacontane (C30)	100		112		40-140	11		25
Dotriacontane (C32)	100		112		40-140	11		25
Tetratriacontane (C34)	97		109		40-140	12		25
Hexatriacontane (C36)	100		112		40-140	11		25
Octatriacontane (C38)	102		115		40-140	12		25
Tetracontane (C40)	102		113		40-140	10		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab	Associated sample(s): 01,06		Batch: WG868074-2 WG868074-3					

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Chloro-Octadecane	83		90		40-140
o-Terphenyl	85		93		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Petroleum Hydrocarbon Quantitation - Westborough Lab Associated sample(s): 02-05,07-10 Batch: WG868139-2								
TPH	103		-		40-140	-		40

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
o-Terphenyl	73				40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Gasoline Range Organics - Westborough Lab Associated sample(s): 02-05,07,09-10 Batch: WG868223-1 WG868223-2								
Gasoline Range Organics	91		93		80-120	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,1,1-Trifluorotoluene	105		108		70-130
4-Bromofluorobenzene	108		111		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Gasoline Range Organics - Westborough Lab Associated sample(s): 08 Batch: WG868223-6 WG868223-7								
Gasoline Range Organics	97		95		80-120	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,1,1-Trifluorotoluene	110		108		70-130
4-Bromofluorobenzene	120		118		70-130

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG868074-4 QC Sample: L1604549-01 Client ID: MS Sample												
Total EPH	ND	265	290	109		-	-		40-140	-		50
Nonane (C9)	ND	7.36	6.37	87		-	-		40-140	-		50
Decane (C10)	ND	7.36	6.95	94		-	-		40-140	-		50
Dodecane (C12)	ND	7.36	7.06	96		-	-		40-140	-		50
Tetradecane (C14)	ND	7.36	7.17	97		-	-		40-140	-		50
Hexadecane (C16)	ND	7.36	7.41	101		-	-		40-140	-		50
Octadecane (C18)	ND	7.36	7.81	106		-	-		40-140	-		50
Eicosane (C20)	ND	7.36	7.60	103		-	-		40-140	-		50
Heneicosane (C21)	ND	7.36	7.70	105		-	-		40-140	-		50
Docosane (C22)	ND	7.36	7.59	103		-	-		40-140	-		50
Tetracosane (C24)	ND	7.36	7.58	103		-	-		40-140	-		50
Hexacosane (C26)	ND	7.36	7.60	103		-	-		40-140	-		50
Octacosane (C28)	ND	7.36	7.48	102		-	-		40-140	-		50
Triacontane (C30)	ND	7.36	7.48	102		-	-		40-140	-		50
Dotriacontane (C32)	ND	7.36	7.46	101		-	-		40-140	-		50
Tetratriacontane (C34)	ND	7.36	7.27	99		-	-		40-140	-		50
Hexatriacontane (C36)	ND	7.36	7.52	102		-	-		40-140	-		50
Octatriacontane (C38)	ND	7.36	7.63	104		-	-		40-140	-		50
Tetracontane (C40)	ND	7.36	7.57	103		-	-		40-140	-		50

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG868074-4 QC Sample: L1604549-01 Client ID: MS Sample												

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
Chloro-Octadecane	79				40-140
o-Terphenyl	81				40-140

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Gasoline Range Organics - Westborough Lab Associated sample(s): 02-05,07-10 QC Batch ID: WG868223-5 QC Sample: L1604674-02 Client ID: SB-1A												
Gasoline Range Organics	ND	20600	18000	87		-	-		80-120	-		20

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	98				70-130
4-Bromofluorobenzene	94				70-130

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG868074-5 QC Sample: L1604549-01 Client ID: DUP Sample						
Total EPH	ND	ND	mg/kg	NC		50

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	77		80		40-140
o-Terphenyl	79		83		40-140

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Petroleum Hydrocarbon Quantitation - Westborough Lab Associated sample(s): 02-05,07-10 QC Batch ID: WG868139-3 QC Sample: L1604674-02 Client ID: SB-1A						
TPH	325000	567000	ug/kg	**54**	Q	40

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
o-Terphenyl	92		88		40-140

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Gasoline Range Organics - Westborough Lab Associated sample(s): 02-05,07-10 QC Batch ID: WG868223-4 QC Sample: L1604674-02 Client ID: SB-1A					
Gasoline Range Organics	ND	ND	ug/kg	NC	20

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
1,1,1-Trifluorotoluene	88		99		70-130
4-Bromofluorobenzene	85		96		70-130

PESTICIDES

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 02/26/16 00:52
Analyst: SS
Percent Solids: 97%
TCLP/SPLP Ext. Date: 02/22/16 14:04

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 02/24/16 18:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
TCLP Pesticides by EPA 1311 - Westborough Lab							
Lindane	ND		ug/l	0.100	0.022	1	A
Heptachlor	ND		ug/l	0.100	0.016	1	A
Heptachlor epoxide	ND		ug/l	0.100	0.021	1	A
Endrin	ND		ug/l	0.200	0.021	1	A
Methoxychlor	ND		ug/l	1.00	0.034	1	A
Toxaphene	ND		ug/l	1.00	0.314	1	A
Chlordane	ND		ug/l	1.00	0.232	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	131		30-150	A
Decachlorobiphenyl	133		30-150	A
2,4,5,6-Tetrachloro-m-xylene	131		30-150	B
Decachlorobiphenyl	138		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-01	Date Collected:	02/19/16 15:40
Client ID:	SB-1/2	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8081B	Extraction Date:	02/25/16 10:56
Analytical Date:	02/26/16 12:43	Cleanup Method:	EPA 3620B
Analyst:	AM	Cleanup Date:	02/26/16
Percent Solids:	97%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.56	0.306	1	A
Lindane	ND		ug/kg	0.651	0.291	1	A
Alpha-BHC	ND		ug/kg	0.651	0.185	1	A
Beta-BHC	ND		ug/kg	1.56	0.593	1	A
Heptachlor	ND		ug/kg	0.781	0.350	1	A
Aldrin	ND		ug/kg	1.56	0.550	1	A
Heptachlor epoxide	ND		ug/kg	2.93	0.879	1	A
Endrin	ND		ug/kg	0.651	0.267	1	A
Endrin aldehyde	ND		ug/kg	1.95	0.684	1	A
Endrin ketone	ND		ug/kg	1.56	0.402	1	A
Dieldrin	ND		ug/kg	0.977	0.488	1	A
4,4'-DDE	ND		ug/kg	1.56	0.361	1	A
4,4'-DDD	ND		ug/kg	1.56	0.557	1	A
4,4'-DDT	ND		ug/kg	2.93	1.26	1	A
Endosulfan I	ND		ug/kg	1.56	0.369	1	A
Endosulfan II	ND		ug/kg	1.56	0.522	1	A
Endosulfan sulfate	ND		ug/kg	0.651	0.310	1	A
Methoxychlor	ND		ug/kg	2.93	0.912	1	A
Toxaphene	ND		ug/kg	29.3	8.20	1	A
cis-Chlordane	ND		ug/kg	1.95	0.544	1	A
trans-Chlordane	ND		ug/kg	1.95	0.516	1	A
Chlordane	ND		ug/kg	12.7	5.18	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	45		30-150	B
Decachlorobiphenyl	59		30-150	B
2,4,5,6-Tetrachloro-m-xylene	90		30-150	A
Decachlorobiphenyl	36		30-150	A

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-01	Date Collected:	02/19/16 15:40
Client ID:	SB-1/2	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 8151A
Analytical Method:	1,8151A	Extraction Date:	02/24/16 11:51
Analytical Date:	02/25/16 09:32		
Analyst:	EC		
Percent Solids:	97%		
TCLP/SPLP Ext. Date:	02/22/16 14:04		
Methylation Date:	02/24/16 16:29		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
TCLP Herbicides by EPA 1311 - Westborough Lab							
2,4-D	ND		mg/l	0.025	0.001	1	A
2,4,5-TP (Silvex)	ND		mg/l	0.005	0.001	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
DCAA	83		30-150	A
DCAA	67		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-01	Date Collected:	02/19/16 15:40
Client ID:	SB-1/2	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 8151A
Analytical Method:	1,8151A	Extraction Date:	02/24/16 15:46
Analytical Date:	02/26/16 00:10		
Analyst:	EC		
Percent Solids:	97%		
Methylation Date:	02/25/16 21:03		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Chlorinated Herbicides by GC - Westborough Lab							
2,4-D	ND		ug/kg	172	10.8	1	A
2,4,5-T	ND		ug/kg	172	5.33	1	A
2,4,5-TP (Silvex)	ND		ug/kg	172	4.57	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
DCAA	77		30-150	A
DCAA	68		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06
Client ID: SB-3/4
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 02/26/16 01:07
Analyst: SS
Percent Solids: 95%
TCLP/SPLP Ext. Date: 02/22/16 14:04

Date Collected: 02/19/16 16:45
Date Received: 02/19/16
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 02/24/16 18:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
TCLP Pesticides by EPA 1311 - Westborough Lab							
Lindane	ND		ug/l	0.100	0.022	1	A
Heptachlor	ND		ug/l	0.100	0.016	1	A
Heptachlor epoxide	ND		ug/l	0.100	0.021	1	A
Endrin	ND		ug/l	0.200	0.021	1	A
Methoxychlor	ND		ug/l	1.00	0.034	1	A
Toxaphene	ND		ug/l	1.00	0.314	1	A
Chlordane	ND		ug/l	1.00	0.232	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	129		30-150	A
Decachlorobiphenyl	137		30-150	A
2,4,5,6-Tetrachloro-m-xylene	127		30-150	B
Decachlorobiphenyl	142		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-06	Date Collected:	02/19/16 16:45
Client ID:	SB-3/4	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 3546
Analytical Method:	1,8081B	Extraction Date:	02/25/16 10:56
Analytical Date:	02/26/16 12:59	Cleanup Method:	EPA 3620B
Analyst:	AM	Cleanup Date:	02/26/16
Percent Solids:	95%		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.59	0.312	1	A
Lindane	ND		ug/kg	0.663	0.296	1	A
Alpha-BHC	ND		ug/kg	0.663	0.188	1	A
Beta-BHC	ND		ug/kg	1.59	0.603	1	A
Heptachlor	ND		ug/kg	0.795	0.357	1	A
Aldrin	ND		ug/kg	1.59	0.560	1	A
Heptachlor epoxide	ND		ug/kg	2.98	0.895	1	A
Endrin	ND		ug/kg	0.663	0.272	1	A
Endrin aldehyde	ND		ug/kg	1.99	0.696	1	A
Endrin ketone	ND		ug/kg	1.59	0.410	1	A
Dieldrin	ND		ug/kg	0.994	0.497	1	A
4,4'-DDE	ND		ug/kg	1.59	0.368	1	A
4,4'-DDD	ND		ug/kg	1.59	0.567	1	A
4,4'-DDT	ND		ug/kg	2.98	1.28	1	A
Endosulfan I	ND		ug/kg	1.59	0.376	1	A
Endosulfan II	ND		ug/kg	1.59	0.532	1	A
Endosulfan sulfate	ND		ug/kg	0.663	0.316	1	A
Methoxychlor	ND		ug/kg	2.98	0.928	1	A
Toxaphene	ND		ug/kg	29.8	8.35	1	A
cis-Chlordane	ND		ug/kg	1.99	0.554	1	A
trans-Chlordane	ND		ug/kg	1.99	0.525	1	A
Chlordane	ND		ug/kg	12.9	5.27	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	52		30-150	B
Decachlorobiphenyl	72		30-150	B
2,4,5,6-Tetrachloro-m-xylene	104		30-150	A
Decachlorobiphenyl	142		30-150	A

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-06	Date Collected:	02/19/16 16:45
Client ID:	SB-3/4	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 8151A
Analytical Method:	1,8151A	Extraction Date:	02/24/16 11:51
Analytical Date:	02/25/16 09:52		
Analyst:	EC		
Percent Solids:	95%		
TCLP/SPLP Ext. Date:	02/22/16 14:04		
Methylation Date:	02/24/16 16:29		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
TCLP Herbicides by EPA 1311 - Westborough Lab							
2,4-D	ND		mg/l	0.025	0.001	1	A
2,4,5-TP (Silvex)	ND		mg/l	0.005	0.001	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
DCAA	85		30-150	A
DCAA	69		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID:	L1604674-06	Date Collected:	02/19/16 16:45
Client ID:	SB-3/4	Date Received:	02/19/16
Sample Location:	PELHAM MANOR, NY	Field Prep:	Not Specified
Matrix:	Soil	Extraction Method:	EPA 8151A
Analytical Method:	1,8151A	Extraction Date:	02/24/16 15:46
Analytical Date:	02/26/16 00:30		
Analyst:	EC		
Percent Solids:	95%		
Methylation Date:	02/25/16 21:03		

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Chlorinated Herbicides by GC - Westborough Lab							
2,4-D	ND		ug/kg	174	11.0	1	A
2,4,5-T	ND		ug/kg	174	5.40	1	A
2,4,5-TP (Silvex)	ND		ug/kg	174	4.63	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
DCAA	77		30-150	A
DCAA	71		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8151A
Analytical Date: 02/25/16 07:14
Analyst: EC
TCLP/SPLP Extraction Date: 02/22/16 14:04
Methylation Date: 02/24/16 16:29

Extraction Method: EPA 8151A
Extraction Date: 02/24/16 11:51

Parameter	Result	Qualifier	Units	RL	MDL	Column
TCLP Herbicides by EPA 1311 - Westborough Lab for sample(s): 01,06 Batch: WG867953-1						
2,4-D	ND		mg/l	0.025	0.001	A
2,4,5-TP (Silvex)	ND		mg/l	0.005	0.001	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
DCAA	82		30-150	A
DCAA	66		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8151A
Analytical Date: 02/25/16 23:11
Analyst: EC

Extraction Method: EPA 8151A
Extraction Date: 02/24/16 15:46

Methylation Date: 02/25/16 21:03

Parameter	Result	Qualifier	Units	RL	MDL	Column
Chlorinated Herbicides by GC - Westborough Lab for sample(s): 01,06 Batch: WG868024-1						
2,4-D	ND		ug/kg	165	10.4	A
2,4,5-T	ND		ug/kg	165	5.11	A
2,4,5-TP (Silvex)	ND		ug/kg	165	4.38	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
DCAA	76		30-150	A
DCAA	63		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 02/25/16 23:23
Analyst: SS
TCLP/SPLP Extraction Date: 02/22/16 14:04

Extraction Method: EPA 3510C
Extraction Date: 02/24/16 18:59

Parameter	Result	Qualifier	Units	RL	MDL	Column
TCLP Pesticides by EPA 1311 - Westborough Lab for sample(s): 01,06 Batch: WG868078-1						
Lindane	ND		ug/l	0.100	0.022	A
Heptachlor	ND		ug/l	0.100	0.016	A
Heptachlor epoxide	ND		ug/l	0.100	0.021	A
Endrin	ND		ug/l	0.200	0.021	A
Methoxychlor	ND		ug/l	1.00	0.034	A
Toxaphene	ND		ug/l	1.00	0.314	A
Chlordane	ND		ug/l	1.00	0.232	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	118		30-150	A
Decachlorobiphenyl	132		30-150	A
2,4,5,6-Tetrachloro-m-xylene	110		30-150	B
Decachlorobiphenyl	127		30-150	B

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 02/25/16 20:03
Analyst: SS

Extraction Method: EPA 3546
Extraction Date: 02/25/16 10:56
Cleanup Method: EPA 3620B
Cleanup Date: 02/25/16

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01,06 Batch: WG868296-1						
Delta-BHC	ND		ug/kg	1.53	0.300	A
Lindane	ND		ug/kg	0.638	0.285	A
Alpha-BHC	ND		ug/kg	0.638	0.181	A
Beta-BHC	ND		ug/kg	1.53	0.581	A
Heptachlor	ND		ug/kg	0.766	0.344	A
Aldrin	ND		ug/kg	1.53	0.540	A
Heptachlor epoxide	ND		ug/kg	2.87	0.862	A
Endrin	ND		ug/kg	0.638	0.262	A
Endrin aldehyde	ND		ug/kg	1.92	0.670	A
Endrin ketone	ND		ug/kg	1.53	0.395	A
Dieldrin	ND		ug/kg	0.958	0.479	A
4,4'-DDE	ND		ug/kg	1.53	0.354	A
4,4'-DDD	ND		ug/kg	1.53	0.547	A
4,4'-DDT	ND		ug/kg	2.87	1.23	A
Endosulfan I	ND		ug/kg	1.53	0.362	A
Endosulfan II	ND		ug/kg	1.53	0.512	A
Endosulfan sulfate	ND		ug/kg	0.638	0.304	A
Methoxychlor	ND		ug/kg	2.87	0.894	A
Toxaphene	ND		ug/kg	28.7	8.04	A
cis-Chlordane	ND		ug/kg	1.92	0.534	A
trans-Chlordane	ND		ug/kg	1.92	0.506	A
Chlordane	ND		ug/kg	12.4	5.08	A

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 02/25/16 20:03
Analyst: SS

Extraction Method: EPA 3546
Extraction Date: 02/25/16 10:56
Cleanup Method: EPA 3620B
Cleanup Date: 02/25/16

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01,06 Batch: WG868296-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	78		30-150	B
Decachlorobiphenyl	98		30-150	B
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	88		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
TCLP Herbicides by EPA 1311 - Westborough Lab Associated sample(s): 01,06 Batch: WG867953-2 WG867953-3									
2,4-D	88		102		30-150	15		25	A
2,4,5-TP (Silvex)	65		70		30-150	7		25	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
DCAA	61		76		30-150	A
DCAA	64		61		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Chlorinated Herbicides by GC - Westborough Lab Associated sample(s): 01,06 Batch: WG868024-2 WG868024-3									
2,4-D	87		90		30-150	3		30	A
2,4,5-T	71		72		30-150	1		30	A
2,4,5-TP (Silvex)	75		76		30-150	1		30	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
DCAA	78		69		30-150	A
DCAA	65		59		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
TCLP Pesticides by EPA 1311 - Westborough Lab Associated sample(s): 01,06 Batch: WG868078-2 WG868078-3									
Lindane	142		104		30-150	**31**	Q	20	A
Heptachlor	134		98		30-150	**31**	Q	20	A
Heptachlor epoxide	142		94		30-150	**41**	Q	20	A
Endrin	148		98		30-150	**41**	Q	20	A
Methoxychlor	144		96		30-150	**40**	Q	20	A
cis-Chlordane	**152**	Q	98		30-150	**43**	Q	20	A
trans-Chlordane	**160**	Q	102		30-150	**44**	Q	20	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	**159**	Q	119		30-150	A
Decachlorobiphenyl	**186**	Q	128		30-150	A
2,4,5,6-Tetrachloro-m-xylene	150		113		30-150	B
Decachlorobiphenyl	**178**	Q	125		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01,06 Batch: WG868296-2 WG868296-3									
Delta-BHC	69		60		30-150	14		30	A
Lindane	69		57		30-150	19		30	A
Alpha-BHC	72		61		30-150	17		30	A
Beta-BHC	72		58		30-150	22		30	A
Heptachlor	78		67		30-150	15		30	A
Aldrin	73		63		30-150	15		30	A
Heptachlor epoxide	66		56		30-150	16		30	A
Endrin	87		73		30-150	18		30	A
Endrin aldehyde	54		45		30-150	18		30	A
Endrin ketone	69		58		30-150	17		30	A
Dieldrin	76		66		30-150	14		30	A
4,4'-DDE	66		56		30-150	16		30	A
4,4'-DDD	80		67		30-150	18		30	A
4,4'-DDT	81		75		30-150	8		30	A
Endosulfan I	73		63		30-150	15		30	A
Endosulfan II	72		66		30-150	9		30	A
Endosulfan sulfate	69		62		30-150	11		30	A
Methoxychlor	78		78		30-150	0		30	A
cis-Chlordane	71		60		30-150	17		30	A
trans-Chlordane	72		66		30-150	9		30	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01,06 Batch: WG868296-2 WG868296-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	77		68		30-150	B
Decachlorobiphenyl	94		86		30-150	B
2,4,5,6-Tetrachloro-m-xylene	97		82		30-150	A
Decachlorobiphenyl	90		80		30-150	A

METALS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01 Date Collected: 02/19/16 15:40

Client ID: SB-1/2 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Matrix: Soil TCLP/SPLP Ext. Date: 02/22/16 14:04

Percent Solids: 97%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Aluminum, TCLP	1.5		mg/l	1.0	0.20	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Antimony, TCLP	ND		mg/l	0.50	0.08	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Arsenic, TCLP	ND		mg/l	1.0	0.02	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Barium, TCLP	0.23	J	mg/l	0.50	0.03	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Beryllium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Cadmium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Calcium, TCLP	40		mg/l	5.0	0.30	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Chromium, TCLP	ND		mg/l	0.20	0.02	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Cobalt, TCLP	ND		mg/l	0.20	0.05	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Copper, TCLP	0.03	J	mg/l	0.20	0.02	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Iron, TCLP	0.5080		mg/l	0.5000	0.2000	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Lead, TCLP	ND		mg/l	0.50	0.02	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Magnesium, TCLP	8.0		mg/l	1.0	0.10	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Manganese, TCLP	0.52		mg/l	0.10	0.02	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Mercury, TCLP	ND		mg/l	0.0010	0.0003	1	02/24/16 12:29	02/25/16 14:10	EPA 7470A	1,7470A	JH
Nickel, TCLP	ND		mg/l	0.50	0.04	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Potassium, TCLP	ND		mg/l	25	4.0	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Selenium, TCLP	ND		mg/l	0.50	0.03	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Silver, TCLP	ND		mg/l	0.10	0.02	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Thallium, TCLP	ND		mg/l	0.20	0.04	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Vanadium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS
Zinc, TCLP	0.13	J	mg/l	0.50	0.07	1	02/23/16 19:07	02/24/16 06:56	EPA 3015	1,6010C	PS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01 Date Collected: 02/19/16 15:40

Client ID: SB-1/2 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Matrix: Soil

Percent Solids: 97%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	5700		mg/kg	8.1	1.6	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Antimony, Total	ND		mg/kg	4.0	0.65	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Arsenic, Total	2.0		mg/kg	0.81	0.16	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Barium, Total	31		mg/kg	0.81	0.24	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Beryllium, Total	0.15	J	mg/kg	0.40	0.08	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Cadmium, Total	ND		mg/kg	0.81	0.06	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Calcium, Total	980		mg/kg	8.1	2.4	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Chromium, Total	10		mg/kg	0.81	0.16	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Cobalt, Total	2.9		mg/kg	1.6	0.40	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Copper, Total	12		mg/kg	0.81	0.16	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Iron, Total	11000		mg/kg	4.0	1.6	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Lead, Total	6.8		mg/kg	4.0	0.16	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Magnesium, Total	2300		mg/kg	8.1	0.81	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Manganese, Total	80		mg/kg	0.81	0.16	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Mercury, Total	0.04	J	mg/kg	0.07	0.01	1	02/23/16 09:20	02/23/16 19:33	EPA 7471B	1,7471B	EA
Nickel, Total	7.1		mg/kg	2.0	0.32	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Potassium, Total	980		mg/kg	200	32.	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Selenium, Total	ND		mg/kg	1.6	0.24	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Silver, Total	ND		mg/kg	0.81	0.16	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Sodium, Total	120	J	mg/kg	160	24.	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Sulfur, Total	590		mg/kg	39	9.9	1	02/20/16 14:54	02/22/16 16:40	EPA 3051A	1,6010C	AB
Thallium, Total	ND		mg/kg	1.6	0.32	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Vanadium, Total	13		mg/kg	0.81	0.08	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS
Zinc, Total	27		mg/kg	4.0	0.57	2	02/20/16 16:38	02/26/16 02:55	EPA 3050B	1,6010C	PS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06 Date Collected: 02/19/16 16:45

Client ID: SB-3/4 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Matrix: Soil TCLP/SPLP Ext. Date: 02/22/16 14:04

Percent Solids: 95%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Aluminum, TCLP	1.6		mg/l	1.0	0.20	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Antimony, TCLP	ND		mg/l	0.50	0.08	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Arsenic, TCLP	0.0280	J	mg/l	1.000	0.0200	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Barium, TCLP	0.19	J	mg/l	0.50	0.03	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Beryllium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Cadmium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Calcium, TCLP	27		mg/l	5.0	0.30	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Chromium, TCLP	ND		mg/l	0.20	0.02	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Cobalt, TCLP	ND		mg/l	0.20	0.05	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Copper, TCLP	0.04	J	mg/l	0.20	0.02	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Iron, TCLP	0.31	J	mg/l	0.50	0.20	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Lead, TCLP	0.031	J	mg/l	0.500	0.020	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Magnesium, TCLP	6.5		mg/l	1.0	0.10	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Manganese, TCLP	0.42		mg/l	0.10	0.02	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Mercury, TCLP	ND		mg/l	0.0010	0.0003	1	02/24/16 12:29	02/25/16 14:11	EPA 7470A	1,7470A	JH
Nickel, TCLP	ND		mg/l	0.50	0.04	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Potassium, TCLP	ND		mg/l	25	4.0	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Selenium, TCLP	ND		mg/l	0.50	0.03	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Silver, TCLP	ND		mg/l	0.10	0.02	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Thallium, TCLP	ND		mg/l	0.20	0.04	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Vanadium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS
Zinc, TCLP	0.11	J	mg/l	0.50	0.07	1	02/23/16 19:07	02/24/16 05:30	EPA 3015	1,6010C	PS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06 Date Collected: 02/19/16 16:45

Client ID: SB-3/4 Date Received: 02/19/16

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Matrix: Soil

Percent Solids: 95%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	5400		mg/kg	8.3	1.7	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Antimony, Total	ND		mg/kg	4.2	0.66	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Arsenic, Total	1.9		mg/kg	0.83	0.17	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Barium, Total	30		mg/kg	0.83	0.25	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Beryllium, Total	0.16	J	mg/kg	0.42	0.08	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Cadmium, Total	ND		mg/kg	0.83	0.06	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Calcium, Total	500		mg/kg	8.3	2.5	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Chromium, Total	10		mg/kg	0.83	0.17	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Cobalt, Total	3.1		mg/kg	1.7	0.42	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Copper, Total	14		mg/kg	0.83	0.17	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Iron, Total	12000		mg/kg	4.2	1.7	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Lead, Total	8.9		mg/kg	4.2	0.17	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Magnesium, Total	2100		mg/kg	8.3	0.83	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Manganese, Total	75		mg/kg	0.83	0.17	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Mercury, Total	0.08		mg/kg	0.07	0.01	1	02/23/16 09:20	02/23/16 19:35	EPA 7471B	1,7471B	EA
Nickel, Total	7.3		mg/kg	2.1	0.33	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Potassium, Total	1100		mg/kg	210	33.	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Selenium, Total	ND		mg/kg	1.7	0.25	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Silver, Total	ND		mg/kg	0.83	0.17	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Sodium, Total	97	J	mg/kg	170	25.	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Sulfur, Total	960		mg/kg	30	7.7	1	02/20/16 14:54	02/22/16 17:13	EPA 3051A	1,6010C	AB
Thallium, Total	ND		mg/kg	1.7	0.33	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Vanadium, Total	13		mg/kg	0.83	0.08	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS
Zinc, Total	28		mg/kg	4.2	0.58	2	02/20/16 16:38	02/26/16 03:24	EPA 3050B	1,6010C	PS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01,06 Batch: WG866986-1										
Sulfur, Total	ND		mg/kg	50	13.	1	02/20/16 14:54	02/22/16 16:24	1,6010C	AB

Prep Information

Digestion Method: EPA 3051A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01,06 Batch: WG867002-1										
Aluminum, Total	ND		mg/kg	4.0	0.80	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Antimony, Total	ND		mg/kg	2.0	0.32	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Arsenic, Total	ND		mg/kg	0.40	0.08	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Barium, Total	ND		mg/kg	0.40	0.12	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Beryllium, Total	ND		mg/kg	0.20	0.04	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Cadmium, Total	ND		mg/kg	0.40	0.03	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Calcium, Total	ND		mg/kg	4.0	1.2	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Chromium, Total	ND		mg/kg	0.40	0.08	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Cobalt, Total	ND		mg/kg	0.80	0.20	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Copper, Total	ND		mg/kg	0.40	0.08	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Iron, Total	ND		mg/kg	2.0	0.80	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Lead, Total	ND		mg/kg	2.0	0.08	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Magnesium, Total	ND		mg/kg	4.0	0.40	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Manganese, Total	ND		mg/kg	0.40	0.08	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Nickel, Total	ND		mg/kg	1.0	0.16	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Potassium, Total	ND		mg/kg	100	16.	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Selenium, Total	ND		mg/kg	0.80	0.12	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Silver, Total	ND		mg/kg	0.40	0.08	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Sodium, Total	ND		mg/kg	80	12.	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Thallium, Total	ND		mg/kg	0.80	0.16	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Vanadium, Total	ND		mg/kg	0.40	0.04	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS
Zinc, Total	ND		mg/kg	2.0	0.28	1	02/20/16 16:38	02/26/16 00:42	1,6010C	PS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Prep Information

Digestion Method: EPA 3050B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01,06 Batch: WG867425-1										
Mercury, Total	ND		mg/kg	0.08	0.02	1	02/23/16 09:20	02/23/16 18:58	1,7471B	EA

Prep Information

Digestion Method: EPA 7471B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab for sample(s): 01,06 Batch: WG867711-1										
Aluminum, TCLP	ND		mg/l	1.0	0.20	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Antimony, TCLP	ND		mg/l	0.50	0.08	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Arsenic, TCLP	ND		mg/l	1.0	0.02	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Barium, TCLP	ND		mg/l	0.50	0.03	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Beryllium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Cadmium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Calcium, TCLP	1.3	J	mg/l	5.0	0.30	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Chromium, TCLP	ND		mg/l	0.20	0.02	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Cobalt, TCLP	ND		mg/l	0.20	0.05	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Copper, TCLP	0.02	J	mg/l	0.20	0.02	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Iron, TCLP	ND		mg/l	0.50	0.20	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Lead, TCLP	ND		mg/l	0.50	0.02	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Magnesium, TCLP	0.14	J	mg/l	1.0	0.10	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Manganese, TCLP	ND		mg/l	0.10	0.02	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Nickel, TCLP	ND		mg/l	0.50	0.04	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Potassium, TCLP	ND		mg/l	25	4.0	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Selenium, TCLP	ND		mg/l	0.50	0.03	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Silver, TCLP	ND		mg/l	0.10	0.02	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Thallium, TCLP	ND		mg/l	0.20	0.04	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Vanadium, TCLP	ND		mg/l	0.10	0.01	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS
Zinc, TCLP	ND		mg/l	0.50	0.07	1	02/23/16 19:07	02/24/16 03:38	1,6010C	PS

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Prep Information

Digestion Method: EPA 3015

TCLP/SPLP Extraction Date: 02/22/16 14:04

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab for sample(s): 01,06 Batch: WG867959-1										
Mercury, TCLP	ND		mg/l	0.0010	0.0003	1	02/24/16 12:29	02/25/16 13:55	1,7470A	JH

Prep Information

Digestion Method: EPA 7470A

TCLP/SPLP Extraction Date: 02/22/16 14:04

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 Batch: WG866986-2								
Sulfur, Total	90		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 Batch: WG867002-2 SRM Lot Number: D088-540					
Aluminum, Total	71	-	48-151	-	
Antimony, Total	150	-	1-208	-	
Arsenic, Total	88	-	79-121	-	
Barium, Total	94	-	83-117	-	
Beryllium, Total	95	-	83-117	-	
Cadmium, Total	87	-	83-117	-	
Calcium, Total	103	-	81-119	-	
Chromium, Total	81	-	80-120	-	
Cobalt, Total	85	-	84-115	-	
Copper, Total	98	-	81-118	-	
Iron, Total	82	-	45-155	-	
Lead, Total	83	-	81-117	-	
Magnesium, Total	78	-	76-124	-	
Manganese, Total	98	-	81-118	-	
Nickel, Total	85	-	83-117	-	
Potassium, Total	76	-	71-129	-	
Selenium, Total	81	-	78-122	-	
Silver, Total	84	-	75-124	-	
Sodium, Total	81	-	72-127	-	
Thallium, Total	85	-	80-120	-	
Vanadium, Total	80	-	78-122	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 Batch: WG867002-2 SRM Lot Number: D088-540					
Zinc, Total	84	-	82-118	-	
Total Metals - Westborough Lab Associated sample(s): 01,06 Batch: WG867425-2 SRM Lot Number: D088-540					
Mercury, Total	118	-	72-128	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01,06 Batch: WG867711-2					
Aluminum, TCLP	95	-	75-125	-	20
Antimony, TCLP	88	-	75-125	-	20
Arsenic, TCLP	92	-	75-125	-	20
Barium, TCLP	90	-	75-125	-	20
Beryllium, TCLP	90	-	75-125	-	20
Cadmium, TCLP	92	-	75-125	-	20
Calcium, TCLP	95	-	75-125	-	20
Chromium, TCLP	90	-	75-125	-	20
Cobalt, TCLP	84	-	75-125	-	20
Copper, TCLP	92	-	75-125	-	20
Iron, TCLP	91	-	75-125	-	20
Lead, TCLP	90	-	75-125	-	20
Magnesium, TCLP	92	-	75-125	-	20
Manganese, TCLP	88	-	75-125	-	20
Nickel, TCLP	86	-	75-125	-	20
Potassium, TCLP	100	-	75-125	-	20
Selenium, TCLP	100	-	75-125	-	20
Silver, TCLP	92	-	75-125	-	20
Thallium, TCLP	83	-	75-125	-	20
Vanadium, TCLP	94	-	75-125	-	20
Zinc, TCLP	88	-	75-125	-	20

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS

Project Number: 1772.0001Y000

Lab Number: L1604674

Report Date: 02/29/16

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01,06 Batch: WG867959-2					
Mercury, TCLP	98	-	80-120	-	

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG866986-4 QC Sample: L1604674-01 Client ID: SB-1/2												
Sulfur, Total	590	145	760	117		-	-		75-125	-		20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery		MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867002-4 QC Sample: L1604608-01 Client ID: MS Sample										
Aluminum, Total	12000	162	14000	**1230**	Q	-	-	75-125	-	20
Antimony, Total	1.1J	40.5	30	**74**	Q	-	-	75-125	-	20
Arsenic, Total	2.1	9.72	12	102		-	-	75-125	-	20
Barium, Total	120	162	290	105		-	-	75-125	-	20
Beryllium, Total	0.31J	4.05	3.9	96		-	-	75-125	-	20
Cadmium, Total	ND	4.13	3.2	77		-	-	75-125	-	20
Calcium, Total	14000	810	17000	**370**	Q	-	-	75-125	-	20
Chromium, Total	26.	16.2	42	99		-	-	75-125	-	20
Cobalt, Total	11.	40.5	46	86		-	-	75-125	-	20
Copper, Total	25.	20.2	46	104		-	-	75-125	-	20
Iron, Total	24000	81	26000	**2470**	Q	-	-	75-125	-	20
Lead, Total	46.	41.3	71	**60**	Q	-	-	75-125	-	20
Magnesium, Total	7100	810	8300	**148**	Q	-	-	75-125	-	20
Manganese, Total	280	40.5	350	**173**	Q	-	-	75-125	-	20
Nickel, Total	25.	40.5	61	89		-	-	75-125	-	20
Potassium, Total	8000	810	9900	**235**	Q	-	-	75-125	-	20
Selenium, Total	ND	9.72	7.6	78		-	-	75-125	-	20
Silver, Total	ND	24.3	23	95		-	-	75-125	-	20
Sodium, Total	250	810	1100	105		-	-	75-125	-	20
Thallium, Total	ND	9.72	7.1	**73**	Q	-	-	75-125	-	20
Vanadium, Total	23.	40.5	61	94		-	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery		MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867002-4 QC Sample: L1604608-01 Client ID: MS Sample										
Zinc, Total	90.	40.5	130	99		-	-	75-125	-	20
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867425-4 QC Sample: L1604474-01 Client ID: MS Sample										
Mercury, Total	0.75	0.18	1.0	**138**	Q	-	-	80-120	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery		MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867711-4 QC Sample: L1604656-01 Client ID: MS Sample										
Aluminum, TCLP	0.88J	20	20	100		-	-	75-125	-	20
Antimony, TCLP	ND	5	4.4	88		-	-	75-125	-	20
Arsenic, TCLP	ND	1.2	1.1	92		-	-	75-125	-	20
Barium, TCLP	1.0	20	19	90		-	-	75-125	-	20
Beryllium, TCLP	ND	0.5	0.45	90		-	-	75-125	-	20
Cadmium, TCLP	0.06J	0.51	0.52	102		-	-	75-125	-	20
Calcium, TCLP	180	100	270	90		-	-	75-125	-	20
Chromium, TCLP	0.65	2	2.4	88		-	-	75-125	-	20
Cobalt, TCLP	ND	5	4.2	84		-	-	75-125	-	20
Copper, TCLP	0.26	2.5	2.5	90		-	-	75-125	-	20
Iron, TCLP	0.40J	10	10	100		-	-	75-125	-	20
Lead, TCLP	240	5.1	230	**0**	Q	-	-	75-125	-	20
Magnesium, TCLP	6.8	100	100	93		-	-	75-125	-	20
Manganese, TCLP	1.2	5	5.6	88		-	-	75-125	-	20
Nickel, TCLP	0.09J	5	4.4	88		-	-	75-125	-	20
Potassium, TCLP	5.7J	100	110	110		-	-	75-125	-	20
Selenium, TCLP	ND	1.2	1.2	100		-	-	75-125	-	20
Silver, TCLP	ND	0.5	0.46	92		-	-	75-125	-	20
Thallium, TCLP	ND	1.2	1.0	83		-	-	75-125	-	20
Vanadium, TCLP	ND	5	4.7	94		-	-	75-125	-	20
Zinc, TCLP	5.8	5	9.4	**72**	Q	-	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867959-4 QC Sample: L1604656-01 Client ID: MS Sample									
Mercury, TCLP	ND	0.025	0.0262	105	-	-	80-120	-	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG866986-3 QC Sample: L1604674-01 Client ID: SB-1/2						
Sulfur, Total	590	710	mg/kg	18		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867002-3 QC Sample: L1604608-01 Client ID: DUP Sample					
Aluminum, Total	12000	12000	mg/kg	0	20
Antimony, Total	1.1J	1.1J	mg/kg	NC	20
Arsenic, Total	2.1	2.2	mg/kg	5	20
Barium, Total	120	130	mg/kg	8	20
Beryllium, Total	0.31J	0.32J	mg/kg	NC	20
Cadmium, Total	ND	ND	mg/kg	NC	20
Calcium, Total	14000	14000	mg/kg	0	20
Chromium, Total	26.	29	mg/kg	11	20
Cobalt, Total	11.	11	mg/kg	0	20
Copper, Total	25.	29	mg/kg	15	20
Iron, Total	24000	24000	mg/kg	0	20
Lead, Total	46.	43	mg/kg	7	20
Magnesium, Total	7100	7100	mg/kg	0	20
Manganese, Total	280	280	mg/kg	0	20
Nickel, Total	25.	27	mg/kg	8	20
Potassium, Total	8000	8100	mg/kg	1	20
Selenium, Total	ND	ND	mg/kg	NC	20
Silver, Total	ND	ND	mg/kg	NC	20
Sodium, Total	250	250	mg/kg	0	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867002-3 QC Sample: L1604608-01 Client ID: DUP Sample					
Thallium, Total	ND	ND	mg/kg	NC	20
Vanadium, Total	23.	23	mg/kg	0	20
Zinc, Total	90.	100	mg/kg	11	20
Total Metals - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867425-3 QC Sample: L1604474-01 Client ID: DUP Sample					
Mercury, Total	0.75	0.72	mg/kg	4	20
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867711-3 QC Sample: L1604656-01 Client ID: DUP Sample					
Arsenic, TCLP	ND	0.02J	mg/l	NC	20
Barium, TCLP	1.0	1.0	mg/l	0	20
Cadmium, TCLP	0.06J	0.06J	mg/l	NC	20
Chromium, TCLP	0.65	0.63	mg/l	3	20
Copper, TCLP	0.26	0.24	mg/l	8	20
Lead, TCLP	240	230	mg/l	4	20
Nickel, TCLP	0.09J	0.09J	mg/l	NC	20
Selenium, TCLP	ND	ND	mg/l	NC	20
Silver, TCLP	ND	ND	mg/l	NC	20
Zinc, TCLP	5.8	5.6	mg/l	4	20
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867959-3 QC Sample: L1604656-01 Client ID: DUP Sample					
Mercury, TCLP	ND	ND	mg/l	NC	20

INORGANICS
&
MISCELLANEOUS

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified

Test Material Information

Source of Material:	Unknown
Description of Material:	Non-Metallic - Dry Soil
Particle Size:	Fine
Preliminary Burning Time (sec):	120

Parameter	Result	Date Analyzed	Analytical Method	Analyst
Ignitability of Solids - Westborough Lab				
Ignitability	NI	02/23/16 14:31	1,1030	AB

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06
Client ID: SB-3/4
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 16:45
Date Received: 02/19/16
Field Prep: Not Specified

Test Material Information

Source of Material:	Unknown
Description of Material:	Non-Metallic - Dry Soil
Particle Size:	Fine
Preliminary Burning Time (sec):	120

Parameter	Result	Date Analyzed	Analytical Method	Analyst
Ignitability of Solids - Westborough Lab				
Ignitability	NI	02/23/16 14:31	1,1030	AB

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-01
Client ID: SB-1/2
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 15:40
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.7		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI
Cyanide, Total	0.87	J	mg/kg	0.94	0.16	1	02/23/16 15:18	02/24/16 11:29	1,9010C/9012B	ML
pH (H)	6.1		SU	-	NA	1	-	02/22/16 17:03	1,9045D	AS
Chromium, Hexavalent	ND		mg/kg	0.83	0.16	1	02/24/16 10:21	02/25/16 08:57	1,7196A	AL
Cyanide, Reactive	ND		mg/kg	10	10.	1	02/23/16 18:25	02/23/16 20:32	1,7.3	TL
Sulfide, Reactive	ND		mg/kg	10	10.	1	02/23/16 18:25	02/23/16 20:23	1,7.3	TL

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-02
Client ID: SB-1A
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 10:30
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.4		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-03
Client ID: SB-1B
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 11:30
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.1		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-04
Client ID: SB-2A
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 15:10
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	97.3		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-05
Client ID: SB-2B
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Date Collected: 02/19/16 15:50
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	95.8		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-06
Client ID: SB-3/4
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Date Collected: 02/19/16 16:45
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	95.3		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI
Cyanide, Total	1.3		mg/kg	0.98	0.16	1	02/23/16 15:18	02/24/16 11:30	1,9010C/9012B	ML
pH (H)	4.5		SU	-	NA	1	-	02/22/16 17:03	1,9045D	AS
Chromium, Hexavalent	ND		mg/kg	0.84	0.17	1	02/24/16 10:21	02/25/16 08:58	1,7196A	AL
Cyanide, Reactive	ND		mg/kg	10	10.	1	02/23/16 18:25	02/23/16 20:32	1,7.3	TL
Sulfide, Reactive	ND		mg/kg	10	10.	1	02/23/16 18:25	02/23/16 20:24	1,7.3	TL

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-07
Client ID: SB-3A
Sample Location: PELHAM MANOR, NY
Matrix: Soil
Date Collected: 02/19/16 13:15
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	97.6		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-08
Client ID: SB-3B
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 13:30
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.5		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-09
Client ID: SB-4A
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 16:30
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.7		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000
Lab Number: L1604674
Report Date: 02/29/16

SAMPLE RESULTS

Lab ID: L1604674-10
Client ID: SB-4B
Sample Location: PELHAM MANOR, NY
Matrix: Soil

Date Collected: 02/19/16 16:50
Date Received: 02/19/16
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	95.2		%	0.100	NA	1	-	02/22/16 16:29	30,2540G	RI

Project Name: POST ROAD PLAZA-24HR FITNESS **Lab Number:** L1604674

Project Number: 1772.0001Y000 **Report Date:** 02/29/16

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,06 Batch: WG867661-1										
Cyanide, Total	ND		mg/kg	0.94	0.16	1	02/23/16 15:18	02/24/16 11:24	1,9010C/9012B	ML
General Chemistry - Westborough Lab for sample(s): 01,06 Batch: WG867691-1										
Cyanide, Reactive	ND		mg/kg	10	10.	1	02/23/16 18:25	02/23/16 20:30	1,7.3	TL
General Chemistry - Westborough Lab for sample(s): 01,06 Batch: WG867692-1										
Sulfide, Reactive	ND		mg/kg	10	10.	1	02/23/16 18:25	02/23/16 20:22	1,7.3	TL
General Chemistry - Westborough Lab for sample(s): 01,06 Batch: WG867902-1										
Chromium, Hexavalent	ND		mg/kg	0.80	0.16	1	02/24/16 10:21	02/25/16 08:55	1,7196A	AL

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,06 Batch: WG867365-1								
pH	100		-		99-101	-		
General Chemistry - Westborough Lab Associated sample(s): 01,06 Batch: WG867661-2 WG867661-3								
Cyanide, Total	101		97		80-120	2		35
General Chemistry - Westborough Lab Associated sample(s): 01,06 Batch: WG867691-2								
Cyanide, Reactive	76		-		30-125	-		40
General Chemistry - Westborough Lab Associated sample(s): 01,06 Batch: WG867692-2								
Sulfide, Reactive	100		-		60-125	-		40
General Chemistry - Westborough Lab Associated sample(s): 01,06 Batch: WG867902-2								
Chromium, Hexavalent	87		-		80-120	-		20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867661-4 WG867661-5 QC Sample: L1604681-12 Client ID: MS Sample												
Cyanide, Total	ND	11	10	89		11	100		65-135	10		35
General Chemistry - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867902-4 QC Sample: L1604674-01 Client ID: SB-1/2												
Chromium, Hexavalent	ND	1120	1000	90		-	-		75-125	-		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-10 QC Batch ID: WG867352-1 QC Sample: L1604674-01 Client ID: SB-1/2						
Solids, Total	96.7	96.8	%	0		20
General Chemistry - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867365-2 QC Sample: L1603611-05 Client ID: DUP Sample						
pH	8.1	8.0	SU	1		5
General Chemistry - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867691-3 QC Sample: L1604738-01 Client ID: DUP Sample						
Cyanide, Reactive	ND	ND	mg/kg	NC		40
General Chemistry - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867692-3 QC Sample: L1604738-01 Client ID: DUP Sample						
Sulfide, Reactive	ND	ND	mg/kg	NC		40
General Chemistry - Westborough Lab Associated sample(s): 01,06 QC Batch ID: WG867902-6 QC Sample: L1604674-01 Client ID: SB-1/2						
Chromium, Hexavalent	ND	ND	mg/kg	NC		20

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: 20-FEB-16 08:49

Cooler Information Custody Seal

Cooler	
A	Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1604674-01A	5 gram Encore Sampler	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(2)
L1604674-01B	5 gram Encore Sampler	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(2)
L1604674-01C	5 gram Encore Sampler	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(2)
L1604674-01D	Plastic 2oz unpreserved for TS	A	N/A	3.5	Y	Absent	TS(7)
L1604674-01E	Glass 120ml/4oz unpreserved	A	N/A	3.5	Y	Absent	BE-TI(180),IGNIT-1030(14),NYTCL-8270(14),REACTS(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),HERB-APA(14),NJEPH-TPH-CAT1(14),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),PH-9045(1),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),REACTCN(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1604674-01F	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	BE-TI(180),IGNIT-1030(14),NYTCL-8270(14),REACTS(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),HERB-APA(14),NJEPH-TPH-CAT1(14),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),PH-9045(1),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),REACTCN(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1604674-01G	Glass 500ml/16oz unpreserved	A	N/A	3.5	Y	Absent	BE-TI(180),IGNIT-1030(14),NYTCL-8270(14),REACTS(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),HERB-APA(14),NJEPH-TPH-CAT1(14),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),PH-9045(1),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),REACTCN(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1604674-01H	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TCLP-EXT-ZHE(14)
L1604674-01I	Glass 120ml/4oz unpreserved	A	N/A	3.5	Y	Absent	SUB-PAINT FILTER()
L1604674-01Q	Plastic 120ml HNO3 preserved spl	A	<2	3.5	Y	Absent	BE-CI(180),CD-CI(180),V-CI(180),AS-CI(180),BA-CI(180),CA-CI(180),NI-CI(180),AL-CI(180),CU-CI(180),HG-C(28),MN-CI(180),PB-CI(180),ZN-CI(180),CO-CI(180),FE-CI(180),TL-CI(180),CR-CI(180),K-CI(180),MG-CI(180),SE-CI(180),AG-CI(180),SB-CI(180)
L1604674-01Q9	Tumble Vessel	A	N/A	3.5	Y	Absent	-
L1604674-01R	Amber 1000ml unpreserved split	A	N/A	3.5	Y	Absent	TCLP-8270(14),HERB-TCLP*(14),PEST-TCLP*(14)
L1604674-01U	Vial unpreserved split	A	N/A	3.5	Y	Absent	TCLP-VOA(14)
L1604674-01V	Vial unpreserved split	A	N/A	3.5	Y	Absent	TCLP-VOA(14)
L1604674-01X	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(14)
L1604674-01Y	Vial Water preserved split	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(14)
L1604674-01Z	Vial Water preserved split	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(14)
L1604674-02A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-02A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-02B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-02C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-03A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-03A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-03B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-03C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-04A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)

*Values in parentheses indicate holding time in days

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1604674-04A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-04B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-04C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-05A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-05A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-05B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-05C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-06A	5 gram Encore Sampler	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(2)
L1604674-06B	5 gram Encore Sampler	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(2)
L1604674-06C	5 gram Encore Sampler	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(2)
L1604674-06D	Plastic 2oz unpreserved for TS	A	N/A	3.5	Y	Absent	TS(7)
L1604674-06E	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	BE-TI(180),IGNIT-1030(14),NYTCL-8270(14),REACTS(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),HERB-APA(14),NJEPH-TPH-CAT1(14),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),PH-9045(1),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),REACTCN(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1604674-06F	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	BE-TI(180),IGNIT-1030(14),NYTCL-8270(14),REACTS(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),HERB-APA(14),NJEPH-TPH-CAT1(14),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),PH-9045(1),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),REACTCN(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1604674-06G	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	BE-TI(180),IGNIT-1030(14),NYTCL-8270(14),REACTS(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),HERB-APA(14),NJEPH-TPH-CAT1(14),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),PH-9045(1),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),REACTCN(14),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1604674-06H	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TCLP-EXT-ZHE(14)
L1604674-06I	Glass 120ml/4oz unpreserved	A	N/A	3.5	Y	Absent	SUB-PAINT FILTER()
L1604674-06Q	Plastic 120ml HNO3 preserved spl	A	<2	3.5	Y	Absent	BE-CI(180),CD-CI(180),V-CI(180),AS-CI(180),BA-CI(180),CA-CI(180),NI-CI(180),AL-CI(180),CU-CI(180),HG-C(28),MN-CI(180),PB-CI(180),ZN-CI(180),CO-CI(180),FE-CI(180),TL-CI(180),CR-CI(180),K-CI(180),MG-CI(180),SE-CI(180),AG-CI(180),SB-CI(180)
L1604674-06Q9	Tumble Vessel	A	N/A	3.5	Y	Absent	-
L1604674-06R	Amber 1000ml unpreserved split	A	N/A	3.5	Y	Absent	TCLP-8270(14),HERB-TCLP*(14),PEST-TCLP*(14)
L1604674-06U	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TCLP-VOA(14)
L1604674-06V	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TCLP-VOA(14)
L1604674-06X	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(14)
L1604674-06Y	Vial Water preserved split	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(14)
L1604674-06Z	Vial Water preserved split	A	N/A	3.5	Y	Absent	NYTCL-8260HLW(14)
L1604674-07A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-07A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-07B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-07C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-08A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-08A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-08B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-08C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-09A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)

*Values in parentheses indicate holding time in days

Project Name: POST ROAD PLAZA-24HR FITNESS
Project Number: 1772.0001Y000

Lab Number: L1604674
Report Date: 02/29/16

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1604674-09A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-09B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-09C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)
L1604674-10A	Vial Large Septa unpreserved (4o	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-10A9	Vial MeOH preserved split	A	N/A	3.5	Y	Absent	TPH-GRO(14)
L1604674-10B	Glass 250ml/8oz unpreserved	A	N/A	3.5	Y	Absent	TS(7),TPH-DRO-D(14)
L1604674-10C	Glass 60mL/2oz unpreserved	A	N/A	3.5	Y	Absent	SUB-EOX(28)

Container Comments

L1604674-01F

L1604674-06G

*Values in parentheses indicate holding time in days

Project Name:	POST ROAD PLAZA-24HR FITNESS	**Lab Number:**	L1604674
Project Number:	1772.0001Y000	**Report Date:**	02/29/16

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

1	- The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

A	- Spectra identified as "Aldol Condensation Product".
B	- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

Report Format: DU Report with 'J' Qualifiers

Project Name:	POST ROAD PLAZA-24HR FITNESS	**Lab Number:**	L1604674
Project Number:	1772.0001Y000	**Report Date:**	02/29/16

Data Qualifiers

C	- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
D	- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
E	- Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
G	- The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
H	- The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
I	- The lower value for the two columns has been reported due to obvious interference.
M	- Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
NJ	- Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
P	- The RPD between the results for the two columns exceeds the method-specified criteria.
Q	- The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
R	- Analytical results are from sample re-analysis.
RE	- Analytical results are from sample re-extraction.
S	- Analytical results are from modified screening analysis.
J	- Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
ND	- Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers

Project Name:	POST ROAD PLAZA-24HR FITNESS	**Lab Number:**	L1604674
Project Number:	1772.0001Y000	**Report Date:**	02/29/16

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.

103 Analysis of Extractable Petroleum Hydrocarbon Compounds (EPH) in Aqueous and Soil/Sediment/Sludge Matrices. New Jersey Department of Environmental Protection, Site Remediation Program, (Version 1.1), Document # NJDEP EPH 10/08, Revision 3, August 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility
EPA 524.2: 1,2-Dibromo-3-chloropropane, 1,2-Dibromoethane, m/p-xylene, o-xylene
EPA 624: 2-Butanone (MEK), 1,4-Dioxane, tert-Amylmethyl Ether, tert-Butyl Alcohol, m/p-xylene, o-xylene
EPA 625: Aniline, Benzoic Acid, Benzyl Alcohol, 4-Chloroaniline, 3-Methylphenol, 4-Methylphenol.
EPA 1010A: NPW: Ignitability
EPA 6010C: NPW: Strontium; SCM: Strontium
EPA 8151A: NPW: 2,4-DB, Dicamba, Dichloroprop, MCPA, MCPP; SCM: 2,4-DB, Dichloroprop, MCPA, MCPP
EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene, Isopropanol; SCM: Iodomethane (methyl iodide), Methyl methacrylate (soil); 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270D: NPW: Pentachloronitrobenzene, 1-Methylnaphthalene, Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Pentachloronitrobenzene, 1-Methylnaphthalene, Dimethylnaphthalene,1,4-Diphenylhydrazine.
EPA 9010: NPW: Amenable Cyanide Distillation, Total Cyanide Distillation
EPA 9038: NPW: Sulfate
EPA 9050A: NPW: Specific Conductance
EPA 9056: NPW: Chloride, Nitrate, Sulfate
EPA 9065: NPW: Phenols
EPA 9251: NPW: Chloride
SM3500: NPW: Ferrous Iron
SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO2, NO3.
SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility
EPA 8270D: NPW: Biphenyl; SCM: Biphenyl, Caprolactam
EPA 8270D-SIM Isotope Dilution: SCM: 1,4-Dioxane
SM 2540D: TSS
SM2540G: SCM: Percent Solids
EPA 1631E: SCM: Mercury
EPA 7474: SCM: Mercury
EPA 8081B: NPW and SCM: Mirex, Hexachlorobenzene.
EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.
EPA 8270-SIM: NPW and SCM: Alkylated PAHs.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene, n-Butylbenzene, n-Propylbenzene, sec-Butylbenzene, tert-Butylbenzene.
Biological Tissue Matrix: ***8270D-SIM; 3050B; 3051A; 7471B; 8081B; 8082A; 6020A:*** Lead***; 8270D:*** bis(2-ethylhexyl)phthalate, Butylbenzylphthalate, Diethyl phthalate, Dimethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Pentachlorophenol.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water
EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7**: Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;
EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B**
EPA 332: Perchlorate.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water
EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;
EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;
EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **SM4500NO3-F,**
EPA 353.2: Nitrate-N**, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.**
EPA 624: Volatile Halocarbons & Aromatics,
EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF**.

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

SUB UPS: ALS-PA

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA ANALYTICAL

Westborough, MA
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA
TEL: 508-822-9300
FAX: 508-822-3288

Project Information

Project Name:

Project Location: NY

Project #:

Project Manager: Karyn Raymond

ALPHA Quote #:

Client Information

Client: Alpha Analytical Lab

Address: 8 Walkup Drive

Westborough, Ma 01581

Phone: 508-898-9220

Fax:

Email: subreports@alphalab.com

☐ These samples have been Previously analyzed by Alpha

Turn-Around Time

X Standard ☐ Rush (ONLY IF PRE-APPROVED)

Due Date : 2/26/2016 Time:

Other Project Specific Requirements/Comments/Detection Limits:
Please reference Alpha Job #L1604674 on this report.
Report to include Method Blank, LCS and LCSD.

Need NJ Reduced Deliverables

Date Rec'd in Lab

ALPHA Job #: L1604674

Report Information Data Deliverables

☐ FAX ☐ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed Program *Criteria*

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

☐ Yes ☐ No Are MCP Analytical Methods Required?

☐ Yes ☐ No Are CT RCP (Reasonable Confidence Protocols) Required?

ANALYSIS

SAMPLE HANDLING
Filtration
☐ Done
☐ Not Needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	EOX	Paint Filter											Sample Specific Comments	TOTAL # BOTTLES
	SB-1/2	2/19/16	15:40	S		☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-1A	2/19/16	10:30	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-1B	2/19/16	11:30	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-2A	2/19/16	15:10	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-2B	2/19/16	15:50	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-3/4	2/19/16	16:45	S		☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-3A	2/19/16	13:15	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-3B	2/19/16	13:30	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-4A	2/19/16	16:30	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
	SB-4B	2/19/16	16:50	S		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		1
						Container Type	G	G	-	-	-	-	-	-	-	-	-	-	
						Preservative	A	A	-	-	-	-	-	-	-	-	-	-	

PLEASE ANSWER QUESTIONS ABOVE!

IS YOUR PROJECT MA MCP *or* CT RCP?

FORM NO: 01-01(I)
(rev. 30-JUL-07)

Relinquished By:	Date/Time	Received By:	Date/Time

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.

NEW YORK CHAIN OF CUSTODY

ALPHA ANALYTICAL

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-9288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 1

Date Rec'd in Lab: 2/19/16

ALPHA Job #: L1604674

Client Information
Client: Roux Associates
Address: 209 Shafter St.
Islandia NY
Phone: 631-232-2600
Fax:
Email: cbattista@rouxinc.com

Project Information
Project Name: Post Road Plaza - 24Hr. Fitness
Project Location: Pelham Manor, NY
Project #: 1772.0001Y000
(Use Project name as Project #) ☐
Project Manager: Chris Battista
ALPHAQuote #:

Turn-Around Time
Standard ☑ Due Date:
Rush (only if pre approved) ☐ # of Days:

Deliverables
☐ ASP-A ☐ ASP-B
☐ EQuIS (1 File) ☐ EQuIS (4 File)
☐ Other

Regulatory Requirement
☐ NY TOGS ☐ NY Part 375
☐ AWQ Standards ☐ NY CP-51
☐ NY Restricted Use ☑ Other → w/c
☐ NY Unrestricted Use
☐ NYC Sewer Discharge

Billing Information
☑ Same as Client Info
PO #

Disposal Site Information
Please identify below location of applicable disposal facilities.
Disposal Facility:
☑ NJ ☐ NY
☐ Other: PA.

These samples have been previously analyzed by Alpha ☐

Other project specific requirements/comments:
NY/NJ/PA Deliverables

Please specify Metals or TAL.

ANALYSIS
TPH GRO
TPH DRO
EOX
TCL (TAL) + 10
TCLP VOC's
PFT
Hex Cr
NJEPH / Hexane / NY TCL Endrin / Ketones
Total Bottle

Sample Filtration
☐ Done
☐ Lab to do
Preservation
☐ Lab to do
(Please Specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	TPH GRO	TPH DRO	EOX	TCL (TAL) + 10	TCLP VOC's	PFT	Hex Cr	NJEPH / Hexane / NY TCL Endrin / Ketones	Total Bottle	Sample Specific Comments
01674 01	SB-1/2	2/19/16	1540		AP				13	1	1	1	2		
02	SB-1A	2/19/16	1030		AP	1	1	1							
03	SB-1B	2/19/16	1130		AP	1	1	1							
04	SB-2A	2/19/16	1510		AP	1	1	1							
05	SB-2B	2/19/16	1550		AP	1	1	1							
06	SB-3/4	2/19/16	1645		AP				13	1	1	1	2		
07	SB-3A	2/19/16	1315		AP	1	1	1							
08	SB-3B	2/19/16	1330		AP	1	1	1							
09	SB-4A	2/19/16	1630		AP	1	1	1							
10	SB-4B	2/19/16	1650		AP	1	1	1							

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type
Preservative

Relinquished By:	Date/Time	Received By:	Date/Time
	2/19/16 17:25		2/19/16 17:25
	2/19/16 1900		2/19/16 1900
	2/19/16 2315		2/19/16 2315

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

February 29, 2016

Results
Alpha Analytical
145 Flanders Road
Westborough, MA 01581

Certificate of Analysis

Project Name:	**2016 General Price Sheet**	Workorder:	**2125684**
Purchase Order:		Workorder ID:	**ALP127|L1604674**

Dear Results:

Enclosed are the analytical results for samples received by the laboratory on Tuesday, February 23, 2016.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Ms. Shannon Butler (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Environmental.

ALS Spring City: 10 Riverside Drive, Spring City, PA 19475 610-948-4903

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

SAMPLE SUMMARY

Workorder: 2125684 ALP127|L1604674

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
2125684001	SB-1/2	Solid	2/19/2016 15:40	2/23/2016 10:32	Collected by Client
2125684002	SB-1A	Solid	2/19/2016 10:30	2/23/2016 10:32	Collected by Client
2125684003	SB-1B	Solid	2/19/2016 11:30	2/23/2016 10:32	Collected by Client
2125684004	SB-2A	Solid	2/19/2016 15:10	2/23/2016 10:32	Collected by Client
2125684005	SB-2B	Solid	2/19/2016 15:50	2/23/2016 10:32	Collected by Client
2125684006	SB-3/4	Solid	2/19/2016 16:45	2/23/2016 10:32	Collected by Client
2125684007	SB-3A	Solid	2/19/2016 13:15	2/23/2016 10:32	Collected by Client
2125684008	SB-3B	Solid	2/19/2016 13:30	2/23/2016 10:32	Collected by Client
2125684009	SB-4A	Solid	2/19/2016 16:30	2/23/2016 10:32	Collected by Client
2125684010	SB-4B	Solid	2/19/2016 16:50	2/23/2016 10:32	Collected by Client

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

SAMPLE SUMMARY

Workorder: 2125684 ALP127|L1604674

Notes

-- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
-- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
-- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
-- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
-- The Chain of Custody document is included as part of this report.
-- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
-- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
-- Method references listed on this report beginning with the prefix “S” followed by a method number (such as S2310B-97) refer to methods from “Standard Methods for the Examination of Water and Wastewater”.
-- For microbiological analyses, the "Prepared" value is the date/time into the incurbator and the "Analyzed" value is the date/time out the incubator.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684001** Date Collected: 2/19/2016 15:40 Matrix: Solid

Sample ID: **SB-1/2** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Free Liquids	Negative					SW846 9095B			2/25/16 07:15	SDL	A
Moisture	16.1		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A
Total Solids	83.9		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684002** Date Collected: 2/19/2016 10:30 Matrix: Solid

Sample ID: **SB-1A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	2.7J	J	mg/kg	6.1	2.7	SW846 9023			2/25/16 10:55	PAG	A
Moisture	18.1		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	81.9		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684003** Date Collected: 2/19/2016 11:30 Matrix: Solid

Sample ID: **SB-1B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	Cntr
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.6 U	U	mg/kg	5.6	2.5	SW846 9023			2/25/16 11:07	PAG	A
Moisture	15.6		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	84.4		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684004** Date Collected: 2/19/2016 15:10 Matrix: Solid

Sample ID: **SB-2A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.1 U	U	mg/kg	5.1	2.3	SW846 9023			2/25/16 11:19	PAG	A
Moisture	5.3		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	94.7		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684005** Date Collected: 2/19/2016 15:50 Matrix: Solid

Sample ID: **SB-2B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	4.9 U	U	mg/kg	4.9	2.2	SW846 9023			2/25/16 11:52	PAG	A
Moisture	3.8		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A
Total Solids	96.2		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684006** Date Collected: 2/19/2016 16:45 Matrix: Solid

Sample ID: **SB-3/4** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Free Liquids	Negative					SW846 9095B			2/25/16 07:15	SDL	A
Moisture	11.9		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A
Total Solids	88.1		%	0.1	0.01	S2540G-11			2/25/16 10:21	KAM	A

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684007** Date Collected: 2/19/2016 13:15 Matrix: Solid

Sample ID: **SB-3A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.2 U	U	mg/kg	5.2	2.3	SW846 9023			2/25/16 15:16	PAG	A
Moisture	7.7		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	92.3		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684008** Date Collected: 2/19/2016 13:30 Matrix: Solid

Sample ID: **SB-3B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.1 U	U	mg/kg	5.1	2.3	SW846 9023			2/25/16 13:34	PAG	A
Moisture	6.6		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	93.4		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684009** Date Collected: 2/19/2016 16:30 Matrix: Solid

Sample ID: **SB-4A** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.8 U	U	mg/kg	5.8	2.6	SW846 9023			2/25/16 13:46	PAG	A
Moisture	19.1		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	80.9		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

ANALYTICAL RESULTS

Workorder: 2125684 ALP127|L1604674

Lab ID: **2125684010** Date Collected: 2/19/2016 16:50 Matrix: Solid

Sample ID: **SB-4B** Date Received: 2/23/2016 10:32

Parameters	Results	Flag	Units	RDL	MDL	Method	Prepared	By	Analyzed	By	*Cntr*
WET CHEMISTRY											
Halogen, Total Organic (TOX)	5.1 U	U	mg/kg	5.1	2.2	SW846 9023			2/25/16 13:57	PAG	A
Moisture	6.1		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	
Total Solids	93.9		%	0.1	0.01	S2540G-11			2/25/16 14:42	KAM	

Shannon Butler

Ms. Shannon Butler
Project Coordinator

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA

Workorder: 2125684 ALP127|L1604674

QC Batch: WETC/166442 **Analysis Method:** S2540G-11

QC Batch Method: S2540G-11

Associated Lab Samples: 2125684001, 2125684006

SAMPLE DUPLICATE: 2301485 ORIGINAL: 2125361001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	19.6652	%	19.2468	2.15	10
Total Solids	80.3347	%	80.7531	.52	5

SAMPLE DUPLICATE: 2301486 ORIGINAL: 2125543005

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	12.9814	%	9.9796	26.1*	10
Total Solids	87.0185	%	90.0203	3.39	5

SAMPLE DUPLICATE: 2301487 ORIGINAL: 2125543015

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	15.4545	%	19.3399	22.3*	10
Total Solids	84.5454	%	80.66	4.7	5

SAMPLE DUPLICATE: 2301488 ORIGINAL: 2125566001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	6.5685	%	6.5876	.29	10
Total Solids	93.4314	%	93.4123	.02	5

SAMPLE DUPLICATE: 2301489 ORIGINAL: 2125575001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	13.5206	%	14.9504	10	10
Total Solids	86.4793	%	85.0495	1.67	5

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA

Workorder: 2125684 ALP127|L1604674

SAMPLE DUPLICATE: 2301490 ORIGINAL: 2125587003

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	16.907	%	18.5344	9.18	10
Total Solids	83.0929	%	81.4655	1.98	5

SAMPLE DUPLICATE: 2301491 ORIGINAL: 2125665001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	18.8606	%	16.5195	13.2*	10
Total Solids	81.1393	%	83.4804	2.84	5

SAMPLE DUPLICATE: 2301492 ORIGINAL: 2125682001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	29.6347	%	32.1561	8.16	10
Total Solids	70.3652	%	67.8438	3.65	5

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA

Workorder: 2125684 ALP127|L1604674

QC Batch: WETC/166449 **Analysis Method:** SW846 9023

QC Batch Method: SW846 9023

Associated Lab Samples: 2125684002, 2125684003, 2125684004, 2125684005, 2125684007, 2125684008, 2125684009, 2125684010

METHOD BLANK: 2301556

Parameter	Blank Result	Units	Reporting Limit
Halogen, Total Organic (TOX)	5.0 U	mg/kg	5.0

LABORATORY CONTROL SAMPLE: 2301557

Parameter	LCS % Rec	Units	Spike Conc.	LCS Result	% Rec Limit
Halogen, Total Organic (TOX)	105	mg/kg	500	527	90 - 110

LABORATORY CONTROL SAMPLE: 2301558

Parameter	LCS % Rec	Units	Spike Conc.	LCS Result	% Rec Limit
Halogen, Total Organic (TOX)	107	mg/kg	500	533	90 - 110

MATRIX SPIKE: 2301640 DUPLICATE: 2301641 ORIGINAL: 2125684005

****NOTE - The Original Result shown below is a raw result and is only used for the purpose of calculating Matrix Spike percent recoveries. This result is not a final value and cannot be used as such.

Parameter	Original Result	Units	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
Halogen, Total Organic (TOX)	2	mg/kg	476	482.57	457.43	101	95.6	80 - 120	5.35	20

METHOD BLANK: 2301561

Parameter	Blank Result	Units	Reporting Limit
Halogen, Total Organic (TOX)	5.0 U	mg/kg	5.0

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA

Workorder: 2125684 ALP127|L1604674

METHOD BLANK: 2301562

Parameter	Blank Result	Units	Reporting Limit
Halogen, Total Organic (TOX)	5.0 U	mg/kg	5.0

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA

Workorder: 2125684 ALP127|L1604674

QC Batch: WETC/166455 **Analysis Method:** S2540G-11

QC Batch Method: S2540G-11

Associated Lab Samples: 2125684002, 2125684003, 2125684004, 2125684005, 2125684007, 2125684008, 2125684009, 2125684010

SAMPLE DUPLICATE: 2301629 ORIGINAL: 2123359004

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	97.3404	%	97.2262	.12	10
Total Solids	2.6595	%	2.7737	4.2	5

SAMPLE DUPLICATE: 2301630 ORIGINAL: 2125571002

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	11.7408	%	11.8692	1.09	10
Total Solids	88.2591	%	88.1307	.15	5

SAMPLE DUPLICATE: 2301631 ORIGINAL: 2125684004

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	5.3209	%	5.102	4.2	10
Total Solids	94.679	%	94.8979	.23	5

SAMPLE DUPLICATE: 2301632 ORIGINAL: 2125724005

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	15.4564	%	15.3674	.58	10
Total Solids	84.5435	%	84.6325	.11	5

SAMPLE DUPLICATE: 2301633 ORIGINAL: 2125753001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	98.8599	%	99.1554	.3	10
Total Solids	1.14	%	.8445	29.8*	5

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA

Workorder: 2125684 ALP127|L1604674

SAMPLE DUPLICATE: 2301634 ORIGINAL: 2125826001

Parameter	Original Result	Units	DUP Result	RPD	Max RPD
Moisture	13.3467	%	11.3466	16.2*	10
Total Solids	86.6532	%	88.6533	2.28	5

ALS Environmental

34 Dogwood Lane ▪ Middletown, PA 17057 ▪ Phone: 717-944-5541 ▪ Fax: 717-944-1430 ▪ www.alsglobal.com

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: A2LA 0818.01
State Certifications: DE ID 11 , MA PA0102 , MD 128 , VA 460157 , WV 343

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: 2125684 ALP127|L1604674

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
2125684001	SB-1/2			S2540G-11	WETC/166442
2125684006	SB-3/4			S2540G-11	WETC/166442
2125684002	SB-1A			SW846 9023	WETC/166449
2125684003	SB-1B			SW846 9023	WETC/166449
2125684004	SB-2A			SW846 9023	WETC/166449
2125684005	SB-2B			SW846 9023	WETC/166449
2125684007	SB-3A			SW846 9023	WETC/166449
2125684008	SB-3B			SW846 9023	WETC/166449
2125684009	SB-4A			SW846 9023	WETC/166449
2125684010	SB-4B			SW846 9023	WETC/166449
2125684002	SB-1A			S2540G-11	WETC/166455
2125684003	SB-1B			S2540G-11	WETC/166455
2125684004	SB-2A			S2540G-11	WETC/166455
2125684005	SB-2B			S2540G-11	WETC/166455
2125684007	SB-3A			S2540G-11	WETC/166455
2125684008	SB-3B			S2540G-11	WETC/166455
2125684009	SB-4A			S2540G-11	WETC/166455
2125684010	SB-4B			S2540G-11	WETC/166455

SUB UPS: ALS-PA

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA ANALYTICAL
Westborough, MA TEL: 508-898-9220 FAX: 508-898-9193
Mansfield, MA TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA

* 2 1 2 5 6 8 4 *

Project Information

Project Name:

Project Location: NY

Project #:

Project Manager: Karyn Raymond

ALPHA Quote #:

Report Information Data Deliverables

☐ FAX ☐ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as

Regulatory Requirements/Report Limits

State/Fed Program | Criteria

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

☐ Yes ☐ No Are MCP Analytical Methods Required?

☐ Yes ☐ No Are CT RCP (Reasonable Confidence Protocols) Required?

Client Information

Client: Alpha Analytical Lab

Address: 8 Walkup Drive

Westborough, Ma 01581

Phone: 508-898-9220

Fax:

Email: subreports@alphalab.com

☐ Those samples have been Previously Analyzed by Alpha

Turn-Around Time

X Standard ☐ Rush (ONLY IF PRE-APPROVED)

Due Date : 2/26/2016 Time:

Other Project Specific Requirements/Comments/Detection Limits:

Please reference Alpha Job #L1604674 on this report.

Report to include Method Blank, LCS and LCSD.

Need NJ Reduced Deliverables

all 2 oz jars except * 4 oz jar dom 2B3

ANALYSIS

SAMPLE HANDLING
Filtration
☐ Done
☐ Not Needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	EOX	Paint Filter		Sample Specific Comments	
	SB-1/2	2/19/16	15:40	S		☐	☒	☐		1
	SB-1A	2/19/16	10:30	S		☒	☐	☐		1
	SB-1B	2/19/16	11:30	S		☒	☐	☐		1
	SB-2A	2/19/16	15:10	S		☒	☐	☐		1
	SB-2B	2/19/16	15:50	S		☒	☐	☐		1
	SB-3/4	2/19/16	16:45	S		☐	☒	☐		1
	SB-3A	2/19/16	13:15	S		☒	☐	☐		1
	SB-3B	2/19/16	13:30	S		☒	☐	☐		1
	SB-4A	2/19/16	16:30	S		☒	☐	☐		1
	SB-4B	2/19/16	16:50	S		☒	☐	☐		1
				Container Type		G	G	-		
				Preservative		A	A	-		

	Y	N	Initials
Custody Seals Present?			
(if present) Seals Intact?			
Received on Ice?			AT
COC/Lbls Complete			
Cont in Good Cond?			
Correct Containers?			
Correct Samp Vol?			
Correct Preservation?			
Headspace/Volatiles?			

Cooler Temp: °C

Cooler #:

Therm ID: FH352

Ship Carrier:

FedEx UPS

DHL

Tracking #: 1ZE306540191494933

PLEASE ANSWER QUESTIONS ABOVE!

S YOUR PROJECT
MA MCP or CT RCP?

Relinquished By:	Date/Time	Received By:	Date/Time
	2/22/16		2/23/16 1035

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.

2-24-16 2000 SB 2/25

Serial No:02291619:29

ANALYTICAL REPORT

Lab Number:	L1713681
Client:	Roux Associates, Inc. 209 Shafter Street Islandia, NY 11749-5074
ATTN:	Chris Battista
Phone:	(631) 232-2600
Project Name:	POST ROAD PLAZA
Project Number:	Not Specified
Report Date:	05/01/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com

Project Name: POST ROAD PLAZA
Project Number: Not Specified

Lab Number: L1713681
Report Date: 05/01/17

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1713681-01	COMP-1	SOIL	847 PELHAM PARKWAY	04/28/17 11:45	04/28/17

Project Name: POST ROAD PLAZA
Project Number: Not Specified

Lab Number: L1713681
Report Date: 05/01/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY
For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: POST ROAD PLAZA **Lab Number:** L1713681
Project Number: Not Specified **Report Date:** 05/01/17

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L1713681-01: The analysis performed was specified by the client.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Amita Naik

Title: Technical Director/Representative Date: 05/01/17

ORGANICS

PCBS

Project Name: POST ROAD PLAZA
Lab Number: L1713681
Project Number: Not Specified
Report Date: 05/01/17

SAMPLE RESULTS

Lab ID: L1713681-01
Client ID: COMP-1
Sample Location: 847 PELHAM PARKWAY
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 04/30/17 14:12
Analyst: JW
Percent Solids: 98%

Date Collected: 04/28/17 11:45
Date Received: 04/28/17
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/29/17 02:00
Cleanup Method: EPA 3665A
Cleanup Date: 04/29/17
Cleanup Method: EPA 3660B
Cleanup Date: 04/29/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	33.6	2.66	1	A
Aroclor 1221	ND		ug/kg	33.6	3.10	1	A
Aroclor 1232	ND		ug/kg	33.6	3.94	1	A
Aroclor 1242	ND		ug/kg	33.6	4.12	1	A
Aroclor 1248	ND		ug/kg	33.6	2.84	1	A
Aroclor 1254	ND		ug/kg	33.6	2.76	1	A
Aroclor 1260	ND		ug/kg	33.6	2.56	1	A
Aroclor 1262	ND		ug/kg	33.6	1.67	1	A
Aroclor 1268	ND		ug/kg	33.6	4.88	1	A
PCBs, Total	ND		ug/kg	33.6	1.67	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	102		30-150	A
Decachlorobiphenyl	112		30-150	A
2,4,5,6-Tetrachloro-m-xylene	73		30-150	B
Decachlorobiphenyl	75		30-150	B

Project Name: POST ROAD PLAZA
Project Number: Not Specified

Lab Number: L1713681
Report Date: 05/01/17

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082A
Analytical Date: 04/30/17 13:35
Analyst: JW

Extraction Method: EPA 3546
Extraction Date: 04/28/17 05:09
Cleanup Method: EPA 3665A
Cleanup Date: 04/28/17
Cleanup Method: EPA 3660B
Cleanup Date: 04/28/17

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01 Batch: WG998378-1						
Aroclor 1016	ND		ug/kg	32.1	2.54	A
Aroclor 1221	ND		ug/kg	32.1	2.96	A
Aroclor 1232	ND		ug/kg	32.1	3.76	A
Aroclor 1242	ND		ug/kg	32.1	3.93	A
Aroclor 1248	ND		ug/kg	32.1	2.71	A
Aroclor 1260	21.8	J	ug/kg	32.1	2.45	A
Aroclor 1262	ND		ug/kg	32.1	1.59	A
Aroclor 1268	ND		ug/kg	32.1	4.66	A
Aroclor 1254	30.9	J	ug/kg	32.1	2.64	B
PCBs, Total	52.7	J	ug/kg	32.1	2.64	B

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	81		30-150	A
Decachlorobiphenyl	92		30-150	A
2,4,5,6-Tetrachloro-m-xylene	75		30-150	B
Decachlorobiphenyl	92		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: Not Specified

Lab Number: L1713681

Report Date: 05/01/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 Batch: WG998378-2 WG998378-3									
Aroclor 1016	96		93		40-140	3		50	A
Aroclor 1260	105		101		40-140	4		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		85		30-150	A
Decachlorobiphenyl	94		99		30-150	A
2,4,5,6-Tetrachloro-m-xylene	74		75		30-150	B
Decachlorobiphenyl	93		92		30-150	B

INORGANICS
&
MISCELLANEOUS

Project Name: POST ROAD PLAZA
Project Number: Not Specified

Lab Number: L1713681
Report Date: 05/01/17

SAMPLE RESULTS

Lab ID: L1713681-01
Client ID: COMP-1
Sample Location: 847 PELHAM PARKWAY
Matrix: Soil

Date Collected: 04/28/17 11:45
Date Received: 04/28/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	97.9		%	0.100	NA	1	-	04/29/17 07:11	121,2540G	RI

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: Not Specified

Lab Number: L1713681
Report Date: 05/01/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG998774-1 QC Sample: L1713766-01 Client ID: DUP Sample						
Solids, Total	89.6	88.9	%	1		20

Project Name: POST ROAD PLAZA
Project Number: Not Specified

Lab Number: L1713681
Report Date: 05/01/17

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information **Custody Seal**

Cooler	
A	Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1713681-01A	Glass 60mL/2oz unpreserved	A	N/A	5.2	Y	Absent	NYTCL-8082(14)
L1713681-01B	Glass 60ml unpreserved split	A	N/A	5.2	Y	Absent	TS(7)

*Values in parentheses indicate holding time in days

Project Name:	POST ROAD PLAZA	**Lab Number:**	L1713681
Project Number:	Not Specified	**Report Date:**	05/01/17

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

1	- The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

A	- Spectra identified as "Aldol Condensation Product".
B	- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: DU Report with 'J' Qualifiers

Project Name: POST ROAD PLAZA **Lab Number:** L1713681

Project Number: Not Specified **Report Date:** 05/01/17

Data Qualifiers

reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

J - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers

Project Name: POST ROAD PLAZA
Project Number: Not Specified
Lab Number: L1713681
Report Date: 05/01/17

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility
EPA 624: m/p-xylene, o-xylene
EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
EPA 300: DW: Bromide
EPA 6860: NPW and SCM: Perchlorate
EPA 9010: NPW and SCM: Amenable Cyanide Distillation
EPA 9012B: NPW: Total Cyanide
EPA 9050A: NPW: Specific Conductance
SM3500: NPW: Ferrous Iron
SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO2, NO3.
SM5310C: DW: Dissolved Organic Carbon

Mansfield Facility
SM 2540D: TSS
EPA 3005A NPW
EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water
EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B**
EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **SM4500NO3-F, EPA 353.2**: Nitrate-N**, EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**
EPA 624: Volatile Halocarbons & Aromatics,
EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

Mansfield Facility:

Drinking Water
EPA 200.7: Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1** Hg.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.
EPA 245.1 Hg.
SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

NEW YORK CHAIN OF CUSTODY

ALPHA ANALYTICAL

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page of

Date Rec'd in Lab: 4/28/17

ALPHA Job #: L1713681

Client Information
Client: Roux Assoc
Address: 209 Shafter St
Islandia NY 11749
Phone: 631-232-2600
Fax:
Email: CBattista@Roux.com

Project Information
Project Name: Post Road Plaza
Project Location: 847 Pelham Parkway
Project #
(Use Project name as Project #) ☐
Project Manager: Chris Battista
ALPHAQuote #

Turn-Around Time
Standard ☐ Due Date:
Rush (only if pre approved) ☐ # of Days: 2

Deliverables
☐ ASP-A ☐ ASP-B
☐ EQuIS (1 File) ☐ EQuIS (4 File)
☐ Other

Billing Information
☐ Same as Client Info
PO #

Regulatory Requirement
☐ NY TOGS ☐ NY Part 375
☐ AWQ Standards ☐ NY CP-51
☐ NY Restricted Use ☐ Other
☐ NY Unrestricted Use
☐ NYC Sewer Discharge

Disposal Site Information
Please identify below location of applicable disposal facilities.
Disposal Facility:
☐ NJ ☐ NY
☐ Other:

These samples have been previously analyzed by Alpha ☐

Other project specific requirements/comments:

Please specify Metals or TAL.

ANALYSIS
NYTCL-8082

Sample Filtration
☐ Done
☐ Lab to do
Preservation
☐ Lab to do
(Please Specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	Sample Specific Comments	Total Bottle
13681-01	COMP-1	4/28/17	1145	SOIL	JF		

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type: A
Preservative: A

Relinquished By:	Date/Time	Received By:	Date/Time
	4/28/17 15:11		4/28/17 15:11
	4/28/17 17:50	Paul Magella	4/28/17 1742
Paul Magella	4/28/17 2315		4/28/17 2315

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

ANALYTICAL REPORT

Lab Number:	L1808643
Client:	Roux Envr. Engr. & Geology, DPC 209 Shafter Street Islandia, NY 11749-5074
ATTN:	Chris Battista
Phone:	(631) 232-2600
Project Name:	POST ROAD PLAZA
Project Number:	1772.0001Y002
Report Date:	03/19/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1808643-01	TP-1	SOIL	PELHAM MANOR, NY	03/14/18 10:35	03/14/18
L1808643-02	TP-1	SOIL	PELHAM MANOR, NY	03/14/18 10:40	03/14/18
L1808643-03	TP-2	SOIL	PELHAM MANOR, NY	03/14/18 12:10	03/14/18
L1808643-04	TP-2	SOIL	PELHAM MANOR, NY	03/14/18 12:15	03/14/18

Project Name:	POST ROAD PLAZA	**Lab Number:**	L1808643
Project Number:	1772.0001Y002	**Report Date:**	03/19/18

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: POST ROAD PLAZA **Lab Number:** L1808643
Project Number: 1772.0001Y002 **Report Date:** 03/19/18

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L1808643-01 through -04: The sample collection times were obtained from the container labels.
L1808643-02: The sample identified as "TP-1_" on the chain of custody was identified as "TP-1_8" on the container label. At the client's request, the sample is reported as "TP-1".
L1808643-04: The sample identified as "TP-2_" on the chain of custody was identified as "TP-2_7" on the container label. At the client's request, the sample is reported as "TP-2".

PCBs

L1808643-01 and -03: The internal standard (IS) response for 1-bromo-2-nitrobenzene was above the acceptance criteria; however, the sample was not re-analyzed due to obvious interferences.
L1808643-01: The surrogate recoveries are outside the method acceptance criteria for 2,4,5,6-tetrachloro-m-xylene (20%) and decachlorobiphenyl (19%) due to interference with the Internal Standard.
L1808643-03: The surrogate recoveries are outside the method acceptance criteria for 2,4,5,6-tetrachloro-m-xylene (18%) and decachlorobiphenyl (17%) due to interference with the Internal Standard.

Total Metals

L1808643-01 and -03: The sample has elevated detection limits for all elements, with the exception of mercury, due to the dilution required by matrix interferences encountered during analysis.
The WG1097324-4 Laboratory Duplicate RPD for sulfur (25%), performed on L1808643-01, is outside the acceptance criteria. The elevated RPD has been attributed to the non-homogeneous nature of the native sample.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Kelly Stenstrom

Title: Technical Director/Representative Date: 03/19/18

ORGANICS

VOLATILES

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-02
Client ID: TP-1
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 10:40
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 03/19/18 09:24
Analyst: MV
Percent Solids: 95%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	11	1.8	1
1,1-Dichloroethane	ND		ug/kg	1.6	0.29	1
Chloroform	ND		ug/kg	1.6	0.40	1
Carbon tetrachloride	ND		ug/kg	1.1	0.37	1
1,2-Dichloropropane	ND		ug/kg	3.8	0.24	1
Dibromochloromethane	ND		ug/kg	1.1	0.19	1
1,1,2-Trichloroethane	ND		ug/kg	1.6	0.34	1
Tetrachloroethene	ND		ug/kg	1.1	0.32	1
Chlorobenzene	ND		ug/kg	1.1	0.38	1
Trichlorofluoromethane	ND		ug/kg	5.4	0.45	1
1,2-Dichloroethane	ND		ug/kg	1.1	0.26	1
1,1,1-Trichloroethane	ND		ug/kg	1.1	0.38	1
Bromodichloromethane	ND		ug/kg	1.1	0.33	1
trans-1,3-Dichloropropene	ND		ug/kg	1.1	0.22	1
cis-1,3-Dichloropropene	ND		ug/kg	1.1	0.25	1
1,3-Dichloropropene, Total	ND		ug/kg	1.1	0.22	1
1,1-Dichloropropene	ND		ug/kg	5.4	0.35	1
Bromoform	ND		ug/kg	4.3	0.26	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.1	0.32	1
Benzene	ND		ug/kg	1.1	0.21	1
Toluene	ND		ug/kg	1.6	0.21	1
Ethylbenzene	ND		ug/kg	1.1	0.18	1
Chloromethane	ND		ug/kg	5.4	0.47	1
Bromomethane	ND		ug/kg	2.2	0.36	1
Vinyl chloride	ND		ug/kg	2.2	0.34	1
Chloroethane	ND		ug/kg	2.2	0.34	1
1,1-Dichloroethene	ND		ug/kg	1.1	0.40	1
trans-1,2-Dichloroethene	ND		ug/kg	1.6	0.26	1

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-02 Date Collected: 03/14/18 10:40

Client ID: TP-1 Date Received: 03/14/18

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Trichloroethene	ND		ug/kg	1.1	0.32	1
1,2-Dichlorobenzene	ND		ug/kg	5.4	0.20	1
1,3-Dichlorobenzene	ND		ug/kg	5.4	0.24	1
1,4-Dichlorobenzene	ND		ug/kg	5.4	0.20	1
Methyl tert butyl ether	ND		ug/kg	2.2	0.16	1
p/m-Xylene	0.46	J	ug/kg	2.2	0.38	1
o-Xylene	ND		ug/kg	2.2	0.36	1
Xylenes, Total	0.46	J	ug/kg	2.2	0.36	1
cis-1,2-Dichloroethene	ND		ug/kg	1.1	0.37	1
1,2-Dichloroethene, Total	ND		ug/kg	1.1	0.26	1
Dibromomethane	ND		ug/kg	11	0.26	1
Styrene	ND		ug/kg	2.2	0.43	1
Dichlorodifluoromethane	ND		ug/kg	11	0.54	1
Acetone	ND		ug/kg	11	2.5	1
Carbon disulfide	ND		ug/kg	11	1.2	1
2-Butanone	ND		ug/kg	11	0.74	1
Vinyl acetate	ND		ug/kg	11	0.16	1
4-Methyl-2-pentanone	ND		ug/kg	11	0.26	1
1,2,3-Trichloropropane	ND		ug/kg	11	0.19	1
2-Hexanone	ND		ug/kg	11	0.72	1
Bromochloromethane	ND		ug/kg	5.4	0.38	1
2,2-Dichloropropane	ND		ug/kg	5.4	0.48	1
1,2-Dibromoethane	ND		ug/kg	4.3	0.21	1
1,3-Dichloropropane	ND		ug/kg	5.4	0.20	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.1	0.34	1
Bromobenzene	ND		ug/kg	5.4	0.24	1
n-Butylbenzene	ND		ug/kg	1.1	0.24	1
sec-Butylbenzene	ND		ug/kg	1.1	0.23	1
tert-Butylbenzene	ND		ug/kg	5.4	0.27	1
o-Chlorotoluene	ND		ug/kg	5.4	0.24	1
p-Chlorotoluene	ND		ug/kg	5.4	0.20	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.4	0.43	1
Hexachlorobutadiene	ND		ug/kg	5.4	0.38	1
Isopropylbenzene	ND		ug/kg	1.1	0.21	1
p-Isopropyltoluene	ND		ug/kg	1.1	0.22	1
Naphthalene	0.18	J	ug/kg	5.4	0.15	1
Acrylonitrile	ND		ug/kg	11	0.55	1

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-02
Client ID: TP-1
Sample Location: PELHAM MANOR, NY
Date Collected: 03/14/18 10:40
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.1	0.23	1
1,2,3-Trichlorobenzene	ND		ug/kg	5.4	0.27	1
1,2,4-Trichlorobenzene	ND		ug/kg	5.4	0.23	1
1,3,5-Trimethylbenzene	ND		ug/kg	5.4	0.17	1
1,2,4-Trimethylbenzene	0.29	J	ug/kg	5.4	0.20	1
Methyl Acetate	ND		ug/kg	22	0.50	1
Cyclohexane	ND		ug/kg	22	0.47	1
1,4-Dioxane	ND		ug/kg	43	16.	1
Freon-113	ND		ug/kg	22	0.55	1
p-Diethylbenzene	ND		ug/kg	4.3	4.3	1
p-Ethyltoluene	ND		ug/kg	4.3	0.25	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.3	0.17	1
Ethyl ether	ND		ug/kg	5.4	0.28	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.4	0.42	1
Methyl cyclohexane	ND		ug/kg	4.3	0.26	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	95		70-130

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-04
Client ID: TP-2
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 12:15
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 03/18/18 18:31
Analyst: MV
Percent Solids: 96%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	10	1.7	1
1,1-Dichloroethane	ND		ug/kg	1.6	0.28	1
Chloroform	ND		ug/kg	1.6	0.39	1
Carbon tetrachloride	ND		ug/kg	1.0	0.36	1
1,2-Dichloropropane	ND		ug/kg	3.6	0.24	1
Dibromochloromethane	ND		ug/kg	1.0	0.18	1
1,1,2-Trichloroethane	ND		ug/kg	1.6	0.33	1
Tetrachloroethene	ND		ug/kg	1.0	0.32	1
Chlorobenzene	ND		ug/kg	1.0	0.36	1
Trichlorofluoromethane	ND		ug/kg	5.2	0.44	1
1,2-Dichloroethane	ND		ug/kg	1.0	0.26	1
1,1,1-Trichloroethane	ND		ug/kg	1.0	0.36	1
Bromodichloromethane	ND		ug/kg	1.0	0.32	1
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.22	1
cis-1,3-Dichloropropene	ND		ug/kg	1.0	0.24	1
1,3-Dichloropropene, Total	ND		ug/kg	1.0	0.22	1
1,1-Dichloropropene	ND		ug/kg	5.2	0.34	1
Bromoform	ND		ug/kg	4.2	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.0	0.31	1
Benzene	ND		ug/kg	1.0	0.20	1
Toluene	ND		ug/kg	1.6	0.20	1
Ethylbenzene	ND		ug/kg	1.0	0.18	1
Chloromethane	ND		ug/kg	5.2	0.46	1
Bromomethane	ND		ug/kg	2.1	0.35	1
Vinyl chloride	ND		ug/kg	2.1	0.33	1
Chloroethane	ND		ug/kg	2.1	0.33	1
1,1-Dichloroethene	ND		ug/kg	1.0	0.39	1
trans-1,2-Dichloroethene	ND		ug/kg	1.6	0.25	1

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-04 Date Collected: 03/14/18 12:15

Client ID: TP-2 Date Received: 03/14/18

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Trichloroethene	ND		ug/kg	1.0	0.32	1
1,2-Dichlorobenzene	ND		ug/kg	5.2	0.19	1
1,3-Dichlorobenzene	ND		ug/kg	5.2	0.23	1
1,4-Dichlorobenzene	ND		ug/kg	5.2	0.19	1
Methyl tert butyl ether	ND		ug/kg	2.1	0.16	1
p/m-Xylene	ND		ug/kg	2.1	0.37	1
o-Xylene	ND		ug/kg	2.1	0.35	1
Xylenes, Total	ND		ug/kg	2.1	0.35	1
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.36	1
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.25	1
Dibromomethane	ND		ug/kg	10	0.25	1
Styrene	ND		ug/kg	2.1	0.42	1
Dichlorodifluoromethane	ND		ug/kg	10	0.52	1
Acetone	6.8	J	ug/kg	10	2.4	1
Carbon disulfide	ND		ug/kg	10	1.1	1
2-Butanone	ND		ug/kg	10	0.72	1
Vinyl acetate	ND		ug/kg	10	0.16	1
4-Methyl-2-pentanone	ND		ug/kg	10	0.25	1
1,2,3-Trichloropropane	ND		ug/kg	10	0.18	1
2-Hexanone	ND		ug/kg	10	0.70	1
Bromochloromethane	ND		ug/kg	5.2	0.37	1
2,2-Dichloropropane	ND		ug/kg	5.2	0.47	1
1,2-Dibromoethane	ND		ug/kg	4.2	0.21	1
1,3-Dichloropropane	ND		ug/kg	5.2	0.19	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.0	0.33	1
Bromobenzene	ND		ug/kg	5.2	0.23	1
n-Butylbenzene	ND		ug/kg	1.0	0.24	1
sec-Butylbenzene	ND		ug/kg	1.0	0.23	1
tert-Butylbenzene	ND		ug/kg	5.2	0.26	1
o-Chlorotoluene	ND		ug/kg	5.2	0.23	1
p-Chlorotoluene	ND		ug/kg	5.2	0.19	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.2	0.41	1
Hexachlorobutadiene	ND		ug/kg	5.2	0.36	1
Isopropylbenzene	ND		ug/kg	1.0	0.20	1
p-Isopropyltoluene	ND		ug/kg	1.0	0.21	1
Naphthalene	5.6		ug/kg	5.2	0.14	1
Acrylonitrile	ND		ug/kg	10	0.54	1

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-04 Date Collected: 03/14/18 12:15

Client ID: TP-2 Date Received: 03/14/18

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.0	0.22	1
1,2,3-Trichlorobenzene	ND		ug/kg	5.2	0.26	1
1,2,4-Trichlorobenzene	ND		ug/kg	5.2	0.22	1
1,3,5-Trimethylbenzene	ND		ug/kg	5.2	0.17	1
1,2,4-Trimethylbenzene	ND		ug/kg	5.2	0.19	1
Methyl Acetate	ND		ug/kg	21	0.48	1
Cyclohexane	ND		ug/kg	21	0.45	1
1,4-Dioxane	ND		ug/kg	42	15.	1
Freon-113	ND		ug/kg	21	0.54	1
p-Diethylbenzene	ND		ug/kg	4.2	4.2	1
p-Ethyltoluene	ND		ug/kg	4.2	0.24	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.2	0.16	1
Ethyl ether	ND		ug/kg	5.2	0.27	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.2	0.41	1
Methyl cyclohexane	ND		ug/kg	4.2	0.25	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	80		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	91		70-130
Dibromofluoromethane	92		70-130

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/18/18 16:22
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG1098344-5					
Methylene chloride	ND		ug/kg	10	1.6
1,1-Dichloroethane	ND		ug/kg	1.5	0.27
Chloroform	ND		ug/kg	1.5	0.37
Carbon tetrachloride	ND		ug/kg	1.0	0.34
1,2-Dichloropropane	ND		ug/kg	3.5	0.23
Dibromochloromethane	ND		ug/kg	1.0	0.18
1,1,2-Trichloroethane	ND		ug/kg	1.5	0.31
Tetrachloroethene	ND		ug/kg	1.0	0.30
Chlorobenzene	ND		ug/kg	1.0	0.35
Trichlorofluoromethane	ND		ug/kg	5.0	0.42
1,2-Dichloroethane	ND		ug/kg	1.0	0.25
1,1,1-Trichloroethane	ND		ug/kg	1.0	0.35
Bromodichloromethane	ND		ug/kg	1.0	0.31
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.21
cis-1,3-Dichloropropene	ND		ug/kg	1.0	0.23
1,3-Dichloropropene, Total	ND		ug/kg	1.0	0.21
1,1-Dichloropropene	ND		ug/kg	5.0	0.33
Bromoform	ND		ug/kg	4.0	0.24
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.0	0.30
Benzene	ND		ug/kg	1.0	0.19
Toluene	ND		ug/kg	1.5	0.20
Ethylbenzene	ND		ug/kg	1.0	0.17
Chloromethane	ND		ug/kg	5.0	0.44
Bromomethane	1.3	J	ug/kg	2.0	0.34
Vinyl chloride	ND		ug/kg	2.0	0.32
Chloroethane	ND		ug/kg	2.0	0.32
1,1-Dichloroethene	ND		ug/kg	1.0	0.37
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.24
Trichloroethene	ND		ug/kg	1.0	0.30

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/18/18 16:22
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG1098344-5					
1,2-Dichlorobenzene	ND		ug/kg	5.0	0.18
1,3-Dichlorobenzene	ND		ug/kg	5.0	0.22
1,4-Dichlorobenzene	ND		ug/kg	5.0	0.18
Methyl tert butyl ether	ND		ug/kg	2.0	0.15
p/m-Xylene	ND		ug/kg	2.0	0.35
o-Xylene	ND		ug/kg	2.0	0.34
Xylenes, Total	ND		ug/kg	2.0	0.34
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.34
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.24
Dibromomethane	ND		ug/kg	10	0.24
Styrene	ND		ug/kg	2.0	0.40
Dichlorodifluoromethane	ND		ug/kg	10	0.50
Acetone	ND		ug/kg	10	2.3
Carbon disulfide	ND		ug/kg	10	1.1
2-Butanone	ND		ug/kg	10	0.69
Vinyl acetate	ND		ug/kg	10	0.15
4-Methyl-2-pentanone	ND		ug/kg	10	0.24
1,2,3-Trichloropropane	ND		ug/kg	10	0.18
2-Hexanone	ND		ug/kg	10	0.67
Bromochloromethane	ND		ug/kg	5.0	0.36
2,2-Dichloropropane	ND		ug/kg	5.0	0.45
1,2-Dibromoethane	ND		ug/kg	4.0	0.20
1,3-Dichloropropane	ND		ug/kg	5.0	0.18
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.0	0.32
Bromobenzene	ND		ug/kg	5.0	0.22
n-Butylbenzene	ND		ug/kg	1.0	0.23
sec-Butylbenzene	ND		ug/kg	1.0	0.22
tert-Butylbenzene	ND		ug/kg	5.0	0.25
o-Chlorotoluene	ND		ug/kg	5.0	0.22

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/18/18 16:22
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG1098344-5					
p-Chlorotoluene	ND		ug/kg	5.0	0.18
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.0	0.40
Hexachlorobutadiene	ND		ug/kg	5.0	0.35
Isopropylbenzene	ND		ug/kg	1.0	0.19
p-Isopropyltoluene	ND		ug/kg	1.0	0.20
Naphthalene	ND		ug/kg	5.0	0.14
Acrylonitrile	ND		ug/kg	10	0.51
n-Propylbenzene	ND		ug/kg	1.0	0.22
1,2,3-Trichlorobenzene	ND		ug/kg	5.0	0.25
1,2,4-Trichlorobenzene	ND		ug/kg	5.0	0.22
1,3,5-Trimethylbenzene	ND		ug/kg	5.0	0.16
1,2,4-Trimethylbenzene	ND		ug/kg	5.0	0.19
Methyl Acetate	ND		ug/kg	20	0.46
Cyclohexane	ND		ug/kg	20	0.43
1,4-Dioxane	ND		ug/kg	40	14.
Freon-113	ND		ug/kg	20	0.51
p-Diethylbenzene	ND		ug/kg	4.0	4.0
p-Ethyltoluene	ND		ug/kg	4.0	0.23
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.0	0.16
Ethyl ether	ND		ug/kg	5.0	0.26
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	0.39
Methyl cyclohexane	ND		ug/kg	4.0	0.24

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/18/18 16:22
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG1098344-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	75		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	87		70-130

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/19/18 08:32
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 02 Batch: WG1098352-5					
Methylene chloride	ND		ug/kg	10	1.6
1,1-Dichloroethane	ND		ug/kg	1.5	0.27
Chloroform	ND		ug/kg	1.5	0.37
Carbon tetrachloride	ND		ug/kg	1.0	0.34
1,2-Dichloropropane	ND		ug/kg	3.5	0.23
Dibromochloromethane	ND		ug/kg	1.0	0.18
1,1,2-Trichloroethane	ND		ug/kg	1.5	0.31
Tetrachloroethene	ND		ug/kg	1.0	0.30
Chlorobenzene	ND		ug/kg	1.0	0.35
Trichlorofluoromethane	ND		ug/kg	5.0	0.42
1,2-Dichloroethane	ND		ug/kg	1.0	0.25
1,1,1-Trichloroethane	ND		ug/kg	1.0	0.35
Bromodichloromethane	ND		ug/kg	1.0	0.31
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.21
cis-1,3-Dichloropropene	ND		ug/kg	1.0	0.23
1,3-Dichloropropene, Total	ND		ug/kg	1.0	0.21
1,1-Dichloropropene	ND		ug/kg	5.0	0.33
Bromoform	ND		ug/kg	4.0	0.24
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.0	0.30
Benzene	ND		ug/kg	1.0	0.19
Toluene	ND		ug/kg	1.5	0.20
Ethylbenzene	ND		ug/kg	1.0	0.17
Chloromethane	ND		ug/kg	5.0	0.44
Bromomethane	1.2	J	ug/kg	2.0	0.34
Vinyl chloride	ND		ug/kg	2.0	0.32
Chloroethane	ND		ug/kg	2.0	0.32
1,1-Dichloroethene	ND		ug/kg	1.0	0.37
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.24
Trichloroethene	ND		ug/kg	1.0	0.30

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/19/18 08:32
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 02 Batch: WG1098352-5					
1,2-Dichlorobenzene	ND		ug/kg	5.0	0.18
1,3-Dichlorobenzene	ND		ug/kg	5.0	0.22
1,4-Dichlorobenzene	ND		ug/kg	5.0	0.18
Methyl tert butyl ether	ND		ug/kg	2.0	0.15
p/m-Xylene	ND		ug/kg	2.0	0.35
o-Xylene	ND		ug/kg	2.0	0.34
Xylenes, Total	ND		ug/kg	2.0	0.34
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.34
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.24
Dibromomethane	ND		ug/kg	10	0.24
Styrene	ND		ug/kg	2.0	0.40
Dichlorodifluoromethane	ND		ug/kg	10	0.50
Acetone	ND		ug/kg	10	2.3
Carbon disulfide	ND		ug/kg	10	1.1
2-Butanone	ND		ug/kg	10	0.69
Vinyl acetate	ND		ug/kg	10	0.15
4-Methyl-2-pentanone	ND		ug/kg	10	0.24
1,2,3-Trichloropropane	ND		ug/kg	10	0.18
2-Hexanone	ND		ug/kg	10	0.67
Bromochloromethane	ND		ug/kg	5.0	0.36
2,2-Dichloropropane	ND		ug/kg	5.0	0.45
1,2-Dibromoethane	ND		ug/kg	4.0	0.20
1,3-Dichloropropane	ND		ug/kg	5.0	0.18
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.0	0.32
Bromobenzene	ND		ug/kg	5.0	0.22
n-Butylbenzene	ND		ug/kg	1.0	0.23
sec-Butylbenzene	ND		ug/kg	1.0	0.22
tert-Butylbenzene	ND		ug/kg	5.0	0.25
o-Chlorotoluene	ND		ug/kg	5.0	0.22

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/19/18 08:32
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 02 Batch: WG1098352-5					
p-Chlorotoluene	ND		ug/kg	5.0	0.18
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.0	0.40
Hexachlorobutadiene	ND		ug/kg	5.0	0.35
Isopropylbenzene	ND		ug/kg	1.0	0.19
p-Isopropyltoluene	ND		ug/kg	1.0	0.20
Naphthalene	0.26	J	ug/kg	5.0	0.14
Acrylonitrile	ND		ug/kg	10	0.51
n-Propylbenzene	ND		ug/kg	1.0	0.22
1,2,3-Trichlorobenzene	ND		ug/kg	5.0	0.25
1,2,4-Trichlorobenzene	ND		ug/kg	5.0	0.22
1,3,5-Trimethylbenzene	ND		ug/kg	5.0	0.16
1,2,4-Trimethylbenzene	0.33	J	ug/kg	5.0	0.19
Methyl Acetate	ND		ug/kg	20	0.46
Cyclohexane	ND		ug/kg	20	0.43
1,4-Dioxane	ND		ug/kg	40	14.
Freon-113	ND		ug/kg	20	0.51
p-Diethylbenzene	ND		ug/kg	4.0	4.0
p-Ethyltoluene	0.24	J	ug/kg	4.0	0.23
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.0	0.16
Ethyl ether	ND		ug/kg	5.0	0.26
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	0.39
Methyl cyclohexane	ND		ug/kg	4.0	0.24

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 03/19/18 08:32
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 02 Batch: WG1098352-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	94		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab	Associated sample(s): 04		Batch: WG1098344-3 WG1098344-4					
Methylene chloride	94		96		70-130	2		30
1,1-Dichloroethane	87		88		70-130	1		30
Chloroform	80		81		70-130	1		30
Carbon tetrachloride	77		77		70-130	0		30
1,2-Dichloropropane	99		98		70-130	1		30
Dibromochloromethane	76		76		70-130	0		30
1,1,2-Trichloroethane	96		96		70-130	0		30
Tetrachloroethene	92		94		70-130	2		30
Chlorobenzene	93		93		70-130	0		30
Trichlorofluoromethane	73		75		70-139	3		30
1,2-Dichloroethane	**69**	Q	**69**	Q	70-130	0		30
1,1,1-Trichloroethane	77		77		70-130	0		30
Bromodichloromethane	81		81		70-130	0		30
trans-1,3-Dichloropropene	75		75		70-130	0		30
cis-1,3-Dichloropropene	92		92		70-130	0		30
1,1-Dichloropropene	87		88		70-130	1		30
Bromoform	72		73		70-130	1		30
1,1,2,2-Tetrachloroethane	96		96		70-130	0		30
Benzene	94		95		70-130	1		30
Toluene	93		94		70-130	1		30
Ethylbenzene	88		89		70-130	1		30
Chloromethane	94		93		52-130	1		30
Bromomethane	90		92		57-147	2		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG1098344-3 WG1098344-4								
Vinyl chloride	89		91		67-130	2		30
Chloroethane	80		82		50-151	2		30
1,1-Dichloroethene	97		101		65-135	4		30
trans-1,2-Dichloroethene	96		97		70-130	1		30
Trichloroethene	86		87		70-130	1		30
1,2-Dichlorobenzene	94		95		70-130	1		30
1,3-Dichlorobenzene	92		94		70-130	2		30
1,4-Dichlorobenzene	93		92		70-130	1		30
Methyl tert butyl ether	82		81		66-130	1		30
p/m-Xylene	97		98		70-130	1		30
o-Xylene	96		98		70-130	2		30
cis-1,2-Dichloroethene	96		94		70-130	2		30
Dibromomethane	87		88		70-130	1		30
Styrene	100		101		70-130	1		30
Dichlorodifluoromethane	68		70		30-146	3		30
Acetone	86		84		54-140	2		30
Carbon disulfide	99		99		59-130	0		30
2-Butanone	107		104		70-130	3		30
Vinyl acetate	90		89		70-130	1		30
4-Methyl-2-pentanone	85		82		70-130	4		30
1,2,3-Trichloropropane	82		82		68-130	0		30
2-Hexanone	72		71		70-130	1		30
Bromochloromethane	98		99		70-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG1098344-3 WG1098344-4								
2,2-Dichloropropane	81		81		70-130	0		30
1,2-Dibromoethane	92		89		70-130	3		30
1,3-Dichloropropane	91		90		69-130	1		30
1,1,1,2-Tetrachloroethane	85		85		70-130	0		30
Bromobenzene	90		90		70-130	0		30
n-Butylbenzene	91		91		70-130	0		30
sec-Butylbenzene	92		93		70-130	1		30
tert-Butylbenzene	87		89		70-130	2		30
o-Chlorotoluene	84		87		70-130	4		30
p-Chlorotoluene	84		85		70-130	1		30
1,2-Dibromo-3-chloropropane	81		81		68-130	0		30
Hexachlorobutadiene	82		86		67-130	5		30
Isopropylbenzene	87		89		70-130	2		30
p-Isopropyltoluene	90		91		70-130	1		30
Naphthalene	90		89		70-130	1		30
Acrylonitrile	91		90		70-130	1		30
n-Propylbenzene	88		89		70-130	1		30
1,2,3-Trichlorobenzene	93		95		70-130	2		30
1,2,4-Trichlorobenzene	92		93		70-130	1		30
1,3,5-Trimethylbenzene	86		88		70-130	2		30
1,2,4-Trimethylbenzene	88		90		70-130	2		30
Methyl Acetate	87		89		51-146	2		30
Cyclohexane	101		102		59-142	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG1098344-3 WG1098344-4								
1,4-Dioxane	114		114		65-136	0		30
Freon-113	96		94		50-139	2		30
p-Diethylbenzene	91		92		70-130	1		30
p-Ethyltoluene	88		90		70-130	2		30
1,2,4,5-Tetramethylbenzene	87		89		70-130	2		30
Ethyl ether	87		81		67-130	7		30
trans-1,4-Dichloro-2-butene	**66**	Q	72		70-130	9		30
Methyl cyclohexane	101		101		70-130	0		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	74		74		70-130
Toluene-d8	97		98		70-130
4-Bromofluorobenzene	89		91		70-130
Dibromofluoromethane	93		91		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 02 Batch: WG1098352-3 WG1098352-4								
Methylene chloride	88		80		70-130	10		30
1,1-Dichloroethane	91		82		70-130	10		30
Chloroform	97		89		70-130	9		30
Carbon tetrachloride	99		87		70-130	13		30
1,2-Dichloropropane	91		86		70-130	6		30
Dibromochloromethane	94		91		70-130	3		30
1,1,2-Trichloroethane	102		98		70-130	4		30
Tetrachloroethene	101		88		70-130	14		30
Chlorobenzene	96		87		70-130	10		30
Trichlorofluoromethane	109		94		70-139	15		30
1,2-Dichloroethane	93		89		70-130	4		30
1,1,1-Trichloroethane	99		88		70-130	12		30
Bromodichloromethane	97		90		70-130	7		30
trans-1,3-Dichloropropene	97		92		70-130	5		30
cis-1,3-Dichloropropene	95		89		70-130	7		30
1,1-Dichloropropene	100		87		70-130	14		30
Bromoform	98		96		70-130	2		30
1,1,2,2-Tetrachloroethane	99		100		70-130	1		30
Benzene	94		84		70-130	11		30
Toluene	96		86		70-130	11		30
Ethylbenzene	97		88		70-130	10		30
Chloromethane	79		66		52-130	18		30
Bromomethane	104		93		57-147	11		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 02 Batch: WG1098352-3 WG1098352-4								
Vinyl chloride	91		77		67-130	17		30
Chloroethane	104		91		50-151	13		30
1,1-Dichloroethene	102		88		65-135	15		30
trans-1,2-Dichloroethene	98		85		70-130	14		30
Trichloroethene	98		87		70-130	12		30
1,2-Dichlorobenzene	97		92		70-130	5		30
1,3-Dichlorobenzene	99		90		70-130	10		30
1,4-Dichlorobenzene	96		89		70-130	8		30
Methyl tert butyl ether	99		97		66-130	2		30
p/m-Xylene	98		88		70-130	11		30
o-Xylene	100		90		70-130	11		30
cis-1,2-Dichloroethene	100		91		70-130	9		30
Dibromomethane	96		92		70-130	4		30
Styrene	98		91		70-130	7		30
Dichlorodifluoromethane	92		78		30-146	16		30
Acetone	91		81		54-140	12		30
Carbon disulfide	93		80		59-130	15		30
2-Butanone	99		85		70-130	15		30
Vinyl acetate	87		83		70-130	5		30
4-Methyl-2-pentanone	91		93		70-130	2		30
1,2,3-Trichloropropane	96		99		68-130	3		30
2-Hexanone	89		84		70-130	6		30
Bromochloromethane	98		91		70-130	7		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 02 Batch: WG1098352-3 WG1098352-4								
2,2-Dichloropropane	102		89		70-130	14		30
1,2-Dibromoethane	95		92		70-130	3		30
1,3-Dichloropropane	100		96		69-130	4		30
1,1,1,2-Tetrachloroethane	98		90		70-130	9		30
Bromobenzene	98		91		70-130	7		30
n-Butylbenzene	101		92		70-130	9		30
sec-Butylbenzene	102		92		70-130	10		30
tert-Butylbenzene	101		91		70-130	10		30
o-Chlorotoluene	102		93		70-130	9		30
p-Chlorotoluene	97		90		70-130	7		30
1,2-Dibromo-3-chloropropane	92		93		68-130	1		30
Hexachlorobutadiene	96		86		67-130	11		30
Isopropylbenzene	102		92		70-130	10		30
p-Isopropyltoluene	103		93		70-130	10		30
Naphthalene	103		102		70-130	1		30
Acrylonitrile	84		91		70-130	8		30
n-Propylbenzene	101		90		70-130	12		30
1,2,3-Trichlorobenzene	100		96		70-130	4		30
1,2,4-Trichlorobenzene	103		98		70-130	5		30
1,3,5-Trimethylbenzene	100		91		70-130	9		30
1,2,4-Trimethylbenzene	104		94		70-130	10		30
Methyl Acetate	79		80		51-146	1		30
Cyclohexane	94		82		59-142	14		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 02 Batch: WG1098352-3 WG1098352-4								
1,4-Dioxane	110		92		65-136	18		30
Freon-113	106		94		50-139	12		30
p-Diethylbenzene	103		92		70-130	11		30
p-Ethyltoluene	102		92		70-130	10		30
1,2,4,5-Tetramethylbenzene	102		93		70-130	9		30
Ethyl ether	102		97		67-130	5		30
trans-1,4-Dichloro-2-butene	90		92		70-130	2		30
Methyl cyclohexane	100		88		70-130	13		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	96		96		70-130
Toluene-d8	100		99		70-130
4-Bromofluorobenzene	103		103		70-130
Dibromofluoromethane	98		99		70-130

SEMIVOLATILES

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 03/16/18 17:55
Analyst: EK
Percent Solids: 96%

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:21

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	18	J	ug/kg	140	18.	1
1,2,4-Trichlorobenzene	ND		ug/kg	170	20.	1
Hexachlorobenzene	ND		ug/kg	100	19.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	23.	1
2-Chloronaphthalene	ND		ug/kg	170	17.	1
3,3'-Dichlorobenzidine	ND		ug/kg	170	46.	1
2,4-Dinitrotoluene	ND		ug/kg	170	34.	1
2,6-Dinitrotoluene	ND		ug/kg	170	30.	1
Fluoranthene	420		ug/kg	100	20.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	170	18.	1
4-Bromophenyl phenyl ether	ND		ug/kg	170	26.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	210	29.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	190	17.	1
Hexachlorobutadiene	ND		ug/kg	170	25.	1
Hexachlorocyclopentadiene	ND		ug/kg	490	160	1
Hexachloroethane	ND		ug/kg	140	28.	1
Isophorone	ND		ug/kg	160	22.	1
Naphthalene	190		ug/kg	170	21.	1
Nitrobenzene	ND		ug/kg	160	26.	1
NDPA/DPA	ND		ug/kg	140	20.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	170	27.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	170	60.	1
Butyl benzyl phthalate	ND		ug/kg	170	43.	1
Di-n-butylphthalate	ND		ug/kg	170	33.	1
Di-n-octylphthalate	ND		ug/kg	170	59.	1
Diethyl phthalate	ND		ug/kg	170	16.	1
Dimethyl phthalate	ND		ug/kg	170	36.	1
Benzo(a)anthracene	390		ug/kg	100	19.	1

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01 Date Collected: 03/14/18 10:35

Client ID: TP-1 Date Received: 03/14/18

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	460		ug/kg	140	42.	1
Benzo(b)fluoranthene	590		ug/kg	100	29.	1
Benzo(k)fluoranthene	170		ug/kg	100	28.	1
Chrysene	500		ug/kg	100	18.	1
Acenaphthylene	800		ug/kg	140	27.	1
Anthracene	250		ug/kg	100	34.	1
Benzo(ghi)perylene	420		ug/kg	140	20.	1
Fluorene	81	J	ug/kg	170	17.	1
Phenanthrene	300		ug/kg	100	21.	1
Dibenzo(a,h)anthracene	100		ug/kg	100	20.	1
Indeno(1,2,3-cd)pyrene	410		ug/kg	140	24.	1
Pyrene	970		ug/kg	100	17.	1
Biphenyl	ND		ug/kg	390	40.	1
4-Chloroaniline	ND		ug/kg	170	31.	1
2-Nitroaniline	ND		ug/kg	170	33.	1
3-Nitroaniline	ND		ug/kg	170	32.	1
4-Nitroaniline	ND		ug/kg	170	71.	1
Dibenzofuran	ND		ug/kg	170	16.	1
2-Methylnaphthalene	150	J	ug/kg	210	21.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	18.	1
Acetophenone	70	J	ug/kg	170	21.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	33.	1
p-Chloro-m-cresol	ND		ug/kg	170	26.	1
2-Chlorophenol	ND		ug/kg	170	20.	1
2,4-Dichlorophenol	ND		ug/kg	160	28.	1
2,4-Dimethylphenol	ND		ug/kg	170	57.	1
2-Nitrophenol	ND		ug/kg	370	65.	1
4-Nitrophenol	ND		ug/kg	240	70.	1
2,4-Dinitrophenol	ND		ug/kg	830	80.	1
4,6-Dinitro-o-cresol	ND		ug/kg	450	83.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	170	26.	1
2-Methylphenol	ND		ug/kg	170	27.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	250	27.	1
2,4,5-Trichlorophenol	ND		ug/kg	170	33.	1
Benzoic Acid	ND		ug/kg	560	170	1
Benzyl Alcohol	ND		ug/kg	170	53.	1

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY
Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Carbazole	ND		ug/kg	170	17.	1
Atrazine	ND		ug/kg	140	60.	1
Benzaldehyde	100	J	ug/kg	230	46.	1
Caprolactam	ND		ug/kg	170	52.	1
2,3,4,6-Tetrachlorophenol	ND		ug/kg	170	35.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	91		25-120
Phenol-d6	96		10-120
Nitrobenzene-d5	94		23-120
2-Fluorobiphenyl	97		30-120
2,4,6-Tribromophenol	100		10-136
4-Terphenyl-d14	97		18-120

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03
Client ID: TP-2
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 12:10
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 03/16/18 18:20
Analyst: EK
Percent Solids: 96%

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:21

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	31	J	ug/kg	140	18.	1
1,2,4-Trichlorobenzene	ND		ug/kg	170	20.	1
Hexachlorobenzene	ND		ug/kg	100	19.	1
Bis(2-chloroethyl)ether	ND		ug/kg	150	23.	1
2-Chloronaphthalene	ND		ug/kg	170	17.	1
3,3'-Dichlorobenzidine	ND		ug/kg	170	46.	1
2,4-Dinitrotoluene	ND		ug/kg	170	34.	1
2,6-Dinitrotoluene	ND		ug/kg	170	30.	1
Fluoranthene	1300		ug/kg	100	20.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	170	18.	1
4-Bromophenyl phenyl ether	ND		ug/kg	170	26.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	210	29.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	180	17.	1
Hexachlorobutadiene	ND		ug/kg	170	25.	1
Hexachlorocyclopentadiene	ND		ug/kg	490	160	1
Hexachloroethane	ND		ug/kg	140	28.	1
Isophorone	ND		ug/kg	150	22.	1
Naphthalene	190		ug/kg	170	21.	1
Nitrobenzene	ND		ug/kg	150	25.	1
NDPA/DPA	ND		ug/kg	140	20.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	170	26.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	170	60.	1
Butyl benzyl phthalate	ND		ug/kg	170	43.	1
Di-n-butylphthalate	ND		ug/kg	170	33.	1
Di-n-octylphthalate	ND		ug/kg	170	58.	1
Diethyl phthalate	ND		ug/kg	170	16.	1
Dimethyl phthalate	ND		ug/kg	170	36.	1
Benzo(a)anthracene	1000		ug/kg	100	19.	1

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03 Date Collected: 03/14/18 12:10

Client ID: TP-2 Date Received: 03/14/18

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	550		ug/kg	140	42.	1
Benzo(b)fluoranthene	980		ug/kg	100	29.	1
Benzo(k)fluoranthene	280		ug/kg	100	28.	1
Chrysene	1200		ug/kg	100	18.	1
Acenaphthylene	1400		ug/kg	140	26.	1
Anthracene	510		ug/kg	100	34.	1
Benzo(ghi)perylene	540		ug/kg	140	20.	1
Fluorene	150	J	ug/kg	170	17.	1
Phenanthrene	1200		ug/kg	100	21.	1
Dibenzo(a,h)anthracene	150		ug/kg	100	20.	1
Indeno(1,2,3-cd)pyrene	540		ug/kg	140	24.	1
Pyrene	2600		ug/kg	100	17.	1
Biphenyl	ND		ug/kg	390	40.	1
4-Chloroaniline	ND		ug/kg	170	31.	1
2-Nitroaniline	ND		ug/kg	170	33.	1
3-Nitroaniline	ND		ug/kg	170	32.	1
4-Nitroaniline	ND		ug/kg	170	71.	1
Dibenzofuran	ND		ug/kg	170	16.	1
2-Methylnaphthalene	140	J	ug/kg	210	21.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	18.	1
Acetophenone	150	J	ug/kg	170	21.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	33.	1
p-Chloro-m-cresol	ND		ug/kg	170	26.	1
2-Chlorophenol	ND		ug/kg	170	20.	1
2,4-Dichlorophenol	ND		ug/kg	150	28.	1
2,4-Dimethylphenol	ND		ug/kg	170	57.	1
2-Nitrophenol	ND		ug/kg	370	65.	1
4-Nitrophenol	ND		ug/kg	240	70.	1
2,4-Dinitrophenol	ND		ug/kg	820	80.	1
4,6-Dinitro-o-cresol	ND		ug/kg	450	82.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	170	26.	1
2-Methylphenol	ND		ug/kg	170	27.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	250	27.	1
2,4,5-Trichlorophenol	ND		ug/kg	170	33.	1
Benzoic Acid	ND		ug/kg	560	170	1
Benzyl Alcohol	ND		ug/kg	170	53.	1

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03 Date Collected: 03/14/18 12:10

Client ID: TP-2 Date Received: 03/14/18

Sample Location: PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Carbazole	ND		ug/kg	170	17.	1
Atrazine	ND		ug/kg	140	60.	1
Benzaldehyde	270		ug/kg	230	46.	1
Caprolactam	ND		ug/kg	170	52.	1
2,3,4,6-Tetrachlorophenol	ND		ug/kg	170	35.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	99		25-120
Phenol-d6	102		10-120
Nitrobenzene-d5	101		23-120
2-Fluorobiphenyl	100		30-120
2,4,6-Tribromophenol	106		10-136
4-Terphenyl-d14	97		18-120

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 03/16/18 11:46
Analyst: EK

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:21

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,03 Batch: WG1097272-1					
Acenaphthene	ND		ug/kg	130	17.
1,2,4-Trichlorobenzene	ND		ug/kg	170	19.
Hexachlorobenzene	ND		ug/kg	100	19.
Bis(2-chloroethyl)ether	ND		ug/kg	150	22.
2-Chloronaphthalene	ND		ug/kg	170	16.
3,3'-Dichlorobenzidine	ND		ug/kg	170	44.
2,4-Dinitrotoluene	ND		ug/kg	170	33.
2,6-Dinitrotoluene	ND		ug/kg	170	28.
Fluoranthene	ND		ug/kg	100	19.
4-Chlorophenyl phenyl ether	ND		ug/kg	170	18.
4-Bromophenyl phenyl ether	ND		ug/kg	170	25.
Bis(2-chloroisopropyl)ether	ND		ug/kg	200	28.
Bis(2-chloroethoxy)methane	ND		ug/kg	180	17.
Hexachlorobutadiene	ND		ug/kg	170	24.
Hexachlorocyclopentadiene	ND		ug/kg	480	150
Hexachloroethane	ND		ug/kg	130	27.
Isophorone	ND		ug/kg	150	22.
Naphthalene	ND		ug/kg	170	20.
Nitrobenzene	ND		ug/kg	150	24.
NDPA/DPA	ND		ug/kg	130	19.
n-Nitrosodi-n-propylamine	ND		ug/kg	170	26.
Bis(2-ethylhexyl)phthalate	ND		ug/kg	170	57.
Butyl benzyl phthalate	ND		ug/kg	170	42.
Di-n-butylphthalate	ND		ug/kg	170	32.
Di-n-octylphthalate	ND		ug/kg	170	56.
Diethyl phthalate	ND		ug/kg	170	15.
Dimethyl phthalate	ND		ug/kg	170	35.
Benzo(a)anthracene	ND		ug/kg	100	19.
Benzo(a)pyrene	ND		ug/kg	130	40.

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 03/16/18 11:46
Analyst: EK

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:21

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,03 Batch: WG1097272-1					
Benzo(b)fluoranthene	ND		ug/kg	100	28.
Benzo(k)fluoranthene	ND		ug/kg	100	26.
Chrysene	ND		ug/kg	100	17.
Acenaphthylene	ND		ug/kg	130	26.
Anthracene	ND		ug/kg	100	32.
Benzo(ghi)perylene	ND		ug/kg	130	20.
Fluorene	ND		ug/kg	170	16.
Phenanthrene	ND		ug/kg	100	20.
Dibenzo(a,h)anthracene	ND		ug/kg	100	19.
Indeno(1,2,3-cd)pyrene	ND		ug/kg	130	23.
Pyrene	ND		ug/kg	100	16.
Biphenyl	ND		ug/kg	380	38.
4-Chloroaniline	ND		ug/kg	170	30.
2-Nitroaniline	ND		ug/kg	170	32.
3-Nitroaniline	ND		ug/kg	170	31.
4-Nitroaniline	ND		ug/kg	170	69.
Dibenzofuran	ND		ug/kg	170	16.
2-Methylnaphthalene	ND		ug/kg	200	20.
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	17.
Acetophenone	ND		ug/kg	170	20.
2,4,6-Trichlorophenol	ND		ug/kg	100	32.
p-Chloro-m-cresol	ND		ug/kg	170	25.
2-Chlorophenol	ND		ug/kg	170	20.
2,4-Dichlorophenol	ND		ug/kg	150	27.
2,4-Dimethylphenol	ND		ug/kg	170	55.
2-Nitrophenol	ND		ug/kg	360	62.
4-Nitrophenol	ND		ug/kg	230	68.
2,4-Dinitrophenol	ND		ug/kg	800	77.
4,6-Dinitro-o-cresol	ND		ug/kg	430	80.

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 03/16/18 11:46
Analyst: EK

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:21

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,03 Batch: WG1097272-1					
Pentachlorophenol	ND		ug/kg	130	36.
Phenol	ND		ug/kg	170	25.
2-Methylphenol	ND		ug/kg	170	26.
3-Methylphenol/4-Methylphenol	ND		ug/kg	240	26.
2,4,5-Trichlorophenol	ND		ug/kg	170	32.
Benzoic Acid	ND		ug/kg	540	170
Benzyl Alcohol	ND		ug/kg	170	51.
Carbazole	ND		ug/kg	170	16.
Atrazine	ND		ug/kg	130	58.
Benzaldehyde	ND		ug/kg	220	45.
Caprolactam	ND		ug/kg	170	50.
2,3,4,6-Tetrachlorophenol	ND		ug/kg	170	34.
Tentatively Identified Compounds					
No Tentatively Identified Compounds	ND		ug/kg		

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	81		25-120
Phenol-d6	83		10-120
Nitrobenzene-d5	76		23-120
2-Fluorobiphenyl	84		30-120
2,4,6-Tribromophenol	97		10-136
4-Terphenyl-d14	94		18-120

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03 Batch: WG1097272-2 WG1097272-3								
Acenaphthene	83		72		31-137	14		50
1,2,4-Trichlorobenzene	82		70		38-107	16		50
Hexachlorobenzene	90		76		40-140	17		50
Bis(2-chloroethyl)ether	75		66		40-140	13		50
2-Chloronaphthalene	86		73		40-140	16		50
3,3'-Dichlorobenzidine	60		49		40-140	20		50
2,4-Dinitrotoluene	89		77		40-132	14		50
2,6-Dinitrotoluene	88		74		40-140	17		50
Fluoranthene	90		77		40-140	16		50
4-Chlorophenyl phenyl ether	87		72		40-140	19		50
4-Bromophenyl phenyl ether	87		76		40-140	13		50
Bis(2-chloroisopropyl)ether	62		53		40-140	16		50
Bis(2-chloroethoxy)methane	77		62		40-117	22		50
Hexachlorobutadiene	86		78		40-140	10		50
Hexachlorocyclopentadiene	84		71		40-140	17		50
Hexachloroethane	79		77		40-140	3		50
Isophorone	76		64		40-140	17		50
Naphthalene	83		73		40-140	13		50
Nitrobenzene	82		70		40-140	16		50
NDPA/DPA	86		74		36-157	15		50
n-Nitrosodi-n-propylamine	79		66		32-121	18		50
Bis(2-ethylhexyl)phthalate	85		74		40-140	14		50
Butyl benzyl phthalate	92		79		40-140	15		50

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03 Batch: WG1097272-2 WG1097272-3								
Di-n-butylphthalate	89		75		40-140	17		50
Di-n-octylphthalate	86		74		40-140	15		50
Diethyl phthalate	85		73		40-140	15		50
Dimethyl phthalate	84		72		40-140	15		50
Benzo(a)anthracene	85		73		40-140	15		50
Benzo(a)pyrene	97		82		40-140	17		50
Benzo(b)fluoranthene	93		81		40-140	14		50
Benzo(k)fluoranthene	93		80		40-140	15		50
Chrysene	86		76		40-140	12		50
Acenaphthylene	88		74		40-140	17		50
Anthracene	88		77		40-140	13		50
Benzo(ghi)perylene	94		79		40-140	17		50
Fluorene	85		75		40-140	13		50
Phenanthrene	88		76		40-140	15		50
Dibenzo(a,h)anthracene	94		78		40-140	19		50
Indeno(1,2,3-cd)pyrene	95		81		40-140	16		50
Pyrene	88		75		35-142	16		50
Biphenyl	87		74		54-104	16		50
4-Chloroaniline	82		74		40-140	10		50
2-Nitroaniline	87		76		47-134	13		50
3-Nitroaniline	66		56		26-129	16		50
4-Nitroaniline	82		67		41-125	20		50
Dibenzofuran	86		72		40-140	18		50

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03 Batch: WG1097272-2 WG1097272-3								
2-Methylnaphthalene	83		72		40-140	14		50
1,2,4,5-Tetrachlorobenzene	89		79		40-117	12		50
Acetophenone	84		71		14-144	17		50
2,4,6-Trichlorophenol	87		77		30-130	12		50
p-Chloro-m-cresol	93		79		26-103	16		50
2-Chlorophenol	87		72		25-102	19		50
2,4-Dichlorophenol	91		74		30-130	21		50
2,4-Dimethylphenol	86		68		30-130	23		50
2-Nitrophenol	89		74		30-130	18		50
4-Nitrophenol	97		89		11-114	9		50
2,4-Dinitrophenol	81		66		4-130	20		50
4,6-Dinitro-o-cresol	99		82		10-130	19		50
Pentachlorophenol	81		66		17-109	20		50
Phenol	79		65		26-90	19		50
2-Methylphenol	87		72		30-130.	19		50
3-Methylphenol/4-Methylphenol	85		68		30-130	22		50
2,4,5-Trichlorophenol	97		79		30-130	20		50
Benzoic Acid	57		43		10-110	28		50
Benzyl Alcohol	86		73		40-140	16		50
Carbazole	90		76		54-128	17		50
Atrazine	104		87		40-140	18		50
Benzaldehyde	72		62		40-140	15		50
Caprolactam	84		72		15-130	15		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03 Batch: WG1097272-2 WG1097272-3								
2,3,4,6-Tetrachlorophenol	96		82		40-140	16		50

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	88		77		25-120
Phenol-d6	94		75		10-120
Nitrobenzene-d5	84		73		23-120
2-Fluorobiphenyl	90		76		30-120
2,4,6-Tribromophenol	106		89		10-136
4-Terphenyl-d14	97		82		18-120

PETROLEUM HYDROCARBONS

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 103,NJDEP EPH
Analytical Date: 03/16/18 11:08
Analyst: DG
Percent Solids: 96%

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab						
Total EPH	99.9		mg/kg	23.7	23.7	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	75		40-140
o-Terphenyl	75		40-140

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03
Client ID: TP-2
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 12:10
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 103,NJDEP EPH
Analytical Date: 03/16/18 11:39
Analyst: DG
Percent Solids: 96%

Extraction Method: EPA 3546
Extraction Date: 03/15/18 08:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab						
Total EPH	127		mg/kg	23.9	23.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	88		40-140
o-Terphenyl	87		40-140

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 103,NJDEP EPH
Analytical Date: 03/15/18 10:18
Analyst: MEO

Extraction Method: EPA 3546
Extraction Date: 03/14/18 11:01

Parameter	Result	Qualifier	Units	RL	MDL
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab for sample(s): 01,03 Batch: WG1096923-1					
Total EPH	ND		mg/kg	23.1	23.1

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	68		40-140
o-Terphenyl	66		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,03 Batch: WG1096923-2 WG1096923-3								
Total EPH	100		102		40-140	2		25
Nonane (C9)	91		92		40-140	1		25
Decane (C10)	97		99		40-140	2		25
Dodecane (C12)	99		101		40-140	2		25
Tetradecane (C14)	100		102		40-140	2		25
Hexadecane (C16)	103		105		40-140	2		25
Octadecane (C18)	107		109		40-140	2		25
Eicosane (C20)	106		108		40-140	2		25
Heneicosane (C21)	105		108		40-140	3		25
Docosane (C22)	103		106		40-140	3		25
Tetracosane (C24)	100		103		40-140	3		25
Hexacosane (C26)	98		101		40-140	3		25
Octacosane (C28)	94		96		40-140	2		25
Triacontane (C30)	92		94		40-140	2		25
Dotriacontane (C32)	92		93		40-140	1		25
Tetratriacontane (C34)	89		90		40-140	1		25
Hexatriacontane (C36)	91		91		40-140	0		25
Octatriacontane (C38)	89		88		40-140	1		25
Tetracontane (C40)	87		85		40-140	2		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,03 Batch: WG1096923-2 WG1096923-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Chloro-Octadecane	95		97		40-140
o-Terphenyl	93		94		40-140

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1096923-4 QC Sample: L1808493-01 Client ID: MS Sample												
Total EPH	30.3	252	253	88		-	-		40-140	-		50
Nonane (C9)	ND	7.01	5.54	79		-	-		40-140	-		50
Decane (C10)	ND	7.01	5.93	85		-	-		40-140	-		50
Dodecane (C12)	ND	7.01	6.00	86		-	-		40-140	-		50
Tetradecane (C14)	ND	7.01	6.04	86		-	-		40-140	-		50
Hexadecane (C16)	ND	7.01	6.43	92		-	-		40-140	-		50
Octadecane (C18)	ND	7.01	6.81	97		-	-		40-140	-		50
Eicosane (C20)	ND	7.01	6.86	98		-	-		40-140	-		50
Heneicosane (C21)	ND	7.01	6.90	98		-	-		40-140	-		50
Docosane (C22)	ND	7.01	6.85	98		-	-		40-140	-		50
Tetracosane (C24)	ND	7.01	6.94	99		-	-		40-140	-		50
Hexacosane (C26)	ND	7.01	6.84	98		-	-		40-140	-		50
Octacosane (C28)	ND	7.01	6.72	96		-	-		40-140	-		50
Triacontane (C30)	ND	7.01	6.58	94		-	-		40-140	-		50
Dotriacontane (C32)	ND	7.01	6.60	94		-	-		40-140	-		50
Tetratriacontane (C34)	ND	7.01	6.19	88		-	-		40-140	-		50
Hexatriacontane (C36)	ND	7.01	6.15	88		-	-		40-140	-		50
Octatriacontane (C38)	ND	7.01	5.93	85		-	-		40-140	-		50
Tetracontane (C40)	ND	7.01	5.97	85		-	-		40-140	-		50

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
Chloro-Octadecane	86				40-140

Matrix Spike Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	*Native Sample*	*MS Added*	*MS Found*	*MS %Recovery*	*Qual*	*MSD Found*	*MSD %Recovery*	*Qual*	*Recovery Limits*	*RPD*	*Qual*	*RPD Limits*
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1096923-4 QC Sample: L1808493-01 Client ID: MS Sample												

Surrogate	*MS % Recovery*	*MS Qualifier*	*MSD % Recovery*	*MSD Qualifier*	*Acceptance Criteria*
o-Terphenyl	86				40-140

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1096923-5 QC Sample: L1808493-01 Client ID: DUP Sample						
Total EPH	30.3	35.6	mg/kg	16		50

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	85		100		40-140
o-Terphenyl	85		100		40-140

PCBS

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 03/16/18 20:40
Analyst: AF
Percent Solids: 96%

Extraction Method: EPA 3546
Extraction Date: 03/16/18 05:14
Cleanup Method: EPA 3665A
Cleanup Date: 03/16/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/16/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	33.5	3.79	1	A
Aroclor 1221	ND		ug/kg	33.5	5.09	1	A
Aroclor 1232	ND		ug/kg	33.5	3.29	1	A
Aroclor 1242	ND		ug/kg	33.5	4.10	1	A
Aroclor 1248	ND		ug/kg	33.5	3.75	1	A
Aroclor 1254	ND		ug/kg	33.5	2.73	1	A
Aroclor 1260	ND		ug/kg	33.5	3.49	1	A
Aroclor 1262	ND		ug/kg	33.5	2.75	1	A
Aroclor 1268	ND		ug/kg	33.5	2.37	1	A
PCBs, Total	ND		ug/kg	33.5	2.37	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		30-150	A
Decachlorobiphenyl	58		30-150	A
2,4,5,6-Tetrachloro-m-xylene	**20**	Q	30-150	B
Decachlorobiphenyl	**19**	Q	30-150	B

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03
Client ID: TP-2
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 12:10
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 03/16/18 20:54
Analyst: AF
Percent Solids: 96%

Extraction Method: EPA 3546
Extraction Date: 03/16/18 05:14
Cleanup Method: EPA 3665A
Cleanup Date: 03/16/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/16/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	33.5	3.80	1	A
Aroclor 1221	ND		ug/kg	33.5	5.10	1	A
Aroclor 1232	ND		ug/kg	33.5	3.30	1	A
Aroclor 1242	ND		ug/kg	33.5	4.10	1	A
Aroclor 1248	ND		ug/kg	33.5	3.76	1	A
Aroclor 1254	ND		ug/kg	33.5	2.73	1	A
Aroclor 1260	ND		ug/kg	33.5	3.50	1	A
Aroclor 1262	ND		ug/kg	33.5	2.75	1	A
Aroclor 1268	ND		ug/kg	33.5	2.37	1	A
PCBs, Total	ND		ug/kg	33.5	2.37	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	56		30-150	A
2,4,5,6-Tetrachloro-m-xylene	**18**	Q	30-150	B
Decachlorobiphenyl	**17**	Q	30-150	B

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082A
Analytical Date: 03/16/18 18:50
Analyst: AF

Extraction Method: EPA 3546
Extraction Date: 03/16/18 05:14
Cleanup Method: EPA 3665A
Cleanup Date: 03/16/18
Cleanup Method: EPA 3660B
Cleanup Date: 03/16/18

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01,03 Batch: WG1097622-1						
Aroclor 1016	ND		ug/kg	32.6	3.69	A
Aroclor 1221	ND		ug/kg	32.6	4.95	A
Aroclor 1232	ND		ug/kg	32.6	3.20	A
Aroclor 1242	ND		ug/kg	32.6	3.98	A
Aroclor 1248	ND		ug/kg	32.6	3.65	A
Aroclor 1254	ND		ug/kg	32.6	2.66	A
Aroclor 1260	ND		ug/kg	32.6	3.40	A
Aroclor 1262	ND		ug/kg	32.6	2.68	A
Aroclor 1268	ND		ug/kg	32.6	2.30	A
PCBs, Total	ND		ug/kg	32.6	2.30	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76		30-150	A
Decachlorobiphenyl	55		30-150	A
2,4,5,6-Tetrachloro-m-xylene	73		30-150	B
Decachlorobiphenyl	75		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01,03 Batch: WG1097622-2 WG1097622-3									
Aroclor 1016	75		81		40-140	8		50	A
Aroclor 1260	73		78		40-140	7		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	80		82		30-150	A
Decachlorobiphenyl	60		69		30-150	A
2,4,5,6-Tetrachloro-m-xylene	76		76		30-150	B
Decachlorobiphenyl	73		78		30-150	B

METALS

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY
Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 96%
TCLP/SPLP Ext. Date: 03/16/18 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Mansfield Lab											
Aluminum, TCLP	0.833	J	mg/l	1.00	0.318	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Antimony, TCLP	ND		mg/l	0.500	0.071	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Arsenic, TCLP	ND		mg/l	1.00	0.019	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Barium, TCLP	0.269	J	mg/l	0.500	0.021	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Beryllium, TCLP	ND		mg/l	0.100	0.009	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Cadmium, TCLP	ND		mg/l	0.100	0.010	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Calcium, TCLP	11.2		mg/l	5.00	0.350	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Chromium, TCLP	ND		mg/l	0.200	0.021	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Cobalt, TCLP	ND		mg/l	0.200	0.017	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Copper, TCLP	0.031	J	mg/l	0.200	0.022	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Iron, TCLP	1.24		mg/l	0.500	0.090	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Lead, TCLP	0.038	J	mg/l	0.500	0.027	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Magnesium, TCLP	3.08		mg/l	1.00	0.153	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Manganese, TCLP	0.565		mg/l	0.100	0.016	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Mercury, TCLP	ND		mg/l	0.0010	0.0003	1	03/17/18 11:45	03/17/18 16:57	EPA 7470A	1,7470A	MG
Nickel, TCLP	ND		mg/l	0.500	0.024	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Potassium, TCLP	2.73	J	mg/l	25.0	2.37	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Selenium, TCLP	ND		mg/l	0.500	0.035	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Silver, TCLP	ND		mg/l	0.100	0.028	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Thallium, TCLP	ND		mg/l	0.200	0.025	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Vanadium, TCLP	ND		mg/l	0.100	0.020	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS
Zinc, TCLP	0.079	J	mg/l	0.500	0.021	1	03/17/18 15:16	03/19/18 12:46	EPA 3015	1,6010C	PS

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY
Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 96%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	5750		mg/kg	7.92	2.14	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Antimony, Total	ND		mg/kg	3.96	0.301	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Arsenic, Total	1.62		mg/kg	0.792	0.165	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Barium, Total	26.6		mg/kg	0.792	0.138	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Beryllium, Total	0.111	J	mg/kg	0.396	0.026	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Cadmium, Total	0.340	J	mg/kg	0.792	0.078	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Calcium, Total	480		mg/kg	7.92	2.77	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Chromium, Total	9.94		mg/kg	0.792	0.076	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Cobalt, Total	4.29		mg/kg	1.58	0.131	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Copper, Total	13.3		mg/kg	0.792	0.204	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Iron, Total	11400		mg/kg	3.96	0.715	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Lead, Total	13.5		mg/kg	3.96	0.212	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Magnesium, Total	2090		mg/kg	7.92	1.22	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Manganese, Total	87.6		mg/kg	0.792	0.126	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Mercury, Total	0.05	J	mg/kg	0.07	0.01	1	03/15/18 09:00	03/16/18 20:22	EPA 7471B	1,7471B	EA
Nickel, Total	8.10		mg/kg	1.98	0.192	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Potassium, Total	878		mg/kg	198	11.4	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Selenium, Total	0.222	J	mg/kg	1.58	0.204	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Silver, Total	ND		mg/kg	0.792	0.224	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Sodium, Total	102	J	mg/kg	158	2.49	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Sulfur, Total	309		mg/kg	34.4	8.74	1	03/15/18 11:15	03/15/18 12:57	EPA 3051A	1,6010C	AB
Thallium, Total	ND		mg/kg	1.58	0.249	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Vanadium, Total	13.6		mg/kg	0.792	0.161	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS
Zinc, Total	34.9		mg/kg	3.96	0.232	2	03/15/18 20:00	03/16/18 10:47	EPA 3050B	1,6010C	PS

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03
Client ID: TP-2
Sample Location: PELHAM MANOR, NY
Date Collected: 03/14/18 12:10
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 96%
TCLP/SPLP Ext. Date: 03/16/18 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Mansfield Lab											
Aluminum, TCLP	0.671	J	mg/l	1.00	0.318	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Antimony, TCLP	ND		mg/l	0.500	0.071	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Arsenic, TCLP	ND		mg/l	1.00	0.019	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Barium, TCLP	0.220	J	mg/l	0.500	0.021	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Beryllium, TCLP	ND		mg/l	0.100	0.009	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Cadmium, TCLP	ND		mg/l	0.100	0.010	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Calcium, TCLP	10.4		mg/l	5.00	0.350	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Chromium, TCLP	ND		mg/l	0.200	0.021	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Cobalt, TCLP	ND		mg/l	0.200	0.017	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Copper, TCLP	0.026	J	mg/l	0.200	0.022	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Iron, TCLP	0.099	J	mg/l	0.500	0.090	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Lead, TCLP	0.033	J	mg/l	0.500	0.027	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Magnesium, TCLP	2.64		mg/l	1.00	0.153	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Manganese, TCLP	0.618		mg/l	0.100	0.016	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Mercury, TCLP	ND		mg/l	0.0010	0.0003	1	03/17/18 11:45	03/17/18 17:05	EPA 7470A	1,7470A	MG
Nickel, TCLP	ND		mg/l	0.500	0.024	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Potassium, TCLP	2.37	J	mg/l	25.0	2.37	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Selenium, TCLP	ND		mg/l	0.500	0.035	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Silver, TCLP	ND		mg/l	0.100	0.028	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Thallium, TCLP	ND		mg/l	0.200	0.025	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Vanadium, TCLP	ND		mg/l	0.100	0.020	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS
Zinc, TCLP	0.099	J	mg/l	0.500	0.021	1	03/17/18 15:16	03/19/18 13:05	EPA 3015	1,6010C	PS

Project Name: POST ROAD PLAZA
Lab Number: L1808643
Project Number: 1772.0001Y002
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03
Client ID: TP-2
Sample Location: PELHAM MANOR, NY
Date Collected: 03/14/18 12:10
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 96%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	5080		mg/kg	7.92	2.14	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Antimony, Total	ND		mg/kg	3.96	0.301	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Arsenic, Total	1.91		mg/kg	0.792	0.165	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Barium, Total	31.2		mg/kg	0.792	0.138	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Beryllium, Total	0.032	J	mg/kg	0.396	0.026	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Cadmium, Total	0.293	J	mg/kg	0.792	0.078	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Calcium, Total	532		mg/kg	7.92	2.77	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Chromium, Total	9.62		mg/kg	0.792	0.076	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Cobalt, Total	3.80		mg/kg	1.58	0.132	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Copper, Total	12.8		mg/kg	0.792	0.204	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Iron, Total	9900		mg/kg	3.96	0.715	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Lead, Total	13.3		mg/kg	3.96	0.212	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Magnesium, Total	1860		mg/kg	7.92	1.22	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Manganese, Total	91.8		mg/kg	0.792	0.126	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Mercury, Total	0.05	J	mg/kg	0.07	0.01	1	03/15/18 09:00	03/16/18 20:24	EPA 7471B	1,7471B	EA
Nickel, Total	6.65		mg/kg	1.98	0.192	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Potassium, Total	1030		mg/kg	198	11.4	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Selenium, Total	0.341	J	mg/kg	1.58	0.204	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Silver, Total	ND		mg/kg	0.792	0.224	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Sodium, Total	140	J	mg/kg	158	2.50	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Sulfur, Total	444		mg/kg	33.8	8.57	1	03/15/18 11:15	03/15/18 13:15	EPA 3051A	1,6010C	AB
Thallium, Total	ND		mg/kg	1.58	0.250	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Vanadium, Total	13.3		mg/kg	0.792	0.161	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS
Zinc, Total	29.8		mg/kg	3.96	0.232	2	03/15/18 20:00	03/16/18 10:52	EPA 3050B	1,6010C	PS

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1097221-1										
Mercury, Total	ND		mg/kg	0.08	0.02	1	03/15/18 09:00	03/16/18 19:34	1,7471B	EA

Prep Information

Digestion Method: EPA 7471B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1097324-1										
Sulfur, Total	ND		mg/kg	50.0	12.7	1	03/15/18 11:15	03/15/18 12:50	1,6010C	AB

Prep Information

Digestion Method: EPA 3051A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1097501-1										
Aluminum, Total	ND		mg/kg	4.00	1.08	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Antimony, Total	ND		mg/kg	2.00	0.152	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Arsenic, Total	ND		mg/kg	0.400	0.083	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Barium, Total	ND		mg/kg	0.400	0.070	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Beryllium, Total	ND		mg/kg	0.200	0.013	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Cadmium, Total	ND		mg/kg	0.400	0.039	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Calcium, Total	ND		mg/kg	4.00	1.40	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Chromium, Total	ND		mg/kg	0.400	0.038	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Cobalt, Total	ND		mg/kg	0.800	0.066	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Copper, Total	ND		mg/kg	0.400	0.103	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Iron, Total	0.568	J	mg/kg	2.00	0.361	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Lead, Total	ND		mg/kg	2.00	0.107	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Magnesium, Total	ND		mg/kg	4.00	0.616	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Manganese, Total	ND		mg/kg	0.400	0.064	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Nickel, Total	ND		mg/kg	1.00	0.097	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Potassium, Total	ND		mg/kg	100	5.76	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

Method Blank Analysis
Batch Quality Control

Selenium, Total	ND		mg/kg	0.800	0.103	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Silver, Total	ND		mg/kg	0.400	0.113	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Sodium, Total	2.48	J	mg/kg	80.0	1.26	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Thallium, Total	ND		mg/kg	0.800	0.126	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Vanadium, Total	ND		mg/kg	0.400	0.081	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS
Zinc, Total	ND		mg/kg	2.00	0.117	1	03/15/18 20:00	03/16/18 08:16	1,6010C	PS

Prep Information

Digestion Method: EPA 3050B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Mansfield Lab for sample(s): 01,03 Batch: WG1098076-1										
Mercury, TCLP	ND		mg/l	0.0010	0.0003	1	03/17/18 11:45	03/17/18 16:53	1,7470A	MG

Prep Information

Digestion Method: EPA 7470A

TCLP/SPLP Extraction Date: 03/16/18 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Mansfield Lab for sample(s): 01,03 Batch: WG1098106-1										
Aluminum, TCLP	ND		mg/l	1.00	0.318	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Antimony, TCLP	ND		mg/l	0.500	0.071	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Arsenic, TCLP	ND		mg/l	1.00	0.019	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Barium, TCLP	ND		mg/l	0.500	0.021	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Beryllium, TCLP	ND		mg/l	0.100	0.009	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Cadmium, TCLP	ND		mg/l	0.100	0.010	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Calcium, TCLP	0.557	J	mg/l	5.00	0.350	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Chromium, TCLP	ND		mg/l	0.200	0.021	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Cobalt, TCLP	ND		mg/l	0.200	0.017	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Copper, TCLP	ND		mg/l	0.200	0.022	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Iron, TCLP	ND		mg/l	0.500	0.090	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Lead, TCLP	ND		mg/l	0.500	0.027	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Magnesium, TCLP	ND		mg/l	1.00	0.153	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Manganese, TCLP	0.022	J	mg/l	0.100	0.016	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS

Project Name: POST ROAD PLAZA **Lab Number:** L1808643

Project Number: 1772.0001Y002 **Report Date:** 03/19/18

Method Blank Analysis
Batch Quality Control

Nickel, TCLP	ND	mg/l	0.500	0.024	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Potassium, TCLP	ND	mg/l	25.0	2.37	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Selenium, TCLP	ND	mg/l	0.500	0.035	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Silver, TCLP	ND	mg/l	0.100	0.028	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Thallium, TCLP	ND	mg/l	0.200	0.025	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Vanadium, TCLP	ND	mg/l	0.100	0.020	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS
Zinc, TCLP	ND	mg/l	0.500	0.021	1	03/17/18 15:16	03/19/18 12:23	1,6010C	PS

Prep Information

Digestion Method: EPA 3015

TCLP/SPLP Extraction Date: 03/16/18 06:37

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1097221-2 SRM Lot Number: D098-540								
Mercury, Total	109		-		50-149	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1097324-2								
Sulfur, Total	96		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1097501-2 SRM Lot Number: D098-540					
Aluminum, Total	77	-	47-153	-	
Antimony, Total	162	-	6-194	-	
Arsenic, Total	104	-	83-117	-	
Barium, Total	100	-	82-118	-	
Beryllium, Total	102	-	83-117	-	
Cadmium, Total	100	-	82-117	-	
Calcium, Total	92	-	81-118	-	
Chromium, Total	100	-	83-119	-	
Cobalt, Total	101	-	84-116	-	
Copper, Total	99	-	84-116	-	
Iron, Total	98	-	60-140	-	
Lead, Total	96	-	82-117	-	
Magnesium, Total	86	-	76-124	-	
Manganese, Total	96	-	82-118	-	
Nickel, Total	99	-	82-117	-	
Potassium, Total	89	-	69-131	-	
Selenium, Total	102	-	78-121	-	
Silver, Total	106	-	80-120	-	
Sodium, Total	98	-	74-126	-	
Thallium, Total	96	-	80-119	-	
Vanadium, Total	98	-	79-121	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: POST ROAD PLAZA

Project Number: 1772.0001Y002

Lab Number: L1808643

Report Date: 03/19/18

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1097501-2 SRM Lot Number: D098-540					
Zinc, Total	101	-	81-119	-	
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 Batch: WG1098076-2					
Mercury, TCLP	96	-	80-120	-	

Lab Control Sample Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 Batch: WG1098106-2					
Aluminum, TCLP	97	-	75-125	-	20
Antimony, TCLP	100	-	75-125	-	20
Arsenic, TCLP	107	-	75-125	-	20
Barium, TCLP	93	-	75-125	-	20
Beryllium, TCLP	94	-	75-125	-	20
Cadmium, TCLP	101	-	75-125	-	20
Calcium, TCLP	95	-	75-125	-	20
Chromium, TCLP	94	-	75-125	-	20
Cobalt, TCLP	91	-	75-125	-	20
Copper, TCLP	94	-	75-125	-	20
Iron, TCLP	93	-	75-125	-	20
Lead, TCLP	97	-	75-125	-	20
Magnesium, TCLP	91	-	75-125	-	20
Manganese, TCLP	93	-	75-125	-	20
Nickel, TCLP	92	-	75-125	-	20
Potassium, TCLP	98	-	75-125	-	20
Selenium, TCLP	102	-	75-125	-	20
Silver, TCLP	97	-	75-125	-	20
Thallium, TCLP	87	-	75-125	-	20
Vanadium, TCLP	97	-	75-125	-	20
Zinc, TCLP	98	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097221-3 WG1097221-4 QC Sample: L1808516-05 Client ID: MS Sample												
Mercury, Total	0.23	0.147	0.38	102		0.41	**124**	Q	80-120	8		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097221-5 WG1097221-6 QC Sample: L1808612-05 Client ID: MS Sample												
Mercury, Total	ND	0.146	0.19	**130**	Q	0.19	**129**	Q	80-120	0		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097324-3 QC Sample: L1808643-01 Client ID: TP-1												
Sulfur, Total	309.	136	430	89		-	-		75-125	-		20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery		MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097501-3 QC Sample: L1808559-01 Client ID: MS Sample										
Aluminum, Total	10900	184	10600	**0**	Q	-	-	75-125	-	20
Antimony, Total	ND	45.9	39.2	85		-	-	75-125	-	20
Arsenic, Total	11.9	11	20.5	78		-	-	75-125	-	20
Barium, Total	38.0	184	199	88		-	-	75-125	-	20
Beryllium, Total	0.454	4.59	4.61	100		-	-	75-125	-	20
Cadmium, Total	0.899J	4.68	5.23	112		-	-	75-125	-	20
Calcium, Total	1240	918	1950	77		-	-	75-125	-	20
Chromium, Total	16.2	18.4	31.5	83		-	-	75-125	-	20
Cobalt, Total	12.8	45.9	49.7	80		-	-	75-125	-	20
Copper, Total	33.3	22.9	54.3	92		-	-	75-125	-	20
Iron, Total	28800	91.8	25900	**0**	Q	-	-	75-125	-	20
Lead, Total	15.2	46.8	64.3	105		-	-	75-125	-	20
Magnesium, Total	3620	918	4020	**44**	Q	-	-	75-125	-	20
Manganese, Total	749.	45.9	708	**0**	Q	-	-	75-125	-	20
Nickel, Total	41.5	45.9	88.5	102		-	-	75-125	-	20
Potassium, Total	462.	918	1260	87		-	-	75-125	-	20
Selenium, Total	1.14J	11	11.1	101		-	-	75-125	-	20
Silver, Total	ND	27.5	29.1	106		-	-	75-125	-	20
Sodium, Total	25.3J	918	884	96		-	-	75-125	-	20
Thallium, Total	1.46J	11	10.0	91		-	-	75-125	-	20
Vanadium, Total	16.4	45.9	58.0	91		-	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery		MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097501-3 QC Sample: L1808559-01 Client ID: MS Sample										
Zinc, Total	162.	45.9	281	**259**	Q	-	-	75-125	-	20
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1098076-3 QC Sample: L1808643-01 Client ID: TP-1										
Mercury, TCLP	ND	0.025	0.0254	102		-	-	80-120	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1098106-3 QC Sample: L1808643-01 Client ID: TP-1									
Aluminum, TCLP	0.833J	20	20.4	102	-	-	75-125	-	20
Antimony, TCLP	ND	5	5.03	101	-	-	75-125	-	20
Arsenic, TCLP	ND	1.2	1.26	105	-	-	75-125	-	20
Barium, TCLP	0.269J	20	19.8	99	-	-	75-125	-	20
Beryllium, TCLP	ND	0.5	0.474	95	-	-	75-125	-	20
Cadmium, TCLP	ND	0.51	0.516	101	-	-	75-125	-	20
Calcium, TCLP	11.2	100	109	98	-	-	75-125	-	20
Chromium, TCLP	ND	2	1.89	94	-	-	75-125	-	20
Cobalt, TCLP	ND	5	4.57	91	-	-	75-125	-	20
Copper, TCLP	0.031J	2.5	2.42	97	-	-	75-125	-	20
Iron, TCLP	1.24	10	9.71	85	-	-	75-125	-	20
Lead, TCLP	0.038J	5.1	4.87	95	-	-	75-125	-	20
Magnesium, TCLP	3.08	100	95.9	93	-	-	75-125	-	20
Manganese, TCLP	0.565	5	5.27	94	-	-	75-125	-	20
Nickel, TCLP	ND	5	4.63	93	-	-	75-125	-	20
Potassium, TCLP	2.73J	100	102	102	-	-	75-125	-	20
Selenium, TCLP	ND	1.2	1.29	108	-	-	75-125	-	20
Silver, TCLP	ND	0.5	0.504	101	-	-	75-125	-	20
Thallium, TCLP	ND	1.2	1.06	88	-	-	75-125	-	20
Vanadium, TCLP	ND	5	4.93	99	-	-	75-125	-	20
Zinc, TCLP	0.079J	5	5.00	100	-	-	75-125	-	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097324-4 QC Sample: L1808643-01 Client ID: TP-1						
Sulfur, Total	309.	241	mg/kg	**25**	Q	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD		RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097501-4 QC Sample: L1808559-01 Client ID: DUP Sample						
Aluminum, Total	10900	10700	mg/kg	2		20
Antimony, Total	ND	ND	mg/kg	NC		20
Arsenic, Total	11.9	9.83	mg/kg	19		20
Barium, Total	38.0	41.2	mg/kg	8		20
Beryllium, Total	0.454	0.476	mg/kg	5		20
Cadmium, Total	0.899J	0.872J	mg/kg	NC		20
Calcium, Total	1240	1280	mg/kg	3		20
Chromium, Total	16.2	15.4	mg/kg	5		20
Cobalt, Total	12.8	11.4	mg/kg	12		20
Copper, Total	33.3	32.7	mg/kg	2		20
Iron, Total	28800	27300	mg/kg	5		20
Lead, Total	15.2	14.1	mg/kg	8		20
Magnesium, Total	3620	3560	mg/kg	2		20
Manganese, Total	749.	604	mg/kg	**21**	Q	20
Nickel, Total	41.5	61.1	mg/kg	**38**	Q	20
Potassium, Total	462.	488	mg/kg	5		20
Selenium, Total	1.14J	0.548J	mg/kg	NC		20
Silver, Total	ND	ND	mg/kg	NC		20
Sodium, Total	25.3J	22.2J	mg/kg	NC		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD		RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1097501-4 QC Sample: L1808559-01 Client ID: DUP Sample						
Thallium, Total	1.46J	0.962J	mg/kg	NC		20
Vanadium, Total	16.4	16.3	mg/kg	1		20
Zinc, Total	162.	445	mg/kg	**93**	Q	20
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1098076-4 QC Sample: L1808643-01 Client ID: TP-1						
Mercury, TCLP	ND	ND	mg/l	NC		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1098106-4 QC Sample: L1808643-01 Client ID: TP-1					
Aluminum, TCLP	0.833J	0.806J	mg/l	NC	20
Antimony, TCLP	ND	ND	mg/l	NC	20
Arsenic, TCLP	ND	ND	mg/l	NC	20
Barium, TCLP	0.269J	0.256J	mg/l	NC	20
Beryllium, TCLP	ND	ND	mg/l	NC	20
Cadmium, TCLP	ND	ND	mg/l	NC	20
Calcium, TCLP	11.2	10.8	mg/l	4	20
Chromium, TCLP	ND	ND	mg/l	NC	20
Cobalt, TCLP	ND	ND	mg/l	NC	20
Copper, TCLP	0.031J	0.026J	mg/l	NC	20
Iron, TCLP	1.24	0.156J	mg/l	NC	20
Lead, TCLP	0.038J	0.036J	mg/l	NC	20
Magnesium, TCLP	3.08	2.82	mg/l	9	20
Manganese, TCLP	0.565	0.506	mg/l	11	20
Nickel, TCLP	ND	ND	mg/l	NC	20
Potassium, TCLP	2.73J	2.76J	mg/l	NC	20
Selenium, TCLP	ND	ND	mg/l	NC	20
Silver, TCLP	ND	ND	mg/l	NC	20
Thallium, TCLP	ND	ND	mg/l	NC	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
TCLP Metals by EPA 1311 - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1098106-4 QC Sample: L1808643-01 Client ID: TP-1					
Vanadium, TCLP	ND	ND	mg/l	NC	20
Zinc, TCLP	0.079J	0.072J	mg/l	NC	20

INORGANICS
&
MISCELLANEOUS

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-01
Client ID: TP-1
Sample Location: PELHAM MANOR, NY
Sample Depth:
Matrix: Soil

Date Collected: 03/14/18 10:35
Date Received: 03/14/18
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.4		%	0.100	NA	1	-	03/15/18 11:09	121,2540G	RI

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-02
Client ID: TP-1
Sample Location: PELHAM MANOR, NY
Sample Depth:
Matrix: Soil

Date Collected: 03/14/18 10:40
Date Received: 03/14/18
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	94.6		%	0.100	NA	1	-	03/15/18 11:09	121,2540G	RI

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002
Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-03
Client ID: TP-2
Sample Location: PELHAM MANOR, NY
Sample Depth:
Matrix: Soil

Date Collected: 03/14/18 12:10
Date Received: 03/14/18
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.2		%	0.100	NA	1	-	03/15/18 11:09	121,2540G	RI

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

SAMPLE RESULTS

Lab ID: L1808643-04
Client ID: TP-2
Sample Location: PELHAM MANOR, NY

Date Collected: 03/14/18 12:15
Date Received: 03/14/18
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	95.7		%	0.100	NA	1	-	03/15/18 11:09	121,2540G	RI

Lab Duplicate Analysis
Batch Quality Control

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG1097314-1 QC Sample: L1808491-01 Client ID: DUP Sample						
Solids, Total	82.0	82.7	%	1		20

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1808643-01A	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.2	Y	Absent		BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1808643-01B	Glass 500ml/16oz unpreserved	A	NA		2.2	Y	Absent		NYTCL-8270(14),NJEPH-TPH-CAT1(14),TS(7),NYTCL-8082(14)
L1808643-01V	Plastic 120ml HNO3 preserved Extracts	A	NA		2.2	Y	Absent		BE-CI(180),CD-CI(180),V-CI(180),AS-CI(180),BA-CI(180),CA-CI(180),NI-CI(180),AL-CI(180),CU-CI(180),HG-C(28),MN-CI(180),PB-CI(180),CO-CI(180),FE-CI(180),TL-CI(180),CR-CI(180),K-CI(180),MG-CI(180),SE-CI(180),AG-CI(180),SB-CI(180)
L1808643-01V9	Tumble Vessel	A	NA		2.2	Y	Absent		-
L1808643-02A	5 gram Encore Sampler	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-02B	5 gram Encore Sampler	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-02C	5 gram Encore Sampler	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-02D	Plastic 2oz unpreserved for TS	A	NA		2.2	Y	Absent		TS(7)
L1808643-02X	Vial MeOH preserved split	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-02Y	Vial Water preserved split	A	NA		2.2	Y	Absent	15-MAR-18 07:11	NYTCL-8260HLW(14)
L1808643-02Z	Vial Water preserved split	A	NA		2.2	Y	Absent	15-MAR-18 07:11	NYTCL-8260HLW(14)
L1808643-03A	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.2	Y	Absent		BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),S-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1808643-03B	Glass 500ml/16oz unpreserved	A	NA		2.2	Y	Absent		NYTCL-8270(14),NJEPH-TPH-CAT1(14),TS(7),NYTCL-8082(14)

*Values in parentheses indicate holding time in days

Project Name: POST ROAD PLAZA
Project Number: 1772.0001Y002

Lab Number: L1808643
Report Date: 03/19/18

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1808643-03V	Plastic 120ml HNO3 preserved Extracts	A	NA		2.2	Y	Absent		BE-CI(180),CD-CI(180),V-CI(180),AS-CI(180),BA-CI(180),CA-CI(180),NI-CI(180),AL-CI(180),CU-CI(180),HG-C(28),MN-CI(180),PB-CI(180),ZN-CI(180),CO-CI(180),FE-CI(180),TL-CI(180),CR-CI(180),K-CI(180),MG-CI(180),SE-CI(180),AG-CI(180),SB-CI(180)
L1808643-03V9	Tumble Vessel	A	NA		2.2	Y	Absent		-
L1808643-04A	5 gram Encore Sampler	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-04B	5 gram Encore Sampler	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-04C	5 gram Encore Sampler	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-04D	Plastic 2oz unpreserved for TS	A	NA		2.2	Y	Absent		TS(7)
L1808643-04X	Vial MeOH preserved split	A	NA		2.2	Y	Absent		NYTCL-8260HLW(14)
L1808643-04Y	Vial Water preserved split	A	NA		2.2	Y	Absent	15-MAR-18 07:11	NYTCL-8260HLW(14)
L1808643-04Z	Vial Water preserved split	A	NA		2.2	Y	Absent	15-MAR-18 07:11	NYTCL-8260HLW(14)

*Values in parentheses indicate holding time in days

Project Name:	POST ROAD PLAZA	**Lab Number:**	L1808643
Project Number:	1772.0001Y002	**Report Date:**	03/19/18

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

1	- The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A	- Spectra identified as "Aldol Condensation Product".
B	- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: DU Report with 'J' Qualifiers

Project Name:	POST ROAD PLAZA	**Lab Number:**	L1808643
Project Number:	1772.0001Y002	**Report Date:**	03/19/18

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

J - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers

Project Name:	POST ROAD PLAZA	**Lab Number:**	L1808643
Project Number:	1772.0001Y002	**Report Date:**	03/19/18

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

103 Analysis of Extractable Petroleum Hydrocarbon Compounds (EPH) in Aqueous and Soil/Sediment/Sludge Matrices. New Jersey Department of Environmental Protection, Site Remediation Program, (Version 1.1), Document # NJDEP EPH 10/08, Revision 3, August 2010.

121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility
EPA 624: m/p-xylene, o-xylene
EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
EPA 300: DW: Bromide
EPA 6860: SCM: Perchlorate
EPA 9010: NPW and SCM: Amenable Cyanide Distillation
SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility
SM 2540D: TSS
EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**
EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N**, EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**
EPA 624: Volatile Halocarbons & Aromatics,
EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, SM9222D.**

Mansfield Facility:

Drinking Water
EPA 200.7: Al, Ba, Be, Cd, Cr, Cu, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.
EPA 245.1 Hg.
SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

NEW YORK CHAIN OF CUSTODY

ALPHA

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 1

Date Rec'd in Lab: 3/14/18

ALPHA Job #: L1809643

Client Information
Client: Roux DPC
Address: 209 Shafter St
Islandia, NY 11749
Phone: (631) 232-2660
Fax:
Email: cbahista@rouxinc.com

Project Information
Project Name: Post Road Plaza
Project Location: Pelham Manor, NY
Project #: 1772.006/Y002
(Use Project name as Project #) ☐
Project Manager: Chris BaHista
ALPHAQuote #:

Turn-Around Time
Standard ☑ Due Date:
Rush (only if pre approved) ☐ # of Days:

Deliverables
☐ ASP-A ☐ ASP-B
☐ EQuIS (1 File) ☐ EQuIS (4 File)
☐ Other

Regulatory Requirement
☐ NY TOGS ☐ NY Part 375
☐ AWQ Standards ☐ NY CP-51
☐ NY Restricted Use ☐ Other
☐ NY Unrestricted Use
☐ NYC Sewer Discharge

Billing Information
☐ Same as Client Info
PO #

Disposal Site Information
Please identify below location of applicable disposal facilities.
Disposal Facility:
☑ NJ ☑ NY
☐ Other:

These samples have been previously analyzed by Alpha ☐

Other project specific requirements/comments:

Please specify Metals or TAL.

ANALYSIS

Sample Filtration
☐ Done
☐ Lab to do
Preservation
☐ Lab to do
(Please Specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	TCL VOCs	TCL SVOCs	TAL Metals	TCLP Metals	Total Sulfur	PCBs	NJ EPH	Sample Specific Comments	Total # Bottles
09643 - 01	TP-1	3/14/18		S	EB		X	X	X	X	X	X		2
02	TP-1	3/14/18		S	EB	X								4
03	TP-2	3/14/18		S	EB		X	X	X	X	X	X		2
04	TP-2	3/14/18		S	EB	X								4

Container Type	E	A	A	A	A	A	A
Preservative	A	A	A	A	A	A	A

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Relinquished By:	Date/Time	Received By:	Date/Time
Emily Butler	3/14/18 1435		3/14 1435
	3/14		
			3/14/18 2220

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

ANALYTICAL REPORT

Lab Number:	L1816406
Client:	Roux Envr. Engr. & Geology, DPC 209 Shafter Street Islandia, NY 11749-5074
ATTN:	Chris Battista
Phone:	(631) 232-2600
Project Name:	LEVIN-PELHAM MANOR
Project Number:	LEVIN-PELHAM MANOR
Report Date:	05/11/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1816406-01	WS-1	WATER	847 PELHAM PARKWAY, PELHAM MANOR, NY	05/07/18 09:30	05/07/18

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY
For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.


Project Name:	LEVIN-PELHAM MANOR	**Lab Number:**	L1816406
Project Number:	LEVIN-PELHAM MANOR	**Report Date:**	05/11/18

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Kelly Stenstrom

Title: Technical Director/Representative Date: 05/11/18

ORGANICS

VOLATILES

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30
Client ID: WS-1 Date Received: 05/07/18
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 05/09/18 19:52
Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	1.4	J	ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30

Client ID: WS-1 Date Received: 05/07/18

Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Tert-Butyl Alcohol	ND		ug/l	10	1.4	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Acrolein	ND		ug/l	5.0	0.44	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30

Client ID: WS-1 Date Received: 05/07/18

Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	95		70-130

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/09/18 16:07
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1114474-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/09/18 16:07
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1114474-5					
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
Xylenes, Total	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Tert-Butyl Alcohol	ND		ug/l	10	1.4
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Acrolein	ND		ug/l	5.0	0.44
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/09/18 16:07
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1114474-5					
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/09/18 16:07
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1114474-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	97		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1114474-3 WG1114474-4								
Methylene chloride	88		90		70-130	2		20
1,1-Dichloroethane	89		92		70-130	3		20
Chloroform	90		91		70-130	1		20
Carbon tetrachloride	93		97		63-132	4		20
1,2-Dichloropropane	89		91		70-130	2		20
Dibromochloromethane	92		91		63-130	1		20
1,1,2-Trichloroethane	98		96		70-130	2		20
Tetrachloroethene	98		100		70-130	2		20
Chlorobenzene	93		96		75-130	3		20
Trichlorofluoromethane	96		100		62-150	4		20
1,2-Dichloroethane	91		90		70-130	1		20
1,1,1-Trichloroethane	91		96		67-130	5		20
Bromodichloromethane	90		90		67-130	0		20
trans-1,3-Dichloropropene	93		92		70-130	1		20
cis-1,3-Dichloropropene	90		90		70-130	0		20
1,1-Dichloropropene	92		97		70-130	5		20
Bromoform	92		90		54-136	2		20
1,1,2,2-Tetrachloroethane	94		93		67-130	1		20
Benzene	87		91		70-130	4		20
Toluene	93		96		70-130	3		20
Ethylbenzene	92		96		70-130	4		20
Chloromethane	89		92		64-130	3		20
Bromomethane	89		96		39-139	8		20

Lab Control Sample Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1114474-3 WG1114474-4								
Vinyl chloride	93		97		55-140	4		20
Chloroethane	96		100		55-138	4		20
1,1-Dichloroethene	92		96		61-145	4		20
trans-1,2-Dichloroethene	91		96		70-130	5		20
Trichloroethene	86		90		70-130	5		20
1,2-Dichlorobenzene	95		97		70-130	2		20
1,3-Dichlorobenzene	95		98		70-130	3		20
1,4-Dichlorobenzene	94		97		70-130	3		20
Methyl tert butyl ether	91		89		63-130	2		20
p/m-Xylene	95		100		70-130	5		20
o-Xylene	95		100		70-130	5		20
cis-1,2-Dichloroethene	88		92		70-130	4		20
Dibromomethane	90		89		70-130	1		20
1,2,3-Trichloropropane	91		90		64-130	1		20
Acrylonitrile	94		91		70-130	3		20
Tert-Butyl Alcohol	74		110		70-130	**39**	Q	20
Styrene	95		100		70-130	5		20
Dichlorodifluoromethane	96		100		36-147	4		20
Acetone	87		87		58-148	0		20
Carbon disulfide	93		96		51-130	3		20
2-Butanone	96		95		63-138	1		20
Vinyl acetate	98		96		70-130	2		20
4-Methyl-2-pentanone	89		90		59-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1114474-3 WG1114474-4								
2-Hexanone	92		89		57-130	3		20
Acrolein	91		88		40-160	3		20
Bromochloromethane	91		90		70-130	1		20
2,2-Dichloropropane	94		98		63-133	4		20
1,2-Dibromoethane	93		93		70-130	0		20
1,3-Dichloropropane	94		93		70-130	1		20
1,1,1,2-Tetrachloroethane	92		95		64-130	3		20
Bromobenzene	93		96		70-130	3		20
n-Butylbenzene	96		100		53-136	4		20
sec-Butylbenzene	95		100		70-130	5		20
tert-Butylbenzene	94		99		70-130	5		20
o-Chlorotoluene	93		97		70-130	4		20
p-Chlorotoluene	93		96		70-130	3		20
1,2-Dibromo-3-chloropropane	89		89		41-144	0		20
Hexachlorobutadiene	100		110		63-130	10		20
Isopropylbenzene	94		100		70-130	6		20
p-Isopropyltoluene	96		100		70-130	4		20
Naphthalene	94		98		70-130	4		20
n-Propylbenzene	95		100		69-130	5		20
1,2,3-Trichlorobenzene	100		110		70-130	10		20
1,2,4-Trichlorobenzene	97		100		70-130	3		20
1,3,5-Trimethylbenzene	94		99		64-130	5		20
1,2,4-Trimethylbenzene	94		98		70-130	4		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1114474-3 WG1114474-4								
Methyl Acetate	95		92		70-130	3		20
Cyclohexane	94		99		70-130	5		20
1,4-Dioxane	**50**	Q	96		56-162	**63**	Q	20
Freon-113	97		100		70-130	3		20
p-Diethylbenzene	94		100		70-130	6		20
p-Ethyltoluene	95		100		70-130	5		20
1,2,4,5-Tetramethylbenzene	94		99		70-130	5		20
Ethyl ether	95		97		59-134	2		20
trans-1,4-Dichloro-2-butene	84		87		70-130	4		20
Methyl cyclohexane	96		100		70-130	4		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	102		98		70-130
Toluene-d8	102		102		70-130
4-Bromofluorobenzene	97		98		70-130
Dibromofluoromethane	98		97		70-130

SEMIVOLATILES

Project Name: LEVIN-PELHAM MANOR
Lab Number: L1816406
Project Number: LEVIN-PELHAM MANOR
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY
Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 05/10/18 01:25
Analyst: RC
Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:27

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzidine	ND		ug/l	20	8.1	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.66	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.67	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	1.4	1
2,4-Dinitrotoluene	ND		ug/l	5.0	0.84	1
2,6-Dinitrotoluene	ND		ug/l	5.0	1.1	1
Azobenzene	ND		ug/l	2.0	0.75	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.62	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.73	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.70	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.63	1
Hexachlorocyclopentadiene	ND		ug/l	20	7.8	1
Isophorone	ND		ug/l	5.0	0.60	1
Nitrobenzene	ND		ug/l	2.0	0.75	1
NDPA/DPA	ND		ug/l	2.0	0.64	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.70	1
Bis(2-ethylhexyl)phthalate	7.4		ug/l	3.0	0.91	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.3	1
Di-n-butylphthalate	ND		ug/l	5.0	0.69	1
Di-n-octylphthalate	ND		ug/l	5.0	1.1	1
Diethyl phthalate	ND		ug/l	5.0	0.63	1
Dimethyl phthalate	ND		ug/l	5.0	0.65	1
Biphenyl	ND		ug/l	2.0	0.76	1
4-Chloroaniline	ND		ug/l	5.0	0.63	1
2-Nitroaniline	ND		ug/l	5.0	1.1	1
3-Nitroaniline	ND		ug/l	5.0	1.2	1
4-Nitroaniline	ND		ug/l	5.0	1.3	1
Dibenzofuran	ND		ug/l	2.0	0.66	1

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30

Client ID: WS-1 Date Received: 05/07/18

Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.67	1
Acetophenone	ND		ug/l	5.0	0.85	1
n-Nitrosodimethylamine	ND		ug/l	2.0	0.67	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.68	1
p-Chloro-m-cresol	ND		ug/l	2.0	0.62	1
2-Chlorophenol	ND		ug/l	2.0	0.63	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.77	1
2,4-Dimethylphenol	ND		ug/l	5.0	1.6	1
2-Nitrophenol	ND		ug/l	10	1.5	1
4-Nitrophenol	ND		ug/l	10	1.8	1
2,4-Dinitrophenol	ND		ug/l	20	5.5	1
4,6-Dinitro-o-cresol	ND		ug/l	10	2.1	1
Phenol	ND		ug/l	5.0	1.9	1
2-Methylphenol	ND		ug/l	5.0	1.0	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	1.1	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.72	1
Benzoic Acid	ND		ug/l	50	13.	1
Benzyl Alcohol	ND		ug/l	2.0	0.72	1
Carbazole	ND		ug/l	2.0	0.63	1
Atrazine	ND		ug/l	10	1.8	1
Benzaldehyde	ND		ug/l	5.0	1.1	1
Caprolactam	ND		ug/l	10	3.6	1
2,3,4,6-Tetrachlorophenol	ND		ug/l	5.0	0.93	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	22		21-120
Phenol-d6	20		10-120
Nitrobenzene-d5	49		23-120
2-Fluorobiphenyl	50		15-120
2,4,6-Tribromophenol	62		10-120
4-Terphenyl-d14	73		41-149

Project Name: LEVIN-PELHAM MANOR
Lab Number: L1816406
Project Number: LEVIN-PELHAM MANOR
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY
Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8270D-SIM
Analytical Date: 05/10/18 15:25
Analyst: KL
Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	0.28		ug/l	0.10	0.04	1
2-Chloronaphthalene	ND		ug/l	0.20	0.04	1
Fluoranthene	1.3		ug/l	0.10	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.04	1
Naphthalene	0.06	J	ug/l	0.10	0.04	1
Benzo(a)anthracene	0.58		ug/l	0.10	0.02	1
Benzo(a)pyrene	0.59		ug/l	0.10	0.04	1
Benzo(b)fluoranthene	0.62		ug/l	0.10	0.02	1
Benzo(k)fluoranthene	0.21		ug/l	0.10	0.04	1
Chrysene	0.54		ug/l	0.10	0.04	1
Acenaphthylene	0.37		ug/l	0.10	0.04	1
Anthracene	0.19		ug/l	0.10	0.04	1
Benzo(ghi)perylene	0.37		ug/l	0.10	0.04	1
Fluorene	0.09	J	ug/l	0.10	0.04	1
Phenanthrene	0.48		ug/l	0.10	0.02	1
Dibenzo(a,h)anthracene	0.09	J	ug/l	0.10	0.04	1
Indeno(1,2,3-cd)pyrene	0.35		ug/l	0.10	0.04	1
Pyrene	2.0		ug/l	0.10	0.04	1
2-Methylnaphthalene	0.05	J	ug/l	0.10	0.05	1
Pentachlorophenol	ND		ug/l	0.80	0.22	1
Hexachlorobenzene	ND		ug/l	0.80	0.03	1
Hexachloroethane	ND		ug/l	0.80	0.03	1

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30

Client ID: WS-1 Date Received: 05/07/18

Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	**15**	Q	21-120
Phenol-d6	14		10-120
Nitrobenzene-d5	34		23-120
2-Fluorobiphenyl	46		15-120
2,4,6-Tribromophenol	44		10-120
4-Terphenyl-d14	52		41-149

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/09/18 03:09
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:27

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1113548-1					
Benzidine	ND		ug/l	20	8.1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.66
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.67
3,3'-Dichlorobenzidine	ND		ug/l	5.0	1.4
2,4-Dinitrotoluene	ND		ug/l	5.0	0.84
2,6-Dinitrotoluene	ND		ug/l	5.0	1.1
Azobenzene	ND		ug/l	2.0	0.75
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.62
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.73
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.70
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.63
Hexachlorocyclopentadiene	ND		ug/l	20	7.8
Isophorone	ND		ug/l	5.0	0.60
Nitrobenzene	ND		ug/l	2.0	0.75
NDPA/DPA	ND		ug/l	2.0	0.64
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.70
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	0.91
Butyl benzyl phthalate	ND		ug/l	5.0	1.3
Di-n-butylphthalate	ND		ug/l	5.0	0.69
Di-n-octylphthalate	ND		ug/l	5.0	1.1
Diethyl phthalate	ND		ug/l	5.0	0.63
Dimethyl phthalate	ND		ug/l	5.0	0.65
Biphenyl	ND		ug/l	2.0	0.76
4-Chloroaniline	ND		ug/l	5.0	0.63
2-Nitroaniline	ND		ug/l	5.0	1.1
3-Nitroaniline	ND		ug/l	5.0	1.2
4-Nitroaniline	ND		ug/l	5.0	1.3
Dibenzofuran	ND		ug/l	2.0	0.66
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.67

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/09/18 03:09
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:27

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1113548-1					
Acetophenone	ND		ug/l	5.0	0.85
n-Nitrosodimethylamine	ND		ug/l	2.0	0.67
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.68
p-Chloro-m-cresol	ND		ug/l	2.0	0.62
2-Chlorophenol	ND		ug/l	2.0	0.63
2,4-Dichlorophenol	ND		ug/l	5.0	0.77
2,4-Dimethylphenol	ND		ug/l	5.0	1.6
2-Nitrophenol	ND		ug/l	10	1.5
4-Nitrophenol	ND		ug/l	10	1.8
2,4-Dinitrophenol	ND		ug/l	20	5.5
4,6-Dinitro-o-cresol	ND		ug/l	10	2.1
Phenol	ND		ug/l	5.0	1.9
2-Methylphenol	ND		ug/l	5.0	1.0
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	1.1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.72
Benzoic Acid	ND		ug/l	50	13.
Benzyl Alcohol	ND		ug/l	2.0	0.72
Carbazole	ND		ug/l	2.0	0.63
Atrazine	ND		ug/l	10	1.8
Benzaldehyde	ND		ug/l	5.0	1.1
Caprolactam	ND		ug/l	10	3.6
2,3,4,6-Tetrachlorophenol	ND		ug/l	5.0	0.93

Tentatively Identified Compounds

Total TIC Compounds	9.96	J	ug/l
Aldol Condensates	9.96	J	ug/l

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/09/18 03:09
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:27

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1113548-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		21-120
Phenol-d6	32		10-120
Nitrobenzene-d5	79		23-120
2-Fluorobiphenyl	79		15-120
2,4,6-Tribromophenol	80		10-120
4-Terphenyl-d14	87		41-149

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D-SIM
Analytical Date: 05/09/18 10:14
Analyst: KL

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:30

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1113551-1					
Acenaphthene	ND		ug/l	0.10	0.04
2-Chloronaphthalene	ND		ug/l	0.20	0.04
Fluoranthene	ND		ug/l	0.10	0.04
Hexachlorobutadiene	ND		ug/l	0.50	0.04
Naphthalene	ND		ug/l	0.10	0.04
Benzo(a)anthracene	ND		ug/l	0.10	0.02
Benzo(a)pyrene	ND		ug/l	0.10	0.04
Benzo(b)fluoranthene	ND		ug/l	0.10	0.02
Benzo(k)fluoranthene	ND		ug/l	0.10	0.04
Chrysene	ND		ug/l	0.10	0.04
Acenaphthylene	ND		ug/l	0.10	0.04
Anthracene	ND		ug/l	0.10	0.04
Benzo(ghi)perylene	ND		ug/l	0.10	0.04
Fluorene	ND		ug/l	0.10	0.04
Phenanthrene	ND		ug/l	0.10	0.02
Dibenzo(a,h)anthracene	ND		ug/l	0.10	0.04
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	0.04
Pyrene	ND		ug/l	0.10	0.04
2-Methylnaphthalene	ND		ug/l	0.10	0.05
Pentachlorophenol	ND		ug/l	0.80	0.22
Hexachlorobenzene	ND		ug/l	0.80	0.03
Hexachloroethane	ND		ug/l	0.80	0.03

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D-SIM
Analytical Date: 05/09/18 10:14
Analyst: KL

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 07:30

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1113551-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	36		21-120
Phenol-d6	25		10-120
Nitrobenzene-d5	61		23-120
2-Fluorobiphenyl	66		15-120
2,4,6-Tribromophenol	81		10-120
4-Terphenyl-d14	72		41-149

Lab Control Sample Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1113548-2 WG1113548-3								
Benzidine	19		29		10-75	**42**	Q	30
1,2,4-Trichlorobenzene	73		82		39-98	12		30
Bis(2-chloroethyl)ether	76		86		40-140	12		30
3,3'-Dichlorobenzidine	86		84		40-140	2		30
2,4-Dinitrotoluene	112		120		48-143	7		30
2,6-Dinitrotoluene	112		120		40-140	7		30
Azobenzene	88		94		40-140	7		30
4-Chlorophenyl phenyl ether	86		92		40-140	7		30
4-Bromophenyl phenyl ether	88		96		40-140	9		30
Bis(2-chloroisopropyl)ether	96		108		40-140	12		30
Bis(2-chloroethoxy)methane	84		93		40-140	10		30
Hexachlorocyclopentadiene	70		78		40-140	11		30
Isophorone	85		94		40-140	10		30
Nitrobenzene	83		93		40-140	11		30
NDPA/DPA	88		95		40-140	8		30
n-Nitrosodi-n-propylamine	83		92		29-132	10		30
Bis(2-ethylhexyl)phthalate	99		103		40-140	4		30
Butyl benzyl phthalate	97		103		40-140	6		30
Di-n-butylphthalate	93		100		40-140	7		30
Di-n-octylphthalate	100		104		40-140	4		30
Diethyl phthalate	87		92		40-140	6		30
Dimethyl phthalate	93		99		40-140	6		30
Biphenyl	88		95		40-140	8		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1113548-2 WG1113548-3								
4-Chloroaniline	74		80		40-140	8		30
2-Nitroaniline	111		121		52-143	9		30
3-Nitroaniline	89		91		25-145	2		30
4-Nitroaniline	99		106		51-143	7		30
Dibenzofuran	86		92		40-140	7		30
1,2,4,5-Tetrachlorobenzene	84		93		2-134	10		30
Acetophenone	84		93		39-129	10		30
n-Nitrosodimethylamine	45		51		22-74	13		30
2,4,6-Trichlorophenol	94		102		30-130	8		30
p-Chloro-m-cresol	91		**98**	Q	23-97	7		30
2-Chlorophenol	73		82		27-123	12		30
2,4-Dichlorophenol	89		98		30-130	10		30
2,4-Dimethylphenol	84		93		30-130	10		30
2-Nitrophenol	98		109		30-130	11		30
4-Nitrophenol	67		69		10-80	3		30
2,4-Dinitrophenol	93		99		20-130	6		30
4,6-Dinitro-o-cresol	113		121		20-164	7		30
Phenol	37		39		12-110	5		30
2-Methylphenol	75		82		30-130	9		30
3-Methylphenol/4-Methylphenol	73		79		30-130	8		30
2,4,5-Trichlorophenol	95		102		30-130	7		30
Benzoic Acid	20		16		10-164	22		30
Benzyl Alcohol	73		79		26-116	8		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1113548-2 WG1113548-3								
Carbazole	94		100		55-144	6		30
Atrazine	96		103		40-140	7		30
Benzaldehyde	80		91		40-140	13		30
Caprolactam	32		34		10-130	6		30
2,3,4,6-Tetrachlorophenol	90		97		40-140	7		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	50		55		21-120
Phenol-d6	38		40		10-120
Nitrobenzene-d5	86		96		23-120
2-Fluorobiphenyl	89		97		15-120
2,4,6-Tribromophenol	95		104		10-120
4-Terphenyl-d14	101		108		41-149

Lab Control Sample Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1113551-2 WG1113551-3								
Acenaphthene	71		70		40-140	1		40
2-Chloronaphthalene	67		69		40-140	3		40
Fluoranthene	79		80		40-140	1		40
Hexachlorobutadiene	69		66		40-140	4		40
Naphthalene	68		66		40-140	3		40
Benzo(a)anthracene	84		84		40-140	0		40
Benzo(a)pyrene	89		91		40-140	2		40
Benzo(b)fluoranthene	86		89		40-140	3		40
Benzo(k)fluoranthene	87		88		40-140	1		40
Chrysene	82		82		40-140	0		40
Acenaphthylene	72		75		40-140	4		40
Anthracene	77		79		40-140	3		40
Benzo(ghi)perylene	86		86		40-140	0		40
Fluorene	74		73		40-140	1		40
Phenanthrene	74		75		40-140	1		40
Dibenzo(a,h)anthracene	88		90		40-140	2		40
Indeno(1,2,3-cd)pyrene	90		92		40-140	2		40
Pyrene	89		79		40-140	12		40
2-Methylnaphthalene	70		70		40-140	0		40
Pentachlorophenol	82		80		40-140	2		40
Hexachlorobenzene	88		80		40-140	10		40
Hexachloroethane	65		61		40-140	6		40

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1113551-2 WG1113551-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	42		37		21-120
Phenol-d6	30		27		10-120
Nitrobenzene-d5	72		66		23-120
2-Fluorobiphenyl	74		75		15-120
2,4,6-Tribromophenol	102		91		10-120
4-Terphenyl-d14	84		78		41-149

PETROLEUM HYDROCARBONS

Project Name: LEVIN-PELHAM MANOR
Lab Number: L1816406
Project Number: LEVIN-PELHAM MANOR
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY
Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 103,NJDEP EPH
Analytical Date: 05/10/18 16:12
Analyst: MEO

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 09:36

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab						
Total EPH	1360		ug/l	360	360.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	61		40-140
o-Terphenyl	86		40-140

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 103,NJDEP EPH
Analytical Date: 05/10/18 14:09
Analyst: MEO

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 09:36

Parameter	Result	Qualifier	Units	RL	MDL
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab for sample(s): 01 Batch: WG1113606-1					
Total EPH	ND		ug/l	360	360.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	106		40-140
o-Terphenyl	106		40-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01 Batch: WG1113606-2 WG1113606-3								
Total EPH	118		111		40-140	6		25
Nonane (C9)	74		73		40-140	1		25
Decane (C10)	87		86		40-140	1		25
Dodecane (C12)	89		88		40-140	1		25
Tetradecane (C14)	94		92		40-140	2		25
Hexadecane (C16)	103		98		40-140	5		25
Octadecane (C18)	107		102		40-140	5		25
Eicosane (C20)	109		104		40-140	5		25
Heneicosane (C21)	110		104		40-140	6		25
Docosane (C22)	109		104		40-140	5		25
Tetracosane (C24)	110		104		40-140	6		25
Hexacosane (C26)	110		104		40-140	6		25
Octacosane (C28)	108		103		40-140	5		25
Triacontane (C30)	107		103		40-140	4		25
Dotriacontane (C32)	108		104		40-140	4		25
Tetratriacontane (C34)	106		102		40-140	4		25
Hexatriacontane (C36)	109		104		40-140	5		25
Octatriacontane (C38)	111		105		40-140	6		25
Tetracontane (C40)	110		104		40-140	6		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01 Batch: WG1113606-2 WG1113606-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Chloro-Octadecane	107		102		40-140
o-Terphenyl	108		102		40-140

Matrix Spike Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113606-4 QC Sample: L1800013-97 Client ID: MS Sample												
Total EPH	ND	3600	4310	120		-	-		40-140	-		50
Nonane (C9)	ND	100	81.8	82		-	-		40-140	-		50
Decane (C10)	ND	100	96.1	96		-	-		40-140	-		50
Dodecane (C12)	ND	100	95.2	95		-	-		40-140	-		50
Tetradecane (C14)	ND	100	98.5	98		-	-		40-140	-		50
Hexadecane (C16)	ND	100	107	107		-	-		40-140	-		50
Octadecane (C18)	ND	100	113	113		-	-		40-140	-		50
Eicosane (C20)	ND	100	113	113		-	-		40-140	-		50
Heneicosane (C21)	ND	100	114	114		-	-		40-140	-		50
Docosane (C22)	ND	100	114	114		-	-		40-140	-		50
Tetracosane (C24)	ND	100	114	114		-	-		40-140	-		50
Hexacosane (C26)	ND	100	114	114		-	-		40-140	-		50
Octacosane (C28)	ND	100	112	112		-	-		40-140	-		50
Triacontane (C30)	ND	100	111	111		-	-		40-140	-		50
Dotriacontane (C32)	ND	100	112	112		-	-		40-140	-		50
Tetratriacontane (C34)	ND	100	110	110		-	-		40-140	-		50
Hexatriacontane (C36)	ND	100	114	114		-	-		40-140	-		50
Octatriacontane (C38)	ND	100	115	115		-	-		40-140	-		50
Tetracontane (C40)	ND	100	114	114		-	-		40-140	-		50

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
Chloro-Octadecane	106				40-140

Matrix Spike Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	*Native Sample*	*MS Added*	*MS Found*	*MS %Recovery*	*Qual*	*MSD Found*	*MSD %Recovery*	*Qual*	*Recovery Limits*	*RPD*	*Qual*	*RPD Limits*
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113606-4 QC Sample: L1800013-97 Client ID: MS Sample												

Surrogate	*MS % Recovery*	*MS Qualifier*	*MSD % Recovery*	*MSD Qualifier*	*Acceptance Criteria*
o-Terphenyl	111				40-140

Lab Duplicate Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MA

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
NJ Extractable Petroleum Hydrocarbons (Total) - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113606-5 QC Sample: L1800013-97 Client ID: DUP Sample						
Total EPH	ND	ND	ug/l	NC		50

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
Chloro-Octadecane	103		99		40-140
o-Terphenyl	107		101		40-140

PCBS

Project Name: LEVIN-PELHAM MANOR
Lab Number: L1816406
Project Number: LEVIN-PELHAM MANOR
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY
Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8082A
Analytical Date: 05/10/18 15:43
Analyst: HT

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 09:27
Cleanup Method: EPA 3665A
Cleanup Date: 05/08/18
Cleanup Method: EPA 3660B
Cleanup Date: 05/10/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.083	0.020	1	A
Aroclor 1221	ND		ug/l	0.083	0.032	1	A
Aroclor 1232	ND		ug/l	0.083	0.027	1	A
Aroclor 1242	ND		ug/l	0.083	0.030	1	A
Aroclor 1248	ND		ug/l	0.083	0.023	1	A
Aroclor 1254	ND		ug/l	0.083	0.035	1	A
Aroclor 1260	ND		ug/l	0.083	0.020	1	A
Aroclor 1262	ND		ug/l	0.083	0.017	1	A
Aroclor 1268	ND		ug/l	0.083	0.027	1	A
PCBs, Total	ND		ug/l	0.083	0.017	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	107		30-150	A
Decachlorobiphenyl	62		30-150	A
2,4,5,6-Tetrachloro-m-xylene	110		30-150	B
Decachlorobiphenyl	63		30-150	B

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082A
Analytical Date: 05/08/18 03:26
Analyst: HT

Extraction Method: EPA 3510C
Extraction Date: 05/07/18 12:50
Cleanup Method: EPA 3665A
Cleanup Date: 05/07/18
Cleanup Method: EPA 3660B
Cleanup Date: 05/08/18

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01 Batch: WG1113309-1						
Aroclor 1016	ND		ug/l	0.083	0.020	A
Aroclor 1221	ND		ug/l	0.083	0.032	A
Aroclor 1232	ND		ug/l	0.083	0.027	A
Aroclor 1242	ND		ug/l	0.083	0.030	A
Aroclor 1248	ND		ug/l	0.083	0.023	A
Aroclor 1254	ND		ug/l	0.083	0.035	A
Aroclor 1260	ND		ug/l	0.083	0.020	A
Aroclor 1262	ND		ug/l	0.083	0.017	A
Aroclor 1268	ND		ug/l	0.083	0.027	A
PCBs, Total	ND		ug/l	0.083	0.017	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	86		30-150	A
Decachlorobiphenyl	43		30-150	A
2,4,5,6-Tetrachloro-m-xylene	98		30-150	B
Decachlorobiphenyl	58		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 Batch: WG1113309-2 WG1113309-3									
Aroclor 1016	87		91		40-140	4		50	A
Aroclor 1260	56		60		40-140	6		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	93		92		30-150	A
Decachlorobiphenyl	42		46		30-150	A
2,4,5,6-Tetrachloro-m-xylene	100		99		30-150	B
Decachlorobiphenyl	67		70		30-150	B

PESTICIDES

Project Name: LEVIN-PELHAM MANOR
Lab Number: L1816406
Project Number: LEVIN-PELHAM MANOR
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY
Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8081B
Analytical Date: 05/10/18 16:57
Analyst: JW
Extraction Method: EPA 3510C
Extraction Date: 05/08/18 09:40

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/l	0.020	0.005	1	A
Lindane	ND		ug/l	0.020	0.004	1	A
Alpha-BHC	ND		ug/l	0.020	0.004	1	A
Beta-BHC	ND		ug/l	0.020	0.006	1	A
Heptachlor	ND		ug/l	0.020	0.003	1	A
Aldrin	ND		ug/l	0.020	0.002	1	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	1	A
Endrin	ND		ug/l	0.040	0.004	1	A
Endrin aldehyde	ND		ug/l	0.040	0.008	1	A
Endrin ketone	ND		ug/l	0.040	0.005	1	A
Dieldrin	ND		ug/l	0.040	0.004	1	A
4,4'-DDE	ND		ug/l	0.040	0.004	1	A
4,4'-DDD	ND		ug/l	0.040	0.005	1	A
4,4'-DDT	ND		ug/l	0.040	0.004	1	A
Endosulfan I	ND		ug/l	0.020	0.003	1	A
Endosulfan II	ND		ug/l	0.040	0.005	1	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	1	A
Methoxychlor	ND		ug/l	0.200	0.007	1	A
Toxaphene	ND		ug/l	0.200	0.063	1	A
cis-Chlordane	ND		ug/l	0.020	0.007	1	A
trans-Chlordane	ND		ug/l	0.020	0.006	1	A
Chlordane	ND		ug/l	0.200	0.046	1	A

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30

Client ID: WS-1 Date Received: 05/07/18

Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	96		30-150	A
Decachlorobiphenyl	87		30-150	A
2,4,5,6-Tetrachloro-m-xylene	97		30-150	B
Decachlorobiphenyl	94		30-150	B

Project Name: LEVIN-PELHAM MANOR
Lab Number: L1816406
Project Number: LEVIN-PELHAM MANOR
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY

Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8151A
Analytical Date: 05/10/18 14:26
Analyst: KEG

Extraction Method: EPA 8151A
Extraction Date: 05/09/18 04:28

Methylation Date: 05/10/18 03:39

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Chlorinated Herbicides by GC - Westborough Lab							
2,4-D	0.870	J	ug/l	10.0	0.498	1	B
2,4,5-T	ND		ug/l	2.00	0.531	1	A
2,4,5-TP (Silvex)	ND		ug/l	2.00	0.539	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
DCAA	118		30-150	A
DCAA	122		30-150	B

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 05/10/18 16:19
Analyst: JW

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 09:40

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01 Batch: WG1113618-1						
Delta-BHC	ND		ug/l	0.020	0.005	A
Lindane	ND		ug/l	0.020	0.004	A
Alpha-BHC	ND		ug/l	0.020	0.004	A
Beta-BHC	ND		ug/l	0.020	0.006	A
Heptachlor	ND		ug/l	0.020	0.003	A
Aldrin	ND		ug/l	0.020	0.002	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	A
Endrin	ND		ug/l	0.040	0.004	A
Endrin aldehyde	ND		ug/l	0.040	0.008	A
Endrin ketone	ND		ug/l	0.040	0.005	A
Dieldrin	ND		ug/l	0.040	0.004	A
4,4'-DDE	ND		ug/l	0.040	0.004	A
4,4'-DDD	ND		ug/l	0.040	0.005	A
4,4'-DDT	ND		ug/l	0.040	0.004	A
Endosulfan I	ND		ug/l	0.020	0.003	A
Endosulfan II	ND		ug/l	0.040	0.005	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	A
Methoxychlor	ND		ug/l	0.200	0.007	A
Toxaphene	ND		ug/l	0.200	0.063	A
cis-Chlordane	ND		ug/l	0.020	0.007	A
trans-Chlordane	ND		ug/l	0.020	0.006	A
Chlordane	ND		ug/l	0.200	0.046	A

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 05/10/18 16:19
Analyst: JW

Extraction Method: EPA 3510C
Extraction Date: 05/08/18 09:40

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01 Batch: WG1113618-1						

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	93		30-150	A
2,4,5,6-Tetrachloro-m-xylene	91		30-150	B
Decachlorobiphenyl	94		30-150	B

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANO

Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8151A
Analytical Date: 05/10/18 13:29
Analyst: SL

Extraction Method: EPA 8151A
Extraction Date: 05/09/18 04:28

Methylation Date: 05/10/18 03:39

Parameter	Result	Qualifier	Units	RL	MDL	Column
Chlorinated Herbicides by GC - Westborough Lab for sample(s): 01 Batch: WG1113932-1						
2,4-D	ND		ug/l	10.0	0.498	A
2,4,5-T	ND		ug/l	2.00	0.531	A
2,4,5-TP (Silvex)	ND		ug/l	2.00	0.539	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
DCAA	113		30-150	A
DCAA	110		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 Batch: WG1113618-2 WG1113618-3									
Delta-BHC	122		139		30-150	13		20	A
Lindane	112		128		30-150	13		20	A
Alpha-BHC	98		112		30-150	13		20	A
Beta-BHC	98		111		30-150	12		20	A
Heptachlor	104		119		30-150	13		20	A
Aldrin	110		127		30-150	14		20	A
Heptachlor epoxide	108		124		30-150	14		20	A
Endrin	115		133		30-150	15		20	A
Endrin aldehyde	104		114		30-150	9		20	A
Endrin ketone	118		135		30-150	13		20	A
Dieldrin	119		137		30-150	14		20	A
4,4'-DDE	114		131		30-150	14		20	A
4,4'-DDD	116		132		30-150	13		20	A
4,4'-DDT	115		130		30-150	12		20	A
Endosulfan I	106		123		30-150	15		20	A
Endosulfan II	109		124		30-150	13		20	A
Endosulfan sulfate	114		131		30-150	14		20	A
Methoxychlor	116		127		30-150	9		20	A
cis-Chlordane	103		120		30-150	15		20	A
trans-Chlordane	106		123		30-150	15		20	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 Batch: WG1113618-2 WG1113618-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	94		105		30-150	A
Decachlorobiphenyl	93		106		30-150	A
2,4,5,6-Tetrachloro-m-xylene	89		101		30-150	B
Decachlorobiphenyl	100		110		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Chlorinated Herbicides by GC - Westborough Lab Associated sample(s): 01 Batch: WG1113932-2 WG1113932-3									
2,4-D	93		95		30-150	2		25	A
2,4,5-T	107		111		30-150	4		25	A
2,4,5-TP (Silvex)	95		96		30-150	1		25	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
DCAA	114		114		30-150	A
DCAA	120		123		30-150	B

METALS

Project Name: LEVIN-PELHAM MANOR **Lab Number:** L1816406

Project Number: LEVIN-PELHAM MANOR **Report Date:** 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01 Date Collected: 05/07/18 09:30

Client ID: WS-1 Date Received: 05/07/18

Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.0110		mg/l	0.0100	0.00327	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Antimony, Total	0.00057	J	mg/l	0.00400	0.00042	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Arsenic, Total	0.00226		mg/l	0.00050	0.00016	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Barium, Total	0.1448		mg/l	0.00050	0.00017	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Beryllium, Total	ND		mg/l	0.00050	0.00010	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Cadmium, Total	0.00024		mg/l	0.00020	0.00005	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Calcium, Total	118.		mg/l	0.100	0.0394	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Chromium, Total	0.00085	J	mg/l	0.00100	0.00017	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Cobalt, Total	0.00036	J	mg/l	0.00050	0.00016	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Copper, Total	0.00162		mg/l	0.00100	0.00038	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Iron, Total	0.102		mg/l	0.0500	0.0191	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Lead, Total	0.00045	J	mg/l	0.00100	0.00034	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Magnesium, Total	34.3		mg/l	0.0700	0.0242	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Manganese, Total	0.01708		mg/l	0.00100	0.00044	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/08/18 10:19	05/08/18 14:25	EPA 7470A	1,7470A	MG
Nickel, Total	0.00071	J	mg/l	0.00200	0.00055	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Potassium, Total	4.26		mg/l	0.100	0.0309	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	0.00173	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Silver, Total	ND		mg/l	0.00040	0.00016	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Sodium, Total	25.2		mg/l	0.100	0.0293	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Thallium, Total	ND		mg/l	0.00050	0.00014	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Vanadium, Total	0.00209	J	mg/l	0.00500	0.00157	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM
Zinc, Total	0.01009		mg/l	0.01000	0.00341	1	05/09/18 08:55	05/09/18 13:52	EPA 3005A	1,6020A	AM

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR
Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1113625-1										
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/08/18 10:19	05/08/18 14:21	1,7470A	MG

Prep Information

Digestion Method: EPA 7470A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1113749-1										
Aluminum, Total	ND		mg/l	0.0100	0.00327	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Antimony, Total	0.00078	J	mg/l	0.00400	0.00042	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Arsenic, Total	ND		mg/l	0.00050	0.00016	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Barium, Total	ND		mg/l	0.00050	0.00017	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Beryllium, Total	ND		mg/l	0.00050	0.00010	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Cadmium, Total	0.00018	J	mg/l	0.00020	0.00005	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Calcium, Total	ND		mg/l	0.100	0.0394	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Chromium, Total	ND		mg/l	0.00100	0.00017	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Cobalt, Total	ND		mg/l	0.00050	0.00016	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Copper, Total	ND		mg/l	0.00100	0.00038	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Iron, Total	ND		mg/l	0.0500	0.0191	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Lead, Total	ND		mg/l	0.00100	0.00034	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Magnesium, Total	ND		mg/l	0.0700	0.0242	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Manganese, Total	ND		mg/l	0.00100	0.00044	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Nickel, Total	ND		mg/l	0.00200	0.00055	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Potassium, Total	ND		mg/l	0.100	0.0309	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	0.00173	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Silver, Total	ND		mg/l	0.00040	0.00016	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Sodium, Total	ND		mg/l	0.100	0.0293	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Thallium, Total	ND		mg/l	0.00050	0.00014	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Vanadium, Total	ND		mg/l	0.00500	0.00157	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM
Zinc, Total	ND		mg/l	0.01000	0.00341	1	05/09/18 08:55	05/09/18 12:53	1,6020A	AM

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR
Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1113625-2								
Mercury, Total	110		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1113749-2					
Aluminum, Total	100	-	80-120	-	
Antimony, Total	105	-	80-120	-	
Arsenic, Total	103	-	80-120	-	
Barium, Total	100	-	80-120	-	
Beryllium, Total	103	-	80-120	-	
Cadmium, Total	108	-	80-120	-	
Calcium, Total	94	-	80-120	-	
Chromium, Total	96	-	80-120	-	
Cobalt, Total	99	-	80-120	-	
Copper, Total	99	-	80-120	-	
Iron, Total	105	-	80-120	-	
Lead, Total	106	-	80-120	-	
Magnesium, Total	101	-	80-120	-	
Manganese, Total	98	-	80-120	-	
Nickel, Total	100	-	80-120	-	
Potassium, Total	96	-	80-120	-	
Selenium, Total	103	-	80-120	-	
Silver, Total	98	-	80-120	-	
Sodium, Total	98	-	80-120	-	
Thallium, Total	100	-	80-120	-	
Vanadium, Total	97	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1113749-2					
Zinc, Total	102	-	80-120	-	

Matrix Spike Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1113625-3 QC Sample: L1816406-01 Client ID: WS-1												
Mercury, Total	ND	0.005	0.00551	110		-	-		75-125	-		20

Matrix Spike Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery		MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1113749-3 QC Sample: L1815875-01 Client ID: MS Sample										
Aluminum, Total	0.0321	2	2.00	98		-	-	75-125	-	20
Antimony, Total	0.00079J	0.5	0.6681	**134**	Q	-	-	75-125	-	20
Arsenic, Total	0.00042J	0.12	0.1342	112		-	-	75-125	-	20
Barium, Total	0.05534	2	2.094	102		-	-	75-125	-	20
Beryllium, Total	ND	0.05	0.05238	105		-	-	75-125	-	20
Cadmium, Total	0.00011J	0.051	0.05503	108		-	-	75-125	-	20
Calcium, Total	239.	10	238	**0**	Q	-	-	75-125	-	20
Chromium, Total	0.00034J	0.2	0.1987	99		-	-	75-125	-	20
Cobalt, Total	0.00145	0.5	0.4934	98		-	-	75-125	-	20
Copper, Total	0.00090J	0.25	0.2471	99		-	-	75-125	-	20
Iron, Total	0.0795	1	1.19	111		-	-	75-125	-	20
Lead, Total	ND	0.51	0.5643	111		-	-	75-125	-	20
Magnesium, Total	61.3	10	68.7	**74**	Q	-	-	75-125	-	20
Manganese, Total	0.7264	0.5	1.212	97		-	-	75-125	-	20
Nickel, Total	0.00250	0.5	0.4932	98		-	-	75-125	-	20
Potassium, Total	10.9	10	20.1	92		-	-	75-125	-	20
Selenium, Total	0.00332J	0.12	0.131	109		-	-	75-125	-	20
Silver, Total	ND	0.05	0.05033	101		-	-	75-125	-	20
Sodium, Total	343.	10	334	**0**	Q	-	-	75-125	-	20
Thallium, Total	ND	0.12	0.1227	102		-	-	75-125	-	20
Vanadium, Total	ND	0.5	0.5080	102		-	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1113749-3 QC Sample: L1815875-01 Client ID: MS Sample									
Zinc, Total	ND	0.5	0.4995	100	-	-	75-125	-	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MA

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1113625-4 QC Sample: L1816406-01 Client ID: WS-1						
Mercury, Total	ND	ND	mg/l	NC		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MA

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	Duplicate Sample	Units	RPD		RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1113749-4 QC Sample: L1815875-01 Client ID: DUP Sample						
Aluminum, Total	0.0321	0.0330	mg/l	3		20
Antimony, Total	0.00079J	0.00165J	mg/l	NC		20
Arsenic, Total	0.00042J	0.00041J	mg/l	NC		20
Barium, Total	0.05534	0.05438	mg/l	2		20
Beryllium, Total	ND	ND	mg/l	NC		20
Cadmium, Total	0.00011J	0.00021	mg/l	NC		20
Calcium, Total	239.	240	mg/l	0		20
Chromium, Total	0.00034J	0.00036J	mg/l	NC		20
Cobalt, Total	0.00145	0.00135	mg/l	7		20
Copper, Total	0.00090J	0.00306	mg/l	NC		20
Iron, Total	0.0795	0.0997	mg/l	**23**	Q	20
Lead, Total	ND	ND	mg/l	NC		20
Magnesium, Total	61.3	61.4	mg/l	0		20
Manganese, Total	0.7264	0.7159	mg/l	1		20
Nickel, Total	0.00250	0.00270	mg/l	8		20
Potassium, Total	10.9	10.8	mg/l	1		20
Selenium, Total	0.00332J	0.00314J	mg/l	NC		20
Silver, Total	ND	ND	mg/l	NC		20
Sodium, Total	343.	345	mg/l	1		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MA

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1113749-4 QC Sample: L1815875-01 Client ID: DUP Sample					
Thallium, Total	ND	ND	mg/l	NC	20
Vanadium, Total	ND	ND	mg/l	NC	20
Zinc, Total	ND	ND	mg/l	NC	20

INORGANICS
&
MISCELLANEOUS

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR
Lab Number: L1816406
Report Date: 05/11/18

SAMPLE RESULTS

Lab ID: L1816406-01
Client ID: WS-1
Sample Location: 847 PELHAM PARKWAY, PELHAM MANOR, NY
Sample Depth:
Matrix: Water

Date Collected: 05/07/18 09:30
Date Received: 05/07/18
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.050		mg/l	0.005	0.001	1	05/08/18 07:20	05/08/18 13:32	1,9010C/9012B	LH
pH (H)	10.3		SU	-	NA	1	-	05/08/18 06:45	1,9040C	UN
Flash Point	>150		deg F	70	NA	1	-	05/09/18 13:50	1,1010A	BR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/08/18 01:15	05/08/18 01:30	1,7196A	UN
Cyanide, Reactive	ND		mg/l	1.0	1.0	1	05/09/18 03:45	05/09/18 06:12	125,7.3	JD
Sulfide, Reactive	ND		mg/l	1.0	1.0	1	05/09/18 03:45	05/09/18 06:15	125,7.3	JD

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR
Lab Number: L1816406
Report Date: 05/11/18

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1113481-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/08/18 01:15	05/08/18 01:22	1,7196A	UN
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1113509-1										
Cyanide, Total	ND		mg/l	0.005	0.001	1	05/08/18 07:20	05/08/18 13:11	1,9010C/9012B	LH
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1113912-1										
Sulfide, Reactive	ND		mg/l	1.0	1.0	1	05/09/18 03:45	05/09/18 06:15	125,7.3	JD
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1113913-1										
Cyanide, Reactive	ND		mg/l	1.0	1.0	1	05/09/18 03:45	05/09/18 06:11	125,7.3	JD

Lab Control Sample Analysis

Batch Quality Control

Project Name: LEVIN-PELHAM MANOR

Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406

Report Date: 05/11/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1113481-2								
Chromium, Hexavalent	94		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1113509-2 WG1113509-3								
Cyanide, Total	94		94		85-115	0		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1113537-1								
pH	100		-		99-101	-		5
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1113912-2								
Sulfide, Reactive	118		-		60-125	-		25
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1113913-2								
Cyanide, Reactive	121		-		30-125	-		25
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1114215-1								
Flash Point	100		-		96-104	-		

Matrix Spike Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113481-4 QC Sample: L1816406-01 Client ID: WS-1												
Chromium, Hexavalent	ND	0.1	0.088	88		-	-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113509-4 WG1113509-5 QC Sample: L1816406-01 Client ID: WS-1												
Cyanide, Total	0.050	0.2	0.226	88		0.219	84		80-120	3		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MA

Lab Number: L1816406
Report Date: 05/11/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113481-3 QC Sample: L1816406-01 Client ID: WS-1						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113537-2 QC Sample: L1816414-04 Client ID: DUP Sample						
pH	7.4	7.3	SU	1		5
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113912-3 QC Sample: L1816406-01 Client ID: WS-1						
Sulfide, Reactive	ND	ND	mg/l	NC		25
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1113913-3 QC Sample: L1816406-01 Client ID: WS-1						
Cyanide, Reactive	ND	ND	mg/l	NC		25

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1816406-01A	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L1816406-01B	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L1816406-01C	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L1816406-01D	Plastic 250ml HNO3 preserved	A	<2	<2	2.1	Y	Absent		BA-6020T(180),FE-6020T(180),SE-6020T(180),TL-6020T(180),CA-6020T(180),CR-6020T(180),K-6020T(180),NI-6020T(180),CU-6020T(180),NA-6020T(180),ZN-6020T(180),PB-6020T(180),BE-6020T(180),MN-6020T(180),AS-6020T(180),SB-6020T(180),V-6020T(180),AG-6020T(180),AL-6020T(180),CD-6020T(180),HG-T(28),MG-6020T(180),CO-6020T(180)
L1816406-01E	Plastic 250ml NaOH preserved	A	>12	>12	2.1	Y	Absent		TCN-9010(14)
L1816406-01F	Plastic 250ml unpreserved	A	10	10	2.1	Y	Absent		HEXCR-7196(1),PH-9040(1)
L1816406-01G	Amber 500ml unpreserved	A	10	10	2.1	Y	Absent		REACTS(7),REACTCN(7),FLASH()
L1816406-01H	Amber 500ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8081(7)
L1816406-01I	Amber 500ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8081(7)
L1816406-01J	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		HERB-APA(7)
L1816406-01K	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		HERB-APA(7)
L1816406-01L	Amber 1000ml HCl preserved	A	<2	<2	2.1	Y	Absent		NJEPH-TPH-CAT1(14)
L1816406-01M	Amber 1000ml HCl preserved	A	<2	<2	2.1	Y	Absent		NJEPH-TPH-CAT1(14)
L1816406-01N	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8270(7),NYTCL-8270-SIM(7)
L1816406-01O	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8270(7),NYTCL-8270-SIM(7)
L1816406-01P	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8082-1200ML(7)
L1816406-01Q	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8082-1200ML(7)
L1816406-01R	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8082-1200ML(7)
L1816406-01S	Amber 1000ml unpreserved	A	10	10	2.1	Y	Absent		NYTCL-8082-1200ML(7)

*Values in parentheses indicate holding time in days

Project Name: LEVIN-PELHAM MANOR
Project Number: LEVIN-PELHAM MANOR

Lab Number: L1816406
Report Date: 05/11/18

Container Information

Container ID	***Container Type***	***Cooler***	***Initial pH***	***Final pH***	***Temp deg C***	***Pres***	***Seal***	***Frozen Date/Time***	***Analysis(*)***

*Values in parentheses indicate holding time in days

Project Name:	LEVIN-PELHAM MANOR	**Lab Number:**	L1816406
Project Number:	LEVIN-PELHAM MANOR	**Report Date:**	05/11/18

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

1	- The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A	- Spectra identified as "Aldol Condensation Product".
B	- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: DU Report with 'J' Qualifiers

Project Name:	LEVIN-PELHAM MANOR	**Lab Number:**	L1816406
Project Number:	LEVIN-PELHAM MANOR	**Report Date:**	05/11/18

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

J - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers

Project Name:	LEVIN-PELHAM MANOR	**Lab Number:**	L1816406
Project Number:	LEVIN-PELHAM MANOR	**Report Date:**	05/11/18

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

103 Analysis of Extractable Petroleum Hydrocarbon Compounds (EPH) in Aqueous and Soil/Sediment/Sludge Matrices. New Jersey Department of Environmental Protection, Site Remediation Program, (Version 1.1), Document # NJDEP EPH 10/08, Revision 3, August 2010.

125 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates IIIA, April 1998.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility
EPA 624: m/p-xylene, o-xylene
EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
EPA 300: DW: Bromide
EPA 6860: SCM: Perchlorate
EPA 9010: NPW and SCM: Amenable Cyanide Distillation
SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility
SM 2540D: TSS
EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**
EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N**, EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**
EPA 624: Volatile Halocarbons & Aromatics,
EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, SM9222D.**

Mansfield Facility:

Drinking Water
EPA 200.7: Al, Ba, Be, Cd, Cr, Cu, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.
EPA 245.1 Hg.
SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

NEW YORK CHAIN OF CUSTODY

ALPHA ANALYTICAL

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 2

Date Rec'd in Lab: 5/7/18

ALPHA Job #: L1816106

Client Information

Client: Roux Env. Engr. + Geo. DPC
Address: 209 Shafter St.
Islandia, NY 11749
Phone: 631-232-2600
Fax:
Email: cbattista@rouxinc.com

Project Information

Project Name: Levin - Pelham Manor
Project Location: 847 Pelham Parkway, Pelham Manor, NY
Project #
(Use Project name as Project #) [X]
Project Manager: Chris Battista
ALPHAQuote #:

Turn-Around Time

Standard [X] Due Date:
Rush (only if pre approved) [ ] # of Days: 5

These samples have been previously analyzed by Alpha [ ]

Other project specific requirements/comments:

Please specify Metals or TAL

Deliverables

[ ] ASP-A [ ] ASP-B
[ ] EQuIS (1 File) [ ] EQuIS (4 File)
[ ] Other

Regulatory Requirement

[ ] NY TOGS [ ] NY Part 375
[ ] AWQ Standards [ ] NY CP-51
[ ] NY Restricted Use [ ] Other
[ ] NY Unrestricted Use
[ ] NYC Sewer Discharge

Billing Information

[ ] Same as Client Info
PO #

Disposal Site Information

Please identify below location of applicable disposal facilities.
Disposal Facility:
[ ] NJ [ ] NY
[ ] Other:

Sample Filtration

[ ] Done
[ ] Lab to do
Preservation
[ ] Lab to do
(Please Specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	TCL Volatiles EPA 8260	EPA 8270D/8270D SIM	EPA 8082B	EPA 8151A	NJ EPH Mod. 4.1	Hex Chrom EPA 7196	Cyanide EPA 9010C/9012B	TCL PCBs - EPA 8082A	Sample Specific Comments	Total # Bottles
16406-01	WS-1	5-7-2018	9:30	water	MS	X	X	X	X	X	X	X	X		19

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type	V	A	A	A	A	P	P	A	
Preservative	B	A	A	A	B	A	E	A	

Relinquished By:	Date/Time	Received By:	Date/Time
[signature]	5-7-18 14:20	[signature]	5/7 1430
[signature]	5/7 1830	[signature]	5/7/18 1830
[signature]	5/7/18 2330	[signature]	5/7/18 23:20

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

NEW YORK CHAIN OF CUSTODY

ALPHA

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 2 of 2

Date Rec'd in Lab: 5/7/18

ALPHA Job #: L1816406

Client Information

Client: Rock Environmental & Geo PC
Address: 209 Shaker St.
Islandia, NY 11749
Phone: 631-232-2600
Fax:
Email: chalista@rockinc.com

Project Information

Project Name: Levin - Pelham Manor
Project Location: 847 Pelham Parkway, Pelham Manor, NY
Project #
(Use Project name as Project #) [X]
Project Manager: Chris Balista
ALPHAQuote #:

Turn-Around Time

Standard [X] Due Date:
Rush (only if pre approved) [ ] # of Days: 5

These samples have been previously analyzed by Alpha [ ]

Other project specific requirements/comments:

Please specify Metals or TAL.

Deliverables

[ ] ASP-A [ ] ASP-B
[ ] EQuIS (1 File) [ ] EQuIS (4 File)
[ ] Other

Regulatory Requirement

[ ] NY TOGS [ ] NY Part 375
[ ] AWQ Standards [ ] NY CP-51
[ ] NY Restricted Use [ ] Other
[ ] NY Unrestricted Use
[ ] NYC Sewer Discharge

Billing Information

[ ] Same as Client Info
PO #

Disposal Site Information

Please identify below location of applicable disposal facilities.
Disposal Facility:
[ ] NJ [ ] NY
[ ] Other:

Sample Filtration

[ ] Done
[ ] Lab to do
Preservation
[ ] Lab to do
(Please Specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	Analytical Metals - Copper	pH Hydrogen - EPA 9040	Flashpoint EPA 1010A	Total Cyanide EPA 2.3	Reactive Sulfide EPA 2.3	Sample Specific Comments	Total # Bottles
16406-01	WS-1	5-7-18	930	water	MS	X	X	X	X	X		19

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type	P	P	A	A	A				
Preservative	C	A	A	A	A				

Relinquished By:	Date/Time	Received By:	Date/Time
	5-7-18 14:30	Kenneth Jackson AAL	5/7 14:30
	5/7 1930	Daniel Santos AAL	5/7/18 1830
Daniel Santos AAL	5/7/18 2330		5/7/18 23:30

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

ATTACHMENT 4

Waste Disposal Documentation

BAYSHORE
Soil Management, LLC
P.O. Box 290 • 75 Crows Mill Road • Keasbey, NJ 08832
P: (732) 738-6000 • F: (732) 738-0620 • www.bayshorerecycling.com

Bayshore Soil Management, LLC
Generator Waste Profile

BSM Customer: Federal Property Maintenance Co.

Customer Address: 240 North Avenue City: New Rochelle State: NY Zip: 10801

Contact: Richard Efferen Tel: (914) 490-4416 email: federalpmc@aol.com

Site Contact: Stan Coates Tel/Cell: (724) 321-2043 email: scoates@brackenridgeconstruction.com

Site Name: Post Road Plaza Property Owner's Phone: (800) 488-0678

Site Address: 845 Pelham Parkway City: Pelham Manor State: NY Zip: 10803

Generator Name: Levin Management Corp. Generator Phone: (800) 488-0678

Generator Address: 975 US Highway 22 City: North Plainfield State: NJ Zip: 07060

History of Site Use: ☐ Residential ■ Commercial ■ Industrial

If commercial or industrial, please describe history of site: Site is currently a retail shopping center with numerous stores. Site was formerly a Manufactured Gas Plant (MGP) with impacts from Coal Tar and Petroleum.

Event/process generating waste: ☐ Leaking UST ☐ Leaking AST ☐ Surface Spill ■ other (*describe*): Excavation for Utility installation, swimming pool construction and engineering control modification.

Waste Material Description: ***Soil/media is contaminated with:*** (check one)

___ NON-HAZARDOUS, ***VIRGIN PETROLEUM*** CONTAMINATED SOIL

☐#2, #4, or #6 Fuel Oil ☐ Diesel Fuel ☐ Gasoline ☐ Motor oil ☐ Hydraulic Oil ☐ Mixed Fuels (gas/fuel)

X NON-HAZARDOUS, ***NON-VIRGIN PETROLEUM*** CONTAMINATED SOIL

☐ Used Motor Oil ☐ Waste Oil ☐ Metal Cutting/Cooling Oils ☐Hydraulic Oil ■Urban Fill ☐ Virgin Solvent

☐ Electric Oil/MODF ☐ Used Solvent ☐Grease ☐ Wax ☐ Animal/Vegetable Oil ☐ Street Sweepings

X NON-HAZARDOUS, ***COAL TAR/ MGP*** CONTAMINATED SOIL

■ Coal Tar / MGP

Are there any known or suspected releases of contaminants other than those listed above? NO ✓ YES ___

If YES, Specify ___

Approximate Tonnage 1500

Physical Characteristics: %Clay 5 % H20 15 %Debris 5 Describe Debris concrete fragments

I hereby certify, to the best of my knowledge, (a) I am a responsible official of the generator, (b) that the sampling protocol, as outlined, has been adhered to, (c) that the information provided in the profile is correct and complete, (d) that the transport, treatment and recycling of the contaminated materials do not violate any laws or regulations of the state of origin.

Signature: ___ Date: 5-18-2017

Typed/Printed Name: Steve Pratt Company: Levin Management Corp.

Check One: Owner ✓ Generator Contractor Consultant Other (explain) ___

Acceptance of this material is based on review and approval of this profile, required analytical results and soil physical inspection.

BAYSHORE
Soil Management, LLC

75 Crows Mill Road, P.O. Box 290
Keasbey, New Jersey 08832
Phone: (732) 738-6000 • Fax: (732) 738-0620
www.bayshorerecycling.com

March 23, 2018

Mr. Billy Torello
Pro-Teck LLC
85 Willow Street, Bldg. #3, 3rd Floor
New Haven, CT 08511

RE: Post Road Plaza
847 Pelham Parkway
Pelham Manor, NY 10808

Dear Mr. Torello:

Bayshore Soil Management, LLC (BSM) has reviewed the provided data for MGP-impac soils from the Post Road Plaza site located at 847 Pelham Parkway in Pelham Manor, NY review of the analytical results in Alpha Analytical reports: L1604674, L1713681, L1808643, samples SB-1/2, Comp-1, TP-1, and TP-2, BSM has identified materials that ap to meet our acceptance criteria for MGP/Coal Tar Soils. This approval decision was b on the submitted generator waste profile and analytical testing results.

Bayshore Soil Management, LLC can only accept MGP/Coal Tar soils that are non-hazar (with the exception of TCLP-benzene), and based on our review of the soil chemistry the proposed materials are acceptable under the guidelines of our operating permits.

This job has been approved for **2,200 tons** under **BSM# 2718-0347**. Should you have questions or require further information, please feel free to contact me at 732.738.6000.

Kind Regards,

Jennifer Solewski
Vice President, Business
& Technical Development

Wednesday, March 28, 2018 08:09:40

BAYSHORE
Soil Management, LLC

Bayshore Soil Management
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832
Phone: (732) 738-6000 Fax: (732) 738-9150
www.bayshorerecycling.com
info@bayshorerecycling.com

Invoice No. 60875
Invoice Date 6/21/2017
Due Date 6/22/2017

INVOICE

Bill to: FEDERAL PROPERTY MAINTENANCE CORP.
PO BOX 366
NEW ROCHELLE, NY 10802

Acct #: BSM0502
Terms: C.O.D.

Date	Ticket/ MC Receipt	Material / Fee Code	Rate	Bill Units	Units	Tons	Amount
Job #: 2717-0769/ 24 HOUR FITNESS PELHAM MANOR							
06/21/2017	844972	ID27 NHCT	$47.00	26.55 TN	0.00	26.55	$1,247.85
06/21/2017	844972	TRANSPORTATION	$27.00	26.55 TN	26.55	0.00	$716.85
INVOICE TOTALS					**26.55**	**26.55**	**$1,964.70**

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 844972
Date: 6/21/2017
Time: 16:14:51 - 16:15:00

			Scale
Gross:	81280 lb	In	Scale 2
Tare:	28180 lb		P.T.
Net:	53100 lb		

Customer: FEDERAL PROPERTY MAINTENANCE
CORP./BSM0502
PO BOX 366
NEW ROCHELLE, NY 10802-

Truck: AS851X

CUYDs: 25

License: AS851X
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: E0215139
Remaining: 0.00 TN

Profile: 2717-0769/24 HOUR FITNESS PELHAM MANOR
Generator: 24 HOUR FITNESS PELHAM MANOR
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	26.55	Tons
New York State	TRANSPORTATION	26.55	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver:

Weighmaster: Rich

BS0001

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
2717-0769			E0215139

GENERATOR

5. Generator's Name and Mailing Address
FORMER CONED MGP (24 HOUR FITNESS)
881 PELHAM PARKWAY
PELHAM MANOR, NY 10803
Generator's Phone: ( )

Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name
Nickabella's #45, NJAS851X; 52 N Dell Ave, Kenil, NJ
U.S. EPA ID Number

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
BAYSHORE SOIL MANAGEMENT
P.O. BOX 250, 75 CROWS MILL ROAD
KEASBEY, NJ 08932
Facility's Phone: (732) 738-6000
U.S. EPA ID Number
NJ1225001522

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	NON HAZARDOUS MGP MATERIAL	1	20CY			
		est 25	tn			
2.						
3.						26.55 (+)
4.						

13. Special Handling Instructions and Additional Information
BSN 2717-0769

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature
Month 06 Day 21 Year 2017

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Marco Navas Jr
Signature
Month 06 Day 21 Year 2017

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 344572

17b. Alternate Facility (or Generator)
U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature
Month 06 Day 22 Year 17

169-BLC-O 5 11977 (Rev. 9/09)

DESIGNATED FACILITY'S COPY

BS0001

NON-HAZARDOUS WASTE MANIFEST	1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
	2717-0769			E0215139

GENERATOR

5. Generator's Name and Mailing Address
FORMER COMED MGP (24 HOUR FITNESS)
881 PELHAM PARKWAY
PELHAM MANOR, NY 10803
Generator's Phone: ( )

Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name: Nickabella's #45, NJAS851X; 52 N Dell Ave, Kenil, NJ — U.S. EPA ID Number

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address
BAYSHORE SOIL MANAGEMENT
P.O. BOX 290, 75 CROUS MILL ROAD
HEASBEY, NJ 08832
Facility's Phone: (732) 739-6000

U.S. EPA ID Number: NJ1225001522

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	NON HAZARDOUS MGP MATERIAL	1	20CY	est 25	tn	
2.						
3.						26.55(+)
4.						

13. Special Handling Instructions and Additional Information
BSN 2717-0769

INT'L

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 06 Day 21 Year 2017

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Marco Navarro Jr — Signature — Month 06 Day 21 Year 2017

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 2445772

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 06 Day 21 Year 17

169-BLC-O 5 11977 (Rev. 9/09)

TRANSPORTER #1

BAYSHORE
Soil Management, LLC

Bayshore Soil Management
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832
Phone: (732) 738-6000 Fax: (732) 738-9150
www.bayshorerecycling.com
info@bayshorerecycling.com

Invoice No. 61422
Invoice Date 7/5/2017
Due Date 7/6/2017

INVOICE

Bill to: FEDERAL PROPERTY MAINTENANCE CORP.
PO BOX 366
NEW ROCHELLE, NY 10802

Acct #: BSM0502
Terms: C.O.D.

Date	Ticket/ MC Receipt	Material / Fee Code	Rate	Bill Units	Units	Tons	Amount
Job #: 2717-0769/ 24 HOUR FITNESS PELHAM MANOR							
07/05/2017	850566	ID27 NHCT	$47.00	20.71 TN	0.00	20.71	$973.37
07/05/2017	850566	TRANSPORTATION	$27.00	20.71 TN	20.71	0.00	$675.00
INVOICE TOTALS					**20.71**	**20.71**	**$1,648.37**

BAYSHORE
Soil Management, LLC

Bayshore Soil Management
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832
Phone: (732) 738-6000 Fax: (732) 738-9150
www.bayshorerecycling.com
info@bayshorerecycling.com

Invoice No. 61422
Invoice Date 7/5/2017
Due Date 7/6/2017

INVOICE

Bill to: FEDERAL PROPERTY MAINTENANCE CORP.
PO BOX 366
NEW ROCHELLE, NY 10802

Acct #: BSM0502
Terms: C.O.D.

Date	Ticket/ MC Receipt	Material / Fee Code	Rate	Bill Units	Units	Tons	Amount
Job #: 2717-0769/ 24 HOUR FITNESS PELHAM MANOR							
07/05/2017	850566	ID27 NHCT	$47.00	20.71 TN	0.00	20.71	$973.37
07/05/2017	850566	TRANSPORTATION	$27.00	20.71 TN	20.71	0.00	$675.00
INVOICE TOTALS					**20.71**	**20.71**	**$1,648.37**

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 850566
Date: 7/5/2017
Time: 16:36:53 - 16:37:03

Scale

Gross: 69620 lb In Scale 2
Tare: 28200 lb P.T.
Net: 41420 lb

Customer: FEDERAL PROPERTY MAINTENANCE
CORP./BSM0502
PO BOX 366
NEW ROCHELLE, NY 10802-

CUYDs: 25

License: AR788F
Truck Type: TRIAXLE

Truck: AR788F

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: E0212780
Remaining: 0.00 TN

Profile: 2717-0769/24 HOUR FITNESS PELHAM MANOR
Generator: 24 HOUR FITNESS PELHAM MANOR
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	20.71	Tons
New York State	TRANSPORTATION	20.71	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Weighmaster: Rich

R0002

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: 2717-0769
2. Page 1 of: 1
3. Emergency Response Phone:
4. Waste Tracking Number: E0212780

5. Generator's Name and Mailing Address
FORMER CONED MGP (24 HOUR FITNESS)
981 PELHAM PARKWAY
PELHAM MANOR, NY 10803
Generator's Phone: ( )
Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name: Nickabella's Trucking #13, NJ AR7886F
U.S. EPA ID Number:

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
BAYSHORE SOIL MANAGEMENT
P.O. BOX 290, 75 CROWS MILL ROAD
KEASBEY, NJ 08832
Facility's Phone: (732) 738-6000
U.S. EPA ID Number: NJ1225001522

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	NON HAZARDOUS MGP MATERIAL	1	20Y			20.71 (T)
2.						
3.						
4.						

13. Special Handling Instructions and Additional Information
BSM 2717-0769 -

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.
Generator's/Offeror's Printed/Typed Name: Nick Stout
Signature:
Month 07 Day 06 Year 17

15. International Shipments ☐ Import to U.S. ☐ Export from U.S.
Transporter Signature (for exports only):
Port of entry/exit:
Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: J Worc
Signature:
Month 07 Day 06 Year 17
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

17b. Alternate Facility (or Generator)
Manifest Reference Number:
U.S. EPA ID Number:
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
850566
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: Nick Stout
Signature:
Month 07 Day 06 Year 17

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

69-BLC-O 5 11977 (Rev. 9/09)

DESIGNATED FACILITY'S COPY

R0002

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: 2717-0769
2. Page 1 of
3. Emergency Response Phone
4. Waste Tracking Number: E0212780

5. Generator's Name and Mailing Address
FORMER CONEG MGP (24 HOUR FITNESS)
981 PELHAM PARKWAY
PELHAM MANOR, NY 10803
Generator's Phone: ( )

Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name: Nickarella's Trucking #13, NJ AR7886 — U.S. EPA ID Number

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address
BAYSHORE SOIL MANAGEMENT
P.O. BOX 290, 75 CROWS MILL ROAD
KEASBEY, NJ 08832
Facility's Phone: (732) 738-6000
U.S. EPA ID Number: NJ1225001522

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	NON HAZARDOUS MGP MATERIAL	1	20Y			
2.						
3.						20716
4.						

13. Special Handling Instructions and Additional Information
BSM 2717-0769 -

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Mike Stout — Signature — Month 07 Day 06 Year 07

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: JMORC — Signature — Month 07 Day 06 Year 07

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

17b. Alternate Facility (or Generator) — Manifest Reference Number: [illegible] — U.S. EPA ID Number

Facility's Phone: 850566

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Mike Stout — Signature — Month 07 Day 06 Year 07

69-BLC-O 5 11977 (Rev. 9/09)

TRANSPORTER #1

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832
PHONE: (732) 738-6000 FAX: (732) 738-0620

SCALES REPORT

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former ConEd M **BSM Job Number:** 2718-0347
Total Loads: 9 **Total Tons:** 205.64
Reporting Date(s): 2018-04-03

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
04/03/2018@08:36AM	27CT	981752	AT625W	2718-0347-18	59980	28120	15.93	31860
04/03/2018@08:36AM	27CT	981753	AP897M	2718-0347-17	72460	26560	22.95	45900
04/03/2018@12:18PM	27CT	982025	AP897M	2718-0347-20	70600	26560	22.02	44040
04/03/2018@12:25PM	27CT	982032	AT625W	2718-0347-19	71660	28120	21.77	43540
04/03/2018@01:16PM	27CT	982083	AT808E	2718-0347-21	74180	28920	22.63	45260
04/03/2018@03:37PM	27CT	982243	AT225U	2718-0347-22	74020	28400	22.81	45620
04/03/2018@04:10PM	27CT	982259	AT259U	2718-0347-23	79940	28120	25.91	51820
04/03/2018@04:45PM	27CT	982264	AP897M	2718-0347-25	73460	26560	23.45	46900
04/03/2018@04:54PM	27CT	982266	AT710P	2718-0347-24	84620	28280	28.17	56340

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 981752
Date: 4/3/2018
Time: 08:36:41 - 08:37:07

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT625W

Carrier: NYC STONE CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale	
Gross:	59980 lb	In Scale 2
Tare:	28120 lb	P.T.
Net:	31860 lb	

CUYDs: 25

License: AT625W
Truck Type: TRIAXLE

Manifest: 2718-0347-18
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 MHCT	15.93	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203 854 5041
4. Waste Tracking Number: 2718-0347 -18

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 486-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: N4C STONE — U.S. EPA ID Number: N/A AT625W
7. Transporter 2 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: ~~H~~ 82

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						15.93

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.
Generator's/Offeror's Printed/Typed Name: Pete Stort — Signature — Month 04 Day 03 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Gilbert Nelson — Signature — Month 4 Day 3 Year 18
Transporter 2 Printed/Typed Name — Signature — Month Day Year

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 98752
17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: EMA — Signature — Month 4 Day 3 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 981753
Date: 4/3/2018
Time: 08:36:49 - 08:37:11

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 72460 lb In Scale 1
Tare: 26560 lb P.T.
Net: 45900 lb

Truck: AP897M

CUYDs: 25

License: AP897M
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-17
Remaining: 0:00 TN

Profile: 2718-0347 POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.95	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-654-5044	2718 0347 -17

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: NYC Stone Corp #09 — U.S. EPA ID Number: NYP 897-MM

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.95

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: [signature] — Month 04 Day 03 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: William Vargas — Signature: [signature] — Month 4 Day 3 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 981753

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 3 Year 18

169-BLC-O 6 10498 (Rev. 9/09) DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982025
Date: 4/3/2018
Time: 12:10:07 - 12:10:11

Scale

Gross: 70600 lb In Scale 2
Tare: 26560 lb P.T.
Net: 44040 lb

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AP897M

CUYDs: 25

License: AP897M
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-20
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.02	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-6041	2718-0347 -20

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0788

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: NYC Stone Corp #09 — U.S. EPA ID Number: NJP-897-M

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.02

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: [signature] — Month 04 Day 03 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: WILMAN VARGAS — Signature: [signature] — Month 4 Day 3 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 982025

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: [illegible] — Signature: [signature] — Month 4 Day 3 Year 18

169-BLC-O 6, 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982032
Date: 4/3/2018
Time: 12:25:43 - 12:25:47

			Scale
Gross:	71660 lb	In	Scale 2
Tare:	28120 lb		P.T.
Net:	43540 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT625W

CUYDs: 25

License: AT625W
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 271-0347-19
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	21.77	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718-0347-19

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name NYC STONE — **U.S. EPA ID Number** NJ A AT625W

7. Transporter 2 Company Name D&A Contracting, LLC — **U.S. EPA ID Number** N/A #82

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-6000

U.S. EPA ID Number N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						21.77

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stat — Signature — Month/Day/Year: 04/03/18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: GILBERT NOGUA — Signature — Month/Day/Year: 4/3/18

Transporter 2 Printed/Typed Name — Signature — Month/Day/Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 9870322 — U.S. EPA ID Number

17b. Alternate Facility (or Generator)

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month/Day/Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: EM — Signature — Month/Day/Year: 4/3/18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982083
Date: 4/3/2018
Time: 13:16:12 - 13:16:18

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 74180 lb In Scale 2
Tare: 28920 lb P.T.
Net: 45260 lb

Truck: AT808E

CUYDs: 25

License: AT808E
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-21
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	1027 NHCT	22.63	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5041	2718 0347 -21

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — Nick A Bella's Trucking — U.S. EPA ID Number: N / A AT808E

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6060

U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.63

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stark — Signature — Month 04 Day 03 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Jorge Manchala — Signature — Month 04 Day 03 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 9870883

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 17a

Printed/Typed Name: EM — Signature — Month 4 Day 3 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982243
Date: 4/3/2018
Time: 15:37:07 - 15:37:29

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT255U

Gross: 74020 lb In Scale 2
Tare: 28400 lb P.T.
Net: 45620 lb

CUYDs: 25

License: AT225U
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-22
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	I027 NHCT	22.81	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718 0347 -22

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 609 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC Nick Rabellas # 74

U.S. EPA ID Number

N/A AT255C

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number

N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	CT	00022	T	
2.						
3.						
4.						22.81

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month: 04 Day: 03 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Luis Minchula — Signature — Month: 04 Day: 05 Year: 18

Transporter 2 Printed/Typed Name — Signature — Month — Day — Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 982243

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month — Day — Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month: 4 Day: 3 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982259
Date: 4/3/2018
Time: 16:10:55 - 16:11:01

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 79940 lb In Scale 2
Tare: 28120 lb P.T.
Net: 51820 lb

Truck: AT259U

CUYDs: 25

License: AT259U
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-23
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	25.91	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5041	2718-0347 -23

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name — U.S. EPA ID Number
D&A Contracting, LLC — N / A

7. Transporter 2 Company Name — U.S. EPA ID Number
N.Y.C. STONE # 73 AT259U

8. Designated Facility Name and Site Address — U.S. EPA ID Number
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738 8900
N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						25.91

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stout — Signature: [signature] — Month 04 Day 03 Year 18

INT'L
15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER
16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: KRATBEER — Signature: [signature] — Month 04 Day 03 Year 18
Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY
17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 98259
17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: [illegible] — Signature: [signature] — Month 4 Day 3 Year 18

169-BLC-O 6 10498 (Rev. 9/09) DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982284
Date: 4/3/2018
Time: 16:45:23 - 16:45:32

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AP897M

Scale

Gross: 73460 lb In Scale 2
Tare: 26560 lb P.T.
Net: 46900 lb

CUYDs: 25

License: AP897M
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-25
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	I027 NHCT	23.45	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718-0347-25

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: MYC STONE CORP #9 — U.S. EPA ID Number: AP-897-M

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						23.45

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: [signature] — Month 04 Day 03 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Wilman Vargas — Signature: [signature] — Month 4 Day 3 Year 18

Transporter 2 Printed/Typed Name: — Signature: — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 9827604

17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Paula K Busby — Signature: [signature] — Month 4 Day 3 Year 18

169-BLC-O 6 10498 (Rev. 9/09) DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982266
Date: 6/3/2018
Time: 16:54:55 - 16:55:31

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT710P

Carrier: NYC STONE CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

		Scale
Gross:	84620 lb In	Scale 2
Tare:	28280 lb	P.T.
Net:	56340 lb	

CUYDs: 25

License: AT710P
Truck Type: TRIAXLE

Manifest: 2718-0347-24
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	28.17	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-654-5041
4. Waste Tracking Number: 2718-0347 -24

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — NYC STONE #68
U.S. EPA ID Number: N/A AT710

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						28.17

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: JAKE STOTT — Signature — Month 04 Day 03 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: SIMARJIT S LUBHANA — Signature — Month 4 Day 3 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 782266

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 3 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

24 HOUR FITNESS:

PROTECK - CONTAMINATED SOILS

DATE	TONNAGE	
3/28/2018	95.88	
3/29/2018	204.13	
4/2/2018	112.58	
4/3/2018	205.64	
4/4/2018	269.05	
4/5/2018	223.07	
4/6/2018	108.25	
4/10/2018	227.34	min charge applies
	1445.94	TOTAL

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832
PHONE: (732) 738-6000 FAX: (732) 738-0620

SCALES REPORT

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former ConE **BSM Job Numl** 2718-0347
Total Loads: 4 **Total Tons:** 112.58
Reporting Date(s): 2018-04-02

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
04/02/2018@09:11AM	27CT	981279	AS413T	2718-0347-13	77600	28000	24.8	49600
04/02/2018@09:31AM	27CT	981304	AU872D	2718-0347-14	86420	28040	29.19	58380
04/02/2018@12:08PM	27CT	981435	AS413T	2718-0347-15	84100	28000	28.05	56100
04/02/2018@12:33PM	27CT	981460	AU872D	2718-0347-16	89120	28040	30.54	61080

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 901279
Date: 4/2/2018
Time: 09:11:11 - 09:11:39

Scale

Gross: 77600 lb In Scale 1
Tare: 28000 lb P.T.
Net: 49600 lb

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AB413T

CUYDs: 25

License: AB413T
Truck Type: TRIAXLE

Carrier: D & A CONTRACTING LLC

Manifest: 2718-0347-13
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	I027 MHET	24.80	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	908 654 5044	2710 0347 -13

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

Generator's Phone: 908 753-8700

6. Transporter 1 Company Name: D&A — U.S. EPA ID Number: NJ4134

7. Transporter 2 Company Name: D&A Contracting LLC — U.S. EPA ID Number: N/A

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keyport NJ 07735

U.S. EPA ID Number: NJD

Facility's Phone: 732 736-0000

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.80

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2710-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: [signature] — Month: 04 Day: 02 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Edgar Grisales — Signature: [signature] — Month: 4 Day: 2 Year: 18

Transporter 2 Printed/Typed Name: — Signature: — Month: Day: Year:

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 981279

17b. Alternate Facility (or Generator) — U.S. EPA ID Number:

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: — Signature: — Month: 4 Day: 2 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY'S COPY

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 381304
Date: 4/7/2018
Time: 09:31:01 - 09:31:17

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AU872D

Carrier: D&A CONTRACTING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

		Scale
Gross:	86420 lb	In Scale 2
Tare:	28040 lb	P.T.
Net:	58380 lb	

CUYDs: 25

License: AU872D
Truck Type: TRIAXLE

Manifest: 2718-0347-14
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	29.19	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5044	2718 0347 -14

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 486-0700

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name
D&A Contracting, LLC
U.S. EPA ID Number
N / A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
76 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8800
U.S. EPA ID Number
N / A

9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1. Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.					
3.					
4.					29.19

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stat
Signature: Dale Stat
Month 04 Day 2 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Edwin D&A
Signature: AU872D
Month 4 Day 2 Year 18

Transporter 2 Printed/Typed Name: Edwin Rupp
Signature: Edwin Rupp
Month 4 Day 2 Year 18

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 9 31504

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Richard
Signature:
Month 04 Day 02 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY'S COPY

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132337

Ticket: 981435
Date: 4/2/2018
Time: 12:08:05 - 12:08:11

			Scale
Customer: PRO-TECK LLC/BSM0072	Gross:	84100 lb In	Scale 1
85 WILLOW ST	Tare:	28000 lb	P.T.
BLDG 3, 3RD FLOOR	Net:	56100 lb	
NEW HAVEN, CT 06511-			
Truck: AS413T	CO/Ds: 25	License: AS413T	
		Truck Type: TRIAXLE	
Carrier: G & A CONTRACTING LLC			
		Manifest: 2718-0347-15	
Profile: 2718-0347/POST ROAD PLAZA		Remaining: 0.00 TN	
Generator: POST ROAD PLAZA			
Comment:			

Origin	Materials & Services	Quantity	Unit
New York State	1027 MHCT	28.05	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	202-851-5044	2718 0347 -15

5. Generator's Name and Mailing Address

Levin Management Corp.
978 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908- 756-6788

Generator's Site Address (if different than mailing address)

Post Road Plaza
247 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name D&A

U.S. EPA ID Number: 107

7. Transporter 2 Company Name D&A Contracting, LLC

U.S. EPA ID Number: NJ AS4137

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6500

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						28.05

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 4 Day 2 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: X Edgar Gonsales — Signature — Month 4 Day 2 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☒ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 981435

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 12 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 981460
Date: 4/2/2018
Time: 12:33:34 - 12:33:57

Customer: PRO-TECK LLC/BSNN078
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AU8720

Carrier: D&A CONTRACTING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale	
Gross:	89120 lb	In Scale 2
Tare:	28040 lb	P.T.
Net:	61080 lb	

CUYDs: 25

License: AU872D
Truck Type: TRIAXLE

Manifest: 2718-0347-16
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	30.54	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver:

Weighmaster: Paula

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203 854 5041	2718 0347 -16

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060

Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address — U.S. EPA ID Number: N/A

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832

Facility's Phone: 732 738-6000

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						30.54

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month — Day — Year

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: D&A AV872D — Signature — Month 4 — Day 2 — Year 18

Transporter 2 Printed/Typed Name: Edwin Reyes — Signature: Edwin Reyes — Month 4 — Day 2 — Year 18

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 981460

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month — Day — Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Paula K Busby — Signature: PKB — Month 4 — Day 2 — Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832
PHONE: (732) 738-6000 FAX: (732) 738-0620

SCALES REPORT

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former ConEd
BSM Job Number: 2718-0347
Total Loads: 4
Total Tons: 95.88
Reporting Date(s): 2018-03-28

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
03/28/2018@09:11AM	27CT	978973	AT347F	2718-0347-01	76180	28560	23.81	47620
03/28/2018@09:24AM	27CT	978991	AT139N	2718-0347-02	72720	28020	22.35	44700
03/28/2018@02:00PM	27CT	979433	AT347F	2718-0347-04	77600	28560	24.52	49040
03/28/2018@02:28PM	27CT	979490	AT139N	2718-0347-03	78420	28020	25.2	50400

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 978973
Date: 3/28/2018
Time: 09:11:26 - 09:14:27

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT347F

Gross: 76180 lb In Scale 2
Tare: 28560 lb P.T.
Net: 47620 lb

CUYDs: 25

License: AT347F
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-01
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	23.81	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718 0347 -01

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address — U.S. EPA ID Number: N/A

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8000

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	23.81
2.						
3.						
4.						

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE STOUT — Signature — Month 03 Day 28 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: MICHAEL A. — Signature — Month 3 Day 28 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 978 973

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Richard H — Signature — Month 03 Day 28 Year 18

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 978991
Date: 3/28/2018
Time: 09:24:51 - 09:24:54

			Scale
Customer: PRO-TECK LLC/BSM0072	Gross:	72720 lb In	Scale 2
85 WILLOW ST	Tare:	28020 lb	P.T.
BLDG 3, 3RD FLOOR	Net:	44700 lb	
NEW HAVEN, CT 06511-			
Truck: AT139N	CUYDs: 25	License: AT139N	
		Truck Type: TRIAXLE	
Carrier: SEBESTINC			
		Manifest: 2718-0347-02	
Profile: 2718-0347/POST ROAD PLAZA		Remaining: 0.00 TN	
Generator: POST ROAD PLAZA			
Comment:			

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.35	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718-0347-02

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: SIEBERT INC #9124 — U.S. EPA ID Number: AT139N

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.35

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: Dale Stout — Month: 03 Day: 28 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: ARLEY GINADO — Signature: [signature] — Month: 3 Day: 28 Year: 18

Transporter 2 Printed/Typed Name: — Signature: — Month: Day: Year:

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 973941

17b. Alternate Facility (or Generator) — U.S. EPA ID Number:

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Richard W — Signature: [signature] — Month: 03 Day: 28 Year: 18

169-BLC-O 6 10498 (Rev. 9/09) **DESIGNATED FACILITY TO GENERATOR**

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 979490
Date: 3/28/2018
Time: 14:28:35 - 14:28:40

			Scale
Gross:	78420 lb	In	Scale 2
Tare:	28020 lb		P.T.
Net:	50400 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT139N

CUYDs: 25

License: AT139N
Truck Type: TRIAXLE

Carrier: SEBESTINC

Manifest: 2718-0347-03
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	25.20	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Paula

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-654-5041
4. Waste Tracking Number: 2718 0347-03

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting LLC
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: SEBEST INC 9124
U.S. EPA ID Number: AT139N

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	25.20
2.						
3.						
4.						

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Val Stout
Signature: Val Stout
Month 03 Day 28 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: ARUFY GINALDO
Signature:
Month 3 Day 28 Year 18

Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 999490

17b. Alternate Facility (or Generator)
U.S. EPA ID Number:
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Paula R Busby
Signature: PRB
Month 3 Day 28 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 979433
Date: 3/28/2018
Time: 14:00:46 - 14:03:13

			Scale
Gross:	77600 lb	In	Scale 2
Tare:	28560 lb		P.T.
Net:	49040 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT347F

CUYDs: 25

License: AT347F
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-04
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.52	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Paula

AT 3477

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203 854 5041	2718 0347 -04

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name — U.S. EPA ID Number:

8. Designated Facility Name and Site Address — U.S. EPA ID Number: N/A

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8000

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.52

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stort — Signature: [signature] — Month: 03 — Day: 28 — Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: NICKASELLA T #5 — Signature: [signature] — Month: 3 — Day: 28 — Year: 18

Transporter 2 Printed/Typed Name — Signature — Month — Day — Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 979433

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month — Day — Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Paula K Busby — Signature: PKB — Month: 3 — Day: 28 — Year: 18

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832
PHONE: (732) 738-6000 FAX: (732) 738-0620

SCALES REPORT

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former ConEc **BSM Job Number:** 2718-0347
Total Loads: 8 **Total Tons:** 204.13
Reporting Date(s): 2018-03-29

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
03/29/2018@09:33AM	27CT	979870	AT523M	2718-0347-05	87040	28180	29.43	58860
03/29/2018@09:31AM	27CT	979890	AT840Y	2718-0347-06	81720	28340	26.69	53380
03/29/2018@10:14AM	27CT	979924	AT399V	2718-0347-07	73900	27660	23.12	46240
03/29/2018@11:00AM	27CT	980005	AT574C	2718-0347-08	74060	28740	22.66	45320
03/29/2018@11:02AM	27CT	980011	AS230Y	2718-0347-09	74740	28940	22.9	45800
03/29/2018@03:01PM	27CT	980385	AT840Y	2718-0347-11	79980	28340	25.82	51640
03/29/2018@02:58PM	27CT	980395	AT523X	2718-0347-10	87980	28200	29.89	59780
03/29/2018@03:38PM	27CT	980425	AT399V	2718-0347-12	74900	27660	23.62	47240

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 980425
Date: 3/29/2018
Time: 15:38:58 - 15:39:07

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT399V

Scale
Gross: 74900 lb In Scale 2
Tare: 27660 lb P.T.
Net: 47240 lb

CUYDs: 25

License: AT399V
Truck Type: TRIAXLE

Carrier: CG SERVICES LIMITED LIABILIT

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-12
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	23.62	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Paula

AT 399V

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203 864 5041	2718 0347 -12

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 486-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC

U.S. EPA ID Number: N / A

7. Transporter 2 Company Name

U.S. EPA ID Number:

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	23.62
2.						
3.						
4.						

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: [signature] — Month 03 Day 29 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Wilson Vinasco — Signature: [signature] — Month 3 Day 29 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 900425

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Paula K Pusky — Signature: [signature] — Month 3 Day 29 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 980395
Date: 3/29/2018
Time: 14:58:50 - 15:14:50

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT523X

			Scale
Gross:	87980 lb	In	Scale 1
Tare:	28200 lb	Out	Scale 3
Net:	59780 lb		

CUYDs: 25

License: AT523X
Truck Type: TRIAXLE

Carrier: FREEDOM MATERIALS INC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-10
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	29.89	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N / A
2. Page 1 of: 1
3. Emergency Response Phone: 202-654-5041
4. Waste Tracking Number: 2718 0347 -10

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800- 488- 0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
U.S. EPA ID Number: N / A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-5000
U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						29.89
4.						

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347 PA AT523X-NJ

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stoit
Signature:
Month 03 Day 29 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Freedom MATS #1
Signature:
Month 3 Day 29 Year 18

Transporter 2 Printed/Typed Name: 322 Rte 46. Parsippany. NJ
Signature:
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 408395

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature:
Month 3 Day 29 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 980385
Date: 3/29/2018
Time: 15:01:26 - 15:01:29

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT840Y

Scale
Gross: 79980 lb In Scale 1
Tare: 28340 lb P.T.
Net: 51640 lb

CUYDs: 25

License: AT840Y
Truck Type: TRIAXLE

Carrier: FREEDOM MATERIALS INC

Manifest: 2718-0347-11
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	25.82	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Joe S

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-654-5041	2718-0347-11

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC (Freeborn Met) — U.S. EPA ID Number: N/A — #2 4T 8404 NJ

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						25.82
4.						

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Nate Start — Signature — Month 03 Day 29 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Chris Cdw — Signature — Month 3 Day 29 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 18096

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 3 Day 29 Year 18

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 980011
Date: 3/29/2018
Time: 11:02:36 - 11:02:40

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AS230Y

			Scale
Gross:	74740 lb	In	Scale 2
Tare:	28940 lb		P.T.
Net:	45800 lb		

CUYDs: 25

License: AS230Y
Truck Type: TRIAXLE

Carrier: KNUVAL TRUCKING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-09
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.90	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N / A
2. Page 1 of: 1
3. Emergency Response Phone: 203-654-5041
4. Waste Tracking Number: 2718-0347-09

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: ~~800 488-0760~~

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: ~~D&A Contracting, LLC~~
U.S. EPA ID Number: N / A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: ~~732 738-6000~~
U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.90

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.
Generator's/Offeror's Printed/Typed Name: Dale Start
Signature:
Month 03 Day 29 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Knoval Trucking
Signature:
Month 3 Day 29 Year 18
Transporter 2 Printed/Typed Name
Signature
Month Day Year

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: Richard H
Signature:
Month 03 Day 24 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 980005
Date: 3/29/2018
Time: 11:00:24 - 11:00:30

Customer: PRO-TECK LLC/BSM0072
05 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT574C

Scale
Gross: 74060 lb In Scale 2
Tare: 28740 lb P.T.
Net: 45320 lb

CUYDs: 25

License: AT574C
Truck Type: TRIAXLE

Carrier: KNUVAL TRUCKING LLC

Manifest: 2718-0347-08
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.66	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5041	2718 0347 -08

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name — U.S. EPA ID Number

D&A Contracting, LLC — N / A

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address — U.S. EPA ID Number

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000 — N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.					22.66	

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 03 Day 29 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: KNWA / Elvin Adames — Signature — Month 3 Day 29 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 9980005

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Richard B — Signature — Month 05 Day 29 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 979924
Date: 3/29/2018
Time: 10:14:28 - 10:14:32

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT399V

			Scale
Gross:	73900 lb	In	Scale 2
Tare:	27660 lb		P.T.
Net:	46240 lb		

CUYDs: 25

License: AT399V
Truck Type: TRIAXLE

Carrier: CG SERVICES LIMITED LIABILIT

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-07
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	23.12	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

AT399V

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N / A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347-07

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
U.S. EPA ID Number: N / A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8000
U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						2312

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: PALE STOUT
Signature:
Month 03 Day 29 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Wilson Vinasco
Signature:
Month 3 Day 29 Year 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 979924

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Richard G
Signature:
Month 03 Day 29 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 979890
Date: 3/29/2018
Time: 09:31:30 - 09:46:29

			Scale
Gross:	81720 lb	In	Scale 1
Tare:	28340 lb	Out	Scale 4
Net:	53380 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT840Y

CUYDs: 25

License: AT840Y
Truck Type: TRIAXLE

Carrier: FREEDOM MATERIALS INC

Manifest: 2718-0347-06
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	26.69	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: CHRIS

Weighmaster: Mark

AT 8404

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5041	2718 0347 -06

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0788

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC Freedom MCT

U.S. EPA ID Number: N / A AT 8404 NJ #2

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.69

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stout Signature: Dale Stout Month 03 Day 29 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Chris Colon Signature: Month 3 Day 29 Year 18

Transporter 2 Printed/Typed Name: Signature: Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 979890

17b. Alternate Facility (or Generator) U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Signature: Month 3 Day 29 Year 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 979870
Date: 3/29/2018
Time: 09:33:12 - 09:33:35

******** Reprinted Ticket - Edited ********

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT523M

			Scale
Gross:	87040 lb	In	Scale 2
Tare:	28180 lb	Out	Scale 3
Net:	58860 lb		

CUYDs: 25

License: AT523M
Truck Type: TRIAXLE

Carrier: FREEDOM MATERIALS INC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-05
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	29.43	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203 854 5041
4. Waste Tracking Number: 2718 0347 -05

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 486-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	29.43
2.						
3.						
4.						

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.
Generator's/Offeror's Printed/Typed Name: Dave Start
Signature:
Month 03 Day 29 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Freedom MATS
Signature:
Month 3 Day 29 Year 18
Transporter 2 Printed/Typed Name: 322 Rte 46 Parsippany NJ
Signature:
Month Day Year

DESIGNATED FACILITY

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 929870
17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: Richard V
Signature:
Month 05 Day 29 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.

Customer/Profile/Date Report

Ticket	Material	Manifest	Truck	In /	Gross	Tare	Net	Bill Units		Tons
BSM0072 - PRO-TECK LLC										
2718-0347 - POST ROAD PLAZA										
04/04/2018										
982436	27CT	2718-0347-26	AT255U	I	77440	28400	49040	24.52	TN	24.52
982447	27CT	2718-0347-27	AT248V	I	75880	27620	48260	24.13	TN	24.13
982692	27CT	2718-0347-28	AT808E	I	81880	28920	52960	26.48	TN	26.48
982760	27CT	2718-0347-30	AS254C	I	75660	28740	46920	23.46	TN	23.46
982763	27CT	2718-0347-29	AS657T	I	77300	28600	48700	24.35	TN	24.35
982801	27CT	2718-0347-31	AS370P	I	83640	29880	53760	26.88	TN	26.88
982865	27CT	2718-0347-32	AS945S	I	71880	29180	42700	21.35	TN	21.35
983001	27CT	2718-0347-33	AT254U	I	73420	27440	45980	22.99	TN	22.99
983002	27CT	2718-0347-34	AT107W	I	79040	28840	50200	25.10	TN	25.10
983035	27CT	2718-0347-35	AT807E	I	63720	28760	34960	17.48	TN	17.48
983037	27CT	2718-0347-36	AT632U	I	54080	27840	26240	13.12	TN	13.12
983044	27CT	2718-0347-37	AT365D	I	67080	28700	38380	19.19	TN	19.19
04/04/2018										269.05
12 tickets and 12 transactions										
2718-0347 - POST ROAD PLAZA										269.05
12 tickets and 12 transactions										
BSM0072 - PRO-TECK LLC										269.05
12 tickets and 12 transactions										

Report Grand Totals

269.05

12 tickets and 12 transactions

End of Report

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982436
Date: 4/4/2018
Time: 09:00:19 - 09:00:40

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT255U

Carrier: NYC STONE CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale	
Gross:	77440 lb	In Scale 2
Tare:	28400 lb	P.T.
Net:	49040 lb	

CUYDs: 25

License: AT225U
Truck Type: TRIAXLE

Manifest: 2718-0347-26
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.52	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	202 664 5041	2718 0347 -26

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting LLC Nicholas #74 — U.S. EPA ID Number: NJA+2550

7. Transporter 2 Company Name — U.S. EPA ID Number:

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.52

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Luis Minchala — Signature — Month 4 Day 4 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 982436

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 17a

Printed/Typed Name — Signature — Month 4 Day 4 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982447
Date: 4/4/2018
Time: 09:05:38 - 09:05:57

Scale

Customer: PRO-TECH LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511

Gross: 75980 lb In Scale 1
Tare: 27620 lb P.T.
Net: 48250 lb

Truck: AT248V

CUYDs: 25

License: AT248V
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-27
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.13	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	202-654-5041	2718-0347-27

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-468-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: Nickaballas Lic. AI2480V #78 — U.S. EPA ID Number:

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-8888

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.13

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: [signature] — Month: 04 Day: 04 Year: 18

INTL

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Guillermo Bonilla — Signature: [signature] — Month: 4 Day: 4 Year: 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 982447 — U.S. EPA ID Number

17b. Alternate Facility (or Generator)

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month: 4 Day: 4 Year: 18

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982692
Date: 4/4/2018
Time: 11:48:13 - 11:48:19

			Scale
Gross:	81880 lb	In	Scale 2
Tare:	28920 lb		P.T.
Net:	52960 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT808E

CUYDs: 25

License: AT808E
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-28
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	26.48	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203 854 5041	2718 0347 -28

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: NICKABello's Trucking — U.S. EPA ID Number: NJA AT808E

7. Transporter 2 Company Name: D&A Contracting, LLC — U.S. EPA ID Number:

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.48

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stark — Signature: Dale Stark — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Jorge Mindrano — Signature: [signature] — Month 4 Day 4 Year 18

Transporter 2 Printed/Typed Name: — Signature: — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 982692

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: [illegible] — Signature: [signature] — Month 04 Day 04 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 362760
Date: 4/4/2018
Time: 12:27:23 - 12:27:30

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 75660 lb In Scale 3
Tare: 28740 lb P.T.
Net: 46920 lb

Truck: A6254C

CUYDs: 25

License: A6254C
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-30
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	1027 NHCT	23.46	Tons

THE ABOVE IS CORRECT AND NON HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Alec

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718 0347 -30

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: NICKABELLA'S #46 / D&A Contracting LLC — U.S. EPA ID Number: N/A A5254C

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						23.46

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Edison Torres — Signature — Month 04 Day 04 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☑ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 760

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 04 Day 04 Year 18

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982763
Date: 4/4/2018
Time: 12:29:56 - 12:30:31

				Scale
Gross:	77300 lb	In	Scale 2
Tare:	28600 lb		P.T.
Net:	48700 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: A6657T

CUYDs: 25

License: A6657T
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-29
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.35	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	732-654-5041	2718-0347-29

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC — Nickabellas # 41

U.S. EPA ID Number: N / A — AS657T

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.35

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Andres Tabares — Signature — Month 4 Day 4 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 982763

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 4 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 982801
Date: 4/4/2018
Time: 13:01:15 - 13:01:21

******** Reprinted Ticket - Edited ********

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 83640 lb In Scale 3
Tare: 29880 lb P.T.
Net: 53760 lb

Truck: AS370P

CUYDs: 25

License: AS370P
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING

Manifest: 2718-0347-31
Profile: 2718-0347/POST ROAD PLAZA
Remaining: 0.00 TN
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
Riverside Twp.	ID27 NHCT	26.88	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Alec

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-654-5041	2718-0347-31

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 486-0788

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000 — U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.88

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Carlos Rapisca — Signature — Month 4 Day 4 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 98780
U.S. EPA ID Number

17b. Alternate Facility (or Generator)
Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 9 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 230
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 502865
Date: 4/4/2018
Time: 13:39:26 - 13:39:30

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 71880 lb In Scale 3
Tare: 29180 lb P.T.
Net: 42700 lb

Truck: AS945S

CUYDs: 25

License: AS945S
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-32
Remaining: 0.00 IN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	I027 NHCT	21.35	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Alec

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	202-854-5041	2718-0347-32

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — Michaelina #37 — U.S. EPA ID Number: N/A A59455

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						21.35

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stout — Signature — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Jonathan Rios — Signature — Month 4 Day 4 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 987865

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: RCM — Signature — Month 4 Day 4 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983001
Date: 4/4/2018
Time: 15:09:36 - 15:09:50

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT254U

Gross: 73420 lb In Scale 1
Tare: 27440 lb P.T.
Net: 45980 lb

CuYDs: 25

License: AT254U
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-33
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.99	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 202-854-5041
4. Waste Tracking Number: 2718-0347-33

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC NICRABELLA'S #72 AT254U
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-0000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.99

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national government regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature:
Month: 04 Day: 04 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: EDWARD SEPULVEDA
Signature:
Month: 04 Day: 4 Year: 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983001

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature
Month: 4 Day: 4 Year: 18

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983002
Date: 4/4/2018
Time: 15:10:40 - 15:10:47

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT107W

Carrier: NICKABELLA'S TRUCKING CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale
Gross:	79040 lb In Scale 2
Tare:	28840 lb P.T.
Net:	50200 lb

CUYDs: 25

License: AT107W
Truck Type: TRIAXLE

Manifest: 2718-0347-34
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	25.10	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203 654 6041	2718 0347 - 34

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting LLC (Nicta Bahls #81)
U.S. EPA ID Number: NJ 0 (AT #07W)

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						25.10

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature:
Month: 04 Day: 04 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: David Barrogan
Signature:
Month: 04 Day: 04 Year: 18

Transporter 2 Printed/Typed Name
Signature:
Month: Day: Year:

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 983002

17b. Alternate Facility (or Generator)
U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name:
Signature:
Month: 4 Day: 4 Year: 18

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 298
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983035
Date: 4/4/2018
Time: 15:54:18 - 15:54:22

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT807E

Scale

Gross: 63720 lb In Scale 2
Tare: 28760 lb P.T.
Net: 34960 lb

CUYDs: 25

License: AT807E
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2710-0347-35
Remaining: 0.00 TN

Profile: 2710-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	1027 NHCT	17.48	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347 -35

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC Nickabilla #49 AT802E
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-0000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						17.48

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature: Dale Stout
Month: 04 Day: 04 Year: 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Alexander Sims
Signature:
Month: 4 Day: 4 Year: 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983035

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: EM
Signature:
Month: 4 Day: 4 Year: 18

GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 298
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983037
Date: 4/4/2018
Time: 15:56:46 - 15:56:50

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT632U

Carrier: NICKABELLA'S TRUCKING CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

		Scale
Gross:	54080 lb	In Scale 2
Tare:	27840 lb	P.T.
Net:	26240 lb	

CUYDs: 25

License: AT632U
Truck Type: TRIAXLE

Manifest: 2718-0347-36
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	13.12	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203 654 5041	2718 .0347 -361

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — NICCABELLA'S 76 — U.S. EPA ID Number: NJ6324

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						13.12

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

INT'L

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE STOUT — Signature — Month 04 Day 04 Year 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: MARCO RUGGA — Signature — Month 04 Day 04 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983087

17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 4 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983044
Date: 4/4/2018
Time: 16:12:36 - 16:12:51

			Scale
Gross:	67080 lb	In	Scale 2
Tare:	28700 lb		P.T.
Net:	38380 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT365D

CUYDs: 25

License: AT365D
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-37
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	19.19	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718 0347 -37

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 488-0700

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: NICKABELLA'S #53 — U.S. EPA ID Number: AT365D

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
	1. Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
	2.					
	3.					
	4.					19.19

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Starr — Signature — Month 04 Day 04 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: JUAN C B — Signature — Month 4 Day 4 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 9820644

17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 4 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832 **SCALES REPORT**
PHONE: (732) 738-6000 FAX: (732) 738-0620

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former Cor **BSM Job Numb** 2718-0347
Total Loads: 9 **Total Tons:** 223.07
Reporting Date(s): 2018-04-05

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
04/05/2018@08:33AM	27CT	983213	AP897M	2718-0347-38	71400	26560	22.42	44840
04/05/2018@09:41AM	27CT	983305	AT259U	2718-0347-40	81320	28120	26.6	53200
04/05/2018@09:44AM	27CT	983311	AT710P	2718-0347-39	81780	28280	26.75	53500
04/05/2018@10:58AM	27CT	983444	AT366E	2718-0347-41	74420	27840	23.29	46580
04/05/2018@11:26AM	27CT	983491	AT709P	2718-0347-42	80360	27360	26.5	53000
04/05/2018@12:44PM	27CT	983584	AT426G	2718-0347-43	75000	28100	23.45	46900
04/05/2018@02:18PM	27CT	983715	AS577W	2718-0347-44	81720	27600	27.06	54120
04/05/2018@02:42PM	27CT	983761	AT424G	2718-0347-45	71920	28080	21.92	43840
04/05/2018@02:55PM	27CT	983776	AS576W	2718-0347-46	77400	27240	25.08	50160

Bayshore Recycling Corp.
75 Laws Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983213
Date: 4/5/2018
Time: 08:33:05 - 08:33:22

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 71400 lb In Scale 1
Tare: 26560 lb P.T.
Net: 44840 lb

Truck: AP897M

CUYDs: 25

License: AP897M
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-38
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	1B27 NHCT	22.42	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203 854 5041	2718 0347 -38

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060

Generator's Phone: 908 486-0766

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting LLC — U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: NYC STONE #9 — U.S. EPA ID Number: NJD-897-M

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832

Facility's Phone: 732 738-6000 — U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.42

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE STOUT — Signature: [signature] — Month/Day/Year: 04/05/18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: WILMAN VARGAS — Signature: [signature] — Month/Day/Year: 4/5/18

Transporter 2 Printed/Typed Name — Signature — Month/Day/Year:

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: G83213

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month/Day/Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month/Day/Year: 4/5/18

169-BLC-O 6 10498 (Rev. 9/09) DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983305
Date: 4/5/2018
Time: 09:41:04 - 09:41:11

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 81320 lb In Scale 2
Tare: 28120 lb P.T.
Net: 53200 lb

Truck: AT259U

CUYDs: 25

License: AT259U
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-40
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	1027 NHCT	26.60	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-654-5041
4. Waste Tracking Number: 2718 0347 40

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: N.Y.C. STONE #73 AT259U
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: D&S Contracting, LLC
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	CT	00022	T	
2.						
3.						
4.						26.60

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Duke Stout
Signature:
Month: 04 Day: 05 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: KIRA TIBBER
Signature:
Month: 4 Day: 5 Year: 18

Transporter 2 Printed/Typed Name:
Signature:
Month: Day: Year:

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983305

17b. Alternate Facility (or Generator)
U.S. EPA ID Number:
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name:
Signature:
Month: 1 Day: 5 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983311
Date: 4/5/2018
Time: 09:44:07 - 09:44:39

Scale

Gross: 81780 lb In Scale 1
Tare: 28280 lb P.T.
Net: 53500 lb

Customer: PRO-TECK LLC/B9M0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT710P

CUYDs: 25

License: AT710P
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-39
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	1027 NHCT	26.75	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203 854 5041
4. Waste Tracking Number: 2718-0347-39

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
978 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 486-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC NYC STONE #68
U.S. EPA ID Number: N/A AT710P

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.75

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DAVE STOUT
Signature
Month: 04 Day: 05 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: SEMARSIT S LORHANA
Signature
Month: 4 Day: 5 Year: 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983311
17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name
Signature
Month: 4 Day: 5 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983444
Date: 4/5/2018
Time: 10:50:00 - 10:50:07

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 74420 lb In Scale 2
Tare: 27840 lb P.T.
Net: 46580 lb

Truck: AT366E

CUYDs: 25

License: AT366E
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-41
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	23.29	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718 0347 -41

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 498-0700

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N/A
7. Transporter 2 Company Name — U.S. EPA ID Number

NYC Stone
AT-366E.

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						23.29

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated. TRUCK 56
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Start — Signature — Month/Day/Year: 04/05/18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name — Signature — Month/Day/Year

Transporter 2 Printed/Typed Name: Rodrigo Arroyo — Signature: Rodrigo Arroyo — Month/Day/Year: 04/05/18

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983441

17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month/Day/Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month/Day/Year: 4/5/18

169-BLC-O 6 10498 (Rev. 9/09) DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983491
Date: 4/5/2018
Time: 11:26:40 - 11:26:52

Customer: PRO-TECK LLC/0SM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT709P

CUYDs: 25

Scale

Gross: 80360 lb In Scale 2
Tare: 27360 lb P.T.
Net: 53000 lb

License: AT709P
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-42
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	26.50	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718 0347 -42

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
978 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: NYC STONE CORP #67.
U.S. EPA ID Number: NJAT709P

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.50

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stort
Signature:
Month 04 Day 05 Year 18

INTL

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Fernando Pinzón
Signature:
Month 4 Day 5 Year 18
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

DESIGNATED FACILITY

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983491
17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name:
Signature:
Month 4 Day 5 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983715
Date: 4/5/2018
Time: 14:18:16 - 14:18:22

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AS577W

Carrier: NYC STONE CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale
Gross:	81720 lb In Scale 2
Tare:	27600 lb P.T.
Net:	54120 lb

CUYDs: 25

License: AS577W
Truck Type: TRIAXLE

Manifest: 2718-0347-44
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	27.06	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich2

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203 654 5041
4. Waste Tracking Number: 2718 0347 -44

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 486-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: NYC Stone D&A Contracting LLC #44 — U.S. EPA ID Number: NJ A55 77W
52 Dell Ave Trenton, NJ

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						27.06

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 05 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Mark Blizzard — Signature — Month 04 Day 05 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 923765

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 04 Day 05 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983761
Date: 4/5/2018
Time: 14:42:53 - 14:43:01

Scale

Gross: 71920 lb In Scale 2
Tare: 28080 lb P.T.
Net: 43840 lb

Customer: PRO-TECH LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT4246

CUYDs: 25

License: AT4246
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-45
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	21.92	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Rich0

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347 -45

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — NYC STOCK 62
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-0000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						21.92

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature: Dale Stout
Month: 04 Day: 05 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: JORGE M.
Signature:
Month: 4 Day: 5 Year: 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 1837 01

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature
Month: 9 Day: 5 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd.
PO Box 230
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 383776
Date: 4/5/2018
Time: 14:55:35 - 14:55:41

Scale

Customer: PRO-TECK LLC/85N0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AS576W

Gross: 77480 lb In Scale 1
Tare: 27240 lb P.T.
Net: 50160 lb

CUYDs: 25

License: AS576W
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-46
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	25.00	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347 40

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908-488-0766

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: NYC Stone Corp #43 — U.S. EPA ID Number: NJ576W
D&A Contracting, LLC

7. Transporter 2 Company Name — U.S. EPA ID Number: N/A

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-8000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						25.08

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Start — Signature — Month 04 Day 05 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: William J Conner — Signature — Month 04 Day 05 Year 18
Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 983776
17b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name — Signature — Month 2 Day 5 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983584
Date: 4/5/2018
Time: 12:44:33 - 12:44:45

******** Reprinted Ticket - Edited ********

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 75000 lb In Scale 2
Tare: 28100 lb P.T.
Net: 46900 lb

Truck: AT426G

CUYDs: 25

License: AT426G
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-43
Profile: 2718-0347/POST ROAD PLAZA
Remaining: 0.00 TN
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	23.45	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-864-5041	2718-0347-43

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC NYC STONE #64 AT426G

U.S. EPA ID Number: N/A

7. Transporter 2 Company Name

U.S. EPA ID Number:

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-0000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						23.45

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout | Signature | Month: 04 | Day: 05 | Year: 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name	Signature	Month	Day	Year
JAVIER DIAZ		04	05	18
Transporter 2 Printed/Typed Name	**Signature**	**Month**	**Day**	**Year**

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 983584

17b. Alternate Facility (or Generator) U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name	Signature	Month	Day	Year
		4	5	18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832
PHONE: (732) 738-6000 FAX: (732) 738-0620

SCALES REPORT

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former ConEd **BSM Job Number:** 2718-034
Total Loads: 4 **Total Tons:** 108.25
Reporting Date(s): 2018-04-06

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
04/06/2018@08:53AM	27CT	983986	AS676N	2718-0347-48	77000	27780	24.61	49220
04/06/2018@08:34AM	27CT	983987	AT808E	2718-0347-47	75600	28920	23.34	46680
04/06/2018@10:00AM	27CT	984078	AU872D	2718-0347-49	84020	28040	27.99	55980
04/06/2018@11:25AM	27CT	984223	AT880N	2718-0347-50	92880	28260	32.31	64620

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983987
Date: 4/6/2018
Time: 08:34:24 - 08:54:55

			Scale
Gross:	75600 lb	In	Scale 2
Tare:	28920 lb		P.T.
Net:	46680 lb		

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT80BE

CUYDs: 25

License: AT80BE
Truck Type: TRIAXLE

Carrier: NICKABELLA'S TRUCKING CORP

Manifest: 2718-0347-47
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	23.34	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-654-5041	2718-0347 -47

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800-488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC — Nicola Bello is trucking #54

U.S. EPA ID Number: N/A AT808E

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-736-0000

U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						23.34

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature: Dale Stout — Month: 04 Day: 06 Year: 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Jorge Minchola — Signature — Month: 4 Day: 6 Year: 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 983981

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month: 9 Day: 6 Year: 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 983986
Date: 4/6/2018
Time: 08:53:27 - 08:53:50

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: A8676N

Carrier: D & A CONTRACTING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale	
Gross:	77000 lb	In Scale 2
Tare:	27780 lb	P.T.
Net:	49220 lb	

CUYDs: 25

License: A8676N
Truck Type: TRIAXLE

Manifest: 2718-034-48
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.61	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	202-654-5041	2718 0347 48

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 488-0768

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D+A #5 — U.S. EPA ID Number: AS676WN/A

D&A Contracting, LLC

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address — U.S. EPA ID Number

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.61

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 06 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Keith Frankenfield — Signature — Month 4 Day 6 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 98398 f

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: EW — Signature — Month 4 Day 6 Year 18

169-BLC-O 6 10498 (Rev. 9/09) DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 304078
Date: 4/6/2018
Time: 10:00:34 - 10:00:45

Customer: PRO-TECH LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AU872D

Carrier: D&R CONTRACTING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Gross: 94020 lb In Scale 2
Tare: 28040 lb P.T.
Net: 55980 lb

CUYDs: 25

License: AU872D
Truck Type: TRIAXLE

Manifest: 2718-0347-49
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	27.99	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-864-5041	2718-0347 49

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 468-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC — U.S. EPA ID Number: N / A

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address — U.S. EPA ID Number: N / A

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						27.99

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stout — Signature: Dale Stout — Month 04 Day 06 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: D&A AU872D — Signature: — Month 4 Day 06 Year 18

Transporter 2 Printed/Typed Name: Edwin Reyes — Signature: Edwin Reyes — Month 4 Day 06 Year 18

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 484078

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: BM — Signature: — Month 4 Day 6 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 984223
Date: 4/6/2018
Time: 11:25:09 - 11:26:49

Customer: PRO-TECH LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT880N

Carrier: D&A CONTRACTING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Scale

Gross: 92880 lb In Scale :
Tare: 28260 lb P.T.
Net: 64620 lb

CUYDs: 23

License: AT880N
Truck Type: TRIAXLE

Manifest: 2718-0347-50
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	I027 NHCT	32.31	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Dennis

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-654-5041	2718-0347-SC

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
978 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908 486-0700

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC truck 20 AT880W — U.S. EPA ID Number: N / A

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0600

U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						32.31

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stout — Signature — Month 04 Day 06 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Carlos R — Signature — Month 04 Day 06 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 984223

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 6 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Soil Management LLC
75 Crows Mill Road, P.O. Box 290 Keasbey, NJ 08832
PHONE: (732) 738-6000 FAX: (732) 738-0620

SCALES REPORT

Customer Name: Pro-Teck LLC
Site Name: Post Road Plaza - Former ConEd **BSM Job Number:** 2718-0347
Total Loads: 9 **Total Tons:** 224.81
Reporting Date(s): 2018-04-10

Time In	Waste	Ticket	License	Manifest	Gross	Tare	Tons	Net
04/10/2018@09:18AM	27CT	985836	AT709P	2718-0347-51	72440	27360	22.54	45080
04/10/2018@10:04AM	27CT	985922	AT710P	2718-0347-52	81340	28280	26.53	53060
04/10/2018@10:06AM	27CT	985926	AT259U	2718-0347-53	82960	28120	27.42	54840
04/10/2018@10:36AM	27CT	985976	AT523X	2718-0347-54	77240	28180	24.53	49060
04/10/2018@12:48PM	27CT	986143	AT709P	2718-0347-55	78520	27360	25.58	51160
04/10/2018@02:05PM	27CT	986246	AT259U	2718-0347-57	80200	28120	26.04	52080
04/10/2018@03:16PM	27CT	986322	AT710P	2718-0347-56	84280	28280	28	56000
04/10/2018@03:28PM	27CT	986329	AT523X	2718-0347-58	77580	28180	24.7	49400
04/10/2018@04:50PM	27CT	986352	AS640N	2718-0347-59	66860	27920	19.47	38940

- min 22 ton

+ 2.53

227.34

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 985836
Date: 4/10/2018
Time: 09:18:13 - 09:18:25

Scale

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 72440 lb In Scale 2
Tare: 27360 lb P.T.
Net: 45080 lb

Truck: AT709P

CUYDs: 25

License: AT709P
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-51
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	22.54	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Emilio

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N / A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347 57

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0768

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
U.S. EPA ID Number: N / A

7. Transporter 2 Company Name: NYC STONE CORP #67 AT 709P.
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8080
U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						22.54

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.
Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature
Month 04 Day 10 Year 18

INT'L
15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER
16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Fernando Pinzon
Signature
Month 4 Day 10 Year 18
Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY
17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 985836
17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: EM
Signature
Month 4 Day 10 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 985922
Date: 4/10/2018
Time: 10:04:12 - 10:04:18

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT710P

			Scale
Gross:	81340 lb	In	Scale 2
Tare:	28280 lb		P.T.
Net:	53060 lb		

CUYDs: 25

License: AT710P
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-52
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	26.53	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-654-5041	2718-0347 52

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: ~~908 498-0708~~

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

~~D&A Contracting, LLC~~ NYC STONE #68

U.S. EPA ID Number

N / A AT710P

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: ~~732 738-0000~~

U.S. EPA ID Number

N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.53

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE STOUT | Signature | Month: 10 | Day: 10 | Year: 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: SEMARJIT S LUBHANA | Signature | Month: 4 | Day: 10 | Year: 18

Transporter 2 Printed/Typed Name | Signature | Month | Day | Year

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 985922

17b. Alternate Facility (or Generator) | U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) | Month | Day | Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name | Signature | Month: 4 | Day: 10 | Year: 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 985926
Date: 4/10/2018
Time: 10:06:57 - 10:06:59

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Scale
Gross: 82960 lb In Scale 1
Tare: 28120 lb P.T.
Net: 54840 lb

Truck: AT259U
CUYDs: 25
License: AT259U
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-53
Remaining: 0.00 IN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	27.42	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Joe S

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5041	2718-0347 53

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 908-400-0700

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name
D&A Contracting, LLC N.Y.C. STONE #73 AT2590

U.S. EPA ID Number
N / A

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732-738-8000

U.S. EPA ID Number
N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						2742

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stort | Signature: Dale Stort | Month: 04 | Day: 10 | Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: KIRATBEER | Signature: [signature] | Month: 4 | Day: 10 | Year: 18

Transporter 2 Printed/Typed Name | Signature | Month | Day | Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 048926

17b. Alternate Facility (or Generator) | U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) | Month | Day | Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name | Signature | Month: 4 | Day: 10 | Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 985976
Date: 4/10/2018
Time: 10:36:50 - 10:36:54

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Truck: AT523X

Carrier: FREEDOM MATERIALS INC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

	Scale
Gross:	77240 lb In Scale 1
Tare:	28180 lb P.T.
Net:	49060 lb

CUYDs: 25

License: AT523X
Truck Type: TRIAXLE

Manifest: 2718-0347-54
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.53	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Joe S

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-854-5041	2718-0347 54

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0708

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name

D&A Contracting, LLC Free Dom #1 AT-523X

U.S. EPA ID Number: N / A

7. Transporter 2 Company Name

U.S. EPA ID Number:

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
76 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number: N J A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.53

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stout Signature: Dale Stout Month: 04 Day: 10 Year: 18

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Signature: Month: Day: Year:

Transporter 2 Printed/Typed Name: Jim Signature: Jim Month: 4 Day: 10 Year: 18

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 4X0596

17b. Alternate Facility (or Generator) U.S. EPA ID Number:

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Signature: Month: 04 Day: 10 Year: 18

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 986143
Date: 4/10/2018
Time: 12:48:44 - 12:48:50

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT709P

		Scale
Gross:	78520 lb	In Scale 2
Tare:	27360 lb	P.T.
Net:	51160 lb	

CUYDs: 25

License: AT709P
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-55
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	25.58	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N / A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347 55

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0760

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
NYC STONE CORP. #67
U.S. EPA ID Number: NJAT709P

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						25.58

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE STOUT
Signature:
Month 04 Day 10 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Fernando Pinzon
Signature:
Month 4 Day 10 Year 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 986143

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name
Signature
Month 4 Day 10 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Date: 4/10/2018
Time: 14:05:49 - 14:05:52

Scale

Customer: PRO-TECK LLC/BSN0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-

Gross: 80200 lb In Scale 1
Tare: 28120 lb P.T.
Net: 52000 lb

Truck: AT259U

CUYDs: 25

License: AT259U
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Manifest: 2718-0347-57
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHDT	26.04	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Joe S

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N / A
2. Page 1 of: 1
3. Emergency Response Phone: 203 854 5041
4. Waste Tracking Number: 2718-0347 57

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0788

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC N.Y.C. STONE 73 AT259U
U.S. EPA ID Number: N / A

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-8000
U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						26.04

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE STOUT
Signature:
Month: 04 Day: 10 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: KIRA TBEER
Signature:
Month: 4 Day: 10 Year: 18

Transporter 2 Printed/Typed Name
Signature:
Month: Day: Year:

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 986246

17b. Alternate Facility (or Generator)
U.S. EPA ID Number:
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature:
Month: 4 Day: 10 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Keasbey, NJ 08832

Ticket: 986322
Date: 4/10/2018
Time: 15:16:24 - 15:16:27

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT710P

Scale

Gross:	84280 lb	In	Scale 1
Tare:	28280 lb		P.T.
Net:	56000 lb		

CUYDs: 25

License: AT710P
Truck Type: TRIAXLE

Carrier: NYC STONE CORP

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-56
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NRCT	28.00	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: Joe S

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N / A	1	203-654-5041	2718-0347 56

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-8788

Generator's Site Address (if different than mailing address)

Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC NYC STONE #68 — U.S. EPA ID Number: N / A AT710P

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address

Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-0000

U.S. EPA ID Number: N / A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						28.00

13. Special Handling Instructions and Additional Information

Total Quantity Is Estimated.

1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: DALE Stoit — Signature — Month 04 Day 10 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: SIMARJIT S LUBHANA — Signature — Month 4 Day 10 Year 18

Transporter 2 Printed/Typed Name — Signature — Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number: 986322

17b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator) — Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name — Signature — Month 4 Day 10 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 986329
Date: 4/10/2018
Time: 15:28:17 - 15:28:23

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AT523X

Scale
Gross: 77580 lb In Scale 2
Tare: 28180 lb P.T.
Net: 49400 lb

CUYDs: 25

License: AT523X
Truck Type: TRIAXLE

Carrier: FREEDOM MATERIALS INC

Manifest: 2718-0347-58
Remaining: 0.00 TN

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	24.70	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
N/A	1	203-854-5041	2718-0347 58

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
976 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 458-0708

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name
D&A Contracting, LLC FREEDOM #1 AT-523X

U.S. EPA ID Number
N/A

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000

U.S. EPA ID Number
N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						24.70

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Dale Stort
Signature: Dale Stort
Month 04 Day 10 Year 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Jim
Signature: Jim
Month 4 Day 10 Year 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 986329

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature
Month 4 Day 10 Year 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Bayshore Recycling Corp.
75 Crows Mill Rd
PO Box 290
Keasbey, NJ 08832

Facility ID: 132397

Ticket: 986352
Date: 4/10/2018
Time: 16:50:10 - 16:50:46

Customer: PRO-TECK LLC/BSM0072
85 WILLOW ST
BLDG 3, 3RD FLOOR
NEW HAVEN, CT 06511-
Truck: AS640N

			Scale
Gross:	66860 lb	In	Scale 2
Tare:	27920 lb		P.T.
Net:	38940 lb		

CUYDs: 25

License: AS640N
Truck Type: TRIAXLE

Carrier: MANOLOS TRUCKING LLC

Profile: 2718-0347/POST ROAD PLAZA
Generator: POST ROAD PLAZA
Comment:

Manifest: 2718-0347-59
Remaining: 0.00 TN

Origin	Materials & Services	Quantity	Unit
New York State	ID27 NHCT	19.47	Tons

THE ABOVE IS CORRECT AND NON-HAZARDOUS TO THE BEST OF MY KNOWLEDGE

Driver: _____

Weighmaster: RichB

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: N/A
2. Page 1 of: 1
3. Emergency Response Phone: 203-854-5041
4. Waste Tracking Number: 2718-0347 59

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Corp.
978 US Highway 22 West
North Plainfield NJ 07060
Generator's Phone: 800 488-0766

Generator's Site Address (if different than mailing address)
Post Road Plaza
847 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name: D&A Contracting, LLC
U.S. EPA ID Number: N/A

7. Transporter 2 Company Name: Manolos #10 AS640N
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
Bayshore Soil Management, LLC
75 Crows Mill Road
Keasbey NJ 08832
Facility's Phone: 732 738-6000
U.S. EPA ID Number: N/A

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	Non-Hazardous, Coal Tar/MGP Contaminated Soil	001	DT	00022	T	
2.						
3.						
4.						19.47

13. Special Handling Instructions and Additional Information
Total Quantity Is Estimated.
1. BSM # 2718-0347

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.
Generator's/Offeror's Printed/Typed Name: Dale Stout
Signature:
Month: 04 Day: 10 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Darwin A
Signature: Darwin A
Month: Day: Year:
Transporter 2 Printed/Typed Name:
Signature:
Month: 04 Day: 10 Year: 18

DESIGNATED FACILITY

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number: 986352
17b. Alternate Facility (or Generator)
U.S. EPA ID Number:
Facility's Phone:
17c. Signature of Alternate Facility (or Generator)
Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name:
Signature:
Month: 4 Day: 10 Year: 18

169-BLC-O 6 10498 (Rev. 9/09)

DESIGNATED FACILITY TO GENERATOR

Generator's Waste Profile 969705-00

Status : PENDING

Stericycle Environmental Solutions

Starts : 06 AUG 2018
Expires : 31 AUG 2019

Sales Rep 5500 Chris Sheldon
Acct Mngr 1510 Evan Altmann

A: GENERATOR (606199) SITE INFORMATION

Levin Management Group Post Road Plaza
845 Pelham Parkway
Pelham Manor, NY 10803

EPA CESQG
NAICS 9999 Neshap N

> Contact Steve Pratt
Phone (800) 488-0678

TSDF Approval List No
Reference# 0001860829

B: CUSTOMER (44778) INFORMATION

AMERICAN ENVIRO. ASSESSMENT CO
188 LONG ISLAND AVENUE
WYANDANCH, NY 11798

C: WASTE INFORMATION

On File > MSDS No Analysis No Sample No

Waste Name SOIL CUTTINGS, DRILLING FLUID AND WASH WATER

Process NON REGULATED SOLIDS AND LIQUIDS GENERATED FROM MUD-ROTARY SOIL BORING AND SAMPLING AND WASH WATER.

Unused Commercial Product No Spill Residue No

D: PHYSICAL CHARACTERISTICS OF WASTE

Phys States	G-Slu	Top Color	VARIES	Odor	None	PH Range	N/A
		Mid Color		Layers	Single Phased	Free Liq %	>50
		Bot Color		Spec Grav	>1.0	Flash Test	NT
		% Ash	0	BTU/Lbs	N/A	Flash Rnge	N/A
		% Water	>50	% Halogens	N/A	Viscosity	LOW
						Pumpable	Yes

E: CHEMICAL COMPOSITION OF WASTE

SOIL CUTTINGS, DRILLING FLUID AND WATER (25% SOLID / 75% LIQUID)

PCB's NS Cyanides NS Phenolics No Sulfides NS Dioxins No
TOC 1-10% VOC <500PPM Information Provided By Generator

F: METALS METHOD Gen Knowledge

Arsenic	<5	Cadmium	<1	Chromium	<5	Silver	<5
Barium	<100	Merc TCLP	<0.2	Selenium	<1	Nickel	NT
		Lead	<5	Merc Tot		Thallium	NT
						Vanadium	NT

Zinc	NT
Copper	NT
Chrome-6	NT
Cobalt	NT

G: OTHER CHARACTERISTICS OF WASTE

Ign. Solid	No	Oxidizer	No	Explosive	No	Shock Sensitive	No	Cyanide Reactive	No	Sulfide Reactive	No
Explosive	N/A	Asbestos	N/A			Radioactive	No	Water Reactive	No	Reactive (Other)	No
Herbicides	No	Pesticides	N			Ammonia	No	Infectious	No	Medical	No

H: EPA / STATE WASTE IDENTIFICATION

EPA Waste No State Waste Yes TSCA No Waste Water No Universal Waste No

Form W002 Source G09 Origin 1 SubPart CC No NESHAPS No CERCLA No Debris No Reg. Organics No

EPA Codes
State Codes R015
UHC

Categorical Discharge Standards No CTW Category N/A DW/EHW:

I: SHIPPING INFORMATION

Marine Pollutant No

Containers DM Metal Drum Qty to Ship Now Projected Volume

DOT Descrip NON DOT/ NON RCRA REGULATED SOLIDS (SOIL CUTTINGS) AND LIQUIDS (DRILLING FLUID AND WASH WATER)

J: SPECIAL DISPOSAL INSTRUCTIONS

Generator's Waste Profile 969705-00

Stericycle Environmental Solutions

Status : PENDING

Starts : 06 AUG 2018
Expires : 31 AUG 2019

Sales Rep 5500 Chris Sheldon
Acct Mngr 1510 Evan Altmann

GENERATOR CERTIFICATION

To the best of my knowledge and belief, I hereby warrant and represent that the information contained and submitted in this waste profile and all attached documents is true, accurate, and complete and that no material fact has been omitted as to make this misleading. I understand that others may rely on this information in the handling and processing of the waste material described herein. By signing this waste profile, I am certifying that I am authorized to sign such documentation on behalf of the generator.

Signature	Printed Name	Title	Date
	STEVE PRATT	Project Manager	8-9-18

In accordance with 40 CFR 264.12(b), Northland Environmental, LLC has the appropriate permits for, and will accept the waste the generator is shipping as described in this profile.

NON-HAZARDOUS WASTE MANIFEST	1. Generator ID Number: Exempt	2. Page 1 of	3. Emergency Response Phone: (631) 586-2000	4. Waste Tracking Number: 0604457

GENERATOR

5. Generator's Name and Mailing Address
Levin Management Group Post Road Plaza
845 Pelham Parkway
Pelham Manor, NY 10803
Generator's Phone:

Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name: AMERICAN ENVIRONMENTAL ASSESSMENT CORP.
U.S. EPA ID Number: NYR000044412

7. Transporter 2 Company Name: Republic Env. Systems (Trps Group) LLC.
U.S. EPA ID Number: PAD982661381

8. Designated Facility Name and Site Address
Northline Environmental
275 Allens Ave.
Providence, RI 02905
Facility's Phone:
U.S. EPA ID Number: RID040098352

	9. Waste Shipping Name and Description	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	
1.	NON RCRA, NON DOT REGULATED Soil Cuttings, Drilling Fluid, Wash Water	1				
2.						
3.						
4.						

13. Special Handling Instructions and Additional Information
Approval # 969705
Transport to 50 Huron Street Piscataway, NJ

14. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeror's Printed/Typed Name: Steven Chamine, as agent for Levin Mgmt Corp
Signature:
Month: 09 Day: 10 Year: 18

INT'L

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter Signature (for exports only): Date leaving U.S.:

TRANSPORTER

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: Steve Rymer
Signature:
Month: 12 Day: 7 Year: 18

Transporter 2 Printed/Typed Name
Signature
Month Day Year

DESIGNATED FACILITY

17. Discrepancy

17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Signature
Month Day Year

496282-16

3412361

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Manifest Tracking Number
CESQG	1	(877) 577-2669	012210197 FLE

GENERATOR

5. Generator's Name and Mailing Address

Levin Management Group
975 US Highway 22
North Plainfield NJ 07060

Generator's Phone:

Generator's Site Address (if different than mailing address)

Levin Management Group Post Road Plaza
845 Pelham Parkway
Pelham Manor NY 10803

6. Transporter 1 Company Name — U.S. EPA ID Number

REPUBLIC ENV SYS (TRANS GROUP) LLC — PAD982661381

7. Transporter 2 Company Name — U.S. EPA ID Number

8. Designated Facility Name and Site Address — U.S. EPA ID Number

NORTHLAND ENVIRONMENTAL, LLC
275 Allens Avenue
Facility's Phone: PROVIDENCE, RI 02905 (401) 781-6340 — RID040098352

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. NON DOT/ NON RCRA REGULATED SOLIDS (SOIL CUTTINGS)	xx1	DM	600	P	R015		
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information

(1) 969705-88 - SOIL CUTTINGS
1x55 DM

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name — Signature — Month / Day / Year

X Mike Cosgrove - As Agent — X Mike Cosgrove — 12 / 5 / 18

INTL

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:

Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name — Signature — Month / Day / Year

Steve Ford — 12 / 5 / 18

Transporter 2 Printed/Typed Name — Signature — Month / Day / Year

DESIGNATED FACILITY

18. Discrepancy

18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number:

18b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

18c. Signature of Alternate Facility (or Generator) — Month / Day / Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)

1.	2.	3.	4.
H141			

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a

Printed/Typed Name — Signature — Month / Day / Year

Beth Arnold — Beth Arnold — 12 / 13 / 18

EPA Form 8700-22 (Rev. 12-11) Previous editions are obsolete.

DESIGNATED FACILITY TO EPA's e-MANIFEST SYSTEM

ATTACHMENT 5

Clean Fill Documentation

TILCON

A CRH COMPANY

TILCON NEW YORK INC.

162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20985544

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20985544	10/26/2018	13:21	102034	00209	West Nyack Quarry 845-353-04	8-8R	

Sold To:
Cash-West Nyack Stone
Job Description:
Colorado 845 Pelham Prkwy 24 Hour Fit
Mark 973 377 6865 From 2 pm

Customer #	Order #	Purchase Order
99107	Q420834	

Zone	Truck #	Hauler
	3313	102474 JTS TRUCKING, INC.

Product #	Product Description	DOT Mix ID	Delivery Method
1012001	3/8" STONE		Delivered

Pelham Manor NY

AS PER
Cody
SURUIF

Loads: 1 **Accum Amount:** 39.40 Tons 35.74 Metric Tonnes

GROSS: 116,940 L
TARE: 38,140 L
NET: 78,800 L

UNIT PRICE:	22.00
SUBTOTAL:	866.80
FREIGHT:	362.48
TAX:	102.95
TOTAL:	1332.23

This Load: 39.40 Tons 35.74 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ **Driver Name:** Jim Steele

TILCON

A CRH COMPANY

TILCON NEW YORK INC.
162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20985563

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20985563	10/26/2018	13:55	102034	00209	West Nyack Quarry 845-353-04	8-8R	

Sold To:
Cash-West Nyack Stone
Job Description:
Colorado 845 Pelham Prkwy 24 Hour Fit
Mark 973 377 6865 From 2 pm

Customer #	Order #	Purchase Order
99107	Q420834	

Zone	Truck #	Hauler
	7754	104037 RJL INDUSTRIES, INC.

Product #	Product Description	DOT Mix ID	Delivery Method
1012001	3/8" STONE		Delivered

Pelham Manor NY

AS Per CODY Suruif

Loads: 2 **Accum Amount:** 80.04 Tons 72.61 Metric Tonnes

GROSS: 116,900 L
TARE: 35,620 L
NET: 81,280 L

UNIT PRICE:	22.00
SUBTOTAL:	894.08
FREIGHT:	373.89
TAX:	106.19
TOTAL:	1374.16

This Load: 40.64 Tons 36.87 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ **Driver Name:** Bruce

TILCON

A CRH COMPANY

TILCON NEW YORK INC.
162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20985566

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20985566	10/26/2018	14:03	102034	00209	West Nyack Quarry 845-353-04	8-8R	

Sold To:
Cash-West Nyack Stone
Job Description:
Colorado 845 Pelham Prkwy 24 Hour Fit
Mark 973 377 6865 From 2 pm

Customer #	Order #	Purchase Order
99107	Q420834	
Zone	**Truck #**	**Hauler**
	7751	104037 RJL INDUSTRIES, INC.

Product #	Product Description	DOT Mix ID	Delivery Method
1012001	3/8" STONE		Delivered

Pelham Manor NY

As Per Cody
Surwit

Loads: 3 **Accum Amount:** 119.34 Tons 108.26 Metric Tonnes

GROSS: 115,900 L
TARE: 37,300 L
NET: 78,600 L

UNIT PRICE:	22.00
SUBTOTAL:	864.60
FREIGHT:	361.56
TAX:	102.69
TOTAL:	1328.85

This Load: 39.30 Tons 35.65 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ **Driver Name:** Pat

TILCON

A CRH COMPANY

TILCON NEW YORK INC.
162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20985609

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20985609	10/27/2018	10:53		00209	West Nyack Quarry 845-353-04	8-8R	

Sold To:
Cash-West Nyack Stone
Job Description:
COLORDO POOLS PELHAM MANOR - 24 HR FITNESS

Customer #	Order #	Purchase Order
99107	Q420834	

Zone	Truck #	Hauler
	XY669R	888888 FOB Vendor

Product #	Product Description	DOT Mix ID	Delivery Method
1012001	3/8" STONE		Pickup

Pelham Manor NY

Loads: 1 **Accum Amount:** 20.59 Tons 18.68 Metric Tonnes

GROSS:	75,560 L	UNIT PRICE:	22.00
TARE:	34,380 L	SUBTOTAL:	452.98
NET:	41,180 L	FREIGHT:	0.00
		TAX:	37.94
		TOTAL:	490.92

This Load: 20.59 Tons 18.68 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ **Driver Name:** GERMILO NOGUERA

TILCON

A CRH COMPANY

TILCON NEW YORK INC.
162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20985614

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20985614	10/27/2018	12:56		00209	West Nyack Quarry 845-353-04	8-8R	

Sold To:
Cash-West Nyack Stone
Job Description:
COLORDO POOLS PELHAM MANOR - 24 HR FITNESS

Customer #	Order #	Purchase Order
99107	Q420834	
Zone	**Truck #**	**Hauler**
	XY669R	888888 FOB Vendor

Product #	Product Description	DOT Mix ID	Delivery Method
1012001	3/8" STONE		Pickup

Pelham Manor NY

Loads: 2 **Accum Amount:** 40.08 Tons 36.36 Metric Tonnes

GROSS:	73,360 L	UNIT PRICE:	22.00
TARE:	34,380 L	SUBTOTAL:	428.78
NET:	38,980 L	FREIGHT:	0.00
		TAX:	35.91
		TOTAL:	464.69

This Load: 19.49 Tons 17.68 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ **Driver Name:** Gonzalo Noguez

SAMMARCO STONE AND SUPPLY, INC.

173 OAK STREET
NEW ROCHELLE, NY 10801
www.sammarcostone.com
PHONE: (914) 636-6563

WE NOW OFFER A PIGGY BACK FORKLIFT
FOR YOUR DELIVERY NEEDS

CUST NO:	JOB NO:	PURCHASE ORDER:	REFERENCE:	TERMS:	CLERK:	DATE / TIME:	
*10	000			CASH/CHECK/BANKCARD	MAZZ	4/26/17	12:58

TERMINAL: 553
ORDER: 802268

SOLD TO:
CASH CUSTOMER/ CONTRACTOR

SHIP TO:
CASH CUSTOMER/ CONTRACTOR

TAX: 001 NEW ROCHELLE

INVOICE: I02268

LINE	SHIPPED	ORDERED	UM	SKU	DESCRIPTION	SUGG	UNITS	PRICE/ PER	EXTENSION
1	15	15	YD	34BG	3/4" CRUSHED ST GRAVEL - 1 YARD	67.53	15	54.02 /YD	810.30

** PAYMENT RECEIVED **	900.16	TAXABLE	810.30
** CHANGE GIVEN **	22.00	NON-TAXABLE	0.00
		SUBTOTAL	810.30
CASH PAYMENT	900.16		
		TAX AMOUNT	67.86
		TOTAL	**878.16**

TOT WT: 52597.40

X _____
Received By

All returns or exchanges must be accompanied by an invoice.

ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN

"20964158"

DISPATCH: 78698
CUSTOMER: 99107 Cash-West Nyack Stone
SALES ORDER: Q359781
PURCHASE ORDER:
TRUCK: 7752
HAULER: 104037 RJL INDUSTRIES, INC.
DELIVERY METHOD: Delivered ZONE CODE 62098-3
ITEM CODE: 1011002
DESCRIPTION: NYS# 1A (1/4")

DELIVERY ADDRESS.
DGC CAPITOLPD/CC -887 Pelham Pkwy Pelham Manor NY 10803

INSTRUCTIONS:
DGC Capitol - Pelham Manor - 24 hr fitness
DGC Capitol - Pelham Manor - 24 hr fitness

OFF JOB TIME

GROSS	116,120	lb	58.06 UT
TARE	38,600	lb	19.30 UT
NET	77.520	lb	38.76 UT

ON JOB TIME

# OF LOADS	US TONS TODAY	METRIC TONS TODAY
1	38.76	35.16

TICKET: 20964158
DATE: 7/3/2018
TIME: 11:12

UNIT PRICE:	22.00
SUBTOTAL:	852.72
FREIGHT:	356.59
TAX:	101.28
TOTAL:	1310.59

DRIVER SIGNATURE

CUSTOMER SIGNATURE

LOCATION: 00209 West Nyack Quarry
SOURCE: 8-8R FACILITY ID:
SCALE: 1 WEIGHMASTER: Steve Collins

TILCON NEW YORK, INC ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT. OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR

ARREST OF ITS OPERATOR WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN

20964187

DISPATCH: 78898
CUSTOMER: 99107 Cash-West Nyack Stone
SALES ORDER: Q359781
PURCHASE ORDER:
TRUCK: 7751
HAULER: 104037 RJL INDUSTRIES, INC.
DELIVERY METHOD: Delivered ZONE CODE 62098-3
ITEM CODE: 1011002
DESCRIPTION: NYS# 1A (1/4")

DELIVERY ADDRESS:
DGC CAPITOLPD/CC -887 Pelham Pkwy Pelham Manor NY 10803

INSTRUCTIONS:
DGC Capitol - Pelham Manor - 24 hr fitness
DGC Capitol - Pelham Manor - 24 hr fitness

OFF JOB TIME

GROSS	114,940	lb	57.47 UT
TARE	37,300	lb	18.65 UT
NET	77,640	lb	38.82 UT

ON JOB TIME

# OF LOADS	US TONS TODAY	METRIC TONS TODAY
2	77.58	70.38

TICKET: 20964187

DATE: 7/3/2018
TIME: 12:33

UNIT PRICE:	22.00
SUBTOTAL:	854.04
FREIGHT:	357.14
TAX:	101.44
TOTAL:	1312.62

DRIVER SIGNATURE

CUSTOMER SIGNATURE

LOCATION: 00209 West Nyack Quarry
SOURCE: 8-8R FACILITY ID:
SCALE: 1 WEIGHMASTER: Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT. OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR

[redacted]

TILCON
A CRH COMPANY

TILCON NEW YORK INC.
162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20963722

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20963722	06/29/2018	08:50	78425	00209	West Nyack Quarry 845-353-04	8-8R	

Sold To: / Job Description:	Customer #	Order #	Purchase Order
Cash-West Nyack Stone DGC CAPITOL - PELHAM MANOR - 24 HR FITNESS	99107	Q359781	
	Zone	Truck #	Hauler
	62098-3	7752	104037 RJL INDUSTRIES, INC.

Product #	Product Description	DOT Mix ID	Delivery Method
1011002	NYS# 1A (1/4")		Delivered

914-275-8731
887 Pelham Pkwy Pelham Manor NY 10803

Loads: 1 **Accum Amount:** 38.95 Tons 35.33 Metric Tonnes

GROSS: 116,500 L
TARE: 38,600 L
NET: 77,900 L

UNIT PRICE:	22.00
SUBTOTAL:	856.90
FREIGHT:	358.34
TAX:	101.78
TOTAL:	1317.02

This Load: 38.95 Tons 35.33 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: Robert Woods **Driver Name:** _____

[redacted]

TILCON
A CRH COMPANY

TILCON NEW YORK INC.

162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20964327

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20964327	07/05/2018	10:53	78899	00209	West Nyack Quarry 845-353-04	8-8R	

Sold To:
Cash-West Nyack Stone
Job Description:
DGC*PD/CC 887 Pelham Pkwy Pelham Manor NY 10803 914 275 8731

Customer #	Order #	Purchase Order
99107	Q359781	

Zone	Truck #	Hauler
62088-3	7750	104037 RJL INDUSTRIES, INC.

Product #	Product Description	DOT Mix ID	Delivery Method
1011002	NYS# 1A (1/4")		Delivered

DGC Capitol - Pelham Manor - 24 hr fitness
887 Pelham Pkwy Pelham Manor NY 10803

Loads: 1 **Accum Amount:** 40.19 Tons 36.46 Metric Tonnes

GROSS:	116,980 L	UNIT PRICE:	22.00
TARE:	36,600 L	SUBTOTAL:	884.18
NET:	80,380 L	FREIGHT:	369.75
		TAX:	105.02
		TOTAL:	1358.95

This Load: 40.19 Tons 36.46 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT. OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS. ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ Driver Name: _____

TILCON

ACRH COMPANY

TILCON NEW YORK INC.
162 OLD MILL ROAD
WEST NYACK, NY 10994
New York Orders : (800) 872-7762
New Jersey Orders : (800) 789-7625

Ticket #: 20964459

Ticket #	Date	Time	Dispatch	Plant #	Plant Description	Source	Facility ID
20964459	07/06/2018	10:17	79529	00209	West Nyack Quarry 845-353-04	8-8R	

Sold To: / Job Description:	Customer #	Order #	Purchase Order
Cash-West Nyack Stone DGC*PD/CC 887 Pelham Pkwy Pelham Manor NY 10803 75 8731	99107	Q359781	
	Zone	**Truck #**	**Hauler**
	62098-3	7752	104037 RJL INDUSTRIES, INC.

Product #	Product Description	DOT Mix ID	Delivery Method
1011002	NYS# 1A (1/4")		Delivered

DGC Capitol - Pelham Manor - 24 hr fitness
887 Pelham Pkwy Pelham Manor NY 10803

Loads: 1 **Accum Amount:** 38.98 Tons 35.36 Metric Tonnes

GROSS: 116,560 L
TARE: 38,600 L
NET: 77,960 L

UNIT PRICE:	22.00
SUBTOTAL:	857.56
FREIGHT:	358.62
TAX:	101.86
TOTAL:	1318.04

This Load: 38.98 Tons 35.36 Metric Tonnes

Weighmaster Steve Collins

TILCON NEW YORK, INC. ISSUES THIS RECEIPT SOLELY FOR THE PURPOSE OF ESTABLISHING WEIGHT.OPERATION OF THIS VEHICLE IN EXCESS OF ALLOWABLE LEGAL PERMITS MAY RESULT IN DELAY OF THE VEHICLE AND/OR ARREST OF ITS OPERATOR. WE ARE NOT RESPONSIBLE FOR DAMAGE WHEN DELIVERY IS ORDERED OFF PUBLIC ROADS ANY DAMAGE WILL BE CHARGED TO THE CUSTOMER

Received By: _____ **Driver Name:** _____

ATTACHMENT 6

Liquid Boot® Vapor Barrier Details

LIQUID BOOT®

SPRAY-APPLIED GAS VAPOR BARRIER

DESCRIPTION

LIQUID BOOT® is a seamless, spray-applied, water-based membrane containing no VOCs, which provides a barrier against vapor intrusion into structures. LIQUID BOOT® is installed under slab and on below grade vertical walls as a gas vapor barrier to minimize vapor and nuisance water migration into buildings. LIQUID BOOT® spray-application directly to penetrations, footings, grade beams, pile caps and other irregular surfaces, provides for a fully-adhered gas vapor barrier system.

APPLICATIONS

LIQUID BOOT® is used as an underslab and below-grade vertical wall gas vapor barrier, used to minimize vapor and nuisance water (non-hydrostatic conditions) migration into buildings. LIQUID BOOT® is ideal for methane migration control. LIQUID BOOT® is also NSF® certified for use as a potable water liner in concrete water reservoirs and tanks greater than 300,000 gallons to protect the concrete from water seepage.

BENEFITS

- Spray-application provides excellent sealing of penetrations, eliminating the need for mechanical fastening
- Seamless, monolithic membrane eliminates seaming-related membrane failures
- Unique formulation provides superior protection from methane gases and water vapor
- Fully adhered system reduces risk of gas migration
- Protection from methane gas, VOCs, chlorinated solvents and other contaminates

INSTALLATION

Protect all adjacent areas not to receive gas vapor barrier. Ambient temperature shall be within manufacturer's specifications. All plumbing, electrical, mechanical and structural items to be under or passing through the gas vapor barrier shall be secured in their proper positions and appropriately protected prior to membrane application. Gas vapor barrier shall be installed before placement of rein-forcing steel. Expansion joints must be filled with a conventional waterproof expansion joint material. Surface preparation shall be per manufacturer's specification. A minimum thickness of 60 dry mils, unless specified otherwise.

LIMITED WARRANTY

CETCO warrants its products to be free of defects. This warranty only applies when the product is applied by Approved Applicators trained by CETCO. As factors which affect the result obtained from this product, including weather, equipment, construction, workmanship and other variables are all beyond CETCO's control, we warrant only that the material herein conforms to our product specifications. Under this warranty we will replace at no charge any product proved to be defective within 12 months of manufacture, provided it has been applied in accordance with our written directions for uses we recommend as suitable for this product. This warranty is in lieu of any and all other warranties expressed or implied (including any implied warranty of merchantability or fitness for a particular use), and the Manufacturer shall have no further liability of any kind including liability for consequential or incidental damages resulting from any defects or any delays caused by replacement or otherwise. This warranty shall become valid only when the product has been paid for in full.



In addition to superior chemical resistance performance, LIQUID BOOT® spray-application effectively seals penetrations, footings, grade beams and other irregular surfaces that are considered critical vapor intrusion pathways.

EQUIPMENT

- COMPRESSOR: Minimum output of 155–185 cubic feet per minute (CFM)
- PUMPS: For "A" drum, an air-powered piston pump of 4:1 ratio (suggested model: Graco, 4:1 Bulldog). For "B" drum, an air-powered diaphragm pump (0–100 psi)
- HOSES: For "A" drum, ½" wire hose with a solvent resistant core (for diesel cleaning flush), hose rated for 500 psi minimum. For "B" drum, a 3/8" fluid hose rated at only 300 psi may be used.
- SPRAY WAND: Only the spray wand sold by CETCO is approved for the application of LIQUID BOOT®.
- SPRAY TIPS: Replacement tips can be purchased separately from CETCO.

PACKAGING

LIQUID BOOT® is available in the following packaging options:

- 55 Gallon Drum
- 275 Gallon Tote

LIQUID BOOT®

SPRAY-APPLIED GAS VAPOR BARRIER

TESTING DATA

CHEMICAL & PHYSICAL PROPERTIES		
CHEMICAL PROPERTY	TEST METHOD	RESULT
Acid Exposure (10% H_2SO_4 for 90 days)	ASTM D543	Less than 1% weight change
Benzene Diffusion Test	Tested at 43,000 ppm	2.90 x 10^{-11} m^2/day
Chemical Resistance: VOCs, BTEXs (tested at 20,000 ppm)	ASTM D543	Less than 1% weight change
Chromate Exposure (10% Chromium6+ salt for 31 days)	ASTM E96	Less than 1% weight change
Diesel (1000 mg/l), Ethylbenzene (1000 mg/l), Naphthalene (5000 mg/l) and Acetone (500 mg/l) Exposure for 7 days	ASTM D543	Less than 1% weight change; Less than 1% tensile strength change
Hydrogen Sulfide Gas Permeability	ASTM D1434	None Detected
Methane Permeability	**ASTM 1434-82**	**Passed***
Microorganism Resistance	**ASTM D4068-88**	**Passed***
Oil Resistance	**ASTM D543-87**	**Passed***
PCE Diffusion Coefficient	Tested at 120 mg/L	1.32 x 10^{-13} m^2/sec
Radon Permeability	Tested by US Dept. of Energy	Zero permeability to Radon (222Rn)
TCE Diffusion Coefficient	Tested at 524 mg/L	9.07 x 10^{-13} m^2/sec

LIQUID BOOT®

SPRAY-APPLIED GAS VAPOR BARRIER

TESTING DATA

CHEMICAL & PHYSICAL PROPERTIES		
PHYSICAL PROPERTY	TEST METHOD	RESULT
Accelerated Weathering and Ultraviolet Exposure	ASTM D822	No adverse effect after 500 hours
Air Infiltration	ASTM E283-91	0 cfm/sq. ft.
Bonded Seam Strength Tests	ASTM D6392	Passed*
Coefficient of Friction (with geotextile both sides)	ASTM D5321	0.72
Cold Bend Test	ASTM D146	Passed. Ø cracking at –25°F
Dead Load Seam Strength	City of Los Angeles	Passed*
Electric Volume Resistivity	ASTM D257	1.91 x 1010 ohms-cm
Elongation	ASTM D412	1,332% Ø reinforcement, 90% recovery
Elongation w/8 oz. non-woven geotextile both sides	ASTM D751	100% (same as geotextile tested separately)
Environmental Stress-Cracking	ASTM D1693-78	Passed*
Flame Spread	ASTM E108	Class A with top coat (comparable to UL790)
Freeze-Thaw Resistance (100 Cycles)	ASTM A742	Meets criteria. Ø spalling or disbondment
Heat Aging	ASTM D4068-88	Passed*
Hydrostatic Head Resistance	ASTM D751	Tested to 138 feet or 60 psi
Potable Water Containment	ANSI/NSF 61	NSF Certified for tanks >300,000 gal
Puncture Resistance w/8 oz. non-woven geotextile both sides	ASTM D4833	286 lbs. (travel of probe = 0.756 in)
Sodium Sulfate (2% water solution)	ASTM D543, D412, D1434	Less than 1% weight change
Soil Burial	ASTM E154-88	Passed
Tensile Bond Strength to Concrete	ASTM D413	2,556 lbs/ft² uplift force
Tensile Strength	ASTM D412	58 psi without reinforcement
Tensile Strength w/8 oz. non-woven geotextile both sides	ASTM D751	196 psi (same as geotextile tested separately)
Toxicity Test	22 CCR 66696	Passed
Water Penetration Rate	ASTM D2434	$<7.75 \times 10^{-9}$ cm/sec
Water Vapor Permeance	ASTM E96	0.069 perms

North America: 847.851.1800 | 800.527.9948 | www.cetco.com

UPDATED: DECEMBER 2017

© 2017 Minerals Technologies Inc. IMPORTANT: The information contained herein supersedes all previous printed versions, and is believed to be accurate and reliable. For the most up-to-date information, please visit www.cetco.com. CETCO accepts no responsibility for the results obtained through application of this product. All products are sold on the understanding that the user is solely responsible for determining their suitability for the intended use and for proper use and disposal of the product. CETCO MAKES NO WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH ANY SALE OF THE PRODUCTS DESCRIBED HEREIN. CETCO reserves the right to update information without notice.

FORM: TDS_LIQUID_BOOT_AM_EN_201712_V3

ATTACHMENT 7

NYSDEC Notifications

Christopher Battista

From: Christopher Battista
Sent: Friday, April 7, 2017 3:16 PM
To: 'Mizerak, Wayne (DEC)'
Cc: Rienzo, Richard; spratt@levinmgt.com; Roy D. Vice (rvice@levinmgt.com); Charlie McGuckin
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification
Attachments: Pelham Manor SSDS Modification and Utility Installation Plan.pdf

Wayne,

As we had discussed late last year, Levin Management is planning to move forward with the construction of the swimming pool/spa for the 24 hour fitness store at Post Road Plaza in Pelham Manor, NY. The work was postponed for several months while approvals were coordinated with the Village of Pelham Manor and the Westchester County Department of Health and utility designs were coordinated with 24 Hour Fitness. I have attached an updated version of the previous SSDS Modification Plan to include a generalized layout of the proposed Sub-Slab utilities. Most of these are sewer lines that will connect to floor drains around the swimming pool and bathroom fixtures, etc. There weren't any significant changes to the SSDS Modification Design. We had to move the cap on the end of the central, abandoned SSDS leg back approximately 10 feet to avoid interferences with the sanitary sewer main.

In addition to 24-Hour Fitness, a mobile phone store will also be located in the first floor space toward the front of the building. This store requires minimal sub-slab work consisting of an extension of the sanitary sewer service for two restrooms at the rear of the store.

The general contractor (Brackenridge Construction) would like to begin saw-cutting of the slab in the locations of the proposed sanitary sewer service and revised SSDS trench locations the week of April 17, 2017. In order to prevent impact to the SSDS from the concrete cuttings and wash water, the portion of the SSDS that extends under this area of the building will be isolated by operating the control valve on the header pipe tee located upstream of monitoring point KMVC-4. The valve will be operated to isolate this portion of the System at various times during the construction, excavation, relocation and restoration of the SSDS. Roux Associates will coordinate with Con Edison during operation of the valve and perform vacuum monitoring, as necessary to confirm proper operation of the SSDS section each time it is returned to service. The work will be coordinated to minimize the amount of time this section is isolated to the extent practicable. Once all of the excavation, construction and relocation work is completed, the system will again be tested to confirm the restoration was successfully completed. All ground-intrusive work will be performed in accordance with NYSDEC-Approved Interim Site Management Plan Dated May 2009 (Interim SMP).

Shallow trenches will be excavated through the building slab in order to install the new sub-slab utilities. The trenches will be approximately two to three feet in width and 2 to 5 feet in depth. The main sewer service trench (shown in green on the attached Design Drawing) will extend approximately 15 feet outside of the building in order to tie the new sanitary sewer service into the existing sanitary sewer main that runs beneath the paved area adjacent to the northern loading docks.

During excavation of interior utilities the soil will be staged adjacent to the trench on plastic sheeting or in one cubic yard sacks pending reuse as backfill or offsite disposal (if grossly impacted soil is encountered or excess soils are generated). For both interior and exterior underground utilities, gravel pipe bedding will be imported to the Site. The pipe bedding will consist of clean crushed stone from a Permitted Quarry in accordance with the requirements of NYSDEC DER-10 Section 5.4(e)5. For the exterior excavation the clean fill cap materials will be staged adjacent to the trench on one side and the excavated Site soils from below the clean fill cap will be staged on plastic sheeting on the

opposite side of the trench. Non-grossly impacted soil will be used as backfill below the clean fill cap and above the new plumbing installation. Then the clean fill cap will be restored.

Once the utility excavation and SSDS construction is completed, excavation of the pool and spa areas area will begin. All soils excavated in connection with the pool/spa and excess soils from utility installation will be either stockpiled on polyethylene sheeting or stored in roll-off containers in the loading dock area along the rear of the building behind the 24 Hour Fitness Space. Soils may also be temporarily stockpiled on polyethylene sheeting within the pool area space. The Soils to be excavated from the proposed pool area were previously pre-characterized. Additional waste characterization soil sampling may be performed as required by the soil disposal facility(s). Some impacts to soil (e.g., MGP-odors, staining, elevated PID detections and elevated SVOC concentrations in the samples collected) were observed when soil borings were performed in the pool area in February 2016, but we do not anticipate encountering grossly-impacted soils in any of the excavation areas. Groundwater is also not expected to be encountered within the excavation areas.

All excess Site soils will be disposed at Bayshore Soil Management in Keasbey, NJ or Clean Earth of Philadelphia in Philadelphia, PA or alternate facility (to be identified in advance) for treatment and disposal via low-temperature thermal desorption.

The indoor work spaces will be ventilated as necessary to control air quality. Some portions of this work may be performed during nighttime work hours in order to avoid disturbance of the neighboring stores.

Roux Associates will perform health and safety air monitoring, as well as community air monitoring (as needed) in accordance with the Interim SMP. The excavation contractors will be responsible for general construction safety and will utilize the HASP template provided in the Interim SMP as their HASP for the Site.

The pool and spa excavations will each be lined with approximately 4-inches of ¾-inch gravel from a permitted quarry in accordance with NYSDEC DER-10 5.4(e)5. No other fill materials will be required for construction of the pool/spa. Non-grossly impacted Site Soils may be used for backfilling around underground piping and other utilities, as necessary.

All work ground intrusive work will be performed in accordance with the Excavation Plan provided in the Interim SMP and 29 CFR 1910.120.

The initial utility excavation and SSDS modifications are expected to take approximately four weeks to complete, beginning in Mid-April 2017. The swimming pool, spa and associated utilities excavations are expected to take six to eight weeks to complete, beginning subsequent to the utility excavations and SSDS modifications.

Please let us know if you have any objection to this work proceeding as detailed herein.

As always, please feel free to contact me any time if you have questions or require any additional information.

Regards,

Chris.

From: Mizerak, Wayne (DEC) [mailto:wayne.mizerak@dec.ny.gov]
Sent: Monday, September 12, 2016 11:14 AM
To: Christopher Battista <cbattista@rouxinc.com>

Cc: Rienzo, Richard <RIENZOR@coned.com>; Omorogbe, Amen (DEC) <amen.omorogbe@dec.ny.gov>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Chris,

Thanks for your patience while we worked through me understanding how you were intending to address DEC concerns about the SSDS system modifications.

Per our conversation and the drawing attached, DEC's concerns have been addressed.

Thanks. Wayne

From: Christopher Battista [mailto:cbattista@rouxinc.com]
Sent: Monday, September 12, 2016 9:46 AM
To: Mizerak, Wayne (DEC) <wayne.mizerak@dec.ny.gov>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Wayne,

Attached are all three drafts of the SSDS design drawings with the dates included in the title for clarity. The current drawing is Revision 2 Dated 8/26/16.

Is there a time today that is good to discuss this? I should be in my office most of the day today and tomorrow.

Alternately, please feel free to markup the drawing with what you believe is missing or incorrect so that we can review it.

Thanks,

Chris.

From: Christopher Battista
Sent: Thursday, September 08, 2016 3:13 PM
To: 'Mizerak, Wayne (DEC)'; 'RIENZOR@coned.com'
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

Did you have any further comments on this or may the work proceed?

We will notify you in advance of the work actually starting. For now we need to confirm to the contractors that the work can proceed as detailed.

Thanks,

Chris.

From: Christopher Battista
Sent: Friday, August 26, 2016 5:00 PM

To: 'Mizerak, Wayne (DEC)'; 'RIENZOR@coned.com'
Cc: 'Roy Vice'; 'Gerry OBrien'; 'Steve Pratt'; Charlie McGuckin
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne,

Attached is the revised SSDS Design to address your additional comments.

Please confirm that NYSDEC and Con Edison do not object to this work proceeding as detailed in my previous email and the attached design drawing.

Thanks,

Chris.

From: Christopher Battista
Sent: Wednesday, August 24, 2016 5:53 PM
To: Mizerak, Wayne (DEC); RIENZOR@coned.com
Cc: 'Roy Vice'; Gerry OBrien; Steve Pratt; Charlie McGuckin
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne,

Attached is the revised SSDS Design that provides for the reconnection of the short section of piping that extends below the Police Dept. office, as you requested during our call yesterday.

Please confirm that NYSDEC and Con Edison do not object to this work proceeding as detailed in my previous email and the attached design drawing.

Thanks,

Chris.

From: Christopher Battista
Sent: Tuesday, August 23, 2016 7:14 AM
To: Mizerak, Wayne (DEC); RIENZOR@coned.com
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

Have you had a chance to review the Notification below and attached SSDS Revision Design?

Please let me know if you have any questions or if you'd like to talk it through.

Thanks,

Chris.

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: Christopher Battista <cbattista@rouxinc.com>
Date: 8/10/16 11:46 AM (GMT-05:00)
To: "Mizerak, Wayne (DEC)" <wayne.mizerak@dec.ny.gov>, RIENZOR@coned.com
Cc: Glenn Netuschil <gnetuschil@rouxinc.com>, Charlie McGuckin <cmcguckin@rouxinc.com>, Gerry OBrien <gobrien@levinmgt.com>, Roy Vice <RVice@levinmgt.com>, Steve Pratt <SPratt@levinmgt.com>
Subject: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

As we have previously discussed, a portion of the remaining vacant space at the Post Road Plaza shopping center in Pelham Manor, NY (Site) will be occupied by a private fitness center operated by 24 Hour Fitness. This will include space on both the first and second floors of the Fairway Market Building. The first floor space includes the area between Fairway Market and the Lobby of Modells Sporting Goods and adjacent non-tenant areas (see attached Figure). The second floor space includes the area above Fairway Market between Modells and Dave and Busters. The proposed fitness center will include a swimming pool and spa in the first floor space that will require excavation and disposal of Site soils. Additionally, a portion of the SSDS that runs under the building slab in this area will need to be relocated.

Attached is a design drawing showing the proposed SSDS revisions, pool excavation area and restoration details. Copies of the pool design drawings are also attached. As shown on the SSDS design drawings, one leg of the SSDS will be partial removed in the central portion of the pool and replaced by extending an adjacent leg to provide influence along the east Side of the pool.

The excavation and pool construction work is expected to take approximately eight weeks to complete, beginning in Late September or October 2016. The excavation/pool construction contractors have not yet been selected, but due to the anticipated revisions to the SSDS we wanted to provide a more advanced notice of this proposed work in order to address any questions or comments you may have.

Provided below is a detailed notification as required by the Excavation Work Plan included in the Interim Site Management Plan Dated May 2009 for the Site.

- The portion of the SSDS that extends into the pool area will be temporarily shut off (valved off at monitoring point KMVC-4) for approximately one week while the slab is cut and the piping capped off outside of the pool excavation area (two legs will be temporarily shortened). The SSDS will then be returned to normal operation while the pool and spa excavations are performed. Once the pool/spa excavation and construction is complete, the SSDS will be restored as show on the attached design drawing. Additional temporary shutdown will be required for tie in of the new legs with the existing capped ends.

- All excavated soil, debris, etc. will be either stockpiled on polyethylene sheeting or stored in roll-off containers in the loading dock area along the rear of the building behind the 24 Hour Fitness Space. Soils may also be temporarily stockpiled on polyethylene sheeting within the pool area space. The Soils to be excavated from the proposed pool area have been pre-characterized to enable prompt disposal. Some impacts to soil (e.g., MGP-odors, staining, elevated PID detections and elevated SVOC concentrations in the samples collected) were observed when soil borings were performed in the pool area in February 2016, but we do not anticipate encountering grossly-impacted soils in the pool excavation area. Groundwater is also not expected to be encountered within the excavation areas.

- All excess Site soils will be disposed at Bayshore Soil Management in Keasbey, NJ or Clean Earth of Philadelphia in Philadelphia, PA or alternate facility (to be identified in advance) for treatment and disposal via low-temperature thermal desorption.

- Roux Associates will perform health and safety air monitoring, as well as community air monitoring (as needed) in accordance with the Interim SMP. The excavation contractors will be responsible for general construction safety and will utilize the HASP template provided in the Interim SMP as their HASP for the Site.

- All work ground intrusive work will be performed in accordance with the Excavation Plan provided in the SMP and 29 CFR 1910.120.

- The pool and spa excavations will each be lined with approximately 4-inches of ¾-inch gravel from a permitted quarry in accordance with NYSDEC DER-10. No other fill materials will be required for construction of the pool/spa. Some non-grossly impacted Site Soils may be used for backfilling around underground piping and other utilities, as necessary.

Please let us know if you have any objection to this work proceeding as detailed herein.

As always, please feel free to contact me any time if you have questions or require any additional information.

Regards,

Chris.


Christopher Battista
Senior Construction Manager

Roux Associates, Inc.
209 Shafter St.
Islandia, NY 11749

Office: 631-232-2600
Direct: 631-630-2391
Cell: 516-250-0382

cbattista@rouxinc.com
www.rouxinc.com

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail; permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.




LEGEND

- EXISTING 4"ø SOLID WALL SCH. 40 PVC PIPE
- EXISTING 4"ø PERFORATED SCH. 40 PVC PIPE
- PROPOSED 4"ø PERFORATED SCH. 40 PVC PIPE
- FLOOR DRAIN PUMP
- APPROXIMATE LOCATION OF PROPOSED FLOOR DRAIN, PLUMBING CONNECTION OR SLAB PENETRATION
- APPROXIMATE LOCATION OF PROPOSED FLOOR DRAIN, PLUMBING CONNECTION OR SLAB PENETRATION
- APPROXIMATE LOCATION OF PROPOSED SUB-SLAB PLUMBING
- APPROXIMATE LOCATION OF PROPOSED SUB-SLAB SANITARY SEWER SERVICE


DRAWING NOTES

1. SOURCE FOR BASE MAP – FORMER K-MART VAPOR CONTROL SYSTEM PLAN BY MALCOLM PIRNIE, INC. AS REVISED JUNE 3, 2008.
2. KMVC-3 AS-BUILT LOCATION UPDATED BASED ON FIELD OBSERVATIONS AND INFORMATION PROVIDED BY CON EDISON.
3. SOURCE FOR PROPOSED POOL, SPA AND UTILITY INFORMATION – LEVIN MANAGEMENT CORPORATION 24 HR. FITNESS DEMISING WORK BY CASCO ARCHITECTURAL AND ENGINEERING SERVICES, D.P.C. AS REVISED JULY 18, 2016.




PERFORATION PATTERN DETAIL

NOT TO SCALE



VACUUM MONITORING POINT DETAIL

NOT TO SCALE



TYPICAL EXISTING SSDS PIPING TRENCH

NOT TO SCALE

MODIFICATION NOTES

1. COORDINATION WITH CON EDISON IS REQUIRED TO SHUT DOWN EXISTING SSDS SYSTEM BLOWERS TO ALLOW FOR TEMPORARY/ PERMANENT CAPPING AND RE-ROUTING/EXTENSION OF SSDS PIPING IMPACTED BY POOL CONSTRUCTION.
2. THE EXISTING SSDS PIPING THAT WILL BE IMPACTED BY THE POOL CONSTRUCTION WILL BE REMOVED. THE REMAINING SSDS PIPING THAT WILL NOT BE RE-USED WILL BE ABANDONED IN PLACE.
3. THE SSDS MODIFICATION CONTRACTOR SHALL COORDINATE WITH THE POOL CONTRACTOR AS NECESSARY.
4. THE SSDS MODIFICATION CONTRACTOR SHALL EXCAVATE AS NECESSARY TO ACCESS THE EXISTING SSDS PIPING FOR CAPPING. THE SSDS MODIFICATION CONTRACTOR SHALL SAW CUT THE EXISTING CONCRETE SLAB AT THE LOCATIONS SHOWN ON DRAWING FOR ACCESS TO EXISTING SSDS PIPING. THE AREA OF CONCRETE TO BE REMOVED IS APPROXIMATELY 4' X 4'.
5. THE EXISTING SSDS PIPING BEING EXTENDED OR RE-ROUTED SHALL BE TEMPORARILY PLUGGED TO ALLOW RE-STARTUP OF SSDS SYSTEM BLOWERS BY CON EDISON DURING POOL CONSTRUCTION.
6. THE PROPOSED SSDS TRENCH AND PIPING SHALL FOLLOW THE TYPICAL EXISTING SSDS PIPING TRENCH DETAIL. THIS INCLUDES INSTALLATION OF NON-WOVEN GEOTEXTILE FABRIC, LIQUID BOOT VAPOR BARRIER BY CETCO CORPORATION, FLOWABLE FILL AND WASHED STONE PIPE BEDDING MATERIAL.
7. ALL GROUND INTRUSIVE WORK IS TO BE PERFORMED IN ACCORDANCE WITH THE INTERIM SITE MANAGEMENT PLAN (SMP), DATED MAY 2009 AND THE SITE-SPECIFIC HEALTH AND SAFETY PLAN (HASP) TEMPLATE INCLUDED IN SMP.
8. CONTRACTOR(S) MUST PROVIDE FOR THE CONTROL OF VOCs, DUST, ODORS AND CARBON MONOXIDE IN ACCORDANCE WITH THE INTERIM SMP AND HASP.
9. ALL BACKFILL MATERIAL, VAPOR BARRIER MATERIALS AND SEALANTS ARE TO BE APPROVED BY THE ENGINEER BEFORE IMPORT TO THE SITE.
10. EXCAVATION/POOL CONSTRUCTION CONTRACTORS ARE RESPONSIBLE FOR GENERAL CONSTRUCTION SAFETY INCLUDING, BUT NOT LIMITED TO EXCAVATION SUPPORT, FALL PROTECTION, HEAVY EQUIPMENT SAFETY, EMPLOYEE TRAINING, PROTECTION OF UNDERGROUND FACILITIES, ETC. THE ENGINEER WILL PERFORM HEALTH AND SAFETY AIR MONITORING AND COMMUNITY AIR MONITORING AS REQUIRED BY THE INTERIM SMP IN SUPPORT OF THE CONTRACTOR'S OVERALL SITE HEALTH AND SAFETY PROGRAM. ALL SITE WORKERS INVOLVED OR ASSOCIATED WITH GROUND INTRUSIVE WORK MUST HAVE CURRENT OSHA 40-HOUR HAZWOPER TRAINING, MEDICAL CLEARANCE AND OSHA HAZWOPER 8-HOUR REFRESHER COURSE AS REQUIRED BY 29 CFR 1910.120. ALL CONSTRUCTION WORK IS TO BE PERFORMED IN ACCORDANCE WITH OSHA 29 CFR 1910 AND 1929, AS WELL AS ALL STATE AND LOCAL REQUIREMENTS.
11. ALL EXCAVATED SOILS/FILL SHALL BE HANDLED AS MANUFACTURED GAS PLANT (MGP)/COAL TAR CONTAMINATED SOIL AND PROPERLY TREATED AND DISPOSED VIA LOW-TEMPERATURE THERMAL DESORPTION AT A FACILITY APPROVED BY CONSOLIDATED EDISON COMPANY OF NEW YORK AND THE ENGINEER. COPIES OF CURRENT STATE-ISSUED DISPOSAL FACILITY PERMIT(S) AND PROJECT-SPECIFIC APPROVAL LETTERS SHALL BE PROVIDED IN ADVANCE OF ANY TRANSPORT OF MATERIALS OFFSITE. ALL SOIL/FILL OR WASTEWATER MUST BE CHARACTERIZED AND/OR APPROVED BY THE ENGINEER PRIOR TO TRANSPORT OFFSITE OR REUSE ONSITE.
12. ALL FILL, SUB-BASE, PIPE BEDDING OR OTHER EARTHEN MATERIALS TO BE IMPORTED TO THE SITE SHALL BE APPROVED IN ADVANCE BY THE ENGINEER AND SHALL MEET THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC) UNRESTRICTED USE SOIL CLEANUP OBJECTIVES OR MUST CONSIST OF VIRGIN MATERIAL FROM A PERMITTED MINE OR QUARRY CONSISTING OF GRAVEL, ROCK OR STONE CONTAINING LESS THAN 10% BY WEIGHT MATERIAL WHICH WOULD PASS THROUGH A SIZE #0 SIEVE.
13. LOCATIONS OF ALL PLUMBING, FIXTURES AND DEMISING WALLS ARE APPROXIMATE AND ARE FOR REFERENCE PURPOSES ONLY. THIS DRAWING IS NOT TO BE USED FOR PRICING, CONSTRUCTION OR BIDDING OF ANY WORK OTHER THAN THE VAPOR CONTROL SYSTEM MODIFICATIONS.

NO.	DATE	REVISION DESCRIPTION	INT.
4	3/28/17	MODIFICATIONS PER PROPOSED LANDLORD PLUMBING REVISIONS	C.B.
3	1/16/17	MODIFICATIONS PER CASCO DESIGN DRAWINGS, 11/23/16	C.B.
2	12/12/16	MODIFICATIONS PER CASCO DESIGN DRAWINGS, 7/18/16	C.B.
1	8/23/16	MODIFICATIONS PER NYSDEC COMMENTS, 8/23/16	C.B.

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF STATE LAW.

THESE DOCUMENTS (OR COPIES OF ANY THEREOF) PREPARED BY OR BEARING THE SEAL OF THE ENGINEER, SHALL NOT BE REUSED FOR ANY EXTENSIONS OF THE PROJECT OR ANY OTHER PROJECT WITHOUT THE WRITTEN CONSENT OF THE ENGINEER.

PROJ. ENGINEER: G.N.	DRAWN BY: G.M.
DESIGNED BY: G.N.	CHECKED BY: C.M.
DRAWING SCALE: AS SHOWN	PLOT SCALE: 1:1
DRAWING DATE: 29MAR17	PRINT TYPE: B&W
OFFICE: NY	PAPER SIZE: ARCH D
PROJECT NO.: 1772.0001Y002	
DRAWING FILE: 1772.0001Y122.03.DWG	

Remedial

REMEDIAL ENGINEERING, P.C.

209 Shafter Street
Islandia, New York 11749 (631) 232-2600

PROJECT NAME:

POST ROAD PLAZA
PELHAM MANOR, NEW YORK

PROJECT FOR:

LEVIN MANAGEMENT CORPORATION

TITLE:

FORMER K-MART BUILDING
VAPOR CONTROL SYSTEM
MODIFICATION

DRAWING NO.

1

DRAWING
1 OF 2

H:\CAD\ PROJECTS\ 1772\ 0001Y\ 122\ 1772.0001Y122.03.DWG

Christopher Battista

Subject: FW: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification
Attachments: Pelham Manor SSDS Modification and Utility Installation Plan TP & SM.P.pdf

---

From: Christopher Battista
Sent: Friday, January 12, 2018 4:19 PM
To: Mizerak, Wayne (DEC) <wayne.mizerak@dec.ny.gov>; Rienzo, Richard <RIENZOR@coned.com>
Cc: spratt@levinmgt.com; Roy D. Vice (rvice@levinmgt.com) <rvice@levinmgt.com>; Charlie McGuckin <cmcguckin@rouxinc.com>; Matthew Smith <masmith@rouxinc.com>; Valerie Sabatasso <vsabatasso@rouxinc.com>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

Attached please find a sketch showing the proposed test pit and soil boring locations. As shown on the drawing, all of these locations are all within the pool/utilities excavation areas discussed in our previous notifications. The test pits are part of those excavations, they are just being sequenced out separately in order to provide for a more detailed structural analysis than was previously required for the pool design. Also, considering the various delays that have been encountered, we wanted to provide you with the details on how this work will be proceeding.

The soil borings are an addition to the original scope of work discussed below that has been requested by the project's structural engineer. These borings are tentatively scheduled to be installed the week of 1/22/18 and will take approximately 3 to 4 days to complete. The borings will be installed by Aquifer Drilling & Testing (the same contractor both Roux and Con Edison have used to perform previous drilling work at the site). They will be completed to the top of competent bed rock (approximately 50 to 70 feet below the top of slab) with split spoon samples collected continuously for geotechnical purposes (blow counts). All soil cuttings will be drummed and staged within the building pending characterization and proper offsite disposal at Bayshore Soil Management in Keasbey, NJ or similar facility permitted to accept and treat MGP impacted material. The borings will be abandoned using grout and/or gravel pack and the slab restored to its original thickness when construction of the proposed swimming pools is complete.

Based on previous drilling work and the results of previous investigations at the Site, some MGP impacted soils may be encountered during this drilling, but little or no grossly impacted material is expected. The drilling work will be performed using the existing HASP utilized during the other recent pool-related excavation activities and these drilling activities will be performed in accordance with the NYSDEC-Approved Site Management Plan (SMP) and 29 CFR 1910.120.

Please let me know if you have any objection to this work proceeding or require any additional information in advance of the soil borings.

Thanks,

Chris.

From: Christopher Battista
Sent: Wednesday, January 10, 2018 5:26 PM
To: 'Mizerak, Wayne (DEC)' <wayne.mizerak@dec.ny.gov>; 'Rienzo, Richard' <RIENZOR@coned.com>
Cc: 'spratt@levinmgt.com' <spratt@levinmgt.com>; 'Roy D. Vice (rvice@levinmgt.com)' <rvice@levinmgt.com>; Charlie

McGuckin <cmcguckin@rouxinc.com>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

The pool excavation at the Pelham Manor Site (detailed in my previous emails below) has progressed slowly due to various logistical and engineering challenges. The excavation has now been on hold since mid-November to enable construction of the second-floor portion of the gym to progress and provide time to evaluate an alternate means for supporting the column footings adjacent to the pools. Limited excavation work will recommence next week in the proposed pool area in order to expose each of the adjacent column footings so they can be measured and evaluated by the Site structural engineer. This excavation work will take approximately one to two weeks to complete and will begin on Tuesday January 16, 2018.

Additionally, Levin is in the process of contracting a driller to perform two geotechnical soil borings within the space. The borings will be completed to the top of competent bedrock and will be used to evaluate the structural characteristics of the soils within the pool area. I will provide more detail on the exact schedule for the soil boring work, once it is available.

As with all ground intrusive work performed in connection with the pool excavation, Roux Associates will provide environmental oversight and perform CAMP and Health and Safety air monitoring in accordance with the SMP.

I will keep you posted on the progress at the Site.

Please let me know if you have any questions regarding this work.

Regards,

Chris.

From: Christopher Battista
Sent: Thursday, August 03, 2017 8:32 PM
To: 'Mizerak, Wayne (DEC)' <wayne.mizerak@dec.ny.gov>; 'Rienzo, Richard' <RIENZOR@coned.com>
Cc: 'spratt@levinmgt.com' <spratt@levinmgt.com>; 'Roy D. Vice (rvice@levinmgt.com)' <rvice@levinmgt.com>; Charlie McGuckin <cmcguckin@rouxinc.com>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

After completing the underground utility installation (sanitary sewer piping) and extending the SSDS leg closest to the front of the store, work was temporarily halted pending approval from the Westchester County Department of Health for the 24-Hour Fitness Swimming Pool. The County requires a permit to operate a public swimming pool and the review and approval of the pool design has taken longer than expected. Based on the feedback recently received, 24-Hour Fitness expects to receive the permit within the next two to three weeks. Once the permit is received the excavation and construction of the pool will begin, as detailed in our original notification.

As part of the pool construction process, a vapor barrier will be installed within the entire pool excavation and will be terminated at the floor slab. The vapor barrier to be used will be Liquid Boot® by Cetco® which is also used to cover the SSDS trenches (below the slab), previously constructed at the Site. Liquid Boot® is a robust, spray applied vapor barrier system that is commonly used on remediation Sites as part of cap systems to prevent exposure to remaining impacted soils and/or soil vapor.


The Liquid Boot® vapor barrier will be spray applied to the entire completed pool and spa excavation areas including any utility trenches, drains, etc. Once the vapor barrier is complete, six-inches of clean stone will be installed across the bottom of the excavation on top of the vapor barrier. The vapor barrier and clean stone will cap the soil below and beside the pool and serve as a positive means of mitigating worker exposure to the Site soils and soil vapor. During the excavation process, the remaining revisions to the SSDS will also be completed in accordance with Roux Associates design and those portions of the SSDS will be returned to operation upon installation of the vapor barrier.

Roux Associates will oversee the ground intrusive activities in accordance with the SMP (including CAMP, health and safety air monitoring, etc.) throughout the excavation process until the vapor barrier installation is complete. At that point, the HAZWOPER-trained excavation contractor and Roux Associates will demobilize from the Site and the conventional pool construction contractors will mobilize to install plumbing, rebar, gunite, mechanical equipment, etc. If any additional ground-intrusive activities are required after the vapor barrier is installed, the general contractor will notify Roux Associates in advance and we will remobilize to oversee that work in accordance with the SMP. Roux Associates will prepare a summary report documenting the work activities including excavation, soil disposal, vapor barrier installation and an as-built drawing of the revised SSDS, once construction of the pool is complete.

Please feel free to contact me any time if you have questions, or require any additional information.

Regards,

Chris.



LEGEND


- EXISTING 4"ø SOLID WALL SCH. 40 PVC PIPE
- EXISTING 4"ø PERFORATED SCH. 40 PVC PIPE
- PROPOSED 4"ø PERFORATED SCH. 40 PVC PIPE
- FLOOR DRAIN PUMP
- APPROXIMATE LOCATION OF PROPOSED FLOOR DRAIN, PLUMBING CONNECTION OR SLAB PENETRATION
- APPROXIMATE LOCATION OF PROPOSED FLOOR DRAIN, PLUMBING CONNECTION OR SLAB PENETRATION
- APPROXIMATE LOCATION OF PROPOSED SUB-SLAB PLUMBING
- APPROXIMATE LOCATION OF PROPOSED SUB-SLAB SANITARY SEWER SERVICE

GT-SB-1 - LOCATION AND DESIGNGATION OF PROPOSED GEOTECHNICAL SOIL BORING

TP-B2 - LOCATION AND DESIGNGATION OF PROPOSED TEST PIT


DRAWING NOTES

1. SOURCE FOR BASE MAP – FORMER K-MART VAPOR CONTROL SYSTEM PLAN BY MALCOLM PIRNIE, INC. AS REVISED JUNE 3, 2008.
2. KMVC-3 AS-BUILT LOCATION UPDATED BASED ON FIELD OBSERVATIONS AND INFORMATION PROVIDED BY CON EDISON.
3. SOURCE FOR PROPOSED POOL, SPA AND UTILITY INFORMATION – LEVIN MANAGEMENT CORPORATION 24 HR. FITNESS DEMISING WORK BY CASCO ARCHITECTURAL AND ENGINEERING SERVICES, D.P.C. AS REVISED JULY 18, 2016.




PERFORATION PATTERN DETAIL

NOT TO SCALE



VACUUM MONITORING POINT DETAIL

NOT TO SCALE



TYPICAL EXISTING SSDS PIPING TRENCH

NOT TO SCALE

MODIFICATION NOTES

1. COORDINATION WITH CON EDISON IS REQUIRED TO SHUT DOWN EXISTING SSDS SYSTEM BLOWERS TO ALLOW FOR TEMPORARY/ PERMANENT CAPPING AND RE-ROUTING/EXTENSION OF SSDS PIPING IMPACTED BY POOL CONSTRUCTION.
2. THE EXISTING SSDS PIPING THAT WILL BE IMPACTED BY THE POOL CONSTRUCTION WILL BE REMOVED. THE REMAINING SSDS PIPING THAT WILL NOT BE RE-USED WILL BE ABANDONED IN PLACE.
3. THE SSDS MODIFICATION CONTRACTOR SHALL COORDINATE WITH THE POOL CONTRACTOR AS NECESSARY.
4. THE SSDS MODIFICATION CONTRACTOR SHALL EXCAVATE AS NECESSARY TO ACCESS THE EXISTING SSDS PIPING FOR CAPPING. THE SSDS MODIFICATION CONTRACTOR SHALL SAW CUT THE EXISTING CONCRETE SLAB AT THE LOCATIONS SHOWN ON DRAWING FOR ACCESS TO EXISTING SSDS PIPING. THE AREA OF CONCRETE TO BE REMOVED IS APPROXIMATELY 4' X 4'.
5. THE EXISTING SSDS PIPING BEING EXTENDED OR RE-ROUTED SHALL BE TEMPORARILY PLUGGED TO ALLOW RE-STARTUP OF SSDS SYSTEM BLOWERS BY CON EDISON DURING POOL CONSTRUCTION.
6. THE PROPOSED SSDS TRENCH AND PIPING SHALL FOLLOW THE TYPICAL EXISTING SSDS PIPING TRENCH DETAIL. THIS INCLUDES INSTALLATION OF NON-WOVEN GEOTEXTILE FABRIC, LIQUID BOOT VAPOR BARRIER BY CETGO CORPORATION, FLOWABLE FILL AND WASHED STONE PIPE BEDDING MATERIAL.
7. ALL GROUND INTRUSIVE WORK IS TO BE PERFORMED IN ACCORDANCE WITH THE INTERIM SITE MANAGEMENT PLAN (SMP), DATED MAY 2009 AND THE SITE-SPECIFIC HEALTH AND SAFETY PLAN (HASP) TEMPLATE INCLUDED IN SMP.
8. CONTRACTOR(S) MUST PROVIDE FOR THE CONTROL OF VOCs, DUST, ODORS AND CARBON MONOXIDE IN ACCORDANCE WITH THE INTERIM SMP AND HASP.
9. ALL BACKFILL MATERIAL, VAPOR BARRIER MATERIALS AND SEALANTS ARE TO BE APPROVED BY THE ENGINEER BEFORE IMPORT TO THE SITE.
10. EXCAVATION/POOL CONSTRUCTION CONTRACTORS ARE RESPONSIBLE FOR GENERAL CONSTRUCTION SAFETY INCLUDING, BUT NOT LIMITED TO EXCAVATION SUPPORT, FALL PROTECTION, HEAVY EQUIPMENT SAFETY, EMPLOYEE TRAINING, PROTECTION OF UNDERGROUND FACILITIES, ETC. THE ENGINEER WILL PERFORM HEALTH AND SAFETY AIR MONITORING AND COMMUNITY AIR MONITORING AS REQUIRED BY THE INTERIM SMP IN SUPPORT OF THE CONTRACTOR'S OVERALL SITE HEALTH AND SAFETY PROGRAM. ALL SITE WORKERS INVOLVED OR ASSOCIATED WITH GROUND INTRUSIVE WORK MUST HAVE CURRENT OSHA 40-HOUR HAZWOPER TRAINING, MEDICAL CLEARANCE AND OSHA HAZWOPER 8-HOUR REFRESHER COURSE AS REQUIRED BY 29 CFR 1910.120. ALL CONSTRUCTION WORK IS TO BE PERFORMED IN ACCORDANCE WITH OSHA 29 CFR 1910 AND 1929, AS WELL AS ALL STATE AND LOCAL REQUIREMENTS.
11. ALL EXCAVATED SOILS/FILL SHALL BE HANDLED AS MANUFACTURED GAS PLANT (MGP)/COAL TAR CONTAMINATED SOIL AND PROPERLY TREATED AND DISPOSED VIA LOW-TEMPERATURE THERMAL DESORPTION AT A FACILITY APPROVED BY CONSOLIDATED EDISON COMPANY OF NEW YORK AND THE ENGINEER. COPIES OF CURRENT STATE-ISSUED DISPOSAL FACILITY PERMIT(S) AND PROJECT-SPECIFIC APPROVAL LETTERS SHALL BE PROVIDED IN ADVANCE OF ANY TRANSPORT OF MATERIALS OFFSITE. ALL SOIL/FILL OR WASTEWATER MUST BE CHARACTERIZED AND/OR APPROVED BY THE ENGINEER PRIOR TO TRANSPORT OFFSITE OR REUSE ONSITE.
12. ALL FILL, SUB-BASE, PIPE BEDDING OR OTHER EARTHEN MATERIALS TO BE IMPORTED TO THE SITE SHALL BE APPROVED IN ADVANCE BY THE ENGINEER AND SHALL MEET THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC) UNRESTRICTED USE SOIL CLEANUP OBJECTIVES OR MUST CONSIST OF VIRGIN MATERIAL FROM A PERMITTED MINE OR QUARRY CONSISTING OF GRAVEL, ROCK OR STONE CONTAINING LESS THAN 10% BY WEIGHT MATERIAL WHICH WOULD PASS THROUGH A SIZE #0 SIEVE.
13. LOCATIONS OF ALL PLUMBING, FIXTURES AND DEMISING WALLS ARE APPROXIMATE AND ARE FOR REFERENCE PURPOSES ONLY. THIS DRAWING IS NOT TO BE USED FOR PRICING, CONSTRUCTION OR BIDDING OF ANY WORK OTHER THAN THE VAPOR CONTROL SYSTEM MODIFICATIONS.

NO.	DATE	REVISION DESCRIPTION	INT.
4	3/28/17	MODIFICATIONS PER PROPOSED LANDLORD PLUMBING REVISIONS	C.B.
3	1/16/17	MODIFICATIONS PER CASCO DESIGN DRAWINGS, 11/23/16	C.B.
2	12/12/16	MODIFICATIONS PER CASCO DESIGN DRAWINGS, 7/18/16	C.B.
1	8/23/16	MODIFICATIONS PER NYSDEC COMMENTS, 8/23/16	C.B.

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF STATE LAW.

THESE DOCUMENTS (OR COPIES OF ANY THEREOF) PREPARED BY OR BEARING THE SEAL OF THE ENGINEER, SHALL NOT BE REUSED FOR ANY EXTENSIONS OF THE PROJECT OR ANY OTHER PROJECT WITHOUT THE WRITTEN CONSENT OF THE ENGINEER.

PROJ. ENGINEER: G.N.	DRAWN BY: G.M.
DESIGNED BY: G.N.	CHECKED BY: C.M.
DRAWING SCALE: AS SHOWN	PLOT SCALE: 1:1
DRAWING DATE: 29MAR17	PRINT TYPE: B&W
OFFICE: NY	PAPER SIZE: ARCH D
PROJECT NO.: 1772.0001Y002	
DRAWING FILE: 1772.0001Y122.03.DWG	

Remedial
REMEDIAL ENGINEERING, P.C.
209 Shafter Street
Islandia, New York 11749 (631) 232-2600

PROJECT NAME:
POST ROAD PLAZA
PELHAM MANOR, NEW YORK

PROJECT FOR:
LEVIN MANAGEMENT CORPORATION

TITLE:
FORMER K-MART BUILDING
VAPOR CONTROL SYSTEM
MODIFICATION

DRAWING NO.
1
DRAWING
1 OF 2

V:\CAD\PROJECTS\1772\V\0001\122\1772.0001Y122.03.DWG

Christopher Battista

Subject: FW: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

From: Christopher Battista
Sent: Thursday, August 3, 2017 8:32 PM
To: 'Mizerak, Wayne (DEC)' <wayne.mizerak@dec.ny.gov>; 'Rienzo, Richard' <RIENZOR@coned.com>
Cc: 'spratt@levinmgt.com' <spratt@levinmgt.com>; 'Roy D. Vice (rvice@levinmgt.com)' <rvice@levinmgt.com>; Charlie McGuckin <cmcguckin@rouxinc.com>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

After completing the underground utility installation (sanitary sewer piping) and extending the SSDS leg closest to the front of the store, work was temporarily halted pending approval from the Westchester County Department of Health for the 24-Hour Fitness Swimming Pool. The County requires a permit to operate a public swimming pool and the review and approval of the pool design has taken longer than expected. Based on the feedback recently received, 24-Hour Fitness expects to receive the permit within the next two to three weeks. Once the permit is received the excavation and construction of the pool will begin, as detailed in our original notification.

As part of the pool construction process, a vapor barrier will be installed within the entire pool excavation and will be terminated at the floor slab. The vapor barrier to be used will be Liquid Boot® by Cetco® which is also used to cover the SSDS trenches (below the slab), previously constructed at the Site. Liquid Boot® is a robust, spray applied vapor barrier system that is commonly used on remediation Sites as part of cap systems to prevent exposure to remaining impacted soils and/or soil vapor.

The Liquid Boot® vapor barrier will be spray applied to the entire completed pool and spa excavation areas including any utility trenches, drains, etc. Once the vapor barrier is complete, six-inches of clean stone will be installed across the bottom of the excavation on top of the vapor barrier. The vapor barrier and clean stone will cap the soil below and beside the pool and serve as a positive means of mitigating worker exposure to the Site soils and soil vapor. During the excavation process, the remaining revisions to the SSDS will also be completed in accordance with Roux Associates design and those portions of the SSDS will be returned to operation upon installation of the vapor barrier.

Roux Associates will oversee the ground intrusive activities in accordance with the SMP (including CAMP, health and safety air monitoring, etc.) throughout the excavation process until the vapor barrier installation is complete. At that point, the HAZWOPER-trained excavation contractor and Roux Associates will demobilize from the Site and the conventional pool construction contractors will mobilize to install plumbing, rebar, gunite, mechanical equipment, etc. If any additional ground-intrusive activities are required after the vapor barrier is installed, the general contractor will notify Roux Associates in advance and we will remobilize to oversee that work in accordance with the SMP. Roux Associates will prepare a summary report documenting the work activities including excavation, soil disposal, vapor barrier installation and an as-built drawing of the revised SSDS, once construction of the pool is complete.

Please feel free to contact me any time if you have questions, or require any additional information.

Regards,

Chris.

From: Christopher Battista
Sent: Thursday, April 27, 2017 1:15 PM
To: 'Mizerak, Wayne (DEC)' <wayne.mizerak@dec.ny.gov>; Rienzo, Richard <RIENZOR@coned.com>
Cc: spratt@levinmgt.com; Roy D. Vice (rvice@levinmgt.com) <rvice@levinmgt.com>; Charlie McGuckin <cmcguckin@rouxinc.com>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Wayne/Rich,

The excavation of the indoor portion of the sanitary sewer trench was completed yesterday, as well as the excavation to extend the SSDS leg that is closest to the front of the store in the future 24 Hour Fitness Space (photo attached). The SSDS piping is being extended today. The piping is being bedded with crushed stone meeting the requirements of DER-10 from Tilcon, West Nyack, NY that appears nearly identical to what we have excavated from the existing trench. The middle leg of the SSDS is exposed and will be capped off shortly. The leg that runs along the rear of the building will be relocated pending the acquisition of the pool permit from Westchester County DOH, which still may be a couple weeks or more away.

We have not detected any indoor air issues (VOCs, CO etc.). All soils are currently stockpiled on plastic sheeting and covered or stored in soil sacks pending disposal. We have not encountered any grossly impacted material, but did observe some minor MGP odors while initially excavating the very end of the sanitary sewer trench near the rear of the building. The soil was covered and the odor quickly dissipated.

There have not been CAMP Exceedances for Particulates or VOCs related to the work, but several VOC exceedances were recorded on Tuesday morning due to a delivery truck parking immediately adjacent to the downwind CAMP station near the loading docks at the Rear of the Building. The truck was used to hoist new HVAC equipment to the roof, so we were not able to remedy the situation immediately, but it was corrected as soon as it was safe to enter the area.

We will keep you posted as work progresses.

Please let me know if you have any questions.

Regards,

Chris.

From: Mizerak, Wayne (DEC) [mailto:wayne.mizerak@dec.ny.gov]
Sent: Monday, April 10, 2017 10:04 AM
To: Christopher Battista <cbattista@rouxinc.com>
Cc: Rienzo, Richard <RIENZOR@coned.com>; spratt@levinmgt.com; Roy D. Vice (rvice@levinmgt.com) <rvice@levinmgt.com>; Charlie McGuckin <cmcguckin@rouxinc.com>
Subject: RE: Post Road Plaza, Pelham Manor, NY 24-Hour Fitness Pool and Spa Construction Notification

Chris,

As long as they proceed according to the specifications of the site management plan regarding soils management and community air monitoring, and as long as they protect the integrity and effectiveness of the SSDS system things should be okay.

Rich, do you have any concerns? Wayne