

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



SCDHS Profile
Sampling on
South side of
Melville Park Rd.
Lab Number: 01-05-00333

Submission Date: 1/12/05
Sample ID: MA00333
Sample Type: TESTWELL

Field Number: 060-718-050112
Collection Date: 1/12/05
Collection Time: 1:02:00 PM
Collected By: PETRYSHIN

Source: MPR-1, screened [50-55], Melville Park Rd., Melville


VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

DB#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
1615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
1436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
1612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
1611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
1610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
1439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
1305	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
1305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
1323	1,1-Dichloroethane	4 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
1389	trans-1,2-Dichloroethene	11 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethynylbenzene (Styrene)	< 0.5 ppb
1300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
1324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
1321	1,1,1-Trichloroethane	17 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
1304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
1294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
1405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
1310	Trichloroethene	23 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
1303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
1420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
1301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
1311	Tetrachloroethene	180 ppb	C0253	p-Xylene	< 0.5 ppb	C0520	Methyl sulfide	7 ppb
1308	cis-1,2-Dichloroethene	1400 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	0.5 ppb
320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	120 ppb
613	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
465	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
421	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): JL

Report Date: 1/18/05



SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Field Number: 070-718-050112
Collection Date: 1/12/05
Collection Time: 12:35:00 PM
Collected By: PETRYSHIN

Lab Number: 01-05-00332
Submission Date: 1/12/05
Sample ID: MA00332
Sample Type: TESTWELL

Source: MPR-1, screened [60-65], Melville Park Rd., Melville

VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

3#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
0615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethane	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
0436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
0612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
0611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
0610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
0439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
0306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
0305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
0323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
0309	trans-1,2-Dichloroethane	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethynylbenzene (Styrene)	< 0.5 ppb
0300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
0324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
0321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
0304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
0294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
0405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
0310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
0303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
0420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
0301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
0314	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
0308	cis-1,2-Dichloroethane	< 0.5 ppb	C0255	Total Xylene	NA ppb	C0058	Dimethyldisulfide	< 0.5 ppb
0320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
0292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 0.5 ppb
0613	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
0455	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
0455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
0458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
0421	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): TL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Field Number: 080-718-050112
Collection Date: 1/12/05
Collection Time: 12:01:00 PM
Collected By: PETRYSHIN

Lab Number: 01-05-00331
Submission Date: 1/12/05
Sample ID: MA00331
Sample Type: TESTWELL

Source: MPR-1, screened [70-75], Melville Park Rd., Melville

VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

DB#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
00615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethane	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
00436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
00612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
00611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
00610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
00439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
00305	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
00305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
00323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
00309	trans-1,2-Dichloroethene	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethenylbenzene (Styrene)	< 0.5 ppb
00300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
00324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
00321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
00304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
00294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
00405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
00310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
00303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
00420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
00301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
00311	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfides	< 0.5 ppb
00308	cis-1,2-Dichloroethane	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0055	Dimethyldisulfide	< 0.5 ppb
00320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
00292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 0.5 ppb
00613	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 0.5 ppb
00465	Methyl isothiocyanate	< 0.5 ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
00455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
00458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
00421	n-Propane	< 0.5 ppb	85 Components					

Comments:

Analyst(s): JL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Id Number: 090-718-050112
Collection Date: 1/12/05
Collection Time: 11:34:00 AM
Collected By: PETRYSHIN

Lab Number: 01-05-00330
Submission Date: 1/12/05
Sample ID: MA00330
Sample Type: TESTWELL

Source: MPR-1, screened [80-85], Melville Park Rd., Melville

VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

DB#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
0615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethane	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
0436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
0612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
0611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
0610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
0439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
0306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
0305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
0323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
0309	trans-1,2-Dichloroethane	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethenylbenzene (Styrene)	< 0.5 ppb
0300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
0324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
0321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
0304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
0294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
0405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
0310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
0303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
0420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
0301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
0311	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
0308	cis-1,2-Dichloroethane	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	< 0.5 ppb
0320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
0292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 0.5 ppb
0613	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
0465	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
0455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
0458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
0421	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): SL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Field Number: 100-718-050112
Collection Date: 1/12/05
Collection Time: 11:00:00 AM
Collected By: PETRYSHIN

Lab Number: 01-05-00329
Submission Date: 1/12/05
Sample ID: MA00329
Sample Type: TESTWELL

Source: MPR-1, screened [90-95], Melville Park Rd., Melville

VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

B#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
0615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
0436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
0612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
0611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
0610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
0439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
0306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
0305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
0323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
0309	trans-1,2-Dichloroethane	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethenylbenzene (Styrene)	< 0.5 ppb
0300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
0324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
0321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
0304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
0294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
0405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
0310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
0303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
0420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
0301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
0311	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
0308	cis-1,2-Dichloroethane	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	< 0.5 ppb
0320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
0292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 20. ppb
0613	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
0465	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
0455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
0458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
0421	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): SL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Id Number: 110-718-050111
Collection Date: 1/11/05
Collection Time: 1:48:00 PM
Collected By: PETRYSHIN

Lab Number: 01-05-00285
Submission Date: 1/11/05
Sample ID: MA00285
Sample Type: TESTWELL

Source: MP 11, Screened, Melville Park Rd., Melville/ 100-105

ANALYTICAL ORGANIC ANALYSIS - EPA Method 524.2

#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
309	trans-1,2-Dichloroethene	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethenylbenzene (Styrene)	< 0.5 ppb
300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
310	Trichloroethane	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
311	Tetrachloroethane	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
308	cis-1,2-Dichloroethene	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyl disulfide	< 0.5 ppb
320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 20. ppb
313	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
165	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
155	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
158	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
121	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): IL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Id Number: 120-718-050111
Collection Date: 1/11/05
Collection Time: 1:08:00 PM
Collected By: PETRYSHIN

Lab Number: 01-05-00284
Submission Date: 1/11/05
Sample ID: MA00284
Sample Type: TESTWELL

Source: MPR 1, Screened, Melville Park Rd., Melville/ 110-115

PLATE ORGANIC ANALYSIS - EPA Method 524.2

#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
309	trans-1,2-Dichloroethene	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethylbenzene (Styrene)	< 0.5 ppb
300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
310	Trichloroethene	6 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	2 ppb
420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
311	Tetrachloroethene	27 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
308	cis-1,2-Dichloroethene	37 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	< 0.5 ppb
320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 20. ppb
313	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
365	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
355	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
358	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
321	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): JL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Field Number: 130-718-050111
Collection Date: 1/11/05
Collection Time: 12:23:00 PM
Collected By: PETRYSHIN

Lab Number: 01-05-00283
Submission Date: 1/11/05
Sample ID: MA00283
Sample Type: TESTWELL

Source: MPR 1, Screened, Melville Park Rd., Melville/ 120-125

VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
1615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
1436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
1612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
1611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
1610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
1439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
1306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
1305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
1323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
1309	trans-1,2-Dichloroethene	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethylbenzene (Styrene)	< 0.5 ppb
1300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
1324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
1321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
1304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
1294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
1405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
1310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
1303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl tertiary-butyl ether	< 0.5 ppb
1420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
1301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
1311	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
1308	cis-1,2-Dichloroethene	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	< 0.5 ppb
1420	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
1492	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 20. ppb
1413	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
1465	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
1455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
1458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
1421	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): SL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Id Number: 140-718-050111
Collection Date: 1/11/05
Collection Time: 11:31:00 AM
Collected By: PETRYSHIN

Lab Number: 01-05-00282
Submission Date: 1/11/05
Sample ID: MA00282
Sample Type: TESTWELL

Source: MPR 1, Screened, Melville Park Rd., Melville/ 130-135

ANALYTICAL ORGANIC ANALYSIS - EPA Method 524.2

#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
1615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
1436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
309	trans-1,2-Dichloroethene	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethenylbenzene (Styrene)	< 0.5 ppb
300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
311	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
308	cis-1,2-Dichloroethene	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	< 0.5 ppb
320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 20. ppb
313	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
165	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
155	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
158	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
21	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): SL

Report Date: 1/18/05

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF ENVIRONMENTAL QUALITY
PUBLIC AND ENVIRONMENTAL HEALTH LABORATORY - ELAP #10528



Field Number: 150-718-050111
Collection Date: 1/11/05
Collection Time: 10:27:00 AM
Collected By: PETRYSHIN

Lab Number: 01-05-00281
Submission Date: 1/11/05
Sample ID: MA00281
Sample Type: TESTWELL

Source: MPR 1, Screened, Melville Park Rd., Melville/ 140-145

VOLATILE ORGANIC ANALYSIS - EPA Method 524.2

#	Analyte	Result	DB#	Analyte	Result	DB#	Analyte	Result
1615	Chlorodifluoromethane	< 0.5 ppb	C0307	1,1-Dichloroethene	< 0.5 ppb	C0265	Total Chlorotoluene	< 0.5 ppb
1436	Dichlorodifluoromethane	< 0.5 ppb	C0302	Bromodichloromethane	< 0.5 ppb	C0419	1,3,5-Trimethylbenzene	< 0.5 ppb
1612	Chloroethane	< 0.5 ppb	C0406	2,3-Dichloropropene	< 0.5 ppb	C0418	1,2,4-Trimethylbenzene	< 0.5 ppb
1611	Bromomethane	< 0.5 ppb	C0407	cis-1,3-Dichloropropene	< 0.5 ppb	C0415	m,p-Dichlorobenzene	< 0.5 ppb
1610	Chloromethane	< 0.5 ppb	C0408	trans-1,3-Dichloropropene	< 0.5 ppb	C0412	1,2-Dichlorobenzene (o)	< 0.5 ppb
1439	Trichlorofluoromethane	< 0.5 ppb	C0322	1,1,2-Trichloroethane	< 0.5 ppb	C0432	p-Diethylbenzene	< 0.5 ppb
1306	Vinyl chloride	< 0.5 ppb	C0409	1,1,1,2-Tetrachloroethane	< 0.5 ppb	C0435	1,2,4,5-Tetramethylbenzene	< 0.5 ppb
1305	Methylene chloride	< 0.5 ppb	C0295	1,1,2,2-Tetrachloroethane	< 0.5 ppb	C0437	1,2,4-Trichlorobenzene	< 0.5 ppb
1323	1,1-Dichloroethane	< 0.5 ppb	C0433	1,2,3-Trichloropropane	< 0.5 ppb	C0438	1,2,3-Trichlorobenzene	< 0.5 ppb
1309	trans-1,2-Dichloroethene	< 0.5 ppb	C0450	2,2-Dichloropropane	< 0.5 ppb	C0600	Ethenylbenzene (Styrene)	< 0.5 ppb
1300	Chloroform	< 0.5 ppb	C0451	1,3-Dichloropropane	< 0.5 ppb	C0601	Isopropylbenzene	< 0.5 ppb
1324	1,2-Dichloroethane	< 0.5 ppb	C0290	Bromochloromethane	< 0.5 ppb	C0602	n-Propylbenzene	< 0.5 ppb
1321	1,1,1-Trichloroethane	< 0.5 ppb	C0650	tert-Butyl-Ethyl-Ether	< 0.5 ppb	C0603	tert-Butylbenzene	< 0.5 ppb
1304	Carbon tetrachloride	< 0.5 ppb	C0651	tert-Amyl-Methyl-Ether	< 0.5 ppb	C0604	sec-Butylbenzene	< 0.5 ppb
1294	1-Bromo-2-chloroethane	< 0.5 ppb	C0250	Benzene	< 0.5 ppb	C0605	p-Isopropyltoluene	< 0.5 ppb
1405	1,2-Dichloropropane	< 0.5 ppb	C0251	Toluene	< 0.5 ppb	C0606	n-Butylbenzene	< 0.5 ppb
1310	Trichloroethene	< 0.5 ppb	C0258	Chlorobenzene	< 0.5 ppb	C0607	Hexachlorobutadiene	< 0.5 ppb
1303	Chlorodibromomethane	< 0.5 ppb	C0259	Ethylbenzene	< 0.5 ppb	C0614	Methyl-tertiary-butyl-ether	< 0.5 ppb
1420	2-Bromo-1-chloropropane	< 0.5 ppb	C0254	o-Xylene	< 0.5 ppb	C0701	Naphthalene	< 0.5 ppb
1301	Bromoform	< 0.5 ppb	C0252	m-Xylene	< 0.5 ppb	C0059	1,4-Dichlorobutane	< 0.5 ppb
1311	Tetrachloroethene	< 0.5 ppb	C0253	p-Xylene	< 0.5 ppb	C0620	Methyl sulfide	< 0.5 ppb
1308	cis-1,2-Dichloroethene	< 0.5 ppb	C0255	Total Xylene	< 0.5 ppb	C0058	Dimethyldisulfide	< 0.5 ppb
1320	Freon 113	< 0.5 ppb	C0266	2-Chlorotoluene	< 0.5 ppb	C0257	Bromobenzene	< 0.5 ppb
1292	Dibromomethane	< 0.5 ppb	C0267	3-Chlorotoluene	< 0.5 ppb	C0619	2-Butanone (MEK)	< 20. ppb
1313	1,1-Dichloropropene	< 0.5 ppb	C0268	4-Chlorotoluene	< 0.5 ppb	C0621	Tetrahydrofuran	< 20. ppb
1465	Methyl isothiocyanate	< 2. ppb	C0453	Diethyl ether	< 0.5 ppb	C0466	Allyl chloride	< 0.5 ppb
1455	Carbon disulfide	< 0.5 ppb	C0456	Acrylonitrile	< 0.5 ppb	C0467	Methacrylonitrile	< 0.5 ppb
1458	Methylmethacrylate	< 0.5 ppb	C0469	Ethylmethacrylate	< 0.5 ppb	C0460	d-Limonene	< 0.5 ppb
1421	n-Propane	< 2. ppb	85 Components					

Comments:

Analyst(s): JL

Report Date: 1/18/05