



engineering and constructing a better tomorrow

June 11, 2010

Mr. Frank Sowers
Project Manager
New York State Department of Environmental Conservation
Region 8 – Division of Environmental Remediation
6274 East Avon-Lima Road
Avon, NY 14414

Subject: **VCA Index # B8-0508-97-02**
Former Taylor Instrument Facility
May 2010 Progress Report
MACTEC Project 3031-05-2006


Dear Mr. Sowers:

In accordance with Section II of the Taylor VCA, attached please find the May 2010 progress report.

Should you have any questions, please contact me at (865) 588-8544 or RARyan@mactec.com.

Sincerely,

MACTEC Engineering and Consulting, Inc.


Ricky A. Ryan, P.E.
Senior Principal Project Manager
[998]


K. Joe Deatherage
Senior Environmental Engineer

cc: James D. Charles, NYSDEC (electronic)
Katherine Comerford, NYSDOH (electronic)
Jeffrey Kosmala, MCHD
Jean McCreary, Nixon Peabody LLP (electronic)
David McAdams, Thermo Fisher Scientific
Nelson Walter, MACTEC (electronic)
Melody Christopher, ABB (electronic)

Enclosure

Progress Report – May 2010 Voluntary Cleanup of Former Taylor Instruments Facility

I. Introduction

In accordance with Section II of the Voluntary Cleanup Agreement (the Agreement) between Combustion Engineering (C-E) and the New York State Department of Environmental Conservation (NYSDEC), Agreement Index Number B8-0508-97-02, MACTEC Engineering and Consulting, Inc. (MACTEC), on behalf of C-E, has prepared this monthly progress report. The progress report is intended to supply information described in Items A.1 through A.5 of Section II of the Agreement. It should also be noted that the successor company to C-E is ABB Inc.

As the department is aware, C-E and Thermo Fisher Scientific Company (formerly Fisher Scientific LLC) have reached an agreement through which C-E will take the lead on all on-site activities, while Thermo Fisher Scientific will take the lead on all off-site activities.

II. Description of Actions Taken Toward Compliance with Agreement [A.1]

During the reporting period, C-E undertook the following actions towards achieving compliance with the Agreement:

- As recommended in the *Accelerated Bioremediation Pilot Test Final Report*, dated January 4, 2008, the remediation system remained shut down in May 2010.
- The preliminary results for the sub-slab vapor and indoor air sampling performed at 195 Danforth Street were provided to NYSDEC and New York State Department of Health (NYSDOH) on May 10, 2010. As requested in the NYSDEC letter dated January 7, 2010, MACTEC has included a copy of the preliminary analytical results summary for this residence.
- Following several previous attempts to obtain access, beginning on March 18, 2010; a certified letter requesting access to perform sub-slab and indoor air sampling at 7 Lynchford Park B was sent to the owner on April 15, 2010. The access agreement was received by ABB on May 27, 2010; signed by the owner on May 21, 2010. Following consultation with NYSDOH, it was determined that sampling for this residence will be scheduled for the beginning of the heating season in November 2010.
- MACTEC received NYSDEC's comments on the *Work Plan for Accelerated Bioremediation and Permanent Decommissioning of the Remedial Treatment System*, via a letter from the NYSDEC dated May 5, 2010.

Thermo Fisher Scientific's activities related to off-site activities in May are listed below.

- None.

III. Summary of Sampling and Testing Results [A.2]

Quarterly effluent water samples related to the groundwater remediation system have been routinely collected and reported to Monroe County Pure Waters (MCPW) in accordance with MCPW Sewer Use Permit #861. Effluent sampling has been suspended while the remediation system remains shut down during accelerated bioremediation.

Progress Report – May 2010
Voluntary Cleanup of Former Taylor Instruments Facility

IV. Required Deliverables Submitted [A.3]

- None.

V. Scheduled Future Actions [A.4]

- ABB will issue a notification letter of results to the owner/tenant of 195 Danforth Street. The notification letter will provide a summary of the results from the sub-slab vapor and indoor air investigation conducted in April 2010.
- Upon the granting of access from the owner and tenants of the 80 Ames Street/215 Danforth Street duplex, and completion of mitigation communications testing, MACTEC will prepare an IRM Work Plan to document the comprehensive results of all sub-slab and indoor air sampling performed in recent months. The work plan will also include the design of a proposed mitigation system for the 80 Ames Street/215 Danforth Street duplex. The target date for submission of the work plan to NYSDEC is July 30, 2010; contingent upon the granting of access by the owner and tenants of the duplex.
- Sub-slab vapor and indoor air samples are scheduled for collection from 7 Lynchford Park B, at the beginning of the heating season in November 2010.
- In response to the NYSDEC comments dated May 5, 2010 on the *Work Plan for Accelerated Bioremediation and Permanent Decommissioning of the Remedial Treatment System*, MACTEC will prepare a response to NYSDEC comments, as well as, a revised work plan which incorporates NYSDEC comments.

VI. Percentage Completion/Delays [A.5]

The following table summarizes percentage completion, expected delays, and mitigative measures for items specified in the Agreement and other major actions. For items prior to calendar year 2003, see monthly progress reports dated June 2003 or earlier.

Item	Status	Delays Anticipated or Encountered	Mitigative Measures, Comments
Final Engineering Report (Final), Mercury and VOC Remediation	100%	Completed.	Document was approved, assignable release and covenant not to sue issued by NYSDEC via letter dated September 2, 2005.
First Quarterly Groundwater Monitoring Report, 2003	100%	Completed.	None.
Second Quarter Groundwater Monitoring Report, 2003	100%	Completed.	None.
Third Quarter Groundwater Monitoring Report, 2003	100%	Completed.	None.

Progress Report – May 2010
Voluntary Cleanup of Former Taylor Instruments Facility

Item	Status	Delays Anticipated or Encountered	Mitigative Measures, Comments
Fourth Quarter Groundwater Monitoring Report, 2003	100%	Completed.	None.
First Period 2004 Semi-Annual Groundwater Monitoring Report	100%	Completed.	None.
Second Period 2004 Semi-Annual Groundwater Monitoring Report	100%	Completed.	None.
Annual Groundwater Monitoring Report, 2005	100%	Completed.	None.
Annual Groundwater Monitoring Report, 2006	100%	Completed.	None.
DPVE Remedial System Operation	Shut down	Ongoing.	System operation started in December 2000 and was suspended in May 2006.
Accelerated Bioremediation Pilot Test	100%	Completed.	None.
2009 Soil Vapor Investigation	100%	Completed.	None.
2010 Sub-Slab Vapor/Indoor Air Investigation & Mitigation	75%	Ongoing.	Following the granting of access to the 80 Ames Street/215 Danforth Street duplex, a mitigation communications test will be performed. The preparation and submission of an IRM Work Plan will then commence.
Work Plan for Accelerated Bioremediation and Permanent Decommissioning of the Remedial Treatment System	95%	None.	The work plan is under revision based on NYSDEC comments dated May 5, 2010.

VII. Proposed Investigative/Remedial Work Plan Modifications [A.6]

None.

April 30, 2010

Joe Deatherage
Mactec, Inc - TN
9725 Cogdill Road
Knoxville, TN 37932

Project Location: Rochester, NY
Client Job Number:
Project Number: 3031052006.12
Laboratory Work Order Number: 10D0763

Enclosed are results of analyses for samples received by the laboratory on April 29, 2010. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Holly L. Folsom
Project Manager



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Mactec, Inc - TN
9725 Cogdill Road
Knoxville, TN 37932
ATTN: Joe Deatherage

REPORT DATE: 4/30/2010

PURCHASE ORDER NUMBER: 201004086

PROJECT NUMBER: 3031052006.12

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 10D0763

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Rochester, NY

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
SS-07	10D0763-01	Sub Slab	19S Danforth Subslab Vapor	EPA TO-15	
IA-07	10D0763-02	Indoor air	19S Danforth Indoor Air	EPA TO-15	
IA-07 DUP	10D0763-03	Indoor air	19S Danforth Indoor Air	EPA TO-15	
AA-05	10D0763-04	Ambient Air	19S Danforth Ambient Air	EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "M. Erickson", is written in a cursive style.

Michael A. Erickson
Laboratory Director

ANALYTICAL RESULTS

Project Location: Rochester, NY
 Date Received: 4/29/2010
 Field Sample #: SS-07
 Sample ID: 10D0763-01
 Sample Matrix: Sub Slab
 Sampled: 4/28/2010 17:33

Sample Description/Location: 19S Danforth Subslab Vapor
 Sub Description/Location:
 Canister ID: 1039
 Canister Size: 6 liter
 Flow Controller ID: 3252
 Sample Type: 24 hr

Work Order: 10D0763
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -10
 Receipt Vacuum(in Hg): -10
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	4/29/10 18:43		WSD
Tetrachloroethylene	ND	0.10		ND	0.68	2	4/29/10 18:43		WSD
Trichloroethylene	ND	0.10		ND	0.54	2	4/29/10 18:43		WSD
Vinyl Chloride	ND	0.10		ND	0.26	2	4/29/10 18:43		WSD

Surrogates	% Recovery	% REC Limits	Date/Time
4-Bromofluorobenzene (1)	103	70-130	4/29/10 18:43

ANALYTICAL RESULTS

Project Location: Rochester, NY
 Date Received: 4/29/2010
Field Sample #: IA-07
Sample ID: 10D0763-02
 Sample Matrix: Indoor air
 Sampled: 4/28/2010 18:00

Sample Description/Location: 19S Danforth Indoor Air
 Sub Description/Location:
 Canister ID: 1018
 Canister Size: 6 liter
 Flow Controller ID: 3306
 Sample Type: 24 hr

Work Order: 10D0763
 Initial Vacuum(in Hg): -29.5
 Final Vacuum(in Hg): -9
 Receipt Vacuum(in Hg): -8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14	0.702	4/29/10 16:30		WSD
Tetrachloroethylene	ND	0.035		ND	0.24	0.702	4/29/10 16:30		WSD
Trichloroethylene	ND	0.035		ND	0.19	0.702	4/29/10 16:30		WSD
Vinyl Chloride	ND	0.035		ND	0.089	0.702	4/29/10 16:30		WSD
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)	102			70-130			4/29/10 16:30		

ANALYTICAL RESULTS

Project Location: Rochester, NY
 Date Received: 4/29/2010
Field Sample #: IA-07 DUP
Sample ID: 10D0763-03
 Sample Matrix: Indoor air
 Sampled: 4/28/2010 18:00

Sample Description/Location: 19S Danforth Indoor Air
 Sub Description/Location:
 Canister ID: 1658
 Canister Size: 6 liter
 Flow Controller ID: 3366
 Sample Type: 24 hr

Work Order: 10D0763
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -10
 Receipt Vacuum(in Hg): -10
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14	0.702	4/29/10 17:16		WSD
Tetrachloroethylene	ND	0.035		ND	0.24	0.702	4/29/10 17:16		WSD
Trichloroethylene	ND	0.035		ND	0.19	0.702	4/29/10 17:16		WSD
Vinyl Chloride	ND	0.035		ND	0.089	0.702	4/29/10 17:16		WSD
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)	102			70-130			4/29/10 17:16		

ANALYTICAL RESULTS

Project Location: Rochester, NY
 Date Received: 4/29/2010
Field Sample #: AA-05
Sample ID: 10D0763-04
 Sample Matrix: Ambient Air
 Sampled: 4/28/2010 18:14

Sample Description/Location: 19S Danforth Ambient Air
 Sub Description/Location:
 Canister ID: 1040
 Canister Size: 6 liter
 Flow Controller ID: 3015
 Sample Type: 24 hr

Work Order: 10D0763
 Initial Vacuum(in Hg): -29.8
 Final Vacuum(in Hg): -9.5
 Receipt Vacuum(in Hg): -8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14	0.702	4/29/10 18:04		WSD
Tetrachloroethylene	ND	0.035		ND	0.24	0.702	4/29/10 18:04		WSD
Trichloroethylene	ND	0.035		ND	0.19	0.702	4/29/10 18:04		WSD
Vinyl Chloride	ND	0.035		ND	0.089	0.702	4/29/10 18:04		WSD
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)	101			70-130			4/29/10 18:04		

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
10D0763-01 [SS-07]	B013091	1.5	1	N/A	1000	400	300	04/29/10
10D0763-02 [IA-07]	B013091	1	1	N/A	1000	400	570	04/29/10
10D0763-03 [IA-07 DUP]	B013091	1.5	1	N/A	1000	400	855	04/29/10
10D0763-04 [AA-05]	B013091	1	1	N/A	1000	400	570	04/29/10

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
Batch B013091 - TO-15 Prep											
Blank (B013091-BLK1)						Prepared & Analyzed: 04/29/10					
cis-1,2-Dichloroethylene	ND	0.035									
Tetrachloroethylene	ND	0.035									
Trichloroethylene	ND	0.035									
Vinyl Chloride	ND	0.035									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.11</i>				<i>8.00</i>		<i>101</i>	<i>70-130</i>			
LCS (B013091-BS1)						Prepared & Analyzed: 04/29/10					
cis-1,2-Dichloroethylene	4.57				5.00		91.4	70-130			
Tetrachloroethylene	4.97				5.00		99.3	70-130			
Trichloroethylene	5.03				5.00		101	70-130			
Vinyl Chloride	4.72				5.00		94.3	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.25</i>				<i>8.00</i>		<i>103</i>	<i>70-130</i>			
Duplicate (B013091-DUP1)			Source: 10D0763-01			Prepared & Analyzed: 04/29/10					
cis-1,2-Dichloroethylene	ND	0.10	ND	0.40		ND				25	
Tetrachloroethylene	ND	0.10	ND	0.68		ND				25	
Trichloroethylene	ND	0.10	ND	0.54		ND				25	
Vinyl Chloride	ND	0.10	ND	0.26		ND				25	
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.04</i>				<i>8.00</i>		<i>100</i>	<i>70-130</i>			

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	
cis-1,2-Dichloroethylene	AIHA,FL,NY
Tetrachloroethylene	AIHA,FL,NJ,NY
Trichloroethylene	AIHA,FL,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	American Industrial Hygiene Association	100033	01/1/2012
MA	Massachusetts DEP	M-MA100	06/30/2010
CT	Connecticut Department of Public Health	PH-0567	09/30/2011
NY	New York State Department of Health	10899 NELAP	04/1/2011
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2011
RI	Rhode Island Department of Health	LAO00112	12/30/2010
NC	North Carolina Div. of Water Quality	652	12/31/2010
NJ	New Jersey DEP	MA007 NELAP	06/30/2010
FL	Florida Department of Health	E871027 NELAP	06/30/2010
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2010
WA	State of Washington Department of Ecology	C2065	02/23/2011



Phone: 413-525-2332

Fax: 413-525-6405

Email: info@contestlabs.com

www.contestlabs.com

AIR SAMPLE CHAIN OF CUSTODY RECORD

39 SPRUCE ST

EAST LONGMEADOW, MA 01028

Page ____ of ____

12 OF 15

1000763

Company Name: MACTEC
 Address: 9725 Cordill Rd
Knoxville, TN 37932
 Attention: Joe Deatherage
 Project Location: Rochester, NY
 Sampled By: Joe Deatherage / Jerry Pauchliffe

Telephone: (865) 218-1049
 Project # 3031052006-12
 Client PO # TBP

DATA DELIVERY (check one):

FAX EMAIL WEBSITE CLIENT
 Email: JoeDeatherage@MACTEC.COM
 Format: EXCEL PDF GIS KEY OTHER

ANALYSIS REQUESTED

PCE, TCE, CIS-1,2-DCE, VC by TO-15

" Hg

Initial Pressure Summa Canister ID
 Final Pressure Summa Canister ID

Please fill out completely, sign, date and retain the yellow copy for your record.

Summa canisters and flow controllers must be returned within 14 days of receipt or rental fees will apply.

Summa canisters will be retained for a minimum of 14 days after sampling date prior to cleaning.

Summa Canister ID Flow Controller ID

Proposal Provided? (For Billing purposes)
 yes _____ proposal date

Date Sampled ONLY USE WHEN USING PUMPS

Field ID	Sample Description	Media	Lab #	Date		Total	Flow Rate	Volume	Matrix Code*	PCE	TCE	CIS	DCE	VC	Summa Canister ID	Flow Controller ID	
				Start Time	Stop Time												
SS-07	195 Danforth Subslab Vapor		01	4-27-10 1731	4-28-10 1733				SS						281010	1039	3252
IA-07	195 Danforth indoor air		02	4-27-10 1733	4-28-10 1800				IA						29.50908	1018	3306
DUP-03	195 Danforth - Indoor air		03	4-27-10 1733	4-28-10 1800				D						281010	1058	3366
AA-05	195 Danforth - Ambient Outdoor Air		04	4-27-10 1738	4-28-10 1814				AMB						29809.508	1040	3015

Laboratory Comments:

CLIENT COMMENTS:
 - Run only PCE, TCE, CIS-1,2-DCE, and VC by TO-15
 - 24hr turn please!!

Relinquished by: (signature) Joe Deatherage
 Date/Time: 4-28-10/1845
 Received by: (signature) Andrea Anderson
 Date/Time: 4-28-10 9:12
 Relinquished by: (signature) _____
 Date/Time: _____
 Received by: (signature) _____
 Date/Time: _____

Turnaround **
 7-Day
 10-Day
 Other _____
RUSH *
 *24-Hr *48-Hr
 *72-Hr *4-Day
 *Approval Required

Special Requirements
 Regulations: NYSDEC
 Data Enhancement/RCP? Y N
 Enhanced Data Package Y N -Level B
 (Surcharge Applies)
 Required Detection Limits: 0.25ug/m³ IA/AA
 Other: 1.0ug/m³ Subslab

***Matrix Code:**
 SG= SOIL GAS
 IA= INDOOR AIR
 AMB= AMBIENT
 SS = SUB SLAB
 D = DUP
 BL = BLANK
 O = other _____
****Media Codes:**
 S= summa can
 TB= tedlar bag
 P= PUF
 T= tube
 F= filter
 C= cassette
 O = Other _____

FedEx Express **US Airbill**

8700 6780 2562

0200

FedEx Retrieval Copy

From Date: 4-28-10
Sender's FedEx Account Number: 1096-1350-9

Sender's Name: Joe Dea
Phone: 865 414-0351

Company: MACTEC

Address: 9725 Cozdill Rd

City: Knoxville State: TN ZIP: 37932

Your Internal Billing Reference: 3031052006-12

To Recipient's Name: Con-Test
Phone: 713 525-2332

Company: Con-Test

Address: 39 Spruce ST.

City: East Longmeadow State: MA ZIP: 01028

Address: East Longmeadow State: MA ZIP: 01028

City: East Longmeadow State: MA ZIP: 01028

4a Express Package Service * To most locations. Packages up to 150 lbs.

- 1 FedEx Priority Overnight Next business morning. * Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.
- 5 FedEx Standard Overnight Next business afternoon. Saturday Delivery NOT available.
- 6 FedEx First Overnight Earliest next business morning delivery to select locations. * Saturday Delivery NOT available.
- 3 FedEx 2Day Second business day. ** Thursday shipments will be delivered on Monday unless SATURDAY Delivery is selected.
- 20 FedEx Express Saver Third business day. * Saturday Delivery NOT available.

4b Express Freight Service ** To most locations. Packages over 150 lbs.

- 7 FedEx 1Day Freight Next business day. ** Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.
- 8 FedEx 2Day Freight Second business day. ** Thursday shipments will be delivered on Monday unless SATURDAY Delivery is selected.
- 83 FedEx 3Day Freight Third business day. ** Saturday Delivery NOT available.
- 5 Packaging * Declared value limit \$500.
- 6 FedEx Envelope* 2 FedEx Pak* Includes FedEx Small Pak, FedEx Large Pak, and FedEx Sturdy Pak.
- 3 FedEx Box 4 FedEx Tube 7 Other

6 Special Handling and Delivery Signature Options

- 3 SATURDAY DELIVERY
- No Signature Required Package may be left without obtaining a signature for delivery.
- 10 Direct Signature Someone at recipient's address may sign for delivery. Fee applies.
- 34 Indirect Signature If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only. Fee applies.

Does this shipment contain dangerous goods?

- No 4 Yes As per attached Shipper's Declaration
 - Yes Shipper's Declaration not required.
 - 6 Dry Ice Dry Ice, 5 UN 1845
 - Cargo Aircraft Only
- Dangerous goods (including dry ice) cannot be shipped in FedEx packaging or placed in a FedEx Express Drop Box.

7 Payment Bill to:

- 1 Sender Acct. No. in Section 7 (this bill)
- 2 Recipient
- 3 Third Party
- 4 Credit Card
- 5 Cash/Check


Total Packages Total Weight

Credit Card Auth.

*Our liability is limited to \$100 unless you declare a higher value. See the current FedEx Services Guide for details.

554

Rev. Date 2/08 Part #158201 ©1994-2008 FedEx® PRINTED IN U.S.A. SRY



8700 6780 2562



Detailed Results

This shipment is part of a multiple-piece shipment

Master tracking no. 870067802562 Total pieces 2
 View all associated shipments

Tracking no.: 870067802562

Select time format: 12H

Delivered

Delivered
 Signed for by: T.KELLY

Shipment Dates

Ship date Apr 28, 2010
 Delivery date Apr 29, 2010 9:12 AM

Destination

Signature Proof of Delivery

Shipment Facts

Service type	Standard Overnight	Delivered to	Shipping/Receiving
Weight	10.0 lbs/4.5 kg	Reference	3031052006-12

Shipment Travel History

Select time zone: Local Scan Time

All shipment travel activity is displayed in local time for the location

Date/Time	Activity	Location	Details
Apr 29, 2010 9:12 AM	Delivered		
Apr 29, 2010 8:00 AM	On FedEx vehicle for delivery	WINDSOR LOCKS, CT	
Apr 29, 2010 7:51 AM	At local FedEx facility	WINDSOR LOCKS, CT	
Apr 29, 2010 6:40 AM	At dest sort facility	EAST GRANBY, CT	
Apr 29, 2010 3:22 AM	Departed FedEx location	MEMPHIS, TN	
Apr 28, 2010 11:02 PM	Arrived at FedEx location	MEMPHIS, TN	
Apr 28, 2010 9:02 PM	Left FedEx origin facility	ROCHESTER, NY	
Apr 28, 2010 7:01 PM	Picked up	ROCHESTER, NY	



www.contestlabs.com

39 Spruce Street
East Longmeadow, MA
Phone: 1-413-525-2332
Fax: 1-413-525-6405

AIR ONLY RECEIPT CHECKLIST

CLIENT NAME: Mactec
RECEIVED BY: ALA DATE: 4/29/10

- 1. Was chain of custody relinquished and signed? **YES** NO
- 2. Does Chain agree with samples? **YES** NO

If not, explain:

- 3. All Samples in good condition? **YES** NO

If not, explain:

- 4. Are there any on hold samples? YES **NO** STORED WHERE:

- 5. ARE THERE ANY RUSH OR SHORT HOLDING TIME SAMPLES? WHO WAS NOTIFIED? _____ DATE _____ TIME _____

Location where samples are stored:

AIR LAB

Permission to sub-contract samples? Yes No (circle)
(Walk in clients only) if not already approved.
Client Signature _____

CONTAINERS SENT TO CON-TEST	# of containers
Summa cans	5
Tedlar Bags	
Regulators	5
Restrictors	
Tubes	
Other	

- 1. Was all media (used & unused) checked into the WASP asset management program? Y
- 2. Were all returned summa cans, restrictors, & regulators documented as returned in the AIR Lab Outbound excel sheet? Y
- 3. Were the Lab ID's documented in the Air Lab Outbound excel sheet? Y
- 4. Was the job documented in the Air Lab Log-In Access Database? N/A

Laboratory comments: