

Mustard St., Suite 250, Rochester, NY 14609-69245
(716) 288-5380 • FAX (716) 288-8475

RETAIN THIS SHEET FOR YOUR RECORDS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

716 226 5357

REGION NO.:

8

CONTRACT LABORATORY:

Columbia Analytical

COUNTY:

Monroe

SAMPLING DATE:

4/28/00

MILITARY TIME:

13:34

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

51418100

SDG NO.

01415248

SAMPLE NO.

D1016191018

CHECK FOR MS/MD

☐ This sample

TYPE OF SAMPLE

☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

OW 302D-Deep

aka 302 South Deep

Report via Category B, unless checked ☐Check if field duplicate ☐ Outfall NumberCheck if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

716 226. 5357

REGION NO.:

8

CONTRACT LABORATORY:

Columbia Analytical

COUNTY:

Monroe

SAMPLING DATE:

4/28/00

MILITARY TIME:

13:05

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

SDG NO.

SAMPLE NO.

CHECK FOR MS/MD

TYPE OF SAMPLE

S1H801001415218D1016191017

- ☐ This sample

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

MW-1 MW-401

- Report via Category B, unless checked ☐

- Check if field duplicate ☐ Outfall Number

- Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Part 2

Print legibly

CAUTION (check if applicable)

- ☐ Lab Personnel are expected to use caution when handling DEC samples, however, please use special precautions when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic material(s).

Place QA Label Here

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|---|---|
| ☐ 2. 13 PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCB's (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 625-GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601-GC) | ☐ 8. Aromatic Volatiles (USEPA 602-GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease | ☐ 20. TOC | ☐ 60. PCB's congener method |
| ☐ 22. Other _____ | ☐ 59. PCB's at 0.065 ug/L | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|---|
| ☐ 23. (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)— Soil/Sediments—Includes 30-34 |
| ☐ 24. Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #89-2) | ☐ 30. B/N/A/—Soils/Sediment—GC/MS (ASP #89-2) |
| ☒ 25. Volatile Organic Analysis VOA—Water—GC/MS(ASP #89-1) | ☐ 31. VOA—Soils/Sediments—GC/MS (ASP #89-1) |
| ☐ 26. Pesticides/PCB's—Water—GC(ASP #89-3) | ☐ 32. Pesticides/PCB's—Soils/Sediment—GC (ASP #89-3) |
| ☐ 27. Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediment |
| ☐ 28. Cyanide—Water | ☐ 34. Cyanide—Soils/Sediment |
| ☐ 66. Dioxin-Water (ASP #89-4) | ☐ 67. Dioxin-Soil/Sediment (ASP #89-4) |
| ☐ 35. Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|--|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8240-GC/MS) | ☐ 41. BNA—(USEPA 8270-GC/MS) |
| ☐ 42. Pesticides/PCB's (USEPA 8080) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63. Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- | | | | | |
|---------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|
| ☐ 49. RSSGB-01 | ☐ 50. RSSR-01 | ☐ 51. RSGR-01 | ☐ 52. RSRB-01 | ☐ 53. RSRI-01 (EP Toxicity-Metals only + RSRR-01) |
| ☐ 54. RSRO-01 | ☐ 55. RSSB-01 | ☐ 56. RSRR-01 | ☐ 57. RSRR-02 | ☐ 58. Other _____ |

COLLECTED BY:

Kelly Cloyd

TELEPHONE NUMBER:

716-226-2466

REGION NO:

8

CONTRACT LAB:

Columbia

COUNTY:

Monroe

SAMPLING DATE:

9/15/98

MILITARY TIME:

7:25

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☐ Groundwater ☒ Surface Water ☐ Wastewater ☐ Other (Specify) _____

CASE NUMBER

SH1878

SDG NUMBER

093115

SAMPLE NUMBER

M06303

CHECK FOR MS/MD

☐ This Sample

TYPE OF SAMPLE:

☒ Grab☐ Composite☐ Term _____ hrs☐ Check if there will be more samples with this SDG sent in this calendar weekReport via Category B, unless checked ☐

SAMPLING POINT:

Cooper Division
Black Plastic discharge pipe at
South edge of property (1.5 mi. S of
derrick)Check if field
duplicate ☐

Outfall Number

Check if sampling is part
of inspection ☐

SPDES NUMBER/REGISTRY NUMBER

FLOW

GPD
MGD

Activity Code Should be D069

Mustard St., Suite 250, Rochester, NY 14609-69245
(716) 288-5380 • FAX (716) 288-8475

Mustard St., Suite 250, Rochester, NY 14609-69245
(716) 288-5380 • FAX (716) 288-8475

SITE ID. NO. Cooper Vision Voluntary
Cleanup Site T4A D069

.....

QUANTITY RECEIVED

4

QUANTITY RECEIVED

LIQUID CONTAINERS

SOIL/SEDIMENT CONTAINERS

COMMENTS: _____



RETAIN THIS SHEET FOR YOUR RECORDS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS
PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:
R. Long
TELEPHONE NUMBER:
716 226 5358
REGION NO.:
8
CONTRACT LABORATORY:
STL Buffalo
COUNTY:
Monroe
SAMPLING DATE:
10/26/99
MILITARY TIME:
1350
SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.
5148199
SDG NO.
1105126
SAMPLE NO.
010619103
CHECK FOR MS/MD

- ☐ This sample

TYPE OF SAMPLE

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:
MW 402

 Report via Category B, unless checked ☐

 Check if field duplicate ☐ Outfall Number

 Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | |



RETAIN THIS SHEET FOR YOUR RECORDS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

R. Conb

TELEPHONE NUMBER:

716 226 5358

REGION NO.:

8

CONTRACT LABORATORY:

STL BUFFALO

COUNTY:

Monroe

SAMPLING DATE:

10/26/95

MILITARY TIME:

1345

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

514899

SDG NO.

110526

SAMPLE NO.

D06902

CHECK FOR MS/MD

- ☐ This sample

TYPE OF SAMPLE

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

MW 403

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER



RETAIN THIS SHEET FOR YOUR RECORDS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

R Long

TELEPHONE NUMBER:

716 226 5358

REGION NO.:

8

CONTRACT LABORATORY:

STL BUFFALO

COUNTY:

Monroe

SAMPLING DATE:

10/26/99

MILITARY TIME:

1340

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

SH89910526

SDG NO.

10526

SAMPLE NO.

006901

CHECK FOR MS/MD

- ☐ This sample

TYPE OF SAMPLE

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

MW 401

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

716 226-2466

REGION NO.:

8

CONTRACT LABORATORY:

Columbia Analytical

COUNTY:

Monroe

SAMPLING DATE:

5/22/99

MILITARY TIME:

10:35

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

SDG NO.

SAMPLE NO.

CHECK FOR MS/MD

TYPE OF SAMPLE

S 118191901514122 D106191011

☐ This sample☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Cooper Vision - storm Basin @ Southwest corner of property

Report via Category B, unless checked ☐Check if field duplicate ☐ Outfall NumberCheck if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | |



RETAIN THIS SHEET FOR YOUR RECORDS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sawers

TELEPHONE NUMBER:

(716) 226-2466

REGION NO.:

8

CONTRACT LABORATORY:

Columbia Analytical

COUNTY:

monroe

SAMPLING DATE:

5/22/99

MILITARY TIME:

10:45

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

SDG NO.

SAMPLE NO.

CHECK FOR MS/MD

TYPE OF SAMPLE

SHB99054R2 DD61902

☐ This sample

☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Cooper Vision - stormwater outfall
@ Southeast corner of property

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | | |



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☒ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|---|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☐ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☒ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

716 226 2466

REGION NO.:

8

CONTRACT LABORATORY:

Columbia Analytical

COUNTY:

Monroe

SAMPLING DATE:

5/22/99

MILITARY TIME:

9:10

SAMPLE MATRIX:

- ☐ Air ☒ Soil/Sediment ☐ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

514181919

SDG NO.

015141212

SAMPLE NO.

21016191013

CHECK FOR MS/MD

- ☐ This sample

TYPE OF SAMPLE

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

2nd 4-ft Interval @ B301 under
Compressor Room Floor
Cooper Vision

Report via Category B, unless checked ☐Check if field duplicate ☐ Outfall NumberCheck if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

--	--	--	--	--	--	--	--



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|---|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☐ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☒ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

716 226 2466

REGION NO.:

8

CONTRACT LABORATORY:

Columbia

COUNTY:

Monroe

SAMPLING DATE:

5/22/99

MILITARY TIME:

9:40

SAMPLE MATRIX:

- ☐ Air ☒ Soil/Sediment ☐ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

SDG NO.

SAMPLE NO.

CHECK FOR MS/MD

TYPE OF SAMPLE

S H 189 90 54 12 RD 106 90 14

☐ This sample☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

3rd 4-ft Interval @ B301 under Compressor Room Floor

Cooper Vision

Report via Category B, unless checked ☐Check if field duplicate ☐ Outfall NumberCheck if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | | |



RETAIN THIS SHEET FOR YOUR RECORDS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

(716) 226 2466

REGION NO.:

8

CONTRACT LABORATORY:

Columbia Analytical

COUNTY:

Monroe

SAMPLING DATE:

6/01/99

MILITARY TIME:

13:35

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

SH18199016101

SDG NO.

016101

SAMPLE NO.

0161905

CHECK FOR MS/MD

- ☐ This sample

TYPE OF SAMPLE

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Cooper Vision

Well # 304

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | | |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|--|---|
| ☐ 2. 13PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCBs (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601 GC) | ☐ 8. Aromatic Volatiles USEPA 602 GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease) | ☐ 20. TOC | ☐ 60. PCBs congener method (ASP 91-11) |
| ☐ 22. Other _____ | ☐ 59. PCBs at 0.065 ug/l | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|--|
| ☐ 23 (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)—Soil/Sediments—Includes 30-34 |
| ☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2) | ☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2) |
| ☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1) | ☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1) |
| ☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3) | ☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3) |
| ☐ 27 Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediments) |
| ☐ 28 Cyanide—Water | ☐ 34. Cyanide—Soil/Sediments) |
| ☐ 66 Dioxin-Water (ASP #91-7) | ☐ 67. Dioxin-Soil/Sediments (ASP #91-7) |
| ☐ 35 Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|---|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8260 GC/MS) | ☐ 41. BNA—(USEPA 8270 GC/MS) |
| ☐ 42. Pesticides/PCBs (USEPA 8081) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63 Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- ☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:

Frank Sowers

TELEPHONE NUMBER:

(716) 226 2466

REGION NO.:

8

CONTRACT LABORATORY:

COUNTY:

Monroe

SAMPLING DATE:

6/01/99

MILITARY TIME:

14:12

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.

S14181919

SDG NO.

016 0101

SAMPLE NO.

D106191016

CHECK FOR MS/MD

- ☐ This sample

TYPE OF SAMPLE

- ☒ Grab ☐ Composite ☐ Term _____ hours

- ☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Cooper Vision

Well 302-OW-S-S

Report via Category B, unless checked ☐Check if field duplicate ☐ Outfall NumberCheck if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | | |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print legibly

Part 2

CAUTION (check if applicable)

- ☐ Lab Personnel are expected to use caution when handling DEC samples, however, please use special precautions when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic material(s).

Place QA Label Here

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|---|---|
| ☐ 2. 13 PP Metals | ☐ 3. Volatiles—(USEPA 624 GC/MS) | ☐ 6. Pesticides/PCB's (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 625-GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601-GC) | ☐ 8. Aromatic Volatiles (USEPA 602-GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease | ☐ 20. TOC | ☐ 60. PCB's congener method |
| ☐ 22. Other _____ | ☐ 59. PCB's at 0.065 ug/L | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles (USEPA 524.2 GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|---|---|
| ☐ 23. (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)— Soil/Sediments—Includes 30-34 |
| ☐ 24. Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #89-2) | ☐ 30. B/N/A—Soils/Sediment—GC/MS (ASP #89-2) |
| ☐ 25. Volatile Organic Analysis VOA—Water—GC/MS(ASP #89-1) | ☒ 31. VOA—Soils/Sediments—GC/MS (ASP #89-1) |
| ☐ 26. Pesticides/PCB's—Water—GC(ASP #89-3) | ☐ 32. Pesticides/PCB's—Soils/Sediment—GC (ASP #89-3) |
| ☐ 27. Metals—23 in Water | ☐ 33. Metals—23 in Soil/Sediment |
| ☐ 28. Cyanide—Water | ☐ 34. Cyanide—Soils/Sediment |
| ☐ 66. Dioxin-Water (ASP #89-4) | ☐ 67. Dioxin-Soil/Sediment (ASP #89-4) |
| ☐ 35. Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|--|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8240-GC/MS) | ☐ 41. BNA—(USEPA 8270-GC/MS) |
| ☐ 42. Pesticides/PCB's (USEPA 8080) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63. Percent Solids | ☐ 68. Metals—17 Hazardous |

MUNICIPAL SLUDGE

- | | | | | |
|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|
| ☐ 49. RSGB-01 | ☐ 50. RSSR-01 | ☐ 51. RSGR-01 | ☐ 52. RSRB-01 | ☐ 53. RSRI-01 (EP Toxicity-Metals only + RSRR-01) |
| ☐ 54. RSR0-01 | ☐ 55. RSSB-01 | ☐ 56. RSRR-01 | ☐ 57. RSRR-02 | ☐ 58. Other _____ |

COLLECTED BY:

Kelly Cloyd

TELEPHONE NUMBER:

716-226-2466

REGION NO:

8

CONTRACT LAB:

Columbia

COUNTY:

Monroe

SAMPLING DATE:

9/15/98

MILITARY TIME:

4:00

SAMPLE MATRIX:

- ☐ Air ☒ Soil/Sediment ☐ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other (Specify) _____

CASE NUMBER

SH 89 809315

SDG NUMBER

SAMPLE NUMBER

M06301

CHECK FOR MS/MD

☐ This Sample

TYPE OF SAMPLE:

☒ Grab☐ Composite☐ Term _____ hrs☐ Check if there will be more samples with this SDG sent in this calendar weekReport via Catagory B, unless checked ☐

SAMPLING POINT:

Ditch between 2 southern most Driveways
Cooper visionCheck if field
duplicate ☐

Outfall Number

Check if sampling is part
of inspection ☐

SPDES NUMBER/REGISTRY NUMBER

FLOW

GPD
MGD

Activity code should be D069

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print legibly

CAUTION (check if applicable)

- ☐ Lab Personnel are expected to use caution when handling DEC samples, however, please use special precautions when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic material(s).

Place QA Label Here

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- | | | |
|---|---|---|
| ☐ 2. 13 PP Metals | ☐ 3. Volatiles—USEPA 624 (GC/MS) | ☐ 6. Pesticides/PCB's (USEPA 608-GC) |
| ☐ 4. Acids Base/Neutrals (USEPA 625-GC/MS) | ☐ 5. Cyanide | ☐ 9. BOD |
| ☐ 7. Halogenated Volatiles (USEPA 601-GC) | ☐ 8. Aromatic Volatiles (USEPA 602-GC) | ☐ 12. TSS |
| ☐ 10. pH | ☐ 11. COD | ☐ 15. Ammonia |
| ☐ 13. Settleable Solids | ☐ 14. TKN | ☐ 18. Reactive Phosphorus |
| ☐ 16. Nitrate/Nitrite | ☐ 17. Total Phosphorus | ☐ 21. Total Phenols |
| ☐ 19. Oil/Grease | ☐ 20. TOC | ☐ 60. PCB's congener method |
| ☐ 22. Other _____ | ☐ 59. PCB's at 0.065 ug/L | ☐ 64. Total Solids |
| | ☐ 62. CBOD | ☐ 65. Volatiles USEPA 524.2 (GC/MS) |

CONTRACT LABORATORY PROTOCOLS

- | | |
|--|---|
| ☐ 23. (ALL)—Water—Includes 24-28 | ☐ 29. (ALL)— Soil/Sediments—Includes 30-34 |
| ☐ 24. Base/Neutral/Acid (B/N/A)—Water—GC-MS (ASP #89-2) | ☐ 30. B/N/A—Soils/Sediment—GC-MS (ASP #89-2) |
| ☒ 25. Volatile Organic Analysis VOA—Water—GC-MS(ASP #89-1) | ☐ 31. VOA—Soils/Sediments—GC-MS (ASP #89-1) |
| ☐ 26. Pesticides/PCB's—Water—GC(ASP #89-3) | ☐ 32. Pesticides/PCB's—Soils/Sediment—GC (ASP #89-3) |
| ☐ 27. Metals—Water | ☐ 33. Metals—Soil/Sediment |
| ☐ 28. Cyanide—Water | ☐ 34. Cyanide—Soils/Sediment |
| ☐ 66. Dioxin-Water (ASP #89-4) | ☐ 67. Dioxin-Soil/Sediment (ASP #89-4) |
| ☐ 35. Other _____ | |

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- | | | |
|--|--|---|
| ☐ 36. EP Toxicity | ☐ 37. EP Toxicity (Metals Only) | ☐ 38. Ignitability |
| ☐ 39. Corrosivity | ☐ 40. VOA—(USEPA 8240) | ☐ 41. BNA—(USEPA 8270) |
| ☐ 42. Pesticides/PCB's (USEPA 8080) | ☐ 43. TCLP | ☐ 44. TCLP (Metals Only) |
| ☐ 45. Reactivity | ☐ 46. Dioxin (USEPA 8280) | ☐ 47. Appendix IX |
| ☐ 48. Other _____ | ☐ 63. Percent Solids | ☐ 68. Metals |

MUNICIPAL SLUDGE

- | | | | | |
|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|
| ☐ 49. RSGB-01 | ☐ 50. RSSR-01 | ☐ 51. RSGR-01 | ☐ 52. RSRB-01 | ☐ 53. RSRI-01 (EP Toxicity-Metals only + RSRR-01) |
| ☐ 54. RSRO-01 | ☐ 55. RSSB-01 | ☐ 56. RSRR-01 | ☐ 57. RSRR-02 | ☐ 58. Other _____ |

COLLECTED BY:

Kelly Cloyd

TELEPHONE NUMBER:

716-226-2466

REGION NO:

8

CONTRACT LAB:

Columbia

COUNTY:

Monroe

SAMPLING DATE:

7/15/98

MILITARY TIME:

9:10

SAMPLE MATRIX:

- ☐ Air ☐ Soil/Sediment ☐ Groundwater ☒ Surface Water ☐ Wastewater ☐ Other (Specify) _____

CASE NUMBER

SH181918

SDG NUMBER

01913115

SAMPLE NUMBER

11016131012

CHECK FOR MS/MD

☐ This Sample

TYPE OF SAMPLE:

☐ Grab☐ Composite☐ Term _____ hrs☐ Check if there will be more samples with this SDG sent in this calendar weekReport via Category B, unless checked ☐

SAMPLING POINT:

Ditch between 2 southernmost Driveways
Cooper UnionCheck if field duplicate ☐

Outfall Number

Check if sampling is part of inspection ☐

SPDES NUMBER/REGISTRY NUMBER

FLOW

GPD
MGD

Activity Code should be 0069