



23 March 2009  
File No. 70665-014

Mr. Frank Sowers, P.E.  
New York State Department of Environmental Conservation, Region 8  
Division of Environmental Remediation  
6274 East Avon-Lima Road  
Avon, New York 14414-9519

Subject: Indoor Air Investigation Data Submittal  
CooperVision, Inc.  
Scottsville, New York  
(VCA Site #V00175-8)

Dear Mr. Sowers:

The purpose of this letter is to provide you with the validated laboratory data associated with the indoor air and sub-slab vapor investigation that was conducted on 30 January 2009, 9 and 10 February 2009, and 26 and 27 February 2009 at the residential properties east of the CooperVision facility. The work was conducted pursuant to the Indoor Air Investigation Work Plan dated 4 February 2009 and approved on 5 February 2009.

Included in this submittal is:

- A summary of the laboratory results (Tables 1 and 2)
- A Data Usability Summary Report (DUSR) – Appendix A
- Copies of the full laboratory data packages – Appendix B

**Summary of Results:**

Indoor air and sub-slab vapor samples were collected over a 24-hour period from the following residential buildings east of the CooperVision facility:

- 2 Nathaniel Drive
- 8 Nathaniel Drive
- 10 Nathaniel Drive
- 16 Nathaniel Drive
- 58 Nathaniel Drive
- 64 Nathaniel Drive
- 705-1 North Road
- 709-2 North Road

In addition, a 24-hour outdoor/ambient air sample was collected during each 24-hour period in which indoor air and sub-slab vapor samples were collected.

**Target volatile organic compounds (VOCs), which consisted of vinyl chloride, chloroethane, 1,1-dichloroethene, 1,1-dichloroethane, and 1,1,1-trichloroethane, were not detected above laboratory reporting limits.**

The data were evaluated in accordance with the NYSDEC "Guidance for the Development of Quality Assurance Plans and Data Usability Summary Reports (DUSR)," dated September 1997, and the United States Environmental Protection Agency (USEPA) "*National Functional Guidelines for Organic Data Review*" (EPA 540/R-99/008), and "*National Functional Guidelines for Inorganic Data Review, Final*" (EPA 540-R-01-008).

A review of the data indicated that all data generated during investigation activities were properly analyzed by the laboratories, and the analytical results were found to be compliant with the data quality objectives for the project and 100% usable.

Sincerely yours,  
HALEY & ALDRICH OF NEW YORK



Susan Boyle  
Senior Scientist



Vincent B. Dick  
Vice President

Attachments:

Table 1 – Summary of Volatile Gasses in Indoor Air and Sub-Slab Vapor  
Table 2 – Summary of Volatile Gasses in Ambient Air  
Appendix A – Data Usability Summary Report  
Appendix B – Laboratory Data Reports

c: Julia M. Guastella; New York State Department of Health  
Carol R. Kaufman; The Cooper Companies, Inc.  
Dennis Snyder; CooperVision, Inc.  
Christopher H. Marraro, Howrey LLP

G:\Projects\70665\014 - VCA Closeout - 2008-09\Indoor Air\_Sub-Slab Reports\2009\_0323\_Data Transmittal Letter\_F.doc

TABLE 1  
COOPERVISION, INC.  
SUMMARY OF VOLATILE GASSES IN INDOOR AIR AND SUB-SLAB VAPOR

All values expressed in ug/m<sup>3</sup>

Location	Unit 2		Unit 8		Unit 10	
Sample ID	SV-InA-2	SV-SS-2	SV-InA-8	SV-SS-8	SV-INA10	SV-SS10
Sample Type	Indoor Air	Sub-Slab	Indoor Air	Sub-Slab	Indoor Air	Sub-Slab
Initial Pressure/Final Pressure (psig)	1.6/3.5	-0.3/3.5	-3.9/3.6	-1.5/3.5	-2.3/3.5	-2.3/3.5
Date Sampled:	2/10/2009	2/10/2009	2/10/2009	2/10/2009	1/30/2009	1/30/2009
Compound:						
<b>VOLATILE ORGANICS</b>	1.39x Dil.	1.26x Dil.	1.69x Dil.	1.38x Dil.	1.47x Dil.	1.47x Dil.
Vinyl Chloride	ND (0.14)	ND (0.13)	ND (0.17)	ND (0.14)	ND (0.41)	ND (0.41)
Chloroethane	ND (0.7)	ND (0.63)	ND (0.85)	ND (0.69)	ND (0.85)	ND (0.85)
1,1-Dichloroethene	ND (0.7)	ND (0.63)	ND (0.85)	ND (0.69)	ND (0.65)	ND (0.65)
1,1-Dichloroethane	ND (0.7)	ND (0.63)	ND (0.85)	ND (0.69)	ND (0.66)	ND (0.66)
1,1,1-Trichloroethane	ND (0.7)	ND (0.63)	ND (0.85)	ND (0.69)	ND (0.88)	ND (0.88)

**Notes & Abbreviations:**

ND: Not Detected Above laboratory reporting limits. The number in parentheses is the reporting limit

1. Volatile organic compounds were collected using 24-hour, 6 Liter Summa Cansiters and analyzed via method TO-15 or TO-15 Sim where applicable.

2. The tables represent all data as reported from the lab in concentration format (ug/m<sup>3</sup>).

TABLE 1  
COOPERVISION, INC.  
SUMMARY OF VOLATILE GASSES IN INDOOR AIR AND SUB-SLAB VAPOR

All values expressed in ug/m<sup>3</sup>

Location	Unit 16		Unit 58		Unit 64	
Sample ID	SV-InA-16	SV-SS-16	SV-InA-58	SV-SS-58	SV-InA-64	SV-SS-64
Sample Type	Indoor Air	Sub-Slab	Indoor Air	Sub-Slab	Indoor Air	Sub-Slab
Initial Pressure/Final Pressure (psig)	-3.7/3.5	-1.3/3.5	-4.3/3.5	-1.1/3.5	-4.4/3.5	0.5/3.8
Date Sampled:	2/10/2009	2/10/2009	2/10/2009	2/10/2009	2/10/2009	2/10/2009
<b>Compound:</b>						
<b>VOLATILE ORGANICS</b>	1.65x Dil.	1.36x Dil.	1.78x Dil.	1.34xDil.	1.77x Dil.	1.22x Dil.
Vinyl Chloride	ND (0.17)	ND (0.14)	ND (0.18)	ND (0.13)	ND (0.18)	ND (0.12)
Chloroethane	ND (0.83)	ND (0.68)	ND (0.88)	ND (0.67)	ND (0.89)	ND (0.61)
1,1-Dichloroethene	ND (0.83)	ND (0.68)	ND (0.88)	ND (0.67)	ND (0.89)	ND (0.61)
1,1-Dichloroethane	ND (0.83)	ND (0.68)	ND (0.88)	ND (0.67)	ND (0.89)	ND (0.61)
1,1,1-Trichloroethane	ND (0.83)	ND (0.68)	ND (0.88)	ND (0.67)	ND (0.89)	ND (0.61)

**Notes & Abbreviations:**

ND: Not Detected Above laboratory reporting limits. The number in parentheses is the reporting limit

1. Volatile organic compounds were collected using 24-hour, 6 Liter Summa Cansiters and analyzed via method TO-15 or TO-15 Sim where applicable.

2. The tables represent all data as reported from the lab in concentration format (ug/m<sup>3</sup>).



TABLE 1  
COOPERVISION, INC.  
SUMMARY OF VOLATILE GASSES IN INDOOR AIR AND SUB-SLAB VAPOR

All values expressed in ug/m<sup>3</sup>

Location Sample ID Sample Type Initial Pressure/Final Pressure (psig)	Unit 705-1		Unit 709-2	
	SV-InA-704-1	SV-SS-705-1	SV-InA-709-2	SV-SS-709-2
	Indoor Air	Sub-Slab	Indoor Air	Sub-Slab
	0.3/3.5	-0.8/3.7	-0.8/3.5	-1.1/3.5
Date Sampled:	2/27/2009	2/27/2009	2/27/2009	2/27/2009
Compound:				
<b>VOLATILE ORGANICS</b>	1.21x Dil.	1.32x Dil.	1.31x Dil.	1.34x Dil.
Vinyl Chloride	ND (0.12)	ND (0.13)	ND (0.13)	ND (0.13)
Chloroethane	ND (0.61)	ND (0.66)	ND (0.66)	ND (0.67)
1,1-Dichloroethene	ND (0.61)	ND (0.66)	ND (0.66)	ND (0.67)
1,1-Dichloroethane	ND (0.61)	ND (0.66)	ND (0.66)	ND (0.67)
1,1,1-Trichloroethane	ND (0.61)	ND (0.66)	ND (0.66)	ND (0.67)

**Notes & Abbreviations:**

ND: Not Detected Above laboratory reporting limits. The number in parentheses is the reporting limit

1. Volatile organic compounds were collected using 24-hour, 6 Liter Summa Cansiters and analyzed via method TO-15 or TO-15 Sim where applicable.

2. The tables represent all data as reported from the lab in concentration format (ug/m<sup>3</sup>).

TABLE 2  
COOPERVISION, INC.  
SUMMARY OF VOLATILE GASES IN AMBIENT AIR

All values expressed in  $\mu\text{g}/\text{m}^3$

Location Sample ID Sample Type Initial Pressure/Final Pressure (psig)	Outdoor/Ambient Air		
	SV-OUTA10	SV-OutA-020909	SV-OutA-022609
	Outdoor Air	Outdoor Air	Outdoor Air
	-0.8/3.5	-1.3/3.5	-2.1/3.5
Date Sampled:	1/30/2009	2/10/2009	2/27/2009
Compound:			
<b>VOLATILE ORGANICS</b>	1.31x Dil.	1.36x Dil	1.44x Dil.
Vinyl Chloride	ND (0.37)	ND (0.14)	ND (0.14)
Chloroethane	ND (0.76)	ND (0.68)	ND (0.72)
1,1-Dichloroethene	ND (0.58)	ND (0.68)	ND (0.72)
1,1-Dichloroethane	ND (0.59)	ND (0.68)	ND (0.72)
1,1,1-Trichloroethane	ND (0.79)	ND (0.68)	ND (0.72)

**Notes & Abbreviations:**

ND: Not Detected Above laboratory reporting limits. The number in parentheses is the reporting limit.

1. Volatile organic compounds were collected using 24-hour, 6 Liter Summa Cansiters and analyzed via method TO-15 or TO-15 Sim where applicable.

2. The tables represent all data as reported from the lab in concentration format ( $\mu\text{g}/\text{m}^3$ ).

## **APPENDIX A**

### **Data Usability Summary Report**

**Data Usability Summary Report (DUSR)**  
**CooperVision - Residential Sub-Slab/Indoor Air**  
**Analytical Laboratory: Columbia Analytical Services, Inc. - Rochester, NY**  
**Sample Delivery Group # R0900538, P0900513, P0900735**

Analytical results for the project samples were reviewed to evaluate the data usability. Data was assessed in accordance with guidance from the following Federal and/or State guidance documents:

- USEPA National Functional Guidelines for Inorganic Data Review (EPA 540-R-04-004)
- USEPA National Functional Guidelines for Organic Data Review (EPA 540/R-99/008) and/or USEPA National Functional Guidelines for Low Concentration Organic Data Review (EPA 540-R-04-004)
- NYSDEC "Guidance for the Development of Quality Assurance Plans and Data Usability Summary Reports (DUSR)", September 1997

and method protocol criteria where applicable.

This DUSR pertains to the following samples:

Sample ID	Sample ID
SV-InA-10	SV-InA-16
SV-OutA-10	SV-SS-705-1
SV-SS-10	SV-InA-705-1
SV-SS-58	SV-OutA-022609
SV-InA-58	SV-SS-709-2
SV-SS-64	SV-InA-709-2
SV-InA-64	
SV-SS-8	
SV-InA-8	
SV-OutA-020909	
SV-SS-2	
SV-InA-2	
SV-SS-16	

Project Samples were analyzed according to the following analytical methods:

	Parameter	Analytical Method	Holding Time Criteria
1.	VOCs	EPA TO-15	30 days

The following items/criteria applicable to the analysis of project samples and associated QA/QC procedures were reviewed.

- Holding Times
- GC/MS Instrument Performance Check
- Initial Calibration Procedures
- Continuing Calibration Procedures
- Blank Sample Analysis
- System Monitoring Compound Recoveries
- Laboratory Control Samples, Matrix Spike/Matrix Spike Duplicate Recoveries
- Internal Standard Recoveries
- Duplicate Sample Analysis
- Target Compound Identification
- Sample Data Reporting Format
- Data Qualifiers
- Summary

#### **Preservation and Holding Times**

Maximum allowable holding times, measured from the time of sample collection to the time of sample preparation or analysis, were met for each project sample analyzed as part of this sample delivery group. No qualification of the data is recommended.

### **GC/MS Instrument Performance Check**

GC/MS instrument performance checks for the instruments used in the analysis of project samples fell within method specific criteria without exception. No qualification of the data is recommended.

### **Initial Calibration Procedures**

Initial instrument calibration procedures for the analysis of project samples were consistent with the guidelines prescribed by EPA protocols. No qualification of the data is recommended.

### **Continuing Calibration Procedures**

Continuing calibration verification (CCV) procedures for the analysis of project samples were consistent with the guidelines prescribed by EPA protocols. No Qualification of the data is recommended.

### **Blank Sample Analysis**

In accordance with cited USEPA guidelines, positive sample results should be reported unless the concentration of the compound in the project sample is less than or equal to 10 times (10X) the amount in any blank for common organic laboratory contaminants (methylene chloride, acetone, 2-butanone, cyclohexane), or 5 times (5X) the amount for other target compounds. Target analytes were not detected in associated blank samples (trip, equipment, method) prepared and analyzed concurrently with the project samples. No qualification of the data is recommended.

### **System Monitoring Compound Recoveries**

System monitoring/surrogate compounds are added to each sample prior to analysis of organic parameters to confirm the efficiency of the sample preparation procedure. The calculated recovery for each surrogate compound was evaluated to confirm the accuracy of the reported results. The calculated recovery of these compounds fell within the laboratory specific quality control criteria. No qualification of the data is recommended.

### **Laboratory Control Samples, Matrix Spike/Matrix Spike Duplicate Recoveries**

Analytical precision and accuracy was evaluated based on the laboratory control and matrix spike sample analyses performed concurrently with the project samples. For matrix spike samples, after the addition of a known amount of each target analyte to the sample matrix, the sample was analyzed to confirm the ability to identify these compounds within the sample matrix. For LCS analyses, after the addition of a known amount of each target analyte, the sample was analyzed to confirm the ability of the analytical system to accurately quantify the compounds. The reported recovery of LCS analyses fell within the laboratory QA acceptance criteria. No qualification of the data is recommended.

### **Internal Standard Recoveries**

Internal Standard compounds were added to each sample matrix prior to the analysis of organic parameters to quantify the amount of the target compounds detected within each sample. The calculated response of each IS compound fell within the QA/QC criteria of +100% and – 50% of the corresponding CCV standard. No qualification of the data is recommended.

### **Duplicate Sample Analysis**

The replicate percent difference (RPD) was evaluated for each duplicate sample pair to monitor the reproducibility of the data. The RPD for each sample pair was within the QA/QC limit of 25% for those target analytes with sample concentrations >5X the MDL. No qualification of the data is recommended.

### **Target Compound Identification**

GC/MS qualitative analysis for organic parameters was performed to remove mis-identifications of the target compounds. The relative retention times (RRT) of all reported target compounds were within +/- 0.06 RRT units of the associated calibration standard RRT, and all ions present in the reference standard spectrum at a relative intensity greater than 10 percent were also present in the sample spectrum. No qualification of the data is recommended.

### **Sample Data Reporting Format**

The sample data are presented using NYSDEC ASP Category B format or equivalent. The data package has been reviewed for completeness and found to contain each required sample result and associated QA/QC report form. The reporting format is complete and compliant with the objectives of the project. No qualification of the data is recommended.

### **Data Qualifiers**

Data qualifiers were assigned by the laboratory to the reported results to identify target analytes detected below the reporting limit but above the method detection limit, and/or when target analytes were detected in the associated method/preparation blank sample. Based on a spot check of the data qualifiers used, these flags appeared to be applied to the reported results in accordance with EPA guidance.

### **Summary**

The results presented in each report were found to be compliant with the data quality objectives for the project and usable. Based on our review, the usability of the data is 100%, with the few exceptions noted above.

G:\Projects\70665\014 - VCA Closeout - 2008-09\Lab Data\Indoor Air\_Sub Slab\[2009\_0313\_CooperVision\_Residential\_DV Notes.xls]Final Report

## **APPENDIX B**

### **Laboratory Data Reports**

March 3, 2009

Ms. Sue Boyle  
Haley & Aldrich of New York  
200 Town Centre Drive Ste. 2  
Rochester , NY 14623-4264

Re: Coopervision  
CAS Submission #: R0900538  
Revised: 3/3/09  
\*\*Additional Data\*\*

Dear Ms. Boyle,

Enclosed is the analytical data report for the above referenced Project and Submission #. All samples were analyzed by the CAS- Rochester laboratory. All data was previously emailed to you on 2/19/09. At the request of Claire DeBergalis of H&A on 2/24/09, the package was upgraded to an ASPB package deliverables. All data has been reviewed prior to report submission. The full package is included here, the initial package II is equivalent to the summary package.

Please contact me at (585)-288-5380 if you have questions regarding this information.

Sincerely,  
COLUMBIA ANALYTICAL SERVICES



Karen Bunker  
Project Manager

Enc.

Report contains a total of 102 pages



# SDG NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Haley & Aldrich  
Project: CooperVison #70665-014  
Sample Matrix: Air

Service Request No.: R0900538  
Date Received: 1/30/09

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier ASPB data deliverables. When appropriate to the method, method blank results have been reported with each analytical test. Surrogate recoveries have been reported for all applicable organic analyses.

**Sample Receipt**

Three (3) SUMMA Canister Air samples were collected by H&A on 1/30/09 and received for analysis at Columbia Analytical Services on the same day. The samples were received in good condition and consistent with the accompanying chain of custody form.

**Volatile Organic Compounds by Method TO-15**

Three (3) air samples were analyzed for a client specific list of Volatile Organic compounds by GC/MS method TO-15.

The Initial and Continuing Calibration Criteria were met.

Batch QC is included in the report. All Laboratory Control Sample (LCS) recoveries for target compounds were within QC limits.

All data is reported in both UG/M3 and PPBv units.

All Surrogate recoveries are within acceptance limits.

All Laboratory Method Blanks were free from contamination.

Any hits between the Method Reporting Limit (MRL) and Minimum Detection Limit (MDL) are flagged as "J".


No other problems were encountered during the analysis of these samples.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the details contained above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Approved by



Date



# CAS ASP/CLP Batching Form/Login Sheet

Client Proj #: 70665-014	Airs	Batch Complete:	Yes	Date Revised:	
Submission: R0900538		Diskette Requested:	No	Date Due:	2/16/09
Client: Haley & Aldrich, Incorporated		Date:	2/24/09	Protocol:	EPA
Client Rep: KBUNKER		Custody Seal:	Present/Absent:	Shipping No.:	
Project: Cooperation		Chain of Custody:	Present/Absent:		

CAS Job #	Client/EPA ID	Matrix	Requested Parameters	Date Sampled	Date Received	pH (Solids)	% Solids	Remarks Sample Condition
R0900538-001	SV-INA10	Air	TO-15	1/30/09	1/30/09			
R0900538-002	SV-OUTA10	Air	TO-15	1/30/09	1/30/09			
R0900538-003	SV-SS10	Air	TO-15	1/30/09	1/30/09			

000001

Folder Comments:

Printed 2/24/09 12:52

C:\P Batching Form

Page



## REPORT QUALIFIERS

- U - Indicates compound was analyzed for but not detected. The sample quantitation limit must be corrected for dilution and for percent moisture.
- J - Indicates an estimated value. The flag is used either when estimating a concentration for tentatively identified compounds, or when the concentration is less than the reporting limit and greater than the MDL (concentrations are not verified within the initial calibration range).
- For DoD reports, the J-flag may also be used to indicate that the concentration between two columns for pesticides/Aroclors is greater than 40% difference.
- B - Indicates this compound was also detected in the associated method blank at a concentration that may have contributed to the sample result.
- B- Metals - Indicates an estimated value. The concentration is less than the reporting limit and greater than the MDL (concentrations are not verified within the initial calibration range).
- E - Indicates that the sample concentration had exceeded the calibration range for that specific analysis.
- D - Indicates the sample concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range.
- \* - Indicates that a quality control parameter has exceeded laboratory limits.
- X - See Case Narrative for discussion.
- P - This flag is used for a pesticide/Aroclor target concentration when there is a greater than 40% (25% for CLP) difference for detected concentrations between the two GC columns.
- For DoD reports, the J-flag is used instead of "P".
- N - Inorganics- Indicates the matrix spike recovery was outside laboratory limits.
- N- Organics- Indicates presumptive evidence of a compound (reported as a tentatively identified compound) based on the mass spectral library search.



### **CAS/Rochester Lab ID # for State Certifications<sup>1</sup>**

NELAP Accredited  
Delaware Accredited  
Connecticut ID # PH0556  
Florida ID # E87674  
Illinois ID #200047  
Maine ID #NY0032  
Nebraska Accredited  
Navy Facilities Engineering Service Center Approved

Nevada ID # NY-00032  
New Jersey ID # NY004  
New York ID # 10145  
New Hampshire ID # 294100 A/B  
Pennsylvania ID# 68-786  
Rhode Island ID # 158  
West Virginia ID # 292

<sup>1</sup> Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable, except as noted in the laboratory case narrative provided. For a specific list of accredited analytes, refer to the certifications section at [www.caslab.com](http://www.caslab.com).

**CHAINS OF CUSTODY**

**INTERNAL CHAINS**



## Cooler Receipt And Preservation Check Form

Project/Client H+A Submission Number RG900538  
 Cooler received on 1-30-09 by: NZ COURIER: CAS UPS FEDEX VELOCITY CLIENT

1. Were custody seals on outside of cooler? YES NO
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Did any VOA vials have significant\* air bubbles? YES NO N/A
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC CLIENT
7. Temperature of cooler(s) upon receipt: \_\_\_\_\_

Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes

If No, Explain Below

Date/Time Temperatures Taken: 1-30-09 @ 17:10

Thermometer ID: 161 / IR GUN#2 / IR GUN#3 Reading From: Temp Blank / Sample Bottle

If out of Temperature, note packing/ice condition, Client Approval to Run Samples: \_\_\_\_\_

PC Secondary Review: KB 2/2/09

Cooler Breakdown: Date: 2/2/09 by: HP

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: \_\_\_\_\_

pH	Reagent	YES	NO	Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
≥12	NaOH								
≤	HNO <sub>3</sub>								
≤	H <sub>2</sub> SO <sub>4</sub>								
Residual Chlorine (-)	For TCN and Phenol			If present, contact PM to add ascorbic acid					
	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	-	-			*Not to be tested before analysis - pH tested and recorded by VOAs or GenChem on a separate worksheet			
	Zn Aceta	-	-						
	HCl	*	*						

Yes = All samples OK

No = Samples were preserved at lab as listed

PM OK to Adjust: \_\_\_\_\_

Bottle lot numbers: \_\_\_\_\_

Other Comments: \_\_\_\_\_

PC Secondary Review: KB 2/2/09

\*significant air bubbles are greater than 5-6 mm

# Columbia Analytical Services, Inc.

## Chain of Custody Report

**Client:** Haley & Aldrich, Inc.  
**Project:** Coopervision/70665-014 Airs

**Service Request:** R0900538

Bottle ID	Tests	Date	Time	Sample Location / User	Disposed On
R0900538-001.01	TO-15	2/2/09	1312	SMO / AHENTSCHKE	2/16/09
		2/2/09	1639	R-A02 / KCOOK	
		2/16/09	14:16	P-Disposed / TWALTON	
R0900538-002.01	TO-15	2/2/09	1312	SMO / AHENTSCHKE	2/16/09
		2/2/09	1639	R-A02 / KCOOK	
		2/16/09	14:16	P-Disposed / TWALTON	
R0900538-003.01	TO-15	2/2/09	1312	SMO / AHENTSCHKE	2/16/09
		2/2/09	1639	R-A02 / KCOOK	
		2/16/09	14:16	P-Disposed / TWALTON	



# **VOLATILE ORGANICS**

## **QC SUMMARY**

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

**Client:** Haley & Aldrich, Incorporated  
**Project:** Coopervision/70665-014 Airs  
**Sample Matrix:** Air

**Service Request:** R0900538  
**Date Analyzed:** 2/ 5/09

**Lab Control Sample Summary**  
**Volatile Organic Compounds in Air Collected In SUMMA Passivated Canisters and Analyzed By GC/MS**

**Analytical Method:** TO-15

**Units:** µg/m<sup>3</sup>  
**Basis:** NA

**Analysis Lot:** 142047

Analyte Name	Lab Control Sample RQ0900784-01			% Rec Limits
	Result	Expected	% Rec	
Vinyl Chloride	5.40	6.45	84	70 - 130
Chloroethane	5.86	6.66	88	70 - 130
1,1-Dichloroethene (1,1-DCE)	8.54	10.7	80	70 - 130
1,1-Dichloroethane (1,1-DCA)	9.32	10.7	87	70 - 130
1,1,1-Trichloroethane (TCA)	15.2	14.3	106	70 - 130

Comments: \_\_\_\_\_

## VOLATILE METHOD BLANK SUMMARY

VBLK1

Lab Name: CAS/ROCH Contract: H&A  
Lab Code: 10145 Case No.: R900538 SAS No.: SDG No.: SV-INA10  
Lab File ID: A6458.D Lab Sample ID: METBLK  
Date Analyzed: 2/5/2009 Time Analyzed: 15:32  
GC Column: DB-624 ID: 0.25 (mm) Heated Purge: (Y/N) N  
Instrument ID: MS#9

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	LCS1	LCS	A6457.D	13:06
02	SV-INA10	R0900538-001	A6459.D	18:42
03	SV-OUTA10	R0900538-002	A6460.D	19:33
04	SV-SS10	R0900538-003	A6461.D	20:23

COMMENTS:

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CAS/ROCH Contract: H&A  
 Lab Code: 10145 Case No.: R900538 SAS No.: \_\_\_\_\_ SDG No.: SV-INA10  
 Lab File ID: A6069.D BFB Injection Date: 11/14/2008  
 Instrument ID: MS#9 BFB Injection Time: 12:40  
 GC Column: DB-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	19.2
75	30.0 - 66.0% of mass 95	49.3
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.4 ( 0.5 )1
174	50.0 - 120.0% of mass 95	75.7
175	4.0 - 9.0% of mass 174	5.4 ( 7.2 )1
176	93.0 - 101.0% of mass 174	73.6 ( 97.3 )1
177	5.0 - 9.0% of mass 176	4.9 ( 6.7 )2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VBLK	METBLK 1.0	A6071.D	11/14/2008	14:45
02	0.02 PPB	0.02 PPB	A6072.D	11/14/2008	15:31
03	0.095 PPB	0.095 PPB	A6073.D	11/14/2008	16:16
04	0.20 PPB	0.20 PPB	A6074.D	11/14/2008	17:01
05	0.50 PPB	0.50 PPB	A6075.D	11/14/2008	17:46
06	1.0 PPB	1.0 PPB	A6076.D	11/14/2008	18:31
07	2.5 PPB	2.5 PPB	A6077.D	11/14/2008	19:16
08	5.0 PPB	5.0 PPB	A6078.D	11/14/2008	20:02
09	7.5 PPB	7.5 PPB	A6079.D	11/14/2008	20:50
10	10.0 PPB	10.0 PPB	A6080.D	11/14/2008	21:41
11	ICV	ICV	A6081.D	11/14/2008	22:26

BFB

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6069.D

Vial: 1

Acq On : 14 Nov 2008 12:40

Operator: T.WALTON

Sample : TUNE

Inst : GC/MS Ins



Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)

Title : TO-15

TW  
11-14-08

AutoFind: Scans 2649, 2650, 2651; Background Corrected with Scan 2637

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	19.2	41519	PASS
75	95	30	66	49.3	106797	PASS
95	95	100	100	100.0	216683	PASS
96	95	5	9	6.8	14675	PASS
173	174	0.00	2	0.5	852	PASS
174	95	50	120	75.7	163989	PASS
175	174	4	9	7.2	11771	PASS
176	174	93	101	97.3	159531	PASS
177	176	5	9	6.7	10693	PASS

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CAS/ROCH Contract: H&A  
 Lab Code: 10145 Case No.: R900538 SAS No.: SDG No.: SV-INA10  
 Lab File ID: A6455.D BFB Injection Date: 2/5/2009  
 Instrument ID: MS#9 BFB Injection Time: 11:36  
 GC Column: DB-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	19.3
75	30.0 - 66.0% of mass 95	50.0
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.7 ( 0.9 )1
174	50.0 - 120.0% of mass 95	80.3
175	4.0 - 9.0% of mass 174	5.5 ( 6.8 )1
176	93.0 - 101.0% of mass 174	76.8 ( 95.6 )1
177	5.0 - 9.0% of mass 176	5.0 ( 6.6 )2

1-Value is % mass 174

2-Value is % mass 176


THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD1	CCV	A6456.D	2/5/2009	12:21
02	LCS1	LCS	A6457.D	2/5/2009	13:06
03	VBLK1	METBLK	A6458.D	2/5/2009	15:32
04	SV-INA10	R0900538-001	A6459.D	2/5/2009	18:42
05	SV-OUTA10	R0900538-002	A6460.D	2/5/2009	19:33
06	SV-SS10	R0900538-003	A6461.D	2/5/2009	20:23

BFB

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6455.D  
 Acq On : 5 Feb 2009 11:36  
 Sample : TUNE  
 Misc :  
 MS Integration Params: LSCINT2.P  
 Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15

Vial: 14  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00



AutoFind: Scans 2648, 2649, 2650; Background Corrected with Scan 2636

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	19.3	35893	PASS
75	95	30	66	50.0	92909	PASS
95	95	100	100	100.0	185643	PASS
96	95	5	9	6.6	12296	PASS
173	174	0.00	2	0.9	1276	PASS
174	95	50	120	80.3	149056	PASS
175	174	4	9	6.8	10156	PASS
176	174	93	101	95.6	142507	PASS
177	176	5	9	6.6	9343	PASS

## VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CAS/ROCH Contract: H&A  
 Lab Code: 10145 Case No.: R900538 SAS No.: SDG No.: SV-INA10  
 Lab File ID (Standard): A6456.D Date Analyzed: 2/5/2009  
 Instrument ID: MS#9 Time Analyzed: 12:21  
 GC Column: DB-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

		IS1		IS2		IS3	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
12 HOUR STD		199630	12.23	721323	13.90	646352	18.97
UPPER LIMIT		279482	12.73	1009852	14.40	904893	19.47
LOWER LIMIT		119778	11.73	432794	13.40	387811	18.47
EPA SAMPLE NO.							
01	LCS1	197552	12.23	711491	13.90	619207	18.98
02	VBLK1	194920	12.23	691141	13.90	613865	18.97
03	SV-INA10	187279	12.23	686506	13.90	606563	18.97
04	SV-OUTA10	194865	12.23	690165	13.90	608370	18.97
05	SV-SS10	193834	12.23	713308	13.90	646086	18.97

IS1 = bromochloromethane  
 IS2 = 1,4-difluorobenzene  
 IS3 = chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area

AREA LOWER LIMIT = - 40% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column to be used to flag values outside QC limit with an asterisk.

\* Values outside of contract required QC limits



# **VOLATILE ORGANICS**

## **SAMPLE DATA**

## COLUMBIA ANALYTICAL SERVICES, INC.

## Analytical Report

**Client:** Haley & Aldrich, Incorporated  
**Project:** Coopervision/70665-014 Airs  
**Sample Matrix:** Air  
**Sample Name:** SV-INA10  
**Lab Code:** R0900538-001

**Service Request:** R0900538  
**Date Collected:** 1/30/09 1610  
**Date Received:** 1/30/09

**Analytical Method:** TO-15

**Date Analyzed:** 2/5/09 1842  
**Canister Dilution Factor:** 1.47

Initial Pressure (psig): -2.3      Final Pressure (psig): 3.5

CAS #	Analyte Name	Sample Amount mL	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbv	MRL ppbv	MDL ppbv	Data Qualifier
75-01-4	Vinyl Chloride	1000	0.020	0.41	0.020	0.0077	0.16	0.0077	U
75-00-3	Chloroethane	1000	0.023	0.85	0.023	0.0087	0.32	0.0087	U
75-35-4	1,1-Dichloroethene (1,1-DCE)	1000	0.016	0.65	0.016	0.0040	0.16	0.0040	U
75-34-3	1,1-Dichloroethane (1,1-DCA)	1000	0.031	0.66	0.031	0.0076	0.16	0.0076	U
71-55-6	1,1,1-Trichloroethane (TCA)	1000	0.030	0.88	0.030	0.012	0.16	0.0056	U

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	109	70-130	2/5/09 1842	

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6459.D

Vial: 2

Acq On : 5 Feb 2009 18:42

Operator: T.WALTON

Sample : R0900538-001

Inst : GC/MS Ins

Misc : H&amp;A-3901-T2 1000ML -4.7" +3.5PSI

Multiplr: 1.00

MS Integration Params: LSCINT2.P

Quant Time: Feb 5 19:16 2009

Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)

Title : TO-15

Last Update : Thu Jan 15 15:59:15 2009

Response via : Initial Calibration

DataAcq Meth : 111408B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.23	130	187279	13.2200	ng	0.00
28) 1,4-difluorobenzene	13.90	114	686506	11.6400	ng	0.00
48) chlorobenzene-d5	18.97	117	606563	12.0200	ng	-0.01

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.07	174	376605	19.54	ng	-0.01
Spiked Amount	17.880	Range	70 - 130	Recovery	=	109.30%

## Target Compounds

					Qvalue	
<del>2) propylene</del>	5.06	41	38201	0.5959 ng	#	77
3) dichlorodifluoromethane	5.16	85	98928	1.8391 ng		99
4) freon-114	5.51	85	4413	0.1087 ng		80
5) chloromethane	5.63	50	41118	0.8147 ng		97
7) 1,3-butadiene	6.03	54	3086	0.0754 ng		91
<del>9) chloroethane</del>	6.98	64	277	0.0133 ng	#	43
10) trichlorofluoromethane	7.56	101	47959	1.0288 ng		99
11) ethanol	7.97	45	171042	11.9093 ng		99
12) freon-113	8.64	101	11469	0.4737 ng		99
14) acetone	8.75	43	471487	6.2031 ng		94
15) isopropanol	9.03	45	104184	2.3358 ng		63
16) carbon disulfide	9.11	76	4960	0.0546 ng		85
17) methylene chloride	9.54	84	4158	0.1760 ng	#	76
20) hexane	10.57	57	11775	0.2410 ng		96
23) 2-butanone	11.85	43	41794	0.5100 ng		99
25) ethyl acetate	11.94	43	6123	0.0745 ng		94
26) chloroform	12.34	83	3350	0.0836 ng		99
<del>27) tetrahydrofuran</del>	12.41	72	318	0.0194 ng	#	1
29) 1,1,1-trichloroethane	12.70	97	1584	0.0454 ng		88
<del>30) cyclohexane</del>	12.84	56	7530	0.1498 ng	#	73
31) carbon tetrachloride	13.00	117	14693	0.4954 ng		99
32) 1,2-dichloroethane	13.33	62	2092	0.0648 ng		88
33) benzene	13.33	78	44853	0.4879 ng		97
34) heptane	13.71	71	6518	0.2501 ng		85
35) trichloroethene	14.39	130	439	0.0193 ng	#	87
<del>36) 1,2-dichloropropane</del>	14.77	63	1117	0.0455 ng	#	39
<del>38) bromodichloromethane</del>	15.18	83	398	0.0135 ng	#	18
<del>40) 4-methyl-2-pentanone</del>	16.20	43	1541	0.0227 ng	#	74
41) toluene	16.56	91	97849	1.1383 ng		96
<del>43) 1,1,2-trichloroethane</del>	17.20	97	253	0.0124 ng	#	7
44) tetrachloroethene	17.52	166	1433	0.0626 ng		96
45) 2-hexanone	17.62	43	1510	0.0230 ng		70
50) ethylbenzene	19.18	91	14380	0.1369 ng		99
51) M+P xylene	19.38	91	32299	0.3879 ng		97
52) O xylene	20.11	91	14243	0.1629 ng		85
53) styrene	20.12	104	32585	0.4846 ng		89
58) 1,3,5-trimethylbenzene	21.81	105	2914	0.0332 ng		92
59) 1,2,4-trimethylbenzene	22.53	105	7799	0.0908 ng		100
<del>60) 1,3-dclbenz</del>	23.27	146	30668	0.6682 ng		95
61) 1,4-dclbenz	23.27	146	30668	0.6769 ng		96

4-ethyl Toluene 21.72 2656 0.0249 ng @ 70 2/13 NT.

(# ) = qualifier out of range (m) = manual integration

A6459.D 111408B.M

Thu Feb 05 19:16:39 2009

OFFLINE

Page 1

00020




# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6459.D  
 Acq On : 5 Feb 2009 18:42  
 Sample : R0900538-001  
 Misc : H&A-3901-T2 1000ML -4.7" +3.5PSI  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 13 14:39 2009

Vial: 2  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration



(57) 4-ethyltoluene

21.88min 0.0067ng

response 719

Ion	Exp%	Act%
105.00	100	100
120.00	30.20	17.39
0.00	0.00	0.00
0.00	0.00	0.00



# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6459.D  
 Acq On : 5 Feb 2009 18:42  
 Sample : R0900538-001  
 Misc : H&A-3901-T2 1000ML -4.7" +3.5PSI  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 13 14:42 2009

Vial: 2  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration



(57) 4-ethyltoluene

21.72min 0.0249ng m

response 2656

Ion	Exp%	Act%
105.00	100	100
120.00	30.20	4.71#
0.00	0.00	0.00
0.00	0.00	0.00

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6459.D  
Acq On : 5 Feb 2009 18:42  
Sample : R0900538-001  
Misc : H&A-3901-T2 1000ML -4.7" +3.5PSI  
MS Integration Params: LSCINT2.P  
Quant Time: Feb 5 19:16 2009  
Quant Results File: 111408B.RES

Vial: 2  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
Title : TO-15  
Last Update : Thu Jan 15 15:59:15 2009  
Response via : Initial Calibration

TIC: A6459.D



## COLUMBIA ANALYTICAL SERVICES, INC.

## Analytical Report

**Client:** Haley & Aldrich, Incorporated  
**Project:** Coopervision/70665-014 Airs  
**Sample Matrix:** Air  
**Sample Name:** SV-OUTA10  
**Lab Code:** R0900538-002

**Service Request:** R0900538  
**Date Collected:** 1/30/09 1605  
**Date Received:** 1/30/09

**Analytical Method:** TO-15

**Date Analyzed:** 2/5/09 1933  
**Canister Dilution Factor:** 1.31

**Initial Pressure (psig):** -0.8      **Final Pressure (psig):** 3.5

CAS #	Analyte Name	Sample Amount mL	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbv	MRL ppbv	MDL ppbv	Data Qualifier
75-01-4	Vinyl Chloride	1000	0.017	0.37	0.017	0.0068	0.14	0.0068	U
75-00-3	Chloroethane	1000	0.020	0.76	0.020	0.0077	0.29	0.0077	U
75-35-4	1,1-Dichloroethene (1,1-DCE)	1000	0.014	0.58	0.014	0.0035	0.15	0.0035	U
75-34-3	1,1-Dichloroethane (1,1-DCA)	1000	0.028	0.59	0.028	0.0068	0.15	0.0068	U
71-55-6	1,1,1-Trichloroethane (TCA)	1000	0.027	0.79	0.027	0.012	0.14	0.0050	U

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	108	70-130	2/5/09 1933	

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6460.D

Vial: 3

Acq On : 5 Feb 2009 19:33

Operator: T.WALTON

Sample : R0900538-002

Inst : GC/MS Ins

Misc : H&amp;A-3901-T2 1000ML -1.7" +3.5PSI

Multiplr: 1.00

MS Integration Params: LSCINT2.P

Quant Time: Feb 5 20:07 2009

Quant Results File: 111408B.RES

TW  
2/15

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)

Title : TO-15

Last Update : Thu Jan 15 15:59:15 2009

Response via : Initial Calibration

DataAcq Meth : 111408B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.23	130	194865	13.2200	ng	0.00
28) 1,4-difluorobenzene	13.90	114	690165	11.6400	ng	0.00
48) chlorobenzene-d5	18.97	117	608370	12.0200	ng	0.00

## System Monitoring Compounds

55) surr 1, bromofluorobenzene 21.07 174 374564 19.38 ng 0.00  
 Spiked Amount 17.880 Range 70 - 130 Recovery = 108.38%

## Target Compounds

					Qvalue	
2) propylene	5.07	41	48077	0.7207 ng	#	68
3) dichlorodifluoromethane	5.16	85	115892	2.0705 ng		100
4) freon-114	5.50	85	4459	0.1056 ng		92
5) chloromethane	5.62	50	40672	0.7745 ng		100
7) 1,3-butadiene	6.02	54	1001	0.0235 ng	#	18
8) bromomethane	6.73	94	404	0.0176 ng		89
10) trichlorofluoromethane	7.56	101	52880	1.0903 ng		100
11) ethanol	8.05	45	30470	2.0390 ng		96
12) freon-113	8.64	101	12736	0.5056 ng		98
14) acetone	8.77	43	220396	2.7867 ng		94
16) carbon disulfide	9.11	76	1005	0.0106 ng	#	75
17) methylene chloride	9.56	84	4187	0.1703 ng	#	75
20) hexane	10.57	57	5320	0.1047 ng		99
23) 2-butanone	11.86	43	28479	0.3340 ng		100
25) ethyl acetate	11.93	43	2792	0.0326 ng		97
26) chloroform	12.34	83	2028	0.0486 ng		93
29) 1,1,1-trichloroethane	12.70	97	1746	0.0498 ng		98
30) cyclohexane	12.84	56	4050	0.0801 ng	#	76
31) carbon tetrachloride	13.01	117	15357	0.5150 ng		99
32) 1,2-dichloroethane	13.33	62	1853	0.0571 ng		92
33) benzene	13.34	78	38346	0.4149 ng		97
34) heptane	13.72	71	1542	0.0588 ng		91
36) 1,2-dichloropropane	14.76	63	939	0.0380 ng	#	67
40) 4-methyl-2-pentanone	16.20	43	1466	0.0215 ng	#	48
41) toluene	16.56	91	46560	0.5388 ng		92
43) 1,1,2-trichloroethane	17.04	97	240	0.0117 ng	#	7
44) tetrachloroethene	17.53	166	971	0.0422 ng	#	80
45) 2-hexanone	17.61	43	716	0.0109 ng	#	52
50) ethylbenzene	19.18	91	6756	0.0641 ng		97
51) M+P xylene	19.38	91	14957	0.1791 ng		97
52) O xylene	20.11	91	4858	0.0554 ng		100
53) styrene	20.12	104	1052	0.0156 ng	#	62
56) 1,1,2,2-tetrachloroethane	21.07	83	1631	0.0383 ng	#	18
57) 4-ethyltoluene	21.66	105	3041	0.0284 ng		96
58) 1,3,5-trimethylbenzene	21.72	105	1031	0.0117 ng		95
59) 1,2,4-trimethylbenzene	22.54	105	3259	0.0378 ng		91
60) 1,3-dclbenz	23.27	146	1129	0.0245 ng		97
61) 1,4-dclbenz	23.27	146	1129	0.0248 ng		96

0.0263 TW  
2/1596 NT-mis ID.  
95 NT-mis ID.

(#)=qualifier out of range (m)=manual integration

A6460.D 111408B.M

Thu Feb 05 20:07:17 2009

OFFLINE

Page 1

000000





# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6460.D  
 Acq On : 5 Feb 2009 19:33  
 Sample : R0900538-002  
 Misc : H&A-3901-T2 1000ML -1.7" +3.5PSI  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 15 12:48 2009

Vial: 3  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration



(8) bromomethane

6.73min 0.0176ng

response 404

Ion	Exp%	Act%
94.00	100	100
96.00	94.40	104.95
0.00	0.00	0.00
0.00	0.00	0.00



# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6460.D  
 Acq On : 5 Feb 2009 19:33  
 Sample : R0900538-002  
 Misc : H&A-3901-T2 1000ML -1.7" +3.5PSI  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 15 12:49 2009

Vial: 3  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration



(8) bromomethane

6.73min 0.0263ng m


response 604

Ion	Exp%	Act%
94.00	100	100
96.00	94.40	70.20#
0.00	0.00	0.00
0.00	0.00	0.00

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6460.D  
Vial: 3  
Acq On : 5 Feb 2009 19:33 Operator: T.WALTON  
Sample : R0900538-002 Inst : GC/MS Ins  
Misc : H&A-3901-T2 1000ML -1.7" +3.5PSI Multiplr: 1.00  
MS Integration Params: LSCINT2.P  
Quant Time: Feb 5 20:07 2009 Quant Results File: 111408B.RES

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
Title : TO-15  
Last Update : Thu Jan 15 15:59:15 2009  
Response via : Initial Calibration

TIC: A6460.D



## COLUMBIA ANALYTICAL SERVICES, INC.

## Analytical Report

**Client:** Haley & Aldrich, Incorporated  
**Project:** Coopervision/70665-014 Airs  
**Sample Matrix:** Air  
**Sample Name:** SV-SS10  
**Lab Code:** R0900538-003

**Service Request:** R0900538  
**Date Collected:** 1/30/09 1615  
**Date Received:** 1/30/09

**Analytical Method:** TO-15

**Date Analyzed:** 2/5/09 2023  
**Canister Dilution Factor:** 1.47

**Initial Pressure (psig):** -2.3

**Final Pressure (psig):** 3.5

CAS #	Analyte Name	Sample Amount mL	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbv	MRL ppbv	MDL ppbv	Data Qualifier
75-01-4	Vinyl Chloride	1000	0.020	0.41	0.020	0.0077	0.16	0.0077	U
75-00-3	Chloroethane	1000	0.023	0.85	0.023	0.0087	0.32	0.0087	U
75-35-4	1,1-Dichloroethene (1,1-DCE)	1000	0.016	0.65	0.016	0.0040	0.16	0.0040	U
75-34-3	1,1-Dichloroethane (1,1-DCA)	1000	0.031	0.66	0.031	0.0076	0.16	0.0076	U
71-55-6	1,1,1-Trichloroethane (TCA)	1000	0.030	0.88	0.030	0.0056	0.16	0.0056	U

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	115	70-130	2/5/09 2023	

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6461.D  
 Acq On : 5 Feb 2009 20:23  
 Sample : R0900538-003  
 Misc : H&A-3901-T2 1000ML -4.7" +3.5PSI  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 20:57 2009

Vial: 4  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: 111408B.RES

*TW*  
*2/15*

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Initial Calibration  
 DataAcq Meth : 111408B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.23	130	193834	13.2200	ng	0.00
28) 1,4-difluorobenzene	13.90	114	713308	11.6400	ng	0.00
48) chlorobenzene-d5	18.97	117	646086	12.0200	ng	-0.01

## System Monitoring Compounds

55) surr 1, bromofluorobenzene 21.07 174 420655 20.49 ng -0.01  
 Spiked Amount 17.880 Range 70 - 130 Recovery = 114.62%

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) propylene	5.07	41	172521	2.5999	ng	# 55
3) dichlorodifluoromethane	5.16	85	100202	1.7997	ng	100
4) freon-114	5.50	85	4856	0.1156	ng	# 73
5) chloromethane	5.63	50	4705	0.0901	ng	93
7) 1,3-butadiene	6.03	54	566	0.0134	ng	# 2
10) trichlorofluoromethane	7.56	101	45049	0.9337	ng	98
11) ethanol	7.98	45	47067	3.1664	ng	99
12) freon-113	8.64	101	10851	0.4330	ng	96
14) acetone	8.74	43	1042660	13.2537	ng	95
15) isopropanol	9.03	45	25819	0.5593	ng	# 23
16) carbon disulfide	9.11	76	173234	1.8425	ng	99
17) methylene chloride	9.55	84	2281	0.0933	ng	# 54
19) methyl tert butyl ether	10.14	73	2306	0.0290	ng	# 50
20) hexane	10.57	57	127177	2.5151	ng	97
23) 2-butanone	11.85	43	229576	2.7066	ng	100
25) ethyl acetate	11.85	43	229576	2.6977	ng	78
26) chloroform	12.34	83	83953	2.0231	ng	100
27) tetrahydrofuran	12.40	72	8932	0.5255	ng	# 59
29) 1,1,1-trichloroethane	12.70	97	2106	0.0581	ng	# 77
30) cyclohexane	12.85	56	127953	2.4491	ng	94
31) carbon tetrachloride	13.00	117	9035	0.2932	ng	93
32) 1,2-dichloroethane	13.34	62	1000	0.0298	ng	96
33) benzene	13.34	78	82968	0.8687	ng	97
34) heptane	13.71	71	106162	3.9201	ng	98
36) 1,2-dicloropropane	14.75	63	4301	0.1686	ng	# 57
38) bromodichloromethane	15.20	83	10409	0.3401	ng	100
40) 4-methyl-2-pentanone	16.20	43	31244	0.4426	ng	94
41) toluene	16.55	91	349107	3.9088	ng	96
43) 1,1,2-trichloroethane	17.22	97	15711	0.7396	ng	# 14
44) tetrachloroethene	17.53	166	4660	0.1959	ng	91
45) 2-hexanone	17.61	43	15656	0.2297	ng	99
46) dibromochloromethane	17.92	129	1279	0.0589	ng	98
47) 1,2-dibromoethane	18.33	107	1067	0.0478	ng	# 89
50) ethylbenzene	19.18	91	69155	0.6182	ng	100
51) M+P xylene	19.38	91	410292	4.6263	ng	99
52) O xylene	20.11	91	127333	1.3672	ng	99
53) styrene	20.12	104	13154	0.1836	ng	# 36
54) bromoform	20.52	173	365	0.0198	ng	# 28
57) 4-ethyltoluene	21.72	105	36882	0.3244	ng	99
58) 1,3,5-trimethylbenzene	21.82	105	69711	0.7457	ng	97
59) 1,2,4-trimethylbenzene	22.53	105	179505	1.9614	ng	95
60) 1,3-dclbenz	23.27	146	23184	0.4742	ng	95

(#) = qualifier out of range (m) = manual integration

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6461.D

Vial: 4

Acq On : 5 Feb 2009 20:23

Operator: T.WALTON

Sample : R0900538-003

Inst : GC/MS Ins

Misc : H&amp;A-3901-T2 1000ML -4.7" +3.5PSI

Multiplr: 1.00

MS Integration Params: LSCINT2.P

Quant Time: Feb 5 20:57 2009

Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)

Title : TO-15

Last Update : Thu Jan 15 15:59:15 2009

Response via : Initial Calibration

DataAcq Meth : 111408B

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
61) 1,4-dclbenz	23.27	146	23274	0.4822	ng	93
62) benzyl chloride	23.50	91	2636	0.0342	ng	70
63) 1,2-dclbenz	23.99	146	684	0.0147	ng	# 69
64) 1,2,4-trichlorobenzene	27.01	180	302	0.0115	ng	# 1

-----  
(#) = qualifier out of range (m) = manual integration

A6461.D 111408B.M

Thu Feb 05 20:58:02 2009

OFFLINE

Page 2

00001

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6461.D  
Acq On : 5 Feb 2009 20:23  
Sample : R0900538-003  
Misc : H&A-3901-T2 1000ML -4.7" +3.5PSI  
MMS Integration Params: LSCINT2.P  
Quant Time: Feb 5 20:57 2009 Quant


```
Method : J:\ACQDATA\AIR1\METHODS\111408B.M (RTE Integrator)
```

Title : TO-15

Last Update : Thu Jan 15 15:59:15 2009

Response via : Initial Calibration

TIC: A6461.D



**VOLATILE ORGANICS**  
**STANDARDS DATA**



111408A  
PPBV.  
TW  
11-15-08.

CALRPT.TXT  
Response Factor Report GC/MS Ins

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
Title : TO-15  
Last Update : Sat Nov 15 11:31:59 2008  
Response via : Initial Calibration

Calibration Files

0.02	=A6072.D	0.1	=A6073.D	0.2	=A6074.D
0.5	=A6075.D	1.0	=A6076.D	2.5	=A6077.D
5.0	=A6078.D	7.5	=A6079.D	10.0	=A6080.D
	=		=		=

Compound		0.02	0.1	0.2	0.5	1.0	2.5	Avg	%RSD
Compound		5.0	7.5	10.0					
-----ISTD-----									
1) I	bromochloromethane								
2)	propylene	1.437	1.412	1.356	1.735	1.559	1.405	1.402	8.94
3)	dichlorodifluoromet	3.560	3.606	3.685	3.595	3.544	3.521	3.549	2.46
4)	freon-114	3.738	3.713	3.921	3.820	3.826	3.782	3.787	2.16
5)	chloromethane	1.413	1.361	1.462	1.395	1.385	1.394	1.391	2.88
6)	vinyl chloride	1.460	1.462	1.531	1.509	1.482	1.511	1.491	3.70
7)	1,3-butadiene	1.313	1.149	1.178	1.190	1.200	1.227	1.209	5.60
8)	bromomethane	1.157	1.191	1.160	1.115	1.146	1.142	1.145	2.32
9)	chloroethane	0.809	0.707	0.735	0.721	0.697	0.736	0.733	4.47
10)	trichlorofluorometh	3.531	3.325	3.640	3.425	3.578	3.541	3.494	3.17
11)	ethanol	0.274	0.326	0.254	0.321	0.513	0.478	0.361	29.98
12)	freon-113	2.682	2.376	2.569	2.462	2.289	2.466	2.476	4.53
13)	1,1-dichloroethene	2.249	1.908	2.112	2.056	2.131	2.193	2.135	4.97
14)	acetone	2.428	2.368	2.330	2.828	2.115	2.386	2.409	9.67
15)	isopropanol	1.010	1.367	1.120	1.136	2.185	1.960	1.463	33.60
16)	carbon disulfide	4.178	3.612	3.772	3.655	3.791	3.773	3.774	4.55

NT  
1st  
Extraction  
240%

CALRPT.TXT								
17)	methylene chloride	1.115	1.131	1.108	1.085	1.022	1.091	1.095 3.08
18)	trans-1,2-dichloroe	2.196	1.947	2.074	2.048	1.945	2.106	2.075 4.18
19)	methyl tert butyl e	4.081	3.609	3.472	3.619	3.092	3.744	3.700 8.01
20)	hexane	2.461	2.436	2.149	2.217	2.089	2.364	2.298 6.34
21)	1,1-diclethane	2.694	2.510	2.538	2.546	2.294	2.551	2.535 4.21
22)	vinyl acetate	4.369	3.731	3.611	4.015	3.233	4.212	4.040 10.56
23)	2-butanone	3.356	3.404	3.178	3.299	2.799	3.268	3.225 5.90
24)	cis-1,2-dichloroeth	1.330	1.210	1.254	1.243	1.129	1.272	1.258 5.28
25)	ethyl acetate	4.167	3.996	3.901	4.093	3.480	4.084	3.954 5.39
26)	chloroform	2.696	2.640	2.642	2.625	2.377	2.639	2.612 3.76
27)	tetrahydrofuran	0.678	0.584	0.553	0.619	0.542	0.681	0.646 11.32
28) I	1,4-difluorobenzene	-----ISTD-----						
29)	1,1,1-trichloroetha	0.724	0.646	0.710	0.680	0.631	0.711	0.693 5.11
30)	cyclohexane	0.673	0.672	0.598	0.598	0.577	0.660	0.630 6.31
31)	carbon tetrachlorid	0.720	0.598	0.668	0.647	0.617	0.709	0.679 7.28
32)	1,2-dichloroethane	0.516	0.458	0.498	0.474	0.413	0.479	0.476 6.22
33)	benzene	1.126	1.072	1.099	1.065	0.933	1.096	1.069 5.67
34)	heptane	0.426	0.426	0.357	0.362	0.343	0.404	0.389 8.77
35)	trichloroethene	0.533	0.405	0.436	0.419	0.399	0.442	0.444 9.01
36)	1,2-diclpropane	0.443	0.399	0.416	0.413	0.347	0.424	0.413 7.38
37)	1,4-dioxane	0.111	0.105	0.145	0.108	0.176	0.173	0.132 23.70
38)	bromodichloromethan	0.822	0.643	0.693	0.689	0.638	0.736	0.718 8.31

CALRPT.TXT  
0.762 0.761 0.722

39)	cis-1,3-dichloropro	0.674	0.512	0.552	0.553	0.484	0.604	0.586	10.92
		0.640	0.641	0.609					
40)	4-methyl-2-pentanone		0.937	0.986	0.992	0.949	1.078	1.013	6.14
		1.095	1.080	0.989					
41)	toluene		1.083	1.149	1.188	0.986	1.241	1.179	8.88
		1.299	1.281	1.206					
42)	trans-1,3-dichlorop		0.482	0.497	0.527	0.453	0.578	0.543	11.40
		0.612	0.613	0.585					
43)	1,1,2-trichloroetha		0.405	0.409	0.403	0.337	0.412	0.406	7.42
		0.433	0.433	0.415					
44)	tetrachloroethene	0.723	0.497	0.537	0.525	0.484	0.560	0.565	12.58
		0.591	0.598	0.573					
45)	2-hexanone		0.879	0.931	0.938	0.943	1.072	0.978	7.49
		1.072	1.044	0.948					
46)	dibromochloromethan	0.782	0.542	0.576	0.592	0.548	0.669	0.648	13.27
		0.715	0.722	0.688					
47)	1,2-dibromoethane	0.803	0.535	0.567	0.572	0.480	0.597	0.601	14.78
		0.626	0.628	0.602					
48) I	chlorobenzene-d5	-----ISTD-----							
49)	chlorobenzene		1.060	1.121	1.117	0.928	1.148	1.108	7.66
		1.204	1.176	1.111					
50)	ethylbenzene		1.804	1.881	1.533	1.994		1.879	9.51
		2.076	1.997	1.868					
51)	M+P xylene		1.461	1.530	1.248	1.599		1.490	8.89
		1.637	1.547	1.405					
52)	O xylene		1.443	1.535	1.270	1.662		1.564	10.60
		1.752	1.696	1.592					
53)	styrene		1.055	1.127	0.943	1.257		1.180	12.19
		1.336	1.306	1.237					
54)	bromoform	0.869	0.556	0.604	0.644	0.589	0.787	0.736	18.38
		0.869	0.872	0.835					
55) S	surr 1, bromofluoro	0.568	0.568	0.551	0.557	0.567	0.560	0.568	2.12
		0.569	0.582	0.590					
56)	1,1,2,2-tetrachloro	1.809	1.098	1.133	1.142	0.945	1.164	1.202	20.02
		1.216	1.189	1.117					
57)	4-ethyltoluene	2.649	1.791	1.931	2.077	1.778	2.316	2.162	13.73
		2.421	2.336	2.156					
58)	1,3,5-trimethylbenz	2.146	1.490	1.565	1.721	1.473	1.902	1.777	13.17
		1.981	1.927	1.792					
59)	1,2,4-trimethylbenz	2.079	1.423	1.517	1.654	1.439	1.873	1.740	13.93
		1.973	1.924	1.779					

## CALRPT.TXT

60)	1,3-dclbenz	1.513 0.960 1.008 1.039 0.886 1.168 1.245 1.239 1.174	1.137 16.65
61)	1,4-dclbenz	1.438 0.933 0.993 1.022 0.877 1.164 1.251 1.244 1.180	1.122 16.03
62)	benzyl chloride	1.325 1.183 1.631 1.760 1.739 1.620	1.543 15.23
63)	1,2-dclbenz	1.479 0.898 0.950 0.990 0.831 1.096 1.179 1.170 1.115	1.079 17.91
64)	1,2,4-trichlorobenz	0.995 0.659 0.670 0.723 0.551 0.720 0.808 0.828 0.827	0.754 17.02
65)	hexachlorobutadiene	1.288 0.818 0.855 0.847 0.651 0.800 0.819 0.820 0.767	0.852 20.49

-----  
(#) = Out of Range ### Number of calibration levels exceeded format ###

111408A.M

Sat Nov 15 11:37:21 2008 OFFLINE

# HP CHEMSTATION CUSTOM REPORT CALIBRATION SUMMARY

## Calibration Table Concentrations (Level 1-20)

Method File : 111408A  
 Calibration Title : TO-15  
 Last Calibration Update : Sat Nov 15 11:31:59 2008

ID	Compound	1	2	3	4	5	6	7	8	9	10.0
1)	bromochloromethane	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
2)	propylene	0.0206	0.0979	0.2060	0.5150	1.0300	2.5000	2.5000	2.5000	2.5000	2.5000
3)	dichlorodifluoromethane	0.0202	0.0960	0.2020	0.5050	1.0100	2.5250	5.0500	7.5000	10.0000	10.0000
4)	freon-114	0.0200	0.0950	0.2000	0.5000	1.0000	2.5000	5.0000	7.5000	10.0000	10.0000
5)	chloromethane	0.0202	0.0960	0.2020	0.5050	1.0100	2.5250	5.0500	7.5000	10.0000	10.0000
6)	vinyl chloride	0.0200	0.0950	0.2000	0.5000	1.0000	2.5000	5.0000	7.5000	10.0000	10.0000
7)	1,3-butadiene	0.0216	0.1026	0.2160	0.5400	1.0800	2.7000	5.4000	8.1000	10.8000	10.8000
8)	bromomethane	0.0202	0.0960	0.2020	0.5050	1.0100	2.5250	5.0500	7.5000	10.0000	10.0000
9)	chloroethane	0.0202	0.0960	0.2020	0.5050	1.0100	2.5250	5.0500	7.5000	10.0000	10.0000
10)	trichlorofluoromethane	0.0198	0.0941	0.1980	0.4950	0.9900	2.4750	4.9500	7.4250	9.9000	9.9000
11)	ethanol	0.0194	0.0922	0.1940	0.4850	0.9700	2.4250	4.8500	7.2750	9.7000	9.7000
12)	freon-113	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
13)	1,1-dichloroethene	0.0218	0.1036	0.2180	0.5450	1.0900	2.7250	5.4500	8.1750	10.9000	10.9000
14)	acetone	0.0210	0.0998	0.2100	0.5250	1.0500	2.6250	5.2500	7.8750	10.5000	10.5000
15)	isopropanol	0.0222	0.1055	0.2220	0.5550	1.1100	2.7750	5.5500	8.3250	11.1000	11.1000
16)	carbon disulfide	0.0208	0.0988	0.2080	0.5200	1.0400	2.6000	5.2000	7.8000	10.4000	10.4000
17)	methylene chloride	0.0218	0.1036	0.2180	0.5450	1.0900	2.7250	5.4500	8.1750	10.9000	10.9000
18)	trans-1,2-dichloroethene	0.0210	0.0998	0.2100	0.5250	1.0500	2.6250	5.2500	7.8750	10.5000	10.5000
19)	methyl tert butyl ether	0.0212	0.1007	0.2120	0.5300	1.0600	2.6500	5.3000	7.9500	10.6000	10.6000
20)	hexane	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
21)	1,1-dichloroethane	0.0212	0.1007	0.2120	0.5300	1.0600	2.6500	5.3000	7.9500	10.6000	10.6000
22)	vinyl acetate	0.0198	0.0941	0.1980	0.4950	0.9900	2.4750	4.9500	7.4250	9.9000	9.9000
23)	2-butanone	0.0216	0.1026	0.2160	0.5400	1.0800	2.7000	5.4000	8.1000	10.8000	10.8000
24)	cis-1,2-dichloroethene	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
25)	ethyl acetate	0.0210	0.0998	0.2100	0.5250	1.0500	2.6250	5.2500	7.8750	10.5000	10.5000
26)	chloroform	0.0210	0.0998	0.2100	0.5250	1.0500	2.6250	5.2500	7.8750	10.5000	10.5000
27)	tetrahydrofuran	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
28)	1,4-difluorobenzene	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000
29)	1,1,1-trichloroethane	0.0210	0.0998	0.2100	0.5250	1.0500	2.6250	5.2500	7.8750	10.5000	10.5000
30)	cyclohexane	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
31)	carbon tetrachloride	0.0210	0.0998	0.2100	0.5250	1.0500	2.6250	5.2500	7.8750	10.5000	10.5000
32)	1,2-dichloroethane	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
33)	benzene	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000
34)	heptane	0.0214	0.1017	0.2140	0.5350	1.0700	2.6750	5.3500	8.0250	10.7000	10.7000

11-17-08



CALRPT.TXT  
Response Factor Report GC/MS Ins

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
Title : TO-15  
Last Update : Thu Jan 15 15:59:15 2009  
Response via : Initial Calibration

111408B  
ng/L  
Quantitation  
TW  
2/19/09

Calibration Files

0.02	=A6072.D	0.1	=A6073.D	0.2	=A6074.D
0.5	=A6075.D	1.0	=A6076.D	2.5	=A6077.D
5.0	=A6078.D	7.5	=A6079.D	10.0	=A6080.D
	=		=		=

Compound		0.02	0.1	0.2	0.5	1.0	2.5	Avg	%RSD
Compound		5.0	7.5	10.0					
-----									
1) I	bromochloromethane	-----ISTD-----							
2)	propylene	4.417	4.341	4.169	5.332	4.791	4.318	4.311	8.94
3)	dichlorodifluoromet	3.809	3.739	3.625	3.859	3.942	3.846	3.791	2.47
4)	freon-114	2.828	2.810	2.968	2.891	2.896	2.862	2.866	2.16
5)	chloromethane	3.621	3.564	3.388	3.488	3.746	3.573	3.548	2.88
6)	vinyl chloride	3.023	3.027	3.168	3.122	3.067	3.126	3.085	3.70
7)	1,3-butadiene	3.138	2.746	2.818	2.846	2.871	2.933	2.890	5.59
8)	bromomethane	1.576	1.556	1.507	1.624	1.581	1.520	1.562	2.33
9)	chloroethane	1.621	1.418	1.474	1.447	1.397	1.476	1.470	4.45
10)	trichlorofluorometh	3.324	3.132	3.428	3.225	3.369	3.334	3.290	3.16
11)	ethanol	0.770	0.915	0.713	0.902	1.440	1.343	1.014	29.98
12)	freon-113	1.851	1.641	1.773	1.699	1.580	1.702	1.709	4.53
13)	1,1-dichloroethene	3.001	2.547	2.818	2.743	2.843	2.927	2.849	4.96
14)	acetone	5.407	5.274	5.189	6.299	4.709	5.315	5.365	9.67
15)	isopropanol	2.174	2.942	2.409	2.444	4.703	4.219	3.148	33.60
16)	carbon disulfide	7.102	6.137	6.407	6.209	6.440	6.409	6.412	4.57
		6.503	6.383	6.122					

CALRPT.TXT									
17)	methylene chloride	1.698	1.724	1.687	1.652	1.556	1.662	1.668	3.09
			1.704	1.662					
18)	trans-1,2-dichloroe	2.931	2.599	2.767	2.732	2.595	2.810	2.769	4.18
		2.882	2.845	2.761					
19)	methyl tert butyl e	5.989	5.296	5.095	5.310	4.537	5.494	5.428	8.01
		5.793	5.722	5.621					
20)	hexane			3.225	3.328	3.135	3.549	3.449	6.34
		3.694	3.656	3.554					
21)	1,1-diclcethane	3.520	3.281	3.317	3.327	2.998	3.334	3.314	4.20
		3.404	3.358	3.283					
22)	vinyl acetate	6.563	5.609	5.425	6.032	4.858	6.329	6.070	10.55
		6.701	6.611	6.498					
23)	2-butanone		6.106	5.701	5.918	5.020	5.863	5.785	5.90
		6.021	5.965	5.687					
24)	cis-1,2-dichloroeth		1.615	1.674	1.659	1.506	1.697	1.679	5.27
		1.774	1.767	1.739					
25)	ethyl acetate		5.870	5.727	6.008	5.108	5.995	5.804	5.39
		6.117	5.891	5.717					
26)	chloroform		2.862	2.862	2.844	2.576	2.860	2.830	3.77
		2.921	2.888	2.828					
27)	tetrahydrofuran	1.216	1.047	0.992	1.110	0.973	1.221	1.159	11.32
		1.306	1.294	1.274					
28) I	1,4-difluorobenzene	-----ISTD-----							
29)	1,1,1-trichloroetha	0.618	0.552	0.606	0.581	0.538	0.607	0.591	5.10
		0.620	0.617	0.583					
30)	cyclohexane			0.809	0.809	0.780	0.893	0.853	6.31
		0.911	0.910	0.856					
31)	carbon tetrachlorid	0.533	0.443	0.495	0.479	0.457	0.525	0.503	7.27
		0.539	0.542	0.513					
32)	1,2-dichloroethane	0.594	0.528	0.573	0.546	0.475	0.551	0.547	6.22
		0.566	0.562	0.531					
33)	benzene		1.563	1.602	1.553	1.360	1.598	1.559	5.67
		1.642	1.621	1.529					
34)	heptane			0.406	0.412	0.390	0.459	0.442	8.77
		0.484	0.484	0.458					
35)	trichloroethene	0.462	0.351	0.378	0.363	0.346	0.383	0.385	9.02
		0.399	0.402	0.383					
36)	1,2-diclcpropane		0.402	0.420	0.416	0.349	0.427	0.416	7.38
		0.447	0.445	0.424					
37)	1,4-dioxane		0.136	0.187	0.140	0.228	0.223	0.170	23.70
		0.143	0.179	0.124					
38)	bromodichloromethan	0.571	0.447	0.481	0.479	0.443	0.512	0.499	8.31



CALRPT.TXT  
0.530 0.529 0.502

39)	cis-1,3-dichloropro	0.692	0.526	0.567	0.567	0.497	0.620	0.601	10.91
		0.657	0.657	0.625					
40)	4-methyl-2-pentanone	1.245	1.066	1.121	1.127	1.079	1.226	1.152	6.13
			1.228	1.124					
41)	toluene	1.606	1.339	1.420	1.469	1.219	1.534	1.457	8.88
			1.583	1.491					
42)	trans-1,3-dichlorop	0.628	0.495	0.510	0.540	0.465	0.594	0.558	11.39
			0.629	0.600					
43)	1,1,2-trichloroetha	0.370	0.346	0.349	0.344	0.288	0.352	0.347	7.42
			0.370	0.354					
44)	tetrachloroethene	0.496	0.341	0.369	0.360	0.332	0.385	0.388	12.57
		0.406	0.411	0.394					
45)	2-hexanone	1.219	1.000	1.059	1.067	1.072	1.218	1.112	7.48
			1.187	1.078					
46)	dibromochloromethan	0.427	0.297	0.315	0.324	0.300	0.366	0.354	13.27
		0.391	0.395	0.376					
47)	1,2-dibromoethane	0.487	0.324	0.344	0.347	0.291	0.362	0.364	14.77
		0.380	0.381	0.365					
48) I	chlorobenzene-d5	-----ISTD-----							
49)	chlorobenzene	1.258	1.108	1.171	1.167	0.969	1.200	1.158	7.66
			1.229	1.161					
50)	ethylbenzene	2.300	2.212	1.998	2.084	1.698	2.209	2.081	9.51
				2.069					
51)	M+P xylene	1.814	1.713	1.618	1.695	1.382	1.772	1.650	8.89
				1.556					
52)	o xylene	1.940	1.879	1.598	1.700	1.407	1.841	1.733	10.60
				1.763					
53)	styrene	1.508	1.475	1.191	1.273	1.064	1.420	1.333	12.19
				1.397					
54)	bromoform	0.405	0.259	0.281	0.300	0.274	0.366	0.343	18.38
		0.404	0.406	0.389					
55) S	surr 1, bromofluoro	0.382	0.382	0.370	0.374	0.381	0.377	0.382	2.12
		0.383	0.391	0.397					
56)	1,1,2,2-tetrachloro	1.268	0.770	0.794	0.800	0.662	0.816	0.842	20.02
		0.852	0.833	0.783					
57)	4-ethyltoluene	2.591	1.754	1.889	2.032	1.740	2.266	2.115	13.71
		2.369	2.286	2.110					
58)	1,3,5-trimethylbenz	2.099	1.458	1.531	1.684	1.442	1.861	1.739	13.17
		1.938	1.886	1.753					
59)	1,2,4-trimethylbenz	2.034	1.393	1.485	1.618	1.408	1.833	1.703	13.93
		1.931	1.882	1.741					

CALRPT.TXT

60)	1,3-dclbenz	1.211 0.768 0.806 0.831 0.709 0.935	0.910 16.65
		0.996 0.991 0.939	
61)	1,4-dclbenz	1.150 0.747 0.794 0.817 0.702 0.931	0.898 16.03
		1.001 0.995 0.944	
62)	benzyl chloride	1.231 1.099 1.515	1.434 15.23
		1.635 1.616 1.505	
63)	1,2-dclbenz	1.183 0.719 0.760 0.792 0.665 0.877	0.863 17.90
		0.943 0.936 0.892	
64)	1,2,4-trichlorobenz	0.645 0.427 0.434 0.469 0.357 0.467	0.488 17.02
		0.524 0.537 0.536	
65)	hexachlorobutadiene	0.581 0.369 0.386 0.382 0.294 0.361	0.384 20.49
		0.369 0.370 0.346	

-----  
 (#) = Out of Range ### Number of calibration levels exceeded format ###

111408B.M

Thu Feb 19 16:24:12 2009 OFFLINE

## RT Order

Factors to convert from PPBV to ng/L

 $\text{ng/L} = \text{un/m}^3 = \text{PPBV} * \text{MW} / 24.46$ 

	cas#	MW	ppbv	ng/L
Internal standard				
propylene	115-07-1	42.08	1	1.7204
dichlorodifluoromethane	75-71-8	120.91	1	4.9432
freon-114	76-14-2	170.92	1	6.9877
chloromethane	74-87-3	50.49	1	2.0642
vinyl chloride	75-01-4	62.5	1	2.5552
1,3-butadiene	106-99-0	54.09	1	2.2114
bromomethane	74-83-9	94.9	1	3.8798
chloroethane	75-00-3	64.5	1	2.6370
trichlorofluoromethane	75-69-4	137.37	1	5.6161
ethanol	64-17-5	46.07	1	1.8835
freon-113	76-13-1	187.38	1	7.6607
1,1-dichloroethene	75-35-4	96.94	1	3.9632
acetone	67-64-1	58.08	1	2.3745
isopropanol	67-63-0	60.1	1	2.4571
carbon disulfide	75-15-0	76.14	1	3.1128
methylene chloride	75-09-2	84.93	1	3.4722
trans-1,2-dichloroethene	156-60-5	96.94	1	3.9632
methyl tert butyl ether	1634-04-4	88.15	1	3.6038
hexane	110-54-3	86.18	1	3.5233
1,1-dichloroethane	107-06-2	98.96	1	4.0458
vinyl acetate	108-05-4	86.09	1	3.5196
2-butanone	78-93-3	72.11	1	2.9481
cis-1,2-dichloroethene	156-59-2	96.94	1	3.9632
ethyl acetate	141-78-6	88.11	1	3.6022
chloroform	67-66-3	119.38	1	4.8806
tetrahydrofuran	109-99-9	72.11	1	2.9481
Internal standard				
1,1,1-trichloroethane	71-55-6	133.4	1	5.4538
cyclohexane	110-82-7	84.16	1	3.4407
carbon tetrachloride	56-23-5	153.82	1	6.2886
1,2-dichloroethane	107-06-2	98.96	1	4.0458
benzene	71-43-2	78.11	1	3.1934
heptane	142-82-5	100.2	1	4.0965
trichloroethylene	79-01-6	131.39	1	5.3716
1,2-dichloropropane	78-87-5	112.99	1	4.6194
1,4-dioxane	123-91-1	88.11	1	3.6022
bromodichloromethane	75-27-4	163.83	1	6.6979
cis-1,3-dichloro-1-propene	10061-01-5	110.97	1	4.5368
4-methyl-2-pentanone	108-10-1	100.16	1	4.0948
toluene	108-88-3	92.14	1	3.7670
trans-1,3-dichloro-1-propene	10061-02-6	110.97	1	4.5368
1,1,2-trichloroethane	79-00-5	133.4	1	5.4538
tetrachloroethene	127-18-4	165.83	1	6.7796
2-hexanone	591-78-6	100.16	1	4.0948
dibromochloromethane	124-48-1	208.28	1	8.5151
1,2-dibromoethane	106-93-4	187.86	1	7.6803
Internal standard				
chlorobenzene	108-90-7	112.56	1	4.6018
ethylbenzene	100-41-4	106.17	1	4.3406
M+P xylene	1330-20-7	106.17	1	4.3406
O xylene	95-47-6	106.17	1	4.3406
styrene	100-42-5	104.15	1	4.2580
bromoform	75-25-2	252.73	1	10.3324
Surrogate standard				
1,1,2,2-tetrachloroethane	79-34-5	167.85	1	6.8622
4-ethyltoluene	622-96-8	120.19	1	4.9137
1,3,5-trimethylbenzene	108-67-8	120.19	1	4.9137
1,2,4-trimethylbenzene	95-63-6	120.19	1	4.9137
1,3-dichlorobenzene	541-73-1	147	1	6.0098
1,4-dichlorobenzene	106-46-7	147	1	6.0098
benzyl chloride	100-44-7	126.59	1	5.1754
1,2-dichlorobenzene	95-50-1	147	1	6.0098
1,2,4-trichlorobenzene	120-82-1	181.45	1	7.4182
hexachlorobutadiene	87-68-3	260.76	1	10.6607

Tw  
2/19/09.  
For  
11408B.

# HP CHEMSTATION CUSTOM REPORT CALIBRATION SUMMARY

Method File : 111408B  
 Calibration Title : TO-15  
 Last Calibration Update : Thu Jan 15 15:59:15 2009

## Calibration Table Concentrations (Level 1-20)

file	Level	Compound	1	2	3	4	5	6	7	8	9	10
A6072.D	A6073.D	A6074.D	A6075.D	A6076.D	A6077.D	A6078.D	A6079.D	A6080.D				
1	0.02	0.1	0.2	0.5	1.0	2.5	5.0	7.5	10.0			
1)	13.2200	13.2200	13.2200	13.2200	13.2200	13.2200	13.2200	13.2200	13.2200	13.2200	13.2200	-1
2)	0.0354	0.1683	0.3544	0.8860	1.7720	4.4299	8.8599	13.2898	17.7197	17.7197	17.7197	-1
3)	0.0999	0.4743	0.9985	2.4963	4.9926	12.4815	24.9630	37.4445	49.9260	49.9260	49.9260	-1
4)	0.1398	0.6638	1.3975	3.4939	6.9877	17.4693	34.9387	52.4080	69.8774	69.8774	69.8774	-1
5)	0.0417	0.1981	0.4170	1.0424	2.0848	5.2121	10.4241	15.6362	20.8483	20.8483	20.8483	-1
6)	0.0511	0.2427	0.5110	1.2776	2.5552	6.3880	12.7760	19.1639	25.5519	25.5519	25.5519	-1
7)	0.0478	0.2269	0.4777	1.1941	2.3883	5.9707	11.9414	17.9121	23.8827	23.8827	23.8827	-1
8)	0.0784	0.3723	0.7837	1.9593	3.9186	9.7965	19.5930	29.3895	39.1860	39.1860	39.1860	-1
9)	0.0533	0.2530	0.5327	1.3317	2.6633	6.6583	13.3166	19.9750	26.6333	26.6333	26.6333	-1
10)	0.1112	0.5282	1.1120	2.7800	5.5599	13.8999	27.7997	41.6996	55.5995	55.5995	55.5995	-1
11)	0.0365	0.1736	0.3654	0.9135	1.8270	4.5674	9.1349	13.7023	18.2698	18.2698	18.2698	-1
12)	0.1639	0.7787	1.6394	4.0985	8.1969	20.4923	40.9846	61.4769	81.9692	81.9692	81.9692	-1
13)	0.0864	0.4104	0.8640	2.1599	4.3199	10.7997	21.5995	32.3992	43.1989	43.1989	43.1989	-1
14)	0.0499	0.2369	0.4986	1.2466	2.4932	6.2330	12.4661	18.6991	24.9321	24.9321	24.9321	-1
15)	0.0545	0.2591	0.5455	1.3637	2.7274	6.8184	13.6368	20.4551	27.2735	27.2735	27.2735	-1
16)	0.0647	0.3075	0.6475	1.6187	3.2374	8.0934	16.1868	24.2801	32.3735	32.3735	32.3735	-1
17)	0.0757	0.3595	0.7569	1.8923	3.7847	9.4617	18.9235	28.3852	37.8470	37.8470	37.8470	-1
18)	0.0832	0.3953	0.8323	2.0807	4.1614	10.4034	20.8068	31.2102	41.6137	41.6137	41.6137	-1
19)	0.0764	0.3629	0.7640	1.9100	3.8201	9.5502	19.1004	28.6506	38.2007	38.2007	38.2007	-1
20)	0.0754	0.3581	0.7540	1.8850	3.7699	9.4248	18.8497	28.2745	37.6993	37.6993	37.6993	-1
21)	0.0858	0.4074	0.8577	2.1443	4.2885	10.7213	21.4427	32.1640	42.8854	42.8854	42.8854	-1
22)	0.0697	0.3310	0.6969	1.7422	3.4844	8.7111	17.4221	26.1332	34.8443	34.8443	34.8443	-1
23)	0.0637	0.3025	0.6368	1.5920	3.1839	7.9598	15.9196	23.8794	31.8392	31.8392	31.8392	-1
24)	0.0848	0.4029	0.8481	2.1203	4.2406	10.6016	21.2031	31.8047	42.4063	42.4063	42.4063	-1
25)	0.0756	0.3593	0.7565	1.8912	3.7823	9.4558	18.9116	28.3674	37.8232	37.8232	37.8232	-1
26)	0.1025	0.4868	1.0249	2.5623	5.1247	12.8116	25.6233	38.4349	51.2465	51.2465	51.2465	-1
27)	0.0631	0.2997	0.6309	1.5772	3.1544	7.8861	15.7722	23.6583	31.5444	31.5444	31.5444	-1
28)	11.6400	11.6400	11.6400	11.6400	11.6400	11.6400	11.6400	11.6400	11.6400	11.6400	11.6400	-1
29)	0.1145	0.5440	1.1453	2.8632	5.7265	14.3162	28.6325	42.9487	57.2649	57.2649	57.2649	-1
30)	0.0736	0.3497	0.7363	1.8408	3.6816	9.2039	18.4078	27.6118	36.8157	36.8157	36.8157	-1
31)	0.1321	0.6273	1.3206	3.3015	6.6031	16.5077	33.0153	49.5230	66.0307	66.0307	66.0307	-1
32)	0.0866	0.4113	0.8658	2.1645	4.3290	10.8225	21.6450	32.4675	43.2899	43.2899	43.2899	-1
33)	0.0683	0.3246	0.6834	1.7085	3.4169	8.5423	17.0846	25.6268	34.1691	34.1691	34.1691	-1

2/19/02  
 2/19/02  
 2/19/02  
 2/19/02  
 2/19/02

34)	heptane	0.0877	0.4164	0.8766	2.1916	4.3832	10.9581	21.9162	32.8743	43.8324	-1
35)	trichloroethene	0.1117	0.5307	1.1173	2.7932	5.5865	13.9662	27.9325	41.8987	55.8649	-1
36)	1,2-dicloropropane	0.0979	0.4652	0.9793	2.4483	4.8965	12.2414	24.4827	36.7241	48.9654	-1
37)	1,4-dioxane	0.0749	0.3559	0.7493	1.8731	3.7463	9.3657	18.7315	28.0972	37.4630	-1
38)	bromodichloromethane	0.1393	0.6617	1.3932	3.4829	6.9658	17.4145	34.8289	52.2434	69.6579	-1
39)	cis-1,3-dichloropropene	0.0926	0.4396	0.9255	2.3138	4.6275	11.5688	23.1377	34.7065	46.2753	-1
40)	4-methyl-2-pentanone	0.0876	0.4162	0.8763	2.1907	4.3815	10.9537	21.9074	32.8612	43.8149	-1
41)	toluene	0.0814	0.3865	0.8137	2.0342	4.0683	10.1708	20.3416	30.5124	40.6832	-1
42)	trans-1,3-dichloropropene	0.1007	0.4784	1.0072	2.5179	5.0358	12.5896	25.1792	37.7688	50.3584	-1
43)	1,1,2-trichloroethane	0.1134	0.5388	1.1344	2.8360	5.6720	14.1799	28.3598	42.5397	56.7195	-1
44)	tetrachloroethene	0.1424	0.6763	1.4237	3.5593	7.1186	17.7966	35.5931	53.3897	71.1862	-1
45)	2-hexanone	0.0876	0.4162	0.8763	2.1907	4.3815	10.9537	21.9074	32.8612	43.8149	-1
46)	dibromochloromethane	0.1788	0.8494	1.7882	4.4704	8.9409	22.3522	44.7044	67.0566	89.4088	-1
47)	1,2-dibromoethane	0.1613	0.7661	1.6129	4.0322	8.0643	20.1608	40.3215	60.4823	80.6431	-1
48)	chlorobenzene-d5	12.0200	12.0200	12.0200	12.0200	12.0200	12.0200	12.0200	12.0200	12.0200	-1
49)	chlorobenzene	0.0976	0.4634	0.9756	2.4390	4.8779	12.1948	24.3895	36.5843	48.7791	-1
50)	ethylbenzene	0.0920	0.4371	0.9202	2.3005	4.6010	11.5025	23.0049	34.5074	46.0099	-1
51)	M+P xylene	0.1806	0.8577	1.8057	4.5142	9.0284	22.5709	45.1418	67.7127	90.2836	-1
52)	O xylene	0.0912	0.4330	0.9115	2.2788	4.5576	11.3940	22.7879	34.1819	45.5758	-1
53)	styrene	0.0894	0.4247	0.8942	2.2354	4.4709	11.1772	22.3544	33.5315	44.7087	-1
54)	bromoform	0.2149	1.0208	2.1491	5.3728	10.7457	26.8642	53.7284	80.5926	107.4567	-1
55)	surr 1, bromofluorobenzene	17.8800	17.8800	17.8800	17.8800	17.8800	17.8800	17.8800	17.8800	17.8800	-1
56)	1,1,2,2-tetrachloroethane	0.1441	0.6845	1.4411	3.6027	7.2053	18.0133	36.0267	54.0400	72.0534	-1
57)	4-ethyltoluene	0.0993	0.4715	0.9926	2.4814	4.9629	12.4072	24.8144	37.2216	49.6287	-1
58)	1,3,5-trimethylbenzene	0.1042	0.4948	1.0417	2.6043	5.2086	13.0214	26.0428	39.0642	52.0856	-1
59)	1,2,4-trimethylbenzene	0.1022	0.4855	1.0221	2.5551	5.1103	12.7757	25.5514	38.3271	51.1029	-1
60)	1,3-dclbenz	0.1250	0.5938	1.2500	3.1251	6.2502	15.6255	31.2510	46.8765	62.5020	-1
61)	1,4-dclbenz	0.1250	0.5938	1.2500	3.1251	6.2502	15.6255	31.2510	46.8765	62.5020	-1
62)	benzyl chloride	0.1076	0.5113	1.0765	2.6912	5.3824	13.4560	26.9120	40.3680	53.8240	-1
63)	1,2-dclbenz	0.1214	0.5766	1.2140	3.0350	6.0699	15.1748	30.3496	45.5243	60.6991	-1
64)	1,2,4-trichlorobenzene	0.1498	0.7118	1.4985	3.7462	7.4924	18.7310	37.4621	56.1931	74.9242	-1
65)	hexachlorobutadiene	0.2175	1.0330	2.1748	5.4369	10.8739	27.1847	54.3694	81.5541	108.7388	-1

000010

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6072.D  
 Acq On : 14 Nov 2008 15:31  
 Sample : 0.02 PPB  
 Misc : PI=0 PF=0

Vial: 2  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:54 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	213205	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.91	114	862919	2.5000	ppbv	0.00
48) chlorobenzene-d5	18.98	117	732479	2.5000	ppbv	-0.03

#### System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.08	174	416308	2.50	ppbv	-0.02
Spiked Amount	2.500	Range	70 - 130	Recovery	=	100.10%

#### Target Compounds

	R.T.	QIon	Response	Conc	Units	Qvalue
2) propylene	5.06	41	7200	0.0467	ppbv #	66
3) dichlorodifluoromethane	5.16	85	7232	0.0234	ppbv	100
4) freon-114	5.49	85	6375	0.0197	ppbv	96
5) chloromethane	5.62	50	2885m	0.0237	ppbv	95
6) vinyl chloride	5.92	62	2491	0.0196	ppbv	95
7) 1,3-butadiene	6.03	54	2419	0.0235	ppbv	97
8) bromomethane	6.74	94	2822	0.0274	ppbv	88
9) chloroethane	6.99	64	1393	0.0223	ppbv #	59
10) trichlorofluoromethane	7.56	101	5962	0.0200	ppbv	93
11) ethanol	0.00	45	0	N.D.	d	
12) freon-113	8.64	101	4894	0.0232	ppbv	98
13) 1,1-dichloroethene	8.65	61	4182	0.0230	ppbv #	62
14) acetone	8.77	43	18748	0.0613	ppbv	92
15) isopropanol	0.00	45	0	N.D.	d	
16) carbon disulfide	9.11	76	7411	0.0230	ppbv	87
17) methylene chloride	9.55	84	2761	0.0285	ppbv	91
18) trans-1,2-dichloroethene	10.09	61	3933	0.0222	ppbv	86
19) methyl tert butyl ether	10.16	73	7379	0.0233	ppbv	98
20) hexane	10.58	57	3979	0.0207	ppbv	96
21) 1,1-dichloroethane	10.83	63	4871	0.0225	ppbv	90
22) vinyl acetate	10.88	43	7377	0.0213	ppbv	98
23) 2-butanone	11.88	43	8915	0.0307	ppbv	97
24) cis-1,2-dichloroethene	11.83	96	3190	0.0280	ppbv	81
25) ethyl acetate	11.95	43	9459	0.0269	ppbv	100
26) chloroform	12.34	83	5219	0.0232	ppbv	98
27) tetrahydrofuran	12.44	72	1237	0.0225	ppbv	96
29) 1,1,1-trichloroethane	12.72	97	5248	0.0219	ppbv	96
30) cyclohexane	12.85	56	4912	0.0229	ppbv	97
31) carbon tetrachloride	13.01	117	5221	0.0223	ppbv	98
32) 1,2-dichloroethane	13.33	62	3815	0.0232	ppbv	98
33) benzene	13.34	78	11579	0.0295	ppbv	97
34) heptane	13.72	71	2915	0.0221	ppbv	99
35) trichloroethene	14.40	130	3828	0.0250	ppbv	96
36) 1,2-dichloropropane	14.77	63	3814	0.0260	ppbv	91
37) 1,4-dioxane	0.00	88	0	N.D.	d	
38) bromodichloromethane	15.20	83	5900	0.0238	ppbv	97
39) cis-1,3-dichloropropene	15.95	75	4749	0.0235	ppbv	94
40) 4-methyl-2-pentanone	16.21	43	10187	0.0279	ppbv	96
41) toluene	16.56	91	10954	0.0262	ppbv	99
42) trans-1,3-dichloropropene	16.87	75	5080	0.0264	ppbv	95
43) 1,1,2-trichloroethane	17.21	97	4014	0.0275	ppbv	93
44) tetrachloroethene	17.54	166	5240	0.0269	ppbv	94

(#) = qualifier out of range (m) = manual integration

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6072.D

Vial: 2

Acq On : 14 Nov 2008 15:31

Operator: T.WALTON

Sample : 0.02 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:54 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.63	43	9229	0.0265	ppbv	96
46) dibromochloromethane	17.93	129	5665	0.0253	ppbv	99
47) 1,2-dibromoethane	18.18	107	5820	0.0281	ppbv	98
49) chlorobenzene	19.04	112	9643	0.0284	ppbv	95
50) ethylbenzene	19.19	91	15045	0.0268	ppbv	98
51) M+P xylene	19.39	91	23217	0.0522	ppbv	97
52) O xylene	20.12	91	11760	0.0255	ppbv	97
53) styrene	20.13	104	8264	0.0241	ppbv	98
54) bromoform	20.50	173	5298	0.0246	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.27	83	11132	0.0316	ppbv	99
57) 4-ethyltoluene	21.72	105	15679	0.0248	ppbv	98
58) 1,3,5-trimethylbenzene	21.83	105	13329	0.0256	ppbv	99
59) 1,2,4-trimethylbenzene	22.54	105	12667	0.0249	ppbv	99
60) 1,3-dclbenz	23.12	146	9222	0.0277	ppbv	97
61) 1,4-dclbenz	23.28	146	8763	0.0266	ppbv	98
62) benzyl chloride	23.50	91	9889	0.0229	ppbv	98
63) 1,2-dclbenz	23.99	146	8751	0.0277	ppbv	98
64) 1,2,4-trichlorobenzene	27.01	180	5891	0.0267	ppbv	98
65) hexachlorobutadiene	27.31	225	7698	0.0309	ppbv	93

-----  
(#) = qualifier out of range (m) = manual integration

A6072.D 111408A.M

Sat Nov 15 08:56:32 2008

OFFLINE

Page 2

00040




# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6072.D  
 Acq On : 14 Nov 2008 15:31  
 Sample : 0.02 PPB  
 Misc : PI=0 PF=0  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 8:47 2008

Vial: 2  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:48:57 2008  
 Response via : Multiple Level Calibration



(5) chloromethane

5.62min 0.0150ppbv

response 1819

Ion	Exp%	Act%
50.00	100	100
52.00	32.30	23.86
0.00	0.00	0.00
0.00	0.00	0.00



## Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6072.D

Vial: 2

Acq On : 14 Nov 2008 15:31

Operator: T.WALTON

Sample : 0.02 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:53 2008



Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:48:57 2008

Response via : Multiple Level Calibration



(5) chloromethane

5.62min 0.0237ppbv m

response 2885

Ion	Exp%	Act%
50.00	100	100
52.00	32.30	15.04
0.00	0.00	0.00
0.00	0.00	0.00

Data File : J:\ACOU\DATA\AIR1\DATA\111408\A6072.D

Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00



MS Integration Params: RTEINT.P

Quant Results File: 111408A.RES

RTE Integrator)

Title : TO-15

1000



Data File : J:\ACQUDATA\AIR1\DATA\111408\A6073.D

Vial: 3

Acq On : 14 Nov 2008 16:16

Operator: T.WALTON

Sample : 0.095 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	208026	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.90	114	838041	2.5000	ppbv	-0.01
48) chlorobenzene-d5	18.98	117	710736	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.08	174	403679	2.50	ppbv	-0.02
Spiked Amount	2.500	Range	70 - 130	Recovery	=	100.04%

## Target Compounds

					Qvalue	
2) propylene	5.06	41	14859	0.0987	ppbv	87
3) dichlorodifluoromethane	5.16	85	28803	0.0957	ppbv	99
4) freon-114	5.49	85	29354	0.0931	ppbv	99
5) chloromethane	5.62	50	10872	0.0916	ppbv	92
6) vinyl chloride	5.91	62	11560	0.0933	ppbv	100
7) 1,3-butadiene	6.03	54	9806	0.0975	ppbv	99
8) bromomethane	6.74	94	9515	0.0949	ppbv	91
9) chloroethane	6.98	64	5644	0.0926	ppbv	79
10) trichlorofluoromethane	7.56	101	26036	0.0896	ppbv	97
11) ethanol	7.97	45	3533	0.0982	ppbv #	37
12) freon-113	8.64	101	20110	0.0977	ppbv	96
13) 1,1-dichloroethene	8.65	61	16451	0.0927	ppbv	81
14) acetone	8.77	43	33916	0.1137	ppbv	95
15) isopropanol	9.07	45	13220	0.1040	ppbv	97
16) carbon disulfide	9.11	76	29695	0.0946	ppbv	94
17) methylene chloride	9.55	84	9752	0.1030	ppbv	87
18) trans-1,2-dichloroethene	10.08	61	16168	0.0937	ppbv	88
19) methyl tert butyl ether	10.15	73	30243	0.0980	ppbv	98
20) hexane	10.58	57	17644	0.0939	ppbv	100
21) 1,1-dichloroethane	10.82	63	21035	0.0998	ppbv	100
22) vinyl acetate	10.88	43	29216	0.0866	ppbv	99
23) 2-butanone	11.86	43	29064	0.1027	ppbv	98
24) cis-1,2-dichloroethene	11.83	96	10241	0.0920	ppbv	95
25) ethyl acetate	11.94	43	33187	0.0967	ppbv	98
26) chloroform	12.35	83	21927	0.0997	ppbv	100
27) tetrahydrofuran	12.42	72	4938	0.0919	ppbv	99
29) 1,1,1-trichloroethane	12.72	97	21605	0.0930	ppbv	97
30) cyclohexane	12.85	56	17731	0.0851	ppbv	95
31) carbon tetrachloride	13.02	117	20015	0.0879	ppbv	100
32) 1,2-dichloroethane	13.34	62	15626	0.0980	ppbv	97
33) benzene	13.34	78	36532	0.0957	ppbv	98
34) heptane	13.72	71	10837	0.0847	ppbv	99
35) trichloroethene	14.40	130	13409	0.0900	ppbv	95
36) 1,2-dichloropropane	14.77	63	13477	0.0945	ppbv	94
37) 1,4-dioxane	15.06	88	3493	0.1007	ppbv	98
38) bromodichloromethane	15.20	83	21290	0.0883	ppbv	99
39) cis-1,3-dichloropropene	15.94	75	16638	0.0847	ppbv	97
40) 4-methyl-2-pentanone	16.21	43	31935	0.0901	ppbv	99
41) toluene	16.56	91	37261	0.0918	ppbv	99
42) trans-1,3-dichloropropene	16.86	75	17059	0.0912	ppbv	98
43) 1,1,2-trichloroethane	17.20	97	13412	0.0946	ppbv	89
44) tetrachloroethene	17.54	166	16624	0.0878	ppbv	99

(# ) = qualifier out of range (m) = manual integration

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6073.D

Vial: 3

Acq On : 14 Nov 2008 16:16

Operator: T.WALTON

Sample : 0.095 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.62	43	29974	0.0885	ppbv	99
46) dibromochloromethane	17.93	129	18142	0.0835	ppbv	97
47) 1,2-dibromoethane	18.18	107	17895	0.0889	ppbv	100
49) chlorobenzene	19.03	112	30349	0.0923	ppbv	98
50) ethylbenzene	19.19	91	48333	0.0887	ppbv	98
51) M+P xylene	19.39	91	74242	0.1721	ppbv	100
52) O xylene	20.12	91	37304	0.0832	ppbv	100
53) styrene	20.13	104	26511	0.0797	ppbv	97
54) bromoform	20.51	173	15612	0.0746	ppbv	98
56) 1,1,2,2-tetrachloroethane	21.26	83	31154	0.0912	ppbv	99
57) 4-ethyltoluene	21.72	105	48890	0.0796	ppbv	97
58) 1,3,5-trimethylbenzene	21.83	105	42657	0.0843	ppbv	98
59) 1,2,4-trimethylbenzene	22.54	105	39979	0.0808	ppbv	99
60) 1,3-dclbenz	23.12	146	26956	0.0835	ppbv	98
61) 1,4-dclbenz	23.28	146	26215	0.0821	ppbv	98
62) benzyl chloride	23.50	91	31375	0.0750	ppbv	99
63) 1,2-dclbenz	23.99	146	24504	0.0799	ppbv	98
64) 1,2,4-trichlorobenzene	27.01	180	17989	0.0839	ppbv	97
65) hexachlorobutadiene	27.31	225	22524	0.0931	ppbv	98

-----  
(#) = qualifier out of range (m) = manual integration

A6073.D 111408A.M

Sat Nov 15 08:47:19 2008

OFFLINE

Page 2

00050

Time, s	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00
Time, s	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6074.D

Vial: 3

Acq On : 14 Nov 2008 17:01

Operator: T.WALTON

Sample : 0.20 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	205921	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.91	114	780689	2.5000	ppbv	-0.01
48) chlorobenzene-d5	18.98	117	646753	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.07	174	356293	2.43	ppbv	-0.03
Spiked Amount	2.500	Range	70 - 130	Recovery	=	97.03%

## Target Compounds

					Qvalue	
2) propylene	5.05	41	29435	0.1975	ppbv	95
3) dichlorodifluoromethane	5.15	85	61317	0.2058	ppbv	100
4) freon-114	5.49	85	64598	0.2070	ppbv	97
5) chloromethane	5.62	50	24333	0.2072	ppbv	98
6) vinyl chloride	5.92	62	25213	0.2055	ppbv	100
7) 1,3-butadiene	6.03	54	20966	0.2107	ppbv	99
8) bromomethane	6.74	94	19295	0.1943	ppbv	95
9) chloroethane	6.98	64	12233	0.2028	ppbv	95
10) trichlorofluoromethane	7.56	101	59370	0.2065	ppbv	100
11) ethanol	7.98	45	7490	0.2103	ppbv	99
12) freon-113	8.64	101	45278	0.2222	ppbv	100
13) 1,1-dichloroethene	8.64	61	37928	0.2159	ppbv	91
14) acetone	8.76	43	53055	0.1797	ppbv	94
15) isopropanol	9.05	45	29423	0.2338	ppbv	97
16) carbon disulfide	9.12	76	64619	0.2079	ppbv	98
17) methylene chloride	9.55	84	19887	0.2122	ppbv	92
18) trans-1,2-dichloroethene	10.08	61	35867	0.2101	ppbv	92
19) methyl tert butyl ether	10.14	73	60628	0.1985	ppbv	98
20) hexane	10.57	57	37882	0.2036	ppbv	100
21) 1,1-dichloroethane	10.82	63	44319	0.2124	ppbv	100
22) vinyl acetate	10.88	43	58894	0.1763	ppbv	99
23) 2-butanone	11.86	43	56547	0.2019	ppbv	97
24) cis-1,2-dichloroethene	11.84	96	22109	0.2007	ppbv	96
25) ethyl acetate	11.94	43	67479	0.1987	ppbv	98
26) chloroform	12.34	83	45691	0.2100	ppbv	100
27) tetrahydrofuran	12.41	72	9749	0.1833	ppbv	99
29) 1,1,1-trichloroethane	12.72	97	46577	0.2152	ppbv	96
30) cyclohexane	12.85	56	39972	0.2059	ppbv	96
31) carbon tetrachloride	13.01	117	43818	0.2066	ppbv	100
32) 1,2-dichloroethane	13.34	62	33250	0.2239	ppbv	98
33) benzene	13.34	78	73424	0.2065	ppbv	98
34) heptane	13.72	71	23852	0.2001	ppbv	99
35) trichloroethene	14.40	130	28339	0.2042	ppbv	95
36) 1,2-dichloropropane	14.77	63	27562	0.2074	ppbv	97
37) 1,4-dioxane	15.05	88	9403	0.2910	ppbv	93
38) bromodichloromethane	15.20	83	44988	0.2003	ppbv	98
39) cis-1,3-dichloropropene	15.95	75	35186	0.1922	ppbv	99
40) 4-methyl-2-pentanone	16.21	43	65866	0.1996	ppbv	100
41) toluene	16.56	91	77485	0.2049	ppbv	97
42) trans-1,3-dichloropropene	16.87	75	34459	0.1978	ppbv	98
43) 1,1,2-trichloroethane	17.20	97	26556	0.2010	ppbv	93
44) tetrachloroethene	17.53	166	35206	0.1995	ppbv	99

(#)=qualifier out of range (m)=manual integration

A6074.D 111408A.M

Sat Nov 15 08:47:23 2008

OFFLINE

Page 1

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6074.D  
Acq On : 14 Nov 2008 17:01  
Sample : 0.20 PPB  
Misc : PI=0 PF=0  
MS Integration Params: RTEINT.P  
Quant Time: Nov 15 8:47 2008


Vial: 3  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)  
Title : TO-15  
Last Update : Sat Nov 15 08:27:05 2008  
Response via : Initial Calibration  
DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.62	43	62218	0.1971	ppbv	99
46) dibromochloromethane	17.93	129	37783	0.1866	ppbv	100
47) 1,2-dibromoethane	18.18	107	37197	0.1983	ppbv	100
49) chlorobenzene	19.03	112	61467	0.2054	ppbv	98
50) ethylbenzene	19.19	91	98947	0.1996	ppbv	99
51) M+P xylene	19.39	91	157215	0.4004	ppbv	99
52) O xylene	20.12	91	78392	0.1922	ppbv	100
53) styrene	20.13	104	57320	0.1894	ppbv	96
54) bromoform	20.51	173	32481	0.1707	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.26	83	61555	0.1980	ppbv	100
57) 4-ethyltoluene	21.72	105	100892	0.1806	ppbv	100
58) 1,3,5-trimethylbenzene	21.83	105	85829	0.1865	ppbv	97
59) 1,2,4-trimethylbenzene	22.54	105	81651	0.1814	ppbv	99
60) 1,3-dclbenz	23.12	146	54214	0.1845	ppbv	97
61) 1,4-dclbenz	23.28	146	53412	0.1838	ppbv	98
62) benzyl chloride	23.50	91	64875	0.1703	ppbv	99
63) 1,2-dclbenz	23.99	146	49626	0.1779	ppbv	98
64) 1,2,4-trichlorobenzene	27.02	180	35017	0.1795	ppbv	100
65) hexachlorobutadiene	27.31	225	45116	0.2049	ppbv	96

(#) = qualifier out of range (m) = manual integration

[illegible]



Data File : J:\ACQUDATA\AIR1\DATA\111408\A6075.D  
 Acq On : 14 Nov 2008 17:46  
 Sample : 0.50 PPB  
 Misc : PI=0 PF=0  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 9:05 2008

Vial: 3  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:27:05 2008  
 Response via : Initial Calibration  
 DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	207599	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.90	114	819303	2.5000	ppbv	-0.01
48) chlorobenzene-d5	18.98	117	685400	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene 21.07 174 381536 2.45 ppbv -0.03  
 Spiked Amount 2.500 Range 70 - 130 Recovery = 98.04%

## Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) propylene	5.05	41	66658	0.4436	ppbv	100
3) dichlorodifluoromethane	5.15	85	150750	0.5018	ppbv	100
4) freon-114	5.49	85	158616	0.5041	ppbv	99
5) chloromethane	5.62	50	58489	0.4941	ppbv	100
6) vinyl chloride	5.92	62	62641	0.5064	ppbv	98
7) 1,3-butadiene	6.03	54	53358	0.5318	ppbv	97
8) bromomethane	6.74	94	46763	0.4671	ppbv	100
9) chloroethane	6.98	64	30253	0.4974	ppbv	98
10) trichlorofluoromethane	7.56	101	140770	0.4857	ppbv	99
11) ethanol	7.98	45	12939	0.3604	ppbv	98
12) freon-113	8.64	101	109356	0.5322	ppbv	100
13) 1,1-dichloroethene	8.65	61	93050	0.5253	ppbv	91
14) acetone	8.75	43	123309	0.4143	ppbv	96
15) isopropanol	9.05	45	52334	0.4125	ppbv	100
16) carbon disulfide	9.11	76	157815	0.5037	ppbv	99
17) methylene chloride	9.55	84	49096	0.5197	ppbv	88
18) trans-1,2-dichloroethene	10.08	61	89268	0.5186	ppbv	93
19) methyl tert butyl ether	10.13	73	159266	0.5172	ppbv	100
20) hexane	10.58	57	98508	0.5251	ppbv	99
21) 1,1-dicethane	10.82	63	112038	0.5326	ppbv	100
22) vinyl acetate	10.88	43	165019	0.4901	ppbv	99
23) 2-butanone	11.85	43	147949	0.5240	ppbv	98
24) cis-1,2-dichloroethene	11.83	96	55224	0.4972	ppbv	98
25) ethyl acetate	11.93	43	178420	0.5211	ppbv	100
26) chloroform	12.34	83	114438	0.5217	ppbv	100
27) tetrahydrofuran	12.41	72	27487	0.5125	ppbv	99
29) 1,1,1-trichloroethane	12.72	97	117054	0.5154	ppbv	96
30) cyclohexane	12.85	56	104763	0.5141	ppbv	97
31) carbon tetrachloride	13.02	117	111238	0.4998	ppbv	100
32) 1,2-dichloroethane	13.34	62	83121	0.5333	ppbv	98
33) benzene	13.35	78	186768	0.5005	ppbv	98
34) heptane	13.72	71	63542	0.5080	ppbv	99
35) trichloroethene	14.40	130	71408	0.4903	ppbv	96
36) 1,2-dicloropropane	14.77	63	71732	0.5144	ppbv	96
37) 1,4-dioxane	15.03	88	18474m	0.5447	ppbv	98
38) bromodichloromethane	15.20	83	117405	0.4982	ppbv	98
39) cis-1,3-dichloropropene	15.94	75	92377	0.4808	ppbv	99
40) 4-methyl-2-pentanone	16.20	43	173850	0.5020	ppbv	98
41) toluene	16.56	91	210279	0.5298	ppbv	99
42) trans-1,3-dichloropropene	16.86	75	95791	0.5240	ppbv	99
43) 1,1,2-trichloroethane	17.20	97	68642	0.4950	ppbv	93
44) tetrachloroethene	17.53	166	90277	0.4875	ppbv	98

(#) = qualifier out of range (m) = manual integration

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6075.D

Vial: 3

Acq On : 14 Nov 2008 17:46

Operator: T.WALTON

Sample : 0.50 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 9:05 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.62	43	164492	0.4966	ppbv	97
46) dibromochloromethane	17.93	129	101926	0.4797	ppbv	100
47) 1,2-dibromoethane	18.17	107	98445	0.5000	ppbv	98
49) chlorobenzene	19.03	112	162325	0.5118	ppbv	99
50) ethylbenzene	19.19	91	273381	0.5203	ppbv	100
51) M+P xylene	19.39	91	436292	1.0486	ppbv	100
52) O xylene	20.12	91	220942	0.5112	ppbv	98
53) styrene	20.13	104	162217	0.5057	ppbv	95
54) bromoform	20.51	173	91816	0.4552	ppbv	98
56) 1,1,2,2-tetrachloroethane	21.26	83	164378	0.4989	ppbv	98
57) 4-ethyltoluene	21.72	105	287529	0.4856	ppbv	100
58) 1,3,5-trimethylbenzene	21.83	105	250071	0.5127	ppbv	98
59) 1,2,4-trimethylbenzene	22.54	105	235778	0.4943	ppbv	99
60) 1,3-dclbenz	23.12	146	148125	0.4757	ppbv	97
61) 1,4-dclbenz	23.28	146	145646	0.4730	ppbv	99
62) benzyl chloride	23.50	91	188907	0.4680	ppbv	100
63) 1,2-dclbenz	23.99	146	137067	0.4635	ppbv	98
64) 1,2,4-trichlorobenzene	27.01	180	100156	0.4845	ppbv	99
65) hexachlorobutadiene	27.31	225	118382	0.5072	ppbv	97

-----

(#) = qualifier out of range (m) = manual integration



# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6075.D  
 Acq On : 14 Nov 2008 17:46  
 Sample : 0.50 PPB  
 Misc : PI=0 PF=0  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 8:47 2008

Vial: 3  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:48:57 2008  
 Response via : Multiple Level Calibration



(37) 1,4-dioxane

15.30min 0.0056ppbv


response 190

Ion	Exp%	Act%
88.00	100	100
58.00	91.80	94.74
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6075.D Vial: 3  
 Acq On : 14 Nov 2008 17:46 Operator: T.WALTON  
 Sample : 0.50 PPB Inst : GC/MS Ins  
 Misc : PI=0 PF=0 Multiplr: 1.00  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 9:05 2008 Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:48:57 2008  
 Response via : Multiple Level Calibration



(37) 1,4-dioxane

15.03min 0.5447ppbv m

response 18474


Ion	Exp%	Act%
88.00	100	100
58.00	91.80	0.97#
0.00	0.00	0.00
0.00	0.00	0.00

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6075.D  
Acq On : 14 Nov 2008 17:46  
Sample : 0.50 PPB  
Misc : PI=0 PF=0  
MS Integration Params: RTEINT.P  
Quant Time: Nov 15 9:05 2008

Vial: 3  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Quant Results File: 111408A.RES

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
Title : TO-15  
Last Update : Sat Nov 15 08:48:57 2008  
Response via : Initial Calibration



Data File : J:\ACQUDATA\AIR1\DATA\111408\A6076.D

Vial: 4

Acq On : 14 Nov 2008 18:31

Operator: T.WALTON

Sample : 1.0 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	204544	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.91	114	787639	2.5000	ppbv	0.00
48) chlorobenzene-d5	18.98	117	664084	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.08	174	376680	2.50	ppbv	-0.02
Spiked Amount	2.500	Range	70 - 130	Recovery	=	99.90%

## Target Compounds

					Qvalue	
2) propylene	5.05	41	118394	0.7996	ppbv	99
3) dichlorodifluoromethane	5.15	85	292870	0.9894	ppbv	99
4) freon-114	5.49	85	313051	1.0097	ppbv	98
5) chloromethane	5.62	50	114446	0.9812	ppbv	99
6) vinyl chloride	5.92	62	121242	0.9948	ppbv	100
7) 1,3-butadiene	6.03	54	106079	1.0730	ppbv	98
8) bromomethane	6.74	94	94717	0.9603	ppbv	100
9) chloroethane	6.98	64	57564	0.9606	ppbv	98
10) trichlorofluoromethane	7.56	101	289847	1.0149	ppbv	100
11) ethanol	7.97	45	40706	1.1507	ppbv	98
12) freon-113	8.64	101	200412	0.9900	ppbv	99
13) 1,1-dichloroethene	8.65	61	190050	1.0890	ppbv	93
14) acetone	8.75	43	181654	0.6195	ppbv	94
15) isopropanol	9.03	45	198446	1.5877	ppbv	96
16) carbon disulfide	9.12	76	322596	1.0450	ppbv	100
17) methylene chloride	9.55	84	91116	0.9789	ppbv	89
18) trans-1,2-dichloroethene	10.08	61	167089	0.9852	ppbv	92
19) methyl tert butyl ether	10.12	73	268172	0.8839	ppbv	99
20) hexane	10.58	57	182850	0.9892	ppbv	100
21) 1,1-dichloroethane	10.82	63	198921	0.9597	ppbv	99
22) vinyl acetate	10.88	43	261886	0.7894	ppbv	98
23) 2-butanone	11.85	43	247316	0.8890	ppbv	98
24) cis-1,2-dichloroethene	11.83	96	98841	0.9033	ppbv	99
25) ethyl acetate	11.93	43	298933	0.8862	ppbv	100
26) chloroform	12.34	83	204230	0.9449	ppbv	100
27) tetrahydrofuran	12.40	72	47482	0.8986	ppbv	98
29) 1,1,1-trichloroethane	12.72	97	208577	0.9552	ppbv	96
30) cyclohexane	12.84	56	194356	0.9921	ppbv	98
31) carbon tetrachloride	13.02	117	204126	0.9540	ppbv	100
32) 1,2-dichloroethane	13.33	62	139256	0.9293	ppbv	99
33) benzene	13.34	78	314443	0.8765	ppbv	98
34) heptane	13.72	71	115779	0.9628	ppbv	98
35) trichloroethene	14.40	130	130787	0.9340	ppbv	97
36) 1,2-dichloropropane	14.77	63	115741	0.8634	ppbv	96
37) 1,4-dioxane	15.02	88	57692	1.7695	ppbv	90
38) bromodichloromethane	15.20	83	208995	0.9225	ppbv	99
39) cis-1,3-dichloropropene	15.95	75	155525	0.8420	ppbv	99
40) 4-methyl-2-pentanone	16.20	43	319925	0.9609	ppbv	98
41) toluene	16.56	91	335479	0.8792	ppbv	99
42) trans-1,3-dichloropropene	16.86	75	158373	0.9011	ppbv	98
43) 1,1,2-trichloroethane	17.20	97	110556	0.8293	ppbv	93
44) tetrachloroethene	17.54	166	160002	0.8987	ppbv	99

(#)=qualifier out of range (m)=manual integration

A6076.D 111408A.M

Sat Nov 15 08:47:31 2008

OFFLINE

Page 1

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6076.D

Vial: 4

Acq On : 14 Nov 2008 18:31

Operator: T.WALTON

Sample : 1.0 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.62	43	317903	0.9983	ppbv	96
46) dibromochloromethane	17.93	129	181269	0.8874	ppbv	99
47) 1,2-dibromoethane	18.18	107	158800	0.8389	ppbv	99
49) chlorobenzene	19.03	112	261262	0.8501	ppbv	99
50) ethylbenzene	19.18	91	431518	0.8476	ppbv	100
51) M+P xylene	19.39	91	689344	1.7100	ppbv	100
52) O xylene	20.12	91	354254	0.8460	ppbv	98
53) styrene	20.13	104	262878	0.8458	ppbv	94
54) bromoform	20.51	173	162722	0.8327	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.26	83	263554	0.8256	ppbv	99
57) 4-ethyltoluene	21.73	105	476982	0.8314	ppbv	100
58) 1,3,5-trimethylbenzene	21.82	105	414895	0.8779	ppbv	98
59) 1,2,4-trimethylbenzene	22.54	105	397401	0.8599	ppbv	99
60) 1,3-dclbenz	23.12	146	244775	0.8113	ppbv	98
61) 1,4-dclbenz	23.28	146	242262	0.8120	ppbv	98
62) benzyl chloride	23.50	91	326879	0.8357	ppbv	98
63) 1,2-dclbenz	23.99	146	223065	0.7786	ppbv	98
64) 1,2,4-trichlorobenzene	27.01	180	147704	0.7375	ppbv	99
65) hexachlorobutadiene	27.31	225	176356	0.7799	ppbv	96

-----  
(#) = qualifier out of range (m) = manual integration


Data File : J:\ACQUDATA\AIR1\DATA\111408\A6076.D  
Acq On : 14 Nov 2008 18:31  
Sample : 1.0 PPB  
Misc : PI=0 PF=0  
MS Integration Params: RTEINT.P  
Quant Time: Nov15 8:47 2008  
Quant

Vial: 4  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Quant Results File: 111408A.RES

```
Method : J:\ACQDATA\AIR1\METHODS\111408A.M (RTE Integrator)
Title  : TC-15
```

Last Update : Sat Nov 15 08:27:05 2008  
Response via : Initial Calibration





Data File : J:\ACQUDATA\AIR1\DATA\111408\A6077.D

Vial: 4

Acq On : 14 Nov 2008 19:16

Operator: T.WALTON

Sample : 2.5 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	206387	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.91	114	786696	2.5000	ppbv	0.00
48) chlorobenzene-d5	18.98	117	655993	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.08	174	367473	2.47	ppbv	-0.03
Spiked Amount	2.500	Range	70 - 130	Recovery	=	98.66%

## Target Compounds

					Qvalue	
2) propylene	5.06	41	298118	1.9954	ppbv	97
3) dichlorodifluoromethane	5.15	85	733965	2.4575	ppbv	100
4) freon-114	5.50	85	780587	2.4952	ppbv	97
5) chloromethane	5.63	50	290671	2.4697	ppbv	100
6) vinyl chloride	5.92	62	311758	2.5352	ppbv	100
7) 1,3-butadiene	6.02	54	273404	2.7408	ppbv	98
8) bromomethane	6.74	94	238111	2.3925	ppbv	98
9) chloroethane	6.98	64	153443	2.5378	ppbv	99
10) trichlorofluoromethane	7.56	101	723556	2.5110	ppbv	99
11) ethanol	7.97	45	95731	2.6821	ppbv	100
12) freon-113	8.64	101	544573	2.6661	ppbv	100
13) 1,1-dichloroethene	8.65	61	493427	2.8022	ppbv	92
14) acetone	8.74	43	517148	1.7478	ppbv	95
15) isopropanol	9.02	45	449081	3.5609	ppbv	94
16) carbon disulfide	9.12	76	809800	2.5999	ppbv	100
17) methylene chloride	9.55	84	245530	2.6142	ppbv	88
18) trans-1,2-dichloroethene	10.08	61	456319	2.6665	ppbv	92
19) methyl tert butyl ether	10.12	73	819091	2.6757	ppbv	100
20) hexane	10.58	57	522139	2.7994	ppbv	99
21) 1,1-dichloroethane	10.83	63	558041	2.6684	ppbv	100
22) vinyl acetate	10.88	43	860680	2.5710	ppbv	98
23) 2-butanone	11.84	43	728530	2.5954	ppbv	98
24) cis-1,2-dichloroethene	11.83	96	280890	2.5440	ppbv	99
25) ethyl acetate	11.92	43	884979	2.6001	ppbv	99
26) chloroform	12.35	83	571961	2.6226	ppbv	99
27) tetrahydrofuran	12.39	72	150330	2.8196	ppbv	98
29) 1,1,1-trichloroethane	12.71	97	587607	2.6943	ppbv	96
30) cyclohexane	12.85	56	555257	2.8378	ppbv	98
31) carbon tetrachloride	13.01	117	586068	2.7422	ppbv	99
32) 1,2-dichloroethane	13.33	62	403062	2.6931	ppbv	99
33) benzene	13.34	78	922373	2.5742	ppbv	98
34) heptane	13.72	71	339700	2.8282	ppbv	97
35) trichloroethene	14.40	130	361882	2.5876	ppbv	97
36) 1,2-dichloropropane	14.77	63	353680	2.6415	ppbv	96
37) 1,4-dioxane	15.00	88	141458	4.3440	ppbv	94
38) bromodichloromethane	15.20	83	602353	2.6620	ppbv	100
39) cis-1,3-dichloropropene	15.95	75	484957	2.6288	ppbv	99
40) 4-methyl-2-pentanone	16.19	43	907426	2.7288	ppbv	96
41) toluene	16.56	91	1054523	2.7670	ppbv	100
42) trans-1,3-dichloropropene	16.86	75	505084	2.8773	ppbv	98
43) 1,1,2-trichloroethane	17.20	97	337110	2.5319	ppbv	93
44) tetrachloroethene	17.53	166	462489	2.6008	ppbv	99

(#)=qualifier out of range (m)=manual integration

A6077.D 111408A.M

Sat Nov 15 08:47:35 2008

OFFLINE

Page 1

000000

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6077.D

Vial: 4

Acq On : 14 Nov 2008 19:16

Operator: T.WALTON

Sample : 2.5 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.61	43	901958	2.8358	ppbv	95
46) dibromochloromethane	17.93	129	552777	2.7094	ppbv	100
47) 1,2-dibromoethane	18.18	107	493387	2.6097	ppbv	100
49) chlorobenzene	19.04	112	798351	2.6298	ppbv	100
50) ethylbenzene	19.19	91	1386713	2.7576	ppbv	99
51) M+P xylene	19.38	91	2182325	5.4804	ppbv	99
52) O xylene	20.12	91	1144770	2.7677	ppbv	97
53) styrene	20.13	104	866127	2.8211	ppbv	94
54) bromoform	20.51	173	537128	2.7824	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.26	83	801749	2.5427	ppbv	100
57) 4-ethyltoluene	21.73	105	1534570	2.7078	ppbv	99
58) 1,3,5-trimethylbenzene	21.83	105	1322346	2.8326	ppbv	97
59) 1,2,4-trimethylbenzene	22.54	105	1277721	2.7989	ppbv	97
60) 1,3-dclbenz	23.12	146	797098	2.6744	ppbv	97
61) 1,4-dclbenz	23.27	146	793948	2.6940	ppbv	98
62) benzyl chloride	23.50	91	1112805	2.8802	ppbv	97
63) 1,2-dclbenz	23.99	146	726003	2.5653	ppbv	98
64) 1,2,4-trichlorobenzene	27.01	180	477087	2.4115	ppbv	99
65) hexachlorobutadiene	27.31	225	535297	2.3963	ppbv	97

-----  
(#) = qualifier out of range (m) = manual integration

A6077.D 111408A.M

Sat Nov 15 08:47:36 2008

OFFLINE

Page 2

20067

TELETYPE REPORT

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6077.D  
Acq On : 14 Nov 2008 19:16  
Sample : 2.5 PPB  
Misc : PI=0 PF=0  
MS Integration Params: RTEINT.P  
Quant Time: Nov 15 8:47 2008

Vial: 4  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00


Quant Results File: 111408A.RES

```
Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)
Title  : TO-15
```

Last Update : Sat Nov 15 08:27:05 2008  
Response via : Initial Calibration

**THE**

TIC: A6077.D



Data File : J:\ACQUDATA\AIR1\DATA\111408\A6078.D

Acq On : 14 Nov 2008 20:02

Sample : 5.0 PPB

Misc : PI=0 PF=0

MS Integration Params: RTEINT.P

Quant Time: Nov 15 9:08 2008

Vial: 4

Operator: T.WALTON

Inst : GC/MS Ins

Multiplr: 1.00

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	200909	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.90	114	773231	2.5000	ppbv	-0.01
48) chlorobenzene-d5	18.98	117	641830	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.08	174	365403	2.51	ppbv	-0.02
Spiked Amount	2.500	Range	70 - 130	Recovery	=	100.27%

## Target Compounds

					Qvalue	
2) propylene	5.06	41	594738	4.0894	ppbv	97
3) dichlorodifluoromethane	5.16	85	1444892	4.9698	ppbv	99
4) freon-114	5.49	85	1550755	5.0922	ppbv	97
5) chloromethane	5.63	50	573624	5.0068	ppbv	100
6) vinyl chloride	5.92	62	625259	5.2232	ppbv	100
7) 1,3-butadiene	6.03	54	552662	5.6914	ppbv	96
8) bromomethane	6.74	94	469373	4.8448	ppbv	100
9) chloroethane	6.97	64	302105	5.1328	ppbv	99
10) trichlorofluoromethane	7.56	101	1424162	5.0771	ppbv	100
11) ethanol	7.96	45	106924	3.0773	ppbv	99
12) freon-113	8.64	101	1083790	5.4506	ppbv	99
13) 1,1-dichloroethene	8.64	61	976881	5.6990	ppbv	90
14) acetone	8.73	43	1024405	3.5565	ppbv	94
15) isopropanol	9.01	45	450647	3.6707	ppbv	94
16) carbon disulfide	9.11	76	1599797	5.2762	ppbv	100
17) methylene chloride	9.55	84	488194	5.3396	ppbv	88
18) trans-1,2-dichloroethene	10.08	61	911230	5.4700	ppbv	91
19) methyl tert butyl ether	10.11	73	1681571	5.6429	ppbv	100
20) hexane	10.58	57	1058129	5.8277	ppbv	98
21) 1,1-dichloroethane	10.82	63	1109296	5.4489	ppbv	100
22) vinyl acetate	10.87	43	1774315	5.4448	ppbv	98
23) 2-butanone	11.83	43	1456598	5.3306	ppbv	97
24) cis-1,2-dichloroethene	11.83	96	571634	5.3184	ppbv	99
25) ethyl acetate	11.92	43	1758070	5.3062	ppbv	98
26) chloroform	12.34	83	1137536	5.3582	ppbv	99
27) tetrahydrofuran	12.38	72	313111	6.0328	ppbv	97
29) 1,1,1-trichloroethane	12.72	97	1179093	5.5006	ppbv	97
30) cyclohexane	12.85	56	1114350	5.7944	ppbv	96
31) carbon tetrachloride	13.02	117	1182620	5.6298	ppbv	100
32) 1,2-dichloroethane	13.33	62	813431	5.5297	ppbv	99
33) benzene	13.34	78	1863727	5.2919	ppbv	99
34) heptane	13.72	71	704793	5.9699	ppbv	96
35) trichloroethene	14.40	130	740148	5.3844	ppbv	97
36) 1,2-dichloropropane	14.77	63	726175	5.5180	ppbv	96
37) 1,4-dioxane	15.00	88	177852m	5.5567	ppbv	96
38) bromodichloromethane	15.20	83	1226024	5.5125	ppbv	100
39) cis-1,3-dichloropropene	15.95	75	1009657	5.5682	ppbv	99
40) 4-methyl-2-pentanone	16.19	43	1811408	5.5420	ppbv	96
41) toluene	16.56	91	2169827	5.7926	ppbv	99
42) trans-1,3-dichloropropene	16.86	75	1050232	6.0869	ppbv	97
43) 1,1,2-trichloroethane	17.20	97	697185	5.3274	ppbv	92
44) tetrachloroethene	17.54	166	959438	5.4893	ppbv	98

(#)=qualifier out of range (m)=manual integration

A6078.D 111408A.M

Sat Nov 15 09:09:20 2008

OFFLINE

Page 1

000000

TW  
11-15-08  
updated RT  
from this  
standard.

(M) TW 11-15-08

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6078.D

Vial: 4

Acq On : 14 Nov 2008 20:02

Operator: T.WALTON

Sample : 5.0 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 9:08 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.60	43	1773396	5.6728	ppbv	93
46) dibromochloromethane	17.93	129	1160396	5.7866	ppbv	99
47) 1,2-dibromoethane	18.18	107	1016757	5.4717	ppbv	100
49) chlorobenzene	19.03	112	1638309	5.5158	ppbv	100
50) ethylbenzene	19.19	91	2824789	5.7412	ppbv	98
51) M+P xylene	19.39	91	4371717	11.2207	ppbv	96
52) O xylene	20.12	91	2360889	5.8338	ppbv	96
53) styrene	20.13	104	1800369	5.9935	ppbv	94
54) bromoform	20.51	173	1160376	6.1436	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.26	83	1638833	5.3121	ppbv	100
57) 4-ethyltoluene	21.73	105	3138812	5.6608	ppbv	97
58) 1,3,5-trimethylbenzene	21.83	105	2695598	5.9017	ppbv	96
59) 1,2,4-trimethylbenzene	22.54	105	2634401	5.8982	ppbv	96
60) 1,3-dclbenz	23.12	146	1662189	5.7000	ppbv	98
61) 1,4-dclbenz	23.28	146	1669900	5.7913	ppbv	98
62) benzyl chloride	23.50	91	2349543	6.2154	ppbv	96
63) 1,2-dclbenz	23.99	146	1528887	5.5214	ppbv	98
64) 1,2,4-trichlorobenzene	27.01	180	1047908	5.4137	ppbv	99
65) hexachlorobutadiene	27.31	225	1072484	4.9071	ppbv	96

-----  
(#) = qualifier out of range (m) = manual integration

A6078.D 111408A.M

Sat Nov 15 09:09:20 2008

OFFLINE

Page 2

00070



# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6078.D  
 Acq On : 14 Nov 2008 20:02  
 Sample : 5.0 PPB  
 Misc : PI=0 PF=0  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 8:47 2008

Vial: 4  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:48:57 2008  
 Response via : Multiple Level Calibration



(37) 1,4-dioxane

15.32min 0.0043ppbv

response 139

Ion	Exp%	Act%
88.00	100	100
58.00	91.80	84.89
0.00	0.00	0.00
0.00	0.00	0.00


## Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6078.D  
Acq On : 14 Nov 2008 20:02  
Sample : 5.0 PPB  
Misc : PI=0 PF=0  
MS Integration Params: RTEINT.P  
Quant Time: Nov 15 9:08 2008

Vial: 4  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
Title : TO-15  
Last Update : Sat Nov 15 08:48:57 2008  
Response via : Multiple Level Calibration



(37) 1,4-dioxane

15.00min 5.5567ppbv m


response 177852

ion	Exp%	Act%
88.00	100	100
58.00	91.80	0.07#
0.00	0.00	0.00
0.00	0.00	0.00

Vial: 4

```
Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)
Title : TO-15
Last Update : Sat Nov 15 08:48:57 2008
Response via : Initial Calibration
```

TIC: A6078.D





Data File : J:\ACQUDATA\AIR1\DATA\111408\A6079.D

Acq On : 14 Nov 2008 20:50

Sample : 7.5 PPB

Misc : PI=0 PF=0

MS Integration Params: RTEINT.P

Quant Time: Nov 15 9:10 2008

Vial: 4

Operator: T.WALTON

Inst : GC/MS Ins

Multiplr: 1.00

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	203631	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.91	114	777474	2.5000	ppbv	0.00
48) chlorobenzene-d5	18.98	117	657464	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.07	174	382580	2.56	ppbv	-0.03
Spiked Amount	2.500	Range	70 - 130	Recovery	=	102.49%

## Target Compounds

					Qvalue	
2) propylene	5.05	41	888654	6.0286	ppbv	97
3) dichlorodifluoromethane	5.15	85	2156474	7.3182	ppbv	99
4) freon-114	5.50	85	2306292	7.4720	ppbv	96
5) chloromethane	5.62	50	858270	7.3911	ppbv	99
6) vinyl chloride	5.92	62	937718	7.7286	ppbv	100
7) 1,3-butadiene	6.03	54	829673	8.4299	ppbv	97
8) bromomethane	6.74	94	704399	7.1735	ppbv	100
9) chloroethane	6.98	64	456054	7.6448	ppbv	100
10) trichlorofluoromethane	7.56	101	2113406	7.4335	ppbv	99
11) ethanol	7.96	45	193140	5.4844	ppbv	99
12) freon-113	8.64	101	1627935	8.0777	ppbv	98
13) 1,1-dichloroethene	8.64	61	1474279	8.4858	ppbv	89
14) acetone	8.74	43	1519164	5.2037	ppbv	93
15) isopropanol	9.01	45	926888	7.4490	ppbv	92
16) carbon disulfide	9.12	76	2387015	7.7672	ppbv	100
17) methylene chloride	9.55	84	745181	8.0415	ppbv	86
18) trans-1,2-dichloroethene	10.08	61	1367803	8.1010	ppbv	90
19) methyl tert butyl ether	10.11	73	2525075	8.3602	ppbv	99
20) hexane	10.57	57	1592430	8.6532	ppbv	98
21) 1,1-dicethane	10.83	63	1663844	8.0636	ppbv	99
22) vinyl acetate	10.87	43	2661051	8.0567	ppbv	97
23) 2-butanone	11.84	43	2194058	7.9221	ppbv	97
24) cis-1,2-dichloroethene	11.82	96	865407	7.9440	ppbv	100
25) ethyl acetate	11.92	43	2574156	7.6654	ppbv	96
26) chloroform	12.34	83	1709793	7.9460	ppbv	99
27) tetrahydrofuran	12.38	72	471588	8.9647	ppbv	99
29) 1,1,1-trichloroethane	12.72	97	1770818	8.2159	ppbv	97
30) cyclohexane	12.85	56	1677928	8.6773	ppbv	96
31) carbon tetrachloride	13.01	117	1791754	8.4830	ppbv	100
32) 1,2-dichloroethane	13.33	62	1219837	8.2472	ppbv	100
33) benzene	13.34	78	2775457	7.8377	ppbv	100
34) heptane	13.72	71	1063708	8.9609	ppbv	96
35) trichloroethene	14.40	130	1124932	8.1390	ppbv	97
36) 1,2-diclpropane	14.77	63	1091440	8.2483	ppbv	97
37) 1,4-dioxane	15.00	88	335138m	10.4138	ppbv	99
38) bromodichloromethane	15.20	83	1845861	8.2542	ppbv	99
39) cis-1,3-dichloropropene	15.95	75	1524060	8.3593	ppbv	98
40) 4-methyl-2-pentanone	16.19	43	2694350	8.1984	ppbv	94
41) toluene	16.56	91	3226001	8.5652	ppbv	98
42) trans-1,3-dichloropropene	16.86	75	1587640	9.1514	ppbv	97
43) 1,1,2-trichloroethane	17.20	97	1051241	7.9890	ppbv	92
44) tetrachloroethene	17.53	166	1465095	8.3366	ppbv	99

(#)=qualifier out of range (m)=manual integration

A6079.D 111408A.M

Sat Nov 15 09:10:27 2008

OFFLINE

Page 1

00074

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6079.D

Vial: 4

Acq On : 14 Nov 2008 20:50

Operator: T.WALTON

Sample : 7.5 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 9:10 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.61	43	2605557	8.2892	ppbv	92
46) dibromochloromethane	17.93	129	1768046	8.7688	ppbv	99
47) 1,2-dibromoethane	18.18	107	1538372	8.2335	ppbv	99
49) chlorobenzene	19.03	112	2459216	8.0827	ppbv	99
50) ethylbenzene	19.19	91	4174631	8.2829	ppbv	96
51) M+P xylene	19.39	91	6345008	15.8982	ppbv	94
52) O xylene	20.13	91	3513211	8.4748	ppbv	95
53) styrene	20.13	104	2704595	8.7895	ppbv	95
54) bromoform	20.51	173	1788004	9.2414	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.26	83	2462549	7.7922	ppbv	99
57) 4-ethyltoluene	21.72	105	4654069	8.1939	ppbv	95
58) 1,3,5-trimethylbenzene	21.83	105	4029644	8.6127	ppbv	94
59) 1,2,4-trimethylbenzene	22.54	105	3946207	8.6251	ppbv	95
60) 1,3-dclbenz	23.12	146	2540841	8.5059	ppbv	99
61) 1,4-dclbenz	23.28	146	2551530	8.6384	ppbv	98
62) benzyl chloride	23.50	91	3568040	9.2143	ppbv	94
63) 1,2-dclbenz	23.99	146	2331398	8.2194	ppbv	98
64) 1,2,4-trichlorobenzene	27.02	180	1649891	8.3210	ppbv	99
65) hexachlorobutadiene	27.31	225	1649859	7.3693	ppbv	95

-----  
(#) = qualifier out of range (m) = manual integration

A6079.D 111408A.M

Sat Nov 15 09:10:27 2008

OFFLINE

Page 2

00075

Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6079.D

Vial: 4

Acq On : 14 Nov 2008 20:50

Operator: T.WALTON

Sample : 7.5 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008




Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:48:57 2008

Response via : Multiple Level Calibration



TIC: A6079.D

(37) 1,4-dioxane

15.36min 0.0044ppbv

response 141

Ion	Exp%	Act%
88.00	100	100
58.00	91.80	85.82
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6079.D  
 Acq On : 14 Nov 2008 20:50  
 Sample : 7.5 PPB  
 Misc : PI=0 PF=0  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 9:10 2008

Vial: 4  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:48:57 2008  
 Response via : Multiple Level Calibration



(37) 1,4-dioxane

15.00min 10.4138ppbv m


response 335138

Ion	Exp%	Act%
88.00	100	100
58.00	91.80	0.04#
0.00	0.00	0.00
0.00	0.00	0.00

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6079.D  
 Acq On : 14 Nov 2008 20:50  
 Sample : 7.5 PPB  
 Misc : PI=0 PF=0  
 MS Integration Params: RTEINT.P  
 Quant Time: Nov 15 9:10 2008  
 Vial: 4  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00  
 Quant Results File: 111408A.RES

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Sat Nov 15 08:48:57 2008  
 Response via : Initial Calibration

TIC: A6079.D



Data File : J:\ACQUDATA\AIR1\DATA\111408\A6080.D

Vial: 4

Acq On : 14 Nov 2008 21:41

Operator: T.WALTON

Sample : 10.0 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.24	130	209517	2.5000	ppbv	0.00
28) 1,4-difluorobenzene	13.91	114	828689	2.5000	ppbv	-0.01
48) chlorobenzene-d5	18.98	117	702296	2.5000	ppbv	-0.02

## System Monitoring Compounds

55) surr 1, bromofluorobenzene 21.07 174 414387 2.60 ppbv -0.03  
 Spiked Amount 2.500 Range 70 - 130 Recovery = 103.92%

## Target Compounds

					Qvalue	
2) propylene	5.06	41	1170866	7.7200	ppbv	97
3) dichlorodifluoromethane	5.16	85	2868277	9.4603	ppbv	99
4) freon-114	5.50	85	3056376	9.6239	ppbv	96
5) chloromethane	5.62	50	1119550	9.3704	ppbv	99
6) vinyl chloride	5.91	62	1150024	9.2122	ppbv	99
7) 1,3-butadiene	6.02	54	987347	9.7501	ppbv	92
8) bromomethane	6.73	94	935901	9.2633	ppbv	99
9) chloroethane	6.97	64	600865	9.7893	ppbv	99
10) trichlorofluoromethane	7.55	101	2767220	9.4598	ppbv	99
11) ethanol	8.03	45	206458	5.6978	ppbv	99
12) freon-113	8.64	101	2176384	10.4957	ppbv	98
13) 1,1-dichloroethene	8.64	61	1939274	10.8487	ppbv	88
14) acetone	8.75	43	2050171	6.8253	ppbv	93
15) isopropanol	9.06	45	1041423	8.1344	ppbv	92
16) carbon disulfide	9.11	76	3141178	9.9341	ppbv	99
17) methylene chloride	9.55	84	996598	10.4524	ppbv	87
18) trans-1,2-dichloroethene	10.08	61	1820858	10.4814	ppbv	89
19) methyl tert butyl ether	10.11	73	3402972	10.9503	ppbv	99
20) hexane	10.57	57	2123575	11.2152	ppbv	98
21) 1,1-dicethane	10.83	63	2231424	10.5105	ppbv	99
22) vinyl acetate	10.87	43	3588511	10.5595	ppbv	97
23) 2-butanone	11.84	43	2869593	10.0702	ppbv	96
24) cis-1,2-dichloroethene	11.82	96	1168814	10.4277	ppbv	100
25) ethyl acetate	11.92	43	3427141	9.9187	ppbv	96
26) chloroform	12.34	83	2297201	10.3760	ppbv	99
27) tetrahydrofuran	12.39	72	637081	11.7705	ppbv	99
29) 1,1,1-trichloroethane	12.72	97	2375207	10.3390	ppbv	97
30) cyclohexane	12.85	56	2243279	10.8839	ppbv	95
31) carbon tetrachloride	13.01	117	2412020	10.7139	ppbv	100
32) 1,2-dichloroethane	13.33	62	1635747	10.3756	ppbv	100
33) benzene	13.34	78	3719855	9.8554	ppbv	100
34) heptane	13.72	71	1430097	11.3029	ppbv	95
35) trichloroethene	14.40	130	1522586	10.3352	ppbv	97
36) 1,2-diclpropane	14.77	63	1478843	10.4853	ppbv	97
37) 1,4-dioxane	15.02	88	332000	9.6787	ppbv	91
38) bromodichloromethane	15.20	83	2489869	10.4459	ppbv	99
39) cis-1,3-dichloropropene	15.95	75	2059619	10.5986	ppbv	97
40) 4-methyl-2-pentanone	16.19	43	3507186	10.0122	ppbv	93
41) toluene	16.56	91	4317744	10.7553	ppbv	97
42) trans-1,3-dichloropropene	16.87	75	2152636	11.6413	ppbv	96
43) 1,1,2-trichloroethane	17.20	97	1431449	10.2061	ppbv	92
44) tetrachloroethene	17.54	166	1995743	10.6543	ppbv	99

(# ) = qualifier out of range (m) = manual integration

A6080.D 111408A.M Sat Nov 15 08:47:48 2008

OFFLINE

Page 1

00079

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6080.D

Vial: 4

Acq On : 14 Nov 2008 21:41

Operator: T.WALTON

Sample : 10.0 PPB

Inst : GC/MS Ins

Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Quant Time: Nov 15 8:47 2008

Quant Results File: 111408A.RES

Quant Method : J:\ACQUDATA\A...\111408A.M (RTE Integrator)

Title : TO-15

Last Update : Sat Nov 15 08:27:05 2008

Response via : Initial Calibration

DataAcq Meth : 111408A

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.61	43	3361268	10.0325	ppbv	90
46) dibromochloromethane	17.93	129	2395252	11.1452	ppbv	99
47) 1,2-dibromoethane	18.18	107	2093871	10.5140	ppbv	100
49) chlorobenzene	19.03	112	3309563	10.1832	ppbv	98
50) ethylbenzene	19.19	91	5560956	10.3292	ppbv	94
51) M+P xylene	19.40	91	8208900	19.2554	ppbv	91
52) O xylene	20.12	91	4695473	10.6037	ppbv	94
53) styrene	20.13	104	3649391	11.1029	ppbv	96
54) bromoform	20.51	173	2439230	11.8026	ppbv	99
56) 1,1,2,2-tetrachloroethane	21.26	83	3296215	9.7644	ppbv	98
57) 4-ethyltoluene	21.73	105	6117714	10.0832	ppbv	93
58) 1,3,5-trimethylbenzene	21.83	105	5335405	10.6756	ppbv	92
59) 1,2,4-trimethylbenzene	22.54	105	5198743	10.6373	ppbv	92
60) 1,3-dclbenz	23.13	146	3430814	10.7521	ppbv	99
61) 1,4-dclbenz	23.28	146	3446871	10.9247	ppbv	98
62) benzyl chloride	23.50	91	4734123	11.4452	ppbv	92
63) 1,2-dclbenz	24.00	146	3162511	10.4378	ppbv	98
64) 1,2,4-trichlorobenzene	27.02	180	2347086	11.0815	ppbv	100
65) hexachlorobutadiene	27.31	225	2198567	9.1933	ppbv	95

-----  
(#) = qualifier out of range (m) = manual integration


Data File : J:\ACQUDATA\AIR1\DATA\111408\A6080.D  
Acq On : 14 Nov 2008 21:41  
Sample : 10.0 ppB  
Misc : PI=0 PF=0  
MMS Integration Params: RTEINT.P  
Quant Time: Nov 15 8:47 2008  
Quant

Quant Results File: 111408A.RES

```
Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)
Title   : TC-15
```

Last Update : Sat Nov 15 08:27:05 2008  
Response via : Initial Calibration

TIC: A6080.D





## Evaluate Continuing Calibration Report

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6456.D  
 Acq On : 5 Feb 2009 12:21  
 Sample : CCV  
 Misc : 500ML  
 MS Integration Params: LSCINT2.P

Vial: 15  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	bromochloromethane	1.000	1.000	0.0	99	0.00
2	propylene	4.526	2.979	34.2#	67	0.00
3	dichlorodifluoromethane	3.797	3.454	9.0	90	0.00
4	freon-114	2.866	2.555	10.9	87	0.00
5	chloromethane	3.562	2.773	22.2	76	0.00
6	vinyl chloride	3.085	2.568	16.8	79	0.00
7	1,3-butadiene	2.890	2.298	20.5	75	0.00
8	bromomethane	1.560	1.511	3.1	95	0.00
9	chloroethane	1.470	1.260	14.3	84	0.00
10	trichlorofluoromethane	3.290	3.332	-1.3	98	0.00
11	ethanol	1.014	0.925	8.8	119	0.00
12	freon-113	1.709	1.649	3.5	94	0.00
13	1,1-dichloroethene	2.849	2.351	17.5	78	0.00
14	acetone	5.365	4.443	17.2	82	0.00
15	isopropanol	3.148	2.481	21.2	113	0.00
16	carbon disulfide	6.412	5.745	10.4	88	0.00
17	methylene chloride	1.668	1.497	10.3	88	0.00
18	trans-1,2-dichloroethene	2.769	2.343	15.4	81	0.00
19	methyl tert butyl ether	5.428	4.475	17.6	77	0.00
20	hexane	3.449	2.836	17.8	76	0.00
21	1,1-dicethane	3.314	2.858	13.8	83	0.00
22	vinyl acetate	6.070	4.813	20.7	71	0.00
23	2-butanone	5.785	4.879	15.7	81	0.00
24	cis-1,2-dichloroethene	1.679	1.512	9.9	85	0.00
25	ethyl acetate	5.804	4.781	17.6	78	0.00
26	chloroform	2.830	2.675	5.5	91	0.00
27	tetrahydrofuran	1.159	1.021	11.9	78	0.00
28 I	1,4-difluorobenzene	1.000	1.000	0.0	93	0.00
29	1,1,1-trichloroethane	0.591	0.615	-4.1	92	0.00
30	cyclohexane	0.853	0.756	11.4	77	0.00
31	carbon tetrachloride	0.503	0.580	-15.3	100	0.00
32	1,2-dichloroethane	0.547	0.547	0.0	90	0.00
33	benzene	1.559	1.498	3.9	85	0.00
34	heptane	0.442	0.408	7.7	79	0.00
35	trichloroethene	0.385	0.369	4.2	86	0.00
36	1,2-diclpropane	0.416	0.376	9.6	78	0.00
37	1,4-dioxane	0.170	0.192	-12.9	126	0.00
38	bromodichloromethane	0.499	0.518	-3.8	91	0.00
39	cis-1,3-dichloropropene	0.601	0.549	8.7	78	0.00
40	4-methyl-2-pentanone	1.152	1.086	5.7	81	0.00
41	toluene	1.457	1.455	0.1	85	0.00
42	trans-1,3-dichloropropene	0.558	0.538	3.6	80	0.00
43	1,1,2-trichloroethane	0.347	0.348	-0.3	88	0.00
44	tetrachloroethene	0.388	0.397	-2.3	91	0.00
45	2-hexanone	1.112	1.018	8.5	78	0.00
46	dibromochloromethane	0.354	0.396	-11.9	95	0.00
47	1,2-dibromoethane	0.364	0.356	2.2	88	0.00
48 I	chlorobenzene-d5	1.000	1.000	0.0	101	0.00

(#) = Out of Range

A6456.D 111408B.M

Thu Feb 05 14:10:33 2009

OFFLINE

Page 1

000002

Evaluate Continuing Calibration Report

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6456.D  
 Acq On : 5 Feb 2009 12:21  
 Sample : CCV  
 Misc : 500ML  
 MS Integration Params: LSCINT2.P

Vial: 15  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49	chlorobenzene	1.158	1.069	7.7	86	0.00
50	ethylbenzene	2.081	1.922	7.6	84	0.00
51	M+P xylene	1.650	1.572	4.7	87	0.00
52	O xylene	1.733	1.626	6.2	84	0.00
53	styrene	1.333	1.253	6.0	84	0.00
54	bromoform	0.343	0.394	-14.9	98	0.00
55 S	surr 1, bromofluorobenzene	0.382	0.438	-14.7	115	0.00
56	1,1,2,2-tetrachloroethane	0.842	0.706	16.2	84	0.00
57	4-ethyltoluene	2.115	1.920	9.2	82	0.00
58	1,3,5-trimethylbenzene	1.739	1.580	9.1	82	0.00
59	1,2,4-trimethylbenzene	1.703	1.531	10.1	80	0.00
60	1,3-dclbenz	0.910	0.808	11.2	82	0.00
61	1,4-dclbenz	0.898	0.809	9.9	81	0.00
62	benzyl chloride	1.434	1.220	14.9	75	0.00
63	1,2-dclbenz	0.863	0.754	12.6	80	0.00
64	1,2,4-trichlorobenzene	0.488	0.371	24.0	71	0.00
65	hexachlorobutadiene	0.384	0.310	19.3	85	0.00

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6456.D  
 Acq On : 5 Feb 2009 12:21  
 Sample : CCV  
 Misc : 500ML  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 12:55 2009

Vial: 15  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Initial Calibration  
 DataAcq Meth : 111408B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) bromochloromethane	12.23	130	199630	13.2200	ng	0.00
28) 1,4-difluorobenzene	13.90	114	721323	11.6400	ng	0.00
48) chlorobenzene-d5	18.97	117	646352	12.0200	ng	0.00

## System Monitoring Compounds

55) surr 1, bromofluorobenzene 21.07 174 421245 20.51 ng 0.00  
 Spiked Amount 17.880 Range 70 - 130 Recovery = 114.73%

## Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) propylene	5.05	41	398549	5.8319	ng	99
3) dichlorodifluoromethane	5.15	85	1302050	22.7074	ng	99
4) freon-114	5.50	85	1347874	31.1475	ng	91
5) chloromethane	5.62	50	436524	8.1145	ng	99
6) vinyl chloride	5.92	62	495475	10.6343	ng	99
7) 1,3-butadiene	6.02	54	414346	9.4936	ng	96
8) bromomethane	6.74	94	447152	18.9770	ng	99
9) chloroethane	6.97	64	253329	11.4116	ng	100
10) trichlorofluoromethane	7.55	101	1398619	28.1477	ng	100
11) ethanol	7.96	45	127579	8.3335	ng	98
12) freon-113	8.64	101	1020612	39.5459	ng	97
13) 1,1-dichloroethene	8.64	61	766714	17.8202	ng	87
14) acetone	8.74	43	836302	10.3220	ng	94
15) isopropanol	9.02	45	510999	10.7479	ng	88
16) carbon disulfide	9.11	76	1404139	14.5007	ng	100
17) methylene chloride	9.54	84	427806	16.9840	ng	# 78
18) trans-1,2-dichloroethene	10.07	61	736233	17.6071	ng	87
19) methyl tert butyl ether	10.11	73	1290843	15.7472	ng	98
20) hexane	10.57	57	807244	15.5007	ng	97
21) 1,1-dicethane	10.82	63	925356	18.4926	ng	99
22) vinyl acetate	10.87	43	1266166	13.8147	ng	96
23) 2-butanone	11.84	43	1172854	13.4259	ng	96
24) cis-1,2-dichloroethene	11.82	96	483996	19.0915	ng	100
25) ethyl acetate	11.92	43	1365202	15.5765	ng	96
26) chloroform	12.34	83	1034980	24.2169	ng	99
27) tetrahydrofuran	12.39	72	243209	13.8936	ng	99
29) 1,1,1-trichloroethane	12.71	97	1090586	29.7587	ng	97
30) cyclohexane	12.84	56	862281	16.3215	ng	92
31) carbon tetrachloride	13.01	117	1186914	38.0877	ng	99
32) 1,2-dichloroethane	13.32	62	733230	21.6199	ng	100
33) benzene	13.34	78	1586196	16.4230	ng	100
34) heptane	13.71	71	554435	20.2454	ng	96
35) trichloroethene	14.39	130	638097	26.7250	ng	96
36) 1,2-dicloropropane	14.76	63	569843	22.0864	ng	99
37) 1,4-dioxane	15.00	88	223328	21.1898	ng	89
38) bromodichloromethane	15.19	83	1118279	36.1337	ng	100
39) cis-1,3-dichloropropene	15.94	75	787038	21.1362	ng	97
40) 4-methyl-2-pentanone	16.18	43	1474856	20.6611	ng	95
41) toluene	16.55	91	1834651	20.3134	ng	99
42) trans-1,3-dichloropropene	16.85	75	839137	24.2786	ng	97
43) 1,1,2-trichloroethane	17.20	97	611260	28.4570	ng	91
44) tetrachloroethene	17.53	166	875402	36.3880	ng	96

(#) = qualifier out of range (m) = manual integration

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6456.D Vial: 15  
 Acq On : 5 Feb 2009 12:21 Operator: T.WALTON  
 Sample : CCV Inst : GC/MS Ins  
 Misc : 500ML Multiplr: 1.00  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 12:55 2009 Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Initial Calibration  
 DataAcq Meth : 111408B

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.60	43	1381715	20.0431	ng	94
46) dibromochloromethane	17.93	129	1098315	49.9985	ng	100
47) 1,2-dibromoethane	18.17	107	889939	39.4040	ng	100
49) chlorobenzene	19.03	112	1401498	22.5097	ng	99
50) ethylbenzene	19.18	91	2377966	21.2475	ng	98
51) M+P xylene	19.38	91	3815949	43.0095	ng	97
52) O xylene	20.11	91	1993027	21.3902	ng	97
53) styrene	20.12	104	1506557	21.0246	ng	95
54) bromoform	20.50	173	1138175	61.7927	ng	100
56) 1,1,2,2-tetrachloroethane	21.26	83	1368520	30.2294	ng	99
57) 4-ethyltoluene	21.72	105	2562398	22.5289	ng	97
58) 1,3,5-trimethylbenzene	21.82	105	2212658	23.6597	ng	97
59) 1,2,4-trimethylbenzene	22.53	105	2104124	22.9814	ng	97
60) 1,3-dclbenz	23.11	146	1357036	27.7465	ng	98
61) 1,4-dclbenz	23.27	146	1360323	28.1750	ng	97
62) benzyl chloride	23.49	91	1765221	22.8976	ng	96
63) 1,2-dclbenz	23.98	146	1229976	26.5060	ng	97
64) 1,2,4-trichlorobenzene	27.00	180	747908	28.4737	ng	99
65) hexachlorobutadiene	27.30	225	907658	43.9486	ng	93

(#) = qualifier out of range (m) = manual integration

# Quantitation report


Data File : J:\ACQUDATA\AIR1\DATA\020509\A6456.D  
 Acq On : 5 Feb 2009 12:21  
 Sample : CCV  
 Misc : 500ML  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 12:55 2009

Vial: 15  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: 111408B.RES

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Initial Calibration

TIC: A6456.D



# **VOLATILE ORGANICS**

## **RAW QC DATA**

BFB

Data File : J:\ACQUDATA\AIR1\DATA\111408\A6069.D

Vial: 1

Acq On : 14 Nov 2008 12:40

Operator: T.WALTON

Sample : TUNE

Inst : GC/MS Ins


Misc : PI=0 PF=0

Multiplr: 1.00

MS Integration Params: RTEINT.P

Method : J:\ACQUDATA\AIR1\METHODS\111408A.M (RTE Integrator)

Title : TO-15

TW  
11-14-08

AutoFind: Scans 2649, 2650, 2651; Background Corrected with Scan 2637

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	19.2	41519	PASS
75	95	30	66	49.3	106797	PASS
95	95	100	100	100.0	216683	PASS
96	95	5	9	6.8	14675	PASS
173	174	0.00	2	0.5	852	PASS
174	95	50	120	75.7	163989	PASS
175	174	4	9	7.2	11771	PASS
176	174	93	101	97.3	159531	PASS
177	176	5	9	6.7	10693	PASS

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6455.D

Vial: 14

Acq On : 5 Feb 2009 11:36

Operator: T.WALTON

Sample : TUNE

Inst : GC/MS Ins


Misc :

Multiplr: 1.00

MS Integration Params: LSCINT2.P

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)

Title : TO-15



AutoFind: Scans 2648, 2649, 2650; Background Corrected with Scan 2636

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	19.3	35893	PASS
75	95	30	66	50.0	92909	PASS
95	95	100	100	100.0	185643	PASS
96	95	5	9	6.6	12296	PASS
173	174	0.00	2	0.9	1276	PASS
174	95	50	120	80.3	149056	PASS
175	174	4	9	6.8	10156	PASS
176	174	93	101	95.6	142507	PASS
177	176	5	9	6.6	9343	PASS



## COLUMBIA ANALYTICAL SERVICES, INC.

## Analytical Report

**Client:** Haley & Aldrich, Incorporated  
**Project:** Coopervision/70665-014 Airs  
**Sample Matrix:** Air  
**Sample Name:** Method Blank  
**Lab Code:** RQ0900784-02

**Service Request:** R0900538  
**Date Collected:** NA  
**Date Received:** NA

**Analytical Method:** TO-15

**Date Analyzed:** 2/5/09 1532

CAS #	Analyte Name	Sample Amount mL	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbv	MRL ppbv	MDL ppbv	Data Qualifier
75-01-4	Vinyl Chloride	1000	0.013	0.28	0.013	0.0052	0.11	0.0052	U
75-00-3	Chloroethane	1000	0.016	0.58	0.016	0.0059	0.22	0.0059	U
75-35-4	1,1-Dichloroethene (1,1-DCE)	1000	0.011	0.44	0.011	0.0027	0.11	0.0027	U
75-34-3	1,1-Dichloroethane (1,1-DCA)	1000	0.021	0.45	0.021	0.0052	0.11	0.0052	U
71-55-6	1,1,1-Trichloroethane (TCA)	1000	0.021	0.60	0.021	0.0038	0.11	0.0038	U

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	108	70-130	2/5/09 1532	

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6458.D

Vial: 1

Acq On : 5 Feb 2009 15:32

Operator: T.WALTON

Sample : METBLK

RG0900784-02

Inst : GC/MS Ins

Misc : 1000ML UZ AIR DIRECT

Multiplr: 1.00

MS Integration Params: LSCINT2.P

Quant Time: Feb 5 16:06 2009

Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)

Title : TO-15

Last Update : Thu Jan 15 15:59:15 2009

Response via : Initial Calibration

DataAcq Meth : 111408B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) bromochloromethane	12.23	130	194920	13.2200	ng	-0.01
28) 1,4-difluorobenzene	13.90	114	691141	11.6400	ng	0.00
48) chlorobenzene-d5	18.97	117	613865	12.0200	ng	-0.01

## System Monitoring Compounds

55) surr 1, bromofluorobenzene	21.07	174	375876	19.27	ng	-0.01
Spiked Amount	17.880	Range	70 - 130	Recovery	=	107.79%

## Target Compounds

					Qvalue	
3) dichlorodifluoromethane	5.16	85	4059	0.0725	ng	92 NT
<del>11) ethanol</del>	<del>8.01</del>	<del>45</del>	<del>552</del>	<del>0.0369</del>	ng	<del># 37</del>
14) acetone	8.77	43	9356	0.1183	ng	100 LT
17) methylene chloride	9.53	84	484	0.0197	ng	94 J
<del>23) 2-butanone</del>	<del>11.88</del>	<del>43</del>	<del>857</del>	<del>0.0100</del>	ng	<del># 55</del>
<del>25) ethyl acetate</del>	<del>11.88</del>	<del>43</del>	<del>857</del>	<del>0.0100</del>	ng	<del># 75</del>
<del>34) heptane</del>	<del>13.90</del>	<del>71</del>	<del>1085</del>	<del>0.0413</del>	ng	<del># 1</del>
64) 1,2,4-trichlorobenzene	27.01	180	636	0.0255	ng	86 NT

all NT  
for  
RG0900542.  
TW  
2/15


Data File : J:\ACQUDATA\AIR1\DATA\020509\A6458.D  
Acq On : 5 Feb 2009 15:32  
Sample : METBLK  
Misc : 1000ML UZ AIR DIRECT  
MS Integration Params: LSCINT2.P  
Quant Time: Feb 5 16:06 2009

Vial: 1  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Quant Results File: 111408B.RES

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
Title : TO-15  
Last Update : Thu Jan 15 15:59:15 2009  
Response via : Initial Calibration

TIC: A6458.D



## COLUMBIA ANALYTICAL SERVICES, INC.

## Analytical Report

**Client:** Haley & Aldrich, Incorporated  
**Project:** Coopervision/70665-014 Airs  
**Sample Matrix:** Air  
**Sample Name:** Lab Control Sample  
**Lab Code:** RQ0900784-01

**Service Request:** R0900538  
**Date Collected:** NA  
**Date Received:** NA

**Analytical Method:** TO-15

**Date Analyzed:** 2/5/09 1306

CAS #	Analyte Name	Sample Amount mL	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbv	MRL ppbv	MDL ppbv	Data Qualifier
75-01-4	Vinyl Chloride	1000	5.40	0.28	0.013	2.11	0.11	0.0052	
75-00-3	Chloroethane	1000	5.86	0.58	0.016	2.22	0.22	0.0059	
75-35-4	1,1-Dichloroethene (1,1-DCE)	1000	8.54	0.44	0.011	2.16	0.11	0.0027	
75-34-3	1,1-Dichloroethane (1,1-DCA)	1000	9.32	0.45	0.021	2.30	0.11	0.0052	
71-55-6	1,1,1-Trichloroethane (TCA)	1000	15.2	0.60	0.021	2.78	0.11	0.0038	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	113	70-130	2/5/09 1306	

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6457.D  
Acq On : 5 Feb 2009 13:06  
Sample : LCS  
Misc : 250ML  
MS Integration Params: LSCINT2.P  
Quant Time: Feb 5 14:12 2009

Vial: 16  
Operator: T.WALTON  
Inst : GC/MS Ins  
Multiplr: 1.00

Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)  
Title : TO-15  
Last Update : Thu Jan 15 15:59:15 2009  
Response via : Initial Calibration  
DataAcq Meth : 111408B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) bromochloromethane	12.23	130	197552	13.2200	ng	0.00
28) 1,4-difluorobenzene	13.90	114	711491	11.6400	ng	0.00
48) chlorobenzene-d5	18.98	117	619207	12.0200	ng	0.00

## System Monitoring Compounds

55) surr 1, bromofluorobenzene 21.07 174 397635 20.21 ng 0.00  
Spiked Amount 17.880 Range 70 - 130 Recovery = 113.05%

## Target Compounds

					Qvalue
2) propylene	5.05	41	198609	2.9368 ng	99
3) dichlorodifluoromethane	5.15	85	663335	11.6901 ng	100
4) freon-114	5.49	85	687865	16.0628 ng	92
5) chloromethane	5.62	50	218929	4.1124 ng	100
6) vinyl chloride	5.92	62	249116	5.4030 ng	99
7) 1,3-butadiene	6.03	54	203346	4.7081 ng	96
8) bromomethane	6.74	94	227448	9.7544 ng	97
9) chloroethane	6.97	64	128737	5.8602 ng	100
10) trichlorofluoromethane	7.56	101	713108	14.5025 ng	99
11) ethanol	7.97	45	71839	4.7419 ng	97
12) freon-113	8.64	101	507989	19.8902 ng	97
13) 1,1-dichloroethene	8.64	61	363707	8.5423 ng	88
14) acetone	8.74	43	400313	4.9928 ng	95
15) isopropanol	9.03	45	244866	5.2045 ng	80
16) carbon disulfide	9.11	76	682638	7.1238 ng	100
17) methylene chloride	9.55	84	210151m	8.4308 ng	87
18) trans-1,2-dichloroethene	10.08	61	346138	8.3650 ng	100
19) methyl tert butyl ether	10.11	73	598999	7.3842 ng	98
20) hexane	10.57	57	369921	7.1779 ng	100
21) 1,1-dicethane	10.82	63	461635	9.3225 ng	96
22) vinyl acetate	10.87	43	629461	6.9401 ng	96
23) 2-butanone	11.84	43	570396	6.5981 ng	100
24) cis-1,2-dichloroethene	11.82	96	231992	9.2473 ng	97
25) ethyl acetate	11.92	43	600503	6.9236 ng	99
26) chloroform	12.34	83	516315	12.2080 ng	99
27) tetrahydrofuran	12.39	72	109986	6.3492 ng	99
29) 1,1,1-trichloroethane	12.71	97	548395	15.1708 ng	97
30) cyclohexane	12.84	56	399845	7.6730 ng	93
31) carbon tetrachloride	13.01	117	592637	19.2803 ng	98
32) 1,2-dichloroethane	13.33	62	366769	10.9639 ng	100
33) benzene	13.34	78	777381	8.1600 ng	97
34) heptane	13.71	71	259727	9.6151 ng	96
35) trichloroethene	14.39	130	306016	12.9938 ng	99
36) 1,2-dicloropropane	14.76	63	276850	10.8786 ng	91
37) 1,4-dioxane	15.00	88	106332	10.2284 ng	100
38) bromodichloromethane	15.19	83	553571	18.1341 ng	97
39) cis-1,3-dichloropropene	15.94	75	360077	9.8036 ng	98
40) 4-methyl-2-pentanone	16.18	43	702607	9.9788 ng	98
41) toluene	16.56	91	875723	11.5363 ng	91
42) trans-1,3-dichloropropene	16.86	75	393293	14.3767 ng	97
43) 1,1,2-trichloroethane	17.19	97	304604	17.9633 ng	97
44) tetrachloroethene	17.53	166	426259		

(#)=qualifier out of range (m)=manual integration

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6457.D

Vial: 16

Acq On : 5 Feb 2009 13:06

Operator: T.WALTON

Sample : LCS

Inst : GC/MS Ins

Misc : 250ML

Multiplr: 1.00

MS Integration Params: LSCINT2.P

Quant Time: Feb 5 14:12 2009

Quant Results File: 111408B.RES

Quant Method : J:\ACQUDATA\A...\111408B.M (RTE Integrator)

Title : TO-15

Last Update : Thu Jan 15 15:59:15 2009

Response via : Initial Calibration

DataAcq Meth : 111408B

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
45) 2-hexanone	17.60	43	674812	9.9241	ng	97
46) dibromochloromethane	17.92	129	533192	24.6079	ng	99
47) 1,2-dibromoethane	18.17	107	431979	19.3911	ng	99
49) chlorobenzene	19.03	112	705578	11.8292	ng	99
50) ethylbenzene	19.18	91	1164479	10.8609	ng	99
51) M+P xylene	19.38	91	1937509	22.7950	ng	99
52) O xylene	20.11	91	997244	11.1721	ng	98
53) styrene	20.12	104	734966	10.7064	ng	95
54) bromoform	20.50	173	536705	30.4156	ng	99
56) 1,1,2,2-tetrachloroethane	21.26	83	702453	16.1968	ng	100
57) 4-ethyltoluene	21.72	105	1292460	11.8616	ng	98
58) 1,3,5-trimethylbenzene	21.82	105	1125060	12.5575	ng	97
59) 1,2,4-trimethylbenzene	22.53	105	1071187	12.2125	ng	98
60) 1,3-dclbenz	23.11	146	711985	15.1957	ng	97
61) 1,4-dclbenz	23.27	146	709296	15.3350	ng	97
62) benzyl chloride	23.49	91	825640	11.1793	ng	97
63) 1,2-dclbenz	23.99	146	648106	14.5789	ng	97
64) 1,2,4-trichlorobenzene	27.01	180	434724	17.2760	ng	99
65) hexachlorobutadiene	27.30	225	543972	27.4937	ng	94

-----  
 (#) = qualifier out of range (m) = manual integration

A6457.D 111408B.M

Thu Feb 05 14:38:15 2009

OFFLINE

Page 2

000000



Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6457.D  
 Acq On : 5 Feb 2009 13:06  
 Sample : LCS  
 Misc : 250ML  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 13:40 2009

Vial: 16  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration



(17) methylene chloride

9.66min 0.0086ng



response 214

Ion	Exp%	Act%
84.00	100	100
49.00	168.40	159.81
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data File : J:\ACQUDATA\AIR1\DATA\020509\A6457.D Vial: 16  
 Acq On : 5 Feb 2009 13:06 Operator: T.WALTON  
 Sample : LCS Inst : GC/MS Ins  
 Misc : 250ML Multiplr: 1.00  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 14:12 2009 Quant Results File: temp.res

Method : J:\ACQUDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Multiple Level Calibration



(17) methylene chloride

9.55min 8.4308ng m

response 210151

Ion	Exp%	Act%
84.00	100	100
49.00	168.40	0.16#
0.00	0.00	0.00
0.00	0.00	0.00




Data File : J:\ACQDATA\AIR1\DATA\020509\A6457.D  
 Acq On : 5 Feb 2009 13:06  
 Sample : LCS  
 Misc : 250ML  
 MS Integration Params: LSCINT2.P  
 Quant Time: Feb 5 14:12 2009

Vial: 16  
 Operator: T.WALTON  
 Inst : GC/MS Ins  
 Multiplr: 1.00

Quant Results File: 111408B.RES

Method : J:\ACQDATA\AIR1\METHODS\111408B.M (RTE Integrator)  
 Title : TO-15  
 Last Update : Thu Jan 15 15:59:15 2009  
 Response via : Initial Calibration

TIC: A6457.D



0-553  
10-15

11/14/08

28:

Tom Walton

Leak check 16 → 16 in 1240 sec

Pressure H<sub>2</sub> = 28.0 IS = 28.9 ATM = 14.5

Volume IS = 250 Nominal Sample = 1000 ml

Method Time = BFB CC/MS = 111408A Entered = 10/15

u.

test time  
to get  
50%

and 20 CCV

AS	Vol	Sample	Pa/PF	File	ck	Comments
1	0	Time IS = 0-515-72E		A6069	Y	12:40
1	1000	Blank 1.0 uc air direct		A6070	Y	
1	1000	Met Blank 1.0 uc air direct		A6071	Y	
2	100	0.02 ppb 0-515-73A Exp 12/13		A6072	Y	
3	95	0.095 ppb 0-515-73B Exp 12/13		A6073	Y	
3	200	0.20 ppb		A6074	Y	
3	500	0.50 ppb		A6075	Y	
4	100	1.0 ppb 0-515-73C Exp 12/13		A6076	Y	
4	250	2.5 ppb		A6077	Y	
4	500	5.0 ppb		A6078	Y	
4	750	7.5 ppb		A6079	Y	
4	1000	10.0 ppb		A6080	Y	
5	500	ICV 0-515-72D Exp 12/10		A6081	Y	*
5	250	LCS		A6082	Y	
6	1000	Blk carry over check	0/0	A6083	Y	
7	1000	Can Blk 1.0 can 15000662	0/0	A6084	Y	Report as MB
8	1000	Can Blk 1.0 can 3LC00054	0/0	A6085	Y	
9	1000	Can Blk 1.0 can 3LC00044	0/0	A6086	Y	
10	1000	1146273 1.0 R46655 T015-IAQ	-3.6/7.5	A6087	Y	
11	1000	1150201 1.0 R46926 T015-IMP	-6.5/7.5	A6088	Y	
12	200	1150195 5.0 ASPB	-8.7/8.4	A6089	Y	
13	50	1150196 20.0	-8.1/7.5	A6090	Y	
14	100	1150197 10.0	-6.5/7.6	A6091	Y	
15	100	1150198 10.0	-7.7/7.4	A6092	Y	
16	100	1146939 10.0 T015-IAQ	-3.4/28.4	A6093	Y	-E
16	100	1146939 10.0 Rep R46698	-3.4/28.4	A6094	Y	-E
1	1	Blk, run 11/15 Pungt+Boke prior to		A6095	Y	
1	5yR	1146939 44.0 (25/1100)	-3.4/28.4	A6095	Y	DL

\* Valid calibration saved, up dated RT from 5ppb.  
NT-Isopropanol fails ICV. Perum fresh ICV prior to  
any samples requiring Isopropanol as target.

10

TO-15

0-619

2/5/09

142647

MS #9

Tom Walton

① leak check 1.1 → 1.1 in 792 sec < 0.0076 in/min  
 Pressures @ 1/2 = 23.1 @ IS = 28.4 @ ATM = 14.5  
 Volume IS = 250ml Nominal Sample = 1000ml  
 Methods Tune = BFB GC/MS = 11/408B Entek = TO15  
 Data: \020509\

TO-15

0-619

leak check  
 Pressures  
 Volume =  
 Methods  
 Data \

AS	Vol	Sample	Tw/TS	Pa/Ps	file
14	0	TUNE	IS = 0-515 #7886	Exp 3/2	AG455 Y
15	500	CCV	# 0-515-76C	Exp 2/14	AG456 Y
16	250	LCS	# 0-515-76D #7384	↓	AG457 Y RG0900748-01
1	1000	Met Blk	uz air direct		AG458 Y RG0900748-02
2	1000	RG0900538-001	H2A - 3%01-T2	-4.7" +3.5	AG459 Y
3	1000	RG0900538-002	↓	-1.7" +3.5	AG460 Y
4	1000	RG0900538-003	↓	-4.7 +3.5	AG461 Y
5	1000	RG0900542-001	4676-T4	-5.1 +3.5	AG462 Y
6	1000	↓ -002	↓	-5.3 +3.5	AG463 Y
7	1000	↓ -003	↓	-1.9 +3.5	AG464 Y
7	1000	Duplicate -003	↓	-1.9 +3.5	AG465 Y RG0900748-03

AS	Vol	Sample
14	100	Intake
14	0	CCV
15	500	CCV
16	250	LCS
1	1000	Met Blk
2	1000	RG0900571-0
3		↓ -0
4		↓ -0
5		↓ -0
6		↓ -0
7		↓ -0
7		↓ -0

Tw  
 2/5

11-10-08 BP = 29.32 Lab T = 23°C

TW

Dilution air = 0-515-68F @ 30 psig + 3L/min.

0-515-72A. diluted 2.4ml of 0-515-66D Exp 9/4/09

0.2 ppb 1° into canister 8134 + Press to +29.3" Hg.  
= 2.4/12,000 Expires 12-10-08.

0-515-72B

1.0 ppb 1°

diluted 12ml of 0-515-66D Exp 9/4/09

into canister 8132 + Press to +29.3" Hg.  
= 12/12,000 Expires 12-10-08.

0-515-72C

10 ppb 1°

diluted 120ml of 0-515-66D

into canister 8133 + Press to +29.3  
= 120/12,000 Expires 12-10-08.

0-515-72D

10 ppb 2°

diluted 120 ml of 0-515-53A exp 2/25/09.

into canister 2337 + Press to +29.3  
= 120/12,000 Expires 12-10-08.filled Blanks can 15C00739 + 15C00662 TW.  
11/12/08 BP = 29.60 Lab T = 23°C

Dilution Air = 0-515-68F @ 30 psig + 3L/min

0-515-72E

10 ppb IS

diluted 1.2 ml of 0-515-53C Exp 3/1/09

into canister K1590 + Pressurized to 29.6" Hg.  
= 1.2/30,000 dilution Exp 12/12/08.

0-515-72F

10 ppb IS

Prepared same ↑ into can K1591 exp 12/12/08

filled Blanks can 15C00739 + 15C00662

11-12-08 TW

TW  
11/13/08

Continued on Page

Read and Understood By

Tom Walton

Signed

11/13/08.

Date

Signed

00101 Date

11-13-08 BP = 29.20 lab T = 23°C

Dilution Air = 0-515-68F @ 30psig + 34min.

0-515-73A diluted 2.4ml of 0-515-66D exp 9/4/07.  
0.2 ppb  $1^{\circ}$  into canister 8134 + Press to + 29.2" Hg.  
= 2.4/12,000 expires 12-13-08.

0-515-73B diluted 12ml of 0-515-66D  
1.0 ppb  $1^{\circ}$  into canister 8132 + Press to + 29.2" Hg.  
= 12/12,000 expires 12-13-08.

0-515-73C diluted 120ml of 0-515-66D  
10 ppb  $1^{\circ}$  into canister 8133 + Press to + 29.2" Hg.  
= 120/12,000 expires 12-13-08.

0-515-73D diluted 120ml of 0-515-66D  
10 ppb  $1^{\circ}$  into canister 2338 + Press to + 29.2" Hg.  
= 120/12,000 Expires 12-13-08.

TW  
11-17-08

Continued on Page

Read and Understood By

**LABORATORY REPORT**

March 9, 2009

Susan Boyle  
Haley & Aldrich, Inc.  
200 Town Centre Drive Suite 2  
Rochester, NY 14623-4264

**RE: Cooper Vision / 70665-014**

Dear Susan:

Enclosed are the results of the samples submitted to our laboratory on February 12, 2009. For your reference, these analyses have been assigned our service request number P0900513.

All analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at [www.caslab.com](http://www.caslab.com). Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein. Your report contains 234 pages.

Columbia Analytical Services, Inc. is certified by the California Department of Health Services, NELAP Laboratory Certificate No. 02115CA; Arizona Department of Health Services, Certificate No. AZ0694; Florida Department of Health, NELAP Certification E871020; New Jersey Department of Environmental Protection, NELAP Laboratory Certification ID #CA009; New York State Department of Health, NELAP NY Lab ID No: 11221; Oregon Environmental Laboratory Accreditation Program, NELAP ID: CA20007; The American Industrial Hygiene Association, Laboratory #101661; Department of the Navy (NFESC); Pennsylvania Registration No. 68-03307; TX Commission of Environmental Quality, NELAP ID T104704413-08-TX. Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact me for information corresponding to a particular certification.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

**Columbia Analytical Services, Inc.**

Kate Aguilera  
Project Manager

## NARRATIVE

Client: Haley & Aldrich, Inc.  
Project: Cooper Vision / 70665-014

CAS Project No: P0900513  
New York Lab ID: 11221

---

### CASE NARRATIVE

The samples were received intact under chain of custody on February 12, 2009 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

#### Volatile Organic Compound Analysis

The samples were analyzed for selected volatile organic compounds in accordance with EPA Method TO-15 from the Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition (EPA/625/R-96/010b), January, 1999. The analytical system was comprised of a gas chromatograph / mass spectrometer (GC/MS) interfaced to a whole-air preconcentrator.

---

*The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for utilization of less than the complete report.*



**Client:** Haley & Aldrich, Incorporated  
**Project:** Cooper Vision 70665-014

**Folder:** P0900513

### Detailed Sample Information

CAS Sample ID	Client Sample ID	Container Type	Pi1 (Hg)	Pi1 (psig)	Pf1	Pi2 (Hg)	Pi2 (psig)	Pf2	Cont ID	Order #	FC ID	Bottle Order #
P0900513-001.01	SV-SS-58	6.0 L-Summa Canister Source	-2.3	-1.1	3.5				SC00119	12000	OA00912	12000
P0900513-002.01	SV-InA-58	6.0 L-Summa Canister Ambient	-8.8	-4.3	3.5				AC00848	12000	FC00490	12000
P0900513-003.01	SV-SS-64	6.0 L-Summa Canister Source		0.5	3.8				SC00931	12000	OA00542	12000
P0900513-004.01	SV-InA-64	6.0 L-Summa Canister Ambient	-9.0	-4.4	3.5				AC00946	12000	FC00591	12000
P0900513-005.01	SV-SS-8	6.0 L-Summa Canister Source	-3.1	-1.5	3.5				SC00641	12000	OA00930	12000
P0900513-006.01	SV-InA-8	6.0 L-Summa Canister Ambient	-7.9	-3.9	3.6				AC01435	12000	FC00378	12000
P0900513-007.01	SV-OutA-020909	6.0 L-Summa Canister Ambient	-2.7	-1.3	3.5				AC01179	12000	FC00545	12000
P0900513-008.01	SV-SS-2	6.0 L-Summa Canister Source	-0.6	-0.3	3.5				SC00160	12000	OA00898	12000
P0900513-009.01	SV-InA-2	6.0 L-Summa Canister Ambient	-3.3	-1.6	3.5				AC01423	12000		
P0900513-010.01	SV-SS-16	6.0 L-Summa Canister Source	-2.7	-1.3	3.5				SC00932	12000	OA00543	12000
P0900513-011.01	SV-InA-16	6.0 L-Summa Canister Ambient	-7.6	-3.7	3.5				AC01351	12000	FC00367	12000

### Miscellaneous Items - received

AVG00192  
 AVG00822  
 AVG00696  
 AVG01012  
 AVG01053  
 AVG00871  
 AVG00980  
 AVG00749  
 AVG00870  
 AVG00884

**Columbia Analytical Services, Inc.**  
**Sample Acceptance Check Form**

Client: Haley & Aldrich, Inc.

Work order: P0900513

Project: Cooper Vision / 70665-014

Sample(s) received on: 02/12/09

Date opened: 02/12/09

by: MZAMORA

**Note:** This form is used for all samples received by CAS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

		<b>Yes</b>	<b>No</b>	<b>N/A</b>
1	Were <b>sample containers</b> properly marked with client sample ID?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Container(s) <b>supplied by CAS?</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Did <b>sample containers</b> arrive in good condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Was a <b>chain-of-custody</b> provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Was the <b>chain-of-custody</b> properly completed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Did <b>sample container labels</b> and/or tags agree with custody papers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Was <b>sample volume</b> received adequate for analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Are samples within specified holding times?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Was proper <b>temperature</b> (thermal preservation) of cooler at receipt adhered to?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Cooler Temperature _____ °C      Blank Temperature _____ °C			
10	Was a <b>trip blank</b> received?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Trip blank supplied by CAS: _____			
11	Were <b>custody seals</b> on outside of cooler/Box?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Location of seal(s)? _____ Sealing Lid?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were signature and date included?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were custody seals on outside of sample container?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Location of seal(s)? _____ Sealing Lid?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were signature and date included?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12	Do containers have appropriate <b>preservation</b> , according to method/SOP or Client specified information?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Is there a client indication that the submitted samples are <b>pH</b> preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were <b>VOA vials</b> checked for presence/absence of air bubbles?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Does the client/method/SOP require that the analyst check the sample pH and <u>if necessary</u> alter it?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13	<b>Tubes:</b> Are the tubes capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Do they contain moisture?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	<b>Badges:</b> Are the badges properly capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Are dual bed badges separated and individually capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P0900513-001.01	6.0 L Source Can					
P0900513-002.01	6.0 L Ambient Can					
P0900513-003.01	6.0 L Source Can					
P0900513-004.01	6.0 L Ambient Can					
P0900513-005.01	6.0 L Source Can					
P0900513-006.01	6.0 L Ambient Can					

Explain any discrepancies: (include lab sample ID numbers): \_\_\_\_\_

### Sample Acceptance Check Form

Work order: P0900513

Sample(s) received on: 02/12/09

Date opened: 02/12/09

by: MZAMORA

[illegible]

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## NYSDEC DATA PACKAGE SUMMARY FORMS

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

## SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

[illegible]

SAMPLE PREPARATION AND ANALYSIS SUMMARY  
VOLATILE (VOA)  
ANALYSES

9

## CHAIN OF CUSTODY FORMS



**Columbia  
Analytical Services™**

[illegible]



GC/MS VOLATILES DATA

## QC Summary

## COLUMBIA ANALYTICAL SERVICES, INC.

## SURROGATE SPIKE RECOVERY RESULTS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
 Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
 Analyst: Wida Ang  
 Sampling Media: 6.0 L Summa Canister(s)  
 Test Notes:

Date(s) Collected: 2/10/09  
 Date(s) Received: 2/12 - 2/16/09  
 Date(s) Analyzed: 2/13 - 2/16/09

Client Sample ID	CAS Sample ID	1,2-Dichloroethane-d4		Toluene-d8		Bromofluorobenzene		Data Qualifier
		% Recovered	Acceptance Limits	% Recovered	Acceptance Limits	% Recovered	Acceptance Limits	
Method Blank	P090213-MB	99	70-130	97	70-130	103	70-130	
Method Blank	P090216-MB	100	70-130	99	70-130	103	70-130	
Lab Control Sample	P090213-LCS	98	70-130	96	70-130	109	70-130	
Lab Control Sample	P090216-LCS	98	70-130	97	70-130	108	70-130	
SV-SS-58	P0900513-001	101	70-130	90	70-130	106	70-130	
SV-InA-58	P0900513-002	98	70-130	96	70-130	106	70-130	
SV-InA-58	P0900513-002DUP	98	70-130	97	70-130	106	70-130	
SV-SS-64	P0900513-003	97	70-130	97	70-130	105	70-130	
SV-InA-64	P0900513-004	98	70-130	98	70-130	103	70-130	
SV-SS-8	P0900513-005	98	70-130	95	70-130	106	70-130	
SV-InA-8	P0900513-006	98	70-130	97	70-130	106	70-130	
SV-OutA-020909	P0900513-007	99	70-130	98	70-130	104	70-130	
SV-SS-2	P0900513-008	99	70-130	98	70-130	105	70-130	
SV-InA-2	P0900513-009	101	70-130	98	70-130	103	70-130	
SV-InA-2	P0900513-009DUP	101	70-130	98	70-130	101	70-130	
SV-SS-16	P0900513-010	98	70-130	98	70-130	104	70-130	
SV-InA-16	P0900513-011	99	70-130	98	70-130	103	70-130	

Verified By: LA Date: 2/18/09

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Lab Control Sample  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P090213-LCS

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: NA Liter(s)

CAS #	Compound	Spike Amount ng	Result ng	% Recovery	CAS Acceptance Limits	Data Qualifier
75-01-4	Vinyl Chloride	25.5	22.4	88	57-132	
75-00-3	Chloroethane	25.8	25.0	97	68-123	
75-35-4	1,1-Dichloroethene	27.5	27.7	101	70-123	
75-34-3	1,1-Dichloroethane	26.8	27.3	102	72-130	
71-55-6	1,1,1-Trichloroethane	26.5	25.9	98	69-127	

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Lab Control Sample  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P090216-LCS

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 2/16/09  
Volume(s) Analyzed: NA Liter(s)

CAS #	Compound	Spike Amount ng	Result ng	% Recovery	CAS	Data Qualifier
					Acceptance Limits	
75-01-4	Vinyl Chloride	25.5	21.5	84	57-132	
75-00-3	Chloroethane	25.8	24.3	94	68-123	
75-35-4	1,1-Dichloroethene	27.5	27.7	101	70-123	
75-34-3	1,1-Dichloroethane	26.8	26.9	100	72-130	
71-55-6	1,1,1-Trichloroethane	26.5	25.7	97	69-127	

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY DUPLICATE SUMMARY RESULTS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-InA-58  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-002DUP

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC00848

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -4.3

Final Pressure (psig): 3.5

Canister Dilution Factor: 1.75

Compound	Sample Result		Duplicate Sample Result		Average	% RPD	RPD	Data
	$\mu\text{g}/\text{m}^3$	ppbV	$\mu\text{g}/\text{m}^3$	ppbV	ppbV			Qualifier
Vinyl Chloride	ND	ND	ND	ND	-	-	25	
Chloroethane	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethene	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethane	ND	ND	ND	ND	-	-	25	
1,1,1-Trichloroethane	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY DUPLICATE SUMMARY RESULTS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-InA-2  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-009DUP

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC01423

Date Collected: 2/10/09  
Date Received: 2/16/09  
Date Analyzed: 2/16/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.6

Final Pressure (psig): 3.5

Canister Dilution Factor: 1.39

Compound	Sample Result		Duplicate		Average	% RPD	RPD	Data
	$\mu\text{g}/\text{m}^3$	ppbV	$\mu\text{g}/\text{m}^3$	ppbV				
Vinyl Chloride	ND	ND	ND	ND	-	-	25	
Chloroethane	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethene	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethane	ND	ND	ND	ND	-	-	25	
1,1,1-Trichloroethane	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

# COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** Haley & Aldrich, Inc.  
**Client Project ID:** Cooper Vision / 70665-014

CAS Project ID: P0900513

### Method Blank Summary

**Test Code:** EPA TO-15  
**Instrument ID:** Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
**Analyst:** Wida Ang  
**Sampling Media:** 6.0 L Summa Canister(s)  
**Test Notes:**

**Lab File ID:** 02130902.D  
**Date Analyzed:** 2/13/09  
**Time Analyzed:** 09:34

Client Sample ID	CAS Sample ID	Lab File ID	Time Analyzed
Lab Control Sample	P090213-LCS	02130903.D	10:15
SV-SS-58	P0900513-001	02130909.D	15:00
SV-InA-58	P0900513-002	02130910.D	15:47
SV-InA-58 (Lab Duplicate)	P0900513-002DUP	02130911.D	16:33
SV-SS-64	P0900513-003	02130912.D	17:35
SV-InA-64	P0900513-004	02130913.D	18:18
SV-SS-8	P0900513-005	02130914.D	19:01
SV-InA-8	P0900513-006	02130915.D	19:44
SV-OutA-020909	P0900513-007	02130916.D	20:27
SV-SS-2	P0900513-008	02130917.D	21:09
SV-SS-16	P0900513-010	02130918.D	21:52
SV-InA-16	P0900513-011	02130919.D	22:35



# COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513

### Method Blank Summary

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister(s)  
Test Notes:


Lab File ID: 02160902.D  
Date Analyzed: 2/16/09  
Time Analyzed: 09:56

Client Sample ID	CAS Sample ID	Lab File ID	Time Analyzed
Lab Control Sample	P090216-LCS	02160903.D	10:36
SV-InA-2	P0900513-009	02160906.D	12:54
SV-InA-2 (Lab Duplicate)	P0900513-009DUP	02160907.D	13:37

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220901.D  
 Acq On : 22 Jan 2009 12:23  
 Operator : WA/LH  
 Sample : 25ng BFB STD  
 Misc : S20-01050901  
 ALS Vial : 2 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS16\METHODS\R16012209.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Jan 14 10:48:15 2009




AutoFind: Scans 3420, 3421, 3422; Background Corrected with Scan 3409

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	19.3	74544	PASS
75	95	30	66	45.3	174848	PASS
95	95	100	100	100.0	385771	PASS
96	95	5	9	6.4	24733	PASS
173	174	0.00	2	0.8	2660	PASS
174	95	50	120	89.8	346496	PASS
175	174	4	9	7.4	25515	PASS
176	174	93	101	97.3	337152	PASS
177	176	5	9	6.5	22019	PASS

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS16\METHODS\R16012209.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Fri Jan 23 08:54:57 2009




AutoFind: Scans 3420, 3421, 3422; Background Corrected with Scan 3409

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	18.9	60608	PASS
75	95	30	66	44.9	144299	PASS
95	95	100	100	100.0	321301	PASS
96	95	5	9	6.6	21275	PASS
173	174	0.00	2	0.8	2264	PASS
174	95	50	120	90.4	290539	PASS
175	174	4	9	7.4	21421	PASS
176	174	93	101	97.2	282496	PASS
177	176	5	9	6.6	18635	PASS

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS16\METHODS\R16012209.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Fri Jan 23 08:54:57 2009



AutoFind: Scans 3421, 3422, 3423; Background Corrected with Scan 3410

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	18.7	55179	PASS
75	95	30	66	44.8	131859	PASS
95	95	100	100	100.0	294421	PASS
96	95	5	9	6.5	19196	PASS
173	174	0.00	2	0.8	2115	PASS
174	95	50	120	94.2	277440	PASS
175	174	4	9	7.0	19352	PASS
176	174	93	101	97.4	270101	PASS
177	176	5	9	6.4	17252	PASS

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
 Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513

## Internal Standard Area and RT Summary

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
 Analyst: Wida Ang  
 Sampling Media: 6.0 L Summa Canister(s)  
 Test Notes:

Lab File ID: 02130901.D

Date Analyzed: 2/13/09

Time Analyzed: 08:46

	IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
	AREA	#	RT	#	AREA	#
24 Hour Standard	292784		12.31		652497	
Upper Limit	409898		12.64		913496	
Lower Limit	175670		11.98		391498	

Client Sample ID		IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
		AREA	#	RT	#	AREA	#
01	Method Blank	284429		12.28		643376	
02	Lab Control Sample	291926		12.31		649667	
03	SV-SS-58	252921		12.29		658456	
04	SV-InA-58	302189		12.28		691613	
05	SV-InA-58 (Lab Duplicate)	306251		12.28		695931	
06	SV-SS-64	307525		12.28		683757	
07	SV-InA-64	295705		12.28		651687	
08	SV-SS-8	293846		12.29		689543	
09	SV-InA-8	299869		12.28		668943	
10	SV-OutA-020909	298820		12.28		670624	
11	SV-SS-2	290183		12.28		658768	
12	SV-SS-16	296454		12.28		652867	
13	SV-InA-16	287537		12.28		642037	
14							
15							
16							
17							
18							
19							
20							

IS1 (BCM) = Bromochloromethane

IS2 (DFB) = 1,4-Difluorobenzene

IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = 140% of internal standard area

AREA LOWER LIMIT = 60% of internal standard area

RT UPPER LIMIT = 0.33 minutes of internal standard RT

RT LOWER LIMIT = 0.33 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

Verified By: Wida Ang Date: 2/18/09

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
 Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513

## Internal Standard Area and RT Summary

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
 Analyst: Wida Ang  
 Sampling Media: 6.0 L Summa Canister(s)  
 Test Notes:

Lab File ID: 02160901.D  
 Date Analyzed: 2/16/09  
 Time Analyzed: 08:47

	IS1 (BCM)				IS2 (DFB)				IS3 (CBZ)			
	AREA	#	RT	#	AREA	#	RT	#	AREA	#	RT	#
24 Hour Standard	285040		12.31		1272496		15.23		627427		21.11	
Upper Limit	399056		12.64		1781494		15.56		878398		21.44	
Lower Limit	171024		11.98		763498		14.90		376456		20.78	

Client Sample ID		IS1 (BCM)				IS2 (DFB)				IS3 (CBZ)			
		AREA	#	RT	#	AREA	#	RT	#	AREA	#	RT	#
01	Method Blank	276341		12.28		1277940		15.21		621270		21.10	
02	Lab Control Sample	293871		12.31		1307508		15.23		644721		21.11	
03	SV-InA-2	276686		12.28		1269109		15.21		624161		21.10	
04	SV-InA-2 (Lab Duplicate)	267798		12.28		1235225		15.21		607502		21.10	
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													

IS1 (BCM) = Bromochloromethane

IS2 (DFB) = 1,4-Difluorobenzene

IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = 140% of internal standard area

AREA LOWER LIMIT = 60% of internal standard area

RT UPPER LIMIT = 0.33 minutes of internal standard RT

RT LOWER LIMIT = 0.33 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

Verified By:          Date: 2/16/09

**COLUMBIA ANALYTICAL SERVICES**  
MDLs for TO-15 (LOW LEVEL - SCAN)

COMPOUND	?	10/02/08	10/03/08	10/03/08					FINAL	
	MS8	MS9	MS13	MS16	MAX				MDL <sub>R</sub>	MDL <sub>R</sub>
	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	µg/m³	ppbV	MW	µg/m³	ppbV
Propene		0.050	0.050	0.050	0.0500	0.050	0.02906	42.08	0.050	0.029
Dichlorodifluoromethane		0.050	0.050	0.050	0.0500	0.050	0.01012	120.90	0.050	0.010
Chloromethane		0.050	0.050	0.050	0.0500	0.050	0.02422	50.49	0.050	0.024
Freon 114		0.050	0.050	0.050	0.0500	0.050	0.00716	170.90	0.050	0.0072
Vinyl Chloride		0.050	0.050	0.050	0.0500	0.050	0.01957	62.50	0.050	0.020
1,3-Butadiene		0.050	0.050	0.050	0.0500	0.050	0.02261	54.09	0.050	0.023
Bromomethane		0.050	0.050	0.050	0.0500	0.050	0.01288	94.94	0.050	0.013
Chloroethane		0.050	0.072	0.050	0.0720	0.072	0.02730	64.52	0.072	0.027
Ethanol		0.140	0.133	0.133	0.1400	0.140	0.07433	46.07	0.14	0.074
Acetonitrile		0.050	0.050	0.050	0.0500	0.050	0.02979	41.05	0.050	0.030
Acrolein		0.056	0.110	0.050	0.1100	0.110	0.04800	56.06	0.11	0.048
Acetone		0.137	0.137	0.137	0.1370	0.140	0.05896	58.08	0.14	0.059
Trichlorofluoromethane		0.050	0.050	0.050	0.0500	0.050	0.00890	137.40	0.050	0.0089
Isopropanol		0.050	0.050	0.180	0.1800	0.180	0.07326	60.10	0.18	0.073
Acrylonitrile		0.050	0.050	0.050	0.0500	0.050	0.02305	53.06	0.050	0.023
1,1-Dichloroethene		0.050	0.056	0.050	0.0560	0.056	0.01413	96.94	0.056	0.014
tert-Butanol		0.051	0.051	0.051	0.0510	0.051	0.01683	74.12	0.051	0.017
Methylene Chloride		0.050	0.055	0.050	0.0550	0.055	0.01584	84.94	0.055	0.016
Allyl Chloride		0.050	0.050	0.050	0.0500	0.050	0.01598	76.53	0.050	0.016
Trichlorotrifluoroethane		0.050	0.058	0.050	0.0580	0.058	0.00757	187.38	0.058	0.0076
Carbon Disulfide		0.050	0.050	0.050	0.0500	0.050	0.01606	76.14	0.050	0.016
trans-1,2-Dichloroethene		0.050	0.050	0.050	0.0500	0.050	0.01262	96.94	0.050	0.013
1,1-Dichloroethane		0.050	0.050	0.050	0.0500	0.050	0.01236	98.96	0.050	0.012
Methyl tert-Butyl Ether		0.050	0.050	0.050	0.0500	0.050	0.01387	88.15	0.050	0.014
Vinyl Acetate		0.126	0.290	0.220	0.2900	0.290	0.08240	86.09	0.29	0.082
2-Butanone		0.050	0.096	0.057	0.0960	0.096	0.03256	72.11	0.096	0.033
cis-1,2-Dichloroethene		0.050	0.050	0.050	0.0500	0.050	0.01262	96.94	0.050	0.013
Diisopropyl Ether		0.050	0.050	0.052	0.0520	0.052	0.01245	102.18	0.052	0.012
Ethyl Acetate		0.076	0.120	0.054	0.1200	0.120	0.03331	88.11	0.12	0.033
n-Hexane		0.050	0.050	0.050	0.0500	0.050	0.01419	86.17	0.050	0.014
Chloroform		0.050	0.050	0.050	0.0500	0.050	0.01024	119.40	0.050	0.010
Tetrahydrofuran		0.050	0.085	0.064	0.0850	0.085	0.02883	72.11	0.085	0.029
Ethyl tert-Butyl Ether		0.050	0.050	0.050	0.0500	0.050	0.01197	102.18	0.050	0.012
1,2-Dichloroethane		0.050	0.050	0.050	0.0500	0.050	0.01236	98.96	0.050	0.012
1,1,1-Trichloroethane		0.050	0.050	0.050	0.0500	0.050	0.00917	133.40	0.050	0.0092
Isopropyl Acetate		0.053	0.053	0.053	0.0530	0.053	0.01269	102.13	0.053	0.013
n-Butanol		0.055	0.056	0.055	0.0560	0.056	0.01848	74.12	0.056	0.018
Benzene		0.050	0.050	0.050	0.0500	0.050	0.01566	78.11	0.050	0.016
Carbon Tetrachloride		0.050	0.050	0.050	0.0500	0.050	0.00795	153.80	0.050	0.0080
Cyclohexane		0.055	0.055	0.055	0.0550	0.055	0.01599	84.16	0.055	0.016
tert-Amyl Methyl Ether		0.050	0.050	0.050	0.0500	0.050	0.01197	102.18	0.050	0.012
1,2-Dichloropropane		0.050	0.050	0.050	0.0500	0.050	0.01082	113.00	0.050	0.011
Bromodichloromethane		0.050	0.050	0.050	0.0500	0.050	0.00747	163.80	0.050	0.0075
Trichloroethene		0.050	0.050	0.050	0.0500	0.050	0.00931	131.40	0.050	0.0093
1,4-Dioxane		0.050	0.060	0.050	0.0600	0.060	0.01666	88.11	0.060	0.017
Isooctane		0.050	0.050	0.050	0.0500	0.050	0.01071	114.23	0.050	0.011
Methyl Methacrylate		0.059	0.094	0.054	0.0940	0.094	0.02296	100.12	0.094	0.023
n-Heptane		0.050	0.050	0.050	0.0500	0.050	0.01221	100.20	0.050	0.012
cis-1,3-Dichloropropene		0.050	0.050	0.050	0.0500	0.050	0.01102	111.00	0.050	0.011
n-Methyl-2-pentanone		0.050	0.050	0.050	0.0500	0.050	0.01221	100.20	0.050	0.012
trans-1,3-Dichloropropene		0.050	0.050	0.050	0.0500	0.050	0.01102	111.00	0.050	0.011
1,1,2-Trichloroethane		0.050	0.050	0.050	0.0500	0.050	0.00917	133.40	0.050	0.0092
Toluene		0.050	0.050	0.050	0.0500	0.050	0.01327	92.14	0.050	0.013
n-Hexanone		0.050	0.050	0.050	0.0500	0.050	0.01221	100.16	0.050	0.012
Dibromochloromethane		0.050	0.050	0.050	0.0500	0.050	0.00587	208.30	0.050	0.0059
1,2-Dibromoethane		0.050	0.050	0.050	0.0500	0.050	0.00651	187.90	0.050	0.0065
Butyl Acetate		0.050	0.050	0.050	0.0500	0.050	0.01053	116.16	0.050	0.011

**COLUMBIA ANALYTICAL SERVICES**  
MDLs for TO-15 (LOW LEVEL - SCAN)

COMPOUND	?	10/02/08	10/03/08	10/03/08						FINAL	
	MS8	MS9	MS13	MS16	MAX					MDL <sub>R</sub>	MDL <sub>R</sub>
	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	µg/m³	ppbV	MW	µg/m³	ppbV	
n-Octane		0.050	0.050	0.050	0.0500	0.050	0.01071	114.23	0.050	0.011	
Tetrachloroethene		0.050	0.050	0.050	0.0500	0.050	0.00738	165.80	0.050	0.0074	
Chlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.01086	112.60	0.050	0.011	
Ethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01152	106.20	0.050	0.012	
m- & p-Xylene		0.053	0.053	0.053	0.0530	0.053	0.01221	106.20	0.053	0.012	
Bromoform		0.050	0.050	0.053	0.0530	0.053	0.00513	252.80	0.053	0.0051	
Styrene		0.050	0.050	0.050	0.0500	0.050	0.01175	104.10	0.050	0.012	
o-Xylene		0.050	0.050	0.050	0.0500	0.050	0.01152	106.20	0.050	0.012	
n-Nonane		0.050	0.050	0.050	0.0500	0.050	0.00954	128.26	0.050	0.0095	
1,1,2,2-Tetrachloroethane		0.050	0.050	0.050	0.0500	0.050	0.00728	167.90	0.050	0.0073	
Cumene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010	
alpha-Pinene		0.050	0.050	0.050	0.0500	0.050	0.00898	136.24	0.050	0.0090	
n-Propylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01018	120.19	0.050	0.010	
3-Ethyltoluene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010	
4-Ethyltoluene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010	
1,3,5-Trimethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010	
alpha-Methylstyrene		0.050	0.050	0.050	0.0500	0.050	0.01035	118.19	0.050	0.010	
2-Ethyltoluene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010	
1,2,4-Trimethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010	
n-Decane		0.050	0.050	0.050	0.0500	0.050	0.00860	142.28	0.050	0.0086	
Benzyl Chloride		0.050	0.050	0.050	0.0500	0.050	0.00966	126.59	0.050	0.0097	
1,3-Dichlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.00832	147.00	0.050	0.0083	
1,4-Dichlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.00832	147.00	0.050	0.0083	
sec-Butylbenzene		0.050	0.050	0.050	0.0500	0.050	0.00911	134.22	0.050	0.0091	
o-Isopropyltoluene		0.050	0.050	0.050	0.0500	0.050	0.00911	134.22	0.050	0.0091	
1,2,3-Trimethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01018	120.19	0.050	0.010	
1,2-Dichlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.00832	147.00	0.050	0.0083	
l-Limonene		0.050	0.029	0.050	0.0500	0.050	0.00898	136.24	0.050	0.0090	
1,2-Dibromo-3-Chloropropane		0.050	0.043	0.050	0.0500	0.050	0.00517	236.33	0.050	0.0052	
n-Undecane		0.050	0.050	0.050	0.0500	0.050	0.00782	156.31	0.050	0.0078	
1,2,4-Trichlorobenzene		0.083	0.053	0.076	0.0830	0.083	0.01119	181.50	0.083	0.011	
Naphthalene		0.050	0.050	0.050	0.0500	0.050	0.00954	128.17	0.050	0.0095	
n-Dodecane		0.050	0.050	0.050	0.0500	0.050	0.00718	170.34	0.050	0.0072	
Hexachloro-1,3-butadiene		0.050	0.050	0.050	0.0500	0.050	0.00469	260.80	0.050	0.0047	



## Sample Data

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-SS-58  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-001

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: SC00119

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.1      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.34

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.13	ND	0.052	
75-00-3	Chloroethane	ND	0.67	ND	0.25	
75-35-4	1,1-Dichloroethene	ND	0.67	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.67	ND	0.17	
71-55-6	1,1,1-Trichloroethane	ND	0.67	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130909.D  
 Acq On : 13 Feb 2009 15:00  
 Operator : WA/LH  
 Sample : P0900513-001 (1000mL)  
 Misc : Haley & Aldrich SV-SS-58 (-1.1, 3.5) ✓  
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Feb 13 15:37:08 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.29	130	252921	25.000	ng	-0.03
37) 1,4-Difluorobenzene (IS2)	15.22	114	1178644	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	658456	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4(...)	13.43	65	409097	25.293	ng	-0.03
Spiked Amount	25.000		Recovery	=	101.16%	✓
57) Toluene-d8 (SS2)	18.67	98	1391218	22.442	ng	-0.01
Spiked Amount	25.000		Recovery	=	89.76%	✓
73) Bromofluorobenzene (SS3)	23.06	174	618862	26.578	ng	0.00
Spiked Amount	25.000		Recovery	=	106.32%	✓

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.58	42	91551	6.466	ng	# 81
3) Dichlorodifluoromethane	4.75	85	53267	2.155	ng	100
4) Chloromethane	5.06	50	4159	0.206	ng	91
5) Freon 114	5.30	135	734	0.062	ng	68
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.77	54	3554	0.296	ng	90
8) Bromomethane	6.26	94	56	N.D.		
9) Chloroethane	6.56	64	233	N.D.	✓	
10) Ethanol	7.02	45	11136389	1268.277	ng	93
11) Acetonitrile	7.20	41	49948	2.101	ng	90
12) Acrolein	7.40	56	5778	0.785	ng	85
13) Acetone	7.61	58	1922683	192.049	ng	# 75
14) Trichlorofluoromethane	7.88	101	23203	1.080	ng	97
15) Isopropanol	8.14	45	2047545	57.013	ng	97
16) Acrylonitrile	8.38	53	4790	0.292	ng	96
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.06	59	71968	2.125	ng	94
19) Methylene Chloride	9.11	84	1392	0.110	ng	# 54
20) Allyl Chloride	9.27	41	418	N.D.		
21) Trichlorotrifluoroethane	9.53	151	4634	0.481	ng	90
22) Carbon Disulfide	9.47	76	231656	5.212	ng	98
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	10.88	63	1388	<del>0.067</del> ng	#	1
25) Methyl tert-Butyl Ether	10.91	73	8632	0.277	ng	85
26) Vinyl Acetate	11.10	86	22622	10.893	ng	# 1
27) 2-Butanone	11.39	72	84166	11.009	ng	# 38
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	12.41	87	8407	0.909	ng	# 1
30) Ethyl Acetate	12.40	61	28801	6.516	ng	# 53
31) n-Hexane	12.41	57	873912	41.826	ng	89

31

2/17/09

2/16/09

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130909.D  
Acq On : 13 Feb 2009 15:00  
Operator : WA/LH  
Sample : P0900513-001 (1000mL)  
Misc : Haley & Aldrich SV-SS-58 (-1.1, 3.5)  
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Feb 13 15:37:08 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.50	83	18034	0.939	ng	99
34) Tetrahydrofuran	13.06	72	40451	5.711	ng	94
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.63	62	3418	0.211	ng	# 45
38) 1,1,1-Trichloroethane	13.99	97	1298	<del>0.070</del>	ng	85
39) Isopropyl Acetate	14.68	61	2522	0.301	ng	# 1
40) 1-Butanol	14.56	56	323726	25.004	ng	87
41) Benzene	14.68	78	382952	7.578	ng	99
42) Carbon Tetrachloride	14.91	117	3925	0.239	ng	97
43) Cyclohexane	15.11	84	434477	25.867	ng	# 67
44) tert-Amyl Methyl Ether	15.52	73	1319	N.D.		
45) 1,2-Dichloropropane	15.90	63	287	N.D.		
46) Bromodichloromethane	16.21	83	23522	1.497	ng	# 20
47) Trichloroethene	16.26	130	56	N.D.		
48) 1,4-Dioxane	16.22	88	16223	1.664	ng	# 78
49) Isooctane	16.32	57	38720	0.677	ng	# 1
50) Methyl Methacrylate	16.43	100	5809	1.171	ng	# 1
51) n-Heptane	16.72	71	725870	58.078	ng	# 74
52) cis-1,3-Dichloropropene	17.32	75	111	N.D.		
53) 4-Methyl-2-pentanone	17.51	58	15813	1.329	ng	81
54) trans-1,3-Dichloropropene	18.23	75	264	N.D.		
55) 1,1,2-Trichloroethane	18.29	97	13773	1.163	ng	# 70
58) Toluene	18.80	91	1615979	25.867	ng	99
59) 2-Hexanone	19.13	43	277886	7.325	ng	# 29
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.96	43	16179	0.372	ng	# 1
63) n-Octane	20.12	57	1022865	71.224	ng	# 71
64) Tetrachloroethene	20.30	166	2931	0.168	ng	98
65) Chlorobenzene	21.21	112	147948	3.578	ng	# 44
66) Ethylbenzene	21.64	91	326100	4.683	ng	100
67) m- & p-Xylene	21.86	91	1368379	25.059	ng	97
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.33	104	9964	0.238	ng	91
70) o-Xylene	22.48	91	407194	7.285	ng	98
71) n-Nonane	22.75	43	1867795	54.026	ng	91
72) 1,1,2,2-Tetrachloroethane	22.48	83	3869	0.156	ng	# 18
74) Cumene	23.24	105	74070	1.002	ng	97
75) alpha-Pinene	23.74	93	134835	4.232	ng	99
76) n-Propylbenzene	23.88	91	91595	1.022	ng	90
77) 3-Ethyltoluene	24.01	105	179329	2.647	ng	96
78) 4-Ethyltoluene	24.06	105	65189	0.983	ng	96
79) 1,3,5-Trimethylbenzene	24.15	105	129187	2.256	ng	93

32

2/17/09

02/16/09

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130909.D  
Acq On : 13 Feb 2009 15:00  
Operator : WA/LH  
Sample : P0900513-001 (1000mL)  
Misc : Haley & Aldrich SV-SS-58 (-1.1, 3.5)  
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Feb 13 15:37:08 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1321	N.D.		
81) 2-Ethyltoluene	24.40	105	53891	0.775	ng	95
82) 1,2,4-Trimethylbenzene	24.67	105	177691	2.893	ng	97
83) n-Decane	24.79	57	894332	24.767	ng	82
84) Benzyl Chloride	24.88	91	1203	N.D.		
85) 1,3-Dichlorobenzene	24.87	146	186	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	1226	N.D.		
87) sec-Butylbenzene	25.00	105	27093	0.338	ng	98
88) p-Isopropyltoluene	25.20	119	31621	0.406	ng	96
89) 1,2,3-Trimethylbenzene	25.20	105	35995	0.586	ng	93
90) 1,2-Dichlorobenzene	25.36	146	1752	N.D.		
91) d-Limonene	25.37	68	258716	10.850	ng	99
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	43734	1.122	ng	# 47
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	94654	1.069	ng	98
96) n-Dodecane	27.55	57	312753	7.118	ng	78
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.11	55	137083	5.215	ng	# 41
99) tert-Butylbenzene	25.12	119	22234	0.373	ng	92
100) n-Butylbenzene	25.71	91	14115	0.222	ng	# 15

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-InA-58  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-002

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC00848

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -4.3      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.75


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.18	ND	0.068	
75-00-3	Chloroethane	ND	0.88	ND	0.33	
75-35-4	1,1-Dichloroethene	ND	0.88	ND	0.22	
75-34-3	1,1-Dichloroethane	ND	0.88	ND	0.22	
71-55-6	1,1,1-Trichloroethane	ND	0.88	ND	0.16	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130910.D  
Acq On : 13 Feb 2009 15:47  
Operator : WA/LH  
Sample : P0900513-002 (1000mL)  
Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5) ✓  
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 16:22:48 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130910.D  
 Acq On : 13 Feb 2009 15:47  
 Operator : WA/LH  
 Sample : P0900513-002 (1000mL)  
 Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5) ✓  
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 16:22:48 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	302189	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.22	114	1378004	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	691613	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	473561	24.505	ng	-0.04
Spiked Amount	25.000		Recovery	=	98.04%	✓
57) Toluene-d8 (SS2)	18.67	98	1565338	24.040	ng	-0.01
Spiked Amount	25.000		Recovery	=	96.16%	✓
73) Bromofluorobenzene (SS3)	23.06	174	646175	26.420	ng	0.00
Spiked Amount	25.000		Recovery	=	105.68%	✓

## Target Compounds

						Qvalue
2) Propene	4.58	42	519516	30.710	ng	90
3) Dichlorodifluoromethane	4.75	85	48566	1.644	ng	100
4) Chloromethane	5.06	50	21493	0.891	ng	97
5) Freon 114	5.31	135	883	0.063	ng	63
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.77	54	19955	1.391	ng	98
8) Bromomethane	6.24	94	467	N.D.		
9) Chloroethane	6.57	64	134	N.D.	✓	
10) Ethanol	7.03	45	13333835	1270.957	ng	93
11) Acetonitrile	7.19	41	103978	3.660	ng	94
12) Acrolein	7.39	56	36057	4.099	ng	82
13) Acetone	7.60	58	412779	34.509	ng	91
14) Trichlorofluoromethane	7.87	101	20629	0.803	ng	96
15) Isopropanol	8.16	45	7895023	183.992	ng	100
16) Acrylonitrile	8.37	53	9349	0.476	ng	95
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.07	59	19931	0.493	ng	# 36
19) Methylene Chloride	9.08	84	4089	0.269	ng	# 49
20) Allyl Chloride	9.26	41	2236	0.122	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	4367	0.379	ng	91
22) Carbon Disulfide	9.46	76	7325	0.138	ng	94
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	10.91	73	453	N.D.		
26) Vinyl Acetate	11.03	86	12666	5.105	ng	# 1
27) 2-Butanone	11.40	72	15395	1.685	ng	# 39
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	12.40	87	859	0.078	ng	# 1
30) Ethyl Acetate	12.39	61	50686	9.598	ng	84
31) n-Hexane	12.40	57	13023	0.522	ng	91

36

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130910.D  
 Acq On : 13 Feb 2009 15:47  
 Operator : WA/LH  
 Sample : P0900513-002 (1000mL)  
 Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5)  
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 16:22:48 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	32504	1.417	ng	98
34) Tetrahydrofuran	13.10	72	515	0.061	ng	# 1
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	6129	0.317	ng	98
38) 1,1,1-Trichloroethane	13.98	97	631	N.D.		
39) Isopropyl Acetate	14.55	61	1686	0.172	ng	# 1
40) 1-Butanol	14.57	56	37921	2.505	ng	88
41) Benzene	14.67	78	114151	1.932	ng	99
42) Carbon Tetrachloride	14.90	117	5407	0.282	ng	98
43) Cyclohexane	15.09	84	3746	0.191	ng	# 72
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	15.90	63	900	0.060	ng	96
46) Bromodichloromethane	16.18	83	11537	0.628	ng	93
47) Trichloroethene	16.24	130	550	N.D.		
48) 1,4-Dioxane	16.23	88	117	N.D.		
49) Isooctane	16.34	57	15286	0.228	ng	95
50) Methyl Methacrylate	16.72	100	2131	0.367	ng	# 1
51) n-Heptane	16.70	71	6948	0.475	ng	# 79
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.51	58	1802	0.130	ng	79
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	133917	9.673	ng	# 8
58) Toluene	18.80	91	245179	3.736	ng	99
59) 2-Hexanone	19.13	43	7841	0.197	ng	86
60) Dibromochloromethane	19.34	129	4035	0.248	ng	95
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.95	43	122883	2.689	ng	94
63) n-Octane	20.11	57	9182	0.609	ng	# 86
64) Tetrachloroethene	20.28	166	1368	0.075	ng	99
65) Chlorobenzene	21.17	112	444	N.D.		
66) Ethylbenzene	21.64	91	40616	0.555	ng	100
67) m- & p-Xylene	21.86	91	79830	1.392	ng	98
68) Bromoform	21.95	173	238	N.D.		
69) Styrene	22.33	104	22785	0.517	ng	97
70) o-Xylene	22.48	91	24018	0.409	ng	98
71) n-Nonane	22.75	43	18408	0.507	ng	95
72) 1,1,2,2-Tetrachloroethane	22.48	83	1011	N.D.		
74) Cumene	23.23	105	4296	N.D.		
75) alpha-Pinene	23.74	93	95123	2.843	ng	96
76) n-Propylbenzene	23.88	91	11035	0.117	ng	# 76
77) 3-Ethyltoluene	24.01	105	20509	0.288	ng	95
78) 4-Ethyltoluene	24.06	105	9717	0.139	ng	92
79) 1,3,5-Trimethylbenzene	24.16	105	7053	0.117	ng	90

37

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130910.D  
Acq On : 13 Feb 2009 15:47  
Operator : WA/LH  
Sample : P0900513-002 (1000mL)  
Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5)  
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 16:22:48 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1647	N.D.		
81) 2-Ethyltoluene	24.39	105	8420	0.115	ng	99
82) 1,2,4-Trimethylbenzene	24.67	105	23845	0.370	ng	96
83) n-Decane	24.79	57	84766	2.235	ng	75
84) Benzyl Chloride	24.85	91	399	N.D.		
85) 1,3-Dichlorobenzene	24.94	146	2143	N.D.		
86) 1,4-Dichlorobenzene	24.94	146	2143	N.D.		
87) sec-Butylbenzene	25.01	105	940	N.D.		
88) p-Isopropyltoluene	25.20	119	34526	0.422	ng	93
89) 1,2,3-Trimethylbenzene	25.20	105	9704	0.150	ng	# 63
90) 1,2-Dichlorobenzene	25.37	146	262	N.D.		
91) d-Limonene	25.37	68	344842	13.769	ng	99
92) 1,2-Dibromo-3-Chloropr...	26.32	157	61	N.D.		
93) n-Undecane	26.32	57	40713	0.995	ng	80
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	24087	0.259	ng	97
96) n-Dodecane	27.55	57	17776	0.385	ng	77
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.05	55	15204	0.551	ng	# 93
99) tert-Butylbenzene	24.59	119	4214	0.067	ng	93
100) n-Butylbenzene	25.71	91	4291	0.064	ng	# 27

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-SS-64**  
Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513  
CAS Sample ID: P0900513-003

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: SC00931

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): 0.5      Final Pressure (psig): 3.8

Canister Dilution Factor: 1.22

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.12	ND	0.048	
75-00-3	Chloroethane	ND	0.61	ND	0.23	
75-35-4	1,1-Dichloroethene	ND	0.61	ND	0.15	
75-34-3	1,1-Dichloroethane	ND	0.61	ND	0.15	
71-55-6	1,1,1-Trichloroethane	ND	0.61	ND	0.11	


ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Verified By: ta      Date: 2/18/09

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130912.D  
Acq On : 13 Feb 2009 17:35  
Operator : WA/LH  
Sample : P0900513-003 (1000mL)  
Misc : Haley & Aldrich SV-SS-64 (0.5, 3.8) ✓  
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Feb 16 09:09:51 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130912.D  
 Acq On : 13 Feb 2009 17:35  
 Operator : WA/LH  
 Sample : P0900513-003 (1000mL)  
 Misc : Haley & Aldrich SV-SS-64 (0.5, 3.8) ✓  
 ALS Vial : 11 Sample Multiplier: 1

Quant Time: Feb 16 09:09:51 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	307525	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1399299	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	683757	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	478323	24.322	ng	-0.04
Spiked Amount	25.000		Recovery	=	97.28%	✓
57) Toluene-d8 (SS2)	18.66	98	1568592	24.367	ng	-0.02
Spiked Amount	25.000		Recovery	=	97.48%	✓
73) Bromofluorobenzene (SS3)	23.06	174	632656	26.165	ng	0.00
Spiked Amount	25.000		Recovery	=	104.64%	✓

## Target Compounds

						Qvalue
2) Propene	4.63	42	8899	0.517	ng	# 29
3) Dichlorodifluoromethane	4.76	85	69054	2.297	ng	99
4) Chloromethane	5.08	50	14471	0.589	ng	98
5) Freon 114	5.32	135	1269	0.089	ng	83
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	0.00	54	0	N.D.		
8) Bromomethane	6.25	94	263	N.D.		
9) Chloroethane	6.57	64	1460	0.149	ng	76
10) Ethanol	7.00	45	11393	1.067	ng	95
11) Acetonitrile	7.19	41	2690	0.093	ng	# 63
12) Acrolein	7.40	56	5878	0.657	ng	81
13) Acetone	7.60	58	104432	8.579	ng	87
14) Trichlorofluoromethane	7.87	101	30458	1.166	ng	96
15) Isopropanol	8.20	45	1913	N.D.		
16) Acrylonitrile	8.47	53	71	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.03	59	888	N.D.		
19) Methylene Chloride	9.08	84	2822	0.183	ng	# 54
20) Allyl Chloride	9.27	41	1339	0.072	ng	83
21) Trichlorotrifluoroethane	9.53	151	6517	0.556	ng	91
22) Carbon Disulfide	9.47	76	2871	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	10.94	73	54	N.D.		
26) Vinyl Acetate	11.04	86	1554	0.615	ng	# 1
27) 2-Butanone	11.40	72	7899	0.850	ng	# 44
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.40	61	9542	1.775	ng	88
31) n-Hexane	12.41	57	5919	0.233	ng	92 41

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130912.D  
Acq On : 13 Feb 2009 17:35  
Operator : WA/LH  
Sample : P0900513-003 (1000mL)  
Misc : Haley & Aldrich SV-SS-64 (0.5, 3.8)  
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Feb 16 09:09:51 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.48	83	1076	N.D.		
34) Tetrahydrofuran	13.09	72	198	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.58	62	993	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	829	N.D.✓		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.62	56	9149	0.595 ng		94
41) Benzene	14.67	78	29187	0.486 ng		96
42) Carbon Tetrachloride	14.89	117	8316	0.427 ng		99
43) Cyclohexane	15.11	84	575	N.D.		
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	15.90	63	514	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	16.25	130	795	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	5372	0.079 ng		81
50) Methyl Methacrylate	16.70	100	334	N.D.		
51) n-Heptane	16.70	71	1549	0.104 ng	#	73
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.52	58	696	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	132422	9.420 ng	#	8
58) Toluene	18.80	91	41616	0.642 ng		98
59) 2-Hexanone	19.12	43	4904	0.124 ng		90
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	1539	N.D.		
63) n-Octane	20.11	57	1891	0.127 ng		88
64) Tetrachloroethene	20.30	166	974	N.D.		
65) Chlorobenzene	21.17	112	53	N.D.		
66) Ethylbenzene	21.64	91	6139	0.085 ng		99
67) m- & p-Xylene	21.86	91	12058	0.213 ng		94
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	2666	0.061 ng		99
70) o-Xylene	22.47	91	4559	0.079 ng		99
71) n-Nonane	22.75	43	5417	0.151 ng		85
72) 1,1,2,2-Tetrachloroethane	22.48	83	548	N.D.		
74) Cumene	23.24	105	4006	N.D.		
75) alpha-Pinene	23.73	93	8444	0.255 ng		95
76) n-Propylbenzene	23.88	91	2986	N.D.		
77) 3-Ethyltoluene	24.01	105	3907	N.D.		
78) 4-Ethyltoluene	24.06	105	1917	N.D.		
79) 1,3,5-Trimethylbenzene	24.16	105	1464	N.D.		

42

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130912.D  
Acq On : 13 Feb 2009 17:35  
Operator : WA/LH  
Sample : P0900513-003 (1000mL)  
Misc : Haley & Aldrich SV-SS-64 (0.5, 3.8)  
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Feb 16 09:09:51 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	0.00	118	0	N.D.		
81) 2-Ethyltoluene	24.40	105	1480	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	4384	0.069	ng	94
83) n-Decane	24.79	57	13725	0.366	ng	81
84) Benzyl Chloride	24.67	91	545	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	395	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	395	N.D.		
87) sec-Butylbenzene	25.00	105	336	N.D.		
88) p-Isopropyltoluene	25.20	119	1241	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	1135	N.D.		
90) 1,2-Dichlorobenzene	24.95	146	395	N.D.		
91) d-Limonene	25.37	68	3728	0.151	ng	97
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	2941	0.073	ng	# 52
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	3152	N.D.		
96) n-Dodecane	27.55	57	4146	0.091	ng	90
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.05	55	26808	0.982	ng	95
99) tert-Butylbenzene	24.66	119	621	N.D.		
100) n-Butylbenzene	25.74	91	172	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed



## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-InA-64**  
Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: **P0900513**  
CAS Sample ID: **P0900513-004**

Test Code: **EPA TO-15**  
Instrument ID: **Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16**  
Analyst: **Wida Ang**  
Sampling Media: **6.0 L Summa Canister**  
Test Notes:  
Container ID: **AC00946**

Date Collected: **2/10/09**  
Date Received: **2/12/09**  
Date Analyzed: **2/13/09**  
Volume(s) Analyzed: **1.00 Liter(s)**

Initial Pressure (psig): **-4.4**      Final Pressure (psig): **3.5**

Canister Dilution Factor: **1.77**


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.18	ND	0.069	
75-00-3	Chloroethane	ND	0.89	ND	0.34	
75-35-4	1,1-Dichloroethene	ND	0.89	ND	0.22	
75-34-3	1,1-Dichloroethane	ND	0.89	ND	0.22	
71-55-6	1,1,1-Trichloroethane	ND	0.89	ND	0.16	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130913.D  
Acq On : 13 Feb 2009 18:18  
Operator : WA/LH  
Sample : P0900513-004 (1000mL)  
Misc : Haley & Aldrich SV-InA-64 (-4.4, 3.5) ✓  
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Feb 16 09:09:58 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130913.D  
 Acq On : 13 Feb 2009 18:18  
 Operator : WA/LH  
 Sample : P0900513-004 (1000mL)  
 Misc : Haley & Aldrich SV-InA-64 (-4.4, 3.5) ✓  
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Feb 16 09:09:58 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	295705	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1353741	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	651687	25.000	ng	-0.01

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	463323	24.501	ng	-0.04
Spiked Amount	25.000		Recovery	=	98.00%	✓
57) Toluene-d8 (SS2)	18.67	98	1508673	24.589	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.36%	✓
73) Bromofluorobenzene (SS3)	23.06	174	594512	25.797	ng	0.00
Spiked Amount	25.000		Recovery	=	103.20%	✓

#### Target Compounds

						Qvalue
2) Propene	4.59	42	5753	0.348	ng	# 1
3) Dichlorodifluoromethane	4.75	85	46917	1.623	ng	99
4) Chloromethane	5.07	50	8888	0.376	ng	96
5) Freon 114	5.31	135	833	0.061	ng	64
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.79	54	234	N.D.		
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	6.98	45	17728	1.727	ng	94
11) Acetonitrile	7.22	41	1962	0.071	ng	# 44
12) Acrolein	7.42	56	1639	0.190	ng	# 75
13) Acetone	7.61	58	41401	3.537	ng	# 68
14) Trichlorofluoromethane	7.87	101	21021	0.837	ng	97
15) Isopropanol	8.19	45	2850	0.068	ng	60
16) Acrylonitrile	8.48	53	360	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.03	59	119	N.D.		
19) Methylene Chloride	9.08	84	7959	0.536	ng	# 53
20) Allyl Chloride	9.17	41	837	N.D.		
21) Trichlorotrifluoroethane	9.54	151	4361	0.387	ng	97
22) Carbon Disulfide	9.47	76	2161	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.10	86	281	0.116	ng	# 1
27) 2-Butanone	11.41	72	4076	0.456	ng	# 51
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.41	61	7731	1.496	ng	87
31) n-Hexane	12.40	57	6893	0.282	ng	95

46

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130913.D  
 Acq On : 13 Feb 2009 18:18  
 Operator : WA/LH  
 Sample : P0900513-004 (1000mL)  
 Misc : Haley & Aldrich SV-InA-64 (-4.4, 3.5)  
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Feb 16 09:09:58 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	1129	N.D.		
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	681	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	545	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.61	56	7597	0.511	ng	97
41) Benzene	14.67	78	29315	0.505	ng	99
42) Carbon Tetrachloride	14.90	117	3771	0.200	ng	100
43) Cyclohexane	15.11	84	1078	N.D.		
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	0.00	130	0	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	10749	0.164	ng	91
50) Methyl Methacrylate	16.70	100	332	N.D.		
51) n-Heptane	16.72	71	1643	0.114	ng	# 66
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	0.00	58	0	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	129158	9.497	ng	# 8
58) Toluene	18.80	91	54577	0.883	ng	100
59) 2-Hexanone	19.14	43	1997	N.D.		
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	463	N.D.		
63) n-Octane	20.11	57	1296	0.091	ng	# 78
64) Tetrachloroethene	20.30	166	996	N.D.		
65) Chlorobenzene	0.00	112	0	N.D.		
66) Ethylbenzene	21.65	91	9059	0.131	ng	99
67) m- & p-Xylene	21.86	91	21179	0.392	ng	97
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	1460	N.D.		
70) o-Xylene	22.48	91	8512	0.154	ng	100
71) n-Nonane	22.75	43	2548	0.074	ng	98
72) 1,1,2,2-Tetrachloroethane	0.00	83	0	N.D.		
74) Cumene	23.24	105	1215	N.D.		
75) alpha-Pinene	23.74	93	9016	0.286	ng	# 43
76) n-Propylbenzene	23.89	91	2835	N.D.		
77) 3-Ethyltoluene	24.01	105	6839	0.102	ng	98
78) 4-Ethyltoluene	24.06	105	3482	N.D.		
79) 1,3,5-Trimethylbenzene	24.16	105	2731	N.D.		

47

2/17/09

11/02/16/09

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130913.D  
 Acq On : 13 Feb 2009 18:18  
 Operator : WA/LH  
 Sample : P0900513-004 (1000mL)  
 Misc : Haley & Aldrich SV-InA-64 (-4.4, 3.5)  
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Feb 16 09:09:58 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.36	118	132	N.D.		
81) 2-Ethyltoluene	24.40	105	2686	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	8584	0.141	ng	92
83) n-Decane	24.79	57	5467	0.153	ng	74
84) Benzyl Chloride	24.67	91	827	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	1125	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	1125	N.D.		
87) sec-Butylbenzene	25.01	105	290	N.D.		
88) p-Isopropyltoluene	25.20	119	977	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	2239	N.D.		
90) 1,2-Dichlorobenzene	24.95	146	1125	N.D.		
91) d-Limonene	25.37	68	2391	0.101	ng	95
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	3309	0.086	ng	# 35
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.58	128	4405	N.D.		
96) n-Dodecane	27.55	57	3530	0.081	ng	95
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.08	55	2366	0.091	ng	88
99) tert-Butylbenzene	24.68	119	1105	N.D.		
100) n-Butylbenzene	25.67	91	1342	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-SS-8**  
Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: **P0900513**  
CAS Sample ID: **P0900513-005**

Test Code: **EPA TO-15**  
Instrument ID: **Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16**  
Analyst: **Wida Ang**  
Sampling Media: **6.0 L Summa Canister**  
Test Notes:  
Container ID: **SC00641**

Date Collected: **2/10/09**  
Date Received: **2/12/09**  
Date Analyzed: **2/13/09**  
Volume(s) Analyzed: **1.00 Liter(s)**

Initial Pressure (psig): **-1.5**      Final Pressure (psig): **3.5**

Canister Dilution Factor: **1.38**

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.14	ND	0.054	
75-00-3	Chloroethane	ND	0.69	ND	0.26	
75-35-4	1,1-Dichloroethene	ND	0.69	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.69	ND	0.17	
71-55-6	1,1,1-Trichloroethane	ND	0.69	ND	0.13	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\

Data File : 02130914.D

Acq On : 13 Feb 2009 19:01

Operator : WA/LH

Sample : P0900513-005 (1000mL)

Misc : Haley & Aldrich SV-SS-8 (-1.5, 3.5) ✓

ALS Vial : 13 Sample Multiplier: 1


Quant Time: Feb 16 09:10:02 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130914.D  
 Acq On : 13 Feb 2009 19:01  
 Operator : WA/LH  
 Sample : P0900513-005 (1000mL)  
 Misc : Haley & Aldrich SV-SS-8 (-1.5, 3.5) ✓  
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Feb 16 09:10:02 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.29	130	293846	25.000	ng	-0.03
37) 1,4-Difluorobenzene (IS2)	15.22	114	1333826	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	689543	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4 (...)	13.43	65	458243	24.386	ng	-0.03
Spiked Amount	25.000		Recovery	=	97.56%	✓
57) Toluene-d8 (SS2)	18.67	98	1539442	23.713	ng	-0.01
Spiked Amount	25.000		Recovery	=	94.84%	✓
73) Bromofluorobenzene (SS3)	23.06	174	643343	26.384	ng	0.00
Spiked Amount	25.000		Recovery	=	105.52%	✓

## Target Compounds

						Qvalue
2) Propene	4.59	42	71843	4.367	ng	# 1
3) Dichlorodifluoromethane	4.78	85	59437	2.069	ng	99
4) Chloromethane	5.09	50	18960	0.808	ng	97
5) Freon 114	5.33	135	1016	0.074	ng	91
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.79	54	16670	1.195	ng	97
8) Bromomethane	6.25	94	518	N.D.		
9) Chloroethane	6.58	64	146	N.D.	✓	
10) Ethanol	7.06	45	16986275	1665.072	ng	93
11) Acetonitrile	7.20	41	96755	3.503	ng	94
12) Acrolein	7.41	56	16648	1.946	ng	84
13) Acetone	7.62	58	2014381	173.185	ng	# 76
14) Trichlorofluoromethane	7.88	101	26232	1.051	ng	96
15) Isopropanol	8.15	45	675380	16.186	ng	97
16) Acrylonitrile	8.39	53	8474	0.444	ng	94
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.07	59	67859	1.725	ng	# 77
19) Methylene Chloride	9.09	84	4239	0.287	ng	# 56
20) Allyl Chloride	9.27	41	1838	0.103	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	5400	0.482	ng	89
22) Carbon Disulfide	9.47	76	112673	2.182	ng	99
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.	✓	
24) 1,1-Dichloroethane	10.88	63	1170	N.D.	✓	
25) Methyl tert-Butyl Ether	10.92	73	9871	0.273	ng	93
26) Vinyl Acetate	11.10	86	31734	13.153	ng	# 2
27) 2-Butanone	11.39	72	213371	24.022	ng	# 33
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	12.41	87	9772	0.909	ng	# 1
30) Ethyl Acetate	12.40	61	54211	10.557	ng	# 68
31) n-Hexane	12.41	57	926043	38.148	ng	88

51



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130914.D  
 Acq On : 13 Feb 2009 19:01  
 Operator : WA/LH  
 Sample : P0900513-005 (1000mL)  
 Misc : Haley & Aldrich SV-SS-8 (-1.5, 3.5)  
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Feb 16 09:10:02 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.50	83	50403	2.260	ng	98
34) Tetrahydrofuran	13.06	72	64158	7.797	ng	# 64
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.60	62	4088	0.217	ng	97
38) 1,1,1-Trichloroethane	13.98	97	850	N.D.		
39) Isopropyl Acetate	14.54	61	54	N.D.		
40) 1-Butanol	14.57	56	124690	8.510	ng	85
41) Benzene	14.67	78	283348	4.955	ng	99
42) Carbon Tetrachloride	14.91	117	5400	0.291	ng	99
43) Cyclohexane	15.11	84	330557	17.390	ng	# 64
44) tert-Amyl Methyl Ether	15.75	73	52	N.D.		
45) 1,2-Dichloropropane	15.75	63	1498	0.104	ng	# 58
46) Bromodichloromethane	16.22	83	26008	1.463	ng	# 18
47) Trichloroethene	16.26	130	629	N.D.		
48) 1,4-Dioxane	16.23	88	1839	0.167	ng	# 80
49) Isooctane	16.33	57	46295	0.715	ng	# 1
50) Methyl Methacrylate	16.43	100	2793	0.497	ng	# 1
51) n-Heptane	16.72	71	638719	45.159	ng	# 73
52) cis-1,3-Dichloropropene	17.33	75	179	N.D.		
53) 4-Methyl-2-pentanone	17.50	58	34129	2.536	ng	81
54) trans-1,3-Dichloropropene	18.24	75	65	N.D.		
55) 1,1,2-Trichloroethane	18.29	97	5900	0.440	ng	# 72
58) Toluene	18.80	91	1008044	15.409	ng	100
59) 2-Hexanone	19.13	43	231833	5.835	ng	# 41
60) Dibromochloromethane	19.34	129	2121	0.131	ng	96
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.95	43	21862	0.480	ng	# 1
63) n-Octane	20.11	57	516329	34.332	ng	# 69
64) Tetrachloroethene	20.30	166	3246	0.178	ng	100
65) Chlorobenzene	21.21	112	87799	2.028	ng	# 43
66) Ethylbenzene	21.64	91	196082	2.689	ng	99
67) m- & p-Xylene	21.86	91	606659	10.609	ng	97
68) Bromoform	21.96	173	350	N.D.		
69) Styrene	22.33	104	24445	0.556	ng	95
70) o-Xylene	22.48	91	169783	2.901	ng	99
71) n-Nonane	22.75	43	406087	11.217	ng	91
72) 1,1,2,2-Tetrachloroethane	22.48	83	2410	0.093	ng	# 18
74) Cumene	23.24	105	38409	0.496	ng	95
75) alpha-Pinene	23.74	93	194934	5.843	ng	98
76) n-Propylbenzene	23.88	91	46554	0.496	ng	94
77) 3-Ethyltoluene	24.01	105	63990	0.902	ng	95
78) 4-Ethyltoluene	24.06	105	26561	0.382	ng	97
79) 1,3,5-Trimethylbenzene	24.15	105	25329	0.422	ng	96

52

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130914.D  
Acq On : 13 Feb 2009 19:01  
Operator : WA/LH  
Sample : P0900513-005 (1000mL)  
Misc : Haley & Aldrich SV-SS-8 (-1.5, 3.5)  
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Feb 16 09:10:02 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1189	N.D.		
81) 2-Ethyltoluene	24.40	105	22571	0.310	ng	94
82) 1,2,4-Trimethylbenzene	24.67	105	66414	1.032	ng	97
83) n-Decane	24.79	57	172934	4.573	ng	68
84) Benzyl Chloride	24.87	91	543	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	27231	0.725	ng	99
86) 1,4-Dichlorobenzene	24.95	146	27231	0.708	ng	99
87) sec-Butylbenzene	25.00	105	7821	0.093	ng	98
88) p-Isopropyltoluene	25.20	119	37881	0.465	ng	95
89) 1,2,3-Trimethylbenzene	25.20	105	21273	0.330	ng	82
90) 1,2-Dichlorobenzene	24.95	146	27231	0.766	ng	100
91) d-Limonene	25.37	68	199454	7.988	ng	99
92) 1,2-Dibromo-3-Chloropr...	26.31	157	431	N.D.		
93) n-Undecane	26.32	57	104224	2.554	ng	67
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	85462	0.921	ng	97
96) n-Dodecane	27.55	57	38567	0.838	ng	77
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.23	55	1796	0.065	ng	94
99) tert-Butylbenzene	25.12	119	5433	0.087	ng	98
100) n-Butylbenzene	25.71	91	18943	0.285	ng	# 59

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-InA-8  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-006

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC01435

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -3.9 Final Pressure (psig): 3.6

Canister Dilution Factor: 1.69


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.17	ND	0.066	
75-00-3	Chloroethane	ND	0.85	ND	0.32	
75-35-4	1,1-Dichloroethene	ND	0.85	ND	0.21	
75-34-3	1,1-Dichloroethane	ND	0.85	ND	0.21	
71-55-6	1,1,1-Trichloroethane	ND	0.85	ND	0.15	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130915.D  
Acq On : 13 Feb 2009 19:44  
Operator : WA/LH  
Sample : P0900513-006 (1000mL)  
Misc : Haley & Aldrich SV-InA-8 (-3.9, 3.6) ✓  
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Feb 16 09:10:08 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



55

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130915.D  
 Acq On : 13 Feb 2009 19:44  
 Operator : WA/LH  
 Sample : P0900513-006 (1000mL)  
 Misc : Haley & Aldrich SV-InA-8 (-3.9, 3.6) ✓  
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Feb 16 09:10:08 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	299869	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.22	114	1350439	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	668943	25.000	ng	-0.01

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	469229	24.469	ng	-0.04
Spiked Amount	25.000		Recovery	=	97.88%	✓
57) Toluene-d8 (SS2)	18.67	98	1533579	24.351	ng	-0.01
Spiked Amount	25.000		Recovery	=	97.40%	✓
73) Bromofluorobenzene (SS3)	23.06	174	625487	26.441	ng	0.00
Spiked Amount	25.000		Recovery	=	105.76%	✓

#### Target Compounds

						Qvalue
2) Propene	4.59	42	72939	4.345	ng	# 1
3) Dichlorodifluoromethane	4.78	85	48827	1.666	ng	99
4) Chloromethane	5.09	50	22808	0.952	ng	98
5) Freon 114	5.33	135	851	0.061	ng	64
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.79	54	18673	1.312	ng	96
8) Bromomethane	6.26	94	440	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	7.10	45	28238952	2712.511	ng	92
11) Acetonitrile	7.19	41	110750	3.929	ng	92
12) Acrolein	7.40	56	22973	2.632	ng	80
13) Acetone	7.61	58	359991	30.328	ng	# 81
14) Trichlorofluoromethane	7.88	101	21850	0.858	ng	94
15) Isopropanol	8.16	45	190403	4.472	ng	94
16) Acrylonitrile	8.38	53	8203	0.421	ng	94
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.08	59	23201	0.578	ng	# 26
19) Methylene Chloride	9.08	84	4641	0.308	ng	# 55
20) Allyl Chloride	9.26	41	1676	0.092	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	4627	0.405	ng	89
22) Carbon Disulfide	9.46	76	9670	0.184	ng	95
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	10.92	73	374	N.D.		
26) Vinyl Acetate	11.03	86	12707	5.161	ng	# 1
27) 2-Butanone	11.40	72	22679	2.502	ng	# 37
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	12.39	87	571	N.D.		
30) Ethyl Acetate	12.40	61	35561	6.786	ng	82
31) n-Hexane	12.40	57	17052	0.688	ng	88

56

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130915.D  
 Acq On : 13 Feb 2009 19:44  
 Operator : WA/LH  
 Sample : P0900513-006 (1000mL)  
 Misc : Haley & Aldrich SV-InA-8 (-3.9, 3.6)  
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Feb 16 09:10:08 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	36173	1.589	ng	96
34) Tetrahydrofuran	13.08	72	3559	0.424	ng #	1
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	3178	0.166	ng	94
38) 1,1,1-Trichloroethane	13.98	97	623	N.D.	✓	
39) Isopropyl Acetate	14.56	61	473	N.D.		
40) 1-Butanol	14.57	56	49904	3.364	ng	86
41) Benzene	14.67	78	93623	1.617	ng	100
42) Carbon Tetrachloride	14.91	117	5298	0.282	ng	98
43) Cyclohexane	15.10	84	4224	0.219	ng #	68
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	16.17	83	9169	0.509	ng	98
47) Trichloroethene	16.25	130	567	N.D.		
48) 1,4-Dioxane	16.24	88	527	N.D.		
49) Isooctane	16.34	57	14016	0.214	ng	88
50) Methyl Methacrylate	16.70	100	1775	0.312	ng #	1
51) n-Heptane	16.70	71	6093	0.425	ng #	74
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.51	58	3365	0.247	ng	87
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	130818	9.643	ng #	8
58) Toluene	18.80	91	257668	4.060	ng	98
59) 2-Hexanone	19.13	43	8664	0.225	ng	76
60) Dibromochloromethane	19.34	129	3398	0.216	ng	99
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.95	43	25383	0.574	ng	91
63) n-Octane	20.11	57	5959	0.408	ng #	79
64) Tetrachloroethene	20.30	166	2459	0.139	ng	90
65) Chlorobenzene	21.17	112	417	N.D.		
66) Ethylbenzene	21.64	91	44090	0.623	ng	100
67) m- & p-Xylene	21.85	91	102739	1.852	ng	96
68) Bromoform	21.96	173	394	N.D.		
69) Styrene	22.33	104	34034	0.799	ng	97
70) o-Xylene	22.48	91	34132	0.601	ng	100
71) n-Nonane	22.75	43	12413	0.353	ng	92
72) 1,1,2,2-Tetrachloroethane	22.49	83	694	N.D.		
74) Cumene	23.24	105	4252	N.D.		
75) alpha-Pinene	23.74	93	89880	2.777	ng	97
76) n-Propylbenzene	23.88	91	10485	0.115	ng #	76
77) 3-Ethyltoluene	24.01	105	24758	0.360	ng	95
78) 4-Ethyltoluene	24.06	105	11788	0.175	ng	96
79) 1,3,5-Trimethylbenzene	24.15	105	9353	0.161	ng	99

57

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130915.D  
Acq On : 13 Feb 2009 19:44  
Operator : WA/LH  
Sample : P0900513-006 (1000mL)  
Misc : Haley & Aldrich SV-InA-8 (-3.9, 3.6)  
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Feb 16 09:10:08 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1735	N.D.		
81) 2-Ethyltoluene	24.40	105	9418	0.133	ng	97
82) 1,2,4-Trimethylbenzene	24.67	105	31149	0.499	ng	97
83) n-Decane	24.82	57	48558	1.324	ng	# 1
84) Benzyl Chloride	24.85	91	1234	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	99470	2.730	ng	99
86) 1,4-Dichlorobenzene	24.95	146	99470	2.665	ng	99
87) sec-Butylbenzene	25.01	105	1219	N.D.		
88) p-Isopropyltoluene	25.20	119	35156	0.445	ng	95
89) 1,2,3-Trimethylbenzene	25.20	105	13028	0.209	ng	70
90) 1,2-Dichlorobenzene	25.37	146	292	N.D.		
91) d-Limonene	25.37	68	161823	6.680	ng	96
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	17280	0.437	ng	# 51
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	50418	0.560	ng	98
96) n-Dodecane	27.55	57	28907	0.648	ng	74
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.06	55	17698	0.663	ng	# 93
99) tert-Butylbenzene	25.12	119	2677	N.D.		
100) n-Butylbenzene	25.71	91	3278	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-OutA-020909  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-007

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC01179

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.3      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.36

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.14	ND	0.053	
75-00-3	Chloroethane	ND	0.68	ND	0.26	
75-35-4	1,1-Dichloroethene	ND	0.68	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.68	ND	0.17	
71-55-6	1,1,1-Trichloroethane	ND	0.68	ND	0.12	


ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.



Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130916.D  
Acq On : 13 Feb 2009 20:27  
Operator : WA/LH  
Sample : P0900513-007 (1000mL)  
Misc : Haley & Aldrich SV-OutA-020909 (-1.3, 3.5) ✓  
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Feb 16 09:10:14 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130916.D  
 Acq On : 13 Feb 2009 20:27  
 Operator : WA/LH  
 Sample : P0900513-007 (1000mL)  
 Misc : Haley & Aldrich SV-OutA-020909 (-1.3, 3.5) ✓  
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Feb 16 09:10:14 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	298820	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1377268	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	670624	25.000	ng	-0.01

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	473818	24.795	ng	-0.04
Spiked Amount	25.000		Recovery	=	99.16%	✓
57) Toluene-d8 (SS2)	18.67	98	1546800	24.499	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.00%	✓
73) Bromofluorobenzene (SS3)	23.06	174	617456	26.036	ng	0.00
Spiked Amount	25.000		Recovery	=	104.16%	✓

#### Target Compounds

						Qvalue
2) Propene	4.63	42	14367	0.859	ng	# 25
3) Dichlorodifluoromethane	4.76	85	63155	2.162	ng	98
4) Chloromethane	5.08	50	11852	0.497	ng	96
5) Freon 114	5.31	135	1166	0.084	ng	69
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.78	54	529	N.D.		
8) Bromomethane	6.25	94	182	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	6.98	45	9350	0.901	ng	97
11) Acetonitrile	7.21	41	2751	0.098	ng	90
12) Acrolein	7.41	56	2605	0.299	ng	# 78
13) Acetone	7.61	58	51776	4.377	ng	# 58
14) Trichlorofluoromethane	7.88	101	27817	1.096	ng	95
15) Isopropanol	8.18	45	2197	N.D.		
16) Acrylonitrile	8.48	53	357	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.08	59	295	N.D.		
19) Methylene Chloride	9.08	84	3289	0.219	ng	# 54
20) Allyl Chloride	9.16	41	2083	0.115	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	6037	0.530	ng	88
22) Carbon Disulfide	9.48	76	2132	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.06	86	567	0.231	ng	# 1
27) 2-Butanone	11.41	72	5452	0.604	ng	# 60
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.41	61	6109	1.170	ng	86
31) n-Hexane	12.41	57	10348	0.419	ng	91

61

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130916.D  
 Acq On : 13 Feb 2009 20:27  
 Operator : WA/LH  
 Sample : P0900513-007 (1000mL)  
 Misc : Haley & Aldrich SV-OutA-020909 (-1.3, 3.5)  
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Feb 16 09:10:14 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	1146	N.D.		
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.58	62	860	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	910	N.D.	✓	
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.59	56	18468	1.221 ng		89
41) Benzene	14.67	78	42113	0.713 ng		100
42) Carbon Tetrachloride	14.89	117	6950	0.363 ng		94
43) Cyclohexane	15.11	84	1544	0.079 ng	#	74
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	0.00	130	0	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	17242	0.258 ng		94
50) Methyl Methacrylate	16.72	100	641	0.111 ng	#	1
51) n-Heptane	16.70	71	2303	0.158 ng	#	72
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.83	58	57	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	131038	9.471 ng	#	8
58) Toluene	18.80	91	77467	1.218 ng		98
59) 2-Hexanone	19.14	43	2349	0.061 ng	#	55
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	1704	N.D.		
63) n-Octane	20.11	57	1317	0.090 ng	#	76
64) Tetrachloroethene	20.29	166	1168	0.066 ng		94
65) Chlorobenzene	21.16	112	55	N.D.		
66) Ethylbenzene	21.65	91	13354	0.188 ng		95
67) m- & p-Xylene	21.86	91	33149	0.596 ng		99
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	1319	N.D.		
70) o-Xylene	22.48	91	12885	0.226 ng		97
71) n-Nonane	22.75	43	3431	0.097 ng		79
72) 1,1,2,2-Tetrachloroethane	0.00	83	0	N.D.		
74) Cumene	23.24	105	1761	N.D.		
75) alpha-Pinene	23.74	93	1662	N.D.		
76) n-Propylbenzene	23.88	91	3860	N.D.		
77) 3-Ethyltoluene	24.01	105	10882	0.158 ng		99
78) 4-Ethyltoluene	24.06	105	5352	0.079 ng		99
79) 1,3,5-Trimethylbenzene	24.16	105	4262	0.073 ng		98

62

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130916.D  
Acq On : 13 Feb 2009 20:27  
Operator : WA/LH  
Sample : P0900513-007 (1000mL)  
Misc : Haley & Aldrich SV-OutA-020909 (-1.3, 3.5)  
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Feb 16 09:10:14 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.58	118	53	N.D.		
81) 2-Ethyltoluene	24.40	105	4010	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	12831	0.205	ng	100
83) n-Decane	24.79	57	9711	0.264	ng	76
84) Benzyl Chloride	24.85	91	54	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	1619	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	1619	N.D.		
87) sec-Butylbenzene	25.00	105	368	N.D.		
88) p-Isopropyltoluene	25.20	119	1107	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	3253	N.D.		
90) 1,2-Dichlorobenzene	24.95	146	1619	N.D.		
91) d-Limonene	25.37	68	709	N.D.		
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	3316	0.084	ng	# 65
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	5558	0.062	ng	95
96) n-Dodecane	27.55	57	2471	N.D.		
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.07	55	2013	0.075	ng	# 92
99) tert-Butylbenzene	24.67	119	1504	N.D.		
100) n-Butylbenzene	25.67	91	1718	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-SS-2  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-008

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: SC00160

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -0.3      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.26


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.13	ND	0.049	
75-00-3	Chloroethane	ND	0.63	ND	0.24	
75-35-4	1,1-Dichloroethene	ND	0.63	ND	0.16	
75-34-3	1,1-Dichloroethane	ND	0.63	ND	0.16	
71-55-6	1,1,1-Trichloroethane	ND	0.63	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

```
Data Path : J:\MS16\DATA\2009_02\13\  
Data File : 02130917.D  
Acq On    : 13 Feb 2009  21:09  
Operator  : WA/LH  
Sample    : P0900513-008 (1000mL)  
Misc      : Haley & Aldrich SV-SS-2 (-0.3, 3.5) ✓  
ALS Vial  : 16      Sample Multiplier: 1
```

Quant Time: Feb 16 09:10:20 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130917.D  
 Acq On : 13 Feb 2009 21:09  
 Operator : WA/LH  
 Sample : P0900513-008 (1000mL)  
 Misc : Haley & Aldrich SV-SS-2 (-0.3, 3.5) ✓  
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Feb 16 09:10:20 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.28	130	290183	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1338269	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	658768	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4(...)	13.42	65	460851	24.834	ng	-0.04
Spiked Amount	25.000		Recovery	=	99.32%	✓
57) Toluene-d8 (SS2)	18.67	98	1513501	24.403	ng	-0.01
Spiked Amount	25.000		Recovery	=	97.60%	✓
73) Bromofluorobenzene (SS3)	23.06	174	610324	26.199	ng	0.00
Spiked Amount	25.000		Recovery	=	104.80%	✓

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.64	42	12594	0.775	ng	# 15
3) Dichlorodifluoromethane	4.76	85	65434	2.307	ng	99
4) Chloromethane	5.08	50	2422	0.105	ng	93
5) Freon 114	5.32	135	1123	0.083	ng	97
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.70	54	475	N.D.		
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	6.57	64	266	N.D.	✓	
10) Ethanol	6.98	45	5050	0.501	ng	88
11) Acetonitrile	7.19	41	1552	N.D.		
12) Acrolein	7.42	56	1719	0.203	ng	# 73
13) Acetone	7.60	58	76626	6.671	ng	# 85
14) Trichlorofluoromethane	7.88	101	28682	1.163	ng	97
15) Isopropanol	8.18	45	1772	N.D.		
16) Acrylonitrile	8.48	53	118	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.10	59	604	N.D.		
19) Methylene Chloride	9.08	84	3520	0.242	ng	# 57
20) Allyl Chloride	9.18	41	836	N.D.		
21) Trichlorotrifluoroethane	9.53	151	6084	0.550	ng	87
22) Carbon Disulfide	9.47	76	14363	0.282	ng	97
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	10.86	73	115	N.D.		
26) Vinyl Acetate	11.09	86	396	0.166	ng	# 1
27) 2-Butanone	11.41	72	8409	0.959	ng	# 44
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.40	61	23957	4.724	ng	89
31) n-Hexane	12.41	57	6184	0.258	ng	93

66

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130917.D  
 Acq On : 13 Feb 2009 21:09  
 Operator : WA/LH  
 Sample : P0900513-008 (1000mL)  
 Misc : Haley & Aldrich SV-SS-2 (-0.3, 3.5)  
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Feb 16 09:10:20 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.48	83	1512	0.069	ng	94
34) Tetrahydrofuran	13.10	72	360	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	731	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	867	N.D.	✓	
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.59	56	29609	2.014	ng	90
41) Benzene	14.67	78	13460	0.235	ng	98
42) Carbon Tetrachloride	14.91	117	6918	0.372	ng	99
43) Cyclohexane	15.10	84	2749	0.144	ng	# 65
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	16.25	130	132	N.D.		
48) 1,4-Dioxane	16.21	88	17569	1.587	ng	# 72
49) Isooctane	16.34	57	5037	0.078	ng	79
50) Methyl Methacrylate	16.70	100	447	0.079	ng	# 1
51) n-Heptane	16.70	71	1617	0.114	ng	# 81
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.52	58	1045	0.077	ng	# 46
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	128441	9.553	ng	# 8
58) Toluene	18.80	91	74467	1.191	ng	98
59) 2-Hexanone	19.14	43	5735	0.151	ng	95
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.96	43	2434	N.D.		
63) n-Octane	20.11	57	3539	0.246	ng	# 82
64) Tetrachloroethene	20.30	166	1390	0.080	ng	99
65) Chlorobenzene	21.20	112	251	N.D.		
66) Ethylbenzene	21.64	91	24363	0.350	ng	99
67) m- & p-Xylene	21.86	91	76727	1.404	ng	98
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.33	104	6740	0.161	ng	98
70) o-Xylene	22.48	91	24438	0.437	ng	98
71) n-Nonane	22.75	43	25679	0.742	ng	93
72) 1,1,2,2-Tetrachloroethane	22.44	83	63	N.D.		
74) Cumene	23.23	105	3268	N.D.		
75) alpha-Pinene	23.74	93	47060	1.476	ng	97
76) n-Propylbenzene	23.88	91	8664	0.097	ng	95
77) 3-Ethyltoluene	24.01	105	23439	0.346	ng	96
78) 4-Ethyltoluene	24.06	105	11631	0.175	ng	98
79) 1,3,5-Trimethylbenzene	24.15	105	9076	0.158	ng	94

67



Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130917.D  
Acq On : 13 Feb 2009 21:09  
Operator : WA/LH  
Sample : P0900513-008 (1000mL)  
Misc : Haley & Aldrich SV-SS-2 (-0.3, 3.5)  
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Feb 16 09:10:20 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	906	N.D.		
81) 2-Ethyltoluene	24.40	105	8624	0.124 ng		95
82) 1,2,4-Trimethylbenzene	24.67	105	29368	0.478 ng		97
83) n-Decane	24.79	57	49691	1.375 ng		75
84) Benzyl Chloride	24.84	91	698	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	320	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	320	N.D.		
87) sec-Butylbenzene	25.01	105	1022	N.D.		
88) p-Isopropyltoluene	25.20	119	44326	0.569 ng		90
89) 1,2,3-Trimethylbenzene	25.20	105	9151	0.149 ng	#	45
90) 1,2-Dichlorobenzene	24.95	146	320	N.D.		
91) d-Limonene	25.37	68	64524	2.705 ng		97
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	30464	0.781 ng	#	58
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	20596	0.232 ng		99
96) n-Dodecane	27.55	57	9577	0.218 ng	#	64
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.07	55	5143	0.196 ng	#	75
99) tert-Butylbenzene	25.12	119	2106	N.D.		
100) n-Butylbenzene	25.70	91	4772	0.075 ng	#	38

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
 Client Sample ID: **SV-InA-2**  
 Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513  
 CAS Sample ID: P0900513-009

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
 Analyst: Wida Ang  
 Sampling Media: 6.0 L Summa Canister  
 Test Notes:  
 Container ID: AC01423

Date Collected: 2/10/09  
 Date Received: 2/16/09  
 Date Analyzed: 2/16/09  
 Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.6      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.39


CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.14	ND	0.054	
75-00-3	Chloroethane	ND	0.70	ND	0.26	
75-35-4	1,1-Dichloroethene	ND	0.70	ND	0.18	
75-34-3	1,1-Dichloroethane	ND	0.70	ND	0.17	
71-55-6	1,1,1-Trichloroethane	ND	0.70	ND	0.13	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\16\  
Data File : 02160906.D  
Acq On : 16 Feb 2009 12:54  
Operator : WA/LH  
Sample : P0900513-009 (1000mL)  
Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5) ✓  
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 13:27:52 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160906.D  
 Acq On : 16 Feb 2009 12:54  
 Operator : WA/LH  
 Sample : P0900513-009 (1000mL)  
 Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5) ✓  
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 13:27:52 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.28	130	276686	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1269109	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	624161	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4(...)	13.42	65	446597	25.240	ng	-0.04
Spiked Amount	25.000		Recovery	=	100.96%	✓
57) Toluene-d8 (SS2)	18.67	98	1443468	24.564	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.24%	✓
73) Bromofluorobenzene (SS3)	23.06	174	566996	25.688	ng	0.00
Spiked Amount	25.000		Recovery	=	102.76%	✓

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.63	42	12330	0.796	ng	# 24
3) Dichlorodifluoromethane	4.75	85	55256	2.043	ng	99
4) Chloromethane	5.08	50	10515	0.476	ng	93
5) Freon 114	5.32	135	979	0.076	ng	87
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.78	54	420	N.D.		
8) Bromomethane	6.25	94	54	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	7.10	45	24184	2.518	ng	93
11) Acetonitrile	7.19	41	2719	0.105	ng	76
12) Acrolein	7.41	56	2798	0.347	ng	88
13) Acetone	7.60	58	57345	5.236	ng	# 76
14) Trichlorofluoromethane	7.87	101	24553	1.044	ng	98
15) Isopropanol	8.18	45	809	N.D.		
16) Acrylonitrile	8.46	53	56	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.07	59	405	N.D.		
19) Methylene Chloride	9.08	84	3096	0.223	ng	# 50
20) Allyl Chloride	9.16	41	1178	0.070	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	5077	0.482	ng	91
22) Carbon Disulfide	9.48	76	2740	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.04	86	693	0.305	ng	# 1
27) 2-Butanone	11.41	72	6314	0.755	ng	# 57
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.40	61	7304	1.511	ng	89
31) n-Hexane	12.41	57	7309	0.320	ng	94

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160906.D  
 Acq On : 16 Feb 2009 12:54  
 Operator : WA/LH  
 Sample : P0900513-009 (1000mL)  
 Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5)  
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 13:27:52 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	12.48	83	1603	0.076	ng	94
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	671	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	705	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.62	56	4238	0.304	ng	93
41) Benzene	14.67	78	33640	0.618	ng	98
42) Carbon Tetrachloride	14.90	117	6542	0.370	ng	93
43) Cyclohexane	15.10	84	1393	0.077	ng	# 66
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	16.25	130	110	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	12404	0.201	ng	87
50) Methyl Methacrylate	16.71	100	401	0.075	ng	# 1
51) n-Heptane	16.70	71	1866	0.139	ng	# 70
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.52	58	534	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	122016	9.570	ng	# 8
58) Toluene	18.80	91	63083	1.065	ng	99
59) 2-Hexanone	19.13	43	4414	0.123	ng	82
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	3080	0.075	ng	70
63) n-Octane	20.11	57	2524	0.185	ng	85
64) Tetrachloroethene	20.29	166	1156	0.070	ng	92
65) Chlorobenzene	0.00	112	0	N.D.		
66) Ethylbenzene	21.64	91	10154	0.154	ng	98
67) m- & p-Xylene	21.86	91	23846	0.461	ng	100
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	1580	N.D.		
70) o-Xylene	22.48	91	9532	0.180	ng	98
71) n-Nonane	22.75	43	4083	0.125	ng	96
72) 1,1,2,2-Tetrachloroethane	22.48	83	370	N.D.		
74) Cumene	23.24	105	1839	N.D.		
75) alpha-Pinene	23.74	93	3666	0.121	ng	# 43
76) n-Propylbenzene	23.89	91	3115	N.D.		
77) 3-Ethyltoluene	24.01	105	7608	0.118	ng	95
78) 4-Ethyltoluene	24.07	105	4243	0.067	ng	92
79) 1,3,5-Trimethylbenzene	24.16	105	3260	0.060	ng	93

72

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160906.D  
 Acq On : 16 Feb 2009 12:54  
 Operator : WA/LH  
 Sample : P0900513-009 (1000mL)  
 Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5)  
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 13:27:52 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.59	118	1117	N.D.		
81) 2-Ethyltoluene	24.40	105	2993	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	9640	0.166	ng	92
83) n-Decane	24.79	57	41239	1.205	ng	77
84) Benzyl Chloride	24.84	91	55	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	1923	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	1923	N.D.		
87) sec-Butylbenzene	25.01	105	276	N.D.		
88) p-Isopropyltoluene	25.20	119	1315	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	2391	N.D.		
90) 1,2-Dichlorobenzene	24.95	146	1923	N.D.		
91) d-Limonene	25.37	68	1681	0.074	ng	85
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	7550	0.204	ng	# 39
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.58	128	3833	N.D.		
96) n-Dodecane	27.55	57	3027	0.073	ng	74
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.07	55	3224	0.129	ng	96
99) tert-Butylbenzene	24.67	119	1183	N.D.		
100) n-Butylbenzene	25.67	91	2058	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-SS-16  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-010

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: SC00932

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.3      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.36


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.14	ND	0.053	
75-00-3	Chloroethane	ND	0.68	ND	0.26	
75-35-4	1,1-Dichloroethene	ND	0.68	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.68	ND	0.17	
71-55-6	1,1,1-Trichloroethane	ND	0.68	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130918.D  
Acq On : 13 Feb 2009 21:52  
Operator : WA/LH  
Sample : P0900513-010 (1000mL)  
Misc : Haley & Aldrich SV-SS-16 (-1.3, 3.5) ✓  
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 16 09:10:26 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130918.D  
 Acq On : 13 Feb 2009 21:52  
 Operator : WA/LH  
 Sample : P0900513-010 (1000mL)  
 Misc : Haley & Aldrich SV-SS-16 (-1.3, 3.5) ✓  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 16 09:10:26 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	296454	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1340448	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	652867	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	464279	24.490	ng	-0.04
Spiked Amount	25.000		Recovery	=	97.96%	✓
57) Toluene-d8 (SS2)	18.67	98	1503562	24.462	ng	-0.01
Spiked Amount	25.000		Recovery	=	97.84%	✓
73) Bromofluorobenzene (SS3)	23.06	174	598431	25.920	ng	0.00
Spiked Amount	25.000		Recovery	=	103.68%	✓

## Target Compounds

						Qvalue
2) Propene	4.64	42	12241	0.738	ng	# 28
3) Dichlorodifluoromethane	4.76	85	60544	2.089	ng	100
4) Chloromethane	5.08	50	10878	0.459	ng	94
5) Freon 114	5.32	135	1004	0.073	ng	94
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.78	54	651	N.D.		
8) Bromomethane	6.25	94	178	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	6.98	45	2691	0.261	ng	# 54
11) Acetonitrile	7.21	41	2213	0.079	ng	91
12) Acrolein	7.41	56	2490	0.289	ng	80
13) Acetone	7.60	58	78027	6.649	ng	93
14) Trichlorofluoromethane	7.87	101	26700	1.060	ng	95
15) Isopropanol	8.09	45	2758	0.066	ng	# 47
16) Acrylonitrile	8.48	53	429	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.07	59	244	N.D.		
19) Methylene Chloride	9.09	84	3602	0.242	ng	# 51
20) Allyl Chloride	9.18	41	1574	0.087	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	5852	0.518	ng	86
22) Carbon Disulfide	9.47	76	4330	0.083	ng	78
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.10	86	743	0.305	ng	# 1
27) 2-Butanone	11.41	72	5677	0.633	ng	# 52
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.40	61	9434	1.821	ng	88
31) n-Hexane	12.41	57	17035	0.696	ng	91

76

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130918.D  
 Acq On : 13 Feb 2009 21:52  
 Operator : WA/LH  
 Sample : P0900513-010 (1000mL)  
 Misc : Haley & Aldrich SV-SS-16 (-1.3, 3.5)  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 16 09:10:26 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	1504	0.067	ng	87
34) Tetrahydrofuran	13.09	72	62	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	885	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	849	N.D.	✓	
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	0.00	56	0	N.D.		
41) Benzene	14.67	78	43706	0.760	ng	100
42) Carbon Tetrachloride	14.91	117	6704	0.359	ng	94
43) Cyclohexane	15.10	84	4430	0.232	ng	# 63
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	16.19	83	170	N.D.		
47) Trichloroethene	0.00	130	0	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	15821	0.243	ng	88
50) Methyl Methacrylate	16.70	100	2156	0.382	ng	# 1
51) n-Heptane	16.71	71	7433	0.523	ng	# 75
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	0.00	58	0	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	126913	9.424	ng	# 8
58) Toluene	18.80	91	139667	2.255	ng	98
59) 2-Hexanone	19.13	43	3508	0.093	ng	# 39
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	644	N.D.		
63) n-Octane	20.11	57	8139	0.572	ng	# 74
64) Tetrachloroethene	20.29	166	1290	0.075	ng	88
65) Chlorobenzene	21.16	112	174	N.D.		
66) Ethylbenzene	21.64	91	28590	0.414	ng	99
67) m- & p-Xylene	21.85	91	93121	1.720	ng	97
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	2232	N.D.		
70) o-Xylene	22.48	91	28968	0.523	ng	100
71) n-Nonane	22.75	43	32551	0.950	ng	94
72) 1,1,2,2-Tetrachloroethane	22.50	83	56	N.D.		
74) Cumene	23.24	105	3697	N.D.		
75) alpha-Pinene	23.54	93	2154	0.068	ng	77
76) n-Propylbenzene	23.88	91	7452	0.084	ng	96
77) 3-Ethyltoluene	24.01	105	19489	0.290	ng	93
78) 4-Ethyltoluene	24.06	105	9896	0.150	ng	98
79) 1,3,5-Trimethylbenzene	24.15	105	6774	0.119	ng	94

77

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130918.D  
 Acq On : 13 Feb 2009 21:52  
 Operator : WA/LH  
 Sample : P0900513-010 (1000mL)  
 Misc : Haley & Aldrich SV-SS-16 (-1.3, 3.5)  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 16 09:10:26 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.67	118	170	N.D.		
81) 2-Ethyltoluene	24.40	105	7321	0.106 ng		97
82) 1,2,4-Trimethylbenzene	24.67	105	21872	0.359 ng		97
83) n-Decane	24.79	57	42926	1.199 ng		77
84) Benzyl Chloride	24.96	91	633	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	335	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	335	N.D.		
87) sec-Butylbenzene	25.01	105	998	N.D.		
88) p-Isopropyltoluene	25.20	119	54624	0.708 ng		89
89) 1,2,3-Trimethylbenzene	25.20	105	8120	0.133 ng	#	22
90) 1,2-Dichlorobenzene	24.95	146	335	N.D.		
91) d-Limonene	25.37	68	262	N.D.		
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	20144	0.521 ng		67
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	14230	0.162 ng		99
96) n-Dodecane	27.55	57	4398	0.101 ng	#	65
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.10	55	2689	0.103 ng	#	66
99) tert-Butylbenzene	24.67	119	2719	N.D.		
100) n-Butylbenzene	25.68	91	2968	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-InA-16  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-011

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC01351

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -3.7 Final Pressure (psig): 3.5

Canister Dilution Factor: 1.65


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.17	ND	0.065	
75-00-3	Chloroethane	ND	0.83	ND	0.31	
75-35-4	1,1-Dichloroethene	ND	0.83	ND	0.21	
75-34-3	1,1-Dichloroethane	ND	0.83	ND	0.20	
71-55-6	1,1,1-Trichloroethane	ND	0.83	ND	0.15	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130919.D  
Acq On : 13 Feb 2009 22:35  
Operator : WA/LH  
Sample : P0900513-011 (1000mL)  
Misc : Haley & Aldrich SV-InA-16 (-3.7, 3.5) ✓  
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Feb 16 09:10:33 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130919.D  
 Acq On : 13 Feb 2009 22:35  
 Operator : WA/LH  
 Sample : P0900513-011 (1000mL)  
 Misc : Haley & Aldrich SV-InA-16 (-3.7, 3.5) ✓  
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Feb 16 09:10:33 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.28	130	287537	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1323889	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	642037	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4(...)	13.42	65	455839	24.790	ng	-0.04
Spiked Amount	25.000		Recovery	=	99.16%	✓
57) Toluene-d8 (SS2)	18.67	98	1485167	24.570	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.28%	✓
73) Bromofluorobenzene (SS3)	23.06	174	583162	25.685	ng	0.00
Spiked Amount	25.000		Recovery	=	102.76%	✓

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.63	42	10566	0.656	ng	# 35
3) Dichlorodifluoromethane	4.76	85	50160	1.785	ng	100
4) Chloromethane	5.08	50	9308	0.405	ng	97
5) Freon 114	5.33	135	789	N.D.		
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.79	54	317	N.D.		
8) Bromomethane	6.26	94	61	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	6.99	45	18150	1.818	ng	88
11) Acetonitrile	7.20	41	2102	0.078	ng	85
12) Acrolein	7.41	56	2261	0.270	ng	84
13) Acetone	7.62	58	49415	4.342	ng	# 79
14) Trichlorofluoromethane	7.88	101	22033	0.902	ng	93
15) Isopropanol	8.19	45	516	N.D.		
16) Acrylonitrile	8.48	53	169	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.05	59	63	N.D.		
19) Methylene Chloride	9.09	84	2811	0.195	ng	# 52
20) Allyl Chloride	9.19	41	713	N.D.		
21) Trichlorotrifluoroethane	9.53	151	4693	0.428	ng	94
22) Carbon Disulfide	9.48	76	2030	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.07	86	106	N.D.		
27) 2-Butanone	11.41	72	5617	0.646	ng	# 43
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.40	61	4245	0.845	ng	90
31) n-Hexane	12.41	57	7096	0.299	ng	97

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130919.D  
 Acq On : 13 Feb 2009 22:35  
 Operator : WA/LH  
 Sample : P0900513-011 (1000mL)  
 Misc : Haley & Aldrich SV-InA-16 (-3.7, 3.5)  
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Feb 16 09:10:33 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	12.48	83	1300	N.D.		
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	580	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	596	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.61	56	3117	0.214 ng		99
41) Benzene	14.67	78	31093	0.548 ng		98
42) Carbon Tetrachloride	14.89	117	5609	0.304 ng		97
43) Cyclohexane	15.10	84	1256	0.067 ng	#	64
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	0.00	130	0	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	12153	0.189 ng		90
50) Methyl Methacrylate	16.71	100	432	0.077 ng	#	1
51) n-Heptane	16.72	71	1652	0.118 ng	#	71
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.54	58	158	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	126445	9.507 ng	#	8
58) Toluene	18.80	91	56067	0.920 ng		99
59) 2-Hexanone	19.15	43	3074	0.083 ng		78
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	1735	N.D.		
63) n-Octane	20.11	57	1743	0.124 ng	#	83
64) Tetrachloroethene	20.28	166	1035	0.061 ng		80
65) Chlorobenzene	0.00	112	0	N.D.		
66) Ethylbenzene	21.65	91	9248	0.136 ng		100
67) m- & p-Xylene	21.86	91	22017	0.414 ng		96
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	1184	N.D.		
70) o-Xylene	22.48	91	8587	0.158 ng		97
71) n-Nonane	22.75	43	7775	0.231 ng		96
72) 1,1,2,2-Tetrachloroethane	22.49	83	65	N.D.		
74) Cumene	23.24	105	1270	N.D.		
75) alpha-Pinene	23.74	93	5574	0.179 ng	#	43
76) n-Propylbenzene	23.89	91	2868	N.D.		
77) 3-Ethyltoluene	24.01	105	6810	0.103 ng		88
78) 4-Ethyltoluene	24.07	105	3438	N.D.		
79) 1,3,5-Trimethylbenzene	24.16	105	3031	N.D.		

82

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130919.D  
Acq On : 13 Feb 2009 22:35  
Operator : WA/LH  
Sample : P0900513-011 (1000mL)  
Misc : Haley & Aldrich SV-InA-16 (-3.7, 3.5)  
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Feb 16 09:10:33 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.59	118	291	N.D.		
81) 2-Ethyltoluene	24.40	105	2690	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	8921	0.149	ng	91
83) n-Decane	24.79	57	30731	0.873	ng	79
84) Benzyl Chloride	24.95	91	61	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	730	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	730	N.D.		
87) sec-Butylbenzene	25.01	105	185	N.D.		
88) p-Isopropyltoluene	25.20	119	2228	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	2523	N.D.		
90) 1,2-Dichlorobenzene	24.95	146	730	N.D.		
91) d-Limonene	25.38	68	1663	0.072	ng	96
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	4219	0.111	ng	# 33
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.58	128	5104	N.D.		
96) n-Dodecane	27.55	57	2030	N.D.		
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.07	55	2264	0.088	ng	# 79
99) tert-Butylbenzene	24.67	119	1379	N.D.		
100) n-Butylbenzene	25.68	91	1868	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed



## Standards Data

Method Path : J:\MS16\METHODS\  
Method File : R16012209.M  
Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
Last Update : Fri Jan 23 08:54:57 2009  
Response Via : Initial Calibration

Calibration Files

0.1 =01220902.D 0.2 =01220903.D 0.5 =01220904.D 1.0 =01220905.D 5.0 =01220906.D 25 =01220907.D  
50 =01220908.D 100 =01220909.D

Compound		0.1	0.2	0.5	1.0	5.0	25	50	100	AVG	%RSD
1) IR	Bromochloromethane...	ISTD									
2) T	Propene	1.700	1.387	1.397	1.269	1.364	1.229	1.384	1.466	1.400	10.18
3) T	Dichlorodifluo...	3.208	2.462	2.805	2.546	2.287	2.072	2.067	2.103	2.444	16.56
4) T	Chloromethane	2.608	2.158	2.306	2.077	1.660	1.851	1.624	1.691	1.997	17.65
5) T	Freon 114	1.427	1.187	1.321	1.189	1.053	1.004	0.981	1.134	1.162	13.30
6) T	Vinyl Chloride	2.285	1.723	2.050	1.764	1.598	1.574	1.544	1.773	1.789	14.35
7) T	1,3-Butadiene	1.434	1.048	1.254	1.149	1.034	1.131	1.134	1.311	1.187	11.53
8) T	Bromomethane	1.169	0.937	1.003	0.922	0.771	0.884	0.859	0.873	0.927	12.79
9) T	Chloroethane	0.923	0.827	0.909	0.835	0.746	0.720	0.700	0.727	0.798	10.96
10) T	Ethanol	0.869	0.653	1.014	0.905	0.824	0.900	0.884	0.894	0.868	11.74
11) T	Acetonitrile	2.495	2.113	2.784	2.505	2.293	2.266	2.170	2.173	2.350	9.70
12) T	Acrolein	1.032	0.705	0.723	0.651	0.622	0.698	0.693	0.700	0.728	17.46
13) T	Acetone	1.340	1.019	0.910	0.868	0.925	0.923	0.923	0.943	0.990	16.26
14) T	Trichlorofluor...	2.524	2.065	2.348	2.140	1.960	2.029	1.962	1.967	2.124	9.75
15) T	Isopropanol	5.262	3.593	4.157	3.767	2.679	3.408	2.846	2.688	3.550	24.66
16) T	Acrylonitrile	1.491	1.198	1.663	1.732	1.648	1.783	1.735	1.741	1.624	11.95
17) T	1,1-Dichloroet...	1.138	1.003	1.136	1.040	0.962	1.038	1.017	1.035	1.046	5.89
18) T	tert-Butanol	4.284	3.191	3.711	3.403	3.159	3.418	3.347	2.265	3.347	16.94
19) T	Methylene Chlo...	1.861	1.301	1.324	1.182	1.064	1.116	1.092	1.103	1.256	20.97
20) T	Allyl Chloride	1.563	1.210	1.444	1.401	1.462	1.691	1.673	1.707	1.519	11.35
21) T	Trichlorotrifl...	1.073	0.902	1.023	0.931	0.865	0.897	0.942	0.986	0.952	7.37
22) T	Carbon Disulfide	7.014	4.234	4.480	4.101	3.703	3.942	3.819	3.851	4.393	24.77
23) T	trans-1,2-Dich...	1.915	1.527	1.790	1.725	1.669	1.725	1.684	1.680	1.714	6.46
24) T	1,1-Dichloroet...	2.400	1.939	2.189	2.034	1.904	1.994	1.946	1.961	2.046	8.20
25) T	Methyl tert-Bu...	3.826	2.980	3.264	2.914	2.734	2.901	2.941	3.080	3.080	10.97
26) T	Vinyl Acetate	0.233	0.195	0.237	0.214	0.181	0.214	0.195	0.174	0.205	11.23
27) T	2-Butanone	0.864	0.676	0.778	0.711	0.714	0.787	0.769	0.749	0.756	7.66
28) T	cis-1,2-Dichlo...	1.924	1.487	1.803	1.712	1.579	1.651	1.599	1.614	1.671	8.29
29) T	Diisopropyl Ether	1.033	0.821	0.974	0.899	0.830	0.886	0.908	0.962	0.914	7.94
30) T	Ethyl Acetate	0.410	0.371	0.437	0.421	0.416	0.466	0.478	0.495	0.437	9.40
31) T	n-Hexane	2.454	2.005	2.144	1.947	1.821	1.926	2.036	2.189	2.065	9.52

Method Path : J:\MS16\METHODS\

Method File : R16012209.M

Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

32) T	Chloroform	2.190	1.780	2.076	1.924	1.750	1.870	1.798	1.793	1.898	8.35
33) S	1,2-Dichloroet...	1.628	1.650	1.652	1.639	1.608	1.559	1.528	1.525	1.599	3.35
34) T	Tetrahydrofuran	0.795	0.636	0.729	0.669	0.671	0.716	0.706	0.679	0.700	6.92
35) T	Ethyl tert-But...	1.439	1.319	1.413	1.307	1.220	1.285	1.284	1.345	1.327	5.40
36) T	1,2-Dichloroet...	1.733	1.545	1.805	1.664	1.536	1.567	1.485	1.459	1.599	7.65

37) IR	1,4-Difluorobenzen...	ISTD-----									
38) T	1,1,1-Trichlor...	0.476	0.384	0.418	0.378	0.356	0.375	0.372	0.374	0.392	9.74
39) T	Isopropyl Acetate	0.196	0.150	0.180	0.168	0.163	0.186	0.186	0.192	0.178	8.84
40) T	1-Butanol	0.235	0.170	0.291	0.282	0.283	0.314	0.313	0.308	0.275	17.95
41) T	Benzene	1.398	1.012	1.117	1.025	0.951	1.016	1.016	1.041	1.072	13.01
42) T	Carbon Tetrach...	0.404	0.304	0.354	0.331	0.320	0.354	0.354	0.362	0.348	8.73
43) T	Cyclohexane	0.394	0.320	0.371	0.343	0.326	0.351	0.362	0.382	0.356	7.36
44) T	tert-Amyl Meth...	0.846	0.687	0.785	0.702	0.663	0.717	0.712	0.731	0.730	8.02
45) T	1,2-Dichloropr...	0.311	0.258	0.287	0.266	0.250	0.269	0.264	0.266	0.271	7.00
46) T	Bromodichlorom...	0.362	0.292	0.354	0.335	0.317	0.342	0.333	0.332	0.333	6.54
47) T	Trichloroethene	0.319	0.259	0.302	0.281	0.260	0.286	0.283	0.293	0.285	7.01
48) T	1,4-Dioxane	0.222	0.172	0.221	0.210	0.194	0.212	0.209	0.213	0.207	7.92
49) T	Isooctane	1.469	1.113	1.288	1.206	1.110	1.183	1.165	1.178	1.214	9.66
50) T	Methyl Methacr...	0.103	0.085	0.107	0.104	0.099	0.114	0.112	0.116	0.105	9.44
51) T	n-Heptane	0.278	0.241	0.283	0.267	0.247	0.268	0.265	0.273	0.265	5.48
52) T	cis-1,3-Dichlo...	0.428	0.352	0.410	0.388	0.379	0.420	0.413	0.419	0.401	6.45
53) T	4-Methyl-2-pen...	0.268	0.194	0.264	0.249	0.246	0.264	0.263	0.269	0.252	9.88
54) T	trans-1,3-Dich...	0.384	0.297	0.379	0.364	0.361	0.396	0.391	0.395	0.371	8.86
55) T	1,1,2-Trichlor...	0.300	0.222	0.270	0.244	0.232	0.249	0.244	0.249	0.251	9.60

56) I	Chlorobenzene-d5 (...	ISTD-----									
57) S	Toluene-d8 (SS2)	2.357	2.372	2.353	2.357	2.347	2.349	2.327	2.367	2.354	0.57
58) T	Toluene	2.836	2.204	2.488	2.331	2.144	2.311	2.267	2.393	2.372	9.09
59) T	2-Hexanone	1.607	1.225	1.489	1.423	1.370	1.477	1.442	1.489	1.440	7.67
60) T	Dibromochlorom...	0.604	0.492	0.614	0.559	0.552	0.622	0.612	0.645	0.587	8.45
61) T	1,2-Dibromoethane	0.632	0.520	0.633	0.597	0.567	0.627	0.614	0.640	0.604	6.87
62) T	Butyl Acetate	1.710	1.336	1.689	1.622	1.560	1.715	1.706	1.874	1.652	9.44
63) T	n-Octane	0.615	0.472	0.550	0.513	0.507	0.555	0.556	0.593	0.545	8.57
64) T	Tetrachloroethene	0.743	0.590	0.686	0.631	0.593	0.670	0.666	0.711	0.661	8.19
65) T	Chlorobenzene	1.794	1.418	1.677	1.551	1.436	1.547	1.528	1.609	1.570	7.88
66) T	Ethylbenzene	2.933	2.321	2.678	2.564	2.451	2.711	2.665	2.826	2.644	7.44
67) T	m- & p-Xylene	2.249	1.756	2.089	1.992	1.910	2.143	2.149	2.299	2.073	8.67
68) T	Bromoform	0.521	0.391	0.537	0.513	0.533	0.604	0.600	0.637	0.542	14.03
69) T	Styrene	1.609	1.292	1.575	1.496	1.526	1.720	1.709	1.817	1.593	10.21
70) T	o-Xylene	2.329	1.804	2.148	2.018	1.988	2.198	2.172	2.321	2.122	8.38

1/24/09

1/24/09

Method Path : J:\MS16\METHODS\

Method File : R16012209.M

Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

71)	T	n-Nonane	1.492	1.185	1.322	1.258	1.224	1.347	1.315	1.358	1.313	7.21
72)	T	1,1,2,2-Tetrac...	0.932	0.773	0.963	0.931	0.894	1.005	0.988	1.047	0.942	8.84
73)	S	Bromofluoroben...	0.855	0.865	0.862	0.866	0.881	0.902	0.917	0.925	0.884	3.07
74)	T	Cumene	3.028	2.443	2.868	2.746	2.598	2.870	2.851	3.058	2.808	7.39
75)	T	alpha-Pinene	1.281	1.006	1.213	1.153	1.121	1.272	1.269	1.362	1.210	9.29
76)	T	n-Propylbenzene	3.584	2.832	3.471	3.287	3.209	3.576	3.548	3.727	3.404	8.38
77)	T	3-Ethyltoluene	2.682	2.056	2.540	2.425	2.417	2.743	2.776	2.943	2.572	10.73
78)	T	4-Ethyltoluene	2.460	2.131	2.567	2.448	2.423	2.673	2.636	2.812	2.519	8.13
79)	T	1,3,5-Trimethy...	2.203	1.832	2.194	2.077	2.055	2.295	2.291	2.443	2.174	8.56
80)	T	alpha-Methylst...	1.154	0.962	1.202	1.164	1.197	1.378	1.382	1.476	1.239	13.23
81)	T	2-Ethyltoluene	2.679	2.137	2.655	2.566	2.513	2.815	2.797	2.947	2.639	9.35
82)	T	1,2,4-Trimethy...	2.362	1.881	2.261	2.172	2.183	2.538	2.602	2.659	2.332	11.23
83)	T	n-Decane	1.443	1.142	1.346	1.298	1.302	1.473	1.462	1.502	1.371	8.89
84)	T	Benzyl Chloride	1.711	1.366	1.792	1.781	1.857	2.193	2.177	2.296	1.897	16.30
85)	T	1,3-Dichlorobe...	1.327	1.100	1.361	1.305	1.308	1.464	1.458	1.570	1.362	10.33
86)	T	1,4-Dichlorobe...	1.434	1.120	1.395	1.326	1.329	1.489	1.478	1.588	1.395	10.11
87)	T	sec-Butylbenzene	3.047	2.466	3.036	2.934	2.906	3.288	3.263	3.407	3.043	9.65
88)	T	p-Isopropyltol...	2.847	2.322	2.877	2.804	2.816	3.306	3.366	3.294	2.954	11.92
89)	T	1,2,3-Trimethy...	2.256	1.869	2.290	2.214	2.211	2.578	2.621	2.632	2.334	11.27
90)	T	1,2-Dichlorobe...	1.219	1.009	1.274	1.213	1.249	1.414	1.428	1.509	1.289	12.24
91)	T	d-Limonene	0.826	0.694	0.889	0.862	0.884	1.028	1.035	1.024	0.905	13.16
92)	T	1,2-Dibromo-3-...	0.419	0.321	0.437	0.432	0.448	0.496	0.498	0.529	0.448	14.32
93)	T	n-Undecane	1.659	1.269	1.424	1.387	1.375	1.546	1.558	1.616	1.479	9.16
94)	T	1,2,4-Trichlor...	0.270	0.207	0.275	0.268	0.261	0.282	0.291	0.323	0.272	12.04
95)	T	Naphthalene	3.377	2.670	3.347	3.307	3.330	3.465	3.574	3.833	3.363	9.81
96)	T	n-Dodecane	1.836	1.378	1.561	1.567	1.578	1.746	1.815	1.866	1.668	10.35
97)	T	Hexachloro-1,3...	0.562	0.431	0.542	0.525	0.502	0.553	0.571	0.641	0.541	11.10
98)	T	Cyclohexanone	1.245	0.782	1.034	0.968	0.932	1.005	0.992	1.025	0.998	12.86
99)	T	tert-Butylbenzene	2.331	1.850	2.193	2.102	2.104	2.465	2.498	2.543	2.261	10.65
100)	T	n-Butylbenzene	2.453	1.912	2.385	2.343	2.341	2.588	2.578	2.671	2.409	9.77

(#) = Out of Range

**Primary Source Standards Concentrations  
(Working & Initial Calibration)**

4ng/L Std. ID: S20-01050915

20ng/L Std. ID: S20-01220904

200ng/L Std. ID: S20-01220901

Dilution Factors:

5      50      250

200ng/L Std. ID: S20-01220901					Working STD Conc.(ng/L):	ICAL Concentrations (Primary Source)							
Dilution Factors:		5	50	250		4	4	20	20	20	200	200	200
	Source Std. mg/m <sup>3</sup>	Primary Working Standards			Injection (L):	0.025	0.05	0.025	0.050	0.25	0.125	0.25	0.50
Compounds		200ng/L	20ng/L	4ng/L	ICAL Points:	0.1ng	0.2ng	0.5ng	1ng	5ng	25ng	50ng	100ng
Propene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
Dichlorodifluoromethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Chloromethane	1.01	202	20.2	4.04		0.101	0.202	0.505	1.01	5.05	25.3	50.5	101
Freon-114	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Vinyl Chloride	1.02	204	20.4	4.08		0.102	0.204	0.510	1.02	5.10	25.5	51.0	102
1,3-Butadiene	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Bromomethane	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
Chloroethane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Ethanol	5.29	1058	106	21.2		0.529	1.058	2.65	5.29	26.5	132	265	529
Acetonitrile	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Acrolein	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Acetone	5.31	1062	106	21.2		0.531	1.062	2.66	5.31	26.6	133	266	531
Trichlorofluoromethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Isopropanol	1.94	388	38.8	7.76		0.194	0.388	0.970	1.94	9.70	48.5	97.0	194
Acrylonitrile	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,1-Dichloroethene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
tert-Butanol	2.00	400	40.0	8.00		0.200	0.400	1.00	2.00	10.0	50.0	100	200
Methylene Chloride	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Allyl Chloride	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Trichlorotrifluoroethane	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
Carbon Disulfide	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
trans-1,2-Dichloroethene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,1-Dichloroethane	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
Methyl tert-Butyl Ether	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Vinyl Acetate	5.05	1010	101	20.2		0.505	1.010	2.53	5.05	25.3	126	253	505
2-Butanone	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
cis-1,2-Dichloroethene	1.09	218	21.8	4.36		0.109	0.218	0.545	1.09	5.45	27.3	54.5	109
Diisopropyl Ether	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Ethyl Acetate	2.08	416	41.6	8.32		0.208	0.416	1.04	2.08	10.4	52.0	104	208
n-Hexane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Chloroform	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
Tetrahydrofuran	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
Ethyl tert-Butyl Ether	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,2-Dichloroethane	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
1,1,1-Trichloroethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Isopropyl Acetate	2.09	418	41.8	8.36		0.209	0.418	1.05	2.09	10.5	52.3	105	209
1-Butanol	2.16	432	43.2	8.64		0.216	0.432	1.08	2.16	10.8	54.0	108	216
Benzene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
Carbon Tetrachloride	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Cyclohexane	2.12	424	42.4	8.48		0.212	0.424	1.06	2.12	10.6	53.0	106	212
tert-Amyl Methyl Ether	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,2-Dichloropropane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Bromodichloromethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Trichloroethene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,4-Dioxane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Isooctane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Methyl Methacrylate	2.13	426	42.6	8.52		0.213	0.426	1.07	2.13	10.7	53.3	107	213
n-Heptane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
cis-1,3-Dichloropropene	1.00	200	20.0	4.00		0.100	0.200	0.500	1.00	5.00	25.0	50.0	100
4-Methyl-2-pentanone	1.09	218	21.8	4.36		0.109	0.218	0.545	1.09	5.45	27.3	54.5	109
trans-1,3-Dichloropropene	1.10	220	22.0	4.40	0.110	0.220	0.550	1.10	5.50	27.5	55.0	110	
1,1,2-Trichloroethane	1.04	208	20.8	4.16	0.104	0.208	0.520	1.04	5.20	26.0	52.0	104	
Toluene	1.08	216	21.6	4.32	0.108	0.216	0.540	1.08	5.40	27.0	54.0	108	
2-Hexanone	1.10	220	22.0	4.40	0.110	0.220	0.550	1.10	5.50	27.5	55.0	110	
Dibromochloromethane	1.15	230	23.0	4.60	0.115	0.230	0.575	1.15	5.75	28.8	57.5	115	
1,2-Dibromoethane	1.06	212	21.2	4.24	0.106	0.212	0.530	1.06	5.30	26.5	53.0	106	
n-Butyl Acetate	1.10	220	22.0	4.40	0.110	0.220	0.550	1.10	5.50	27.5	55.0	110	
n-Octane	1.05	210	21.0	4.20	0.105	0.210	0.525	1.05	5.25	26.3	52.5	105	
Tetrachloroethene	1.03	206	20.6	4.12	0.103	0.206	0.515	1.03	5.15	25.8	51.5	103	
Chlorobenzene	1.06	212	21.2	4.24	0.106	0.212	0.530	1.06	5.30	26.5	53.0	106	
Ethylbenzene	1.05	210	21.0	4.20	0.105	0.210	0.525	1.05	5.25	26.3	52.5	105	
m-&p-Xylene	2.08	416	41.6	8.32	0.208	0.416	1.04	2.08	10.4	52.0	104	208	

11/24/09


01/23/09

**Primary Source Standards Concentrations**  
**(Working & Initial Calibration)**

4ng/L Std. ID: S20-01050915  
20ng/L Std. ID:

200ng/L Std. ID:  
Dilution Factors:

5      50      250

Compounds	Source Std. mg/m <sup>3</sup>	Primary Working Standards			Working STD Conc.(ng/L):	ICAL Concentrations (Primary Source)							
		200ng/L	20ng/L	4ng/L		ICAL Points:							
		200ng/L	20ng/L	4ng/L		0.025	0.050	0.025	0.05	0.25	0.125	0.25	0.50
Bromoform	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
Styrene	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
o-Xylene	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
n-Nonane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
1,1,2,2-Tetrachloroethane	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Cumene	1.02	204	20.4	4.08		0.102	0.204	0.510	1.02	5.10	25.5	51.0	102
alpha-Pinene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
n-Propylbenzene	1.02	204	20.4	4.08		0.102	0.204	0.510	1.02	5.10	25.5	51.0	102
3-Ethyltoluene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
4-Ethyltoluene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
1,3,5-Trimethylbenzene	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
alpha-Methylstyrene	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
2-Ethyltoluene	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
1,2,4-Trimethylbenzene	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
n-Decane	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Benzyl Chloride	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
1,3-Dichlorobenzene	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
1,4-Dichlorobenzene	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
sec-Butylbenzene	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
p-Isopropyltoluene	1.02	204	20.4	4.08		0.102	0.204	0.510	1.02	5.10	25.5	51.0	102
1,2,3-Trimethylbenzene	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
1,2-Dichlorobenzene	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
d-Limonene	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
chloropropane	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
n-Undecane	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
1,2,4-Trichlorobenzene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
Naphthalene	1.01	202	20.2	4.04		0.101	0.202	0.505	1.01	5.05	25.3	50.5	101
n-Dodecane	0.94	188	18.8	3.76		0.094	0.188	0.470	0.940	4.70	23.5	47.0	94.0
Hexachloro-1,3-butadiene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
Methacrylonitrile	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Cyclohexanone	0.99	198	19.8	3.96		0.099	0.198	0.495	0.990	4.95	24.8	49.5	99.0
tert-Butylbenzene	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
n-Butylbenzene	1.09	218	21.8	4.36		0.109	0.218	0.545	1.09	5.45	27.3	54.5	109

\*Enter Information in the Solid Shaded Areas ONLY.

DA 1/24/09

VH 01/23/09

Method Path : J:\MS16\METHODS\  
Method File : R16012209.M  
Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
Last Update : Fri Jan 23 09:05:22 2009  
Response Via : Initial Calibration

#	ID	Conc	ISTD Conc	Path\File
1	0.1	0	25	J:\MS16\DATA\2009_01\22\01220902.D
2	0.2	0	25	J:\MS16\DATA\2009_01\22\01220903.D
3	0.5	1	25	J:\MS16\DATA\2009_01\22\01220904.D
4	1.0	1	25	J:\MS16\DATA\2009_01\22\01220905.D
5	5.0	5	25	J:\MS16\DATA\2009_01\22\01220906.D
6	25	26	25	J:\MS16\DATA\2009_01\22\01220907.D
7	50	52	25	J:\MS16\DATA\2009_01\22\01220908.D
8	100	103	25	J:\MS16\DATA\2009_01\22\01220909.D

#	ID	Update Time	Quant Time	Acquisition Time
1	0.1	Jan 23 08:53 2009	Jan 22 17:20 2009	22 Jan 2009 13:28
2	0.2	Jan 23 08:54 2009	Jan 22 17:21 2009	22 Jan 2009 14:09
3	0.5	Jan 23 08:54 2009	Jan 22 17:22 2009	22 Jan 2009 14:50
4	1.0	Jan 23 08:54 2009	Jan 22 17:29 2009	22 Jan 2009 15:31
5	5.0	Jan 23 08:54 2009	Jan 22 17:29 2009	22 Jan 2009 16:12
6	25	Jan 23 08:54 2009	Jan 22 17:31 2009	22 Jan 2009 16:53
7	50	Jan 23 08:54 2009	Jan 23 08:52 2009	22 Jan 2009 17:34
8	100	Jan 23 08:54 2009	Jan 23 08:53 2009	22 Jan 2009 18:14


R16012209.M Fri Jan 23 09:08:31 2009

1/24/09

1/23/09

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220902.D  
Acq On    : 22 Jan 2009   13:28  
Operator  : WA/LH  
Sample    : 0.1ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01090915  
ALS Vial  : 5      Sample Multiplier: 1
```

Quant Time: Jan 22 17:20:03 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220902.D  
 Acq On : 22 Jan 2009 13:28  
 Operator : WA/LH  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 17:20:03 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Jan 14 10:48:15 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	377102	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1701454	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	833909	25.000	ng	-0.01

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4 (...)	13.42	65	613791	21.756	ng	-0.04
Spiked Amount	25.000		Recovery	=	87.04%	
57) Toluene-d8 (SS2)	18.66	98	1965506	25.266	ng	-0.02
Spiked Amount	25.000		Recovery	=	101.08%	
73) Bromofluorobenzene (SS3)	23.06	174	712809	27.488	ng	0.00
Spiked Amount	25.000		Recovery	=	109.96%	

#### Target Compounds

						Qvalue
2) Propene	4.62	42	2641	0.122	ng	98
3) Dichlorodifluoromethane	4.78	85	5081	0.135	ng	# 95
4) Chloromethane	5.09	50	3973	0.119	ng	93
5) Freon 114	5.33	135	2282	0.130	ng	95
6) Vinyl Chloride	5.53	62	3515	0.123	ng	81
7) 1,3-Butadiene	5.80	54	2336	0.108	ng	98
8) Bromomethane	6.26	94	1817	0.125	ng	98
9) Chloroethane	6.59	64	1448	0.117	ng	79
10) Ethanol	6.86	45	6935m	0.411	ng	
11) Acetonitrile	7.20	41	3951	0.103	ng	71
12) Acrolein	7.41	56	1681	0.185	ng	# 76
13) Acetone	7.62	58	14995	0.958	ng	99
14) Trichlorofluoromethane	7.89	101	3997	0.122	ng	93
15) Isopropanol	8.08	45	15398m	0.299	ng	
16) Acrylonitrile	8.39	53	2317	0.092	ng	98
17) 1,1-Dichloroethene	8.89	96	1888	0.119	ng	# 71
18) tert-Butanol	9.03	59	12925	0.268	ng	71
19) Methylene Chloride	9.08	84	2976	0.162	ng	# 50
20) Allyl Chloride	9.27	41	2547	0.097	ng	87
21) Trichlorotrifluoroethane	9.54	151	1781	0.124	ng	95
22) Carbon Disulfide	9.48	76	11003	0.172	ng	95
23) trans-1,2-Dichloroethene	10.51	61	2976	0.113	ng	78
24) 1,1-Dichloroethane	10.81	63	3873	0.116	ng	98
25) Methyl tert-Butyl Ether	10.92	73	6118	0.125	ng	81
26) Vinyl Acetate	11.06	86	1777	0.563	ng	# 21
27) 2-Butanone	11.41	72	1407	0.146	ng	# 72
28) cis-1,2-Dichloroethene	12.05	61	3164	0.120	ng	80
29) Diisopropyl Ether	12.41	87	1652	0.117	ng	# 23
30) Ethyl Acetate	12.41	61	1287	0.169	ng	76
31) n-Hexane	12.41	57	3850	0.110	ng	98

92

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220902.D  
 Acq On : 22 Jan 2009 13:28  
 Operator : WA/LH  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 17:20:03 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	12.49	83	3634	0.119	ng	97
34) Tetrahydrofuran	13.07	72	1283	0.126	ng	# 56
35) Ethyl tert-Butyl Ether	13.19	87	2236	0.109	ng	# 78
36) 1,2-Dichloroethane	13.58	62	2771	0.101	ng	97
38) 1,1,1-Trichloroethane	13.98	97	3400	0.123	ng	86
39) Isopropyl Acetate	14.54	61	2787	0.241	ng	# 86
40) 1-Butanol	14.60	56	3453	0.187	ng	# 68
41) Benzene	14.67	78	9800	0.134	ng	99
42) Carbon Tetrachloride	14.90	117	2888	0.115	ng	99
43) Cyclohexane	15.09	84	5689	0.225	ng	# 70
44) tert-Amyl Methyl Ether	15.59	73	5929	0.118	ng	85
45) 1,2-Dichloropropane	15.91	63	2219	0.117	ng	94
46) Bromodichloromethane	16.18	83	2587	0.107	ng	86
47) Trichloroethene	16.24	130	2235	0.115	ng	100
48) 1,4-Dioxane	16.23	88	1574	0.123	ng	# 68
49) Isooctane	16.35	57	10400	0.125	ng	99
50) Methyl Methacrylate	16.53	100	1500	0.233	ng	# 82
51) n-Heptane	16.70	71	1965	0.110	ng	# 77
52) cis-1,3-Dichloropropene	17.46	75	2911	0.106	ng	91
53) 4-Methyl-2-pentanone	17.51	58	1987	0.115	ng	95
54) trans-1,3-Dichloropropene	18.17	75	2877	0.114	ng	99
55) 1,1,2-Trichloroethane	18.41	97	2121	0.130	ng	96
58) Toluene	18.80	91	10215	0.132	ng	98
59) 2-Hexanone	19.13	43	5897	0.123	ng	98
60) Dibromochloromethane	19.35	129	2318	0.126	ng	98
61) 1,2-Dibromoethane	19.68	107	2236	0.117	ng	100
62) Butyl Acetate	19.95	43	6276	0.121	ng	92
63) n-Octane	20.11	57	2155	0.125	ng	# 78
64) Tetrachloroethene	20.29	166	2554	0.130	ng	94
65) Chlorobenzene	21.16	112	6344	0.129	ng	98
66) Ethylbenzene	21.64	91	10273	0.122	ng	99
67) m- & p-Xylene	21.86	91	15606	0.234	ng	99
68) Bromoform	21.97	173	1861	0.110	ng	94
69) Styrene	22.33	104	5742	0.121	ng	98
70) o-Xylene	22.48	91	8158	0.123	ng	99
71) n-Nonane	22.75	43	5226	0.134	ng	94
72) 1,1,2,2-Tetrachloroethane	22.45	83	3356	0.108	ng	98
74) Cumene	23.24	105	10303	0.118	ng	100
75) alpha-Pinene	23.73	93	4700	0.127	ng	92
76) n-Propylbenzene	23.88	91	12195	0.115	ng	93
77) 3-Ethyltoluene	24.01	105	9840	0.128	ng	96
78) 4-Ethyltoluene	24.06	105	9027	0.118	ng	90
79) 1,3,5-Trimethylbenzene	24.16	105	7938	0.122	ng	90

93

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220902.D  
Acq On : 22 Jan 2009 13:28  
Operator : WA/LH  
Sample : 0.1ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01090915  
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 17:20:03 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	4081	0.116	ng	96
81) 2-Ethyltoluene	24.40	105	9651	0.122	ng	95
82) 1,2,4-Trimethylbenzene	24.67	105	8272	0.130	ng	91
83) n-Decane	24.79	57	5198	0.144	ng	82
84) Benzyl Chloride	24.83	91	6279	0.110	ng	96
85) 1,3-Dichlorobenzene	24.86	146	4738	0.121	ng	99
86) 1,4-Dichlorobenzene	24.95	146	5070	0.127	ng	97
87) sec-Butylbenzene	25.01	105	10773	0.119	ng	99
88) p-Isopropyltoluene	25.20	119	9686	0.122	ng	98
89) 1,2,3-Trimethylbenzene	25.20	105	7977	0.126	ng	87
90) 1,2-Dichlorobenzene	25.37	146	4351	0.109	ng	95
91) d-Limonene	25.38	68	2919	0.099	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	1509	0.118	ng	96
93) n-Undecane	26.32	57	5921	0.197	ng	83
94) 1,2,4-Trichlorobenzene	27.44	184	989	0.176	ng	# 89
95) Naphthalene	27.57	128	11377	0.186	ng	96
96) n-Dodecane	27.55	57	5756	0.243	ng	78
97) Hexachloro-1,3-butadiene	27.99	225	2062	0.151	ng	97
98) Cyclohexanone	22.07	55	4112	0.132	ng	95
99) tert-Butylbenzene	24.67	119	8398	0.132	ng	98
100) n-Butylbenzene	25.71	91	8917	0.135	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220902.D  
 Acq On : 22 Jan 2009 13:28  
 Operator : WA/LH  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 14:02:21 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

7.018min (+0.005) 0.20ng

response 3344



*SP*

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	1.67#
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220902.D  
 Acq On : 22 Jan 2009 13:28  
 Operator : WA/LH  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 14:02:21 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.865min (-0.148) 0.41ng m

response 6935

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	0.81#
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 LH 01/23/09

Ben 1/23/09



WA 1/24/09

96

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220902.D  
 Acq On : 22 Jan 2009 13:28  
 Operator : WA/LH  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 14:02:21 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.077min (-0.086) 0.15ng

SP



response 7853

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	26.07
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220902.D  
 Acq On : 22 Jan 2009 13:28  
 Operator : WA/LH  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 14:02:21 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.077min (-0.086) 0.30ng m

response 15398

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	13.29
0.00	0.00	0.00
0.00	0.00	0.00


*SP → IC*  
*LH 01/23/09*

*Cam 1/23/09*

*WA 1/24/09*

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220903.D  
Acq On    : 22 Jan 2009   14:09  
Operator  : WA/LH  
Sample    : 0.2ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01090915  
ALS Vial  : 5      Sample Multiplier: 1
```

Quant Time: Jan 22 17:21:41 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220903.D  
 Acq On : 22 Jan 2009 14:09  
 Operator : WA/LH  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 17:21:41 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	378650	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.21	114	1747588	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	834047	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4 (...)	13.42	65	624915	22.060	ng	-0.03
Spiked Amount	25.000		Recovery	=	88.24%	
57) Toluene-d8 (SS2)	18.67	98	1978033	25.423	ng	-0.01
Spiked Amount	25.000		Recovery	=	101.68%	
73) Bromofluorobenzene (SS3)	23.06	174	721223	27.808	ng	0.00
Spiked Amount	25.000		Recovery	=	111.24%	

## Target Compounds

						Qvalue
2) Propene	4.62	42	4328	0.199	ng	86
3) Dichlorodifluoromethane	4.78	85	7832	0.206	ng	96
4) Chloromethane	5.09	50	6601	0.196	ng	93
5) Freon 114	5.32	135	3810	0.215	ng	87
6) Vinyl Chloride	5.52	62	5324	0.185	ng	83
7) 1,3-Butadiene	5.78	54	3430	0.159	ng	91
8) Bromomethane	6.26	94	2922	0.200	ng	94
9) Chloroethane	6.59	64	2605	0.210	ng	100
10) Ethanol	6.86	45	10466m	0.618	ng	
11) Acetonitrile	7.21	41	6722	0.174	ng	77
12) Acrolein	7.41	56	2305	0.253	ng	86
13) Acetone	7.62	58	21549	1.371	ng	92
14) Trichlorofluoromethane	7.89	101	6568	0.200	ng	99
15) Isopropanol	8.07	45	21114m	0.408	ng	
16) Acrylonitrile	8.40	53	3739	0.148	ng	92
17) 1,1-Dichloroethene	8.89	96	3341	0.210	ng	# 60
18) tert-Butanol	9.03	59	19331	0.399	ng	78
19) Methylene Chloride	9.08	84	4179	0.226	ng	# 53
20) Allyl Chloride	9.28	41	3960	0.150	ng	85
21) Trichlorotrifluoroethane	9.53	151	3007	0.209	ng	84
22) Carbon Disulfide	9.48	76	13339	0.208	ng	95
23) trans-1,2-Dichloroethene	10.51	61	4763	0.180	ng	74
24) 1,1-Dichloroethane	10.81	63	6285	0.187	ng	96
25) Methyl tert-Butyl Ether	10.92	73	9570	0.194	ng	84
26) Vinyl Acetate	11.06	86	2977	0.940	ng	# 13
27) 2-Butanone	11.41	72	2212	0.228	ng	# 68
28) cis-1,2-Dichloroethene	12.05	61	4909	0.185	ng	# 70
29) Diisopropyl Ether	12.40	87	2637	0.186	ng	# 24
30) Ethyl Acetate	12.40	61	2335	0.306	ng	90
31) n-Hexane	12.40	57	6318	0.179	ng	85

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220903.D  
 Acq On : 22 Jan 2009 14:09  
 Operator : WA/LH  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 17:21:41 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Jan 14 10:48:15 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	5931	0.194	ng	100
34) Tetrahydrofuran	13.07	72	2063	0.202	ng	# 53
35) Ethyl tert-Butyl Ether	13.20	87	4116	0.199	ng	# 68
36) 1,2-Dichloroethane	13.59	62	4960	0.179	ng	98
38) 1,1,1-Trichloroethane	13.98	97	5632	0.198	ng	88
39) Isopropyl Acetate	14.54	61	4377	0.368	ng	# 86
40) 1-Butanol	14.59	56	5146	0.271	ng	# 47
41) Benzene	14.67	78	14577	0.193	ng	99
42) Carbon Tetrachloride	14.89	117	4467	0.174	ng	99
43) Cyclohexane	15.11	84	9475	0.365	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	9897	0.192	ng	85
45) 1,2-Dichloropropane	15.91	63	3789	0.194	ng	95
46) Bromodichloromethane	16.17	83	4282	0.173	ng	98
47) Trichloroethene	16.25	130	3733	0.187	ng	99
48) 1,4-Dioxane	16.23	88	2506	0.190	ng	# 60
49) Isooctane	16.33	57	16189	0.190	ng	99
50) Methyl Methacrylate	16.53	100	2545	0.384	ng	# 87
51) n-Heptane	16.70	71	3501	0.191	ng	# 67
52) cis-1,3-Dichloropropene	17.46	75	4922	0.175	ng	95
53) 4-Methyl-2-pentanone	17.51	58	2962	0.167	ng	82
54) trans-1,3-Dichloropropene	18.17	75	4560	0.177	ng	96
55) 1,1,2-Trichloroethane	18.41	97	3221	0.193	ng	96
58) Toluene	18.79	91	15884	0.205	ng	99
59) 2-Hexanone	19.13	43	8993	0.188	ng	93
60) Dibromochloromethane	19.34	129	3775	0.204	ng	99
61) 1,2-Dibromoethane	19.67	107	3677	0.192	ng	99
62) Butyl Acetate	19.95	43	9807	0.189	ng	95
63) n-Octane	20.11	57	3304	0.191	ng	# 69
64) Tetrachloroethene	20.29	166	4055	0.207	ng	100
65) Chlorobenzene	21.16	112	10029	0.204	ng	98
66) Ethylbenzene	21.64	91	16264	0.194	ng	98
67) m- & p-Xylene	21.87	91	24377	0.366	ng	98
68) Bromoform	21.96	173	2790	0.165	ng	97
69) Styrene	22.33	104	9221	0.195	ng	98
70) o-Xylene	22.48	91	12637	0.190	ng	98
71) n-Nonane	22.75	43	8301	0.214	ng	94
72) 1,1,2,2-Tetrachloroethane	22.44	83	5572	0.179	ng	99
74) Cumene	23.23	105	16630	0.191	ng	97
75) alpha-Pinene	23.74	93	7382	0.199	ng	81
76) n-Propylbenzene	23.88	91	19277	0.181	ng	98
77) 3-Ethyltoluene	24.01	105	15087	0.196	ng	94
78) 4-Ethyltoluene	24.06	105	15641	0.204	ng	94
79) 1,3,5-Trimethylbenzene	24.16	105	13199	0.203	ng	94

101

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220903.D  
Acq On : 22 Jan 2009 14:09  
Operator : WA/LH  
Sample : 0.2ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01090915  
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 17:21:41 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	6807	0.194	ng	95
81) 2-Ethyltoluene	24.40	105	15399	0.195	ng	96
82) 1,2,4-Trimethylbenzene	24.67	105	13176	0.208	ng	92
83) n-Decane	24.79	57	8233	0.228	ng	79
84) Benzyl Chloride	24.84	91	10023	0.175	ng	99
85) 1,3-Dichlorobenzene	24.86	146	7855	0.200	ng	98
86) 1,4-Dichlorobenzene	24.95	146	7923	0.198	ng	100
87) sec-Butylbenzene	25.01	105	17444	0.193	ng	99
88) p-Isopropyltoluene	25.20	119	15803	0.198	ng	97
89) 1,2,3-Trimethylbenzene	25.20	105	13220	0.209	ng	91
90) 1,2-Dichlorobenzene	25.37	146	7205	0.181	ng	100
91) d-Limonene	25.38	68	4911	0.166	ng	94
92) 1,2-Dibromo-3-Chloropr...	25.90	157	2311	0.181	ng	97
93) n-Undecane	26.32	57	9057	0.301	ng	80
94) 1,2,4-Trichlorobenzene	27.43	184	1516	0.270	ng	# 91
95) Naphthalene	27.57	128	17992	0.293	ng	96
96) n-Dodecane	27.55	57	8642	0.364	ng	80
97) Hexachloro-1,3-butadiene	27.99	225	3166	0.232	ng	99
98) Cyclohexanone	22.07	55	5164	0.166	ng	95
99) tert-Butylbenzene	24.67	119	13331	0.209	ng	95
100) n-Butylbenzene	25.71	91	13907	0.211	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220903.D  
 Acq On : 22 Jan 2009 14:09  
 Operator : WA/LH  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 15:26:10 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.996min (-0.017) 0.26ng

response 4358



*SP*

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	14.59#
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220903.D  
 Acq On : 22 Jan 2009 14:09  
 Operator : WA/LH  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 15:26:10 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.865min (-0.148) 0.62ng m

response 10466

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	6.08#
0.00	0.00	0.00
0.00	0.00	0.00

*SP → IC*  
*UH 01/23/09*

*Em 1/23/09*



*Al 1/24/09*

**104**

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220903.D  
 Acq On : 22 Jan 2009 14:09  
 Operator : WA/LH  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 15:26:10 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.179min (+0.017) 0.18ng

response 9375



*SP*

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	11.40
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220903.D  
 Acq On : 22 Jan 2009 14:09  
 Operator : WA/LH  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01090915  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jan 22 15:26:10 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) isopropanol (T)  
 8.071min (-0.091) 0.41ng m  
 response 21114

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	5.06
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 in 01/23/09


GM 1/23/09

1/24/09

106

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220904.D  
Acq On    : 22 Jan 2009   14:50  
Operator  : WA/LH  
Sample    : 0.5ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01220904  
ALS Vial  : 2      Sample Multiplier: 1
```

Quant Time: Jan 22 17:22:46 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:22:46 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	386947	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.22	114	1770125	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.10	82	860455	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.42	65	639349	22.085	ng	-0.03
Spiked Amount	25.000		Recovery	=	88.36%	
57) Toluene-d8 (SS2)	18.67	98	2024722	25.224	ng	-0.01
Spiked Amount	25.000		Recovery	=	100.88%	
73) Bromofluorobenzene (SS3)	23.06	174	742061	27.734	ng	0.00
Spiked Amount	25.000		Recovery	=	110.92%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.61	42	11134	0.501	ng	92
3) Dichlorodifluoromethane	4.77	85	22790	0.588	ng	99
4) Chloromethane	5.08	50	18024	0.524	ng	99
5) Freon 114	5.32	135	10836	0.600	ng	88
6) Vinyl Chloride	5.51	62	16185	0.551	ng	84
7) 1,3-Butadiene	5.78	54	10484	0.474	ng	96
8) Bromomethane	6.25	94	7992	0.536	ng	95
9) Chloroethane	6.58	64	7316	0.577	ng	97
10) Ethanol	6.85	45	41573m	2.403	ng	
11) Acetonitrile	7.20	41	22624	0.573	ng	79
12) Acrolein	7.40	56	6042	0.648	ng	81
13) Acetone	7.61	58	41942	2.611	ng	93
14) Trichlorofluoromethane	7.88	101	19080	0.567	ng	96
15) Isopropanol	8.05	45	62404m	1.179	ng	
16) Acrylonitrile	8.38	53	13253	0.514	ng	96
17) 1,1-Dichloroethene	8.89	96	9673	0.596	ng	# 64
18) tert-Butanol	8.99	59	57434m	1.161	ng	
19) Methylene Chloride	9.08	84	10862	0.575	ng	# 55
20) Allyl Chloride	9.27	41	12072	0.447	ng	77
21) Trichlorotrifluoroethane	9.53	151	8709	0.592	ng	91
22) Carbon Disulfide	9.47	76	36061	0.550	ng	98
23) trans-1,2-Dichloroethene	10.51	61	14267	0.528	ng	73
24) 1,1-Dichloroethane	10.81	63	18126	0.528	ng	99
25) Methyl tert-Butyl Ether	10.92	73	26774	0.531	ng	84
26) Vinyl Acetate	11.06	86	9280	2.866	ng	# 10
27) 2-Butanone	11.41	72	6501	0.655	ng	# 52
28) cis-1,2-Dichloroethene	12.05	61	15207	0.561	ng	74
29) Diisopropyl Ether	12.40	87	7990	0.552	ng	# 20
30) Ethyl Acetate	12.40	61	7042	0.904	ng	79
31) n-Hexane	12.41	57	17257	0.480	ng	8108

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:22:46 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Jan 14 10:48:15 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	17676	0.565	ng	99
34) Tetrahydrofuran	13.06	72	6035	0.580	ng	# 51
35) Ethyl tert-Butyl Ether	13.19	87	11265	0.534	ng	# 72
36) 1,2-Dichloroethane	13.59	62	14804	0.524	ng	94
38) 1,1,1-Trichloroethane	13.97	97	15532	0.539	ng	93
39) Isopropyl Acetate	14.54	61	13409	1.113	ng	# 87
40) 1-Butanol	14.58	56	22226	1.157	ng	# 69
41) Benzene	14.67	78	40723	0.533	ng	100
42) Carbon Tetrachloride	14.90	117	13168	0.506	ng	99
43) Cyclohexane	15.10	84	27848	1.060	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	28617	0.547	ng	84
45) 1,2-Dichloropropane	15.91	63	10660	0.540	ng	98
46) Bromodichloromethane	16.17	83	13165	0.525	ng	98
47) Trichloroethene	16.24	130	11016	0.544	ng	96
48) 1,4-Dioxane	16.22	88	8145	0.610	ng	# 72
49) Isooctane	16.34	57	47408	0.550	ng	99
50) Methyl Methacrylate	16.52	100	8117	1.210	ng	# 88
51) n-Heptane	16.71	71	10438	0.562	ng	# 73
52) cis-1,3-Dichloropropene	17.46	75	14519	0.509	ng	97
53) 4-Methyl-2-pentanone	17.51	58	10186	0.566	ng	79
54) trans-1,3-Dichloropropene	18.17	75	14746	0.564	ng	97
55) 1,1,2-Trichloroethane	18.40	97	9946	0.588	ng	98
58) Toluene	18.80	91	46247	0.579	ng	99
59) 2-Hexanone	19.12	43	28186	0.570	ng	95
60) Dibromochloromethane	19.35	129	12161	0.638	ng	99
61) 1,2-Dibromoethane	19.68	107	11552	0.584	ng	98
62) Butyl Acetate	19.95	43	31970	0.596	ng	96
63) n-Octane	20.11	57	9945	0.559	ng	# 68
64) Tetrachloroethene	20.30	166	12158	0.600	ng	100
65) Chlorobenzene	21.16	112	30592	0.602	ng	98
66) Ethylbenzene	21.64	91	48392	0.558	ng	99
67) m- & p-Xylene	21.87	91	74767	1.087	ng	97
68) Bromoform	21.96	173	9897	0.569	ng	98
69) Styrene	22.33	104	28995	0.593	ng	95
70) o-Xylene	22.47	91	38812	0.565	ng	99
71) n-Nonane	22.75	43	23892	0.596	ng	89
72) 1,1,2,2-Tetrachloroethane	22.44	83	17902	0.558	ng	95
74) Cumene	23.24	105	50343	0.560	ng	98
75) alpha-Pinene	23.74	93	22971	0.602	ng	94
76) n-Propylbenzene	23.88	91	60926	0.555	ng	97
77) 3-Ethyltoluene	24.01	105	48076	0.606	ng	96
78) 4-Ethyltoluene	24.06	105	48601	0.614	ng	96
79) 1,3,5-Trimethylbenzene	24.15	105	40779	0.607	ng	95

109

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220904.D  
Acq On : 22 Jan 2009 14:50  
Operator : WA/LH  
Sample : 0.5ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220904  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:22:46 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.35	118	21923	0.605	ng	94
81) 2-Ethyltoluene	24.40	105	49352	0.606	ng	96
82) 1,2,4-Trimethylbenzene	24.67	105	40863	0.624	ng	90
83) n-Decane	24.79	57	25013	0.670	ng	79
84) Benzyl Chloride	24.84	91	33919	0.573	ng	96
85) 1,3-Dichlorobenzene	24.86	146	25055	0.618	ng	99
86) 1,4-Dichlorobenzene	24.95	146	25455	0.617	ng	100
87) sec-Butylbenzene	25.00	105	55389	0.595	ng	100
88) p-Isopropyltoluene	25.20	119	50500	0.614	ng	96
89) 1,2,3-Trimethylbenzene	25.20	105	41771	0.640	ng	88
90) 1,2-Dichlorobenzene	25.37	146	23462	0.571	ng	94
91) d-Limonene	25.37	68	16217	0.530	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	8131	0.619	ng	91
93) n-Undecane	26.32	57	26212	0.846	ng	81
94) 1,2,4-Trichlorobenzene	27.43	184	5211	0.900	ng	# 91
95) Naphthalene	27.57	128	58179	0.919	ng	99
96) n-Dodecane	27.55	57	25257	1.032	ng	77
97) Hexachloro-1,3-butadiene	27.99	225	10264	0.730	ng	99
98) Cyclohexanone	22.05	55	17622	0.548	ng	95
99) tert-Butylbenzene	24.67	119	40756	0.620	ng	99
100) n-Butylbenzene	25.71	91	44745	0.657	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 15:26:28 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.979min (-0.034) 1.10ng

response 19003

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	21.31
0.00	0.00	0.00
0.00	0.00	0.00



SP

111

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 15:26:28 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.854min (-0.159) 2.40ng m

response 41573

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	9.74#
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

UH 01/23/09

Em 1/23/09



BI 1/24/09

112

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 15:26:28 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.157min (-0.006) 0.52ng

response 27460



Ion	Exp%	Act%
45.10	100	100
43.00	17.10	21.40
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 15:26:28 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.054min (-0.108) 1.18ng m

response 62404

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	9.42
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

WA 01/23/09

Em 1/23/09



BA 1/24/09

114

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 15:26:28 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(18) tert-Butanol (T)

8.993min (-0.074) 0.55ng

response 27074

Ion	Exp%	Act%
59.00	100	100
57.10	10.50	11.02
41.10	23.00	23.55
43.00	14.50	15.97



SP



# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220904.D  
 Acq On : 22 Jan 2009 14:50  
 Operator : WA/LH  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 15:26:28 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(18) tert-Butanol (T)

8.993min (-0.074) 1.16ng m

response 57434

Ion	Exp%	Act%
59.00	100	100
57.10	10.50	5.19
41.10	23.00	11.10
43.00	14.50	7.53

*SP → IC*  
*UH 01/23/09*  
*Cam 1/23/09*


*RA 1/24/09*

**116**

(QT Reviewed)

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220905.D  
Acq On    : 22 Jan 2009   15:31  
Operator  : WA/LH  
Sample    : 1.0ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01220904  
ALS Vial  : 2      Sample Multiplier: 1
```

Quant Time: Jan 22 17:29:17 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:29:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	381959	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.22	114	1739837	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.10	82	844687	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	626113	21.911	ng	-0.03
Spiked Amount	25.000		Recovery	=	87.64%	
57) Toluene-d8 (SS2)	18.67	98	1990880	25.265	ng	-0.01
Spiked Amount	25.000		Recovery	=	101.08%	
73) Bromofluorobenzene (SS3)	23.06	174	731192	27.838	ng	0.00
Spiked Amount	25.000		Recovery	=	111.36%	

## Target Compounds

	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.60	42	19974	0.911	ng	90
3) Dichlorodifluoromethane	4.76	85	40850	1.068	ng	99
4) Chloromethane	5.07	50	32057	0.945	ng	98
5) Freon 114	5.32	135	19254	1.079	ng	87
6) Vinyl Chloride	5.51	62	27487	0.948	ng	86
7) 1,3-Butadiene	5.78	54	18957	0.869	ng	96
8) Bromomethane	6.25	94	14511	0.985	ng	98
9) Chloroethane	6.57	64	13266	1.060	ng	97
10) Ethanol	6.86	45	73179m	4.285	ng	
11) Acetonitrile	7.19	41	40193	1.032	ng	98
12) Acrolein	7.40	56	10743	1.167	ng	81
13) Acetone	7.61	58	73830	4.656	ng	92
14) Trichlorofluoromethane	7.88	101	34331	1.034	ng	94
15) Isopropanol	8.05	45	111661m	2.138	ng	
16) Acrylonitrile	8.37	53	27258	1.071	ng	97
17) 1,1-Dichloroethene	8.88	96	17476	1.091	ng	# 66
18) tert-Butanol	8.99	59	103985m	2.129	ng	
19) Methylene Chloride	9.08	84	19140	1.027	ng	# 54
20) Allyl Chloride	9.27	41	23124	0.867	ng	77
21) Trichlorotrifluoroethane	9.53	151	15641	1.077	ng	89
22) Carbon Disulfide	9.47	76	65166	1.006	ng	100
23) trans-1,2-Dichloroethene	10.51	61	27139	1.018	ng	76
24) 1,1-Dichloroethane	10.81	63	33257	0.982	ng	96
25) Methyl tert-Butyl Ether	10.91	73	47197	0.949	ng	85
26) Vinyl Acetate	11.06	86	16473	5.154	ng	# 7
27) 2-Butanone	11.40	72	11726	1.197	ng	# 44
28) cis-1,2-Dichloroethene	12.05	61	28504	1.065	ng	77
29) Diisopropyl Ether	12.40	87	14552	1.018	ng	# 18
30) Ethyl Acetate	12.40	61	13391	1.741	ng	85
31) n-Hexane	12.41	57	30930	0.871	ng	8118

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:29:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.49	83	32329	1.048	ng	97
34) Tetrahydrofuran	13.07	72	10937	1.064	ng	# 52
35) Ethyl tert-Butyl Ether	13.19	87	20566	0.988	ng	# 70
36) 1,2-Dichloroethane	13.59	62	26942	0.966	ng	97
38) 1,1,1-Trichloroethane	13.98	97	27647	0.976	ng	95
39) Isopropyl Acetate	14.54	61	24491	2.069	ng	# 87
40) 1-Butanol	14.56	56	42440	2.247	ng	# 73
41) Benzene	14.67	78	73440	0.979	ng	99
42) Carbon Tetrachloride	14.90	117	24184	0.945	ng	98
43) Cyclohexane	15.10	84	50627	1.961	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	50328	0.979	ng	86
45) 1,2-Dichloropropane	15.90	63	19410	1.000	ng	100
46) Bromodichloromethane	16.17	83	24448	0.992	ng	99
47) Trichloroethene	16.25	130	20163	1.013	ng	96
48) 1,4-Dioxane	16.22	88	15184	1.158	ng	# 67
49) Isooctane	16.34	57	87266	1.029	ng	99
50) Methyl Methacrylate	16.52	100	15385	2.333	ng	91
51) n-Heptane	16.70	71	19300	1.057	ng	# 72
52) cis-1,3-Dichloropropene	17.46	75	27016	0.964	ng	99
53) 4-Methyl-2-pentanone	17.51	58	18897	1.069	ng	79
54) trans-1,3-Dichloropropene	18.17	75	27893	1.085	ng	98
55) 1,1,2-Trichloroethane	18.41	97	17658	1.061	ng	97
58) Toluene	18.80	91	85075	1.085	ng	98
59) 2-Hexanone	19.12	43	52878	1.090	ng	93
60) Dibromochloromethane	19.34	129	21721	1.161	ng	100
61) 1,2-Dibromoethane	19.68	107	21365	1.100	ng	100
62) Butyl Acetate	19.95	43	60295	1.145	ng	97
63) n-Octane	20.11	57	18216	1.042	ng	# 66
64) Tetrachloroethene	20.29	166	21948	1.104	ng	99
65) Chlorobenzene	21.16	112	55542	1.114	ng	100
66) Ethylbenzene	21.64	91	90951	1.068	ng	99
67) m- & p-Xylene	21.88	91	139979	2.074	ng	99
68) Bromoform	21.96	173	18564	1.086	ng	97
69) Styrene	22.33	104	54072	1.127	ng	96
70) o-Xylene	22.47	91	71597	1.062	ng	100
71) n-Nonane	22.75	43	44647	1.134	ng	90
72) 1,1,2,2-Tetrachloroethane	22.44	83	33990	1.079	ng	97
74) Cumene	23.23	105	94619	1.073	ng	97
75) alpha-Pinene	23.74	93	42870	1.144	ng	97
76) n-Propylbenzene	23.88	91	113276	1.050	ng	97
77) 3-Ethyltoluene	24.01	105	90110	1.158	ng	95
78) 4-Ethyltoluene	24.06	105	90973	1.171	ng	96
79) 1,3,5-Trimethylbenzene	24.15	105	75794	1.150	ng	95

119

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220905.D  
Acq On : 22 Jan 2009 15:31  
Operator : WA/LH  
Sample : 1.0ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220904  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:29:17 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	41702	1.172	ng	94
81) 2-Ethyltoluene	24.40	105	93625	1.170	ng	96
82) 1,2,4-Trimethylbenzene	24.67	105	77039	1.198	ng	91
83) n-Decane	24.79	57	47359	1.293	ng	80
84) Benzyl Chloride	24.83	91	66188	1.140	ng	97
85) 1,3-Dichlorobenzene	24.87	146	47192	1.186	ng	98
86) 1,4-Dichlorobenzene	24.95	146	47489	1.173	ng	99
87) sec-Butylbenzene	25.00	105	105089	1.150	ng	99
88) p-Isopropyltoluene	25.20	119	96633	1.197	ng	96
89) 1,2,3-Trimethylbenzene	25.20	105	79277	1.237	ng	90
90) 1,2-Dichlorobenzene	25.37	146	43846	1.087	ng	97
91) d-Limonene	25.37	68	30881	1.029	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	15772	1.223	ng	87
93) n-Undecane	26.32	57	50158	1.648	ng	79
94) 1,2,4-Trichlorobenzene	27.43	184	9972	1.755	ng	# 90
95) Naphthalene	27.57	128	112840	1.816	ng	98
96) n-Dodecane	27.55	57	49759	2.070	ng	78
97) Hexachloro-1,3-butadiene	27.98	225	19528	1.414	ng	100
98) Cyclohexanone	22.06	55	32363	1.026	ng	95
99) tert-Butylbenzene	24.67	119	76685	1.189	ng	100
100) n-Butylbenzene	25.71	91	86271	1.290	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:07:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.967min (-0.046) 2.05ng

response 35011



Ion	Exp%	Act%
45.00	100	100
46.10	35.10	21.04
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:07:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.859min (-0.154) 4.29ng m

response 73179

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	10.06#
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 in 01/23/09

Em 1/23/09



BA 1/24/09

122

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:07:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.151min (-0.011) 0.99ng

response 51652

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	20.78
0.00	0.00	0.00
0.00	0.00	0.00



SP



# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:07:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.054min (-0.108) 2.14ng m

response 111661

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	9.61
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 in 01/23/09

Em 1/23/09



WA 1/24/09

124

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:07:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(18) tert-Butanol (T)

9.084min (+0.017) 1.07ng

response 52068



Ion	Exp%	Act%
59.00	100	100
57.10	10.50	9.60
41.10	23.00	25.97
43.00	14.50	16.55

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220905.D  
 Acq On : 22 Jan 2009 15:31  
 Operator : WA/LH  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:07:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(18) tert-Butanol (T)

8.988min (-0.080) 2.13ng m

response 103985

Ion	Exp%	Act%
59.00	100	100
57.10	10.50	4.81
41.10	23.00	13.00
43.00	14.50	8.29

SP → IC

LH 01/23/09


Em 1/23/09

1/24/09

126

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220906.D  
Acq On    : 22 Jan 2009   16:12  
Operator  : WA/LH  
Sample    : 5.0ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01220904  
ALS Vial  : 2      Sample Multiplier: 1
```

Quant Time: Jan 22 17:29:56 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220906.D  
 Acq On : 22 Jan 2009 16:12  
 Operator : WA/LH  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:29:56 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.29	130	389162	25.000	ng	-0.03
37) 1,4-Difluorobenzene (IS2)	15.23	114	1797444	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.10	82	863137	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.43	65	625886	21.497	ng	-0.02
Spiked Amount	25.000		Recovery	=	86.00%	
57) Toluene-d8 (SS2)	18.67	98	2025979	25.161	ng	-0.01
Spiked Amount	25.000		Recovery	=	100.64%	
73) Bromofluorobenzene (SS3)	23.06	174	760427	28.332	ng	0.00
Spiked Amount	25.000		Recovery	=	113.32%	

## Target Compounds

						Qvalue
2) Propene	4.58	42	109370	4.896	ng	89
3) Dichlorodifluoromethane	4.75	85	186877	4.794	ng	99
4) Chloromethane	5.06	50	130472	3.774	ng	100
5) Freon 114	5.31	135	86900	4.781	ng	87
6) Vinyl Chloride	5.49	62	126900	4.295	ng	86
7) 1,3-Butadiene	5.77	54	86911	3.909	ng	98
8) Bromomethane	6.24	94	61814	4.118	ng	97
9) Chloroethane	6.57	64	60357	4.732	ng	96
10) Ethanol	6.88	45	340071m	19.546	ng	
11) Acetonitrile	7.19	41	187386	4.720	ng	91
12) Acrolein	7.39	56	52266	5.572	ng	82
13) Acetone	7.60	58	359565	22.255	ng	95
14) Trichlorofluoromethane	7.87	101	160198	4.736	ng	96
15) Isopropanol	8.07	45	404443m	7.601	ng	
16) Acrylonitrile	8.38	53	132114	5.097	ng	99
17) 1,1-Dichloroethene	8.88	96	82357	5.045	ng	# 65
18) tert-Butanol	9.00	59	491745	9.882	ng	99
19) Methylene Chloride	9.08	84	87789	4.624	ng	# 54
20) Allyl Chloride	9.27	41	122923	4.523	ng	79
21) Trichlorotrifluoroethane	9.53	151	74082	5.007	ng	91
22) Carbon Disulfide	9.46	76	299704	4.541	ng	99
23) trans-1,2-Dichloroethene	10.51	61	133837	4.929	ng	74
24) 1,1-Dichloroethane	10.81	63	158582	4.594	ng	98
25) Methyl tert-Butyl Ether	10.91	73	225536	4.451	ng	85
26) Vinyl Acetate	11.06	86	71445	21.941	ng	# 1
27) 2-Butanone	11.39	72	59989	6.012	ng	# 34
28) cis-1,2-Dichloroethene	12.06	61	133971	4.914	ng	75
29) Diisopropyl Ether	12.40	87	68491	4.702	ng	# 22
30) Ethyl Acetate	12.40	61	67279	8.586	ng	84
31) n-Hexane	12.41	57	147395	4.073	ng	81

128

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220906.D  
Acq On : 22 Jan 2009 16:12  
Operator : WA/LH  
Sample : 5.0ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220904  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:29:56 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Jan 14 10:48:15 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	12.50	83	149792	4.764	ng	98
34) Tetrahydrofuran	13.06	72	55860	5.335	ng	# 49
35) Ethyl tert-Butyl Ether	13.19	87	97789	4.609	ng	# 69
36) 1,2-Dichloroethane	13.59	62	126727	4.460	ng	97
38) 1,1,1-Trichloroethane	13.98	97	134556	4.600	ng	93
39) Isopropyl Acetate	14.54	61	123428	10.091	ng	# 83
40) 1-Butanol	14.55	56	219897	11.271	ng	# 76
41) Benzene	14.67	78	352097	4.543	ng	100
42) Carbon Tetrachloride	14.91	117	120654	4.562	ng	98
43) Cyclohexane	15.10	84	248514	9.317	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	245397	4.619	ng	84
45) 1,2-Dichloropropane	15.91	63	94516	4.715	ng	98
46) Bromodichloromethane	16.17	83	119692	4.703	ng	98
47) Trichloroethene	16.26	130	96337	4.683	ng	97
48) 1,4-Dioxane	16.20	88	72596	5.358	ng	# 69
49) Isooctane	16.34	57	415097	4.739	ng	98
50) Methyl Methacrylate	16.53	100	76372	11.209	ng	# 86
51) n-Heptane	16.71	71	92365	4.895	ng	# 73
52) cis-1,3-Dichloropropene	17.46	75	136245	4.705	ng	100
53) 4-Methyl-2-pentanone	17.50	58	96313	5.274	ng	77
54) trans-1,3-Dichloropropene	18.17	75	142627	5.368	ng	98
55) 1,1,2-Trichloroethane	18.41	97	86820	5.051	ng	99
58) Toluene	18.80	91	399746	4.988	ng	99
59) 2-Hexanone	19.12	43	260227	5.251	ng	93
60) Dibromochloromethane	19.34	129	109520	5.729	ng	99
61) 1,2-Dibromoethane	19.67	107	103798	5.228	ng	99
62) Butyl Acetate	19.95	43	296176	5.502	ng	97
63) n-Octane	20.11	57	91982	5.151	ng	# 68
64) Tetrachloroethene	20.29	166	105491	5.194	ng	98
65) Chlorobenzene	21.16	112	262768	5.156	ng	99
66) Ethylbenzene	21.64	91	444323	5.108	ng	99
67) m- & p-Xylene	21.88	91	685738	9.941	ng	97
68) Bromoform	21.96	173	98367	5.634	ng	99
69) Styrene	22.33	104	281883	5.748	ng	97
70) o-Xylene	22.48	91	360301	5.232	ng	99
71) n-Nonane	22.75	43	221797	5.513	ng	89
72) 1,1,2,2-Tetrachloroethane	22.44	83	166753	5.178	ng	96
74) Cumene	23.24	105	457520	5.076	ng	96
75) alpha-Pinene	23.74	93	212781	5.555	ng	99
76) n-Propylbenzene	23.88	91	565115	5.128	ng	97
77) 3-Ethyltoluene	24.01	105	458915	5.769	ng	96
78) 4-Ethyltoluene	24.06	105	460146	5.797	ng	95
79) 1,3,5-Trimethylbenzene	24.15	105	383184	5.687	ng	94

129

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220906.D  
Acq On : 22 Jan 2009 16:12  
Operator : WA/LH  
Sample : 5.0ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220904  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:29:56 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	218975	6.021	ng	95
81) 2-Ethyltoluene	24.40	105	468559	5.731	ng	95
82) 1,2,4-Trimethylbenzene	24.67	105	395767	6.025	ng	92
83) n-Decane	24.79	57	242716	6.483	ng	80
84) Benzyl Chloride	24.83	91	352551	5.942	ng	96
85) 1,3-Dichlorobenzene	24.86	146	241583	5.944	ng	100
86) 1,4-Dichlorobenzene	24.95	146	243153	5.878	ng	99
87) sec-Butylbenzene	25.00	105	531677	5.696	ng	99
88) p-Isopropyltoluene	25.20	119	495785	6.012	ng	95
89) 1,2,3-Trimethylbenzene	25.20	105	404626	6.180	ng	89
90) 1,2-Dichlorobenzene	25.37	146	230616	5.596	ng	98
91) d-Limonene	25.37	68	161798	5.276	ng	100
92) 1,2-Dibromo-3-Chloropr...	25.90	157	83590	6.342	ng	# 80
93) n-Undecane	26.32	57	254060	8.170	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	49542	8.532	ng	# 94
95) Naphthalene	27.57	128	580614	9.147	ng	100
96) n-Dodecane	27.55	57	256024	10.424	ng	78
97) Hexachloro-1,3-butadiene	27.99	225	95364	6.758	ng	99
98) Cyclohexanone	22.05	55	159341	4.942	ng	93
99) tert-Butylbenzene	24.67	119	392335	5.953	ng	100
100) n-Butylbenzene	25.71	91	440531	6.444	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220906.D  
 Acq On : 22 Jan 2009 16:12  
 Operator : WA/LH  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:51:40 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.882min (-0.131) 16.70ng

response 290577

SP



Ion	Exp%	Act%
45.00	100	100
46.10	35.10	38.82
0.00	0.00	0.00
0.00	0.00	0.00



# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220906.D  
 Acq On : 22 Jan 2009 16:12  
 Operator : WA/LH  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:51:40 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.882min (-0.131) 19.55ng m

response 340071

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	33.17
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 LH 01/23/09

Em 1/23/09



PA 1/24/09

132

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220906.D  
 Acq On : 22 Jan 2009 16:12  
 Operator : WA/LH  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:51:40 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.071min (-0.091) 6.24ng

response 331977



Ion	Exp%	Act%
45.10	100	100
43.00	17.10	19.01
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220906.D  
 Acq On : 22 Jan 2009 16:12  
 Operator : WA/LH  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220904  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 16:51:40 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.071min (-0.091) 7.60ng m

response 404443

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	15.61
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

WA 01/23/09

Em 1/23/09


WA 1/24/09

134

(QT Reviewed)

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220907.D  
Acq On    : 22 Jan 2009   16:53  
Operator   : WA/LH  
Sample     : 25ng TO-15 ICAL STD  
Misc       : S20-01050901/S20-01220901  
ALS Vial   : 2      Sample Multiplier: 1
```

Quant Time: Jan 22 17:31:01 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220907.D  
 Acq On : 22 Jan 2009 16:53  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:31:01 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.31	130	403989	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.23	114	1818049	25.000	ng	-0.01
56) Chlorobenzene-d5 (IS3)	21.11	82	856657	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4 (...)	13.44	65	629869	20.840	ng	-0.02
Spiked Amount	25.000		Recovery	=	83.36%	
57) Toluene-d8 (SS2)	18.67	98	2012401	25.182	ng	0.00
Spiked Amount	25.000		Recovery	=	100.72%	
73) Bromofluorobenzene (SS3)	23.06	174	772363	28.994	ng	0.00
Spiked Amount	25.000		Recovery	=	115.96%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.58	42	512566	22.104	ng	88
3) Dichlorodifluoromethane	4.74	85	880717	21.762	ng	100
4) Chloromethane	5.06	50	756621	21.084	ng	99
5) Freon 114	5.30	135	429851	22.780	ng	87
6) Vinyl Chloride	5.49	62	648753	21.152	ng	86
7) 1,3-Butadiene	5.77	54	493377	21.376	ng	99
8) Bromomethane	6.24	94	368361	23.642	ng	98
9) Chloroethane	6.57	64	302369	22.836	ng	95
10) Ethanol	6.94	45	1920140m	106.313	ng	
11) Acetonitrile	7.21	41	963156	23.372	ng	91
12) Acrolein	7.41	56	304372	31.257	ng	83
13) Acetone	7.63	58	1987451	118.499	ng	99
14) Trichlorofluoromethane	7.88	101	862121	24.552	ng	95
15) Isopropanol	8.11	45	2671174m	48.356	ng	
16) Acrylonitrile	8.40	53	743283	27.621	ng	99
17) 1,1-Dichloroethene	8.89	96	461353	27.226	ng	# 62
18) tert-Butanol	9.03	59	2761784	53.464	ng	98
19) Methylene Chloride	9.10	84	478114	24.259	ng	# 52
20) Allyl Chloride	9.28	41	737745	26.150	ng	77
21) Trichlorotrifluoroethane	9.53	151	398618	25.950	ng	90
22) Carbon Disulfide	9.47	76	1656214	24.173	ng	99
23) trans-1,2-Dichloroethene	10.52	61	719038	25.508	ng	73
24) 1,1-Dichloroethane	10.83	63	863341	24.093	ng	97
25) Methyl tert-Butyl Ether	10.91	73	1242174	23.613	ng	85
26) Vinyl Acetate	11.08	86	435554	128.852	ng	# 1
27) 2-Butanone	11.41	72	343171	33.128	ng	# 32
28) cis-1,2-Dichloroethene	12.07	61	728270	25.732	ng	74
29) Diisopropyl Ether	12.40	87	379329	25.087	ng	# 23
30) Ethyl Acetate	12.41	61	391990	48.189	ng	83
31) n-Hexane	12.41	57	809021	21.537	ng	84

136

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220907.D  
 Acq On : 22 Jan 2009 16:53  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:31:01 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.52	83	831131	25.461	ng	98
34) Tetrahydrofuran	13.06	72	309969	28.517	ng	# 49
35) Ethyl tert-Butyl Ether	13.20	87	535728	24.322	ng	# 68
36) 1,2-Dichloroethane	13.60	62	670876	22.745	ng	96
38) 1,1,1-Trichloroethane	13.99	97	717476	24.249	ng	93
39) Isopropyl Acetate	14.55	61	706528	57.108	ng	# 80
40) 1-Butanol	14.57	56	1233093	62.489	ng	81
41) Benzene	14.68	78	1905925	24.310	ng	100
42) Carbon Tetrachloride	14.91	117	677767	25.335	ng	99
43) Cyclohexane	15.11	84	1354459	50.203	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	1345778	25.046	ng	83
45) 1,2-Dichloropropane	15.91	63	513794	25.338	ng	98
46) Bromodichloromethane	16.18	83	653244	25.377	ng	99
47) Trichloroethene	16.26	130	537115	25.814	ng	97
48) 1,4-Dioxane	16.21	88	400365	29.213	ng	# 68
49) Isooctane	16.35	57	2236807	25.249	ng	97
50) Methyl Methacrylate	16.53	100	443319	64.330	ng	90
51) n-Heptane	16.72	71	506040	26.512	ng	# 73
52) cis-1,3-Dichloropropene	17.46	75	764467	26.102	ng	99
53) 4-Methyl-2-pentanone	17.51	58	524879	28.419	ng	77
54) trans-1,3-Dichloropropene	18.17	75	792198	29.476	ng	99
55) 1,1,2-Trichloroethane	18.41	97	470095	27.040	ng	100
58) Toluene	18.80	91	2138553	26.888	ng	99
59) 2-Hexanone	19.12	43	1392273	28.305	ng	91
60) Dibromochloromethane	19.35	129	613477	32.334	ng	100
61) 1,2-Dibromoethane	19.68	107	568922	28.872	ng	99
62) Butyl Acetate	19.95	43	1615778	30.243	ng	95
63) n-Octane	20.11	57	500539	28.240	ng	# 67
64) Tetrachloroethene	20.30	166	591975	29.367	ng	99
65) Chlorobenzene	21.17	112	1404364	27.765	ng	100
66) Ethylbenzene	21.65	91	2443512	28.305	ng	100
67) m- & p-Xylene	21.88	91	3817815	55.767	ng	97
68) Bromoform	21.96	173	554785	32.016	ng	100
69) Styrene	22.33	104	1579423	32.452	ng	97
70) o-Xylene	22.48	91	1980620	28.977	ng	99
71) n-Nonane	22.75	43	1213938	30.401	ng	88
72) 1,1,2,2-Tetrachloroethane	22.45	83	930165	29.103	ng	96
74) Cumene	23.24	105	2507441	28.031	ng	96
75) alpha-Pinene	23.74	93	1198608	31.528	ng	97
76) n-Propylbenzene	23.88	91	3124946	28.571	ng	96
77) 3-Ethyltoluene	24.01	105	2584402	32.735	ng	95
78) 4-Ethyltoluene	24.07	105	2518477	31.967	ng	94
79) 1,3,5-Trimethylbenzene	24.16	105	2123437	31.754	ng	94

137

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220907.D  
Acq On : 22 Jan 2009 16:53  
Operator : WA/LH  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1



Quant Time: Jan 22 17:31:01 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1250854	34.655	ng	98
81) 2-Ethyltoluene	24.40	105	2604838	32.103	ng	94
82) 1,2,4-Trimethylbenzene	24.67	105	2287344	35.086	ng	90
83) n-Decane	24.79	57	1362915	36.680	ng	80
84) Benzyl Chloride	24.84	91	2066886	35.101	ng	95
85) 1,3-Dichlorobenzene	24.87	146	1344112	33.320	ng	99
86) 1,4-Dichlorobenzene	24.95	146	1352310	32.938	ng	99
87) sec-Butylbenzene	25.01	105	2985879	32.232	ng	98
88) p-Isopropyltoluene	25.20	119	2888998	35.296	ng	94
89) 1,2,3-Trimethylbenzene	25.20	105	2340811	36.022	ng	88
90) 1,2-Dichlorobenzene	25.37	146	1298969	31.761	ng	98
91) d-Limonene	25.38	68	933758	30.680	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	458831	35.073	ng	# 77
93) n-Undecane	26.32	57	1420055	46.012	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	265504	46.072	ng	# 92
95) Naphthalene	27.57	128	3004092	47.683	ng	100
96) n-Dodecane	27.55	57	1405823	57.674	ng	76
97) Hexachloro-1,3-butadiene	27.99	225	521366	37.225	ng	99
98) Cyclohexanone	22.06	55	854350	26.698	ng	92
99) tert-Butylbenzene	24.67	119	2280972	34.869	ng	100
100) n-Butylbenzene	25.71	91	2421034	35.683	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220907.D  
Acq On : 22 Jan 2009 16:53  
Operator : WA/LH  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:30:19 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



(10) Ethanol (T)

6.939min (-0.074) 101.30ng

response 1829652



Ion	Exp%	Act%
45.00	100	100
46.10	35.10	39.00
0.00	0.00	0.00
0.00	0.00	0.00

SP



Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220907.D  
Acq On : 22 Jan 2009 16:53  
Operator : WA/LH  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:30:19 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



(10) Ethanol (T)

6.939min (-0.074) 106.31ng m

response 1920140

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.16
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
UH 01/23/09



GM 1/23/09

BA 1/24/09

140

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220907.D  
Acq On : 22 Jan 2009 16:53  
Operator : WA/LH  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-01050901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:30:19 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



(15) Isopropanol (T)

8.111min (-0.051) 46.20ng

response 2551895



Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.89
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220907.D  
 Acq On : 22 Jan 2009 16:53  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 22 17:30:19 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.111min (-0.051) 48.36ng m

response 2671174

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.09
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

WA 1/23/09

Com 1/23/09


WA 1/24/09

142

(QT Reviewed)

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220908.D  
Acq On    : 22 Jan 2009   17:34  
Operator   : WA/LH  
Sample     : 50ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01220901  
ALS Vial   : 2      Sample Multiplier: 1
```

Quant Time: Jan 23 08:52:41 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:41 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.32	130	425118	25.000	ng	0.00
37) 1,4-Difluorobenzene (IS2)	15.24	114	1906826	25.000	ng	0.00
56) Chlorobenzene-d5 (IS3)	21.11	82	897441	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.45	65	649651	20.426	ng	0.00
Spiked Amount	25.000		Recovery	=	81.72%	
57) Toluene-d8 (SS2)	18.67	98	2088767	24.949	ng	0.00
Spiked Amount	25.000		Recovery	=	99.80%	
73) Bromofluorobenzene (SS3)	23.06	174	822929	29.488	ng	0.00
Spiked Amount	25.000		Recovery	=	117.96%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.58	42	1212020	49.669	ng	87
3) Dichlorodifluoromethane	4.75	85	1845340	43.332	ng	99
4) Chloromethane	5.07	50	1394221	36.920	ng	99
5) Freon 114	5.31	135	884506	44.545	ng	86
6) Vinyl Chloride	5.50	62	1339261	41.495	ng	86
7) 1,3-Butadiene	5.78	54	1041189	42.869	ng	99
8) Bromomethane	6.25	94	752452	45.892	ng	97
9) Chloroethane	6.58	64	619185	44.438	ng	94
10) Ethanol	6.97	45	3982602m	209.546	ng	
11) Acetonitrile	7.23	41	1937558	44.680	ng	90
12) Acrolein	7.42	56	636257	62.091	ng	82
13) Acetone	7.64	58	4173647	236.480	ng	96
14) Trichlorofluoromethane	7.89	101	1751316	47.396	ng	95
15) Isopropanol	8.14	45	4694788m	80.766	ng	
16) Acrylonitrile	8.42	53	1519401	53.656	ng	100
17) 1,1-Dichloroethene	8.89	96	951359	53.352	ng	# 61
18) tert-Butanol	9.06	59	5692129	104.715	ng	97
19) Methylene Chloride	9.12	84	984568	47.472	ng	# 51
20) Allyl Chloride	9.29	41	1535825	51.734	ng	76
21) Trichlorotrifluoroethane	9.54	151	881246	54.518	ng	89
22) Carbon Disulfide	9.47	76	3376495	46.832	ng	98
23) trans-1,2-Dichloroethene	10.54	61	1474807	49.719	ng	73
24) 1,1-Dichloroethane	10.84	63	1770623	46.957	ng	97
25) Methyl tert-Butyl Ether	10.92	73	2650205	47.874	ng	85
26) Vinyl Acetate	11.09	86	837615	235.479	ng	# 1
27) 2-Butanone	11.42	72	705867	64.754	ng	# 31
28) cis-1,2-Dichloroethene	12.08	61	1481887	49.757	ng	73
29) Diisopropyl Ether	12.41	87	818142	51.418	ng	# 19
30) Ethyl Acetate	12.42	61	845365	98.759	ng	82
31) n-Hexane	12.42	57	1800184	45.540	ng	88

144

1/24/09

1/23/09

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:41 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.53	83	1681134	48.941	ng	98
34) Tetrahydrofuran	13.06	72	642655	56.185	ng	# 48
35) Ethyl tert-Butyl Ether	13.20	87	1124253	48.504	ng	# 68
36) 1,2-Dichloroethane	13.61	62	1338601	43.128	ng	96
38) 1,1,1-Trichloroethane	14.00	97	1490009	48.015	ng	93
39) Isopropyl Acetate	14.56	61	1486463	114.556	ng	# 77
40) 1-Butanol	14.59	56	2582249	124.767	ng	83
41) Benzene	14.69	78	3989285	48.515	ng	100
42) Carbon Tetrachloride	14.92	117	1416184	50.473	ng	99
43) Cyclohexane	15.12	84	2930223	103.552	ng	# 64
44) tert-Amyl Methyl Ether	15.59	73	2798709	49.660	ng	82
45) 1,2-Dichloropropane	15.92	63	1055483	49.629	ng	98
46) Bromodichloromethane	16.19	83	1333384	49.386	ng	99
47) Trichloroethene	16.27	130	1110292	50.876	ng	97
48) 1,4-Dioxane	16.22	88	830221	57.758	ng	# 68
49) Isooctane	16.35	57	4618908	49.710	ng	96
50) Methyl Methacrylate	16.54	100	915746	126.697	ng	89
51) n-Heptane	16.72	71	1050375	52.469	ng	# 73
52) cis-1,3-Dichloropropene	17.47	75	1574113	51.245	ng	100
53) 4-Methyl-2-pentanone	17.51	58	1094891	56.521	ng	78
54) trans-1,3-Dichloropropene	18.18	75	1639269	58.154	ng	99
55) 1,1,2-Trichloroethane	18.42	97	966700	53.015	ng	100
58) Toluene	18.81	91	4394126	52.737	ng	100
59) 2-Hexanone	19.13	43	2847885	55.267	ng	90
60) Dibromochloromethane	19.35	129	1262299	63.506	ng	100
61) 1,2-Dibromoethane	19.68	107	1167679	56.564	ng	99
62) Butyl Acetate	19.95	43	3369109	60.195	ng	95
63) n-Octane	20.12	57	1047018	56.387	ng	# 67
64) Tetrachloroethene	20.30	166	1231518	58.318	ng	98
65) Chlorobenzene	21.17	112	2906652	54.854	ng	100
66) Ethylbenzene	21.65	91	5023154	55.542	ng	99
67) m- & p-Xylene	21.89	91	8021976	111.851	ng	96
68) Bromoform	21.97	173	1151987	63.458	ng	100
69) Styrene	22.34	104	3282282	64.375	ng	97
70) o-Xylene	22.48	91	4093586	57.168	ng	98
71) n-Nonane	22.76	43	2477484	59.224	ng	86
72) 1,1,2,2-Tetrachloroethane	22.45	83	1914512	57.180	ng	96
74) Cumene	23.24	105	5218838	55.690	ng	96
75) alpha-Pinene	23.74	93	2505843	62.918	ng	96
76) n-Propylbenzene	23.89	91	6494853	56.684	ng	96
77) 3-Ethyltoluene	24.02	105	5481043	66.270	ng	95
78) 4-Ethyltoluene	24.07	105	5205050	63.066	ng	94
79) 1,3,5-Trimethylbenzene	24.17	105	4441891	63.406	ng	92

145

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:41 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	2629315	69.536	ng	98
81) 2-Ethyltoluene	24.40	105	5422276	63.789	ng	94
82) 1,2,4-Trimethylbenzene	24.68	105	4903717	71.801	ng	90
83) n-Decane	24.79	57	2834310	72.813	ng	80
84) Benzyl Chloride	24.84	91	4297382	69.664	ng	94
85) 1,3-Dichlorobenzene	24.87	146	2800431	66.267	ng	98
86) 1,4-Dichlorobenzene	24.95	146	2812888	65.399	ng	99
87) sec-Butylbenzene	25.01	105	6207321	63.962	ng	98
88) p-Isopropyltoluene	25.20	119	6162941	71.873	ng	94
89) 1,2,3-Trimethylbenzene	25.21	105	4986589	73.250	ng	87
90) 1,2-Dichlorobenzene	25.38	146	2742255	64.004	ng	98
91) d-Limonene	25.38	68	1968842	61.750	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.91	157	965320	70.437	ng	# 74
93) n-Undecane	26.32	57	2993050	92.572	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	574249	95.119	ng	# 92
95) Naphthalene	27.57	128	6479843	98.178	ng	99
96) n-Dodecane	27.55	57	3061573	119.893	ng	75
97) Hexachloro-1,3-butadiene	27.99	225	1127285	76.830	ng	99
98) Cyclohexanone	22.07	55	1763017	52.590	ng	92
99) tert-Butylbenzene	24.68	119	4841916	70.654	ng	100
100) n-Butylbenzene	25.71	91	5043950	70.963	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:11 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.973min (-0.040) 202.32ng

response 3845354

SP



Ion	Exp%	Act%
45.00	100	100
46.10	35.10	39.07
0.00	0.00	0.00
0.00	0.00	0.00



# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:11 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.973min (-0.040) 209.55ng m

response 3982602

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.72
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

LH 01/23/09

Em 1/23/09



1/24/09

148

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:11 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.140min (-0.023) 76.12ng

response 4424774



Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.72
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220908.D  
 Acq On : 22 Jan 2009 17:34  
 Operator : WA/LH  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:52:11 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.140min (-0.023) 80.77ng m

response 4694788

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	16.70
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

LM 01/23/09


Em 1/23/09

107 1/24/09

150

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220909.D  
Acq On    : 22 Jan 2009 18:14  
Operator  : WA/LH  
Sample    : 100ng TO-15 ICAL STD  
Misc      : S20-01050901/S20-01220901  
ALS Vial  : 2      Sample Multiplier: 1
```

Quant Time: Jan 23 08:53:15 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Jan 14 10:48:15 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220909.D  
 Acq On : 22 Jan 2009 18:14  
 Operator : WA/LH  
 Sample : 100ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:53:15 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.33	130	436641	25.000	ng	0.00
37) 1,4-Difluorobenzene (IS2)	15.25	114	1974517	25.000	ng	0.00
56) Chlorobenzene-d5 (IS3)	21.12	82	902617	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.46	65	665827	20.382	ng	0.00
Spiked Amount	25.000		Recovery	=	81.52%	
57) Toluene-d8 (SS2)	18.68	98	2136477	25.373	ng	0.00
Spiked Amount	25.000		Recovery	=	101.48%	
73) Bromofluorobenzene (SS3)	23.06	174	835343	29.762	ng	0.00
Spiked Amount	25.000		Recovery	=	119.04%	

## Target Compounds

						Qvalue
2) Propene	4.59	42	2636549	105.195	ng	86
3) Dichlorodifluoromethane	4.75	85	3856585	88.169	ng	99
4) Chloromethane	5.07	50	2982994	76.907	ng	99
5) Freon 114	5.31	135	2100034	102.970	ng	86
6) Vinyl Chloride	5.51	62	3158744	95.287	ng	87
7) 1,3-Butadiene	5.78	54	2473175	99.140	ng	97
8) Bromomethane	6.26	94	1569976	93.227	ng	97
9) Chloroethane	6.59	64	1320603	92.277	ng	94
10) Ethanol	7.02	45	8258630	423.063	ng	93
11) Acetonitrile	7.26	41	3985068	89.471	ng	90
12) Acrolein	7.43	56	1319572	125.377	ng	81
13) Acetone	7.67	58	8743747	482.349	ng	90
14) Trichlorofluoromethane	7.89	101	3607517	95.054	ng	95
15) Isopropanol	8.17	45	9106545	152.528	ng	98
16) Acrylonitrile	8.44	53	3131702	107.675	ng	99
17) 1,1-Dichloroethene	8.90	96	1988660	108.580	ng	# 61
18) tert-Butanol	9.09	59	7911970	141.711	ng	97
19) Methylene Chloride	9.12	84	2041691	95.845	ng	# 49
20) Allyl Chloride	9.31	41	3219712	105.593	ng	75
21) Trichlorotrifluoroethane	9.55	151	1894203	114.092	ng	89
22) Carbon Disulfide	9.48	76	6995030	94.461	ng	98
23) trans-1,2-Dichloroethene	10.55	61	3022399	99.202	ng	72
24) 1,1-Dichloroethane	10.85	63	3665212	94.636	ng	97
25) Methyl tert-Butyl Ether	10.93	73	5701410	100.274	ng	85
26) Vinyl Acetate	11.11	86	1532829	419.553	ng	# 1
27) 2-Butanone	11.44	72	1411934	126.107	ng	# 29
28) cis-1,2-Dichloroethene	12.09	61	3073521	100.476	ng	72
29) Diisopropyl Ether	12.42	87	1781440	109.003	ng	# 11
30) Ethyl Acetate	12.44	61	1800021	204.736	ng	81
31) n-Hexane	12.42	57	3976995	97.954	ng	84

152

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220909.D  
 Acq On : 22 Jan 2009 18:14  
 Operator : WA/LH  
 Sample : 100ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jan 23 08:53:15 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Jan 14 10:48:15 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.55	83	3444973	97.644	ng	98
34) Tetrahydrofuran	13.08	72	1268116	107.942	ng	# 48
35) Ethyl tert-Butyl Ether	13.21	87	2420207	101.660	ng	# 68
36) 1,2-Dichloroethane	13.62	62	2701643	84.745	ng	96
38) 1,1,1-Trichloroethane	14.01	97	3105454	96.641	ng	93
39) Isopropyl Acetate	14.57	61	3161510	235.293	ng	# 70
40) 1-Butanol	14.63	56	5254448	245.176	ng	85
41) Benzene	14.70	78	8468069	99.453	ng	100
42) Carbon Tetrachloride	14.93	117	2998272	103.196	ng	99
43) Cyclohexane	15.13	84	6396996	218.316	ng	# 64
44) tert-Amyl Methyl Ether	15.60	73	5943162	101.840	ng	82
45) 1,2-Dichloropropane	15.93	63	2203196	100.043	ng	98
46) Bromodichloromethane	16.20	83	2756072	98.581	ng	98
47) Trichloroethene	16.27	130	2385026	105.541	ng	97
48) 1,4-Dioxane	16.23	88	1753012	117.775	ng	# 68
49) Isooctane	16.36	57	9676702	100.574	ng	95
50) Methyl Methacrylate	16.56	100	1957964	261.605	ng	92
51) n-Heptane	16.73	71	2239909	108.053	ng	# 72
52) cis-1,3-Dichloropropene	17.47	75	3308785	104.025	ng	100
53) 4-Methyl-2-pentanone	17.52	58	2319556	115.636	ng	78
54) trans-1,3-Dichloropropene	18.18	75	3434769	117.674	ng	99
55) 1,1,2-Trichloroethane	18.42	97	2048306	108.481	ng	100
58) Toluene	18.82	91	9332416	111.362	ng	100
59) 2-Hexanone	19.14	43	5913714	114.105	ng	89
60) Dibromochloromethane	19.36	129	2676877	133.902	ng	99
61) 1,2-Dibromoethane	19.69	107	2449798	117.992	ng	99
62) Butyl Acetate	19.97	43	7443720	132.233	ng	93
63) n-Octane	20.12	57	2247786	120.361	ng	# 67
64) Tetrachloroethene	20.30	166	2644103	124.491	ng	99
65) Chlorobenzene	21.17	112	6157948	115.545	ng	99
66) Ethylbenzene	21.66	91	10714802	117.796	ng	98
67) m- & p-Xylene	21.90	91	17264543	239.341	ng	95
68) Bromoform	21.97	173	2461620	134.823	ng	100
69) Styrene	22.34	104	7017902	136.852	ng	96
70) o-Xylene	22.49	91	8798410	122.169	ng	97
71) n-Nonane	22.77	43	5148342	122.365	ng	83
72) 1,1,2,2-Tetrachloroethane	22.46	83	4081295	121.195	ng	96
74) Cumene	23.25	105	11262809	119.497	ng	95
75) alpha-Pinene	23.74	93	5408005	135.008	ng	95
76) n-Propylbenzene	23.89	91	13725291	119.101	ng	95
77) 3-Ethyltoluene	24.02	105	11686342	140.486	ng	94
78) 4-Ethyltoluene	24.08	105	11166338	134.518	ng	94
79) 1,3,5-Trimethylbenzene	24.17	105	9524858	135.184	ng	94

153

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220909.D  
 Acq On : 22 Jan 2009 18:14  
 Operator : WA/LH  
 Sample : 100ng TO-15 ICAL STD  
 Misc : S20-01050901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1


Quant Time: Jan 23 08:53:15 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Jan 14 10:48:15 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.36	118	5648866	148.535	ng	96
81) 2-Ethyltoluene	24.42	105	11492918	134.431	ng	93
82) 1,2,4-Trimethylbenzene	24.69	105	10082002	146.775	ng	90
83) n-Decane	24.80	57	5856264	149.584	ng	79
84) Benzyl Chloride	24.85	91	9120268	146.999	ng	93
85) 1,3-Dichlorobenzene	24.88	146	6063302	142.654	ng	99
86) 1,4-Dichlorobenzene	24.96	146	6076015	140.455	ng	99
87) sec-Butylbenzene	25.02	105	13037480	133.571	ng	97
88) p-Isopropyltoluene	25.21	119	12131080	140.662	ng	94
89) 1,2,3-Trimethylbenzene	25.21	105	10073950	147.131	ng	89
90) 1,2-Dichlorobenzene	25.38	146	5829997	135.291	ng	98
91) d-Limonene	25.38	68	3918375	122.189	ng	96
92) 1,2-Dibromo-3-Chloropr...	25.91	157	2062515	149.633	ng	# 70
93) n-Undecane	26.32	57	6243269	191.990	ng	76
94) 1,2,4-Trichlorobenzene	27.44	184	1283481	211.379	ng	# 92
95) Naphthalene	27.58	128	13976472	210.547	ng	99
96) n-Dodecane	27.56	57	6332586	246.565	ng	72
97) Hexachloro-1,3-butadiene	28.00	225	2545463	172.490	ng	99
98) Cyclohexanone	22.08	55	3664664	108.689	ng	90
99) tert-Butylbenzene	24.68	119	9914688	143.848	ng	99
100) n-Butylbenzene	25.72	91	10511825	147.043	ng	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : J:\MS16\DATA\2009_01\22\  
Data File : 01220910.D  
Acq On : 22 Jan 2009 18:55  
Operator : WA/LH  
Sample : 25ng TO-15 ICV STD  
Misc : S20-01050901/S20-01050904  
ALS Vial : 3 Sample Multiplier: 1
```

Quant Time: Jan 23 09:00:34 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220910.D  
 Acq On : 22 Jan 2009 18:55  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-01050901/S20-01050904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 09:00:34 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.31	130	444679	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.23	114	1984621	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.11	82	909679	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.44	65	668385	23.504	ng	-0.02
Spiked Amount	25.000		Recovery	=	94.00%	
57) Toluene-d8 (SS2)	18.67	98	2155730	25.171	ng	0.00
Spiked Amount	25.000		Recovery	=	100.68%	
73) Bromofluorobenzene (SS3)	23.06	174	827465	25.722	ng	0.00
Spiked Amount	25.000		Recovery	=	102.88%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.58	42	583213	23.428	ng	87
3) Dichlorodifluoromethane	4.74	85	874379	20.115	ng	99
4) Chloromethane	5.06	50	834991	23.510	ng	99
5) Freon 114	5.30	135	486109	23.518	ng	86
6) Vinyl Chloride	5.49	62	720472	22.641	ng	86
7) 1,3-Butadiene	5.76	54	636841	30.165	ng	98
8) Bromomethane	6.24	94	420931	25.524	ng	97
9) Chloroethane	6.57	64	321253	22.624	ng	95
10) Ethanol	6.93	45	1935855m	125.395	ng	
11) Acetonitrile	7.21	41	961963	23.013	ng	90
12) Acrolein	7.40	56	313323	24.204	ng	80
13) Acetone	7.62	58	2005535	113.939	ng	95
14) Trichlorofluoromethane	7.88	101	870777	23.046	ng	96
15) Isopropanol	8.10	45	2359475m	37.367	ng	
16) Acrylonitrile	8.39	53	740165	25.625	ng	99
17) 1,1-Dichloroethene	8.88	96	461047	24.777	ng	# 61
18) tert-Butanol	9.02	59	2651253	44.530	ng	97
19) Methylene Chloride	9.10	84	465317	20.835	ng	# 49
20) Allyl Chloride	9.28	41	739864	27.383	ng	76
21) Trichlorotrifluoroethane	9.53	151	407077	24.027	ng	88
22) Carbon Disulfide	9.47	76	1673774	21.421	ng	99
23) trans-1,2-Dichloroethene	10.52	61	727813	23.868	ng	72
24) 1,1-Dichloroethane	10.83	63	850972	23.384	ng	97
25) Methyl tert-Butyl Ether	10.91	73	1262553	23.046	ng	85
26) Vinyl Acetate	11.08	86	405282	110.999	ng	# 1
27) 2-Butanone	11.40	72	341839	25.431	ng	# 29
28) cis-1,2-Dichloroethene	12.07	61	707171	23.791	ng	# 72
29) Diisopropyl Ether	12.40	87	373475	22.969	ng	# 19
30) Ethyl Acetate	12.41	61	382627	49.236	ng	81
31) n-Hexane	12.41	57	792829	21.582	ng	81

156

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220910.D  
 Acq On : 22 Jan 2009 18:55  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-01050901/S20-01050904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 09:00:34 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.52	83	800918	23.729	ng	98
34) Tetrahydrofuran	13.05	72	314794	25.280	ng	# 48
35) Ethyl tert-Butyl Ether	13.20	87	529711	22.450	ng	# 67
36) 1,2-Dichloroethane	13.60	62	637005	22.395	ng	96
38) 1,1,1-Trichloroethane	13.99	97	702036	22.576	ng	93
39) Isopropyl Acetate	14.55	61	674420	47.833	ng	# 78
40) 1-Butanol	14.56	56	1238253	56.799	ng	84
41) Benzene	14.68	78	1850868	21.752	ng	100
42) Carbon Tetrachloride	14.91	117	653863	23.678	ng	99
43) Cyclohexane	15.11	84	1362891	48.189	ng	# 63
44) tert-Amyl Methyl Ether	15.58	73	1327096	22.888	ng	82
45) 1,2-Dichloropropane	15.91	63	493554	22.928	ng	99
46) Bromodichloromethane	16.18	83	644243	24.349	ng	99
47) Trichloroethene	16.26	130	522343	23.049	ng	97
48) 1,4-Dioxane	16.21	88	403155	24.557	ng	# 68
49) Isooctane	16.35	57	2169636	22.513	ng	96
50) Methyl Methacrylate	16.53	100	423910	50.729	ng	91
51) n-Heptane	16.72	71	502176	23.862	ng	# 73
52) cis-1,3-Dichloropropene	17.46	75	737411	23.156	ng	99
53) 4-Methyl-2-pentanone	17.50	58	521826	26.055	ng	77
54) trans-1,3-Dichloropropene	18.17	75	767272	26.063	ng	99
55) 1,1,2-Trichloroethane	18.41	97	454094	22.775	ng	100
58) Toluene	18.80	91	2049378	23.745	ng	99
59) 2-Hexanone	19.12	43	1356382	25.879	ng	90
60) Dibromochloromethane	19.35	129	603878	28.252	ng	100
61) 1,2-Dibromoethane	19.68	107	548423	24.965	ng	99
62) Butyl Acetate	19.95	43	1528704	25.437	ng	95
63) n-Octane	20.11	57	480653	24.226	ng	# 66
64) Tetrachloroethene	20.30	166	573364	23.829	ng	99
65) Chlorobenzene	21.17	112	1350947	23.649	ng	100
66) Ethylbenzene	21.65	91	2318491	24.100	ng	99
67) m- & p-Xylene	21.88	91	3624725	48.047	ng	97
68) Bromoform	21.96	173	550527	27.909	ng	100
69) Styrene	22.33	104	1501516	25.907	ng	97
70) o-Xylene	22.48	91	1873099	24.256	ng	98
71) n-Nonane	22.75	43	1149566	24.068	ng	87
72) 1,1,2,2-Tetrachloroethane	22.45	83	878501	25.638	ng	96
74) Cumene	23.24	105	2416178	23.649	ng	96
75) alpha-Pinene	23.74	93	1150105	26.130	ng	97
76) n-Propylbenzene	23.88	91	2986935	24.113	ng	96
77) 3-Ethyltoluene	24.01	105	2477747	26.471	ng	95
78) 4-Ethyltoluene	24.07	105	2463481	26.879	ng	94
79) 1,3,5-Trimethylbenzene	24.16	105	2021059	25.551	ng	94

157

Data Path : J:\MS16\DATA\2009\_01\22\  
Data File : 01220910.D  
Acq On : 22 Jan 2009 18:55  
Operator : WA/LH  
Sample : 25ng TO-15 ICV STD  
Misc : S20-01050901/S20-01050904  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 09:00:34 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration




Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1178247	26.127	ng	98
81) 2-Ethyltoluene	24.40	105	2493538	25.969	ng	94
82) 1,2,4-Trimethylbenzene	24.67	105	2158307	25.432	ng	90
83) n-Decane	24.79	57	1286405	25.786	ng	80
84) Benzyl Chloride	24.84	91	2060386	29.856	ng	95
85) 1,3-Dichlorobenzene	24.87	146	1279339	25.822	ng	99
86) 1,4-Dichlorobenzene	24.95	146	1294633	25.506	ng	99
87) sec-Butylbenzene	25.01	105	2851521	25.750	ng	98
88) p-Isopropyltoluene	25.20	119	2750234	25.586	ng	94
89) 1,2,3-Trimethylbenzene	25.20	105	2226987	26.224	ng	88
90) 1,2-Dichlorobenzene	25.37	146	1234367	26.309	ng	97
91) d-Limonene	25.38	68	869783	26.404	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	462071	28.373	ng	# 75
93) n-Undecane	26.32	57	1350551	25.090	ng	77
94) 1,2,4-Trichlorobenzene	27.43	184	274937	27.774	ng	# 94
95) Naphthalene	27.57	128	3196067	26.119	ng	100
96) n-Dodecane	27.55	57	1391794	22.928	ng	75
97) Hexachloro-1,3-butadiene	27.99	225	531935	27.020	ng	100
98) Cyclohexanone	22.06	55	812170	22.365	ng	92
99) tert-Butylbenzene	24.67	119	2166174	26.333	ng	100
100) n-Butylbenzene	25.71	91	2319025	26.457	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220910.D  
 Acq On : 22 Jan 2009 18:55  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-01050901/S20-01050904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 08:59:44 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)  
 6.928min (-0.097) 120.63ng  
 response 1862354


*Sp*

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	39.20
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220910.D  
 Acq On : 22 Jan 2009 18:55  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-01050901/S20-01050904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 08:59:44 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.928min (-0.097) 125.40ng m

response 1935855

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.71
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

in 01/23/09

Com 1/23/09




1/24/09

160

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220910.D  
 Acq On : 22 Jan 2009 18:55  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-01050901/S20-01050904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 08:59:44 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.100min (-0.074) 35.53ng

response 2243268




Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.84
0.00	0.00	0.00
0.00	0.00	0.00

*SP*

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220910.D  
 Acq On : 22 Jan 2009 18:55  
 Operator : WA/LH  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-01050901/S20-01050904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jan 23 08:59:44 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)  
 8.100min (-0.074) 37.37ng m  
 response 2359475

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	16.96
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC

WA 01/23/09

Em 1/23/09

WA 1/24/09

162

## INITIAL CALIBRATION VERIFICATION CHECK SHEET

Data File Name: 01220910.D

Acq. Method File: TO15LT.M

Data File Path: J:\MS16\DATA\2009\_01\22\

Name: 25ng TO-15 ICV STD

Operator: WA/LH

Misc Info: S20-01050901/S20-01050904

Date Acquired: 1/22/09

18:55

Instrument Name: GCMS-16

#	Compound	Ret. Time	Amt. (ng)	Spike Amt.(ng)	% Rec.	Lower Limit	Upper Limit	* OR Fail
2)	Propene	4.58	23.4	26.3	89.0	70	130	*
3)	Dichlorodifluoromethane	4.74	20.1	26.3	76.4	70	130	*
4)	Chloromethane	5.06	23.5	25.3	92.9	70	130	*
5)	Freon 114	5.30	23.5	26.8	87.7	70	130	*
6)	Vinyl Chloride	5.49	22.6	25.5	88.6	70	130	*
7)	1,3-Butadiene	5.76	30.2	30.0	100.7	70	130	*
8)	Bromomethane	6.24	25.5	25.8	98.8	70	130	*
9)	Chloroethane	6.57	22.6	25.8	87.6	70	130	*
10)	Ethanol	6.93	125.4	133.0	94.3	70	130	*
11)	Acetonitrile	7.21	23.0	26.3	87.5	70	130	*
12)	Acrolein	7.40	24.2	27.3	88.6	70	130	*
13)	Acetone	7.62	113.9	137.0	83.1	70	130	*
14)	Trichlorofluoromethane	7.88	23.0	26.3	87.5	70	130	*
15)	Isopropanol	8.10	37.4	48.0	77.9	70	130	*
16)	Acrylonitrile	8.39	25.6	26.8	95.5	70	130	*
17)	1,1-Dichloroethene	8.88	24.8	27.5	90.2	70	130	*
18)	tert-Butanol	9.02	44.5	50.5	88.1	70	130	*
19)	Methylene Chloride	9.10	20.8	26.5	78.5	70	130	*
20)	Allyl Chloride	9.28	27.4	27.0	101.5	70	130	*
21)	Trichlorotrifluoroethane	9.53	24.0	27.5	87.3	70	130	*
22)	Carbon Disulfide	9.47	21.4	26.8	79.9	70	130	*
23)	trans-1,2-Dichloroethene	10.52	23.9	26.8	89.2	70	130	*
24)	1,1-Dichloroethane	10.83	23.4	26.8	87.3	70	130	*
25)	Methyl tert-Butyl Ether	10.91	23.0	27.5	83.6	70	130	*
26)	Vinyl Acetate	11.08	111.0	126.0	88.1	70	130	*
27)	2-Butanone	11.40	25.4	27.5	92.4	70	130	*
28)	cis-1,2-Dichloroethene	12.07	23.8	27.5	86.5	70	130	*
29)	Diisopropyl Ether	12.40	23.0	27.0	85.2	70	130	*
30)	Ethyl Acetate	12.41	49.2	53.5	92.0	70	130	*
31)	n-Hexane	12.41	21.6	27.3	79.1	70	130	*
32)	Chloroform	12.52	23.7	26.8	88.4	70	130	*
34)	Tetrahydrofuran	13.05	25.3	27.5	92.0	70	130	*
35)	Ethyl tert-Butyl Ether	13.20	22.4	26.0	86.2	70	130	*
36)	1,2-Dichloroethane	13.60	22.4	26.8	83.6	70	130	*
38)	1,1,1-Trichloroethane	13.99	22.6	26.5	85.3	70	130	*
39)	Isopropyl Acetate	14.55	47.8	52.8	90.5	70	130	*
40)	1-Butanol	14.56	56.8	54.8	103.6	70	130	*
41)	Benzene	14.68	21.8	26.8	81.3	70	130	*
42)	Carbon Tetrachloride	14.91	23.7	27.0	87.8	70	130	*
43)	Cyclohexane	15.11	48.2	54.5	88.4	70	130	*
44)	tert-Amyl Methyl Ether	15.58	22.9	26.3	87.1	70	130	*
45)	1,2-Dichloropropane	15.91	22.9	26.5	86.4	70	130	*
46)	Bromodichloromethane	16.18	24.3	27.3	89.0	70	130	*
47)	Trichloroethene	16.26	23.0	26.5	86.8	70	130	*
48)	1,4-Dioxane	16.21	24.6	27.0	91.1	70	130	*
49)	Isooctane	16.35	22.5	26.5	84.9	70	130	*
50)	Methyl Methacrylate	16.53	50.7	53.5	94.8	70	130	*

WA 01/23/09

1/24/09



INITIAL CALIBRATION VERIFICATION CHECK SHEET

Data File Name: 01220910.D

Acq. Method File: TO15LT.M

Data File Path: J:\MS16\DATA\2009\_01\22\

Name: 25ng TO-15 ICV STD

Operator: WA/LH

Misc Info: S20-01050901/S20-01050904

Date Acquired: 1/22/09 18:55

Instrument Name: GCMS-16

#	Compound	Ret. Time	Amt. (ng)	Spike Amt.(ng)	% Rec.	Lower Limit	Upper Limit	* OR Fail
51)	n-Heptane	16.72	23.9	27.0	88.5	70	130	*
52)	cis-1,3-Dichloropropene	17.46	23.2	25.0	92.8	70	130	*
53)	4-Methyl-2-pentanone	17.50	26.1	27.5	94.9	70	130	*
54)	trans-1,3-Dichloropropene	18.17	26.1	27.5	94.9	70	130	*
55)	1,1,2-Trichloroethane	18.41	22.8	26.3	86.7	70	130	*
58)	Toluene	18.80	23.7	27.0	87.8	70	130	*
59)	2-Hexanone	19.12	25.9	27.5	94.2	70	130	*
60)	Dibromochloromethane	19.35	28.3	28.8	98.3	70	130	*
61)	1,2-Dibromoethane	19.68	25.0	26.8	93.3	70	130	*
62)	Butyl Acetate	19.95	25.4	27.5	92.4	70	130	*
63)	n-Octane	20.11	24.2	26.8	90.3	70	130	*
64)	Tetrachloroethene	20.30	23.8	25.8	92.2	70	130	*
65)	Chlorobenzene	21.17	23.6	26.8	88.1	70	130	*
66)	Ethylbenzene	21.65	24.1	26.5	90.9	70	130	*
67)	m- & p-Xylene	21.88	48.0	52.5	91.4	70	130	*
68)	Bromoform	21.96	27.9	26.0	107.3	70	130	*
69)	Styrene	22.33	25.9	27.0	95.9	70	130	*
70)	o-Xylene	22.48	24.3	26.5	91.7	70	130	*
71)	n-Nonane	22.75	24.1	26.5	90.9	70	130	*
72)	1,1,2,2-Tetrachloroethane	22.45	25.6	27.0	94.8	70	130	*
74)	Cumene	23.24	23.6	25.8	91.5	70	130	*
75)	alpha-Pinene	23.74	26.1	27.5	94.9	70	130	*
76)	n-Propylbenzene	23.88	24.1	25.8	93.4	70	130	*
77)	3-Ethyltoluene	24.01	26.5	27.5	96.4	70	130	*
78)	4-Ethyltoluene	24.07	26.9	27.5	97.8	70	130	*
79)	1,3,5-Trimethylbenzene	24.16	25.6	27.3	93.8	70	130	*
80)	alpha-Methylstyrene	24.35	26.1	26.8	97.4	70	130	*
81)	2-Ethyltoluene	24.40	26.0	27.3	95.2	70	130	*
82)	1,2,4-Trimethylbenzene	24.67	25.4	26.8	94.8	70	130	*
83)	n-Decane	24.79	25.8	27.3	94.5	70	130	*
84)	Benzyl Chloride	24.84	29.9	28.8	103.8	70	130	*
85)	1,3-Dichlorobenzene	24.87	25.8	27.5	93.8	70	130	*
86)	1,4-Dichlorobenzene	24.95	25.5	27.3	93.4	70	130	*
87)	sec-Butylbenzene	25.01	25.7	26.8	95.9	70	130	*
88)	p-Isopropyltoluene	25.20	25.6	26.0	98.5	70	130	*
89)	1,2,3-Trimethylbenzene	25.20	26.2	26.8	97.8	70	130	*
90)	1,2-Dichlorobenzene	25.37	26.3	27.3	96.3	70	130	*
91)	d-Limonene	25.38	26.4	26.8	98.5	70	130	*
92)	1,2-Dibromo-3-Chloropropane	25.90	28.4	27.5	103.3	70	130	*
93)	n-Undecane	26.32	25.1	27.3	91.9	70	130	*
94)	1,2,4-Trichlorobenzene	27.43	27.8	28.8	96.5	70	130	*
95)	Naphthalene	27.57	26.1	25.8	101.2	70	130	*
96)	n-Dodecane	27.55	22.9	26.8	85.4	70	130	*
97)	Hexachloro-1,3-butadiene	27.99	27.0	28.8	93.8	70	130	*
98)	Cyclohexanone	22.06	22.4	25.3	88.5	70	130	*
99)	tert-Butylbenzene	24.67	26.3	27.0	97.4	70	130	*
100)	n-Butylbenzene	25.71	26.5	27.5	96.4	70	130	*

\* Denotes Passing Criterion

164

UH 01/23/09

JAH 1/24/09

# Evaluate Continuing Calibration Report

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 IR	Bromochloromethane (IS1)	1.000	1.000	0.0	72	-0.02
2 T	Propene	1.400	1.482	-5.9	87	0.00
3 T	Dichlorodifluoromethane	2.444	2.203	9.9	77	0.00
4 T	Chloromethane	1.997	1.995	0.1	78	-0.01
5 T	Freon 114	1.162	0.968	16.7	70	0.00
6 T	Vinyl Chloride	1.789	1.598	10.7	74	-0.02
7 T	1,3-Butadiene	1.187	1.226	-3.3	79	-0.02
8 T	Bromomethane	0.927	0.922	0.5	76	-0.02
9 T	Chloroethane	0.798	0.787	1.4	79	-0.01
10 T	Ethanol	0.868	1.000	-15.2	81	-0.09
11 T	Acetonitrile	2.350	2.442	-3.9	78	-0.05
12 T	Acrolein	0.728	0.750	-3.0	78	-0.03
13 T	Acetone	0.990	1.013	-2.3	79	-0.05
14 T	Trichlorofluoromethane	2.124	2.125	-0.0	76	-0.02
15 T	Isopropanol	3.550	3.533	0.5	75	-0.07
16 T	Acrylonitrile	1.624	1.929	-18.8	78	-0.04
17 T	1,1-Dichloroethene	1.046	1.106	-5.7	77	-0.02
18 T	tert-Butanol	3.347	3.547	-6.0	75	-0.06
19 T	Methylene Chloride	1.256	1.175	6.4	76	-0.02
20 T	Allyl Chloride	1.519	1.918	-26.3	82	-0.03
21 T	Trichlorotrifluoroethane	0.952	0.927	2.6	75	-0.02
22 T	Carbon Disulfide	4.393	4.183	4.8	77	-0.02
23 T	trans-1,2-Dichloroethene	1.714	1.831	-6.8	77	-0.02
24 T	1,1-Dichloroethane	2.046	2.178	-6.5	79	-0.02
25 T	Methyl tert-Butyl Ether	3.080	3.055	0.8	76	-0.02
26 T	Vinyl Acetate	0.205	0.242	-18.0	82	-0.03
27 T	2-Butanone	0.756	0.834	-10.3	77	-0.04
28 T	cis-1,2-Dichloroethene	1.671	1.755	-5.0	77	-0.02
29 T	Diisopropyl Ether	0.914	0.927	-1.4	76	-0.02
30 T	Ethyl Acetate	0.437	0.503	-15.1	78	-0.03
31 T	n-Hexane	2.065	2.016	2.4	76	-0.02
32 T	Chloroform	1.898	1.997	-5.2	77	-0.04
33 S	1,2-Dichloroethane-d4 (SS1)	1.599	1.563	2.3	73	-0.02
34 T	Tetrahydrofuran	0.700	0.751	-7.3	76	-0.03
35 T	Ethyl tert-Butyl Ether	1.327	1.348	-1.6	76	-0.02
36 T	1,2-Dichloroethane	1.599	1.644	-2.8	76	-0.02
37 IR	1,4-Difluorobenzene (IS2)	1.000	1.000	0.0	72	-0.02
38 T	1,1,1-Trichloroethane	0.392	0.400	-2.0	76	-0.02

165

# Evaluate Continuing Calibration Report

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
39 T	Isopropyl Acetate	0.178	0.200	-12.4	77	-0.03
40 T	1-Butanol	0.275	0.333	-21.1	76	-0.07
41 T	Benzene	1.072	1.097	-2.3	77	-0.02
42 T	Carbon Tetrachloride	0.348	0.378	-8.6	76	-0.02
43 T	Cyclohexane	0.356	0.376	-5.6	77	-0.02
44 T	tert-Amyl Methyl Ether	0.730	0.751	-2.9	75	-0.02
45 T	1,2-Dichloropropane	0.271	0.287	-5.9	77	-0.02
46 T	Bromodichloromethane	0.333	0.364	-9.3	76	-0.02
47 T	Trichloroethene	0.285	0.307	-7.7	77	-0.02
48 T	1,4-Dioxane	0.207	0.228	-10.1	77	-0.02
49 T	Isooctane	1.214	1.232	-1.5	75	-0.02
50 T	Methyl Methacrylate	0.105	0.121	-15.2	76	-0.03
51 T	n-Heptane	0.265	0.281	-6.0	75	-0.02
52 T	cis-1,3-Dichloropropene	0.401	0.444	-10.7	76	-0.01
53 T	4-Methyl-2-pentanone	0.252	0.283	-12.3	77	-0.02
54 T	trans-1,3-Dichloropropene	0.371	0.419	-12.9	76	-0.02
55 T	1,1,2-Trichloroethane	0.251	0.266	-6.0	77	-0.02
56 I	Chlorobenzene-d5 (IS3)	1.000	1.000	0.0	76	-0.01
57 S	Toluene-d8 (SS2)	2.354	2.256	4.2	73	-0.01
58 T	Toluene	2.372	2.323	2.1	77	-0.01
59 T	2-Hexanone	1.440	1.511	-4.9	78	-0.02
60 T	Dibromochloromethane	0.587	0.627	-6.8	77	-0.01
61 T	1,2-Dibromoethane	0.604	0.630	-4.3	77	-0.01
62 T	Butyl Acetate	1.652	1.746	-5.7	78	-0.02
63	n-Octane	0.545	0.564	-3.5	77	-0.01
64 T	Tetrachloroethene	0.661	0.676	-2.3	77	0.00
65 T	Chlorobenzene	1.570	1.568	0.1	77	0.00
66 T	Ethylbenzene	2.644	2.737	-3.5	77	-0.01
67 T	m- & p-Xylene	2.073	2.184	-5.4	78	-0.02
68 T	Bromoform	0.542	0.615	-13.5	77	-0.01
69 T	Styrene	1.593	1.749	-9.8	77	-0.01
70 T	o-Xylene	2.122	2.230	-5.1	77	-0.02
71 T	n-Nonane	1.313	1.389	-5.8	79	-0.01
72 T	1,1,2,2-Tetrachloroethane	0.942	1.017	-8.0	77	-0.02
73 S	Bromofluorobenzene (SS3)	0.884	0.962	-8.8	81	0.00
74 T	Cumene	2.808	2.921	-4.0	78	-0.01
75 T	alpha-Pinene	1.210	1.276	-5.5	76	0.00
76 T	n-Propylbenzene	3.404	3.681	-8.1	78	-0.01

166

*Em 2/16/09*

## Evaluate Continuing Calibration Report

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130901.D  
Acq On : 13 Feb 2009 8:46  
Operator : WA/LH  
Sample : 25ng TO-15 CCV STD  
Misc : S20-01290901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev : 0.33min  
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
77 T	3-Ethyltoluene	2.572	2.831	-10.1	79	-0.01
78 T	4-Ethyltoluene	2.519	2.713	-7.7	77	-0.01
79 T	1,3,5-Trimethylbenzene	2.174	2.354	-8.3	78	-0.01
80 T	alpha-Methylstyrene	1.239	1.399	-12.9	77	-0.02
81 T	2-Ethyltoluene	2.639	2.908	-10.2	79	-0.02
82 T	1,2,4-Trimethylbenzene	2.332	2.615	-12.1	78	-0.02
83 T	n-Decane	1.371	1.522	-11.0	79	-0.02
84 T	Benzyl Chloride	1.897	2.216	-16.8	77	-0.02
85 T	1,3-Dichlorobenzene	1.362	1.524	-11.9	79	-0.02
86 T	1,4-Dichlorobenzene	1.395	1.567	-12.3	80	-0.02
87 T	sec-Butylbenzene	3.043	3.408	-12.0	79	-0.01
88 T	p-Isopropyltoluene	2.954	3.436	-16.3	79	-0.02
89 T	1,2,3-Trimethylbenzene	2.334	2.664	-14.1	79	-0.01
90 T	1,2-Dichlorobenzene	1.289	1.482	-15.0	80	-0.01
91 T	d-Limonene	0.905	1.045	-15.5	77	-0.01
92 T	1,2-Dibromo-3-Chloropropane	0.448	0.510	-13.8	78	-0.01
93 T	n-Undecane	1.479	1.601	-8.2	79	0.00
94 T	1,2,4-Trichlorobenzene	0.272	0.296	-8.8	80	0.00
95 T	Naphthalene	3.363	3.618	-7.6	80	-0.01
96 T	n-Dodecane	1.668	1.825	-9.4	80	0.00
97 T	Hexachloro-1,3-butadiene	0.541	0.577	-6.7	79	0.00
98 T	Cyclohexanone	0.998	1.014	-1.6	77	-0.02
99 T	tert-Butylbenzene	2.261	2.551	-12.8	79	-0.01
100 T	n-Butylbenzene	2.409	2.695	-11.9	79	-0.01

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

167


Em 2/16/09

WA 02/13/09

(QT Reviewed)

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130901.D  
Acq On : 13 Feb 2009 8:46  
Operator : WA/LH  
Sample : 25ng TO-15 CCV STD  
Misc : S20-01290901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.31	130	292784	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.22	114	1302929	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.10	82	652497	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.44	65	457613	24.441	ng	-0.02
Spiked Amount	25.000		Recovery	=	97.76%	
57) Toluene-d8 (SS2)	18.67	98	1472180	23.965	ng	-0.01
Spiked Amount	25.000		Recovery	=	95.84%	
73) Bromofluorobenzene (SS3)	23.06	174	627925	27.213	ng	0.00
Spiked Amount	25.000		Recovery	=	108.84%	

## Target Compounds

						Qvalue
2) Propene	4.58	42	447867	27.325	ng	88
3) Dichlorodifluoromethane	4.75	85	678463	23.706	ng	99
4) Chloromethane	5.06	50	591226	25.283	ng	98
5) Freon 114	5.31	135	300316	22.067	ng	87
6) Vinyl Chloride	5.49	62	477277	22.780	ng	86
7) 1,3-Butadiene	5.77	54	387673	27.889	ng	98
8) Bromomethane	6.24	94	278479	25.647	ng	98
9) Chloroethane	6.57	64	239645	25.633	ng	94
10) Ethanol	6.93	45	1546467m	152.142	ng	
11) Acetonitrile	7.21	41	752242	27.332	ng	90
12) Acrolein	7.40	56	237005	27.807	ng	83
13) Acetone	7.62	58	1577578	136.123	ng	99
14) Trichlorofluoromethane	7.88	101	654456	26.306	ng	95
15) Isopropanol	8.11	45	2007000m	48.275	ng	
16) Acrylonitrile	8.40	53	582985	30.655	ng	100
17) 1,1-Dichloroethene	8.88	96	356062	29.062	ng	# 63
18) tert-Butanol	9.03	59	2076990	52.983	ng	99
19) Methylene Chloride	9.10	84	364808	24.809	ng	# 54
20) Allyl Chloride	9.28	41	606618	34.099	ng	79
21) Trichlorotrifluoroethane	9.53	151	298425	26.752	ng	90
22) Carbon Disulfide	9.46	76	1273727	24.758	ng	99
23) trans-1,2-Dichloroethene	10.52	61	553378	27.562	ng	74
24) 1,1-Dichloroethane	10.83	63	683500	28.526	ng	97
25) Methyl tert-Butyl Ether	10.91	73	948158	26.286	ng	86
26) Vinyl Acetate	11.08	86	357309	148.630	ng	# 4
27) 2-Butanone	11.40	72	263659	29.791	ng	# 37
28) cis-1,2-Dichloroethene	12.07	61	561130	28.671	ng	74
29) Diisopropyl Ether	12.40	87	287780	26.881	ng	# 28
30) Ethyl Acetate	12.41	61	306411	59.884	ng	85
31) n-Hexane	12.41	57	613769	25.376	ng	88

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.51	83	643080	28.937	ng	98
34) Tetrahydrofuran	13.05	72	235832	28.764	ng	# 51
35) Ethyl tert-Butyl Ether	13.19	87	407345	26.220	ng	# 69
36) 1,2-Dichloroethane	13.60	62	510118	27.238	ng	96
38) 1,1,1-Trichloroethane	13.99	97	548587	26.871	ng	94
39) Isopropyl Acetate	14.54	61	546040	58.990	ng	# 82
40) 1-Butanol	14.56	56	937168	65.480	ng	# 78
41) Benzene	14.68	78	1475476	26.413	ng	99
42) Carbon Tetrachloride	14.91	117	517564	28.549	ng	100
43) Cyclohexane	15.11	84	1039020	55.959	ng	# 65
44) tert-Amyl Methyl Ether	15.58	73	1009276	26.514	ng	84
45) 1,2-Dichloropropane	15.91	63	393491	27.843	ng	99
46) Bromodichloromethane	16.18	83	498740	28.712	ng	99
47) Trichloroethene	16.25	130	412382	27.718	ng	97
48) 1,4-Dioxane	16.21	88	309230	28.691	ng	# 69
49) Isooctane	16.35	57	1669578	26.388	ng	98
50) Methyl Methacrylate	16.53	100	335949	61.237	ng	# 88
51) n-Heptane	16.71	71	380500	27.540	ng	# 74
52) cis-1,3-Dichloropropene	17.46	75	577901	27.641	ng	99
53) 4-Methyl-2-pentanone	17.50	58	402305	30.597	ng	79
54) trans-1,3-Dichloropropene	18.17	75	600281	31.059	ng	99
55) 1,1,2-Trichloroethane	18.41	97	360589	27.548	ng	100
58) Toluene	18.80	91	1637006	26.443	ng	99
59) 2-Hexanone	19.12	43	1084517	28.847	ng	92
60) Dibromochloromethane	19.35	129	471078	30.726	ng	100
61) 1,2-Dibromoethane	19.68	107	435424	27.634	ng	98
62) Butyl Acetate	19.95	43	1253069	29.069	ng	97
63) n-Octane	20.11	57	387233	27.210	ng	# 69
64) Tetrachloroethene	20.30	166	455014	26.364	ng	98
65) Chlorobenzene	21.17	112	1084447	26.466	ng	100
66) Ethylbenzene	21.64	91	1878766	27.227	ng	99
67) m- & p-Xylene	21.88	91	2964685	54.787	ng	97
68) Bromoform	21.96	173	429951	30.387	ng	100
69) Styrene	22.33	104	1223422	29.429	ng	97
70) o-Xylene	22.48	91	1530956	27.640	ng	98
71) n-Nonane	22.75	43	953548	27.833	ng	90
72) 1,1,2,2-Tetrachloroethane	22.45	83	716536	29.153	ng	96
74) Cumene	23.24	105	1943792	26.525	ng	96
75) alpha-Pinene	23.74	93	916082	29.016	ng	98
76) n-Propylbenzene	23.88	91	2450048	27.574	ng	97
77) 3-Ethyltoluene	24.01	105	2032272	30.269	ng	95
78) 4-Ethyltoluene	24.07	105	1946982	29.617	ng	94
79) 1,3,5-Trimethylbenzene	24.16	105	1658708	29.235	ng	94

170

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130901.D  
Acq On : 13 Feb 2009 8:46  
Operator : WA/LH  
Sample : 25ng TO-15 CCV STD  
Misc : S20-01290901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:36 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	967491	29.909	ng	98
81) 2-Ethyltoluene	24.40	105	2049527	29.758	ng	94
82) 1,2,4-Trimethylbenzene	24.67	105	1795061	29.489	ng	90
83) n-Decane	24.79	57	1072752	29.979	ng	81
84) Benzyl Chloride	24.84	91	1590821	32.138	ng	95
85) 1,3-Dichlorobenzene	24.87	146	1066217	30.002	ng	98
86) 1,4-Dichlorobenzene	24.95	146	1083879	29.770	ng	99
87) sec-Butylbenzene	25.01	105	2357391	29.678	ng	98
88) p-Isopropyltoluene	25.20	119	2286704	29.659	ng	94
89) 1,2,3-Trimethylbenzene	25.20	105	1842327	30.245	ng	88
90) 1,2-Dichlorobenzene	25.37	146	1036857	30.810	ng	98
91) d-Limonene	25.37	68	722434	30.575	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	359216	30.751	ng	# 76
93) n-Undecane	26.32	57	1119930	29.006	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	212719	29.959	ng	# 92
95) Naphthalene	27.57	128	2389155	27.220	ng	100
96) n-Dodecane	27.55	57	1119421	25.710	ng	77
97) Hexachloro-1,3-butadiene	27.99	225	414204	29.332	ng	99
98) Cyclohexanone	22.06	55	656285	25.196	ng	93
99) tert-Butylbenzene	24.67	119	1797718	30.467	ng	100
100) n-Butylbenzene	25.71	91	1920473	30.546	ng	95



(#) = qualifier out of range (m) = manual integration (+) = signals summed

*Em 2/6/09**WA 02/13/09*



Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130901.D  
Acq On : 13 Feb 2009 8:46  
Operator : WA/LH  
Sample : 25ng TO-15 CCV STD  
Misc : S20-01290901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:00 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



(10) Ethanol (T)

6.933min (-0.091) 145.61ng

response 1480117




Ion	Exp%	Act%
45.00	100	100
46.10	35.10	38.95
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:00 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.933min (-0.091) 152.14ng m

response 1546467

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.28
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 LH 02/13/09  
 LH 2/16/09




*Sam 2/16/09*

**173**

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:00 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.105min (-0.068) 46.14ng

response 1918028



Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.91
0.00	0.00	0.00
0.00	0.00	0.00

SP

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:09:00 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)  
 8.105min (-0.068) 48.28ng m  
 response 2007000

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.11
0.00	0.00	0.00
0.00	0.00	0.00

SP → IC  
 on 03/13/09  
 LM 2/16/09

Em 2/16/09

175

# Evaluate Continuing Calibration Report

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:51:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 IR	Bromochloromethane (IS1)	1.000	1.000	0.0	71	-0.02
2 T	Propene	1.400	1.376	1.7	79	0.00
3 T	Dichlorodifluoromethane	2.444	2.208	9.7	75	0.00
4 T	Chloromethane	1.997	1.911	4.3	73	-0.01
5 T	Freon 114	1.162	1.020	12.2	72	0.00
6 T	Vinyl Chloride	1.789	1.629	8.9	73	-0.02
7 T	1,3-Butadiene	1.187	1.267	-6.7	79	-0.02
8 T	Bromomethane	0.927	0.942	-1.6	75	-0.02
9 T	Chloroethane	0.798	0.783	1.9	77	-0.01
10 T	Ethanol	0.868	1.008	-16.1	79	-0.09
11 T	Acetonitrile	2.350	2.431	-3.4	76	-0.05
12 T	Acrolein	0.728	0.749	-2.9	76	-0.03
13 T	Acetone	0.990	1.029	-3.9	79	-0.04
14 T	Trichlorofluoromethane	2.124	2.203	-3.7	77	-0.02
15 T	Isopropanol	3.550	3.751	-5.7	78	-0.06
16 T	Acrylonitrile	1.624	1.944	-19.7	77	-0.04
17 T	1,1-Dichloroethene	1.046	1.126	-7.6	77	-0.02
18 T	tert-Butanol	3.347	3.700	-10.5	76	-0.06
19 T	Methylene Chloride	1.256	1.199	4.5	76	-0.02
20 T	Allyl Chloride	1.519	1.939	-27.6	81	-0.02
21 T	Trichlorotrifluoroethane	0.952	0.984	-3.4	77	-0.02
22 T	Carbon Disulfide	4.393	4.304	2.0	77	-0.02
23 T	trans-1,2-Dichloroethene	1.714	1.837	-7.2	75	-0.02
24 T	1,1-Dichloroethane	2.046	2.201	-7.6	78	-0.02
25 T	Methyl tert-Butyl Ether	3.080	3.190	-3.6	78	-0.02
26 T	Vinyl Acetate	0.205	0.260	-26.8	86	-0.03
27 T	2-Butanone	0.756	0.853	-12.8	77	-0.04
28 T	cis-1,2-Dichloroethene	1.671	1.781	-6.6	76	-0.02
29 T	Diisopropyl Ether	0.914	0.968	-5.9	77	-0.02
30 T	Ethyl Acetate	0.437	0.520	-19.0	79	-0.03
31 T	n-Hexane	2.065	2.123	-2.8	78	-0.02
32 T	Chloroform	1.898	2.029	-6.9	77	-0.04
33 S	1,2-Dichloroethane-d4 (SS1)	1.599	1.573	1.6	71	-0.02
34 T	Tetrahydrofuran	0.700	0.778	-11.1	77	-0.03
35 T	Ethyl tert-Butyl Ether	1.327	1.395	-5.1	77	-0.02
36 T	1,2-Dichloroethane	1.599	1.692	-5.8	76	-0.02
37 IR	1,4-Difluorobenzene (IS2)	1.000	1.000	0.0	70	-0.02
38 T	1,1,1-Trichloroethane	0.392	0.413	-5.4	77	-0.02

176

## Evaluate Continuing Calibration Report

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:51:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
39 T	Isopropyl Acetate	0.178	0.204	-14.6	77	-0.02
40 T	1-Butanol	0.275	0.341	-24.0	76	-0.07
41 T	Benzene	1.072	1.121	-4.6	77	-0.02
42 T	Carbon Tetrachloride	0.348	0.393	-12.9	78	-0.02
43 T	Cyclohexane	0.356	0.388	-9.0	77	-0.02
44 T	tert-Amyl Methyl Ether	0.730	0.772	-5.8	75	-0.02
45 T	1,2-Dichloropropane	0.271	0.291	-7.4	76	-0.02
46 T	Bromodichloromethane	0.333	0.374	-12.3	77	-0.02
47 T	Trichloroethene	0.285	0.312	-9.5	76	-0.02
48 T	1,4-Dioxane	0.207	0.232	-12.1	77	-0.02
49 T	Isooctane	1.214	1.251	-3.0	74	-0.02
50 T	Methyl Methacrylate	0.105	0.125	-19.0	76	-0.03
51 T	n-Heptane	0.265	0.286	-7.9	75	-0.02
52 T	cis-1,3-Dichloropropene	0.401	0.453	-13.0	75	-0.01
53 T	4-Methyl-2-pentanone	0.252	0.288	-14.3	76	-0.02
54 T	trans-1,3-Dichloropropene	0.371	0.431	-16.2	76	-0.01
55 T	1,1,2-Trichloroethane	0.251	0.276	-10.0	78	-0.02
56 I	Chlorobenzene-d5 (IS3)	1.000	1.000	0.0	73	0.00
57 S	Toluene-d8 (SS2)	2.354	2.303	2.2	72	0.00
58 T	Toluene	2.372	2.423	-2.2	77	-0.01
59 T	2-Hexanone	1.440	1.566	-8.8	78	-0.02
60 T	Dibromochloromethane	0.587	0.659	-12.3	78	-0.01
61 T	1,2-Dibromoethane	0.604	0.657	-8.8	77	-0.01
62 T	Butyl Acetate	1.652	1.796	-8.7	77	-0.02
63	n-Octane	0.545	0.587	-7.7	77	-0.01
64 T	Tetrachloroethene	0.661	0.704	-6.5	77	0.00
65 T	Chlorobenzene	1.570	1.625	-3.5	77	0.00
66 T	Ethylbenzene	2.644	2.852	-7.9	77	0.00
67 T	m- & p-Xylene	2.073	2.277	-9.8	78	-0.01
68 T	Bromoform	0.542	0.647	-19.4	78	-0.01
69 T	Styrene	1.593	1.828	-14.8	78	-0.01
70 T	o-Xylene	2.122	2.329	-9.8	78	-0.02
71 T	n-Nonane	1.313	1.430	-8.9	78	-0.01
72 T	1,1,2,2-Tetrachloroethane	0.942	1.061	-12.6	77	-0.02
73 S	Bromofluorobenzene (SS3)	0.884	0.965	-9.2	78	0.00
74 T	Cumene	2.808	3.042	-8.3	78	-0.01
75 T	alpha-Pinene	1.210	1.335	-10.3	77	0.00
76 T	n-Propylbenzene	3.404	3.835	-12.7	79	0.00

177

2/17/09

02/16/09

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:51:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%


	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
77 T	3-Ethyltoluene	2.572	2.910	-13.1	78	-0.01
78 T	4-Ethyltoluene	2.519	2.881	-14.4	79	-0.01
79 T	1,3,5-Trimethylbenzene	2.174	2.462	-13.2	79	-0.01
80 T	alpha-Methylstyrene	1.239	1.462	-18.0	78	-0.01
81 T	2-Ethyltoluene	2.639	3.034	-15.0	79	-0.02
82 T	1,2,4-Trimethylbenzene	2.332	2.749	-17.9	79	-0.01
83 T	n-Decane	1.371	1.571	-14.6	78	-0.01
84 T	Benzyl Chloride	1.897	2.346	-23.7	78	-0.02
85 T	1,3-Dichlorobenzene	1.362	1.603	-17.7	80	-0.02
86 T	1,4-Dichlorobenzene	1.395	1.633	-17.1	80	-0.01
87 T	sec-Butylbenzene	3.043	3.564	-17.1	79	-0.01
88 T	p-Isopropyltoluene	2.954	3.607	-22.1	80	-0.01
89 T	1,2,3-Trimethylbenzene	2.334	2.802	-20.1	80	-0.01
90 T	1,2-Dichlorobenzene	1.289	1.563	-21.3	81	-0.01
91 T	d-Limonene	0.905	1.086	-20.0	77	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.448	0.541	-20.8	80	-0.01
93 T	n-Undecane	1.479	1.653	-11.8	78	0.00
94 T	1,2,4-Trichlorobenzene	0.272	0.308	-13.2	80	0.00
95 T	Naphthalene	3.363	3.794	-12.8	80	-0.01
96 T	n-Dodecane	1.668	1.892	-13.4	79	0.00
97 T	Hexachloro-1,3-butadiene	0.541	0.602	-11.3	80	0.00
98 T	Cyclohexanone	0.998	1.043	-4.5	76	-0.02
99 T	tert-Butylbenzene	2.261	2.683	-18.7	80	-0.01
00 T	n-Butylbenzene	2.409	2.819	-17.0	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

```
Data Path : J:\MS16\DATA\2009_02\16\  
Data File : 02160901.D  
Acq On    : 16 Feb 2009      8:47  
Operator  : WA/LH  
Sample    : 25ng TO-15 CCV STD  
Misc      : S20-01290901/S20-01220901  
ALS Vial  : 2      Sample Multiplier: 1
```

Quant Time: Feb 16 10:51:55 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration





Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:51:55 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.31	130	285040	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.23	114	1272496	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.11	82	627427	25.000	ng	0.00

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.44	65	448472	24.603	ng	-0.02
Spiked Amount	25.000		Recovery	=	98.40%	
57) Toluene-d8 (SS2)	18.67	98	1444808	24.459	ng	0.00
Spiked Amount	25.000		Recovery	=	97.84%	
73) Bromofluorobenzene (SS3)	23.06	174	605502	27.290	ng	0.00
Spiked Amount	25.000		Recovery	=	109.16%	

#### Target Compounds

						Qvalue
2) Propene	4.58	42	404664	25.360	ng	88
3) Dichlorodifluoromethane	4.75	85	662152	23.764	ng	99
4) Chloromethane	5.06	50	551302	24.216	ng	99
5) Freon 114	5.31	135	308189	23.261	ng	86
6) Vinyl Chloride	5.49	62	473610	23.219	ng	87
7) 1,3-Butadiene	5.77	54	389992	28.818	ng	97
8) Bromomethane	6.24	94	277100	26.213	ng	97
9) Chloroethane	6.57	64	232186	25.510	ng	94
10) Ethanol	6.94	45	1516909m	153.288	ng	
11) Acetonitrile	7.21	41	729110	27.212	ng	90
12) Acrolein	7.41	56	230662	27.798	ng	82
13) Acetone	7.63	58	1560456	138.304	ng	98
14) Trichlorofluoromethane	7.88	101	660498	27.270	ng	95
15) Isopropanol	8.11	45	2074449m	51.253	ng	
16) Acrylonitrile	8.40	53	571976	30.893	ng	99
17) 1,1-Dichloroethene	8.88	96	353191	29.611	ng	# 62
18) tert-Butanol	9.03	59	2109488	55.274	ng	99
19) Methylene Chloride	9.11	84	362199	25.301	ng	# 53
20) Allyl Chloride	9.28	41	596957	34.467	ng	78
21) Trichlorotrifluoroethane	9.53	151	308580	28.414	ng	90
22) Carbon Disulfide	9.47	76	1275937	25.475	ng	99
23) trans-1,2-Dichloroethene	10.52	61	540398	27.647	ng	73
24) 1,1-Dichloroethane	10.83	63	672546	28.832	ng	97
25) Methyl tert-Butyl Ether	10.91	73	963946	27.450	ng	86
26) Vinyl Acetate	11.08	86	373928	159.769	ng	# 1
27) 2-Butanone	11.40	72	262672	30.485	ng	# 36
28) cis-1,2-Dichloroethene	12.07	61	554350	29.095	ng	74
29) Diisopropyl Ether	12.40	87	292376	28.052	ng	# 26
30) Ethyl Acetate	12.41	61	308363	61.903	ng	85
31) n-Hexane	12.41	57	629305	26.725	ng	88

180

2/17/09

m0216/09

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:51:55 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.51	83	636158	29.404	ng	98
34) Tetrahydrofuran	13.05	72	237722	29.782	ng	# 50
35) Ethyl tert-Butyl Ether	13.19	87	410405	27.135	ng	# 69
36) 1,2-Dichloroethane	13.60	62	511241	28.039	ng	97
38) 1,1,1-Trichloroethane	13.99	97	553177	27.744	ng	93
39) Isopropyl Acetate	14.55	61	543459	60.116	ng	# 81
40) 1-Butanol	14.56	56	935932	66.957	ng	78
41) Benzene	14.68	78	1472489	26.990	ng	100
42) Carbon Tetrachloride	14.91	117	526071	29.712	ng	99
43) Cyclohexane	15.11	84	1045870	57.675	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	1013541	27.263	ng	84
45) 1,2-Dichloropropane	15.91	63	389363	28.210	ng	98
46) Bromodichloromethane	16.18	83	500796	29.519	ng	99
47) Trichloroethene	16.25	130	409135	28.157	ng	97
48) 1,4-Dioxane	16.21	88	306454	29.114	ng	# 68
49) Isooctane	16.35	57	1655519	26.792	ng	98
50) Methyl Methacrylate	16.53	100	338201	63.122	ng	89
51) n-Heptane	16.71	71	379006	28.088	ng	# 73
52) cis-1,3-Dichloropropene	17.46	75	575998	28.209	ng	100
53) 4-Methyl-2-pentanone	17.50	58	400785	31.210	ng	78
54) trans-1,3-Dichloropropene	18.17	75	602648	31.927	ng	99
55) 1,1,2-Trichloroethane	18.41	97	364692	28.528	ng	100
58) Toluene	18.80	91	1642209	27.587	ng	99
59) 2-Hexanone	19.12	43	1080586	29.891	ng	93
60) Dibromochloromethane	19.35	129	476505	32.322	ng	100
61) 1,2-Dibromoethane	19.68	107	437070	28.847	ng	99
62) Butyl Acetate	19.95	43	1239596	29.905	ng	96
63) n-Octane	20.11	57	387363	28.307	ng	# 69
64) Tetrachloroethene	20.30	166	456092	27.483	ng	99
65) Chlorobenzene	21.17	112	1080682	27.428	ng	100
66) Ethylbenzene	21.65	91	1882386	28.369	ng	99
67) m- & p-Xylene	21.89	91	2971475	57.107	ng	97
68) Bromoform	21.96	173	435299	31.995	ng	100
69) Styrene	22.33	104	1229797	30.765	ng	96
70) o-Xylene	22.48	91	1537314	28.864	ng	99
71) n-Nonane	22.75	43	944035	28.657	ng	89
72) 1,1,2,2-Tetrachloroethane	22.45	83	719244	30.433	ng	97
74) Cumene	23.24	105	1946760	27.627	ng	96
75) alpha-Pinene	23.74	93	921094	30.341	ng	98
76) n-Propylbenzene	23.89	91	2453999	28.722	ng	97
77) 3-Ethyltoluene	24.01	105	2008164	31.105	ng	95
78) 4-Ethyltoluene	24.07	105	1988224	31.452	ng	95
79) 1,3,5-Trimethylbenzene	24.16	105	1668226	30.577	ng	92

181

Data Path : J:\MS16\DATA\2009\_02\16\  
Data File : 02160901.D  
Acq On : 16 Feb 2009 8:47  
Operator : WA/LH  
Sample : 25ng TO-15 CCV STD  
Misc : S20-01290901/S20-01220901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:51:55 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration




Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.35	118	972532	31.266	ng	95
81) 2-Ethyltoluene	24.40	105	2056022	31.046	ng	94
82) 1,2,4-Trimethylbenzene	24.68	105	1814157	30.993	ng	90
83) n-Decane	24.79	57	1064320	30.932	ng	80
84) Benzyl Chloride	24.84	91	1618911	34.012	ng	95
85) 1,3-Dichlorobenzene	24.87	146	1078240	31.553	ng	99
86) 1,4-Dichlorobenzene	24.95	146	1086192	31.026	ng	99
87) sec-Butylbenzene	25.01	105	2370219	31.032	ng	98
88) p-Isopropyltoluene	25.20	119	2308518	31.139	ng	94
89) 1,2,3-Trimethylbenzene	25.20	105	1863397	31.813	ng	87
90) 1,2-Dichlorobenzene	25.37	146	1051001	32.478	ng	98
91) d-Limonene	25.38	68	722108	31.783	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	366345	32.615	ng #	76
93) n-Undecane	26.32	57	1111494	29.937	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	212309	31.096	ng #	92
95) Naphthalene	27.57	128	2409134	28.545	ng	100
96) n-Dodecane	27.55	57	1115639	26.647	ng	76
97) Hexachloro-1,3-butadiene	27.99	225	415615	30.608	ng	100
98) Cyclohexanone	22.06	55	649200	25.920	ng	93
99) tert-Butylbenzene	24.67	119	1818272	32.047	ng	100
100) n-Butylbenzene	25.71	91	1931651	31.951	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:18:57 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.939min (-0.085) 145.86ng



response 1443385

PT

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	39.12
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:18:57 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)  
 6.939min (-0.085) 153.29ng m  
 response 1516909

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.23
0.00	0.00	0.00
0.00	0.00	0.00




PT → IC  
 M. 02/16/09

— 2/17/09

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:18:57 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.111min (-0.063) 48.34ng

response 1956444




Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.92
0.00	0.00	0.00
0.00	0.00	0.00

PT

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:18:57 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)  
 8.111min (-0.063) 51.25ng m  
 response 2074449

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	16.90
0.00	0.00	0.00
0.00	0.00	0.00

PT → IC

LH 02/16/09

L 2/17/09

2/17/09

186

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
 Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513

## Internal Standard Area and RT Summary

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
 Analyst: Wida Ang  
 Sampling Media: 6.0 L Summa Canister(s)  
 Test Notes:

Lab File ID: 02130901.D  
 Date Analyzed: 2/13/09  
 Time Analyzed: 08:46

	IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
	AREA	# RT	AREA	# RT	AREA	# RT
24 Hour Standard	292784	12.31	1302929	15.22	652497	21.10
Upper Limit	409898	12.64	1824101	15.55	913496	21.43
Lower Limit	175670	11.98	781757	14.89	391498	20.77

Client Sample ID		IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
		AREA	# RT	AREA	# RT	AREA	# RT
01	Method Blank	284429	12.28	1305482	15.21	643376	21.10
02	Lab Control Sample	291926	12.31	1297420	15.23	649667	21.11
03	SV-SS-58	252921	12.29	1178644	15.22	658456	21.10
04	SV-InA-58	302189	12.28	1378004	15.22	691613	21.10
05	SV-InA-58 (Lab Duplicate)	306251	12.28	1398587	15.21	695931	21.10
06	SV-SS-64	307525	12.28	1399299	15.21	683757	21.10
07	SV-InA-64	295705	12.28	1353741	15.21	651687	21.10
08	SV-SS-8	293846	12.29	1333826	15.22	689543	21.10
09	SV-InA-8	299869	12.28	1350439	15.22	668943	21.10
10	SV-OutA-020909	298820	12.28	1377268	15.21	670624	21.10
11	SV-SS-2	290183	12.28	1338269	15.21	658768	21.10
12	SV-SS-16	296454	12.28	1340448	15.21	652867	21.10
13	SV-InA-16	287537	12.28	1323889	15.21	642037	21.10
14							
15							
16							
17							
18							
19							
20							

IS1 (BCM) = Bromochloromethane

IS2 (DFB) = 1,4-Difluorobenzene

IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = 140% of internal standard area

AREA LOWER LIMIT = 60% of internal standard area

RT UPPER LIMIT = 0.33 minutes of internal standard RT

RT LOWER LIMIT = 0.33 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

Verified By:         Date: 2/18/09



## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513

## Internal Standard Area and RT Summary

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister(s)  
Test Notes:

Lab File ID: 02160901.D  
Date Analyzed: 2/16/09  
Time Analyzed: 08:47

	IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
	AREA	# RT	AREA	# RT	AREA	# RT
24 Hour Standard	285040	12.31	1272496	15.23	627427	21.11
Upper Limit	399056	12.64	1781494	15.56	878398	21.44
Lower Limit	171024	11.98	763498	14.90	376456	20.78

Client Sample ID		IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
		AREA	# RT	AREA	# RT	AREA	# RT
01	Method Blank	276341	12.28	1277940	15.21	621270	21.10
02	Lab Control Sample	293871	12.31	1307508	15.23	644721	21.11
03	SV-InA-2	276686	12.28	1269109	15.21	624161	21.10
04	SV-InA-2 (Lab Duplicate)	267798	12.28	1235225	15.21	607502	21.10
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

IS1 (BCM) = Bromochloromethane

IS2 (DFB) = 1,4-Difluorobenzene

IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = 140% of internal standard area

AREA LOWER LIMIT = 60% of internal standard area

RT UPPER LIMIT = 0.33 minutes of internal standard RT

RT LOWER LIMIT = 0.33 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

Verified By:         Date: 2/18/09


188

Raw QC Data

Data Path : J:\MS16\DATA\2009\_01\22\  
 Data File : 01220901.D  
 Acq On : 22 Jan 2009 12:23  
 Operator : WA/LH  
 Sample : 25ng BFB STD  
 Misc : S20-01050901  
 ALS Vial : 2 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS16\METHODS\R16012209.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Jan 14 10:48:15 2009




AutoFind: Scans 3420, 3421, 3422; Background Corrected with Scan 3409

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	19.3	74544	PASS
75	95	30	66	45.3	174848	PASS
95	95	100	100	100.0	385771	PASS
96	95	5	9	6.4	24733	PASS
173	174	0.00	2	0.8	2660	PASS
174	95	50	120	89.8	346496	PASS
175	174	4	9	7.4	25515	PASS
176	174	93	101	97.3	337152	PASS
177	176	5	9	6.5	22019	PASS

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130901.D  
 Acq On : 13 Feb 2009 8:46  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS16\METHODS\R16012209.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Fri Jan 23 08:54:57 2009




AutoFind: Scans 3420, 3421, 3422; Background Corrected with Scan 3409

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	18.9	60608	PASS
75	95	30	66	44.9	144299	PASS
95	95	100	100	100.0	321301	PASS
96	95	5	9	6.6	21275	PASS
173	174	0.00	2	0.8	2264	PASS
174	95	50	120	90.4	290539	PASS
175	174	4	9	7.4	21421	PASS
176	174	93	101	97.2	282496	PASS
177	176	5	9	6.6	18635	PASS

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160901.D  
 Acq On : 16 Feb 2009 8:47  
 Operator : WA/LH  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-01290901/S20-01220901  
 ALS Vial : 2 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS16\METHODS\R16012209.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Fri Jan 23 08:54:57 2009



AutoFind: Scans 3421, 3422, 3423; Background Corrected with Scan 3410

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	18.7	55179	PASS
75	95	30	66	44.8	131859	PASS
95	95	100	100	100.0	294421	PASS
96	95	5	9	6.5	19196	PASS
173	174	0.00	2	0.8	2115	PASS
174	95	50	120	94.2	277440	PASS
175	174	4	9	7.0	19352	PASS
176	174	93	101	97.4	270101	PASS
177	176	5	9	6.4	17252	PASS

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Method Blank  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P090213-MB

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.10	ND	0.039	
75-00-3	Chloroethane	ND	0.50	ND	0.19	
75-35-4	1,1-Dichloroethene	ND	0.50	ND	0.13	
75-34-3	1,1-Dichloroethane	ND	0.50	ND	0.12	
71-55-6	1,1,1-Trichloroethane	ND	0.50	ND	0.092	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130902.D  
Acq On : 13 Feb 2009 9:34  
Operator : WA/LH  
Sample : TO-15 Method blank (1000mL)  
Misc : S20-01290901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:10:17 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130902.D  
 Acq On : 13 Feb 2009 9:34  
 Operator : WA/LH  
 Sample : TO-15 Method blank (1000mL)  
 Misc : S20-01290901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:10:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	284429	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1305482	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	643376	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	449600	24.718	ng	-0.05
Spiked Amount	25.000			Recovery	=	98.88%
57) Toluene-d8 (SS2)	18.66	98	1469827	24.266	ng	-0.02
Spiked Amount	25.000			Recovery	=	97.08%
73) Bromofluorobenzene (SS3)	23.06	174	586589	25.782	ng	0.00
Spiked Amount	25.000			Recovery	=	103.12%

## Target Compounds

						Qvalue
2) Propene	4.63	42	785	N.D.		
3) Dichlorodifluoromethane	4.78	85	256	N.D.		
4) Chloromethane	5.09	50	112	N.D.		
5) Freon 114	0.00	135	0	N.D.		
6) Vinyl Chloride	0.00	62	0	N.D.		
7) 1,3-Butadiene	0.00	54	0	N.D.		
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	0.00	64	0	N.D.		
10) Ethanol	6.98	45	686	0.069 ng	#	40
11) Acetonitrile	7.21	41	1870	0.070 ng		89
12) Acrolein	7.43	56	364	N.D.		
13) Acetone	7.63	58	5346	0.475 ng		96
14) Trichlorofluoromethane	7.90	101	53	N.D.		
15) Isopropanol	8.13	45	415	N.D.		
16) Acrylonitrile	0.00	53	0	N.D.		
17) 1,1-Dichloroethene	8.90	96	52	N.D.		
18) tert-Butanol	9.11	59	52	N.D.		
19) Methylene Chloride	9.08	84	777	N.D.		
20) Allyl Chloride	0.00	41	0	N.D.		
21) Trichlorotrifluoroethane	0.00	151	0	N.D.		
22) Carbon Disulfide	9.48	76	2238	N.D.		
23) trans-1,2-Dichloroethene	10.51	61	55	N.D.		
24) 1,1-Dichloroethane	10.80	63	52	N.D.		
25) Methyl tert-Butyl Ether	10.94	73	54	N.D.		
26) Vinyl Acetate	0.00	86	0	N.D.		
27) 2-Butanone	11.45	72	56	N.D.		
28) cis-1,2-Dichloroethene	12.06	61	57	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	0.00	61	0	N.D.		
31) n-Hexane	12.40	57	71	N.D.		

195



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130902.D  
 Acq On : 13 Feb 2009 9:34  
 Operator : WA/LH  
 Sample : TO-15 Method blank (1000mL)  
 Misc : S20-01290901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:10:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	0.00	83	0	N.D.		
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.58	62	53	N.D.		
38) 1,1,1-Trichloroethane	0.00	97	0	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.67	56	1085	0.076 ng		98
41) Benzene	14.67	78	1168	N.D.		
42) Carbon Tetrachloride	0.00	117	0	N.D.		
43) Cyclohexane	15.10	84	326	N.D.		
44) tert-Amyl Methyl Ether	15.59	73	70	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	0.00	130	0	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.33	57	865	N.D.		
50) Methyl Methacrylate	0.00	100	0	N.D.		
51) n-Heptane	0.00	71	0	N.D.		
52) cis-1,3-Dichloropropene	17.48	75	57	N.D.		
53) 4-Methyl-2-pentanone	0.00	58	0	N.D.		
54) trans-1,3-Dichloropropene	18.19	75	332	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	125929	9.602 ng		# FP 8
58) Toluene	18.79	91	1472	N.D.		
59) 2-Hexanone	19.16	43	1396	N.D.		
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	19.68	107	233	N.D.		
62) Butyl Acetate	20.10	43	348	N.D.		
63) n-Octane	20.45	57	60	N.D.		
64) Tetrachloroethene	20.30	166	55	N.D.		
65) Chlorobenzene	21.15	112	725	N.D.		
66) Ethylbenzene	21.65	91	966	N.D.		
67) m- & p-Xylene	21.88	91	2023	N.D.		
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.35	104	681	N.D.		
70) o-Xylene	22.48	91	1172	N.D.		
71) n-Nonane	22.75	43	363	N.D.		
72) 1,1,2,2-Tetrachloroethane	22.45	83	53	N.D.		
74) Cumene	23.23	105	2114	N.D.		
75) alpha-Pinene	0.00	93	0	N.D.		
76) n-Propylbenzene	23.89	91	1709	N.D.		
77) 3-Ethyltoluene	24.00	105	2229	N.D.		
78) 4-Ethyltoluene	24.07	105	1854	N.D.		
79) 1,3,5-Trimethylbenzene	24.16	105	1347	N.D.		

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130902.D  
 Acq On : 13 Feb 2009 9:34  
 Operator : WA/LH  
 Sample : TO-15 Method blank (1000mL)  
 Misc : S20-01290901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 13 10:10:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.36	118	369	N.D.		
81) 2-Ethyltoluene	24.39	105	1232	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	2682	N.D.		
83) n-Decane	24.79	57	437	N.D.		
84) Benzyl Chloride	24.85	91	3412	0.070-ng	#	57
85) 1,3-Dichlorobenzene	24.87	146	907	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	1274	N.D.		
87) sec-Butylbenzene	25.01	105	775	N.D.		
88) p-Isopropyltoluene	25.20	119	595	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	874	N.D.		
90) 1,2-Dichlorobenzene	25.37	146	494	N.D.		
91) d-Limonene	0.00	68	0	N.D.		
92) 1,2-Dibromo-3-Chloropr...	25.91	157	53	N.D.		
93) n-Undecane	26.31	57	304	N.D.		
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.59	128	4901	N.D.		
96) n-Dodecane	27.55	57	487	N.D.		
97) Hexachloro-1,3-butadiene	27.98	225	313	N.D.		
98) Cyclohexanone	22.08	55	845	N.D.		
99) tert-Butylbenzene	24.79	119	232	N.D.		
100) n-Butylbenzene	25.71	91	734	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Method Blank  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P090216-MB

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 2/16/09  
Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.10	ND	0.039	
75-00-3	Chloroethane	ND	0.50	ND	0.19	
75-35-4	1,1-Dichloroethene	ND	0.50	ND	0.13	
75-34-3	1,1-Dichloroethane	ND	0.50	ND	0.12	
71-55-6	1,1,1-Trichloroethane	ND	0.50	ND	0.092	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS16\DATA\2009\_02\16\  
Data File : 02160902.D  
Acq On : 16 Feb 2009 9:56  
Operator : WA/LH  
Sample : TO-15 Method blank (1000mL)  
Misc : S20-01290901  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:52:53 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160902.D  
 Acq On : 16 Feb 2009 9:56  
 Operator : WA/LH  
 Sample : TO-15 Method blank (1000mL)  
 Misc : S20-01290901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:52:53 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	276341	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1277940	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	621270	25.000	ng	-0.01

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.42	65	441228	24.968	ng	-0.05
Spiked Amount	25.000		Recovery	=	99.88%	
57) Toluene-d8 (SS2)	18.66	98	1451372	24.814	ng	-0.02
Spiked Amount	25.000		Recovery	=	99.24%	
73) Bromofluorobenzene (SS3)	23.06	174	564423	25.691	ng	0.00
Spiked Amount	25.000		Recovery	=	102.76%	

## Target Compounds

						Qvalue
2) Propene	4.63	42	460	N.D.		
3) Dichlorodifluoromethane	4.78	85	201	N.D.		
4) Chloromethane	5.11	50	57	N.D.		
5) Freon 114	0.00	135	0	N.D.		
6) Vinyl Chloride	5.53	62	54	N.D.		
7) 1,3-Butadiene	0.00	54	0	N.D.		
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	0.00	64	0	N.D.		
10) Ethanol	7.00	45	382	N.D.		
11) Acetonitrile	7.22	41	834	N.D.		
12) Acrolein	7.41	56	277	N.D.		
13) Acetone	7.64	58	6188	<del>0.566 ng</del>	#	80
14) Trichlorofluoromethane	0.00	101	0	N.D.		
15) Isopropanol	8.15	45	64	N.D.		
16) Acrylonitrile	8.41	53	61	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.		
18) tert-Butanol	9.16	59	66	N.D.		
19) Methylene Chloride	9.08	84	697	N.D.		
20) Allyl Chloride	9.27	41	54	N.D.		
21) Trichlorotrifluoroethane	0.00	151	0	N.D.		
22) Carbon Disulfide	9.48	76	4504	<del>0.093 ng</del>		86
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.		
25) Methyl tert-Butyl Ether	10.96	73	54	N.D.		
26) Vinyl Acetate	0.00	86	0	N.D.		
27) 2-Butanone	11.43	72	118	N.D.		
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	0.00	61	0	N.D.		
31) n-Hexane	12.40	57	110	N.D.		200

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160902.D  
 Acq On : 16 Feb 2009 9:56  
 Operator : WA/LH  
 Sample : TO-15 Method blank (1000mL)  
 Misc : S20-01290901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:52:53 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	0.00	83	0	N.D.		
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	0.00	62	0	N.D.		
38) 1,1,1-Trichloroethane	0.00	97	0	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.64	56	886	<del>0.063</del> ng		99
41) Benzene	14.68	78	1103	N.D.		
42) Carbon Tetrachloride	0.00	117	0	N.D.		
43) Cyclohexane	15.09	84	112	N.D.		
44) tert-Amyl Methyl Ether	15.58	73	57	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	0.00	130	0	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	789	N.D.		
50) Methyl Methacrylate	0.00	100	0	N.D.		
51) n-Heptane	0.00	71	0	N.D.		
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	0.00	58	0	N.D.		
54) trans-1,3-Dichloropropene	18.19	75	268	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	123103	<del>9.589</del> ng	# FP	8
58) Toluene	18.80	91	1760	N.D.		
59) 2-Hexanone	19.14	43	1294	N.D.		
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	19.68	107	203	N.D.		
62) Butyl Acetate	19.97	43	62	N.D.		
63) n-Octane	20.11	57	158	N.D.		
64) Tetrachloroethene	0.00	166	0	N.D.		
65) Chlorobenzene	21.16	112	596	N.D.		
66) Ethylbenzene	21.64	91	707	N.D.		
67) m- & p-Xylene	21.86	91	575	N.D.		
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	557	N.D.		
70) o-Xylene	22.48	91	1651	N.D.		
71) n-Nonane	22.75	43	479	N.D.		
72) 1,1,2,2-Tetrachloroethane	0.00	83	0	N.D.		
74) Cumene	23.24	105	776	N.D.		
75) alpha-Pinene	0.00	93	0	N.D.		
76) n-Propylbenzene	23.88	91	1781	N.D.		
77) 3-Ethyltoluene	24.01	105	1444	N.D.		
78) 4-Ethyltoluene	24.07	105	1428	N.D.		
79) 1,3,5-Trimethylbenzene	24.17	105	1695	N.D.		

201

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160902.D  
 Acq On : 16 Feb 2009 9:56  
 Operator : WA/LH  
 Sample : TO-15 Method blank (1000mL)  
 Misc : S20-01290901  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 16 10:52:53 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.36	118	115	N.D.		
81) 2-Ethyltoluene	24.40	105	1076	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	1767	N.D.		
83) n-Decane	24.79	57	412	N.D.		
84) Benzyl Chloride	24.84	91	1125	N.D.		
85) 1,3-Dichlorobenzene	24.87	146	699	N.D.		
86) 1,4-Dichlorobenzene	24.96	146	1006	N.D.		
87) sec-Butylbenzene	25.00	105	611	N.D.		
88) p-Isopropyltoluene	25.20	119	545	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	631	N.D.		
90) 1,2-Dichlorobenzene	25.38	146	518	N.D.		
91) d-Limonene	0.00	68	0	N.D.		
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	304	N.D.		
94) 1,2,4-Trichlorobenzene	27.44	184	54	N.D.		
95) Naphthalene	27.58	128	3860	N.D.		
96) n-Dodecane	27.55	57	677	N.D.		
97) Hexachloro-1,3-butadiene	27.99	225	313	N.D.		
98) Cyclohexanone	22.08	55	1387	N.D.		
99) tert-Butylbenzene	24.67	119	885	N.D.		
100) n-Butylbenzene	25.71	91	479	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Lab Control Sample  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P090213-LCS

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:


Date Collected: NA  
Date Received: NA  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: NA Liter(s)

CAS #	Compound	Spike Amount ng	Result ng	% Recovery	CAS	Data Qualifier
					Acceptance Limits	
75-01-4	Vinyl Chloride	25.5	22.4	88	57-132	
75-00-3	Chloroethane	25.8	25.0	97	68-123	
75-35-4	1,1-Dichloroethene	27.5	27.7	101	70-123	
75-34-3	1,1-Dichloroethane	26.8	27.3	102	72-130	
71-55-6	1,1,1-Trichloroethane	26.5	25.9	98	69-127	



Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130903.D  
Acq On : 13 Feb 2009 10:15  
Operator : WA/LH  
Sample : 25ng TO-15 LCS STD  
Misc : S20-01290901/S20-01210903  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:43 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130903.D  
 Acq On : 13 Feb 2009 10:15  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:43 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.31	130	291926	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.23	114	1297420	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.11	82	649667	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.44	65	455196	24.383	ng	-0.02
Spiked Amount	25.000		Recovery	=	97.52%	
57) Toluene-d8 (SS2)	18.67	98	1466786	23.981	ng	0.00
Spiked Amount	25.000		Recovery	=	95.92%	
73) Bromofluorobenzene (SS3)	23.06	174	626116	27.253	ng	0.00
Spiked Amount	25.000		Recovery	=	109.00%	

## Target Compounds

						Qvalue
2) Propene	4.58	42	448275	27.430	ng	87
3) Dichlorodifluoromethane	4.74	85	668079	23.412	ng	100
4) Chloromethane	5.06	50	567374	24.334	ng	99
5) Freon 114	5.30	135	307592	22.668	ng	86
6) Vinyl Chloride	5.49	62	467734	22.390	ng	86
7) 1,3-Butadiene	5.77	54	451976	32.611	ng	97
8) Bromomethane	6.24	94	285953	26.412	ng	98
9) Chloroethane	6.57	64	232599	24.952	ng	95
10) Ethanol	6.93	45	1529546m	150.919	ng	
11) Acetonitrile	7.21	41	741868	27.035	ng	90
12) Acrolein	7.41	56	231516	27.243	ng	83
13) Acetone	7.62	58	1566922	135.601	ng	100
14) Trichlorofluoromethane	7.88	101	652990	26.324	ng	95
15) Isopropanol	8.10	45	1818382m	43.867	ng	
16) Acrylonitrile	8.40	53	565249	29.809	ng	100
17) 1,1-Dichloroethene	8.89	96	338762	27.731	ng	# 62
18) tert-Butanol	9.02	59	1945791	49.782	ng	99
19) Methylene Chloride	9.10	84	348281	23.755	ng	# 53
20) Allyl Chloride	9.28	41	584839	32.971	ng	78
21) Trichlorotrifluoroethane	9.53	151	291304	26.191	ng	90
22) Carbon Disulfide	9.47	76	1249192	24.352	ng	98
23) trans-1,2-Dichloroethene	10.52	61	546040	27.277	ng	73
24) 1,1-Dichloroethane	10.83	63	652861	27.328	ng	97
25) Methyl tert-Butyl Ether	10.91	73	945470	26.289	ng	86
26) Vinyl Acetate	11.08	86	294949	123.050	ng	# 3
27) 2-Butanone	11.40	72	258358	29.277	ng	# 37
28) cis-1,2-Dichloroethene	12.07	61	535201	27.427	ng	74
29) Diisopropyl Ether	12.40	87	277740	26.020	ng	# 31
30) Ethyl Acetate	12.41	61	298661	58.541	ng	85
31) n-Hexane	12.41	57	615519	25.523	ng	8205

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130903.D  
Acq On : 13 Feb 2009 10:15  
Operator : WA/LH  
Sample : 25ng TO-15 LCS STD  
Misc : S20-01290901/S20-01210903  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:43 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	12.52	83	614063	27.713	ng	99
34) Tetrahydrofuran	13.06	72	235633	28.824	ng	# 51
35) Ethyl tert-Butyl Ether	13.20	87	391143	25.251	ng	# 69
36) 1,2-Dichloroethane	13.60	62	486242	26.039	ng	96
38) 1,1,1-Trichloroethane	13.99	97	526187	25.883	ng	93
39) Isopropyl Acetate	14.55	61	520741	56.496	ng	# 82
40) 1-Butanol	14.56	56	897917	63.004	ng	# 77
41) Benzene	14.68	78	1404676	25.252	ng	100
42) Carbon Tetrachloride	14.91	117	491091	27.203	ng	98
43) Cyclohexane	15.11	84	1031046	55.765	ng	# 65
44) tert-Amyl Methyl Ether	15.58	73	972444	25.655	ng	84
45) 1,2-Dichloropropane	15.91	63	375374	26.674	ng	99
46) Bromodichloromethane	16.18	83	491333	28.405	ng	99
47) Trichloroethene	16.26	130	390098	26.332	ng	97
48) 1,4-Dioxane	16.21	88	305210	28.438	ng	# 69
49) Isooctane	16.35	57	1619665	25.708	ng	97
50) Methyl Methacrylate	16.53	100	316901	58.010	ng	# 87
51) n-Heptane	16.72	71	375388	27.286	ng	# 74
52) cis-1,3-Dichloropropene	17.46	75	553732	26.598	ng	100
53) 4-Methyl-2-pentanone	17.50	58	392718	29.995	ng	79
54) trans-1,3-Dichloropropene	18.17	75	574823	29.868	ng	99
55) 1,1,2-Trichloroethane	18.41	97	342966	26.313	ng	100
58) Toluene	18.80	91	1571169	25.490	ng	99
59) 2-Hexanone	19.12	43	1059039	28.292	ng	93
60) Dibromochloromethane	19.35	129	461293	30.219	ng	100
61) 1,2-Dibromoethane	19.68	107	418504	26.676	ng	99
62) Butyl Acetate	19.95	43	1198034	27.913	ng	97
63) n-Octane	20.11	57	372507	26.289	ng	# 70
64) Tetrachloroethene	20.30	166	431849	25.131	ng	99
65) Chlorobenzene	21.17	112	1035614	25.384	ng	100
66) Ethylbenzene	21.65	91	1783893	25.965	ng	99
67) m- & p-Xylene	21.88	91	2803517	52.034	ng	97
68) Bromoform	21.96	173	419422	29.772	ng	100
69) Styrene	22.33	104	1165163	28.150	ng	97
70) o-Xylene	22.48	91	1460746	26.487	ng	98
71) n-Nonane	22.75	43	925080	27.120	ng	90
72) 1,1,2,2-Tetrachloroethane	22.45	83	689861	28.190	ng	96
74) Cumene	23.24	105	1868383	25.607	ng	96
75) alpha-Pinene	23.74	93	888357	28.261	ng	97
76) n-Propylbenzene	23.88	91	2357555	26.649	ng	97
77) 3-Ethyltoluene	24.01	105	1956484	29.267	ng	95
78) 4-Ethyltoluene	24.07	105	1936113	29.580	ng	94
79) 1,3,5-Trimethylbenzene	24.16	105	1587148	28.095	ng	9206

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130903.D  
 Acq On : 13 Feb 2009 10:15  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:43 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration




Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	934827	29.025	ng	98
81) 2-Ethyltoluene	24.40	105	1978673	28.855	ng	94
82) 1,2,4-Trimethylbenzene	24.67	105	1728430	28.518	ng	90
83) n-Decane	24.79	57	1037083	29.109	ng	81
84) Benzyl Chloride	24.84	91	1572576	31.907	ng	95
85) 1,3-Dichlorobenzene	24.87	146	1022283	28.891	ng	98
86) 1,4-Dichlorobenzene	24.95	146	1034313	28.532	ng	99
87) sec-Butylbenzene	25.01	105	2278631	28.812	ng	98
88) p-Isopropyltoluene	25.20	119	2203977	28.711	ng	94
89) 1,2,3-Trimethylbenzene	25.20	105	1781419	29.372	ng	87
90) 1,2-Dichlorobenzene	25.37	146	990093	29.549	ng	97
91) d-Limonene	25.38	68	698666	29.698	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	359820	30.937	ng	# 76
93) n-Undecane	26.32	57	1087630	28.292	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	217519	30.769	ng	# 93
95) Naphthalene	27.57	128	2526946	28.916	ng	100
96) n-Dodecane	27.55	57	1124103	25.930	ng	77
97) Hexachloro-1,3-butadiene	27.99	225	413738	29.427	ng	100
98) Cyclohexanone	22.06	55	596309	22.993	ng	93
99) tert-Butylbenzene	24.67	119	1728658	29.425	ng	100
100) n-Butylbenzene	25.71	91	1856239	29.653	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130903.D  
 Acq On : 13 Feb 2009 10:15  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:14 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.933min (-0.091) 146.02ng

response 1479884




*PT*

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	39.06
0.00	0.00	0.00
0.00	0.00	0.00

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130903.D  
 Acq On : 13 Feb 2009 10:15  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:14 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.933min (-0.091) 150.92ng m

response 1529546

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.80
0.00	0.00	0.00
0.00	0.00	0.00

PT → IC

WA 02/13/09

WA 2/14/09



Em 2/6/09

209

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130903.D  
 Acq On : 13 Feb 2009 10:15  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:14 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.100min (-0.074) 42.17ng

response 1747939



Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.95
0.00	0.00	0.00
0.00	0.00	0.00

PT

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130903.D  
 Acq On : 13 Feb 2009 10:15  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 13 11:04:14 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.100min (-0.074) 43.87ng m

response 1818382

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.26
0.00	0.00	0.00
0.00	0.00	0.00

*PT → IC*  
*WA 2/13/09*  
*WA 2/16/09*

*Em 2/16/09*

**211**



## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Lab Control Sample  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P090216-LCS

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 2/16/09  
Volume(s) Analyzed: NA Liter(s)

CAS #	Compound	Spike Amount ng	Result ng	% Recovery	CAS Acceptance Limits	Data Qualifier
75-01-4	Vinyl Chloride	25.5	21.5	84	57-132	
75-00-3	Chloroethane	25.8	24.3	94	68-123	
75-35-4	1,1-Dichloroethene	27.5	27.7	101	70-123	
75-34-3	1,1-Dichloroethane	26.8	26.9	100	72-130	
71-55-6	1,1,1-Trichloroethane	26.5	25.7	97	69-127	

Verified By: la Date: 2/18/09 **212**

(QT Reviewed)

Quant Time: Feb 16 11:13:47 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160903.D  
 Acq On : 16 Feb 2009 10:36  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:47 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.31	130	293871	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.23	114	1307508	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.11	82	644721	25.000	ng	0.00

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.44	65	458354	24.390	ng	-0.02
Spiked Amount	25.000		Recovery	=	97.56%	
57) Toluene-d8 (SS2)	18.67	98	1470976	24.234	ng	0.00
Spiked Amount	25.000		Recovery	=	96.92%	
73) Bromofluorobenzene (SS3)	23.06	174	616426	27.037	ng	0.00
Spiked Amount	25.000		Recovery	=	108.16%	

#### Target Compounds

						Qvalue
2) Propene	4.58	42	430729	26.182	ng	88
3) Dichlorodifluoromethane	4.75	85	659132	22.945	ng	99
4) Chloromethane	5.06	50	531285	22.636	ng	99
5) Freon 114	5.31	135	300124	21.971	ng	86
6) Vinyl Chloride	5.49	62	451613	21.475	ng	86
7) 1,3-Butadiene	5.77	54	431265	30.911	ng	98
8) Bromomethane	6.24	94	263387	24.167	ng	98
9) Chloroethane	6.57	64	228314	24.330	ng	94
10) Ethanol	6.93	45	1495507m	146.584	ng	
11) Acetonitrile	7.21	41	727250	26.327	ng	90
12) Acrolein	7.41	56	229313	26.805	ng	81
13) Acetone	7.62	58	1546605	132.957	ng	100
14) Trichlorofluoromethane	7.88	101	658972	26.390	ng	95
15) Isopropanol	8.11	45	1772570m	42.479	ng	
16) Acrylonitrile	8.40	53	558522	29.260	ng	100
17) 1,1-Dichloroethene	8.89	96	340857	27.718	ng	# 62
18) tert-Butanol	9.03	59	1940756	49.324	ng	99
19) Methylene Chloride	9.11	84	346081	23.449	ng	# 53
20) Allyl Chloride	9.28	41	577798	32.359	ng	78
21) Trichlorotrifluoroethane	9.53	151	296944	26.521	ng	90
22) Carbon Disulfide	9.47	76	1252001	24.245	ng	99
23) trans-1,2-Dichloroethene	10.52	61	534605	26.529	ng	73
24) 1,1-Dichloroethane	10.83	63	645789	26.853	ng	97
25) Methyl tert-Butyl Ether	10.91	73	949218	26.219	ng	86
26) Vinyl Acetate	11.08	86	303556	125.803	ng	# 2
27) 2-Butanone	11.40	72	259832	29.250	ng	# 35
28) cis-1,2-Dichloroethene	12.07	61	527915	26.875	ng	73
29) Diisopropyl Ether	12.40	87	280237	26.080	ng	# 28
30) Ethyl Acetate	12.41	61	301290	58.666	ng	84
31) n-Hexane	12.41	57	620422	25.556	ng	82

214

Data Path : J:\MS16\DATA\2009\_02\16\  
Data File : 02160903.D  
Acq On : 16 Feb 2009 10:36  
Operator : WA/LH  
Sample : 25ng TO-15 LCS STD  
Misc : S20-01290901/S20-01210903  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:47 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	12.52	83	611060	27.395	ng	99
34) Tetrahydrofuran	13.06	72	234600	28.508	ng	# 50
35) Ethyl tert-Butyl Ether	13.20	87	395364	25.355	ng	# 69
36) 1,2-Dichloroethane	13.60	62	487099	25.913	ng	97
38) 1,1,1-Trichloroethane	14.00	97	527489	25.747	ng	94
39) Isopropyl Acetate	14.55	61	515665	55.514	ng	# 81
40) 1-Butanol	14.57	56	890881	62.028	ng	79
41) Benzene	14.68	78	1404796	25.059	ng	99
42) Carbon Tetrachloride	14.91	117	495936	27.260	ng	99
43) Cyclohexane	15.11	84	1030828	55.323	ng	# 64
44) tert-Amyl Methyl Ether	15.58	73	975472	25.536	ng	83
45) 1,2-Dichloropropane	15.91	63	370752	26.142	ng	98
46) Bromodichloromethane	16.18	83	488767	28.039	ng	99
47) Trichloroethene	16.26	130	390699	26.169	ng	97
48) 1,4-Dioxane	16.21	88	297960	27.549	ng	# 69
49) Isooctane	16.35	57	1598375	25.174	ng	98
50) Methyl Methacrylate	16.53	100	315327	57.277	ng	# 88
51) n-Heptane	16.72	71	371981	26.829	ng	# 74
52) cis-1,3-Dichloropropene	17.46	75	548357	26.136	ng	99
53) 4-Methyl-2-pentanone	17.51	58	388484	29.442	ng	79
54) trans-1,3-Dichloropropene	18.17	75	570157	29.397	ng	99
55) 1,1,2-Trichloroethane	18.41	97	341945	26.032	ng	100
58) Toluene	18.80	91	1556123	25.440	ng	99
59) 2-Hexanone	19.12	43	1048664	28.230	ng	92
60) Dibromochloromethane	19.35	129	462694	30.543	ng	100
61) 1,2-Dibromoethane	19.68	107	414295	26.610	ng	99
62) Butyl Acetate	19.95	43	1163485	27.316	ng	97
63) n-Octane	20.11	57	368456	26.203	ng	# 69
64) Tetrachloroethene	20.30	166	429680	25.197	ng	99
65) Chlorobenzene	21.17	112	1023408	25.278	ng	100
66) Ethylbenzene	21.65	91	1780631	26.116	ng	99
67) m- & p-Xylene	21.89	91	2806254	52.485	ng	97
68) Bromoform	21.96	173	421786	30.170	ng	100
69) Styrene	22.33	104	1153311	28.077	ng	96
70) o-Xylene	22.48	91	1450335	26.500	ng	98
71) n-Nonane	22.75	43	906207	26.771	ng	90
72) 1,1,2,2-Tetrachloroethane	22.45	83	678771	27.950	ng	96
74) Cumene	23.24	105	1851756	25.574	ng	96
75) alpha-Pinene	23.74	93	880670	28.231	ng	98
76) n-Propylbenzene	23.89	91	2338656	26.638	ng	97
77) 3-Ethyltoluene	24.01	105	1924686	29.012	ng	95
78) 4-Ethyltoluene	24.07	105	1925143	29.638	ng	95
79) 1,3,5-Trimethylbenzene	24.16	105	1568242	27.974	ng	95

215

Data Path : J:\MS16\DATA\2009\_02\16\  
Data File : 02160903.D  
Acq On : 16 Feb 2009 10:36  
Operator : WA/LH  
Sample : 25ng TO-15 LCS STD  
Misc : S20-01290901/S20-01210903  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:47 2009

Quant Method : J:\MS16\METHODS\R16012209.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Fri Jan 23 08:54:57 2009

Response via : Initial Calibration




Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	921060	28.817	ng	97
81) 2-Ethyltoluene	24.40	105	1959010	28.787	ng	94
82) 1,2,4-Trimethylbenzene	24.67	105	1707192	28.384	ng	90
83) n-Decane	24.79	57	1021966	28.905	ng	81
84) Benzyl Chloride	24.84	91	1580751	32.319	ng	95
85) 1,3-Dichlorobenzene	24.87	146	1011132	28.795	ng	98
86) 1,4-Dichlorobenzene	24.95	146	1026955	28.547	ng	99
87) sec-Butylbenzene	25.01	105	2255176	28.734	ng	98
88) p-Isopropyltoluene	25.20	119	2189550	28.742	ng	94
89) 1,2,3-Trimethylbenzene	25.20	105	1768670	29.386	ng	88
90) 1,2-Dichlorobenzene	25.37	146	989131	29.746	ng	98
91) d-Limonene	25.38	68	688683	29.498	ng	99
92) 1,2-Dibromo-3-Chloropr...	25.90	157	358735	31.081	ng	# 76
93) n-Undecane	26.32	57	1063532	27.877	ng	78
94) 1,2,4-Trichlorobenzene	27.43	184	212624	30.307	ng	# 93
95) Naphthalene	27.57	128	2490959	28.722	ng	100
96) n-Dodecane	27.55	57	1098888	25.543	ng	76
97) Hexachloro-1,3-butadiene	27.99	225	407933	29.237	ng	100
98) Cyclohexanone	22.06	55	576271	22.391	ng	92
99) tert-Butylbenzene	24.67	119	1720031	29.502	ng	100
100) n-Butylbenzene	25.71	91	1843465	29.675	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160903.D  
 Acq On : 16 Feb 2009 10:36  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:07 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.933min (-0.091) 140.48ng

response 1433241



Ion	Exp%	Act%
45.00	100	100
46.10	35.10	39.06
0.00	0.00	0.00
0.00	0.00	0.00

*PT*

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160903.D  
 Acq On : 16 Feb 2009 10:36  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:07 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(10) Ethanol (T)

6.933min (-0.091) 146.58ng m

response 1495507

Ion	Exp%	Act%
45.00	100	100
46.10	35.10	37.43
0.00	0.00	0.00
0.00	0.00	0.00

PT → IC  
 41 02/16/09

— 2/17/09



2/17/09

218

# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160903.D  
 Acq On : 16 Feb 2009 10:36  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:07 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.106min (-0.068) 40.02ng

response 1670028

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	18.13
0.00	0.00	0.00
0.00	0.00	0.00




*PT*



# Quantitation Report (Qedit)

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160903.D  
 Acq On : 16 Feb 2009 10:36  
 Operator : WA/LH  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-01290901/S20-01210903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 16 11:13:07 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration



(15) Isopropanol (T)

8.106min (-0.068) 42.48ng m

response 1772570

Ion	Exp%	Act%
45.10	100	100
43.00	17.10	17.08
0.00	0.00	0.00
0.00	0.00	0.00

PT → IC  
 LH 02/16/09

2/17/09

DA 2/17/09

220

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY DUPLICATE SUMMARY RESULTS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-InA-58**  
Client Project ID: **Cooper Vision / 70665-014**

CAS Project ID: P0900513  
CAS Sample ID: P0900513-002DUP

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC00848

Date Collected: 2/10/09  
Date Received: 2/12/09  
Date Analyzed: 2/13/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -4.3

Final Pressure (psig): 3.5


Canister Dilution Factor: 1.75

Compound	Sample Result		Duplicate Sample Result		Average	% RPD	RPD	Data
	$\mu\text{g}/\text{m}^3$	ppbV	$\mu\text{g}/\text{m}^3$	ppbV	ppbV			Qualifier
Vinyl Chloride	ND	ND	ND	ND	-	-	25	
Chloroethane	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethene	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethane	ND	ND	ND	ND	-	-	25	
1,1,1-Trichloroethane	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130911.D  
Acq On : 13 Feb 2009 16:33  
Operator : WA/LH  
Sample : P0900513-002Dup (1000mL)  
Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5) ✓  
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 17:15:17 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130911.D  
 Acq On : 13 Feb 2009 16:33  
 Operator : WA/LH  
 Sample : P0900513-002Dup (1000mL)  
 Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5) ✓  
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 17:15:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	306251	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1398587	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	695931	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.42	65	479750	24.496	ng	-0.04
Spiked Amount 25.000			Recovery	=	98.00%	✓
57) Toluene-d8 (SS2)	18.67	98	1583839	24.173	ng	-0.01
Spiked Amount 25.000			Recovery	=	96.68%	✓
73) Bromofluorobenzene (SS3)	23.06	174	653389	26.550	ng	0.00
Spiked Amount 25.000			Recovery	=	106.20%	✓

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.58	42	579027	33.773	ng	91
3) Dichlorodifluoromethane	4.75	85	48005	1.604	ng	100
4) Chloromethane	5.06	50	17591	0.719	ng	98
5) Freon 114	5.31	135	834	N.D.		
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.77	54	19130	1.316	ng	93
8) Bromomethane	6.24	94	262	N.D.		
9) Chloroethane	6.57	64	135	N.D.	✓	
10) Ethanol	7.02	45	13135748	1235.469	ng	93
11) Acetonitrile	7.19	41	103668	3.601	ng	97
12) Acrolein	7.39	56	34567	3.877	ng	84
13) Acetone	7.60	58	406622	33.543	ng	91
14) Trichlorofluoromethane	7.87	101	21358	0.821	ng	95
15) Isopropanol	8.15	45	7396652	170.091	ng	99
16) Acrylonitrile	8.38	53	9363	0.471	ng	96
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.07	59	17145	0.418	ng	# 16
19) Methylene Chloride	9.08	84	3934	0.256	ng	# 54
20) Allyl Chloride	9.26	41	2157	0.116	ng	# 55
21) Trichlorotrifluoroethane	9.52	151	4524	0.388	ng	83
22) Carbon Disulfide	9.46	76	7345	0.136	ng	91
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	10.92	73	356	N.D.		
26) Vinyl Acetate	11.03	86	11313	4.499	ng	# 1
27) 2-Butanone	11.40	72	15035	1.624	ng	# 40
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	12.40	87	1017	0.091	ng	# 1
30) Ethyl Acetate	12.39	61	49067	9.168	ng	82
31) n-Hexane	12.40	57	13388	0.529	ng	8223

Data Path : J:\MS16\DATA\2009\_02\13\  
 Data File : 02130911.D  
 Acq On : 13 Feb 2009 16:33  
 Operator : WA/LH  
 Sample : P0900513-002Dup (1000mL)  
 Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5)  
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 17:15:17 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	12.49	83	33139	1.426	ng	100
34) Tetrahydrofuran	13.10	72	569	0.066	ng	# 1
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	6118	0.312	ng	99
38) 1,1,1-Trichloroethane	13.97	97	644	N.D.	✓	
39) Isopropyl Acetate	14.55	61	1686	0.170	ng	# 1
40) 1-Butanol	14.57	56	36518	2.377	ng	92
41) Benzene	14.67	78	115716	1.930	ng	99
42) Carbon Tetrachloride	14.90	117	5583	0.287	ng	100
43) Cyclohexane	15.10	84	3971	0.199	ng	# 70
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	15.90	63	992	0.065	ng	88
46) Bromodichloromethane	16.18	83	10171	0.545	ng	99
47) Trichloroethene	16.25	130	433	N.D.		
48) 1,4-Dioxane	16.24	88	328	N.D.		
49) Isooctane	16.33	57	15150	0.223	ng	82
50) Methyl Methacrylate	16.71	100	2119	0.360	ng	# 1
51) n-Heptane	16.71	71	7047	0.475	ng	# 78
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.52	58	1941	0.138	ng	76
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	134476	9.571	ng	# 8
58) Toluene	18.80	91	249992	3.786	ng	98
59) 2-Hexanone	19.13	43	7749	0.193	ng	89
60) Dibromochloromethane	19.34	129	3880	0.237	ng	99
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.95	43	124347	2.705	ng	94
63) n-Octane	20.11	57	8384	0.552	ng	# 75
64) Tetrachloroethene	20.29	166	1446	0.079	ng	91
65) Chlorobenzene	21.16	112	488	N.D.		
66) Ethylbenzene	21.64	91	39935	0.543	ng	100
67) m- & p-Xylene	21.86	91	78940	1.368	ng	98
68) Bromoform	21.95	173	344	N.D.		
69) Styrene	22.33	104	22797	0.514	ng	97
70) o-Xylene	22.48	91	23805	0.403	ng	99
71) n-Nonane	22.75	43	17524	0.480	ng	91
72) 1,1,2,2-Tetrachloroethane	22.49	83	872	N.D.		
74) Cumene	23.24	105	3762	N.D.		
75) alpha-Pinene	23.74	93	96169	2.856	ng	97
76) n-Propylbenzene	23.88	91	10502	0.111	ng	79
77) 3-Ethyltoluene	24.01	105	21227	0.296	ng	97
78) 4-Ethyltoluene	24.07	105	10569	0.151	ng	96
79) 1,3,5-Trimethylbenzene	24.15	105	7769	0.128	ng	100

224

Data Path : J:\MS16\DATA\2009\_02\13\  
Data File : 02130911.D  
Acq On : 13 Feb 2009 16:33  
Operator : WA/LH  
Sample : P0900513-002Dup (1000mL)  
Misc : Haley & Aldrich SV-InA-58 (-4.3, 3.5)  
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 13 17:15:17 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.35	118	1685	N.D.		
81) 2-Ethyltoluene	24.40	105	8223	0.112	ng	100
82) 1,2,4-Trimethylbenzene	24.67	105	23686	0.365	ng	94
83) n-Decane	24.79	57	86736	2.273	ng	77
84) Benzyl Chloride	24.85	91	130	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	2145	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	2145	N.D.		
87) sec-Butylbenzene	25.01	105	1019	N.D.		
88) p-Isopropyltoluene	25.20	119	34364	0.418	ng	93
89) 1,2,3-Trimethylbenzene	25.20	105	9438	0.145	ng	# 66
90) 1,2-Dichlorobenzene	25.37	146	205	N.D.		
91) d-Limonene	25.37	68	346862	13.764	ng	99
92) 1,2-Dibromo-3-Chloropr...	26.32	157	59	N.D.		
93) n-Undecane	26.32	57	37651	0.914	ng	68
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.57	128	22856	0.244	ng	100
96) n-Dodecane	27.55	57	17437	0.375	ng	74
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.06	55	14690	0.529	ng	# 93
99) tert-Butylbenzene	25.12	119	2439	N.D.		
100) n-Butylbenzene	25.71	91	4183	0.062	ng	# 30

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY DUPLICATE SUMMARY RESULTS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: SV-InA-2  
Client Project ID: Cooper Vision / 70665-014

CAS Project ID: P0900513  
CAS Sample ID: P0900513-009DUP

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16  
Analyst: Wida Ang  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC01423

Date Collected: 2/10/09  
Date Received: 2/16/09  
Date Analyzed: 2/16/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.6

Final Pressure (psig): 3.5


Canister Dilution Factor: 1.39

Compound	Sample Result		Duplicate Sample Result		Average	% RPD	RPD	Data
	$\mu\text{g}/\text{m}^3$	ppbV	$\mu\text{g}/\text{m}^3$	ppbV	ppbV			Qualifier
Vinyl Chloride	ND	ND	ND	ND	-	-	25	
Chloroethane	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethene	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethane	ND	ND	ND	ND	-	-	25	
1,1,1-Trichloroethane	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

Data Path : J:\MS16\DATA\2009\_02\16\  
Data File : 02160907.D  
Acq On : 16 Feb 2009 13:37  
Operator : WA/LH  
Sample : P0900513-009Dup (1000mL)  
Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5) ✓  
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 14:38:50 2009  
Quant Method : J:\MS16\METHODS\R16012209.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Fri Jan 23 08:54:57 2009  
Response via : Initial Calibration



227



Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160907.D  
 Acq On : 16 Feb 2009 13:37  
 Operator : WA/LH  
 Sample : P0900513-009Dup (1000mL)  
 Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5) ✓  
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 14:38:50 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.28	130	267798	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.21	114	1235225	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.10	82	607502	25.000	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.42	65	433669	25.323	ng	-0.04
Spiked Amount	25.000		Recovery	=	101.28%	
57) Toluene-d8 (SS2)	18.67	98	1402601	24.523	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.08%	
73) Bromofluorobenzene (SS3)	23.06	174	544271	25.335	ng	0.00
Spiked Amount	25.000		Recovery	=	101.32%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.63	42	12505	0.834	ng	# 26
3) Dichlorodifluoromethane	4.76	85	54618	2.086	ng	99
4) Chloromethane	5.09	50	8576	0.401	ng	94
5) Freon 114	5.32	135	1012	0.081	ng	76
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	5.79	54	395	N.D.		
8) Bromomethane	6.26	94	54	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	6.98	45	13223	1.422	ng	75
11) Acetonitrile	7.19	41	2387	0.095	ng	# 42
12) Acrolein	7.41	56	3013	0.386	ng	79
13) Acetone	7.61	58	56880	5.366	ng	# 78
14) Trichlorofluoromethane	7.87	101	23974	1.054	ng	94
15) Isopropanol	8.08	45	5319	0.140	ng	62
16) Acrylonitrile	8.49	53	301	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.03	59	954	N.D.		
19) Methylene Chloride	9.08	84	2898	0.215	ng	# 57
20) Allyl Chloride	9.18	41	1158	0.071	ng	# 55
21) Trichlorotrifluoroethane	9.53	151	5050	0.495	ng	92
22) Carbon Disulfide	9.48	76	2532	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.05	86	543	0.247	ng	# 1
27) 2-Butanone	11.40	72	6085	0.752	ng	# 58
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.40	61	7021	1.500	ng	94
31) n-Hexane	12.41	57	7549	0.341	ng	10228

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160907.D  
 Acq On : 16 Feb 2009 13:37  
 Operator : WA/LH  
 Sample : P0900513-009Dup (1000mL)  
 Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5)  
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 14:38:50 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
-----						
32) Chloroform	12.49	83	1561	0.077	ng	93
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	13.59	62	835	N.D.		
38) 1,1,1-Trichloroethane	13.98	97	829	N.D.	✓	
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	14.62	56	3860	0.284	ng	90
41) Benzene	14.67	78	33275	0.628	ng	98
42) Carbon Tetrachloride	14.90	117	5872	0.342	ng	97
43) Cyclohexane	15.09	84	1276	0.072	ng	# 69
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	16.26	130	66	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.34	57	12665	0.211	ng	93
50) Methyl Methacrylate	16.71	100	356	0.068	ng	# 1
51) n-Heptane	16.70	71	1734	0.132	ng	# 73
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.54	58	464	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.68	97	119825	9.656	ng	# 8
58) Toluene	18.80	91	64022	1.111	ng	99
59) 2-Hexanone	19.13	43	4098	0.117	ng	84
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	19.97	43	2878	0.072	ng	# 56
63) n-Octane	20.11	57	2554	0.193	ng	85
64) Tetrachloroethene	20.29	166	1051	0.065	ng	90
65) Chlorobenzene	21.15	112	59	N.D.		
66) Ethylbenzene	21.64	91	10187	0.159	ng	97
67) m- & p-Xylene	21.86	91	23261	0.462	ng	98
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.34	104	1501	N.D.		
70) o-Xylene	22.48	91	9260	0.180	ng	99
71) n-Nonane	22.75	43	3808	0.119	ng	96
72) 1,1,2,2-Tetrachloroethane	22.48	83	52	N.D.		
74) Cumene	23.24	105	1596	N.D.		
75) alpha-Pinene	23.74	93	3691	0.126	ng	# 43
76) n-Propylbenzene	23.89	91	3189	N.D.		
77) 3-Ethyltoluene	24.02	105	7591	0.121	ng	100
78) 4-Ethyltoluene	24.07	105	3899	0.064	ng	93
79) 1,3,5-Trimethylbenzene	24.16	105	3069	N.D.		

229

Data Path : J:\MS16\DATA\2009\_02\16\  
 Data File : 02160907.D  
 Acq On : 16 Feb 2009 13:37  
 Operator : WA/LH  
 Sample : P0900513-009Dup (1000mL)  
 Misc : Haley & Aldrich SV-InA-2 (-1.6, 3.5)  
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 16 14:38:50 2009  
 Quant Method : J:\MS16\METHODS\R16012209.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Fri Jan 23 08:54:57 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.59	118	988	N.D.		
81) 2-Ethyltoluene	24.40	105	2936	N.D.		
82) 1,2,4-Trimethylbenzene	24.67	105	9369	0.165	ng	93
83) n-Decane	24.79	57	42072	1.263	ng	80
84) Benzyl Chloride	24.84	91	53	N.D.		
85) 1,3-Dichlorobenzene	24.95	146	1859	N.D.		
86) 1,4-Dichlorobenzene	24.95	146	1859	N.D.		
87) sec-Butylbenzene	25.01	105	458	N.D.		
88) p-Isopropyltoluene	25.20	119	1244	N.D.		
89) 1,2,3-Trimethylbenzene	25.20	105	2544	N.D.		
90) 1,2-Dichlorobenzene	24.95	146	1859	N.D.		
91) d-Limonene	25.38	68	1383	0.063	ng	93
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.32	57	9763	0.272	ng	68
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.58	128	3242	N.D.		
96) n-Dodecane	27.55	57	3331	0.082	ng	92
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.07	55	2943	0.121	ng	# 75
99) tert-Butylbenzene	24.67	119	1160	N.D.		
100) n-Butylbenzene	25.67	91	1970	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Copy of Calculations

## Instructions for Data Validation-Method TO-15(SCAN)

### 1. Determination of Pressure Dilution Factor

Upon receipt at the laboratory the pressure or vacuum of the sample canisters is measured using a digital pressure gauge. The canisters are then pressurized with humidified zero air to approximately +3.5 psig (pounds per square inch gauge).

Pressure Dilution factor is calculated as:

$$PDF = \frac{P_f + 14.7}{P_i + 14.7}$$

$P_f$  final pressure in psig  
 $P_i$  initial pressure in psig

### 2. Validating Initial and Continuing Calibration Results

GC/MS target compound analysis is performed using internal standard quantitation. Three internal standard compounds (Bromochloromethane, 1,4-Difluorobenzene and Chlorobenzene-d5) are added to each aliquot of sample, blank, standard and duplicate at an amount of 25 nanograms(ng). Internal standard responses are used to calculate RRFs (relative response factors) as follows:

$$RRF = \frac{A_x C_{is}}{A_{is} C_x}$$

$A_x$  area response of the analyte quantitation ion  
 $A_{is}$  area response of the corresponding internal standard quantitation ion  
 $C_{is}$  internal standard concentration, ng  
 $C_x$  analyte concentration, ng

The percent relative standard deviation (%RSD) for the five or six initial calibration points should be less than 30% (with a maximum of two analytes  $\leq 40\%$ ) for the calibration to be considered valid and linear.

$$\%RSD = \frac{SD}{\overline{RRF}} (100)$$

$SD$  standard deviation  
 $\overline{RRF}$  average or mean RRF (ICAL)

## Instructions for Data Validation-Method TO-15(SCAN)

The initial calibration is verified once per twenty-four hour analytical sequence with the analysis of a continuing calibration standard at one of the initial calibration levels (actual analyte concentrations of the CCV are the same as the corresponding concentrations in the initial calibration). The relative response factor of each target analyte from the daily continuing calibration standard is compared to the average relative response factor from the initial multipoint calibration. The percent difference (%D) of the initial and continuing calibration relative response factors is calculated as follows:

$$\%D = \left( \frac{\overline{RRF} - RRF_{cont}}{\overline{RRF}} \right) (100)$$

$\overline{RRF}$  average relative response factor from the initial calibration

$RRF_{cont}$  relative response factor from the daily continuing calibration standard

Note: the percent difference (%D) should be less than 30% for an acceptable continuing calibration standard.

### 3. Validating GC/MS Target Analyte Quantitation Results

Target analytes are measured in nanograms using internal standard quantitation as follows:

$$ng_x = \frac{A_x ng_{is}}{A_{is} \overline{RRF}}$$

$ng_x$  nanogram concentration of analyte x

$A_x$  area response of the analyte's quantitation ion

$A_{is}$  area response of the corresponding internal standard's quantitation ion

$ng_{is}$  internal standard amount, in nanograms

$\overline{RRF}$  average or mean RRFs (ICAL)

### 4. Calculation of $\mu\text{g}/\text{m}^3$ (microgram per cubic meter) Results

Target compound results reported on the "Results of Analysis" form in units of  $\mu\text{g}/\text{m}^3$  are calculated as follows:

$$\mu\text{g}/\text{m}^3 = \frac{(ng)(PDF)}{L}$$

$ng$  nanograms of analyte (measured on the GC/MS quantitation report)

$PDF$  pressure dilution factor (see equation 1)

$L$  sample aliquot in Liters

## Instructions for Data Validation-Method TO-15(SCAN)

---

### 5. Conversion to ppb (parts per billion) Volume

$$C_{ppbv} = C_x \left( \frac{24.46}{FW} \right)$$

*FW* formula weight of the target analytes (i.e. formula weight of Dichloromethane is 84.94; 1,2-Dichloropropane is 113)

24.46 molar volume of ideal gas at 25°C and 1 atmosphere

*C<sub>x</sub>* final analyte concentration calculated in equation 4 (µg/m<sup>3</sup>)

**LABORATORY REPORT**

March 9, 2009

Susan Boyle  
Haley & Aldrich, Inc.  
200 Town Centre Drive Suite 2  
Rochester, NY 14623-4264

**RE: Cooper Vision SVI / 70665-014**

Dear Susan:

Enclosed are the results of the samples submitted to our laboratory on March 2, 2009. For your reference, these analyses have been assigned our service request number P0900735.


All analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at [www.caslab.com](http://www.caslab.com). Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein. Your report contains 117 pages.

Columbia Analytical Services, Inc. is certified by the California Department of Health Services, NELAP Laboratory Certificate No. 02115CA; Arizona Department of Health Services, Certificate No. AZ0694; Florida Department of Health, NELAP Certification E871020; New Jersey Department of Environmental Protection, NELAP Laboratory Certification ID #CA009; New York State Department of Health, NELAP NY Lab ID No: 11221; Oregon Environmental Laboratory Accreditation Program, NELAP ID: CA20007; The American Industrial Hygiene Association, Laboratory #101661; Department of the Navy (NFESC); Pennsylvania Registration No. 68-03307; TX Commission of Environmental Quality, NELAP ID T104704413-08-TX. Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact me for information corresponding to a particular certification.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

**Columbia Analytical Services, Inc.**



Kate Aguilera  
Project Manager



## NARRATIVE

Client: Haley & Aldrich, Inc.  
Project: Cooper Vision SVI / 70665-014

CAS Project No: P0900735  
New York Lab ID: 11221

---

### CASE NARRATIVE

The samples were received intact under chain of custody on March 2, 2009 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

#### Volatile Organic Compound Analysis

The samples were analyzed for selected volatile organic compounds in accordance with EPA Method TO-15 from the Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition (EPA/625/R-96/010b), January, 1999. The analytical system was comprised of a gas chromatograph / mass spectrometer (GC/MS) interfaced to a whole-air preconcentrator.

---

*The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for utilization of less than the complete report.*

Client: Haley & Aldrich, Incorporated  
 Project: Cooper Vision SVI 70665-014

Folder: P0900735

### Detailed Sample Information

CAS Sample ID	Client Sample ID	Container Type	PI1 (Hg)	PI1 (psig)	PI1	PI2 (Hg)	PI2 (psig)	Cont ID	Order #	FC ID	Bottle Order #
P0900735-001.01	SV-SS-705-1	6.0 L-Summa Canister Source	-1.7	-0.8	3.7			SC00615	12000	OA00857	12000
P0900735-002.01	SV-InA-705-1	6.0 L-Summa Canister Ambient		0.3	3.5			AC01365	12000	FC00695	12000
P0900735-003.01	SV-OutA-022609	6.0 L-Summa Canister Ambient	-4.2	-2.1	3.5			AC00977	12000	FC00266	12000
P0900735-004.01	SV-SS-709-2	6.0 L-Summa Canister Source	-2.3	-1.1	3.5			SC00196	12000	OA00846	12000
P0900735-005.01	SV-InA-709-2	6.0 L-Summa Canister Ambient	-1.6	-0.8	3.5			AC00989	12000	FC00384	12000
P0900735-006.01	AC00681	6.0 L-Summa Canister Ambient	-29.6	-14.5				AC00681	12000		
P0900735-007.01	AC01060	6.0 L-Summa Canister Ambient	-29.6	-14.5				AC01060	12000		
P0900735-008.01	AC01048	6.0 L-Summa Canister Ambient	-29.6	-14.5				AC01048	12000		
P0900735-009.01	SC00588	6.0 L-Summa Canister Source	-29.3	-14.4				SC00588	12000		

### Miscellaneous Items - received

AVG00750  
 AVG00601  
 OA00539  
 AVG00976  
 AVG00916  
 AVG00062  
 AVG01003  
 FC00215  
 AVG00288  
 AVG00804  
 FC00559  
 FC00509  
 FC00660  
 AVG00632  
 AVG00958

**Columbia Analytical Services, Inc.**  
**Sample Acceptance Check Form**

Client: Haley & Aldrich, Inc.

Work order: P0900735

Project: Cooper Vision SVI / 70665-014

Sample(s) received on: 03/02/09

Date opened: 03/02/09

by: MZAMORA

**Note:** This form is used for all samples received by CAS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

		<u>Yes</u>	<u>No</u>	<u>N/A</u>
1	Were <b>sample containers</b> properly marked with client sample ID?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Container(s) <b>supplied by CAS?</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Did <b>sample containers</b> arrive in good condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Was a <b>chain-of-custody</b> provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Was the <b>chain-of-custody</b> properly completed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Did <b>sample container labels</b> and/or tags agree with custody papers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Was <b>sample volume</b> received adequate for analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Are samples within specified holding times?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Was proper <b>temperature</b> (thermal preservation) of cooler at receipt adhered to?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	<div style="display: flex; justify-content: space-between;"> <span>Cooler Temperature _____ °C</span> <span>Blank Temperature _____ °C</span> </div>			
10	Was a <b>trip blank</b> received?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Trip blank supplied by CAS: _____			
11	Were <b>custody seals</b> on outside of cooler/Box?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Location of seal(s)? _____ Sealing Lid?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were signature and date included?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were custody seals on outside of sample container?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Location of seal(s)? _____ Sealing Lid?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were signature and date included?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were seals intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12	Do containers have appropriate <b>preservation</b> , according to method/SOP or Client specified information?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Is there a client indication that the submitted samples are <b>pH</b> preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Were <b>VOA vials</b> checked for presence/absence of air bubbles?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Does the client/method/SOP require that the analyst check the sample pH and <u>if necessary</u> alter it?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13	<b>Tubes:</b> Are the tubes capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Do they contain moisture?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	<b>Badges:</b> Are the badges properly capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Are dual bed badges separated and individually capped and intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P0900735-001.01	6.0 L Source Can					
P0900735-002.01	6.0 L Ambient Can					
P0900735-003.01	6.0 L Ambient Can					
P0900735-004.01	6.0 L Source Can					
P0900735-005.01	6.0 L Ambient Can					

Explain any discrepancies: (include lab sample ID numbers): \_\_\_\_\_

## NYSDEC DATA PACKAGE SUMMARY FORMS

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

## SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

[illegible]

SAMPLE PREPARATION AND ANALYSIS SUMMARY  
VOLATILE (VOA)  
ANALYSES

8

## CHAIN OF CUSTODY FORMS





# Air - Chain of Custody Record & Analytical Service Request

2655 Park Center Drive, Suite A  
Simi Valley, California 93065  
Phone (805) 526-7161  
Fax (805) 526-7270

Page \_\_\_\_\_ of \_\_\_\_\_

Company Name & Address (Reporting Information)				Requested Turnaround Time in Business Days (Surcharges) please circle				CAS Project No.			
				1 Day (100%)	2 Day (75%)	3 Day (50%)	4 Day (35%)	5 Day (25%)	10 Day-Standard		
Haley's Aldrich				K. Aguilera				90400735			
Project Manager S. Boyle				Project Name CooperVision SUV							
Phone 321-4222				Project Number 70065-014							
Fax				P.O. # / Billing Information							
Email Address for Result Reporting				Sampler (Print & Sign) Christina Ondak							
Client Sample ID	Laboratory ID Number	Date Collected	Time Collected	Sample Type (Air/Tube/Solid)	Canister ID (Bar code # - AC, SC, etc.)	Flow Controller (Bar code # - FC #)	Sample Volume	Time Start (a/c)	Time Stop (a/c)	Analysis Method and/or Analytes	Comments
SV-SS-705-1	①-1.7	02/26	04:14	Air	0015	00857	6L	1207/1200	08/07	vacuum stop	please provide results ASP-B
SV-10A-705-1	②-10.3				00365	005095		1257/1200	30/00	X	package
SV-01A-082609	③-4.2				00917	002604		1400/1140	30/06	X	vinyl chloride
SV-SS-709-2	④-2.3				00196	00846		1400/1200	26/03	X	min reporting limit for
SV-10A-709-2	⑤-1.6				00989	00384	V	1413/1200	30/03	X	sublab = 14/m <sup>3</sup>
	-24.6										indoor = .25
	-24.6										outdoor = .25
	-24.3										all other compounds
											min reporting limit = 1.4/m <sup>3</sup>
Report Tier Levels - please select				Tier III (Data Validation Package) 10% Surcharge				Tier V (client specified)			
Tier I - (Results/Default if not specified)				Tier II (Results + QC)				Tier IV (Results + QC)			
Relinquished by: (Signature) Christina Ondak				Relinquished by: (Signature) Christina Ondak				Relinquished by: (Signature)			
Relinquished by: (Signature)				Relinquished by: (Signature)				Relinquished by: (Signature)			
Relinquished by: (Signature)				Relinquished by: (Signature)				Relinquished by: (Signature)			
Date: 02/27				Date: 3/2/09				Date: 04/15			
Time: 12:56				Time: 09:45				Time: 09:45			
Cooler / Blank Temperature				Cooler / Blank Temperature				Cooler / Blank Temperature			

## GC/MS VOLATILES DATA

## QC Summary

## COLUMBIA ANALYTICAL SERVICES, INC.

## SURROGATE SPIKE RECOVERY RESULTS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Project ID: **Cooper Vision SVI / 70665-014**

CAS Project ID: P0900735

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister(s)  
Test Notes:

Date(s) Collected: 2/27/09  
Date(s) Received: 3/2/09  
Date(s) Analyzed: 3/4/09

Client Sample ID	CAS Sample ID	1,2-Dichloroethane-d4		Toluene-d8		Bromofluorobenzene		Data Qualifier
		% Recovered	Acceptance Limits	% Recovered	Acceptance Limits	% Recovered	Acceptance Limits	
Method Blank	P090304-MB	102	70-130	101	70-130	98	70-130	
Lab Control Sample	P090304-LCS	101	70-130	99	70-130	99	70-130	
SV-SS-705-1	P0900735-001	101	70-130	100	70-130	99	70-130	
SV-InA-705-1	P0900735-002	101	70-130	100	70-130	100	70-130	
SV-OutA-022609	P0900735-003	102	70-130	99	70-130	98	70-130	
SV-SS-709-2	P0900735-004	101	70-130	99	70-130	98	70-130	
SV-InA-709-2	P0900735-005	102	70-130	100	70-130	98	70-130	

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Lab Control Sample  
Client Project ID: Cooper Vision SVI / 70665-014

CAS Project ID: P0900735  
CAS Sample ID: P090304-LCS

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 3/04/09  
Volume(s) Analyzed: NA Liter(s)

CAS #	Compound	Spike Amount ng	Result ng	% Recovery	CAS	Data Qualifier
					Acceptance Limits	
75-01-4	Vinyl Chloride	25.5	22.0	86	57-132	
75-00-3	Chloroethane	25.8	24.5	95	68-123	
75-35-4	1,1-Dichloroethene	27.5	22.7	83	70-123	
75-34-3	1,1-Dichloroethane	26.8	25.7	96	72-130	
71-55-6	1,1,1-Trichloroethane	26.5	25.3	95	69-127	

# COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Project ID: Cooper Vision SVI / 70665-014

CAS Project ID: P0900735

### Method Blank Summary


Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister(s)  
Test Notes:  
Lab File ID: 03040902.D  
Date Analyzed: 3/04/09  
Time Analyzed: 09:05

Client Sample ID	CAS Sample ID	Lab File ID	Time Analyzed
Lab Control Sample	P090304-LCS	03040907.D	13:08
SV-InA-705-1	P0900735-002	03040909.D	14:35
SV-OutA-022609	P0900735-003	03040910.D	15:21
SV-SS-705-1	P0900735-001	03040912.D	17:11
SV-SS-709-2	P0900735-004	03040913.D	17:52
SV-InA-709-2	P0900735-005	03040914.D	18:34

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170912.D  
 Acq On : 17 Feb 2009 16:49  
 Operator : EM  
 Sample : BFB Tune Standard (200ml)  
 Misc : S20-02030901  
 ALS Vial : 4 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS09\Methods\R9021709.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Mon Feb 16 12:39:21 2009



AutoFind: Scans 3485, 3486, 3487; Background Corrected with Scan 3475


Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	16.1	50781	PASS
75	95	30	66	44.7	140904	PASS
95	95	100	100	100.0	315477	PASS
96	95	5	9	6.4	20125	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	78.3	247104	PASS
175	174	4	9	8.0	19773	PASS
176	174	93	101	96.9	239509	PASS
177	176	5	9	6.3	15112	PASS

Can 2/18/09

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS09\Methods\R9021709.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009



AutoFind: Scans 3485, 3486, 3487; Background Corrected with Scan 3475

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	16.9	54877	PASS
75	95	30	66	45.7	148885	PASS
95	95	100	100	100.0	325611	PASS
96	95	5	9	6.5	21061	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	76.8	250176	PASS
175	174	4	9	7.9	19880	PASS
176	174	93	101	96.5	241323	PASS
177	176	5	9	6.4	15501	PASS



## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Project ID: **Cooper Vision SVI / 70665-014**

CAS Project ID: P0900735

## Internal Standard Area and RT Summary

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister(s)  
Test Notes:

Lab File ID: 03040901.D  
Date Analyzed: 3/4/09  
Time Analyzed: 08:10

	IS1 (BCM)			IS2 (DFB)			IS3 (CBZ)		
	AREA	#	RT	AREA	#	RT	AREA	#	RT
24 Hour Standard	333021		12.82	1607634		15.77	798532		21.57
Upper Limit	466229		13.15	2250688		16.10	1117945		21.90
Lower Limit	199813		12.49	964580		15.44	479119		21.24

Client Sample ID		IS1 (BCM)			IS2 (DFB)			IS3 (CBZ)		
01	Method Blank	330101		12.80	1608551		15.75	791060		21.57
02	Lab Control Sample	322309		12.82	1549597		15.77	774690		21.57
03	SV-InA-705-1	338724		12.80	1633065		15.75	812724		21.57
04	SV-OutA-022609	338884		12.80	1640751		15.75	814845		21.57
05	SV-SS-705-1	313335		12.82	1507301		15.76	752075		21.57
06	SV-SS-709-2	324268		12.82	1568878		15.76	785278		21.57
07	SV-InA-709-2	313952		12.80	1523485		15.75	755013		21.57
08										
09										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										

IS1 (BCM) = Bromochloromethane

IS2 (DFB) = 1,4-Difluorobenzene

IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = 140% of internal standard area

AREA LOWER LIMIT = 60% of internal standard area

RT UPPER LIMIT = 0.33 minutes of internal standard RT

RT LOWER LIMIT = 0.33 minutes of internal standard RT

# Column used to flag values outside QC limits with an I.

I = Internal standard not within the specified limits. See case narrative.

Verified By: RGDate: 3/6/09

**COLUMBIA ANALYTICAL SERVICES**  
MDLs for TO-15 (LOW LEVEL - SCAN)

COMPOUND	?	10/02/08	10/03/08	10/03/08					FINAL	
	MS8	MS9	MS13	MS16	MAX				MDL <sub>R</sub>	MDL <sub>R</sub>
	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	µg/m <sup>3</sup>	ppbV	MW	µg/m <sup>3</sup>	ppbV
Propene		0.050	0.050	0.050	0.0500	0.050	0.02906	42.08	0.050	0.029
Dichlorodifluoromethane		0.050	0.050	0.050	0.0500	0.050	0.01012	120.90	0.050	0.010
Chloromethane		0.050	0.050	0.050	0.0500	0.050	0.02422	50.49	0.050	0.024
Freon 114		0.050	0.050	0.050	0.0500	0.050	0.00716	170.90	0.050	0.0072
Vinyl Chloride		0.050	0.050	0.050	0.0500	0.050	0.01957	62.50	0.050	0.020
1,3-Butadiene		0.050	0.050	0.050	0.0500	0.050	0.02261	54.09	0.050	0.023
Bromomethane		0.050	0.050	0.050	0.0500	0.050	0.01288	94.94	0.050	0.013
Chloroethane		0.050	0.072	0.050	0.0720	0.072	0.02730	64.52	0.072	0.027
Ethanol		0.140	0.133	0.133	0.1400	0.140	0.07433	46.07	0.14	0.074
Acetonitrile		0.050	0.050	0.050	0.0500	0.050	0.02979	41.05	0.050	0.030
Acrolein		0.056	0.110	0.050	0.1100	0.110	0.04800	56.06	0.11	0.048
Acetone		0.137	0.137	0.137	0.1370	0.140	0.05896	58.08	0.14	0.059
Trichlorofluoromethane		0.050	0.050	0.050	0.0500	0.050	0.00890	137.40	0.050	0.0089
Isopropanol		0.050	0.050	0.180	0.1800	0.180	0.07326	60.10	0.18	0.073
Acrylonitrile		0.050	0.050	0.050	0.0500	0.050	0.02305	53.06	0.050	0.023
1,1-Dichloroethene		0.050	0.056	0.050	0.0560	0.056	0.01413	96.94	0.056	0.014
tert-Butanol		0.051	0.051	0.051	0.0510	0.051	0.01683	74.12	0.051	0.017
Methylene Chloride		0.050	0.055	0.050	0.0550	0.055	0.01584	84.94	0.055	0.016
Allyl Chloride		0.050	0.050	0.050	0.0500	0.050	0.01598	76.53	0.050	0.016
Trichlorotrifluoroethane		0.050	0.058	0.050	0.0580	0.058	0.00757	187.38	0.058	0.0076
Carbon Disulfide		0.050	0.050	0.050	0.0500	0.050	0.01606	76.14	0.050	0.016
trans-1,2-Dichloroethene		0.050	0.050	0.050	0.0500	0.050	0.01262	96.94	0.050	0.013
1,1-Dichloroethane		0.050	0.050	0.050	0.0500	0.050	0.01236	98.96	0.050	0.012
Methyl tert-Butyl Ether		0.050	0.050	0.050	0.0500	0.050	0.01387	88.15	0.050	0.014
Vinyl Acetate		0.126	0.290	0.220	0.2900	0.290	0.08240	86.09	0.29	0.082
2-Butanone		0.050	0.096	0.057	0.0960	0.096	0.03256	72.11	0.096	0.033
cis-1,2-Dichloroethene		0.050	0.050	0.050	0.0500	0.050	0.01262	96.94	0.050	0.013
Diisopropyl Ether		0.050	0.050	0.052	0.0520	0.052	0.01245	102.18	0.052	0.012
Ethyl Acetate		0.076	0.120	0.054	0.1200	0.120	0.03331	88.11	0.12	0.033
n-Hexane		0.050	0.050	0.050	0.0500	0.050	0.01419	86.17	0.050	0.014
Chloroform		0.050	0.050	0.050	0.0500	0.050	0.01024	119.40	0.050	0.010
Tetrahydrofuran		0.050	0.085	0.064	0.0850	0.085	0.02883	72.11	0.085	0.029
Ethyl tert-Butyl Ether		0.050	0.050	0.050	0.0500	0.050	0.01197	102.18	0.050	0.012
1,2-Dichloroethane		0.050	0.050	0.050	0.0500	0.050	0.01236	98.96	0.050	0.012
1,1,1-Trichloroethane		0.050	0.050	0.050	0.0500	0.050	0.00917	133.40	0.050	0.0092
Isopropyl Acetate		0.053	0.053	0.053	0.0530	0.053	0.01269	102.13	0.053	0.013
n-Butanol		0.055	0.056	0.055	0.0560	0.056	0.01848	74.12	0.056	0.018
Benzene		0.050	0.050	0.050	0.0500	0.050	0.01566	78.11	0.050	0.016
Carbon Tetrachloride		0.050	0.050	0.050	0.0500	0.050	0.00795	153.80	0.050	0.0080
Cyclohexane		0.055	0.055	0.055	0.0550	0.055	0.01599	84.16	0.055	0.016
tert-Amyl Methyl Ether		0.050	0.050	0.050	0.0500	0.050	0.01197	102.18	0.050	0.012
1,2-Dichloropropane		0.050	0.050	0.050	0.0500	0.050	0.01082	113.00	0.050	0.011
Bromodichloromethane		0.050	0.050	0.050	0.0500	0.050	0.00747	163.80	0.050	0.0075
Trichloroethene		0.050	0.050	0.050	0.0500	0.050	0.00931	131.40	0.050	0.0093
1,4-Dioxane		0.050	0.060	0.050	0.0600	0.060	0.01666	88.11	0.060	0.017
Isooctane		0.050	0.050	0.050	0.0500	0.050	0.01071	114.23	0.050	0.011
Methyl Methacrylate		0.059	0.094	0.054	0.0940	0.094	0.02296	100.12	0.094	0.023
n-Heptane		0.050	0.050	0.050	0.0500	0.050	0.01221	100.20	0.050	0.012
cis-1,3-Dichloropropene		0.050	0.050	0.050	0.0500	0.050	0.01102	111.00	0.050	0.011
n-Methyl-2-pentanone		0.050	0.050	0.050	0.0500	0.050	0.01221	100.20	0.050	0.012
trans-1,3-Dichloropropene		0.050	0.050	0.050	0.0500	0.050	0.01102	111.00	0.050	0.011
1,1,2-Trichloroethane		0.050	0.050	0.050	0.0500	0.050	0.00917	133.40	0.050	0.0092
Toluene		0.050	0.050	0.050	0.0500	0.050	0.01327	92.14	0.050	0.013
2-Hexanone		0.050	0.050	0.050	0.0500	0.050	0.01221	100.16	0.050	0.012
Dibromochloromethane		0.050	0.050	0.050	0.0500	0.050	0.00587	208.30	0.050	0.0059
1,2-Dibromoethane		0.050	0.050	0.050	0.0500	0.050	0.00651	187.90	0.050	0.0065
Butyl Acetate		0.050	0.050	0.050	0.0500	0.050	0.01053	116.16	0.050	0.011

**COLUMBIA ANALYTICAL SERVICES**  
MDLs for TO-15 (LOW LEVEL - SCAN)

COMPOUND	?	10/02/08	10/03/08	10/03/08					FINAL	
	MS8	MS9	MS13	MS16	MAX				MDL <sub>R</sub>	MDL <sub>R</sub>
	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	MDL <sub>R</sub>	µg/m³	ppbV	MW	µg/m³	ppbV
n-Octane		0.050	0.050	0.050	0.0500	0.050	0.01071	114.23	0.050	0.011
Tetrachloroethene		0.050	0.050	0.050	0.0500	0.050	0.00738	165.80	0.050	0.0074
Chlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.01086	112.60	0.050	0.011
Ethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01152	106.20	0.050	0.012
m- & p-Xylene		0.053	0.053	0.053	0.0530	0.053	0.01221	106.20	0.053	0.012
Bromoform		0.050	0.050	0.053	0.0530	0.053	0.00513	252.80	0.053	0.0051
Styrene		0.050	0.050	0.050	0.0500	0.050	0.01175	104.10	0.050	0.012
o-Xylene		0.050	0.050	0.050	0.0500	0.050	0.01152	106.20	0.050	0.012
n-Nonane		0.050	0.050	0.050	0.0500	0.050	0.00954	128.26	0.050	0.0095
1,1,2,2-Tetrachloroethane		0.050	0.050	0.050	0.0500	0.050	0.00728	167.90	0.050	0.0073
Cumene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010
alpha-Pinene		0.050	0.050	0.050	0.0500	0.050	0.00898	136.24	0.050	0.0090
n-Propylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01018	120.19	0.050	0.010
o-Ethyltoluene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010
p-Ethyltoluene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010
1,3,5-Trimethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010
alpha-Methylstyrene		0.050	0.050	0.050	0.0500	0.050	0.01035	118.19	0.050	0.010
o-Ethyltoluene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010
1,2,4-Trimethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01017	120.20	0.050	0.010
n-Decane		0.050	0.050	0.050	0.0500	0.050	0.00860	142.28	0.050	0.0086
Benzyl Chloride		0.050	0.050	0.050	0.0500	0.050	0.00966	126.59	0.050	0.0097
1,3-Dichlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.00832	147.00	0.050	0.0083
1,4-Dichlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.00832	147.00	0.050	0.0083
sec-Butylbenzene		0.050	0.050	0.050	0.0500	0.050	0.00911	134.22	0.050	0.0091
o-Isopropyltoluene		0.050	0.050	0.050	0.0500	0.050	0.00911	134.22	0.050	0.0091
1,2,3-Trimethylbenzene		0.050	0.050	0.050	0.0500	0.050	0.01018	120.19	0.050	0.010
1,2-Dichlorobenzene		0.050	0.050	0.050	0.0500	0.050	0.00832	147.00	0.050	0.0083
l-Limonene		0.050	0.029	0.050	0.0500	0.050	0.00898	136.24	0.050	0.0090
1,2-Dibromo-3-Chloropropane		0.050	0.043	0.050	0.0500	0.050	0.00517	236.33	0.050	0.0052
n-Undecane		0.050	0.050	0.050	0.0500	0.050	0.00782	156.31	0.050	0.0078
1,2,4-Trichlorobenzene		0.083	0.053	0.076	0.0830	0.083	0.01119	181.50	0.083	0.011
naphthalene		0.050	0.050	0.050	0.0500	0.050	0.00954	128.17	0.050	0.0095
n-Dodecane		0.050	0.050	0.050	0.0500	0.050	0.00718	170.34	0.050	0.0072
hexachloro-1,3-butadiene		0.050	0.050	0.050	0.0500	0.050	0.00469	260.80	0.050	0.0047

Sample Data

# COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** Haley & Aldrich, Inc.  
**Client Sample ID:** SV-SS-705-1  
**Client Project ID:** Cooper Vision SVI / 70665-014

**CAS Project ID:** P0900735  
**CAS Sample ID:** P0900735-001

**Test Code:** EPA TO-15  
**Instrument ID:** Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
**Analyst:** Elsa Moctezuma  
**Sampling Media:** 6.0 L Summa Canister  
**Test Notes:**  
**Container ID:** SC00615

**Date Collected:** 2/27/09  
**Date Received:** 3/2/09  
**Date Analyzed:** 3/4/09  
**Volume(s) Analyzed:** 1.00 Liter(s)

**Initial Pressure (psig):** -0.8      **Final Pressure (psig):** 3.7

**Canister Dilution Factor:** 1.32


CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.13	ND	0.052	
75-00-3	Chloroethane	ND	0.66	ND	0.25	
75-35-4	1,1-Dichloroethene	ND	0.66	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.66	ND	0.16	
71-55-6	1,1,1-Trichloroethane	ND	0.66	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040912.D  
Acq On : 4 Mar 2009 17:11  
Operator : EM  
Sample : P0900735-001 (1000ml)  
Misc : Haley SV-SS-705-1 (-0.8, 3.7) ✓  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Mar 05 07:15:34 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration



23

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040912.D  
 Acq On : 4 Mar 2009 17:11  
 Operator : EM  
 Sample : P0900735-001 (1000ml)  
 Misc : Haley SV-SS-705-1 (-0.8, 3.7)  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Mar 05 07:15:34 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.82	130	313335	25.000	ng	-0.03
37) 1,4-Difluorobenzene (IS2)	15.76	114	1507301	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	752075	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.97	65	515850	25.369	ng	-0.03
Spiked Amount	25.000		Recovery	=	101.48%	
57) Toluene-d8 (SS2)	19.15	98	1770677	24.902	ng	-0.01
Spiked Amount	25.000		Recovery	=	99.60%	
73) Bromofluorobenzene (SS3)	23.49	174	500813	24.727	ng	0.00
Spiked Amount	25.000		Recovery	=	98.92%	

## Target Compounds

						Qvalue
2) Propene	4.84	42	71666	2.552	ng	96
3) Dichlorodifluoromethane	5.01	85	66894	1.791	ng	98
4) Chloromethane	5.34	50	1983	0.060	ng	# 52
5) Freon 114	5.60	135	1723	0.088	ng	# 57
6) Vinyl Chloride	5.80	62	744	N.D.		
7) 1,3-Butadiene	6.09	54	636	N.D.		
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	6.93	64	109	N.D.		
10) Ethanol	7.25	45	1335326	85.613	ng	99
11) Acetonitrile	7.58	41	27761	0.722	ng	96
12) Acrolein	7.79	56	41124	3.833	ng	99
13) Acetone	8.01	58	3773258	207.027	ng	# 79
14) Trichlorofluoromethane	8.29	101	35572	1.156	ng	97
15) Isopropanol	8.48	45	447955	9.841	ng	97
16) Acrylonitrile	8.82	53	4131	0.166	ng	96
17) 1,1-Dichloroethene	9.34	96	115	N.D.		
18) tert-Butanol	9.45	59	24520	0.582	ng	89
19) Methylene Chloride	9.55	84	7170	0.343	ng	# 45
20) Allyl Chloride	9.62	41	3488	0.130	ng	# 53
21) Trichlorotrifluoroethane	9.99	151	14340	1.009	ng	94
22) Carbon Disulfide	9.94	76	206404	2.788	ng	99
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.		
25) Methyl tert-Butyl Ether	11.40	73	59309	1.168	ng	89
26) Vinyl Acetate	11.60	86	31239	9.594	ng	# 1
27) 2-Butanone	11.89	72	496701	43.414	ng	# 26
28) cis-1,2-Dichloroethene	12.58	61	105	N.D.		
29) Diisopropyl Ether	12.93	87	6742	0.421	ng	# 1
30) Ethyl Acetate	12.92	61	12084	1.816	ng	# 14
31) n-Hexane	12.94	57	665053	17.516	ng	88

24

Cam 3/5/09

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040912.D  
Acq On : 4 Mar 2009 17:11  
Operator : EM  
Sample : P0900735-001 (1000ml)  
Misc : Haley SV-SS-705-1 (-0.8, 3.7)  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Mar 05 07:15:34 2009

Quant Method : J:\MS09\Methods\R9021709.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Feb 18 07:31:09 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.03	83	8562	0.285	ng	97
34) Tetrahydrofuran	13.58	72	167041	13.851	ng	# 53
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	14.15	62	1313	0.058	ng	# 44
38) 1,1,1-Trichloroethane	14.54	97	2948	<del>0.114</del>	ng	# 81
39) Isopropyl Acetate	15.24	61	1073	0.093	ng	# 1
40) 1-Butanol	15.09	56	248525	14.021	ng	# 55
41) Benzene	15.24	78	230426	2.564	ng	99
42) Carbon Tetrachloride	15.47	117	9230	0.414	ng	98
43) Cyclohexane	15.66	84	123762	3.864	ng	# 64
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	16.43	63	104	N.D.		
46) Bromodichloromethane	16.73	83	15609	0.665	ng	# 20
47) Trichloroethene	16.79	130	1176	0.052	ng	90
48) 1,4-Dioxane	16.75	88	528	N.D.		
49) Isooctane	16.86	57	52926	0.546	ng	# 1
50) Methyl Methacrylate	17.04	100	810	0.109	ng	# 1
51) n-Heptane	17.22	71	455332	20.032	ng	# 69
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	17.99	58	51120	3.118	ng	83
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.78	97	3848	0.221	ng	87
58) Toluene	19.28	91	1119547	12.699	ng	100
59) 2-Hexanone	19.60	43	240620	6.151	ng	# 39
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	20.40	43	12116	0.258	ng	# 45
63) n-Octane	20.57	57	303366	14.916	ng	# 65
64) Tetrachloroethene	20.76	166	12066	0.580	ng	96
65) Chlorobenzene	21.67	112	47040	0.854	ng	# 43
66) Ethylbenzene	22.10	91	273437	2.882	ng	97
67) m- & p-Xylene	22.31	91	844146	11.517	ng	100
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.79	104	21251	0.389	ng	98
70) o-Xylene	22.92	91	226193	3.033	ng	99
71) n-Nonane	23.19	43	432446	9.190	ng	92
72) 1,1,2,2-Tetrachloroethane	22.93	83	7021	0.235	ng	# 54
74) Cumene	23.67	105	55075	0.581	ng	98
75) alpha-Pinene	24.16	93	247146	5.807	ng	96
76) n-Propylbenzene	24.29	91	51701	0.437	ng	93
77) 3-Ethyltoluene	24.41	105	106477	1.232	ng	100
78) 4-Ethyltoluene	24.47	105	46595	0.543	ng	97
79) 1,3,5-Trimethylbenzene	24.56	105	49972	0.683	ng	99

25



Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040912.D  
Acq On : 4 Mar 2009 17:11  
Operator : EM  
Sample : P0900735-001 (1000ml)  
Misc : Haley SV-SS-705-1 (-0.8, 3.7)  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Mar 05 07:15:34 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.75	118	1427	N.D.		
81) 2-Ethyltoluene	24.79	105	34578	0.392	ng	98
82) 1,2,4-Trimethylbenzene	25.05	105	98210	1.265	ng	92
83) n-Decane	25.16	57	389202	8.377	ng	77
84) Benzyl Chloride	25.27	91	1899	N.D.		
85) 1,3-Dichlorobenzene	25.25	146	114	N.D.		
86) 1,4-Dichlorobenzene	25.33	146	1761	0.042	ng	84
87) sec-Butylbenzene	25.39	105	7830	0.077	ng	# 80
88) p-Isopropyltoluene	25.57	119	25303	0.261	ng	94
89) 1,2,3-Trimethylbenzene	25.58	105	22561	0.291	ng	97
90) 1,2-Dichlorobenzene	25.33	146	1761	0.044	ng	85
91) d-Limonene	25.74	68	229149	7.150	ng	99
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.66	57	28836	0.610	ng	# 45
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.94	128	52286	0.549	ng	97
96) n-Dodecane	27.90	57	194034	3.874	ng	74
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.54	55	74757	2.692	ng	# 35
99) tert-Butylbenzene	25.06	119	12840	0.172	ng	# 56
100) n-Butylbenzene	26.07	91	12546	0.157	ng	# 65

(#) = qualifier out of range (m) = manual integration (+) = signals summed

EM 3/5/09

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-InA-705-1**  
Client Project ID: **Cooper Vision SVI / 70665-014**

CAS Project ID: P0900735  
CAS Sample ID: P0900735-002

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC01365

Date Collected: 2/27/09  
Date Received: 3/2/09  
Date Analyzed: 3/4/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): 0.3      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.21

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.12	ND	0.047	
75-00-3	Chloroethane	ND	0.61	ND	0.23	
75-35-4	1,1-Dichloroethene	ND	0.61	ND	0.15	
75-34-3	1,1-Dichloroethane	ND	0.61	ND	0.15	
71-55-6	1,1,1-Trichloroethane	ND	0.61	ND	0.11	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.



Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040909.D  
 Acq On : 4 Mar 2009 14:35  
 Operator : EM  
 Sample : P0900735-002 (1000ml)  
 Misc : Haley SV-InA-705-1 (0.3, 3.5) ✓  
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Mar 04 15:13:20 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.80	130	338724	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.75	114	1633065	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	812724	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.96	65	554391	25.221	ng	-0.04
Spiked Amount	25.000		Recovery	=	100.88%	
57) Toluene-d8 (SS2)	19.15	98	1919519	24.980	ng	-0.01
Spiked Amount	25.000		Recovery	=	99.92%	
73) Bromofluorobenzene (SS3)	23.49	174	548550	25.062	ng	0.00
Spiked Amount	25.000		Recovery	=	100.24%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.84	42	144595	4.764	ng	96
3) Dichlorodifluoromethane	5.01	85	72239	1.790	ng	98
4) Chloromethane	5.34	50	17719	0.498	ng	95
5) Freon 114	5.60	135	1618	0.076	ng	# 44
6) Vinyl Chloride	0.00	62	0	N.D.	✓	
7) 1,3-Butadiene	6.09	54	2870	0.109	ng	# 82
8) Bromomethane	6.57	94	695	N.D.		
9) Chloroethane	0.00	64	0	N.D.	✓	
10) Ethanol	7.30	45	5408914	320.795	ng	100
11) Acetonitrile	7.56	41	20496	0.493	ng	99
12) Acrolein	7.79	56	15692	1.353	ng	96
13) Acetone	8.00	58	251199	12.749	ng	# 65
14) Trichlorofluoromethane	8.28	101	36946	1.110	ng	98
15) Isopropanol	8.50	45	843804	17.148	ng	100
16) Acrylonitrile	8.81	53	2028	0.075	ng	98
17) 1,1-Dichloroethene	0.00	96	0	N.D.	✓	
18) tert-Butanol	9.48	59	6832	0.150	ng	# 75
19) Methylene Chloride	9.53	84	4224	0.187	ng	# 49
20) Allyl Chloride	9.62	41	2346	0.081	ng	# 53
21) Trichlorotrifluoroethane	9.98	151	6604	0.430	ng	89
22) Carbon Disulfide	9.94	76	4716	0.059	ng	# 75
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.	✓	
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.60	86	6291	1.787	ng	# 1
27) 2-Butanone	11.90	72	18438	1.491	ng	# 35
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	12.92	87	1003	0.058	ng	# 1
30) Ethyl Acetate	12.91	61	11770	1.637	ng	# 70
31) n-Hexane	12.93	57	121059	2.950	ng	89

29

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040909.D  
Acq On : 4 Mar 2009 14:35  
Operator : EM  
Sample : P0900735-002 (1000ml)  
Misc : Haley SV-InA-705-1 (0.3, 3.5)  
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Mar 04 15:13:20 2009

Quant Method : J:\MS09\Methods\R9021709.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Feb 18 07:31:09 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.01	83	26320	0.811	ng	98
34) Tetrahydrofuran	13.62	72	721	0.055	ng	# 33
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	14.14	62	1443	0.059	ng	# 44
38) 1,1,1-Trichloroethane	14.54	97	845	N.D.		
39) Isopropyl Acetate	15.23	61	270	N.D.		
40) 1-Butanol	15.11	56	15628	0.814	ng	# 65
41) Benzene	15.23	78	145600	1.495	ng	98
42) Carbon Tetrachloride	15.46	117	9544	0.395	ng	97
43) Cyclohexane	15.66	84	37513	1.081	ng	# 65
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	16.70	83	9737	0.383	ng	93
47) Trichloroethene	16.77	130	602	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.86	57	17216	0.164	ng	# 56
50) Methyl Methacrylate	17.22	100	8341	1.038	ng	# 1
51) n-Heptane	17.21	71	31985	1.299	ng	# 67
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	18.02	58	825	0.046	ng	# 44
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	19.16	97	162296	8.600	ng	# 6
58) Toluene	19.28	91	168392	1.768	ng	99
59) 2-Hexanone	19.60	43	14019	0.332	ng	# 60
60) Dibromochloromethane	19.82	129	2353	0.128	ng	99
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	20.42	43	3029	0.060	ng	# 85
63) n-Octane	20.56	57	12936	0.589	ng	# 70
64) Tetrachloroethene	20.76	166	1909	0.085	ng	99
65) Chlorobenzene	21.63	112	857	N.D.		
66) Ethylbenzene	22.10	91	28171	0.275	ng	98
67) m- & p-Xylene	22.31	91	65312	0.825	ng	99
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.79	104	9660	0.164	ng	98
70) o-Xylene	22.92	91	24586	0.305	ng	92
71) n-Nonane	23.18	43	14346	0.282	ng	93
72) 1,1,2,2-Tetrachloroethane	0.00	83	0	N.D.		
74) Cumene	23.67	105	4088	N.D.		
75) alpha-Pinene	24.15	93	584458	12.708	ng	98
76) n-Propylbenzene	24.29	91	8653	0.068	ng	92
77) 3-Ethyltoluene	24.41	105	15838	0.170	ng	94
78) 4-Ethyltoluene	24.47	105	12526	0.135	ng	92
79) 1,3,5-Trimethylbenzene	24.55	105	6960	0.088	ng	98

30

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040909.D  
Acq On : 4 Mar 2009 14:35  
Operator : EM  
Sample : P0900735-002 (1000ml)  
Misc : Haley SV-InA-705-1 (0.3, 3.5)  
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Mar 04 15:13:20 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.75	118	761	N.D.		
81) 2-Ethyltoluene	24.79	105	6805	0.071 ng		92
82) 1,2,4-Trimethylbenzene	25.06	105	23070	0.275 ng		81
83) n-Decane	25.15	57	14365	0.286 ng		68
84) Benzyl Chloride	25.22	91	3421	0.059 ng	#	56
85) 1,3-Dichlorobenzene	25.25	146	1512	N.D.		
86) 1,4-Dichlorobenzene	25.33	146	2986	0.065 ng		96
87) sec-Butylbenzene	25.39	105	1537	N.D.		
88) p-Isopropyltoluene	25.57	119	67280	0.642 ng		95
89) 1,2,3-Trimethylbenzene	25.57	105	8092	0.097 ng	#	15
90) 1,2-Dichlorobenzene	25.75	146	1008	N.D.		
91) d-Limonene	25.75	68	118653	3.426 ng		99
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.66	57	16925	0.331 ng		75
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.94	128	19416	0.189 ng		97
96) n-Dodecane	27.89	57	15521	0.287 ng	#	63
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.53	55	4950	0.165 ng	#	74
99) tert-Butylbenzene	25.05	119	3332	0.041 ng	#	56
100) n-Butylbenzene	26.07	91	3255	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Em 3/5/09

31

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-OutA-022609**  
Client Project ID: **Cooper Vision SVI / 70665-014**

CAS Project ID: P0900735  
CAS Sample ID: P0900735-003

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC00977

Date Collected: 2/27/09  
Date Received: 3/2/09  
Date Analyzed: 3/4/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -2.1      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.44


CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.14	ND	0.056	
75-00-3	Chloroethane	ND	0.72	ND	0.27	
75-35-4	1,1-Dichloroethene	ND	0.72	ND	0.18	
75-34-3	1,1-Dichloroethane	ND	0.72	ND	0.18	
71-55-6	1,1,1-Trichloroethane	ND	0.72	ND	0.13	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

```
Data Path : J:\MS09\Data\2009_03\04\  
Data File : 03040910.D  
Acq On    : 4 Mar 2009 15:21  
Operator  : EM  
Sample    : P0900735-003 (1000ml)  
Misc      : Haley SV-OutA-022609 (-2.1, 3.5)  
ALS Vial  : 13 Sample Multiplier: 1
```

Quant Time: Mar 04 16:24:04 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration





Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040910.D  
 Acq On : 4 Mar 2009 15:21  
 Operator : EM  
 Sample : P0900735-003 (1000ml)  
 Misc : Haley SV-OutA-022609 (-2.1, 3.5) ✓  
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 04 16:24:04 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.80	130	338884	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.75	114	1640751	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	814845	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.96	65	559606	25.446	ng	-0.04
Spiked Amount	25.000		Recovery	=	101.80%	
57) Toluene-d8 (SS2)	19.15	98	1913789	24.841	ng	-0.02
Spiked Amount	25.000		Recovery	=	99.36%	
73) Bromofluorobenzene (SS3)	23.49	174	540198	24.617	ng	0.00
Spiked Amount	25.000		Recovery	=	98.48%	

## Target Compounds

						Qvalue
2) Propene	4.85	42	14571	0.480	ng	# 1
3) Dichlorodifluoromethane	5.01	85	61562	1.524	ng	97
4) Chloromethane	5.35	50	13335	0.375	ng	91
5) Freon 114	5.60	135	1325	0.062	ng	# 44
6) Vinyl Chloride	0.00	62	0	N.D.		
7) 1,3-Butadiene	6.11	54	530	N.D.		
8) Bromomethane	6.60	94	119	N.D.		
9) Chloroethane	0.00	64	0	N.D.		
10) Ethanol	7.43	45	13472	0.799	ng	96
11) Acetonitrile	7.57	41	4493	0.108	ng	96
12) Acrolein	7.79	56	3186	0.275	ng	100
13) Acetone	8.01	58	79036	4.010	ng	89
14) Trichlorofluoromethane	8.29	101	27210	0.817	ng	99
15) Isopropanol	8.49	45	12886	0.262	ng	94
16) Acrylonitrile	0.00	53	0	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.		
18) tert-Butanol	0.00	59	0	N.D.		
19) Methylene Chloride	9.53	84	3757	0.166	ng	# 50
20) Allyl Chloride	9.62	41	514	N.D.		
21) Trichlorotrifluoroethane	9.99	151	5756	0.374	ng	99
22) Carbon Disulfide	9.95	76	1990	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.		
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	0.00	86	0	N.D.		
27) 2-Butanone	11.91	72	9434	0.762	ng	# 38
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	12.93	61	1757	0.244	ng	98
31) n-Hexane	12.93	57	9856	0.240	ng	96

34

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040910.D  
Acq On : 4 Mar 2009 15:21  
Operator : EM  
Sample : P0900735-003 (1000ml)  
Misc : Haley SV-OutA-022609 (-2.1, 3.5)  
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 04 16:24:04 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.01	83	1155	N.D.		
34) Tetrahydrofuran	13.62	72	104	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	14.14	62	472	N.D.		
38) 1,1,1-Trichloroethane	14.53	97	362	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	15.16	56	3774	0.196 ng	#	55
41) Benzene	15.23	78	49729	0.508 ng		98
42) Carbon Tetrachloride	15.46	117	7515	0.310 ng		99
43) Cyclohexane	15.66	84	1853	0.053 ng	#	68
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	16.78	130	105	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.86	57	13611	0.129 ng		98
50) Methyl Methacrylate	17.21	100	489	0.061 ng	#	1
51) n-Heptane	17.22	71	2890	0.117 ng	#	62
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	0.00	58	0	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	19.16	97	161351	8.509 ng	#	6
58) Toluene	19.28	91	112784	1.181 ng		98
59) 2-Hexanone	19.59	43	3854	0.091 ng	#	27
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	20.43	43	1970	N.D.		
63) n-Octane	20.56	57	2220	0.101 ng	#	71
64) Tetrachloroethene	20.75	166	1556	0.069 ng		89
65) Chlorobenzene	21.63	112	111	N.D.		
66) Ethylbenzene	22.10	91	13406	0.130 ng		99
67) m- & p-Xylene	22.31	91	30351	0.382 ng		99
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.78	104	1873	N.D.		
70) o-Xylene	22.93	91	11798	0.146 ng		100
71) n-Nonane	23.18	43	7074	0.139 ng		92
72) 1,1,2,2-Tetrachloroethane	22.92	83	257	N.D.		
74) Cumene	23.67	105	2190	N.D.		
75) alpha-Pinene	24.15	93	7931	0.172 ng	#	43
76) n-Propylbenzene	24.29	91	4848	N.D.		
77) 3-Ethyltoluene	24.41	105	10259	0.110 ng		97
78) 4-Ethyltoluene	24.47	105	5944	0.064 ng		91
79) 1,3,5-Trimethylbenzene	24.56	105	3922	0.049 ng		83

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040910.D  
Acq On : 4 Mar 2009 15:21  
Operator : EM  
Sample : P0900735-003 (1000ml)  
Misc : Haley SV-OutA-022609 (-2.1, 3.5)  
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 04 16:24:04 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.74	118	215	N.D.		
81) 2-Ethyltoluene	24.79	105	4215	0.044 ng		92
82) 1,2,4-Trimethylbenzene	25.05	105	11550	0.137 ng		89
83) n-Decane	25.16	57	17114	0.340 ng	#	66
84) Benzyl Chloride	25.25	91	123	N.D.		
85) 1,3-Dichlorobenzene	25.26	146	262	N.D.		
86) 1,4-Dichlorobenzene	25.33	146	1353	N.D.		
87) sec-Butylbenzene	25.38	105	490	N.D.		
88) p-Isopropyltoluene	25.57	119	2010	N.D.		
89) 1,2,3-Trimethylbenzene	25.57	105	3269	N.D.		
90) 1,2-Dichlorobenzene	25.33	146	1353	N.D.		
91) d-Limonene	25.75	68	7759	0.223 ng		97
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.66	57	3584	0.070 ng	#	43
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.95	128	8107	0.079 ng		92
96) n-Dodecane	27.90	57	7584	0.140 ng		85
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.53	55	2049	0.068 ng	#	77
99) tert-Butylbenzene	24.95	119	1333	N.D.		
100) n-Butylbenzene	26.04	91	3827	0.044 ng	#	47

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Em 3/5/09

36

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-SS-709-2**  
Client Project ID: **Cooper Vision SVI / 70665-014**

CAS Project ID: P0900735  
CAS Sample ID: P0900735-004

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: SC00196

Date Collected: 2/27/09  
Date Received: 3/2/09  
Date Analyzed: 3/4/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.1      Final Pressure (psig): 3.5

Canister Dilution Factor: 1.34

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.13	ND	0.052	
75-00-3	Chloroethane	ND	0.67	ND	0.25	
75-35-4	1,1-Dichloroethene	ND	0.67	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.67	ND	0.17	
71-55-6	1,1,1-Trichloroethane	ND	0.67	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.



Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040913.D  
 Acq On : 4 Mar 2009 17:52  
 Operator : EM  
 Sample : P0900735-004 (1000ml)  
 Misc : Haley SV-SS-709-2 (-1.1, 3.5) ✓  
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Mar 05 07:15:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.82	130	324268	25.000	ng	-0.03
37) 1,4-Difluorobenzene (IS2)	15.76	114	1568878	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	785278	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.97	65	533331	25.344	ng	-0.03
Spiked Amount	25.000		Recovery	=	101.36%	
57) Toluene-d8 (SS2)	19.15	98	1841517	24.803	ng	-0.01
Spiked Amount	25.000		Recovery	=	99.20%	
73) Bromofluorobenzene (SS3)	23.49	174	515640	24.382	ng	0.00
Spiked Amount	25.000		Recovery	=	97.52%	

## Target Compounds

						Qvalue
2) Propene	4.85	42	102889	3.541	ng	96
3) Dichlorodifluoromethane	5.01	85	65195	1.687	ng	99
4) Chloromethane	5.33	50	47251	1.388	ng	# 47
5) Freon 114	5.60	135	1499	0.074	ng	70
6) Vinyl Chloride	5.80	62	238	N.D.		
7) 1,3-Butadiene	6.09	54	2027	0.081	ng	# 73
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	0.00	64	0	N.D.		
10) Ethanol	7.30	45	4676848	289.743	ng	97
11) Acetonitrile	7.57	41	9427	0.237	ng	100
12) Acrolein	7.80	56	8728	0.786	ng	97
13) Acetone	8.01	58	3082133	163.406	ng	96
14) Trichlorofluoromethane	8.29	101	29401	0.923	ng	98
15) Isopropanol	8.50	45	977489	20.751	ng	98
16) Acrylonitrile	8.82	53	939	N.D.		
17) 1,1-Dichloroethene	9.34	96	117	N.D.		
18) tert-Butanol	9.47	59	24707	0.567	ng	88
19) Methylene Chloride	9.54	84	6445	0.298	ng	# 49
20) Allyl Chloride	9.64	41	4611	0.165	ng	# 53
21) Trichlorotrifluoroethane	9.99	151	7322	0.498	ng	98
22) Carbon Disulfide	9.94	76	142119	1.855	ng	99
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	11.39	63	607	N.D.		
25) Methyl tert-Butyl Ether	11.41	73	10042	0.191	ng	99
26) Vinyl Acetate	11.61	86	33864	10.050	ng	# 1
27) 2-Butanone	11.90	72	45686	3.859	ng	# 26
28) cis-1,2-Dichloroethene	12.58	61	328	N.D.		
29) Diisopropyl Ether	12.94	87	12215	0.737	ng	# 1
30) Ethyl Acetate	12.92	61	3945	0.573	ng	# 1
31) n-Hexane	12.94	57	1221000	31.075	ng	88

39

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040913.D  
Acq On : 4 Mar 2009 17:52  
Operator : EM  
Sample : P0900735-004 (1000ml)  
Misc : Haley SV-SS-709-2 (-1.1, 3.5)  
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Mar 05 07:15:39 2009

Quant Method : J:\MS09\Methods\R9021709.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Feb 18 07:31:09 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.03	83	5623	0.181	ng	97
34) Tetrahydrofuran	13.59	72	21133	1.693	ng	# 92
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	14.17	62	3271	0.141	ng	# 44
38) 1,1,1-Trichloroethane	14.54	97	6490	<del>0.241</del>	ng	90
39) Isopropyl Acetate	15.24	61	5448	0.453	ng	# 1
40) 1-Butanol	15.10	56	1265563	68.599	ng	# 54
41) Benzene	15.24	78	953842	10.196	ng	98
42) Carbon Tetrachloride	15.47	117	9129	0.393	ng	94
43) Cyclohexane	15.67	84	579633	17.386	ng	# 64
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	16.29	63	841	0.041	ng	# 12
46) Bromodichloromethane	16.74	83	32652	1.337	ng	# 20
47) Trichloroethene	16.78	130	1042	0.044	ng	93
48) 1,4-Dioxane	16.73	88	4527	0.298	ng	96
49) Isooctane	16.85	57	55193	0.547	ng	# 1
50) Methyl Methacrylate	16.94	100	5592	0.724	ng	# 1
51) n-Heptane	17.22	71	700424	29.605	ng	# 69
52) cis-1,3-Dichloropropene	18.15	75	490	N.D.		
53) 4-Methyl-2-pentanone	18.00	58	11074	0.649	ng	82
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	18.79	97	10536	0.581	ng	# 75
58) Toluene	19.29	91	2719024	29.537	ng	100
59) 2-Hexanone	19.60	43	164651	4.031	ng	# 36
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	20.43	43	11816	0.241	ng	# 1
63) n-Octane	20.57	57	420887	19.819	ng	# 65
64) Tetrachloroethene	20.76	166	5597	0.258	ng	94
65) Chlorobenzene	21.67	112	106668	1.856	ng	# 43
66) Ethylbenzene	22.10	91	240953	2.432	ng	98
67) m- & p-Xylene	22.31	91	1161583	15.178	ng	99
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.78	104	18857	0.331	ng	# 79
70) o-Xylene	22.92	91	306508	3.936	ng	100
71) n-Nonane	23.18	43	311509	6.340	ng	93
72) 1,1,2,2-Tetrachloroethane	22.93	83	3020	0.097	ng	# 1
74) Cumene	23.67	105	27792	0.281	ng	98
75) alpha-Pinene	24.16	93	246455	5.546	ng	95
76) n-Propylbenzene	24.29	91	35790	0.290	ng	# 55
77) 3-Ethyltoluene	24.41	105	86531	0.959	ng	99
78) 4-Ethyltoluene	24.47	105	36420	0.406	ng	97
79) 1,3,5-Trimethylbenzene	24.55	105	56773	0.743	ng	97

40

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040913.D  
Acq On : 4 Mar 2009 17:52  
Operator : EM  
Sample : P0900735-004 (1000ml)  
Misc : Haley SV-SS-709-2 (-1.1, 3.5)  
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Mar 05 07:15:39 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.74	118	1462	N.D.		
81) 2-Ethyltoluene	24.79	105	25967	0.282	ng	96
82) 1,2,4-Trimethylbenzene	25.05	105	95722	1.181	ng	91
83) n-Decane	25.16	57	730870	15.066	ng	76
84) Benzyl Chloride	25.24	91	118	N.D.		
85) 1,3-Dichlorobenzene	25.33	146	1773	0.041	ng	87
86) 1,4-Dichlorobenzene	25.33	146	1773	0.040	ng	88
87) sec-Butylbenzene	25.39	105	6060	0.057	ng	89
88) p-Isopropyltoluene	25.57	119	17609	0.174	ng	87
89) 1,2,3-Trimethylbenzene	25.57	105	21626	0.267	ng	95
90) 1,2-Dichlorobenzene	25.33	146	1773	0.043	ng	88
91) d-Limonene	25.74	68	230608	6.892	ng	99
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.66	57	30934	0.627	ng	80
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.94	128	43889	0.441	ng	97
96) n-Dodecane	27.89	57	280239	5.359	ng	74
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.53	55	47470	1.637	ng	# 33
99) tert-Butylbenzene	25.49	119	5563	0.072	ng	96
100) n-Butylbenzene	26.08	91	13909	0.166	ng	# 47

(#) = qualifier out of range (m) = manual integration (+) = signals summed

EM 3/5/09



## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: **Haley & Aldrich, Inc.**  
Client Sample ID: **SV-InA-709-2**  
Client Project ID: **Cooper Vision SV1 / 70665-014**

CAS Project ID: P0900735  
CAS Sample ID: P0900735-005

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister  
Test Notes:  
Container ID: AC00989

Date Collected: 2/27/09  
Date Received: 3/2/09  
Date Analyzed: 3/4/09  
Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -0.8      Final Pressure (psig): 3.5


Canister Dilution Factor: 1.31

CAS #	Compound	Result $\mu\text{g}/\text{m}^3$	MRL $\mu\text{g}/\text{m}^3$	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.13	ND	0.051	
75-00-3	Chloroethane	ND	0.66	ND	0.25	
75-35-4	1,1-Dichloroethene	ND	0.66	ND	0.17	
75-34-3	1,1-Dichloroethane	ND	0.66	ND	0.16	
71-55-6	1,1,1-Trichloroethane	ND	0.66	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Quant Time: Mar 05 07:15:46 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040914.D  
 Acq On : 4 Mar 2009 18:34  
 Operator : EM  
 Sample : P0900735-005 (1000ml)  
 Misc : Haley SV-InA-709-2 (-0.8, 3.5)  
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 05 07:15:46 2009

Quant Method : J:\MS09\Methods\R9021709.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Wed Feb 18 07:31:09 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.80	130	313952	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.75	114	1523485	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	755013	25.000	ng	0.00

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.96	65	517025	25.377	ng	-0.04
Spiked Amount	25.000		Recovery	=	101.52%	
57) Toluene-d8 (SS2)	19.15	98	1785907	25.018	ng	-0.01
Spiked Amount	25.000		Recovery	=	100.08%	
73) Bromofluorobenzene (SS3)	23.49	174	499363	24.559	ng	0.00
Spiked Amount	25.000		Recovery	=	98.24%	

#### Target Compounds

						Qvalue
2) Propene	4.84	42	29899	1.063	ng	95
3) Dichlorodifluoromethane	5.00	85	71437	1.909	ng	98
4) Chloromethane	5.33	50	18841	0.572	ng	88
5) Freon 114	5.59	135	1619	0.082	ng	# 56
6) Vinyl Chloride	5.79	62	132	N.D.		
7) 1,3-Butadiene	6.08	54	1072	0.044	ng	# 60
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	6.93	64	107	N.D.		
10) Ethanol	7.28	45	3662979	234.388	ng	100
11) Acetonitrile	7.56	41	6563	0.170	ng	97
12) Acrolein	7.78	56	13897	1.293	ng	99
13) Acetone	7.99	58	253527	13.883	ng	96
14) Trichlorofluoromethane	8.28	101	30977	1.004	ng	98
15) Isopropanol	8.49	45	191078	4.190	ng	99
16) Acrylonitrile	8.82	53	333	N.D.		
17) 1,1-Dichloroethene	9.32	96	341	N.D.		
18) tert-Butanol	9.47	59	8301	0.197	ng	# 81
19) Methylene Chloride	9.53	84	4794	0.229	ng	# 51
20) Allyl Chloride	9.61	41	1537	0.057	ng	# 53
21) Trichlorotrifluoroethane	9.98	151	6151	0.432	ng	93
22) Carbon Disulfide	9.94	76	7597	0.102	ng	84
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.		
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	11.52	86	2903	0.890	ng	# 1
27) 2-Butanone	11.90	72	15208	1.327	ng	# 35
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	13.01	87	395	N.D.		
30) Ethyl Acetate	12.92	61	7031	1.055	ng	75
31) n-Hexane	12.93	57	33162	0.872	ng	90

44

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040914.D  
 Acq On : 4 Mar 2009 18:34  
 Operator : EM  
 Sample : P0900735-005 (1000ml)  
 Misc : Haley SV-InA-709-2 (-0.8, 3.5)  
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 05 07:15:46 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.01	83	9398	0.313	ng	97
34) Tetrahydrofuran	13.62	72	754	0.062	ng #	1
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	14.13	62	2382	0.106	ng #	52
38) 1,1,1-Trichloroethane	14.54	97	823	N.D.		
39) Isopropyl Acetate	15.09	61	1129	0.097	ng #	1
40) 1-Butanol	15.10	56	34342	1.917	ng #	62
41) Benzene	15.23	78	73856	0.813	ng	97
42) Carbon Tetrachloride	15.46	117	11884	0.527	ng	97
43) Cyclohexane	15.66	84	11264	0.348	ng #	66
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	16.70	83	2840	0.120	ng	89
47) Trichloroethene	16.77	130	521	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	16.86	57	19888	0.203	ng	86
50) Methyl Methacrylate	17.03	100	235	N.D.		
51) n-Heptane	17.22	71	10818	0.471	ng #	67
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	18.01	58	3337	0.201	ng	96
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	19.16	97	149872	8.512	ng #	6
58) Toluene	19.28	91	805191	9.098	ng	99
59) 2-Hexanone	19.60	43	8162	0.208	ng #	68
60) Dibromochloromethane	19.82	129	771	0.045	ng	86
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	20.40	43	28936	0.615	ng	93
63) n-Octane	20.56	57	11422	0.559	ng #	66
64) Tetrachloroethene	20.76	166	5532	0.265	ng	99
65) Chlorobenzene	21.63	112	1864	N.D.		
66) Ethylbenzene	22.10	91	34555	0.363	ng	97
67) m- & p-Xylene	22.31	91	68084	0.925	ng	99
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.78	104	13961	0.255	ng	99
70) o-Xylene	22.92	91	25107	0.335	ng	98
71) n-Nonane	23.18	43	16975	0.359	ng	96
72) 1,1,2,2-Tetrachloroethane	22.92	83	110	N.D.		
74) Cumene	23.67	105	3556	N.D.		
75) alpha-Pinene	24.15	93	136812	3.202	ng	98
76) n-Propylbenzene	24.28	91	9956	0.084	ng	85
77) 3-Ethyltoluene	24.41	105	15636	0.180	ng	100
78) 4-Ethyltoluene	24.47	105	8682	0.101	ng	91
79) 1,3,5-Trimethylbenzene	24.56	105	6100	0.083	ng	93

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040914.D  
Acq On : 4 Mar 2009 18:34  
Operator : EM  
Sample : P0900735-005 (1000ml)  
Misc : Haley SV-InA-709-2 (-0.8, 3.5)  
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 05 07:15:46 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.75	118	518	N.D.		
81) 2-Ethyltoluene	24.79	105	6078	0.069 ng		98
82) 1,2,4-Trimethylbenzene	25.05	105	19660	0.252 ng		90
83) n-Decane	25.16	57	24550	0.526 ng		78
84) Benzyl Chloride	25.35	91	1603	N.D.		
85) 1,3-Dichlorobenzene	25.33	146	1580	N.D.		
86) 1,4-Dichlorobenzene	25.33	146	1580	N.D.		
87) sec-Butylbenzene	25.39	105	546	N.D.		
88) p-Isopropyltoluene	25.57	119	126624	1.301 ng		93
89) 1,2,3-Trimethylbenzene	25.57	105	9562	0.123 ng	#	1
90) 1,2-Dichlorobenzene	25.33	146	1580	N.D.		
91) d-Limonene	25.75	68	878278	27.299 ng		99
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.66	57	11083	0.234 ng	#	72
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.94	128	29926	0.313 ng		99
96) n-Dodecane	27.90	57	12840	0.255 ng	#	56
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	22.52	55	9080	0.326 ng	#	79
99) tert-Butylbenzene	25.05	119	2652	N.D.		
100) n-Butylbenzene	26.13	91	49050	0.610 ng	#	51

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Em 3/5/09

## Standards Data

Method : J:\MS09\Methods\R9021709.M (RTE Integrator)  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

## Calibration Files

0.1 =02170913.D 0.2 =02170914.D 0.5 =02170915.D 1.0 =02170916.D 5.0 =02170917.D  
 25 =02170918.D 50 =02170919.D 100 =02170920.D

Compound	0.1	0.2	0.5	1.0	5.0	25	50	100	Avg	%RSD
1) IR Bromochloromethan										
2) T Propene	3.226	2.336	2.246	1.853	2.056	2.000	2.128	2.076	2.240	18.95
3) T Dichlorodifluorom	3.766	3.103	3.574	3.023	2.587	2.694	2.583	2.503	2.979	16.09
4) T Chloromethane	3.153	2.723	3.146	2.789	2.349	2.573	2.282	1.985	2.625	15.73
5) T Freon 114	1.921	1.639	1.869	1.631	1.348	1.454	1.369	1.335	1.571	14.83
6) T Vinyl Chloride	3.617	2.891	3.211	2.778	2.378	2.547	2.371	2.260	2.757	17.06
7) T 1,3-Butadiene	2.271	1.805	2.231	1.996	1.738	1.921	1.800	1.756	1.940	10.85
8) T Bromomethane	1.348	1.281	1.578	1.410	1.268	1.392	1.320	1.252	1.356	7.83
9) T Chloroethane	1.128	1.268	1.494	1.350	1.172	1.262	1.222	1.147	1.255	9.62
10) T Ethanol	1.149	1.297	1.472	1.293	1.174	1.226	1.214	1.131	1.244	8.87
11) T Acetonitrile	2.889	3.029	3.721	3.268	2.858	3.050	2.915	2.796	3.066	9.88
12) T Acrolein	0.762	0.815	0.960	0.878	0.827	0.898	0.864	0.844	0.856	6.90
13) T Acetone	1.777	1.467	1.903	1.625	1.421	1.185	1.139	1.116	1.454	20.50
14) T Trichlorofluorome	3.005	2.528	2.917	2.508	2.115	2.268	2.178	2.127	2.456	14.26
15) T Isopropanol	3.960	3.803	4.823	4.356	2.843	3.644	2.910	2.714	3.632	20.99
16) T Acrylonitrile	1.424	1.697	2.307	2.092	1.985	2.197	2.108	2.050	1.983	14.48
17) T 1,1-Dichloroethen	2.055	1.722	1.841	1.524	1.283	1.392	1.337	1.322	1.559	18.19
18) T tert-Butanol	3.045	2.943	3.814	3.454	3.291	3.664	3.308		3.360	9.32
19) T Methylene Chlorid	2.267	1.852	1.876	1.612	1.391	1.497	1.438	1.401	1.667	18.56
20) T Allyl Chloride	1.834	1.808	2.427	2.216	2.079	2.352	2.260	2.216	2.149	10.56
21) T Trichlorotrifluor	1.199	1.137	1.402	1.144	1.006	1.098	1.062	1.025	1.134	11.09
22) T Carbon Disulfide	7.433	6.038	6.746	5.824	5.094	5.545	5.333	5.235	5.906	13.77
23) T trans-1,2-Dichlor	2.725	2.193	2.601	2.302	2.041	2.249	2.156	2.090	2.295	10.62
24) T 1,1-Dichloroethan	2.488	2.477	3.039	2.719	2.466	2.672	2.565	2.490	2.614	7.50
25) T Methyl tert-Butyl	3.848	3.791	4.555	4.099	3.781	4.203	4.152	3.982	4.051	6.43
26) T Vinyl Acetate			0.194	0.207	0.237	0.323	0.313	0.285	0.260	21.12
27) T 2-Butanone		0.527	1.004	0.975	0.953	1.064	1.026	0.841	0.913	20.17
28) T cis-1,2-Dichloroe	2.635	2.252	2.628	2.208	1.932	2.084	2.001	1.944	2.210	12.85
29) T Diisopropyl Ether	1.146	1.180	1.428	1.339	1.177	1.318	1.308	1.327	1.278	7.72

(#) 48 Out of Range ### Number of calibration levels exceeded format ###  
 R9021709.M Wed Feb 18 07:44:45 2009

Ben 2/18/09

# Response Factor Report MS09

Method : J:\MS09\Methods\R9021709.M (RTE Integrator)  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

## Calibration Files

0.1 =02170913.D 0.2 =02170914.D 0.5 =02170915.D 1.0 =02170916.D 5.0 =02170917.D  
 25 =02170918.D 50 =02170919.D 100 =02170920.D

Compound	0.1	0.2	0.5	1.0	5.0	25	50	100	Avg	%RSD
30) T Ethyl Acetate		0.294	0.530	0.521	0.530	0.619	0.611	0.609	0.531	21.27
31) T n-Hexane	3.680	3.024	3.498	2.966	2.576	2.855	2.825	2.811	3.029	12.30
32) T Chloroform	2.737	2.391	2.840	2.444	2.100	2.283	2.199	2.157	2.394	11.30
33) S 1,2-Dichloroethane	1.613	1.618	1.643	1.622	1.629	1.625	1.620	1.609	1.622	0.65
34) T Tetrahydrofuran	0.847	0.863	1.111	1.016	0.947	1.024	0.958	0.931	0.962	9.07
35) T Ethyl tert-Butyl	1.452	1.502	1.872	1.696	1.533	1.700	1.687	1.709	1.644	8.40
36) T 1,2-Dichloroethane	1.750	1.659	2.095	1.893	1.687	1.838	1.748	1.685	1.794	8.10
-----ISTD-----										
37) IR 1,4-Difluorobenzene										
38) T 1,1,1-Trichloroet	0.432	0.384	0.505	0.443	0.398	0.437	0.421	0.407	0.428	8.63
39) T Isopropyl Acetate	0.104	0.157	0.213	0.209	0.195	0.224	0.217	0.215	0.192	21.39
40) T 1-Butanol		0.167	0.274	0.265	0.279	0.372	0.360	0.342	0.294	24.18
41) T Benzene	2.049	1.633	1.744	1.444	1.227	1.317	1.269	1.243	1.491	19.77
42) T Carbon Tetrachlor	0.379	0.344	0.418	0.382	0.338	0.374	0.365	0.359	0.370	6.77
43) T Cyclohexane	0.662	0.539	0.597	0.522	0.456	0.498	0.487	0.488	0.531	12.77
44) T tert-Amyl Methyl	0.831	0.809	0.984	0.881	0.790	0.872	0.836	0.835	0.855	7.03
45) T 1,2-Dichloropropa	0.321	0.304	0.381	0.339	0.305	0.334	0.321	0.313	0.327	7.59
46) T Bromodichlorometh	0.401	0.360	0.444	0.400	0.357	0.396	0.383	0.371	0.389	7.26
47) T Trichloroethene	0.489	0.417	0.444	0.380	0.303	0.328	0.317	0.314	0.374	18.63
48) T 1,4-Dioxane		0.165	0.257	0.252	0.234	0.270	0.261	0.255	0.242	14.73
49) T Isooctane	2.086	1.647	1.849	1.601	1.375	1.490	1.422	1.382	1.606	15.64
50) T Methyl Methacryla		0.082	0.124	0.124	0.119	0.139	0.136	0.137	0.123	16.03
51) T n-Heptane	0.452	0.385	0.434	0.378	0.327	0.357	0.344	0.340	0.377	11.95
52) T cis-1,3-Dichlorop	0.432	0.423	0.552	0.512	0.477	0.536	0.516	0.506	0.494	9.43
53) T 4-Methyl-2-pentan		0.163	0.265	0.275	0.274	0.316	0.308	0.302	0.272	19.00
54) T trans-1,3-Dichlor	0.356	0.352	0.471	0.439	0.429	0.490	0.476	0.466	0.435	12.35
55) T 1,1,2-Trichloroet	0.253	0.255	0.339	0.305	0.273	0.304	0.293	0.288	0.289	9.91
-----ISTD-----										
56) I Chlorobenzene-d5										
57) S Toluene-d8 (SS2)	2.373	2.378	2.382	2.368	2.354	2.346	2.351	2.358	2.364	0.56



Method : J:\MS09\Methods\R9021709.M (RTE Integrator)  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

## Calibration Files

0.1 =02170913.D 0.2 =02170914.D 0.5 =02170915.D 1.0 =02170916.D 5.0 =02170917.D  
 25 =02170918.D 50 =02170919.D 100 =02170920.D

Compound	0.1	0.2	0.5	1.0	5.0	25	50	100	Avg	%RSD
58) T Toluene	3.538	3.056	3.409	2.947	2.510	2.752	2.636	2.597	2.931	13.03
59) T 2-Hexanone		0.680	1.313	1.334	1.308	1.543	1.485	1.437	1.300	22.15
60) T Dibromochlorometh	0.524	0.462	0.652	0.592	0.529	0.601	0.586	0.583	0.566	10.32
61) T 1,2-Dibromoethane	0.528	0.573	0.744	0.678	0.598	0.675	0.654	0.645	0.637	10.70
62) T Butyl Acetate		0.907	1.480	1.473	1.535	1.826	1.814	1.873	1.558	21.50
63) T n-Octane	0.794	0.681	0.789	0.684	0.585	0.640	0.621	0.615	0.676	11.62
64) T Tetrachloroethene	0.819	0.682	0.827	0.701	0.590	0.645	0.632	0.636	0.691	12.71
65) T Chlorobenzene	2.228	1.877	2.110	1.822	1.574	1.729	1.661	1.640	1.830	12.72
66) T Ethylbenzene	3.406	3.080	3.622	3.204	2.815	3.113	3.022	2.969	3.154	8.11
67) T m- & p-Xylene	2.534	2.358	2.768	2.468	2.169	2.431	2.381	2.384	2.436	7.00
68) T Bromoform	0.341	0.366	0.510	0.467	0.428	0.505	0.500	0.504	0.453	14.88
69) T Styrene	1.746	1.638	2.037	1.822	1.674	1.891	1.851	1.856	1.814	7.04
70) T o-Xylene	2.589	2.389	2.800	2.527	2.212	2.467	2.422	2.426	2.479	6.87
71) T n-Nonane	1.816	1.606	1.821	1.569	1.370	1.502	1.442	1.387	1.564	11.30
72) T 1,1,2,2-Tetrachlo	0.848	0.830	1.085	0.995	0.956	1.080	1.069	1.080	0.993	10.63
73) S Bromofluorobenzene	0.674	0.671	0.674	0.668	0.674	0.670	0.679	0.676	0.673	0.54
74) T Cumene	3.292	2.958	3.562	3.213	2.857	3.171	3.096	3.069	3.152	6.85
75) T alpha-Pinene	1.423	1.310	1.543	1.401	1.298	1.464	1.435	1.443	1.415	5.66
76) T n-Propylbenzene	4.088	3.660	4.459	4.021	3.583	3.979	3.866	3.775	3.929	7.05
77) T 3-Ethyltoluene	2.995	2.505	3.169	2.904	2.621	2.978	2.870	2.949	2.874	7.43
78) T 4-Ethyltoluene	2.899	2.669	3.241	2.878	2.603	2.868	2.871	2.791	2.852	6.68
79) T 1,3,5-Trimethylbe	2.453	2.215	2.742	2.451	2.210	2.476	2.444	2.462	2.432	6.89
80) T alpha-Methylstyrene	1.177	1.177	1.366	1.258	1.183	1.408	1.400	1.436	1.301	8.73
81) T 2-Ethyltoluene	3.007	2.734	3.277	2.995	2.661	2.964	2.924	2.919	2.935	6.35
82) T 1,2,4-Trimethylbe	2.444	2.320	2.791	2.514	2.308	2.679	2.748	2.844	2.581	8.24
83) T n-Decane	1.545	1.477	1.767	1.565	1.411	1.564	1.528	1.499	1.544	6.69
84) T Benzyl Chloride	1.170	1.185	1.694	1.688	1.827	2.239	2.272	2.307	1.798	25.52
85) T 1,3-Dichlorobenzene	1.454	1.324	1.558	1.363	1.214	1.348	1.345	1.384	1.374	7.28
86) T 1,4-Dichlorobenzene	1.473	1.351	1.615	1.426	1.250	1.387	1.381	1.399	1.410	7.43
87) T sec-Butylbenzene	3.444	3.170	3.729	3.434	3.079	3.445	3.379	3.333	3.377	5.82

Method : J:\MS09\Methods\R9021709.M (RTE Integrator)  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

## Calibration Files

0.1 =02170913.D 0.2 =02170914.D 0.5 =02170915.D 1.0 =02170916.D 5.0 =02170917.D  
 25 =02170918.D 50 =02170919.D 100 =02170920.D

Compound	0.1	0.2	0.5	1.0	5.0	25	50	100	Avg	%RSD
88) T p-Isopropyltoluen	3.030	2.884	3.516	3.176	2.897	3.347	3.418	3.507	3.222	8.13
89) T 1,2,3-Trimethylbe	2.497	2.275	2.799	2.527	2.298	2.669	2.730	2.833	2.579	8.35
90) T 1,2-Dichlorobenze	1.362	1.203	1.466	1.280	1.148	1.302	1.341	1.435	1.317	8.21
91) T d-Limonene	0.982	0.956	1.097	1.019	0.946	1.176	1.180	1.166	1.065	9.50
92) T 1,2-Dibromo-3-Chl	0.266	0.293	0.387	0.392	0.377	0.430	0.437	0.447	0.379	17.55
93) T n-Undecane	1.507	1.420	1.751	1.588	1.482	1.629	1.612	1.580	1.571	6.48
94) T 1,2,4-Trichlorobe	0.111	0.202	0.264	0.244	0.237	0.257	0.271	0.289	0.234	24.03
95) T Naphthalene	2.720	3.099	3.027	2.958	3.288	3.485	3.597	3.793	3.168	9.72
96) T n-Dodecane	1.590	1.451	1.664	1.668	1.614	1.744	1.796	1.793	1.665	6.96
97) T Hexachloro-1,3-bu	0.450	0.439	0.530	0.479	0.437	0.468	0.488	0.521	0.476	7.40
98) T Cyclohexanone	0.846	0.867	0.811	1.026	1.003	0.985	0.923	0.999	0.923	9.99
99) T tert-Butylbenzene	2.425	2.210	2.734	2.435	2.197	2.536	2.581	2.696	2.477	8.11
100) T n-Butylbenzene	2.581	2.316	2.941	2.72	2.477	2.783	2.754	2.727	2.662	7.37

**Primary Source Standards Concentrations  
(Working & Initial Calibration)**

4ng/L Std. ID: **S20-02090906**

20ng/L Std. ID: **S20-02090905**

200ng/L Std. ID: **S20-02090903**

Dilution Factors:

5

50

250

200ng/L Std. ID: S20-02090903					Working STD Conc.(ng/L):	ICAL Concentrations (Primary Source)							
Dilution Factors:		5	50	250		4	4	20	20	20	200	200	200
	Source Std.	Primary Working Standards			Injection (L):	0.025	0.05	0.025	0.050	0.25	0.125	0.25	0.50
Compounds	mg/m <sup>3</sup>	200ng/L	20ng/L	4ng/L	ICAL Points:	0.1ng	0.2ng	0.5ng	1ng	5ng	25ng	50ng	100ng
Propene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
Dichlorodifluoromethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Chloromethane	1.01	202	20.2	4.04		0.101	0.202	0.505	1.01	5.05	25.3	50.5	101
Freon-114	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Vinyl Chloride	1.02	204	20.4	4.08		0.102	0.204	0.510	1.02	5.10	25.5	51.0	102
1,3-Butadiene	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Bromomethane	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
Chloroethane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Ethanol	5.29	1058	106	21.2		0.529	1.058	2.65	5.29	26.5	132	265	529
Acetonitrile	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Acrolein	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Acetone	5.31	1062	106	21.2		0.531	1.062	2.66	5.31	26.6	133	266	531
Trichlorofluoromethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Isopropanol	1.94	388	38.8	7.76		0.194	0.388	0.970	1.94	9.70	48.5	97.0	194
Acrylonitrile	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,1-Dichloroethene	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
tert-Butanol	2.00	400	40.0	8.00		0.200	0.400	1.00	2.00	10.0	50.0	100	200
Methylene Chloride	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Allyl Chloride	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
Trichlorotrifluoroethane	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
Carbon Disulfide	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
trans-1,2-Dichloroethene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,1-Dichloroethane	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
Methyl tert-Butyl Ether	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Vinyl Acetate	5.05	1010	101	20.2		0.505	1.010	2.53	5.05	25.3	126	253	505
2-Butanone	1.08	216	21.6	4.32		0.108	0.216	0.540	1.08	5.40	27.0	54.0	108
cis-1,2-Dichloroethene	1.09	218	21.8	4.36		0.109	0.218	0.545	1.09	5.45	27.3	54.5	109
Diisopropyl Ether	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
Ethyl Acetate	2.08	416	41.6	8.32		0.208	0.416	1.04	2.08	10.4	52.0	104	208
n-Hexane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Chloroform	1.10	220	22.0	4.40		0.110	0.220	0.550	1.10	5.50	27.5	55.0	110
Tetrahydrofuran	1.07	214	21.4	4.28		0.107	0.214	0.535	1.07	5.35	26.8	53.5	107
Ethyl tert-Butyl Ether	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,2-Dichloroethane	1.06	212	21.2	4.24		0.106	0.212	0.530	1.06	5.30	26.5	53.0	106
1,1,1-Trichloroethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Isopropyl Acetate	2.09	418	41.8	8.36		0.209	0.418	1.05	2.09	10.5	52.3	105	209
1-Butanol	2.16	432	43.2	8.64		0.216	0.432	1.08	2.16	10.8	54.0	108	216
Benzene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
Carbon Tetrachloride	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Cyclohexane	2.12	424	42.4	8.48		0.212	0.424	1.06	2.12	10.6	53.0	106	212
tert-Amyl Methyl Ether	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,2-Dichloropropane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Bromodichloromethane	1.05	210	21.0	4.20		0.105	0.210	0.525	1.05	5.25	26.3	52.5	105
Trichloroethene	1.03	206	20.6	4.12		0.103	0.206	0.515	1.03	5.15	25.8	51.5	103
1,4-Dioxane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Isooctane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
Methyl Methacrylate	2.13	426	42.6	8.52		0.213	0.426	1.07	2.13	10.7	53.3	107	213
n-Heptane	1.04	208	20.8	4.16		0.104	0.208	0.520	1.04	5.20	26.0	52.0	104
cis-1,3-Dichloropropene	1.00	200	20.0	4.00		0.100	0.200	0.500	1.00	5.00	25.0	50.0	100
4-Methyl-2-pentanone	1.09	218	21.8	4.36		0.109	0.218	0.545	1.09	5.45	27.3	54.5	109
trans-1,3-Dichloropropene	1.10	220	22.0	4.40	0.110	0.220	0.550	1.10	5.50	27.5	55.0	110	
1,1,2-Trichloroethane	1.04	208	20.8	4.16	0.104	0.208	0.520	1.04	5.20	26.0	52.0	104	
Toluene	1.08	216	21.6	4.32	0.108	0.216	0.540	1.08	5.40	27.0	54.0	108	
2-Hexanone	1.10	220	22.0	4.40	0.110	0.220	0.550	1.10	5.50	27.5	55.0	110	
Dibromochloromethane	1.15	230	23.0	4.60	0.115	0.230	0.575	1.15	5.75	28.8	57.5	115	
1,2-Dibromoethane	1.06	212	21.2	4.24	0.106	0.212	0.530	1.06	5.30	26.5	53.0	106	
n-Butyl Acetate	1.10	220	22.0	4.40	0.110	0.220	0.550	1.10	5.50	27.5	55.0	110	
n-Octane	1.05	210	21.0	4.20	0.105	0.210	0.525	1.05	5.25	26.3	52.5	105	
Tetrachloroethene	1.03	206	20.6	4.12	0.103	0.206	0.515	1.03	5.15	25.8	51.5	103	
Chlorobenzene	1.06	212	21.2	4.24	0.106	0.212	0.530	1.06	5.30	26.5	53.0	106	
Ethylbenzene	1.05	210	21.0	4.20	0.105	0.210	0.525	1.05	5.25	26.3	52.5	105	
m-&p-Xylene	2.08	416	41.6	8.32	0.208	0.416	1.04	2.08	10.4	52.0	104	208	

*Sam 2/18/09*

4ng/L Std. ID: S20-02090906  
20ng/L Std. ID:

5                      50                      250

**\*Enter Information in the Solid Shaded Areas ONLY.**

Method Path : J:\MS09\Methods\  
 Method File : R9021709.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009  
 Response Via : Initial Calibration

#	ID	Conc	ISTD Conc	Path\File
1	0.1	0	25	J:\MS09\Data\2009_02\17\02170913.D
2	0.2	0	25	J:\MS09\Data\2009_02\17\02170914.D
3	0.5	1	25	J:\MS09\Data\2009_02\17\02170915.D
4	1.0	1	25	J:\MS09\Data\2009_02\17\02170916.D
5	5.0	5	25	J:\MS09\Data\2009_02\17\02170917.D
6	25	26	25	J:\MS09\Data\2009_02\17\02170918.D
7	50	52	25	J:\MS09\Data\2009_02\17\02170919.D
8	100	103	25	J:\MS09\Data\2009_02\17\02170920.D


#	ID	Update Time	Quant Time	Acquisition Time
1	0.1	Feb 18 07:29 2009	Feb 18 07:14 2009	17 Feb 2009 17:30
2	0.2	Feb 18 07:29 2009	Feb 18 07:18 2009	17 Feb 2009 18:11
3	0.5	Feb 18 07:30 2009	Feb 18 07:20 2009	17 Feb 2009 18:53
4	1.0	Feb 18 07:30 2009	Feb 18 07:21 2009	17 Feb 2009 19:34
5	5.0	Feb 18 07:30 2009	Feb 18 07:23 2009	17 Feb 2009 20:16
6	25	Feb 18 07:30 2009	Feb 18 07:24 2009	17 Feb 2009 20:57
7	50	Feb 18 07:30 2009	Feb 18 07:28 2009	17 Feb 2009 21:38
8	100	Feb 18 07:31 2009	Feb 18 07:29 2009	17 Feb 2009 22:20

R9021709.M Wed Feb 18 08:04:48 2009

*Em 2/18/09*

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170913.D  
Acq On : 17 Feb 2009 17:30  
Operator : EM  
Sample : 0.1ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090906  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:14:58 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170913.D  
 Acq On : 17 Feb 2009 17:30  
 Operator : EM  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090906  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:14:58 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.80	130	324892	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.75	114	1571162	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.57	82	767994	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.96	65	524003	25.287	ng	-0.03
Spiked Amount	25.000		Recovery	=	101.16%	
57) Toluene-d8 (SS2)	19.15	98	1822803	24.672	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.68%	
73) Bromofluorobenzene (SS3)	23.49	174	517779	24.590	ng	0.00
Spiked Amount	25.000		Recovery	=	98.36%	

## Target Compounds

						Qvalue
2) Propene	4.88	42	4318	0.188	ng	98
3) Dichlorodifluoromethane	5.04	85	5139	0.153	ng	# 87
4) Chloromethane	5.37	50	4138	0.139	ng	95
5) Freon 114	5.62	135	2646	0.140	ng	90
6) Vinyl Chloride	5.83	62	4795	0.154	ng	90
7) 1,3-Butadiene	6.12	54	3187	0.150	ng	93
8) Bromomethane	6.60	94	1804	0.111	ng	99
9) Chloroethane	6.95	64	1524	0.103	ng	# 46
10) Ethanol	7.24	45	7898	0.543	ng	80
11) Acetonitrile	7.59	41	3942	0.109	ng	86
12) Acrolein	7.81	56	1070	0.106	ng	# 67
13) Acetone	8.03	58	12262	0.837	ng	# 81
14) Trichlorofluoromethane	8.31	101	4100	0.140	ng	98
15) Isopropanol	8.51	45	9984	0.214	ng	78
16) Acrylonitrile	8.83	53	1906	0.083	ng	97
17) 1,1-Dichloroethene	9.34	96	2938	0.166	ng	# 62
18) tert-Butanol	9.49	59	7915	0.182	ng	# 75
19) Methylene Chloride	9.53	84	3123	0.168	ng	# 49
20) Allyl Chloride	9.73	41	2574	0.103	ng	98
21) Trichlorotrifluoroethane	10.00	151	1714	0.125	ng	# 78
22) Carbon Disulfide	9.95	76	10046	0.152	ng	79
23) trans-1,2-Dichloroethene	11.00	61	3647	0.138	ng	85
24) 1,1-Dichloroethane	11.30	63	3460	0.112	ng	87
25) Methyl tert-Butyl Ether	11.44	73	5301	0.107	ng	80
26) Vinyl Acetate	0.00	86	0	N.D.		
27) 2-Butanone	11.97	72	217	N.D.		
28) cis-1,2-Dichloroethene	12.57	61	3733	0.148	ng	78
29) Diisopropyl Ether	12.93	87	1579	0.104	ng	# 45
30) Ethyl Acetate	12.96	61	105	N.D.		
31) n-Hexane	12.93	57	4974	0.141	ng	84

56

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170913.D  
 Acq On : 17 Feb 2009 17:30  
 Operator : EM  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090906  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:14:58 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.01	83	3913	0.138	ng	91
34) Tetrahydrofuran	13.63	72	1178	0.101	ng	# 66
35) Ethyl tert-Butyl Ether	13.74	87	1943	0.096	ng	# 74
36) 1,2-Dichloroethane	14.13	62	2411	0.112	ng	# 53
38) 1,1,1-Trichloroethane	14.54	97	2848	0.115	ng	# 74
39) Isopropyl Acetate	15.11	61	1371	0.123	ng	# 18
40) 1-Butanol	15.19	56	1344	0.075	ng	# 58
41) Benzene	15.23	78	13261	0.155	ng	98
42) Carbon Tetrachloride	15.46	117	2502	0.116	ng	100
43) Cyclohexane	15.66	84	8819	0.293	ng	# 66
44) tert-Amyl Methyl Ether	16.13	73	5381	0.106	ng	# 1
45) 1,2-Dichloropropane	16.45	63	2121	0.118	ng	82
46) Bromodichloromethane	16.70	83	2643	0.119	ng	95
47) Trichloroethene	16.78	130	3167	0.152	ng	93
48) 1,4-Dioxane	16.77	88	946	0.071	ng	# 1
49) Isooctane	16.86	57	13634	0.155	ng	94
50) Methyl Methacrylate	17.06	100	726	0.106	ng	# 5
51) n-Heptane	17.22	71	2952	0.142	ng	# 66
52) cis-1,3-Dichloropropene	17.96	75	2713	0.096	ng	76
53) 4-Methyl-2-pentanone	18.04	58	251	N.D.		
54) trans-1,3-Dichloropropene	18.67	75	2460	0.098	ng	63
55) 1,1,2-Trichloroethane	18.90	97	1655	0.098	ng	96
58) Toluene	19.29	91	11738	0.145	ng	99
59) 2-Hexanone	19.66	43	126	N.D.		
60) Dibromochloromethane	19.83	129	1850	0.110	ng	96
61) 1,2-Dibromoethane	20.16	107	1719	0.092	ng	95
62) Butyl Acetate	20.44	43	2175	0.052	ng	# 42
63) n-Octane	20.56	57	2562	0.135	ng	# 70
64) Tetrachloroethene	20.76	166	2593	0.130	ng	95
65) Chlorobenzene	21.63	112	7255	0.136	ng	94
66) Ethylbenzene	22.10	91	10985	0.117	ng	94
67) m- & p-Xylene	22.31	91	16190	0.224	ng	# 28
68) Bromoform	22.43	173	1120	0.082	ng	# 27
69) Styrene	22.78	104	5740	0.105	ng	93
70) o-Xylene	22.93	91	8350	0.113	ng	99
71) n-Nonane	23.19	43	5857	0.135	ng	94
72) 1,1,2,2-Tetrachloroethane	22.90	83	2815	0.097	ng	94
74) Cumene	23.67	105	10315	0.113	ng	96
75) alpha-Pinene	24.16	93	4807	0.115	ng	88
76) n-Propylbenzene	24.29	91	12808	0.110	ng	94
77) 3-Ethyltoluene	24.41	105	10120	0.116	ng	99
78) 4-Ethyltoluene	24.47	105	9796	0.114	ng	98
79) 1,3,5-Trimethylbenzene	24.56	105	8139	0.109	ng	96

57

Em 2/18/09



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170913.D  
 Acq On : 17 Feb 2009 17:30  
 Operator : EM  
 Sample : 0.1ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090906  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:14:58 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.75	118	3833	0.096	ng	92
81) 2-Ethyltoluene	24.80	105	9978	0.113	ng	98
82) 1,2,4-Trimethylbenzene	25.06	105	7882	0.103	ng	97
83) n-Decane	25.16	57	5126	0.116	ng	81
84) Benzyl Chloride	25.23	91	3952	0.069	ng	71
85) 1,3-Dichlorobenzene	25.26	146	4778	0.117	ng	98
86) 1,4-Dichlorobenzene	25.33	146	4796	0.113	ng	100
87) sec-Butylbenzene	25.39	105	11214	0.112	ng	96
88) p-Isopropyltoluene	25.57	119	9495	0.099	ng	98
89) 1,2,3-Trimethylbenzene	25.58	105	8132	0.107	ng	100
90) 1,2-Dichlorobenzene	25.75	146	4476	0.115	ng	92
91) d-Limonene	25.75	68	3197	0.101	ng	89
92) 1,2-Dibromo-3-Chloropr...	26.28	157	883	0.077	ng	# 82
93) n-Undecane	26.66	57	4952	0.107	ng	82
94) 1,2,4-Trichlorobenzene	27.80	184	374	0.051	ng	# 1
95) Naphthalene	27.96	128	8285	0.084	ng	# 71
96) n-Dodecane	27.91	57	4590	0.088	ng	86
97) Hexachloro-1,3-butadiene	28.37	225	1521	0.104	ng	85
98) Cyclohexanone	22.55	55	1030	N.D.		
99) tert-Butylbenzene	25.06	119	8047	0.109	ng	99
100) n-Butylbenzene	26.08	91	8641	0.110	ng	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170914.D  
 Acq On : 17 Feb 2009 18:11  
 Operator : EM  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090906  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:18:29 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.80	130	323936	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.75	114	1562761	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.57	82	766032	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4(...)	13.96	65	523979	25.360	ng	-0.03
Spiked Amount	25.000		Recovery	=	101.44%	
57) Toluene-d8 (SS2)	19.15	98	1821287	24.714	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.84%	
73) Bromofluorobenzene (SS3)	23.49	174	513642	24.456	ng	0.00
Spiked Amount	25.000		Recovery	=	97.84%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.87	42	6235	0.272	ng	97
3) Dichlorodifluoromethane	5.03	85	8444	0.252	ng	92
4) Chloromethane	5.36	50	7127	0.241	ng	95
5) Freon 114	5.61	135	4503	0.240	ng	92
6) Vinyl Chloride	5.81	62	7642	0.245	ng	98
7) 1,3-Butadiene	6.10	54	5052	0.238	ng	95
8) Bromomethane	6.59	94	3419	0.212	ng	100
9) Chloroethane	6.95	64	3417	0.231	ng	87
10) Ethanol	7.23	45	17782	1.227	ng	83
11) Acetonitrile	7.58	41	8243	0.229	ng	89
12) Acrolein	7.81	56	2282	0.227	ng	95
13) Acetone	8.02	58	20183	1.382	ng	# 82
14) Trichlorofluoromethane	8.29	101	6880	0.236	ng	97
15) Isopropanol	8.49	45	19119	0.411	ng	86
16) Acrylonitrile	8.81	53	4531	0.197	ng	93
17) 1,1-Dichloroethene	9.33	96	4910	0.278	ng	# 56
18) tert-Butanol	9.48	59	15255	0.352	ng	# 82
19) Methylene Chloride	9.53	84	5088	0.275	ng	# 48
20) Allyl Chloride	9.73	41	5059	0.202	ng	84
21) Trichlorotrifluoroethane	9.99	151	3242	0.237	ng	92
22) Carbon Disulfide	9.95	76	16273	0.247	ng	95
23) trans-1,2-Dichloroethene	11.00	61	5854	0.222	ng	75
24) 1,1-Dichloroethane	11.30	63	6869	0.222	ng	94
25) Methyl tert-Butyl Ether	11.43	73	10415	0.211	ng	74
26) Vinyl Acetate	11.56	86	853	0.292	ng	# 47
27) 2-Butanone	11.93	72	1475	0.141	ng	# 91
28) cis-1,2-Dichloroethene	12.57	61	6362	0.253	ng	78
29) Diisopropyl Ether	12.93	87	3242	0.213	ng	# 43
30) Ethyl Acetate	12.93	61	1586	0.261	ng	77
31) n-Hexane	12.93	57	8151	0.232	ng	98

60

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170914.D  
 Acq On : 17 Feb 2009 18:11  
 Operator : EM  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090906  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:18:29 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.01	83	6816	0.241	ng	98
34) Tetrahydrofuran	13.62	72	2392	0.206	ng	# 68
35) Ethyl tert-Butyl Ether	13.73	87	4009	0.199	ng	# 65
36) 1,2-Dichloroethane	14.13	62	4558	0.213	ng	93
38) 1,1,1-Trichloroethane	14.53	97	5039	0.204	ng	89
39) Isopropyl Acetate	15.10	61	4109	0.370	ng	# 92
40) 1-Butanol	15.16	56	4504	0.253	ng	# 59
41) Benzene	15.23	78	21032	0.247	ng	99
42) Carbon Tetrachloride	15.46	117	4522	0.210	ng	100
43) Cyclohexane	15.65	84	14292	0.477	ng	# 67
44) tert-Amyl Methyl Ether	16.13	73	10421	0.207	ng	# 1
45) 1,2-Dichloropropane	16.44	63	3997	0.223	ng	88
46) Bromodichloromethane	16.70	83	4725	0.215	ng	99
47) Trichloroethene	16.78	130	5373	0.259	ng	96
48) 1,4-Dioxane	16.75	88	2145	0.162	ng	# 57
49) Isooctane	16.86	57	21421	0.244	ng	98
50) Methyl Methacrylate	17.04	100	2185	0.321	ng	# 66
51) n-Heptane	17.21	71	5007	0.242	ng	# 65
52) cis-1,3-Dichloropropene	17.96	75	5290	0.188	ng	94
53) 4-Methyl-2-pentanone	18.03	58	2227	0.146	ng	# 63
54) trans-1,3-Dichloropropene	18.67	75	4841	0.193	ng	100
55) 1,1,2-Trichloroethane	18.90	97	3315	0.198	ng	94
58) Toluene	19.28	91	20225	0.250	ng	99
59) 2-Hexanone	19.63	43	4587	0.127	ng	82
60) Dibromochloromethane	19.83	129	3255	0.194	ng	91
61) 1,2-Dibromoethane	20.16	107	3722	0.200	ng	98
62) Butyl Acetate	20.43	43	6115	0.148	ng	87
63) n-Octane	20.56	57	4383	0.232	ng	# 70
64) Tetrachloroethene	20.76	166	4304	0.216	ng	100
65) Chlorobenzene	21.63	112	12190	0.229	ng	99
66) Ethylbenzene	22.11	91	19818	0.212	ng	97
67) m- & p-Xylene	22.33	91	30052	0.417	ng	98
68) Bromoform	22.43	173	2399	0.177	ng	94
69) Styrene	22.79	104	10738	0.196	ng	97
70) o-Xylene	22.92	91	15370	0.208	ng	99
71) n-Nonane	23.18	43	10331	0.238	ng	94
72) 1,1,2,2-Tetrachloroethane	22.89	83	5495	0.190	ng	95
74) Cumene	23.67	105	18490	0.203	ng	100
75) alpha-Pinene	24.16	93	8832	0.212	ng	93
76) n-Propylbenzene	24.29	91	22876	0.197	ng	96
77) 3-Ethyltoluene	24.41	105	16886	0.194	ng	95
78) 4-Ethyltoluene	24.47	105	17993	0.210	ng	98
79) 1,3,5-Trimethylbenzene	24.56	105	14658	0.197	ng	99

61

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170914.D  
 Acq On : 17 Feb 2009 18:11  
 Operator : EM  
 Sample : 0.2ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090906  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Feb 18 07:18:29 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.74	118	7644	0.192	ng	95
81) 2-Ethyltoluene	24.80	105	18092	0.205	ng	99
82) 1,2,4-Trimethylbenzene	25.06	105	14928	0.195	ng	100
83) n-Decane	25.16	57	9776	0.221	ng	82
84) Benzyl Chloride	25.23	91	7986	0.140	ng	92
85) 1,3-Dichlorobenzene	25.25	146	8682	0.213	ng	99
86) 1,4-Dichlorobenzene	25.33	146	8776	0.208	ng	98
87) sec-Butylbenzene	25.39	105	20591	0.206	ng	98
88) p-Isopropyltoluene	25.57	119	18026	0.189	ng	95
89) 1,2,3-Trimethylbenzene	25.58	105	14780	0.195	ng	96
90) 1,2-Dichlorobenzene	25.75	146	7887	0.203	ng	99
91) d-Limonene	25.75	68	6211	0.198	ng	97
92) 1,2-Dibromo-3-Chloropr...	26.28	157	1940	0.170	ng	89
93) n-Undecane	26.66	57	9313	0.201	ng	79
94) 1,2,4-Trichlorobenzene	27.80	184	1359	0.185	ng	# 85
95) Naphthalene	27.96	128	16835	0.170	ng	91
96) n-Dodecane	27.90	57	8356	0.160	ng	76
97) Hexachloro-1,3-butadiene	28.36	225	2957	0.202	ng	90
98) Cyclohexanone	22.54	55	2599	0.096	ng	# 79
99) tert-Butylbenzene	25.06	119	14627	0.199	ng	96
100) n-Butylbenzene	26.08	91	15470	0.198	ng	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

*Em 2/18/09*

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170915.D  
Acq On : 17 Feb 2009 18:53  
Operator : EM  
Sample : 0.5ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090905  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:20:17 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170915.D  
 Acq On : 17 Feb 2009 18:53  
 Operator : EM  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090905  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:20:17 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.80	130	324440	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.75	114	1570822	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	769662	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.95	65	533077	25.761	ng	-0.04
Spiked Amount	25.000		Recovery	=	103.04%	
57) Toluene-d8 (SS2)	19.15	98	1833074	24.757	ng	-0.01
Spiked Amount	25.000		Recovery	=	99.04%	
73) Bromofluorobenzene (SS3)	23.49	174	518682	24.580	ng	0.00
Spiked Amount	25.000		Recovery	=	98.32%	

## Target Compounds

						Qvalue
2) Propene	4.86	42	15010	0.653	ng	98
3) Dichlorodifluoromethane	5.02	85	24352	0.726	ng	98
4) Chloromethane	5.35	50	20620	0.696	ng	99
5) Freon 114	5.60	135	12855	0.683	ng	98
6) Vinyl Chloride	5.81	62	21252	0.682	ng	94
7) 1,3-Butadiene	6.09	54	15635	0.736	ng	95
8) Bromomethane	6.59	94	10544	0.651	ng	96
9) Chloroethane	6.94	64	10080	0.681	ng	97
10) Ethanol	7.21	45	50633	3.487	ng	93
11) Acetonitrile	7.56	41	25354	0.702	ng	96
12) Acrolein	7.79	56	6726	0.669	ng	96
13) Acetone	8.00	58	65691	4.492	ng	88
14) Trichlorofluoromethane	8.29	101	19871	0.679	ng	97
15) Isopropanol	8.46	45	60718	1.303	ng	92
16) Acrylonitrile	8.80	53	15418	0.671	ng	99
17) 1,1-Dichloroethene	9.33	96	13139	0.743	ng	# 58
18) tert-Butanol	9.44	59	49502	1.141	ng	87
19) Methylene Chloride	9.53	84	12905	0.696	ng	# 51
20) Allyl Chloride	9.72	41	17006	0.679	ng	79
21) Trichlorotrifluoroethane	10.00	151	10007	0.730	ng	98
22) Carbon Disulfide	9.94	76	45527	0.690	ng	98
23) trans-1,2-Dichloroethene	11.00	61	17382	0.659	ng	78
24) 1,1-Dichloroethane	11.30	63	21099	0.682	ng	96
25) Methyl tert-Butyl Ether	11.41	73	31331	0.634	ng	85
26) Vinyl Acetate	11.55	86	6377	2.180	ng	# 25
27) 2-Butanone	11.91	72	7034	0.670	ng	# 54
28) cis-1,2-Dichloroethene	12.57	61	18585	0.739	ng	74
29) Diisopropyl Ether	12.91	87	9822	0.645	ng	# 50
30) Ethyl Acetate	12.92	61	7157	1.177	ng	74
31) n-Hexane	12.93	57	23603	0.672	ng	91

64

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170915.D  
 Acq On : 17 Feb 2009 18:53  
 Operator : EM  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090905  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:20:17 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.01	83	20270	0.715	ng	96
34) Tetrahydrofuran	13.60	72	7714	0.662	ng	# 58
35) Ethyl tert-Butyl Ether	13.72	87	12510	0.621	ng	# 66
36) 1,2-Dichloroethane	14.13	62	14410	0.673	ng	99
38) 1,1,1-Trichloroethane	14.54	97	16658	0.671	ng	92
39) Isopropyl Acetate	15.09	61	14038	1.256	ng	# 85
40) 1-Butanol	15.13	56	18610	1.042	ng	98
41) Benzene	15.23	78	56428	0.658	ng	98
42) Carbon Tetrachloride	15.46	117	13784	0.637	ng	95
43) Cyclohexane	15.66	84	39790	1.320	ng	# 67
44) tert-Amyl Methyl Ether	16.11	73	31834	0.630	ng	# 1
45) 1,2-Dichloropropane	16.44	63	12555	0.697	ng	94
46) Bromodichloromethane	16.70	83	14654	0.662	ng	95
47) Trichloroethene	16.77	130	14352	0.688	ng	93
48) 1,4-Dioxane	16.74	88	8410	0.633	ng	# 72
49) Isooctane	16.86	57	60402	0.685	ng	97
50) Methyl Methacrylate	17.03	100	8351	1.222	ng	# 73
51) n-Heptane	17.21	71	14165	0.681	ng	# 71
52) cis-1,3-Dichloropropene	17.96	75	17329	0.614	ng	99
53) 4-Methyl-2-pentanone	18.00	58	9069	0.593	ng	88
54) trans-1,3-Dichloropropene	18.66	75	16294	0.647	ng	99
55) 1,1,2-Trichloroethane	18.90	97	11089	0.660	ng	99
58) Toluene	19.28	91	56672	0.697	ng	99
59) 2-Hexanone	19.60	43	22236	0.613	ng	99
60) Dibromochloromethane	19.83	129	11538	0.685	ng	100
61) 1,2-Dibromoethane	20.15	107	12136	0.649	ng	99
62) Butyl Acetate	20.41	43	25067	0.603	ng	97
63) n-Octane	20.56	57	12750	0.672	ng	# 64
64) Tetrachloroethene	20.76	166	13108	0.656	ng	99
65) Chlorobenzene	21.63	112	34429	0.644	ng	99
66) Ethylbenzene	22.10	91	58538	0.623	ng	97
67) m- & p-Xylene	22.32	91	88612	1.224	ng	100
68) Bromoform	22.43	173	8393	0.615	ng	94
69) Styrene	22.79	104	33547	0.610	ng	97
70) o-Xylene	22.92	91	45256	0.609	ng	100
71) n-Nonane	23.18	43	29432	0.675	ng	93
72) 1,1,2,2-Tetrachloroethane	22.89	83	18045	0.623	ng	97
74) Cumene	23.67	105	55931	0.610	ng	98
75) alpha-Pinene	24.16	93	26124	0.624	ng	94
76) n-Propylbenzene	24.29	91	70012	0.601	ng	97
77) 3-Ethyltoluene	24.41	105	53659	0.614	ng	94
78) 4-Ethyltoluene	24.47	105	54878	0.637	ng	99
79) 1,3,5-Trimethylbenzene	24.56	105	45577	0.611	ng	98

65



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170915.D  
 Acq On : 17 Feb 2009 18:53  
 Operator : EM  
 Sample : 0.5ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090905  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:20:17 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.74	118	22293	0.558	ng	93
81) 2-Ethyltoluene	24.79	105	54487	0.614	ng	97
82) 1,2,4-Trimethylbenzene	25.05	105	45111	0.586	ng	96
83) n-Decane	25.16	57	29370	0.661	ng	80
84) Benzyl Chloride	25.23	91	28677	0.500	ng	97
85) 1,3-Dichlorobenzene	25.25	146	25658	0.626	ng	100
86) 1,4-Dichlorobenzene	25.33	146	26350	0.620	ng	98
87) sec-Butylbenzene	25.39	105	60847	0.607	ng	99
88) p-Isopropyltoluene	25.57	119	55208	0.576	ng	98
89) 1,2,3-Trimethylbenzene	25.58	105	45674	0.601	ng	96
90) 1,2-Dichlorobenzene	25.75	146	24138	0.619	ng	99
91) d-Limonene	25.75	68	17906	0.567	ng	97
92) 1,2-Dibromo-3-Chloropr...	26.28	157	6434	0.562	ng	91
93) n-Undecane	26.66	57	28838	0.620	ng	76
94) 1,2,4-Trichlorobenzene	27.80	184	4467	0.606	ng	# 89
95) Naphthalene	27.94	128	48185	0.485	ng	94
96) n-Dodecane	27.90	57	24072	0.459	ng	75
97) Hexachloro-1,3-butadiene	28.36	225	8967	0.610	ng	94
98) Cyclohexanone	22.53	55	12892	0.474	ng	# 90
99) tert-Butylbenzene	25.06	119	45453	0.614	ng	97
100) n-Butylbenzene	26.08	91	49346	0.628	ng	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170916.D  
 Acq On : 17 Feb 2009 19:34  
 Operator : EM  
 Sample : 1.0ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090905  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:21:46 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.80	130	323771	25.000	ng	-0.04
37) 1,4-Difluorobenzene (IS2)	15.75	114	1555819	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	767932	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.96	65	525261	25.435	ng	-0.03
Spiked Amount	25.000		Recovery	=	101.76%	
57) Toluene-d8 (SS2)	19.15	98	1818735	24.618	ng	-0.01
Spiked Amount	25.000		Recovery	=	98.48%	
73) Bromofluorobenzene (SS3)	23.49	174	512810	24.356	ng	0.00
Spiked Amount	25.000		Recovery	=	97.44%	

## Target Compounds

						Qvalue
2) Propene	4.85	42	24722	1.077	ng	97
3) Dichlorodifluoromethane	5.01	85	41109	1.229	ng	98
4) Chloromethane	5.34	50	36483	1.234	ng	98
5) Freon 114	5.60	135	22394	1.193	ng	100
6) Vinyl Chloride	5.80	62	36699	1.180	ng	95
7) 1,3-Butadiene	6.09	54	27918	1.316	ng	96
8) Bromomethane	6.58	94	18814	1.165	ng	94
9) Chloroethane	6.93	64	18188	1.231	ng	94
10) Ethanol	7.20	45	88569	6.112	ng	98
11) Acetonitrile	7.56	41	44440	1.233	ng	95
12) Acrolein	7.78	56	12280	1.224	ng	97
13) Acetone	8.00	58	111761	7.658	ng	87
14) Trichlorofluoromethane	8.29	101	34101	1.168	ng	98
15) Isopropanol	8.45	45	109455	2.353	ng	93
16) Acrylonitrile	8.79	53	27901	1.216	ng	99
17) 1,1-Dichloroethene	9.33	96	21708	1.230	ng	# 60
18) tert-Butanol	9.42	59	89462	2.066	ng	93
19) Methylene Chloride	9.52	84	22128	1.196	ng	# 49
20) Allyl Chloride	9.72	41	30993	1.239	ng	78
21) Trichlorotrifluoroethane	9.98	151	16300	1.191	ng	92
22) Carbon Disulfide	9.93	76	78440	1.191	ng	100
23) trans-1,2-Dichloroethene	10.99	61	30712	1.167	ng	78
24) 1,1-Dichloroethane	11.30	63	37672	1.221	ng	98
25) Methyl tert-Butyl Ether	11.40	73	56275	1.140	ng	85
26) Vinyl Acetate	11.55	86	13526	4.634	ng	# 19
27) 2-Butanone	11.90	72	13637	1.301	ng	# 43
28) cis-1,2-Dichloroethene	12.57	61	31162	1.241	ng	73
29) Diisopropyl Ether	12.91	87	18382	1.210	ng	# 46
30) Ethyl Acetate	12.90	61	14039	2.313	ng	# 69
31) n-Hexane	12.93	57	39942	1.139	ng	88

68

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170916.D  
Acq On : 17 Feb 2009 19:34  
Operator : EM  
Sample : 1.0ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090905  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:21:46 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.01	83	34821	1.231	ng	98
34) Tetrahydrofuran	13.59	72	14078	1.211	ng	# 53
35) Ethyl tert-Butyl Ether	13.72	87	22627	1.125	ng	# 64
36) 1,2-Dichloroethane	14.13	62	25983	1.217	ng	98
38) 1,1,1-Trichloroethane	14.53	97	28966	1.178	ng	94
39) Isopropyl Acetate	15.08	61	27146	2.452	ng	# 81
40) 1-Butanol	15.11	56	35610	2.013	ng	# 1
41) Benzene	15.23	78	92562	1.090	ng	98
42) Carbon Tetrachloride	15.46	117	24978	1.165	ng	100
43) Cyclohexane	15.66	84	68935	2.310	ng	# 66
44) tert-Amyl Methyl Ether	16.11	73	56476	1.128	ng	# 1
45) 1,2-Dichloropropane	16.44	63	22173	1.244	ng	96
46) Bromodichloromethane	16.70	83	26155	1.193	ng	97
47) Trichloroethene	16.77	130	24363	1.179	ng	94
48) 1,4-Dioxane	16.73	88	16284	1.238	ng	# 70
49) Isooctane	16.86	57	103596	1.187	ng	98
50) Methyl Methacrylate	17.03	100	16442	2.428	ng	# 80
51) n-Heptane	17.21	71	24480	1.189	ng	# 70
52) cis-1,3-Dichloropropene	17.95	75	31839	1.139	ng	100
53) 4-Methyl-2-pentanone	18.00	58	18677	1.232	ng	83
54) trans-1,3-Dichloropropene	18.66	75	30085	1.206	ng	97
55) 1,1,2-Trichloroethane	18.90	97	19743	1.186	ng	97
58) Toluene	19.28	91	97778	1.206	ng	99
59) 2-Hexanone	19.59	43	45090	1.246	ng	99
60) Dibromochloromethane	19.83	129	20896	1.243	ng	99
61) 1,2-Dibromoethane	20.15	107	22090	1.183	ng	98
62) Butyl Acetate	20.40	43	49770	1.201	ng	96
63) n-Octane	20.56	57	22049	1.164	ng	# 66
64) Tetrachloroethene	20.76	166	22167	1.112	ng	96
65) Chlorobenzene	21.63	112	59338	1.113	ng	99
66) Ethylbenzene	22.10	91	103341	1.102	ng	97
67) m- & p-Xylene	22.32	91	157673	2.183	ng	100
68) Bromoform	22.42	173	15361	1.128	ng	96
69) Styrene	22.78	104	59872	1.091	ng	99
70) o-Xylene	22.92	91	81508	1.099	ng	98
71) n-Nonane	23.18	43	50619	1.163	ng	91
72) 1,1,2,2-Tetrachloroethane	22.89	83	33011	1.141	ng	99
74) Cumene	23.67	105	100654	1.101	ng	99
75) alpha-Pinene	24.16	93	47352	1.133	ng	95
76) n-Propylbenzene	24.29	91	125987	1.083	ng	98
77) 3-Ethyltoluene	24.41	105	98125	1.126	ng	100
78) 4-Ethyltoluene	24.47	105	97228	1.131	ng	98
79) 1,3,5-Trimethylbenzene	24.55	105	81323	1.092	ng	98

69

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170916.D  
Acq On : 17 Feb 2009 19:34  
Operator : EM  
Sample : 1.0ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090905  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:21:46 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.75	118	40973	1.028	ng	93
81) 2-Ethyltoluene	24.79	105	99361	1.121	ng	98
82) 1,2,4-Trimethylbenzene	25.05	105	81077	1.055	ng	95
83) n-Decane	25.16	57	51906	1.170	ng	77
84) Benzyl Chloride	25.22	91	57051	0.997	ng	100
85) 1,3-Dichlorobenzene	25.25	146	44787	1.095	ng	100
86) 1,4-Dichlorobenzene	25.33	146	46443	1.096	ng	99
87) sec-Butylbenzene	25.39	105	111818	1.117	ng	98
88) p-Isopropyltoluene	25.57	119	99522	1.041	ng	98
89) 1,2,3-Trimethylbenzene	25.57	105	82287	1.085	ng	96
90) 1,2-Dichlorobenzene	25.75	146	42059	1.081	ng	98
91) d-Limonene	25.75	68	33177	1.053	ng	98
92) 1,2-Dibromo-3-Chloropr...	26.28	157	13018	1.141	ng	86
93) n-Undecane	26.66	57	52201	1.124	ng	76
94) 1,2,4-Trichlorobenzene	27.80	184	8256	1.122	ng	# 92
95) Naphthalene	27.94	128	93919	0.947	ng	98
96) n-Dodecane	27.90	57	48161	0.921	ng	76
97) Hexachloro-1,3-butadiene	28.36	225	16174	1.103	ng	97
98) Cyclohexanone	22.52	55	26368	0.971	ng	89
99) tert-Butylbenzene	25.05	119	80781	1.094	ng	99
100) n-Butylbenzene	26.08	91	91148	1.162	ng	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

(QT Reviewed)

```
Data Path : J:\MS09\Data\2009_02\17\  
Data File : 02170917.D  
Acq On    : 17 Feb 2009   20:16  
Operator  : EM  
Sample    : 5.0ng TO-15 ICAL STD  
Misc      : S20-02030901/S20-02090905  
ALS Vial  : 4      Sample Multiplier: 1
```

Quant Time: Feb 18 07:23:26 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170917.D  
 Acq On : 17 Feb 2009 20:16  
 Operator : EM  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090905  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:23:26 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.81	130	329926	25.000	ng	-0.03
37) 1,4-Difluorobenzene (IS2)	15.75	114	1586573	25.000	ng	-0.02
56) Chlorobenzene-d5 (IS3)	21.57	82	785194	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.97	65	537457	25.540	ng	-0.03
Spiked Amount	25.000		Recovery	=	102.16%	
57) Toluene-d8 (SS2)	19.15	98	1848060	24.465	ng	-0.01
Spiked Amount	25.000		Recovery	=	97.88%	
73) Bromofluorobenzene (SS3)	23.49	174	529420	24.593	ng	0.00
Spiked Amount	25.000		Recovery	=	98.36%	

## Target Compounds

						Qvalue
2) Propene	4.84	42	139766	5.977	ng	98
3) Dichlorodifluoromethane	5.01	85	179243	5.258	ng	98
4) Chloromethane	5.33	50	156540	5.197	ng	97
5) Freon 114	5.60	135	94256	4.927	ng	99
6) Vinyl Chloride	5.80	62	160059	5.049	ng	94
7) 1,3-Butadiene	6.08	54	123882	5.732	ng	96
8) Bromomethane	6.58	94	86176	5.236	ng	97
9) Chloroethane	6.92	64	80430	5.344	ng	95
10) Ethanol	7.22	45	410678	27.814	ng	99
11) Acetonitrile	7.56	41	198001	5.392	ng	97
12) Acrolein	7.77	56	58962	5.768	ng	100
13) Acetone	7.99	58	498890	33.548	ng	# 85
14) Trichlorofluoromethane	8.29	101	146567	4.929	ng	97
15) Isopropanol	8.46	45	363899	7.678	ng	94
16) Acrylonitrile	8.79	53	134916	5.771	ng	100
17) 1,1-Dichloroethene	9.32	96	93114	5.179	ng	# 61
18) tert-Butanol	9.42	59	434296	9.843	ng	95
19) Methylene Chloride	9.53	84	97284	5.158	ng	# 48
20) Allyl Chloride	9.72	41	148148	5.814	ng	75
21) Trichlorotrifluoroethane	9.98	151	73042	5.237	ng	96
22) Carbon Disulfide	9.93	76	349581	5.208	ng	99
23) trans-1,2-Dichloroethene	11.00	61	138748	5.176	ng	76
24) 1,1-Dichloroethane	11.30	63	174140	5.537	ng	97
25) Methyl tert-Butyl Ether	11.40	73	264494	5.259	ng	84
26) Vinyl Acetate	11.54	86	79129	26.602	ng	# 9
27) 2-Butanone	11.89	72	67884	6.357	ng	# 32
28) cis-1,2-Dichloroethene	12.57	61	138953	5.432	ng	74
29) Diisopropyl Ether	12.90	87	82357	5.319	ng	# 52
30) Ethyl Acetate	12.90	61	72805	11.772	ng	# 71
31) n-Hexane	12.93	57	176787	4.949	ng	88

72

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170917.D  
 Acq On : 17 Feb 2009 20:16  
 Operator : EM  
 Sample : 5.0ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090905  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:23:26 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.02	83	152411	5.289	ng	98
34) Tetrahydrofuran	13.58	72	66880	5.646	ng	# 50
35) Ethyl tert-Butyl Ether	13.71	87	104189	5.085	ng	# 63
36) 1,2-Dichloroethane	14.13	62	117981	5.421	ng	98
38) 1,1,1-Trichloroethane	14.54	97	132747	5.295	ng	93
39) Isopropyl Acetate	15.07	61	130075	11.523	ng	# 82
40) 1-Butanol	15.08	56	190986	10.588	ng	92
41) Benzene	15.23	78	400939	4.631	ng	99
42) Carbon Tetrachloride	15.46	117	112495	5.145	ng	98
43) Cyclohexane	15.66	84	306793	10.080	ng	# 65
44) tert-Amyl Methyl Ether	16.11	73	258046	5.056	ng	# 1
45) 1,2-Dichloropropane	16.44	63	101567	5.586	ng	93
46) Bromodichloromethane	16.70	83	118878	5.316	ng	96
47) Trichloroethene	16.78	130	99104	4.705	ng	96
48) 1,4-Dioxane	16.72	88	77267	5.761	ng	# 70
49) Isooctane	16.86	57	453629	5.097	ng	97
50) Methyl Methacrylate	17.02	100	80541	11.664	ng	# 78
51) n-Heptane	17.21	71	107905	5.138	ng	# 68
52) cis-1,3-Dichloropropene	17.96	75	151450	5.314	ng	99
53) 4-Methyl-2-pentanone	17.99	58	94689	6.127	ng	79
54) trans-1,3-Dichloropropene	18.65	75	149858	5.893	ng	97
55) 1,1,2-Trichloroethane	18.90	97	90197	5.315	ng	99
58) Toluene	19.28	91	425688	5.133	ng	100
59) 2-Hexanone	19.58	43	226019	6.107	ng	92
60) Dibromochloromethane	19.82	129	95611	5.561	ng	98
61) 1,2-Dibromoethane	20.15	107	99504	5.214	ng	98
62) Butyl Acetate	20.39	43	265218	6.257	ng	96
63) n-Octane	20.56	57	96396	4.977	ng	# 65
64) Tetrachloroethene	20.76	166	95382	4.678	ng	97
65) Chlorobenzene	21.63	112	262042	4.806	ng	100
66) Ethylbenzene	22.10	91	464179	4.842	ng	98
67) m- & p-Xylene	22.33	91	708530	9.595	ng	99
68) Bromoform	22.42	173	71984	5.170	ng	96
69) Styrene	22.78	104	281262	5.015	ng	99
70) o-Xylene	22.92	91	364798	4.812	ng	100
71) n-Nonane	23.18	43	225981	5.077	ng	91
72) 1,1,2,2-Tetrachloroethane	22.89	83	162097	5.482	ng	97
74) Cumene	23.67	105	457607	4.895	ng	98
75) alpha-Pinene	24.16	93	224235	5.246	ng	95
76) n-Propylbenzene	24.29	91	573972	4.827	ng	97
77) 3-Ethyltoluene	24.41	105	452705	5.082	ng	100
78) 4-Ethyltoluene	24.47	105	449584	5.113	ng	97
79) 1,3,5-Trimethylbenzene	24.56	105	374759	4.924	ng	97

73



Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170917.D  
Acq On : 17 Feb 2009 20:16  
Operator : EM  
Sample : 5.0ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090905  
ALS Vial : 4 Sample Multiplier: 1


Quant Time: Feb 18 07:23:26 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
80) alpha-Methylstyrene	24.74	118	196944	4.831	ng	97
81) 2-Ethyltoluene	24.79	105	451377	4.982	ng	97
82) 1,2,4-Trimethylbenzene	25.05	105	380518	4.844	ng	95
83) n-Decane	25.16	57	239323	5.277	ng	79
84) Benzyl Chloride	25.22	91	315631	5.394	ng	99
85) 1,3-Dichlorobenzene	25.25	146	204001	4.876	ng	100
86) 1,4-Dichlorobenzene	25.33	146	208046	4.801	ng	99
87) sec-Butylbenzene	25.39	105	512551	5.009	ng	99
88) p-Isopropyltoluene	25.57	119	464075	4.747	ng	98
89) 1,2,3-Trimethylbenzene	25.57	105	382499	4.933	ng	96
90) 1,2-Dichlorobenzene	25.75	146	192830	4.849	ng	99
91) d-Limonene	25.75	68	157519	4.890	ng	98
92) 1,2-Dibromo-3-Chloropr...	26.28	157	63992	5.483	ng	88
93) n-Undecane	26.66	57	248977	5.243	ng	76
94) 1,2,4-Trichlorobenzene	27.80	184	40940	5.442	ng	# 91
95) Naphthalene	27.94	128	469167	4.628	ng	99
96) n-Dodecane	27.90	57	238295	4.456	ng	74
97) Hexachloro-1,3-butadiene	28.37	225	75512	5.034	ng	97
98) Cyclohexanone	22.52	55	126043	4.539	ng	# 89
99) tert-Butylbenzene	25.06	119	372667	4.937	ng	98
100) n-Butylbenzene	26.08	91	423938	5.287	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170918.D  
Acq On : 17 Feb 2009 20:57  
Operator : EM  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090903  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:24:49 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170918.D  
 Acq On : 17 Feb 2009 20:57  
 Operator : EM  
 Sample : 25ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090903  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:24:49 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.82	130	322237	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.77	114	1549940	25.000	ng	-0.01
56) Chlorobenzene-d5 (IS3)	21.57	82	767143	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4(...)	13.98	65	523733	25.482	ng	-0.02
Spiked Amount	25.000		Recovery	=	101.92%	
57) Toluene-d8 (SS2)	19.16	98	1799947	24.389	ng	0.00
Spiked Amount	25.000		Recovery	=	97.56%	
73) Bromofluorobenzene (SS3)	23.50	174	514104	24.443	ng	0.00
Spiked Amount	25.000		Recovery	=	97.76%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.83	42	665112	29.123	ng	98
3) Dichlorodifluoromethane	5.00	85	913164	27.426	ng	99
4) Chloromethane	5.33	50	838916	28.514	ng	99
5) Freon 114	5.59	135	496652	26.581	ng	98
6) Vinyl Chloride	5.79	62	837076	27.033	ng	94
7) 1,3-Butadiene	6.08	54	668625	31.674	ng	97
8) Bromomethane	6.57	94	462826	28.790	ng	96
9) Chloroethane	6.92	64	423028	28.778	ng	95
10) Ethanol	7.27	45	2085348	144.603	ng	100
11) Acetonitrile	7.57	41	1033778	28.824	ng	98
12) Acrolein	7.78	56	312470	31.299	ng	100
13) Acetone	8.00	58	2031281	139.855	ng	# 83
14) Trichlorofluoromethane	8.29	101	768954	26.474	ng	97
15) Isopropanol	8.49	45	2277833	49.204	ng	97
16) Acrylonitrile	8.81	53	730753	32.006	ng	99
17) 1,1-Dichloroethene	9.32	96	493575	28.109	ng	# 59
18) tert-Butanol	9.45	59	2361481	54.796	ng	96
19) Methylene Chloride	9.54	84	511347	27.758	ng	# 48
20) Allyl Chloride	9.73	41	818421	32.883	ng	75
21) Trichlorotrifluoroethane	9.98	151	389157	28.566	ng	96
22) Carbon Disulfide	9.93	76	1858220	28.346	ng	99
23) trans-1,2-Dichloroethene	11.00	61	747760	28.560	ng	77
24) 1,1-Dichloroethane	11.32	63	922907	30.048	ng	97
25) Methyl tert-Butyl Ether	11.40	73	1435591	29.226	ng	85
26) Vinyl Acetate	11.56	86	524643	180.584	ng	# 6
27) 2-Butanone	11.89	72	370452	35.521	ng	# 29
28) cis-1,2-Dichloroethene	12.58	61	733259	29.350	ng	72
29) Diisopropyl Ether	12.91	87	450087	29.762	ng	# 50
30) Ethyl Acetate	12.91	61	414949	68.693	ng	# 72
31) n-Hexane	12.93	57	956894	27.425	ng	88

76

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170918.D  
Acq On : 17 Feb 2009 20:57  
Operator : EM  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090903  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:24:49 2009

Quant Method : J:\MS09\Methods\R9021709.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Mon Feb 16 12:39:21 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.03	83	809239	28.752	ng	98
34) Tetrahydrofuran	13.58	72	353881	30.587	ng	# 52
35) Ethyl tert-Butyl Ether	13.72	87	565442	28.254	ng	# 62
36) 1,2-Dichloroethane	14.14	62	627757	29.533	ng	97
38) 1,1,1-Trichloroethane	14.54	97	713209	29.121	ng	93
39) Isopropyl Acetate	15.07	61	725626	65.801	ng	# 82
40) 1-Butanol	15.10	56	1244696	70.635	ng	84
41) Benzene	15.24	78	2107365	24.918	ng	97
42) Carbon Tetrachloride	15.47	117	610290	28.572	ng	98
43) Cyclohexane	15.66	84	1636904	55.054	ng	# 65
44) tert-Amyl Methyl Ether	16.11	73	1395427	27.986	ng	# 1
45) 1,2-Dichloropropane	16.45	63	544240	30.642	ng	96
46) Bromodichloromethane	16.70	83	645553	29.552	ng	96
47) Trichloroethene	16.78	130	524686	25.497	ng	96
48) 1,4-Dioxane	16.73	88	435145	33.212	ng	# 70
49) Isooctane	16.87	57	2401455	27.618	ng	97
50) Methyl Methacrylate	17.03	100	459794	68.162	ng	# 81
51) n-Heptane	17.22	71	574850	28.018	ng	# 70
52) cis-1,3-Dichloropropene	17.96	75	830360	29.826	ng	98
53) 4-Methyl-2-pentanone	17.99	58	535530	35.473	ng	77
54) trans-1,3-Dichloropropene	18.66	75	836086	33.656	ng	96
55) 1,1,2-Trichloroethane	18.90	97	490471	29.585	ng	99
58) Toluene	19.29	91	2279816	28.139	ng	100
59) 2-Hexanone	19.59	43	1302408	36.019	ng	91
60) Dibromochloromethane	19.83	129	531295	31.630	ng	96
61) 1,2-Dibromoethane	20.16	107	549142	29.450	ng	98
62) Butyl Acetate	20.40	43	1540756	37.204	ng	96
63) n-Octane	20.57	57	516410	27.292	ng	# 65
64) Tetrachloroethene	20.76	166	510414	25.620	ng	95
65) Chlorobenzene	21.63	112	1406123	26.397	ng	100
66) Ethylbenzene	22.10	91	2512492	26.825	ng	98
67) m- & p-Xylene	22.33	91	3878840	53.766	ng	99
68) Bromoform	22.43	173	415399	30.539	ng	97
69) Styrene	22.78	104	1555030	28.376	ng	99
70) o-Xylene	22.93	91	1990988	26.878	ng	100
71) n-Nonane	23.19	43	1212518	27.883	ng	90
72) 1,1,2,2-Tetrachloroethane	22.89	83	894435	30.960	ng	98
74) Cumene	23.67	105	2481020	27.163	ng	98
75) alpha-Pinene	24.16	93	1235572	29.588	ng	95
76) n-Propylbenzene	24.29	91	3113587	26.804	ng	98
77) 3-Ethyltoluene	24.41	105	2512668	28.868	ng	99
78) 4-Ethyltoluene	24.47	105	2419877	28.168	ng	97
79) 1,3,5-Trimethylbenzene	24.56	105	2051460	27.587	ng	97

77

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170918.D  
Acq On : 17 Feb 2009 20:57  
Operator : EM  
Sample : 25ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090903  
ALS Vial : 4 Sample Multiplier: 1


Quant Time: Feb 18 07:24:49 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.75	118	1144722	28.740	ng	98
81) 2-Ethyltoluene	24.80	105	2455902	27.745	ng	97
82) 1,2,4-Trimethylbenzene	25.06	105	2161951	28.168	ng	95
83) n-Decane	25.16	57	1295569	29.238	ng	78
84) Benzyl Chloride	25.23	91	1889408	33.049	ng	99
85) 1,3-Dichlorobenzene	25.26	146	1108204	27.114	ng	99
86) 1,4-Dichlorobenzene	25.33	146	1127572	26.633	ng	98
87) sec-Butylbenzene	25.39	105	2801677	28.025	ng	99
88) p-Isopropyltoluene	25.57	119	2618882	27.419	ng	98
89) 1,2,3-Trimethylbenzene	25.58	105	2170222	28.647	ng	95
90) 1,2-Dichlorobenzene	25.75	146	1070805	27.560	ng	98
91) d-Limonene	25.75	68	956342	30.390	ng	98
92) 1,2-Dibromo-3-Chloropr...	26.28	157	356035	31.225	ng	# 85
93) n-Undecane	26.66	57	1339743	28.875	ng	75
94) 1,2,4-Trichlorobenzene	27.80	184	216883	29.507	ng	89
95) Naphthalene	27.94	128	2552932	25.776	ng	100
96) n-Dodecane	27.90	57	1257425	24.066	ng	73
97) Hexachloro-1,3-butadiene	28.37	225	395197	26.967	ng	97
98) Cyclohexanone	22.52	55	780845	28.779	ng	# 89
99) tert-Butylbenzene	25.07	119	2100700	28.483	ng	97
100) n-Butylbenzene	26.08	91	2331621	29.760	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170919.D  
Acq On : 17 Feb 2009 21:38  
Operator : EM  
Sample : 50ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090903  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:28:24 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170919.D  
 Acq On : 17 Feb 2009 21:38  
 Operator : EM  
 Sample : 50ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090903  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:28:24 2009

Quant Method : J:\MS09\Methods\R9021709.M

Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)

QLast Update : Mon Feb 16 12:39:21 2009

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.83	130	325939	25.000	ng	-0.01
37) 1,4-Difluorobenzene (IS2)	15.77	114	1570223	25.000	ng	0.00
56) Chlorobenzene-d5 (IS3)	21.58	82	775515	25.000	ng	0.00

#### System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.98	65	528025	25.399	ng	-0.01
Spiked Amount	25.000		Recovery	=	101.60%	
57) Toluene-d8 (SS2)	19.16	98	1823114	24.436	ng	0.00
Spiked Amount	25.000		Recovery	=	97.76%	
73) Bromofluorobenzene (SS3)	23.50	174	526664	24.770	ng	0.00
Spiked Amount	25.000		Recovery	=	99.08%	

#### Target Compounds

						Qvalue
2) Propene	4.84	42	1428986	61.859	ng	98
3) Dichlorodifluoromethane	5.01	85	1768037	52.498	ng	99
4) Chloromethane	5.34	50	1502178	50.478	ng	99
5) Freon 114	5.59	135	945624	50.036	ng	98
6) Vinyl Chloride	5.80	62	1576657	50.339	ng	94
7) 1,3-Butadiene	6.09	54	1267303	59.353	ng	98
8) Bromomethane	6.59	94	886492	54.517	ng	96
9) Chloroethane	6.93	64	828155	55.698	ng	94
10) Ethanol	7.30	45	4193464	287.482	ng	99
11) Acetonitrile	7.60	41	1995080	54.995	ng	99
12) Acrolein	7.79	56	608282	60.238	ng	99
13) Acetone	8.03	58	3951720	268.988	ng	# 80
14) Trichlorofluoromethane	8.29	101	1490871	50.746	ng	97
15) Isopropanol	8.52	45	3680635	78.604	ng	98
16) Acrylonitrile	8.83	53	1415580	61.296	ng	99
17) 1,1-Dichloroethene	9.33	96	958370	53.959	ng	# 59
18) tert-Butanol	9.48	59	4313280	98.949	ng	97
19) Methylene Chloride	9.55	84	993341	53.310	ng	# 48
20) Allyl Chloride	9.74	41	1590985	63.197	ng	74
21) Trichlorotrifluoroethane	9.99	151	761654	55.274	ng	96
22) Carbon Disulfide	9.94	76	3615618	54.528	ng	98
23) trans-1,2-Dichloroethene	11.01	61	1447795	54.668	ng	76
24) 1,1-Dichloroethane	11.33	63	1788926	57.581	ng	96
25) Methyl tert-Butyl Ether	11.40	73	2868689	57.738	ng	85
26) Vinyl Acetate	11.58	86	1031036	350.855	ng	# 1
27) 2-Butanone	11.91	72	722202	68.462	ng	# 27
28) cis-1,2-Dichloroethene	12.59	61	1421459	56.250	ng	# 72
29) Diisopropyl Ether	12.92	87	903608	59.073	ng	# 44
30) Ethyl Acetate	12.93	61	828325	135.568	ng	# 72
31) n-Hexane	12.94	57	1914895	54.259	ng	87

80

Em 2/18/09

Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170919.D  
Acq On : 17 Feb 2009 21:38  
Operator : EM  
Sample : 50ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090903  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:28:24 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.05	83	1576845	55.389	ng	98
34) Tetrahydrofuran	13.59	72	668560	57.129	ng	# 51
35) Ethyl tert-Butyl Ether	13.73	87	1132633	55.954	ng	# 62
36) 1,2-Dichloroethane	14.15	62	1207722	56.172	ng	97
38) 1,1,1-Trichloroethane	14.55	97	1387337	55.914	ng	93
39) Isopropyl Acetate	15.09	61	1429702	127.974	ng	# 79
40) 1-Butanol	15.13	56	2440076	136.682	ng	82
41) Benzene	15.25	78	4103504	47.894	ng	97
42) Carbon Tetrachloride	15.47	117	1203146	55.600	ng	98
43) Cyclohexane	15.67	84	3243106	107.667	ng	# 64
44) tert-Amyl Methyl Ether	16.11	73	2704440	53.538	ng	# 1
45) 1,2-Dichloropropane	16.45	63	1059667	58.891	ng	95
46) Bromodichloromethane	16.71	83	1263572	57.096	ng	96
47) Trichloroethene	16.79	130	1025565	49.194	ng	95
48) 1,4-Dioxane	16.73	88	852096	64.195	ng	# 71
49) Isooctane	16.87	57	4644444	52.725	ng	97
50) Methyl Methacrylate	17.04	100	914667	133.844	ng	# 82
51) n-Heptane	17.22	71	1123115	54.033	ng	# 69
52) cis-1,3-Dichloropropene	17.96	75	1621994	57.508	ng	98
53) 4-Methyl-2-pentanone	18.00	58	1054103	68.920	ng	77
54) trans-1,3-Dichloropropene	18.66	75	1643288	65.295	ng	96
55) 1,1,2-Trichloroethane	18.90	97	958181	57.051	ng	99
58) Toluene	19.30	91	4415873	53.915	ng	99
59) 2-Hexanone	19.59	43	2534245	69.330	ng	90
60) Dibromochloromethane	19.83	129	1044818	61.530	ng	96
61) 1,2-Dibromoethane	20.16	107	1075876	57.075	ng	98
62) Butyl Acetate	20.40	43	3095213	73.932	ng	95
63) n-Octane	20.58	57	1011425	52.876	ng	# 65
64) Tetrachloroethene	20.77	166	1009710	50.135	ng	96
65) Chlorobenzene	21.63	112	2730101	50.699	ng	99
66) Ethylbenzene	22.11	91	4921525	51.977	ng	99
67) m- & p-Xylene	22.34	91	7680147	105.309	ng	98
68) Bromoform	22.43	173	830336	60.385	ng	97
69) Styrene	22.79	104	3072087	55.455	ng	99
70) o-Xylene	22.93	91	3944199	52.672	ng	100
71) n-Nonane	23.19	43	2348806	53.430	ng	89
72) 1,1,2,2-Tetrachloroethane	22.90	83	1789944	61.289	ng	98
74) Cumene	23.67	105	4898146	53.047	ng	97
75) alpha-Pinene	24.16	93	2448457	58.000	ng	95
76) n-Propylbenzene	24.29	91	6116147	52.083	ng	98
77) 3-Ethyltoluene	24.42	105	4897062	55.655	ng	97
78) 4-Ethyltoluene	24.47	105	4897481	56.392	ng	98
79) 1,3,5-Trimethylbenzene	24.56	105	4093249	54.449	ng	97

81

Em 2/18/09



Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170919.D  
Acq On : 17 Feb 2009 21:38  
Operator : EM  
Sample : 50ng TO-15 ICAL STD  
Misc : S20-02030901/S20-02090903  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:28:24 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.75	118	2302499	57.184	ng	97
81) 2-Ethyltoluene	24.80	105	4897288	54.728	ng	97
82) 1,2,4-Trimethylbenzene	25.07	105	4474879	57.673	ng	95
83) n-Decane	25.16	57	2560251	57.156	ng	77
84) Benzyl Chloride	25.23	91	3877119	67.085	ng	99
85) 1,3-Dichlorobenzene	25.26	146	2232417	54.030	ng	99
86) 1,4-Dichlorobenzene	25.34	146	2270313	53.045	ng	98
87) sec-Butylbenzene	25.39	105	5554907	54.966	ng	99
88) p-Isopropyltoluene	25.58	119	5407603	56.005	ng	98
89) 1,2,3-Trimethylbenzene	25.59	105	4488477	58.609	ng	95
90) 1,2-Dichlorobenzene	25.76	146	2226330	56.681	ng	98
91) d-Limonene	25.75	68	1939720	60.973	ng	99
92) 1,2-Dibromo-3-Chloropr...	26.28	157	732444	63.543	ng	# 85
93) n-Undecane	26.66	57	2674544	57.021	ng	74
94) 1,2,4-Trichlorobenzene	27.80	184	462562	62.252	ng	# 89
95) Naphthalene	27.95	128	5459185	54.524	ng	100
96) n-Dodecane	27.90	57	2618828	49.581	ng	72
97) Hexachloro-1,3-butadiene	28.37	225	832307	56.182	ng	97
98) Cyclohexanone	22.52	55	1540608	56.168	ng	# 88
99) tert-Butylbenzene	25.07	119	4324288	57.999	ng	97
100) n-Butylbenzene	26.08	91	4655248	58.776	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

(QT Reviewed)

```
Data Path : J:\MS09\Data\2009_02\17\  
Data File : 02170920.D  
Acq On    : 17 Feb 2009  22:20  
Operator  : EM  
Sample    : 100ng TO-15 ICAL STD  
Misc      : S20-02030901/S20-02090903  
ALS Vial  : 4      Sample Multiplier: 1
```

Quant Time: Feb 18 07:29:08 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Mon Feb 16 12:39:21 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170920.D  
 Acq On : 17 Feb 2009 22:20  
 Operator : EM  
 Sample : 100ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090903  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:29:08 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.85	130	339694	25.000	ng	0.00
37) 1,4-Difluorobenzene (IS2)	15.78	114	1633143	25.000	ng	0.00
56) Chlorobenzene-d5 (IS3)	21.57	82	803598	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4 (...)	14.00	65	546520	25.224	ng	0.00
Spiked Amount	25.000		Recovery	=	100.88%	
57) Toluene-d8 (SS2)	19.16	98	1894644	24.508	ng	0.00
Spiked Amount	25.000		Recovery	=	98.04%	
73) Bromofluorobenzene (SS3)	23.50	174	543428	24.665	ng	0.00
Spiked Amount	25.000		Recovery	=	98.68%	

## Target Compounds

						Qvalue
2) Propene	4.84	42	2905484	120.682	ng	98
3) Dichlorodifluoromethane	5.01	85	3571506	101.755	ng	99
4) Chloromethane	5.35	50	2724653	87.849	ng	100
5) Freon 114	5.60	135	1922197	97.590	ng	98
6) Vinyl Chloride	5.81	62	3132712	95.970	ng	93
7) 1,3-Butadiene	6.09	54	2577041	115.805	ng	98
8) Bromomethane	6.60	94	1752708	103.422	ng	96
9) Chloroethane	6.94	64	1621335	104.629	ng	94
10) Ethanol	7.35	45	8128313	534.671	ng	100
11) Acetonitrile	7.63	41	3989079	105.508	ng	98
12) Acrolein	7.81	56	1238215	117.655	ng	99
13) Acetone	8.05	58	8053361	525.984	ng	# 74
14) Trichlorofluoromethane	8.30	101	3034171	99.094	ng	97
15) Isopropanol	8.56	45	7155072	146.617	ng	98
16) Acrylonitrile	8.85	53	2868436	119.178	ng	99
17) 1,1-Dichloroethene	9.34	96	1975485	106.723	ng	# 58
18) tert-Butanol	9.50	59	3582301	78.852	ng	95
19) Methylene Chloride	9.57	84	2017852	103.908	ng	# 47
20) Allyl Chloride	9.75	41	3252415	123.961	ng	73
21) Trichlorotrifluoroethane	10.00	151	1531901	106.669	ng	96
22) Carbon Disulfide	9.95	76	7398269	107.057	ng	98
23) trans-1,2-Dichloroethene	11.02	61	2925575	105.996	ng	75
24) 1,1-Dichloroethane	11.34	63	3620138	111.805	ng	96
25) Methyl tert-Butyl Ether	11.41	73	5734789	110.749	ng	85
26) Vinyl Acetate	11.60	86	1955945	638.645	ng	# 1
27) 2-Butanone	11.93	72	1234629	112.298	ng	# 26
28) cis-1,2-Dichloroethene	12.60	61	2879065	109.317	ng	# 72
29) Diisopropyl Ether	12.93	87	1910793	119.859	ng	# 33
30) Ethyl Acetate	12.94	61	1722579	270.510	ng	# 70
31) n-Hexane	12.94	57	3971806	107.984	ng	86

84

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170920.D  
 Acq On : 17 Feb 2009 22:20  
 Operator : EM  
 Sample : 100ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090903  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Feb 18 07:29:08 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.07	83	3223406	108.641	ng	98
34) Tetrahydrofuran	13.61	72	1353266	110.955	ng	# 51
35) Ethyl tert-Butyl Ether	13.74	87	2392115	113.388	ng	# 60
36) 1,2-Dichloroethane	14.16	62	2426600	108.293	ng	97
38) 1,1,1-Trichloroethane	14.56	97	2792534	108.212	ng	93
39) Isopropyl Acetate	15.10	61	2939771	253.004	ng	# 73
40) 1-Butanol	15.16	56	4822335	259.718	ng	82
41) Benzene	15.26	78	8366925	93.892	ng	97
42) Carbon Tetrachloride	15.49	117	2460358	109.319	ng	99
43) Cyclohexane	15.69	84	6752129	215.526	ng	# 63
44) tert-Amyl Methyl Ether	16.13	73	5619641	106.962	ng	# 1
45) 1,2-Dichloropropane	16.46	63	2148780	114.817	ng	95
46) Bromodichloromethane	16.72	83	2547673	110.684	ng	96
47) Trichloroethene	16.79	130	2112887	97.445	ng	96
48) 1,4-Dioxane	16.75	88	1731130	125.396	ng	# 70
49) Isooctane	16.88	57	9391596	102.507	ng	96
50) Methyl Methacrylate	17.06	100	1911019	268.867	ng	# 85
51) n-Heptane	17.23	71	2310305	106.866	ng	# 69
52) cis-1,3-Dichloropropene	17.97	75	3307418	112.746	ng	98
53) 4-Methyl-2-pentanone	18.02	58	2150959	135.217	ng	76
54) trans-1,3-Dichloropropene	18.67	75	3347137	127.873	ng	95
55) 1,1,2-Trichloroethane	18.91	97	1954828	111.908	ng	99
58) Toluene	19.30	91	9015484	106.227	ng	99
59) 2-Hexanone	19.60	43	5081842	134.166	ng	89
60) Dibromochloromethane	19.84	129	2154107	122.425	ng	96
61) 1,2-Dibromoethane	20.17	107	2196178	112.435	ng	99
62) Butyl Acetate	20.41	43	6621845	152.641	ng	93
63) n-Octane	20.58	57	2076490	104.763	ng	# 63
64) Tetrachloroethene	20.78	166	2104464	100.841	ng	96
65) Chlorobenzene	21.64	112	5587961	100.144	ng	99
66) Ethylbenzene	22.11	91	10021891	102.144	ng	100
67) m- & p-Xylene	22.35	91	15939240	210.918	ng	97
68) Bromoform	22.44	173	1733477	121.658	ng	97
69) Styrene	22.80	104	6383016	111.194	ng	99
70) o-Xylene	22.95	91	8188886	105.535	ng	99
71) n-Nonane	23.19	43	4680402	102.747	ng	87
72) 1,1,2,2-Tetrachloroethane	22.91	83	3747833	123.844	ng	98
74) Cumene	23.68	105	10062966	105.173	ng	96
75) alpha-Pinene	24.16	93	5102600	116.649	ng	95
76) n-Propylbenzene	24.30	91	12376403	101.710	ng	97
77) 3-Ethyltoluene	24.43	105	10428285	114.376	ng	97
78) 4-Ethyltoluene	24.48	105	9870024	109.676	ng	95
79) 1,3,5-Trimethylbenzene	24.57	105	8547489	109.727	ng	95

85

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170920.D  
 Acq On : 17 Feb 2009 22:20  
 Operator : EM  
 Sample : 100ng TO-15 ICAL STD  
 Misc : S20-02030901/S20-02090903  
 ALS Vial : 4 Sample Multiplier: 1


Quant Time: Feb 18 07:29:08 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Mon Feb 16 12:39:21 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.76	118	4891450	117.238	ng	97
81) 2-Ethyltoluene	24.81	105	10133371	109.285	ng	95
82) 1,2,4-Trimethylbenzene	25.08	105	9599097	119.392	ng	92
83) n-Decane	25.17	57	5203341	112.101	ng	75
84) Benzyl Chloride	25.24	91	8157706	136.218	ng	98
85) 1,3-Dichlorobenzene	25.27	146	4761175	111.206	ng	99
86) 1,4-Dichlorobenzene	25.35	146	4765648	107.456	ng	98
87) sec-Butylbenzene	25.40	105	11355894	108.440	ng	98
88) p-Isopropyltoluene	25.58	119	11498713	114.928	ng	97
89) 1,2,3-Trimethylbenzene	25.59	105	9653853	121.652	ng	92
90) 1,2-Dichlorobenzene	25.76	146	4935058	121.253	ng	98
91) d-Limonene	25.76	68	3972406	120.504	ng	96
92) 1,2-Dibromo-3-Chloropr...	26.28	157	1551365	129.885	ng	# 83
93) n-Undecane	26.67	57	5435172	111.828	ng	72
94) 1,2,4-Trichlorobenzene	27.81	184	1021579	132.681	ng	# 88
95) Naphthalene	27.96	128	11678926	112.568	ng	98
96) n-Dodecane	27.90	57	5416300	98.961	ng	70
97) Hexachloro-1,3-butadiene	28.37	225	1843176	120.069	ng	97
98) Cyclohexanone	22.53	55	3133156	110.238	ng	# 88
99) tert-Butylbenzene	25.08	119	9360462	121.159	ng	95
100) n-Butylbenzene	26.09	91	9552875	116.397	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : J:\MS09\Data\2009_02\17\  
Data File : 02170921.D  
Acq On    : 17 Feb 2009   23:01  
Operator  : EM  
Sample    : 25ng TO-15 ICV STD  
Misc      : S20-02030901/S20-02090907  
ALS Vial  : 2      Sample Multiplier: 1
```

Quant Time: Feb 18 07:45:06 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170921.D  
 Acq On : 17 Feb 2009 23:01  
 Operator : EM  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-02030901/S20-02090907  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 18 07:45:06 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.82	130	342809	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.77	114	1647148	25.000	ng	-0.01
56) Chlorobenzene-d5 (IS3)	21.58	82	812391	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4(...)	13.98	65	549852	24.716	ng	-0.02
Spiked Amount	25.000		Recovery	=	98.88%	
57) Toluene-d8 (SS2)	19.16	98	1907296	24.831	ng	0.00
Spiked Amount	25.000		Recovery	=	99.32%	
73) Bromofluorobenzene (SS3)	23.50	174	549928	25.136	ng	0.00
Spiked Amount	25.000		Recovery	=	100.56%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.84	42	681272	22.178	ng	98
3) Dichlorodifluoromethane	5.00	85	941519	23.047	ng	99
4) Chloromethane	5.33	50	825179	22.926	ng	99
5) Freon 114	5.59	135	502923	23.352	ng	98
6) Vinyl Chloride	5.80	62	822151	21.749	ng	94
7) 1,3-Butadiene	6.08	54	776861	29.206	ng	98
8) Bromomethane	6.58	94	467022	25.115	ng	95
9) Chloroethane	6.92	64	417271	24.241	ng	94
10) Ethanol	7.27	45	2058527	120.634	ng	100
11) Acetonitrile	7.58	41	1055635	25.111	ng	98
12) Acrolein	7.79	56	332562	28.331	ng	98
13) Acetone	8.01	58	2143430	107.492	ng	# 82
14) Trichlorofluoromethane	8.29	101	832893	24.734	ng	97
15) Isopropanol	8.49	45	2316374	46.514	ng	98
16) Acrylonitrile	8.81	53	757752	27.874	ng	100
17) 1,1-Dichloroethene	9.33	96	512105	23.948	ng	# 58
18) tert-Butanol	9.45	59	2462934	53.456	ng	99
19) Methylene Chloride	9.54	84	528863	23.140	ng	# 46
20) Allyl Chloride	9.73	41	854498	29.000	ng	74
21) Trichlorotrifluoroethane	9.99	151	407956	26.230	ng	97
22) Carbon Disulfide	9.94	76	1973759	24.372	ng	98
23) trans-1,2-Dichloroethene	11.01	61	790254	25.115	ng	76
24) 1,1-Dichloroethane	11.32	63	949484	26.485	ng	96
25) Methyl tert-Butyl Ether	11.40	73	1544993	27.810	ng	84
26) Vinyl Acetate	11.56	86	555014	155.805	ng	# 3
27) 2-Butanone	11.90	72	396075	31.642	ng	# 28
28) cis-1,2-Dichloroethene	12.58	61	757681	24.998	ng	# 72
29) Diisopropyl Ether	12.92	87	473764	27.037	ng	# 49
30) Ethyl Acetate	12.92	61	443826	60.977	ng	# 73
31) n-Hexane	12.93	57	1009701	24.308	ng	87

88

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170921.D  
 Acq On : 17 Feb 2009 23:01  
 Operator : EM  
 Sample : 25ng TO-15 ICV STD  
 Misc : S20-02030901/S20-02090907  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 18 07:45:06 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
32) Chloroform	13.04	83	843454	25.695	ng	98
34) Tetrahydrofuran	13.58	72	377102	28.581	ng	# 50
35) Ethyl tert-Butyl Ether	13.72	87	595982	26.440	ng	# 61
36) 1,2-Dichloroethane	14.14	62	644017	26.175	ng	97
38) 1,1,1-Trichloroethane	14.54	97	745418	26.408	ng	93
39) Isopropyl Acetate	15.08	61	752957	59.591	ng	# 80
40) 1-Butanol	15.10	56	1279280	66.048	ng	83
41) Benzene	15.24	78	2186097	22.257	ng	97
42) Carbon Tetrachloride	15.47	117	644072	26.427	ng	99
43) Cyclohexane	15.67	84	1753766	50.105	ng	# 64
44) tert-Amyl Methyl Ether	16.11	73	1474200	26.175	ng	# 1
45) 1,2-Dichloropropane	16.45	63	560496	25.985	ng	95
46) Bromodichloromethane	16.71	83	695330	27.127	ng	96
47) Trichloroethene	16.78	130	547522	22.217	ng	96
48) 1,4-Dioxane	16.73	88	465481	29.198	ng	# 70
49) Isooctane	16.87	57	2483107	23.460	ng	97
50) Methyl Methacrylate	17.03	100	484495	59.751	ng	# 83
51) n-Heptane	17.22	71	613100	24.683	ng	# 69
52) cis-1,3-Dichloropropene	17.96	75	863608	26.521	ng	98
53) 4-Methyl-2-pentanone	17.99	58	576257	32.159	ng	77
54) trans-1,3-Dichloropropene	18.66	75	872941	30.458	ng	96
55) 1,1,2-Trichloroethane	18.90	97	506367	26.601	ng	99
58) Toluene	19.29	91	2363543	24.819	ng	100
59) 2-Hexanone	19.59	43	1380690	32.674	ng	90
60) Dibromochloromethane	19.83	129	573165	31.163	ng	96
61) 1,2-Dibromoethane	20.16	107	573024	27.688	ng	98
62) Butyl Acetate	20.40	43	1620386	31.998	ng	95
63) n-Octane	20.57	57	536144	24.404	ng	# 64
64) Tetrachloroethene	20.76	166	534754	23.803	ng	96
65) Chlorobenzene	21.63	112	1453050	24.433	ng	100
66) Ethylbenzene	22.10	91	2593267	25.303	ng	99
67) m- & p-Xylene	22.34	91	4015713	50.721	ng	99
68) Bromoform	22.43	173	448112	30.463	ng	97
69) Styrene	22.79	104	1622431	27.520	ng	99
70) o-Xylene	22.93	91	2063837	25.620	ng	100
71) n-Nonane	23.19	43	1244560	24.485	ng	89
72) 1,1,2,2-Tetrachloroethane	22.89	83	931332	28.867	ng	98
74) Cumene	23.67	105	2617749	25.556	ng	97
75) alpha-Pinene	24.16	93	1302952	28.343	ng	95
76) n-Propylbenzene	24.29	91	3264988	25.574	ng	98
77) 3-Ethyltoluene	24.41	105	2646274	28.337	ng	99
78) 4-Ethyltoluene	24.47	105	2599576	28.046	ng	97
79) 1,3,5-Trimethylbenzene	24.56	105	2144343	27.139	ng	97

89

Em 2/18/09



Data Path : J:\MS09\Data\2009\_02\17\  
Data File : 02170921.D  
Acq On : 17 Feb 2009 23:01  
Operator : EM  
Sample : 25ng TO-15 ICV STD  
Misc : S20-02030901/S20-02090907  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Feb 18 07:45:06 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.75	118	1222237	28.918	ng	97
81) 2-Ethyltoluene	24.80	105	2604302	27.304	ng	97
82) 1,2,4-Trimethylbenzene	25.06	105	2271732	27.088	ng	95
83) n-Decane	25.16	57	1356496	27.029	ng	77
84) Benzyl Chloride	25.23	91	2100541	35.956	ng	99
85) 1,3-Dichlorobenzene	25.26	146	1166759	26.139	ng	99
86) 1,4-Dichlorobenzene	25.33	146	1183918	25.837	ng	99
87) sec-Butylbenzene	25.39	105	2961387	26.989	ng	99
88) p-Isopropyltoluene	25.57	119	2784692	26.597	ng	98
89) 1,2,3-Trimethylbenzene	25.58	105	2309387	27.560	ng	95
90) 1,2-Dichlorobenzene	25.75	146	1125923	26.309	ng	98
91) d-Limonene	25.75	68	1008751	29.140	ng	99
92) 1,2-Dibromo-3-Chloropr...	26.28	157	392087	31.859	ng	# 85
93) n-Undecane	26.66	57	1432023	28.050	ng	74
94) 1,2,4-Trichlorobenzene	27.80	184	245767	32.278	ng	89
95) Naphthalene	27.94	128	2999961	29.142	ng	100
96) n-Dodecane	27.90	57	1459101	26.971	ng	72
97) Hexachloro-1,3-butadiene	28.37	225	437021	28.227	ng	97
98) Cyclohexanone	22.52	55	813309	27.117	ng	# 88
99) tert-Butylbenzene	25.06	119	2215162	27.522	ng	97
100) n-Butylbenzene	26.08	91	2477461	28.635	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## INITIAL CALIBRATION VERIFICATION CHECK SHEET

Data File Name: 02170921.D

Acq. Method File: TO15LOW.M

Data File Path: J:\MS09\Data\2009\_02\17\

Name: 25ng TO-15 ICV STD

Operator: EM

Misc Info: S20-02030901/S20-02090907

Date Acquired: 2/17/09 23:01

Instrument Name: MS09

#	Compound	Ret. Time	Amt. (ng)	Spike Amt.(ng)	% Rec.	Lower Limit	Upper Limit	* OR Fail
2)	Propene	4.84	22.2	26.3	84.4	70	130	*
3)	Dichlorodifluoromethane	5.00	23.0	26.3	87.5	70	130	*
4)	Chloromethane	5.33	22.9	25.3	90.5	70	130	*
5)	Freon 114	5.59	23.4	26.8	87.3	70	130	*
6)	Vinyl Chloride	5.80	21.7	25.5	85.1	70	130	*
7)	1,3-Butadiene	6.08	29.2	30.0	97.3	70	130	*
8)	Bromomethane	6.58	25.1	25.8	97.3	70	130	*
9)	Chloroethane	6.92	24.2	25.8	93.8	70	130	*
10)	Ethanol	7.27	120.6	133.0	90.7	70	130	*
11)	Acetonitrile	7.58	25.1	26.3	95.4	70	130	*
12)	Acrolein	7.79	28.3	27.3	103.7	70	130	*
13)	Acetone	8.01	107.5	137.0	78.5	70	130	*
14)	Trichlorofluoromethane	8.29	24.7	26.3	93.9	70	130	*
15)	Isopropanol	8.49	46.5	48.0	96.9	70	130	*
16)	Acrylonitrile	8.81	27.9	26.8	104.1	70	130	*
17)	1,1-Dichloroethene	9.33	23.9	27.5	86.9	70	130	*
18)	tert-Butanol	9.45	53.5	50.5	105.9	70	130	*
19)	Methylene Chloride	9.54	23.1	26.5	87.2	70	130	*
20)	Allyl Chloride	9.73	29.0	27.0	107.4	70	130	*
21)	Trichlorotrifluoroethane	9.99	26.2	27.5	95.3	70	130	*
22)	Carbon Disulfide	9.94	24.4	26.8	91.0	70	130	*
23)	trans-1,2-Dichloroethene	11.01	25.1	26.8	93.7	70	130	*
24)	1,1-Dichloroethane	11.32	26.5	26.8	98.9	70	130	*
25)	Methyl tert-Butyl Ether	11.40	27.8	27.5	101.1	70	130	*
26)	Vinyl Acetate	11.56	155.8	126.0	123.7	70	130	*
27)	2-Butanone	11.90	31.6	27.5	114.9	70	130	*
28)	cis-1,2-Dichloroethene	12.58	25.0	27.5	90.9	70	130	*
29)	Diisopropyl Ether	12.92	27.0	27.0	100.0	70	130	*
30)	Ethyl Acetate	12.92	61.0	53.5	114.0	70	130	*
31)	n-Hexane	12.93	24.3	27.3	89.0	70	130	*
32)	Chloroform	13.04	25.7	26.8	95.9	70	130	*
34)	Tetrahydrofuran	13.58	28.6	27.5	104.0	70	130	*
35)	Ethyl tert-Butyl Ether	13.72	26.4	26.0	101.5	70	130	*
36)	1,2-Dichloroethane	14.14	26.2	26.8	97.8	70	130	*
38)	1,1,1-Trichloroethane	14.54	26.4	26.5	99.6	70	130	*
39)	Isopropyl Acetate	15.08	59.6	52.8	112.9	70	130	*
40)	1-Butanol	15.10	66.0	54.8	120.4	70	130	*
41)	Benzene	15.24	22.3	26.8	83.2	70	130	*
42)	Carbon Tetrachloride	15.47	26.4	27.0	97.8	70	130	*
43)	Cyclohexane	15.67	50.1	54.5	91.9	70	130	*
44)	tert-Amyl Methyl Ether	16.11	26.2	26.3	99.6	70	130	*
45)	1,2-Dichloropropane	16.45	26.0	26.5	98.1	70	130	*
46)	Bromodichloromethane	16.71	27.1	27.3	99.3	70	130	*
47)	Trichloroethene	16.78	22.2	26.5	83.8	70	130	*
48)	1,4-Dioxane	16.73	29.2	27.0	108.1	70	130	*
49)	Isooctane	16.87	23.5	26.5	88.7	70	130	*
50)	Methyl Methacrylate	17.03	59.8	53.5	111.8	70	130	*

## INITIAL CALIBRATION VERIFICATION CHECK SHEET

Data File Name: 02170921.D

Acq. Method File: TO15LOW.M

Data File Path: J:\MS09\Data\2009\_02\17\

Name: 25ng TO-15 ICV STD

Operator: EM

Misc Info: S20-02030901/S20-02090907

Date Acquired: 2/17/09 23:01

Instrument Name: MS09

#	Compound	Ret. Time	Amt. (ng)	Spike Amt.(ng)	% Rec.	Lower Limit	Upper Limit	* OR Fail
51)	n-Heptane	17.22	24.7	27.0	91.5	70	130	*
52)	cis-1,3-Dichloropropene	17.96	26.5	25.0	106.0	70	130	*
53)	4-Methyl-2-pentanone	17.99	32.2	27.5	117.1	70	130	*
54)	trans-1,3-Dichloropropene	18.66	30.5	27.5	110.9	70	130	*
55)	1,1,2-Trichloroethane	18.90	26.6	26.3	101.1	70	130	*
58)	Toluene	19.29	24.8	27.0	91.9	70	130	*
59)	2-Hexanone	19.59	32.7	27.5	118.9	70	130	*
60)	Dibromochloromethane	19.83	31.2	28.8	108.3	70	130	*
61)	1,2-Dibromoethane	20.16	27.7	26.8	103.4	70	130	*
62)	Butyl Acetate	20.40	32.0	27.5	116.4	70	130	*
63)	n-Octane	20.57	24.4	26.8	91.0	70	130	*
64)	Tetrachloroethene	20.76	23.8	25.8	92.2	70	130	*
65)	Chlorobenzene	21.63	24.4	26.8	91.0	70	130	*
66)	Ethylbenzene	22.10	25.3	26.5	95.5	70	130	*
67)	m- & p-Xylene	22.34	50.7	52.5	96.6	70	130	*
68)	Bromoform	22.43	30.5	26.0	117.3	70	130	*
69)	Styrene	22.79	27.5	27.0	101.9	70	130	*
70)	o-Xylene	22.93	25.6	26.5	96.6	70	130	*
71)	n-Nonane	23.19	24.5	26.5	92.5	70	130	*
72)	1,1,2,2-Tetrachloroethane	22.89	28.9	27.0	107.0	70	130	*
74)	Cumene	23.67	25.6	25.8	99.2	70	130	*
75)	alpha-Pinene	24.16	28.3	27.5	102.9	70	130	*
76)	n-Propylbenzene	24.29	25.6	25.8	99.2	70	130	*
77)	3-Ethyltoluene	24.41	28.3	27.5	102.9	70	130	*
78)	4-Ethyltoluene	24.47	28.0	27.5	101.8	70	130	*
79)	1,3,5-Trimethylbenzene	24.56	27.1	27.3	99.3	70	130	*
80)	alpha-Methylstyrene	24.75	28.9	26.8	107.8	70	130	*
81)	2-Ethyltoluene	24.80	27.3	27.3	100.0	70	130	*
82)	1,2,4-Trimethylbenzene	25.06	27.1	26.8	101.1	70	130	*
83)	n-Decane	25.16	27.0	27.3	98.9	70	130	*
84)	Benzyl Chloride	25.23	36.0	28.8	125.0	70	130	*
85)	1,3-Dichlorobenzene	25.26	26.1	27.5	94.9	70	130	*
86)	1,4-Dichlorobenzene	25.33	25.8	27.3	94.5	70	130	*
87)	sec-Butylbenzene	25.39	27.0	26.8	100.7	70	130	*
88)	p-Isopropyltoluene	25.57	26.6	26.0	102.3	70	130	*
89)	1,2,3-Trimethylbenzene	25.58	27.6	26.8	103.0	70	130	*
90)	1,2-Dichlorobenzene	25.75	26.3	27.3	96.3	70	130	*
91)	d-Limonene	25.75	29.1	26.8	108.6	70	130	*
92)	1,2-Dibromo-3-Chloropropane	26.28	31.9	27.5	116.0	70	130	*
93)	n-Undecane	26.66	28.0	27.3	102.6	70	130	*
94)	1,2,4-Trichlorobenzene	27.80	32.3	28.8	112.2	70	130	*
95)	Naphthalene	27.94	29.1	25.8	112.8	70	130	*
96)	n-Dodecane	27.90	27.0	26.8	100.7	70	130	*
97)	Hexachloro-1,3-butadiene	28.37	28.2	28.8	97.9	70	130	*
98)	Cyclohexanone	22.52	27.1	25.3	107.1	70	130	*
99)	tert-Butylbenzene	25.06	27.5	27.0	101.9	70	130	*
100)	n-Butylbenzene	26.08	28.6	27.5	104.0	70	130	*

\* Denotes Passing Criterion

EM 2/18/09

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 IR	Bromochloromethane (IS1)	1.000	1.000	0.0	103	-0.02
2 T	Propene	2.240	1.792	20.0	93	0.00
3 T	Dichlorodifluoromethane	2.979	2.482	16.7	95	-0.01
4 T	Chloromethane	2.625	2.285	13.0	92	-0.01
5 T	Freon 114	1.571	1.268	19.3	90	-0.01
6 T	Vinyl Chloride	2.757	2.266	17.8	92	-0.01
7 T	1,3-Butadiene	1.940	1.725	11.1	93	-0.01
8 T	Bromomethane	1.356	1.271	6.3	94	-0.02
9 T	Chloroethane	1.255	1.174	6.5	96	-0.01
10 T	Ethanol	1.244	1.173	5.7	99	-0.07
11 T	Acetonitrile	3.066	2.783	9.2	94	-0.05
12 T	Acrolein	0.856	0.822	4.0	95	-0.03
13 T	Acetone	1.454	1.103	24.1	96	-0.05
14 T	Trichlorofluoromethane	2.456	2.137	13.0	97	-0.01
15 T	Isopropanol	3.632	3.323	8.5	94	-0.06
16 T	Acrylonitrile	1.983	2.022	-2.0	95	-0.03
17 T	1,1-Dichloroethene	1.559	1.279	18.0	95	-0.02
18 T	tert-Butanol	3.360	3.219	4.2	91	-0.05
19 T	Methylene Chloride	1.667	1.380	17.2	95	-0.02
20 T	Allyl Chloride	2.149	2.147	0.1	94	-0.02
21 T	Trichlorotrifluoroethane	1.134	1.018	10.2	96	-0.02
22 T	Carbon Disulfide	5.906	5.094	13.7	95	-0.01
23 T	trans-1,2-Dichloroethene	2.295	2.059	10.3	95	-0.02
24 T	1,1-Dichloroethane	2.614	2.464	5.7	95	-0.02
25 T	Methyl tert-Butyl Ether	4.051	3.842	5.2	94	-0.01
26 T	Vinyl Acetate	0.260	0.312	-20.0	100	-0.03
27 T	2-Butanone	0.913	0.979	-7.2	95	-0.03
28 T	cis-1,2-Dichloroethene	2.210	1.924	12.9	95	-0.02
29 T	Diisopropyl Ether	1.278	1.208	5.5	95	-0.02
30 T	Ethyl Acetate	0.531	0.576	-8.5	96	-0.03
31 T	n-Hexane	3.029	2.644	12.7	96	-0.01
32 T	Chloroform	2.394	2.116	11.6	96	-0.03
33 S	1,2-Dichloroethane-d4 (SS1)	1.622	1.654	-2.0	105	-0.02
34 T	Tetrahydrofuran	0.962	0.966	-0.4	97	-0.02
35 T	Ethyl tert-Butyl Ether	1.644	1.577	4.1	96	-0.02
36 T	1,2-Dichloroethane	1.794	1.708	4.8	96	-0.02
37 IR	1,4-Difluorobenzene (IS2)	1.000	1.000	0.0	104	-0.01
38 T	1,1,1-Trichloroethane	0.428	0.402	6.1	95	-0.02

EM 3/4/09

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
39 T	Isopropyl Acetate	0.192	0.205	-6.8	95	-0.02
40 T	1-Butanol	0.294	0.334	-13.6	93	-0.06
41 T	Benzene	1.491	1.212	18.7	95	-0.02
42 T	Carbon Tetrachloride	0.370	0.347	6.2	96	-0.02
43 T	Cyclohexane	0.531	0.459	13.6	96	-0.02
44 T	tert-Amyl Methyl Ether	0.855	0.821	4.0	98	-0.02
45 T	1,2-Dichloropropane	0.327	0.307	6.1	95	-0.02
46 T	Bromodichloromethane	0.389	0.364	6.4	95	-0.02
47 T	Trichloroethene	0.374	0.301	19.5	95	-0.01
48 T	1,4-Dioxane	0.242	0.244	-0.8	94	-0.02
49 T	Isooctane	1.606	1.354	15.7	94	-0.01
50 T	Methyl Methacrylate	0.123	0.124	-0.8	93	-0.03
51 T	n-Heptane	0.377	0.326	13.5	95	-0.02
52 T	cis-1,3-Dichloropropene	0.494	0.488	1.2	95	-0.01
53 T	4-Methyl-2-pentanone	0.272	0.288	-5.9	94	-0.02
54 T	trans-1,3-Dichloropropene	0.435	0.446	-2.5	94	-0.01
55 T	1,1,2-Trichloroethane	0.289	0.275	4.8	94	-0.02
56 I	Chlorobenzene-d5 (IS3)	1.000	1.000	0.0	104	0.00
57 S	Toluene-d8 (SS2)	2.364	2.361	0.1	105	-0.01
58 T	Toluene	2.931	2.500	14.7	95	-0.01
59 T	2-Hexanone	1.300	1.383	-6.4	93	-0.02
60 T	Dibromochloromethane	0.566	0.546	3.5	94	-0.01
61 T	1,2-Dibromoethane	0.637	0.611	4.1	94	-0.02
62 T	Butyl Acetate	1.558	1.577	-1.2	90	-0.02
63 T	n-Octane	0.676	0.582	13.9	95	-0.02
64 T	Tetrachloroethene	0.691	0.581	15.9	94	-0.01
65 T	Chlorobenzene	1.830	1.563	14.6	94	-0.01
66 T	Ethylbenzene	3.154	2.823	10.5	94	-0.01
67 T	m- & p-Xylene	2.436	2.207	9.4	94	-0.02
68 T	Bromoform	0.453	0.455	-0.4	94	-0.01
69 T	Styrene	1.814	1.695	6.6	93	-0.02
70 T	o-Xylene	2.479	2.236	9.8	94	-0.02
71 T	n-Nonane	1.564	1.352	13.6	94	-0.01
72 T	1,1,2,2-Tetrachloroethane	0.993	0.990	0.3	96	-0.02
73 S	Bromofluorobenzene (SS3)	0.673	0.663	1.5	103	0.00
74 T	Cumene	3.152	2.866	9.1	94	-0.01
75 T	alpha-Pinene	1.415	1.309	7.5	93	0.00
76 T	n-Propylbenzene	3.929	3.607	8.2	94	-0.01

Em 3/4/09

# Evaluate Continuing Calibration Report

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min  
 Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
77 T	3-Ethyltoluene	2.874	2.623	8.7	92	-0.01
78 T	4-Ethyltoluene	2.852	2.638	7.5	96	-0.01
79 T	1,3,5-Trimethylbenzene	2.432	2.242	7.8	94	-0.01
80 T	alpha-Methylstyrene	1.301	1.262	3.0	93	-0.01
81 T	2-Ethyltoluene	2.935	2.688	8.4	94	-0.01
82 T	1,2,4-Trimethylbenzene	2.581	2.427	6.0	94	-0.02
83 T	n-Decane	1.544	1.408	8.8	94	-0.02
84 T	Benzyl Chloride	1.798	2.030	-12.9	94	-0.02
85 T	1,3-Dichlorobenzene	1.374	1.223	11.0	94	-0.02
86 T	1,4-Dichlorobenzene	1.410	1.255	11.0	94	-0.01
87 T	sec-Butylbenzene	3.377	3.114	7.8	94	-0.01
88 T	p-Isopropyltoluene	3.222	3.027	6.1	94	-0.01
89 T	1,2,3-Trimethylbenzene	2.579	2.437	5.5	95	-0.01
90 T	1,2-Dichlorobenzene	1.317	1.193	9.4	95	-0.01
91 T	d-Limonene	1.065	1.066	-0.1	94	-0.01
92 T	1,2-Dibromo-3-Chloropropane	0.379	0.406	-7.1	98	-0.01
93 T	n-Undecane	1.571	1.486	5.4	95	-0.01
94 T	1,2,4-Trichlorobenzene	0.234	0.255	-9.0	103	-0.01
95 T	Naphthalene	3.168	3.320	-4.8	105	-0.01
96 T	n-Dodecane	1.665	1.667	-0.1	99	0.00
97 T	Hexachloro-1,3-butadiene	0.476	0.448	5.9	100	0.00
98 T	Cyclohexanone	0.923	0.919	0.4	93	-0.02
99 T	tert-Butylbenzene	2.477	2.292	7.5	94	-0.02
00 T	n-Butylbenzene	2.662	2.539	4.6	95	-0.01


(#) = Out of Range

SPCC's out = 0 CCC's out = 0

*Can 3/4/09*

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040901.D  
Acq On : 4 Mar 2009 8:10  
Operator : EM  
Sample : 25ng TO-15 CCV STD  
Misc : S20-03030904/S20-02090903  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.82	130	333021	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.77	114	1607634	25.000	ng	-0.01
56) Chlorobenzene-d5 (IS3)	21.57	82	798532	25.000	ng	0.00

## System Monitoring Compounds

33) 1,2-Dichloroethane-d4(...)	13.98	65	550743	25.484	ng	-0.02
Spiked Amount	25.000		Recovery	=	101.92%	
57) Toluene-d8 (SS2)	19.15	98	1885359	24.972	ng	-0.01
Spiked Amount	25.000		Recovery	=	99.88%	
73) Bromofluorobenzene (SS3)	23.49	174	529077	24.602	ng	0.00
Spiked Amount	25.000		Recovery	=	98.40%	

## Target Compounds

						Qvalue
2) Propene	4.84	42	615952	20.641	ng	98
3) Dichlorodifluoromethane	5.00	85	869536	21.911	ng	99
4) Chloromethane	5.33	50	770098	22.024	ng	99
5) Freon 114	5.59	135	447675	21.397	ng	99
6) Vinyl Chloride	5.80	62	769623	20.958	ng	94
7) 1,3-Butadiene	6.08	54	620270	24.004	ng	97
8) Bromomethane	6.58	94	436885	24.184	ng	95
9) Chloroethane	6.93	64	406558	24.313	ng	94
10) Ethanol	7.28	45	2062552	124.422	ng	100
11) Acetonitrile	7.59	41	974959	23.874	ng	98
12) Acrolein	7.79	56	295617	25.924	ng	100
13) Acetone	8.01	58	1954361	100.891	ng	# 83
14) Trichlorofluoromethane	8.29	101	748723	22.888	ng	97
15) Isopropanol	8.51	45	2146963	44.379	ng	96
16) Acrylonitrile	8.81	53	694763	26.308	ng	99
17) 1,1-Dichloroethene	9.33	96	468710	22.563	ng	# 60
18) tert-Butanol	9.46	59	2143948	47.900	ng	96
19) Methylene Chloride	9.54	84	487008	21.935	ng	# 49
20) Allyl Chloride	9.73	41	772078	26.973	ng	74
21) Trichlorotrifluoroethane	9.98	151	373009	24.688	ng	95
22) Carbon Disulfide	9.94	76	1764179	22.424	ng	99
23) trans-1,2-Dichloroethene	11.01	61	707692	23.152	ng	77
24) 1,1-Dichloroethane	11.32	63	879706	25.259	ng	97
25) Methyl tert-Butyl Ether	11.40	73	1356175	25.129	ng	84
26) Vinyl Acetate	11.57	86	522858	151.092	ng	# 4
27) 2-Butanone	11.90	72	352005	28.948	ng	# 29
28) cis-1,2-Dichloroethene	12.58	61	699557	23.759	ng	73
29) Diisopropyl Ether	12.92	87	426383	25.048	ng	# 52
30) Ethyl Acetate	12.92	61	398953	56.423	ng	74
31) n-Hexane	12.93	57	915888	22.697	ng	88

97

EM 3/4/09



Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.04	83	775213	24.310	ng	98
34) Tetrahydrofuran	13.59	72	344792	26.900	ng	# 49
35) Ethyl tert-Butyl Ether	13.72	87	541916	24.748	ng	# 62
36) 1,2-Dichloroethane	14.14	62	602974	25.227	ng	96
38) 1,1,1-Trichloroethane	14.54	97	680136	24.687	ng	93
39) Isopropyl Acetate	15.08	61	689642	55.922	ng	# 82
40) 1-Butanol	15.10	56	1159255	61.322	ng	85
41) Benzene	15.24	78	2010853	20.976	ng	98
42) Carbon Tetrachloride	15.47	117	586054	24.638	ng	99
43) Cyclohexane	15.67	84	1563266	45.761	ng	# 65
44) tert-Amyl Methyl Ether	16.11	73	1362667	24.789	ng	# 1
45) 1,2-Dichloropropane	16.45	63	518805	24.643	ng	95
46) Bromodichloromethane	16.70	83	616248	24.633	ng	96
47) Trichloroethene	16.78	130	499488	20.766	ng	95
48) 1,4-Dioxane	16.73	88	408232	26.237	ng	# 70
49) Isooctane	16.87	57	2264612	21.922	ng	97
50) Methyl Methacrylate	17.03	100	426312	53.867	ng	# 77
51) n-Heptane	17.22	71	544603	22.464	ng	# 70
52) cis-1,3-Dichloropropene	17.96	75	785072	24.702	ng	98
53) 4-Methyl-2-pentanone	17.99	58	506052	28.935	ng	78
54) trans-1,3-Dichloropropene	18.66	75	788158	28.175	ng	96
55) 1,1,2-Trichloroethane	18.90	97	460181	24.769	ng	99
58) Toluene	19.29	91	2155686	23.029	ng	100
59) 2-Hexanone	19.58	43	1215092	29.254	ng	91
60) Dibromochloromethane	19.83	129	501945	27.765	ng	96
61) 1,2-Dibromoethane	20.15	107	516915	25.410	ng	98
62) Butyl Acetate	20.39	43	1385608	27.837	ng	95
63) n-Octane	20.56	57	488775	22.634	ng	# 66
64) Tetrachloroethene	20.76	166	478931	21.688	ng	97
65) Chlorobenzene	21.63	112	1323394	22.639	ng	100
66) Ethylbenzene	22.10	91	2371682	23.543	ng	98
67) m- & p-Xylene	22.33	91	3665425	47.100	ng	99
68) Bromoform	22.43	173	389519	26.940	ng	97
69) Styrene	22.78	104	1450992	25.039	ng	99
70) o-Xylene	22.93	91	1878727	23.727	ng	100
71) n-Nonane	23.18	43	1135626	22.730	ng	90
72) 1,1,2,2-Tetrachloroethane	22.89	83	854196	26.936	ng	98
74) Cumene	23.67	105	2334658	23.188	ng	98
75) alpha-Pinene	24.16	93	1150129	25.453	ng	96
76) n-Propylbenzene	24.29	91	2937545	23.408	ng	98
77) 3-Ethyltoluene	24.41	105	2303910	25.099	ng	97
78) 4-Ethyltoluene	24.47	105	2316862	25.430	ng	98
79) 1,3,5-Trimethylbenzene	24.56	105	1933911	24.900	ng	98

98

Em 3/4/09

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040901.D  
Acq On : 4 Mar 2009 8:10  
Operator : EM  
Sample : 25ng TO-15 CCV STD  
Misc : S20-03030904/S20-02090903  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:11:39 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	24.75	118	1068016	25.707	ng	98
81) 2-Ethyltoluene	24.80	105	2318163	24.726	ng	97
82) 1,2,4-Trimethylbenzene	25.06	105	2039135	24.736	ng	96
83) n-Decane	25.16	57	1214100	24.611	ng	77
84) Benzyl Chloride	25.23	91	1782834	31.048	ng	99
85) 1,3-Dichlorobenzene	25.25	146	1046776	23.858	ng	99
86) 1,4-Dichlorobenzene	25.33	146	1062129	23.581	ng	98
87) sec-Butylbenzene	25.39	105	2635817	24.439	ng	99
88) p-Isopropyltoluene	25.57	119	2465890	23.961	ng	98
89) 1,2,3-Trimethylbenzene	25.58	105	2062499	25.041	ng	96
90) 1,2-Dichlorobenzene	25.75	146	1020903	24.269	ng	98
91) d-Limonene	25.75	68	902050	26.510	ng	98
92) 1,2-Dibromo-3-Chloropr...	26.27	157	349893	28.924	ng	# 86
93) n-Undecane	26.66	57	1272055	25.349	ng	75
94) 1,2,4-Trichlorobenzene	27.80	184	224085	29.941	ng	90
95) Naphthalene	27.94	128	2683161	26.517	ng	100
96) n-Dodecane	27.90	57	1251028	23.526	ng	73
97) Hexachloro-1,3-butadiene	28.36	225	393675	25.868	ng	98
98) Cyclohexanone	22.51	55	728322	24.705	ng	# 88
99) tert-Butylbenzene	25.06	119	1976478	24.982	ng	98
100) n-Butylbenzene	26.08	91	2214151	26.036	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

## COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
 Client Project ID: Cooper Vision SVI / 70665-014

CAS Project ID: P0900735

## Internal Standard Area and RT Summary

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
 Analyst: Elsa Moctezuma  
 Sampling Media: 6.0 L Summa Canister(s)  
 Test Notes:

Lab File ID: 03040901.D  
 Date Analyzed: 3/4/09  
 Time Analyzed: 08:10

	IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
	AREA	#	RT	#	AREA	#
24 Hour Standard	333021		12.82		1607634	15.77
Upper Limit	466229		13.15		2250688	16.10
Lower Limit	199813		12.49		964580	15.44

Client Sample ID		IS1 (BCM)		IS2 (DFB)		IS3 (CBZ)	
		AREA	#	RT	#	AREA	#
01	Method Blank	330101		12.80		1608551	15.75
02	Lab Control Sample	322309		12.82		1549597	15.77
03	SV-InA-705-1	338724		12.80		1633065	15.75
04	SV-OutA-022609	338884		12.80		1640751	15.75
05	SV-SS-705-1	313335		12.82		1507301	15.76
06	SV-SS-709-2	324268		12.82		1568878	15.76
07	SV-InA-709-2	313952		12.80		1523485	15.75
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

IS1 (BCM) = Bromochloromethane

IS2 (DFB) = 1,4-Difluorobenzene

IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = 140% of internal standard area

AREA LOWER LIMIT = 60% of internal standard area

RT UPPER LIMIT = 0.33 minutes of internal standard RT

RT LOWER LIMIT = 0.33 minutes of internal standard RT

# Column used to flag values outside QC limits with an I.

I = Internal standard not within the specified limits. See case narrative.

Verified By: RGDate: 3/6/09



100

Raw QC Data

Data Path : J:\MS09\Data\2009\_02\17\  
 Data File : 02170912.D  
 Acq On : 17 Feb 2009 16:49  
 Operator : EM  
 Sample : BFB Tune Standard (200ml)  
 Misc : S20-02030901  
 ALS Vial : 4 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS09\Methods\R9021709.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Mon Feb 16 12:39:21 2009



AutoFind: Scans 3485, 3486, 3487; Background Corrected with Scan 3475



Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	16.1	50781	PASS
75	95	30	66	44.7	140904	PASS
95	95	100	100	100.0	315477	PASS
96	95	5	9	6.4	20125	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	78.3	247104	PASS
175	174	4	9	8.0	19773	PASS
176	174	93	101	96.9	239509	PASS
177	176	5	9	6.3	15112	PASS

Em 2/18/09

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040901.D  
 Acq On : 4 Mar 2009 8:10  
 Operator : EM  
 Sample : 25ng TO-15 CCV STD  
 Misc : S20-03030904/S20-02090903  
 ALS Vial : 3 Sample Multiplier: 1

Integration File: RTEINT.P

Method : J:\MS09\Methods\R9021709.M  
 Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 Last Update : Wed Feb 18 07:31:09 2009



AutoFind: Scans 3485, 3486, 3487; Background Corrected with Scan 3475

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	16.9	54877	PASS
75	95	30	66	45.7	148885	PASS
95	95	100	100	100.0	325611	PASS
96	95	5	9	6.5	21061	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	76.8	250176	PASS
175	174	4	9	7.9	19880	PASS
176	174	93	101	96.5	241323	PASS
177	176	5	9	6.4	15501	PASS

# COLUMBIA ANALYTICAL SERVICES, INC.

## RESULTS OF ANALYSIS

Page 1 of 1

Client: Haley & Aldrich, Inc.  
 Client Sample ID: Method Blank  
 Client Project ID: Cooper Vision SVI / 70665-014

CAS Project ID: P0900735  
 CAS Sample ID: P090304-MB

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
 Analyst: Elsa Moctezuma  
 Sampling Media: 6.0 L Summa Canister  
 Test Notes:

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 3/4/09  
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00


CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	Data Qualifier
75-01-4	Vinyl Chloride	ND	0.10	ND	0.039	
75-00-3	Chloroethane	ND	0.50	ND	0.19	
75-35-4	1,1-Dichloroethene	ND	0.50	ND	0.13	
75-34-3	1,1-Dichloroethane	ND	0.50	ND	0.12	
71-55-6	1,1,1-Trichloroethane	ND	0.50	ND	0.092	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040902.D  
Acq On : 4 Mar 2009 9:05  
Operator : EM  
Sample : TO-15 Method Blank (1000ml)  
Misc : S20-03030904  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:12:39 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration





Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040902.D  
 Acq On : 4 Mar 2009 9:05  
 Operator : EM  
 Sample : TO-15 Method Blank (1000ml)  
 Misc : S20-03030904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:12:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane (IS1)	12.80	130	330101	25.000	ng	-0.05
37) 1,4-Difluorobenzene (IS2)	15.75	114	1608551	25.000	ng	-0.03
56) Chlorobenzene-d5 (IS3)	21.57	82	791060	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4 (...)	13.95	65	547364	25.552	ng	-0.05
Spiked Amount	25.000		Recovery	=	102.20%	
57) Toluene-d8 (SS2)	19.15	98	1879390	25.128	ng	-0.01
Spiked Amount	25.000		Recovery	=	100.52%	
73) Bromofluorobenzene (SS3)	23.49	174	521466	24.477	ng	0.00
Spiked Amount	25.000		Recovery	=	97.92%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.87	42	1378	0.047	ng	# 90
3) Dichlorodifluoromethane	0.00	85	0	N.D.		
4) Chloromethane	0.00	50	0	N.D.		
5) Freon 114	0.00	135	0	N.D.		
6) Vinyl Chloride	0.00	62	0	N.D.		
7) 1,3-Butadiene	0.00	54	0	N.D.		
8) Bromomethane	0.00	94	0	N.D.		
9) Chloroethane	0.00	64	0	N.D.		
10) Ethanol	7.25	45	5369	0.327	ng	80
11) Acetonitrile	7.59	41	3408	0.084	ng	92
12) Acrolein	7.82	56	320	N.D.		
13) Acetone	8.04	58	11566	0.602	ng	# 70
14) Trichlorofluoromethane	0.00	101	0	N.D.		
15) Isopropanol	0.00	45	0	N.D.		
16) Acrylonitrile	0.00	53	0	N.D.		
17) 1,1-Dichloroethene	0.00	96	0	N.D.		
18) tert-Butanol	0.00	59	0	N.D.		
19) Methylene Chloride	9.53	84	471	N.D.		
20) Allyl Chloride	0.00	41	0	N.D.		
21) Trichlorotrifluoroethane	0.00	151	0	N.D.		
22) Carbon Disulfide	9.96	76	1904	N.D.		
23) trans-1,2-Dichloroethene	0.00	61	0	N.D.		
24) 1,1-Dichloroethane	0.00	63	0	N.D.		
25) Methyl tert-Butyl Ether	0.00	73	0	N.D.		
26) Vinyl Acetate	0.00	86	0	N.D.		
27) 2-Butanone	11.74	72	126	N.D.		
28) cis-1,2-Dichloroethene	0.00	61	0	N.D.		
29) Diisopropyl Ether	0.00	87	0	N.D.		
30) Ethyl Acetate	0.00	61	0	N.D.		
31) n-Hexane	0.00	57	0	N.D.		

3/4/09

Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040902.D  
 Acq On : 4 Mar 2009 9:05  
 Operator : EM  
 Sample : TO-15 Method Blank (1000ml)  
 Misc : S20-03030904  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:12:39 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	0.00	83	0	N.D.		
34) Tetrahydrofuran	0.00	72	0	N.D.		
35) Ethyl tert-Butyl Ether	0.00	87	0	N.D.		
36) 1,2-Dichloroethane	0.00	62	0	N.D.		
38) 1,1,1-Trichloroethane	0.00	97	0	N.D.		
39) Isopropyl Acetate	0.00	61	0	N.D.		
40) 1-Butanol	15.19	56	130	N.D.		
41) Benzene	15.23	78	1064	N.D.		
42) Carbon Tetrachloride	0.00	117	0	N.D.		
43) Cyclohexane	15.75	84	481	N.D.		
44) tert-Amyl Methyl Ether	0.00	73	0	N.D.		
45) 1,2-Dichloropropane	0.00	63	0	N.D.		
46) Bromodichloromethane	0.00	83	0	N.D.		
47) Trichloroethene	16.78	130	351	N.D.		
48) 1,4-Dioxane	0.00	88	0	N.D.		
49) Isooctane	0.00	57	0	N.D.		
50) Methyl Methacrylate	0.00	100	0	N.D.		
51) n-Heptane	0.00	71	0	N.D.		
52) cis-1,3-Dichloropropene	0.00	75	0	N.D.		
53) 4-Methyl-2-pentanone	0.00	58	0	N.D.		
54) trans-1,3-Dichloropropene	0.00	75	0	N.D.		
55) 1,1,2-Trichloroethane	19.16	97	158143	8.507 ng	FP #	5
58) Toluene	19.29	91	1722	N.D.		
59) 2-Hexanone	0.00	43	0	N.D.		
60) Dibromochloromethane	0.00	129	0	N.D.		
61) 1,2-Dibromoethane	0.00	107	0	N.D.		
62) Butyl Acetate	0.00	43	0	N.D.		
63) n-Octane	0.00	57	0	N.D.		
64) Tetrachloroethene	0.00	166	0	N.D.		
65) Chlorobenzene	0.00	112	0	N.D.		
66) Ethylbenzene	22.10	91	250	N.D.		
67) m- & p-Xylene	22.34	91	215	N.D.		
68) Bromoform	0.00	173	0	N.D.		
69) Styrene	22.80	104	117	N.D.		
70) o-Xylene	22.94	91	1011	N.D.		
71) n-Nonane	0.00	43	0	N.D.		
72) 1,1,2,2-Tetrachloroethane	0.00	83	0	N.D.		
74) Cumene	23.65	105	1632	N.D.		
75) alpha-Pinene	0.00	93	0	N.D.		
76) n-Propylbenzene	24.31	91	789	N.D.		
77) 3-Ethyltoluene	24.41	105	1374	N.D.		
78) 4-Ethyltoluene	24.49	105	2272	N.D.		
79) 1,3,5-Trimethylbenzene	24.57	105	3608	0.047 ng	#	29107

Em 3/4/09

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040902.D  
Acq On : 4 Mar 2009 9:05  
Operator : EM  
Sample : TO-15 Method Blank (1000ml)  
Misc : S20-03030904  
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 04 10:12:39 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
80) alpha-Methylstyrene	0.00	118	0	N.D.		
81) 2-Ethyltoluene	24.79	105	1932	N.D.		
82) 1,2,4-Trimethylbenzene	25.07	105	1297	N.D.		
83) n-Decane	25.49	57	951	N.D.		
84) Benzyl Chloride	25.24	91	1173	N.D.		
85) 1,3-Dichlorobenzene	25.27	146	333	N.D.		
86) 1,4-Dichlorobenzene	25.34	146	506	N.D.		
87) sec-Butylbenzene	25.59	105	104	N.D.		
88) p-Isopropyltoluene	0.00	119	0	N.D.		
89) 1,2,3-Trimethylbenzene	25.59	105	104	N.D.		
90) 1,2-Dichlorobenzene	25.34	146	506	N.D.		
91) d-Limonene	0.00	68	0	N.D.		
92) 1,2-Dibromo-3-Chloropr...	0.00	157	0	N.D.		
93) n-Undecane	26.58	57	114	N.D.		
94) 1,2,4-Trichlorobenzene	0.00	184	0	N.D.		
95) Naphthalene	27.97	128	4536	0.045 ng	#	71
96) n-Dodecane	27.90	57	519	N.D.		
97) Hexachloro-1,3-butadiene	0.00	225	0	N.D.		
98) Cyclohexanone	0.00	55	0	N.D.		
99) tert-Butylbenzene	25.08	119	437	N.D.		
100) n-Butylbenzene	0.00	91	0	N.D.		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Em 3/4/09

## COLUMBIA ANALYTICAL SERVICES, INC.

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Haley & Aldrich, Inc.  
Client Sample ID: Lab Control Sample  
Client Project ID: Cooper Vision SVI / 70665-014

CAS Project ID: P0900735  
CAS Sample ID: P090304-LCS

Test Code: EPA TO-15  
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9  
Analyst: Elsa Moctezuma  
Sampling Media: 6.0 L Summa Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 3/04/09  
Volume(s) Analyzed: NA Liter(s)

CAS #	Compound	Spike Amount ng	Result ng	% Recovery	CAS	Data Qualifier
					Acceptance Limits	
75-01-4	Vinyl Chloride	25.5	22.0	86	57-132	
75-00-3	Chloroethane	25.8	24.5	95	68-123	
75-35-4	1,1-Dichloroethene	27.5	22.7	83	70-123	
75-34-3	1,1-Dichloroethane	26.8	25.7	96	72-130	
71-55-6	1,1,1-Trichloroethane	26.5	25.3	95	69-127	

Verified By:


Rei

Date:

3/6/09

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040907.D  
Acq On : 4 Mar 2009 13:08  
Operator : EM  
Sample : 25ng TO-15 LCS STD  
Misc : S20-03030904/S20-02090907  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 04 14:43:45 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration



Data Path : J:\MS09\Data\2009\_03\04\  
 Data File : 03040907.D  
 Acq On : 4 Mar 2009 13:08  
 Operator : EM  
 Sample : 25ng TO-15 LCS STD  
 Misc : S20-03030904/S20-02090907  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 04 14:43:45 2009  
 Quant Method : J:\MS09\Methods\R9021709.M  
 Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
 QLast Update : Wed Feb 18 07:31:09 2009  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) Bromochloromethane (IS1)	12.82	130	322309	25.000	ng	-0.02
37) 1,4-Difluorobenzene (IS2)	15.77	114	1549597	25.000	ng	-0.01
56) Chlorobenzene-d5 (IS3)	21.57	82	774690	25.000	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev (Min)
33) 1,2-Dichloroethane-d4 (...)	13.98	65	526276	25.161	ng	-0.02
Spiked Amount	25.000		Recovery	=	100.64%	
57) Toluene-d8 (SS2)	19.16	98	1813278	24.756	ng	0.00
Spiked Amount	25.000		Recovery	=	99.04%	
73) Bromofluorobenzene (SS3)	23.49	174	514041	24.639	ng	0.00
Spiked Amount	25.000		Recovery	=	98.56%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) Propene	4.84	42	634407	21.966	ng	98
3) Dichlorodifluoromethane	5.00	85	850520	22.144	ng	99
4) Chloromethane	5.33	50	763378	22.558	ng	99
5) Freon 114	5.59	135	462724	22.852	ng	98
6) Vinyl Chloride	5.80	62	781506	21.989	ng	94
7) 1,3-Butadiene	6.08	54	725915	29.026	ng	98
8) Bromomethane	6.58	94	443260	25.353	ng	96
9) Chloroethane	6.93	64	395915	24.463	ng	95
10) Ethanol	7.27	45	1822782	113.612	ng	99
11) Acetonitrile	7.57	41	936105	23.684	ng	99
12) Acrolein	7.79	56	292556	26.508	ng	99
13) Acetone	8.01	58	1962544	104.681	ng	# 82
14) Trichlorofluoromethane	8.29	101	758246	23.949	ng	97
15) Isopropanol	8.49	45	1924606	41.105	ng	96
16) Acrylonitrile	8.81	53	678418	26.543	ng	99
17) 1,1-Dichloroethene	9.33	96	457168	22.739	ng	# 60
18) tert-Butanol	9.45	59	2053892	47.413	ng	98
19) Methylene Chloride	9.54	84	477440	22.219	ng	# 47
20) Allyl Chloride	9.73	41	765571	27.634	ng	73
21) Trichlorotrifluoroethane	9.99	151	363936	24.888	ng	95
22) Carbon Disulfide	9.94	76	1773818	23.296	ng	99
23) trans-1,2-Dichloroethene	11.01	61	714346	24.146	ng	77
24) 1,1-Dichloroethane	11.32	63	865309	25.672	ng	97
25) Methyl tert-Butyl Ether	11.40	73	1376547	26.354	ng	84
26) Vinyl Acetate	11.56	86	498100	148.721	ng	# 3
27) 2-Butanone	11.89	72	354841	30.151	ng	# 28
28) cis-1,2-Dichloroethene	12.58	61	683113	23.972	ng	73
29) Diisopropyl Ether	12.91	87	423522	25.707	ng	# 52
30) Ethyl Acetate	12.91	61	400938	58.588	ng	74
31) n-Hexane	12.93	57	914101	23.406	ng	8111

Em 3/4/09

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040907.D  
Acq On : 4 Mar 2009 13:08  
Operator : EM  
Sample : 25ng TO-15 LCS STD  
Misc : S20-03030904/S20-02090907  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 04 14:43:45 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
32) Chloroform	13.03	83	761758	24.682	ng	98
34) Tetrahydrofuran	13.59	72	334644	26.976	ng	# 51
35) Ethyl tert-Butyl Ether	13.72	87	533362	25.166	ng	# 62
36) 1,2-Dichloroethane	14.14	62	590644	25.533	ng	97
38) 1,1,1-Trichloroethane	14.54	97	671686	25.294	ng	93
39) Isopropyl Acetate	15.08	61	677881	57.027	ng	# 80
40) 1-Butanol	15.10	56	1108194	60.816	ng	85
41) Benzene	15.24	78	1965390	21.270	ng	97
42) Carbon Tetrachloride	15.47	117	579413	25.271	ng	98
43) Cyclohexane	15.67	84	1590463	48.300	ng	# 64
44) tert-Amyl Methyl Ether	16.11	73	1304878	24.627	ng	# 1
45) 1,2-Dichloropropane	16.45	63	508218	25.045	ng	95
46) Bromodichloromethane	16.70	83	622493	25.815	ng	96
47) Trichloroethene	16.78	130	486608	20.988	ng	96
48) 1,4-Dioxane	16.73	88	411145	27.413	ng	# 70
49) Isooctane	16.87	57	2245260	22.549	ng	97
50) Methyl Methacrylate	17.03	100	419036	54.931	ng	# 78
51) n-Heptane	17.22	71	549268	23.505	ng	# 70
52) cis-1,3-Dichloropropene	17.96	75	769693	25.125	ng	98
53) 4-Methyl-2-pentanone	17.99	58	511168	30.322	ng	77
54) trans-1,3-Dichloropropene	18.66	75	778421	28.870	ng	96
55) 1,1,2-Trichloroethane	18.90	97	455476	25.434	ng	98
58) Toluene	19.29	91	2101017	23.136	ng	99
59) 2-Hexanone	19.59	43	1231992	30.574	ng	91
60) Dibromochloromethane	19.83	129	513028	29.251	ng	96
61) 1,2-Dibromoethane	20.16	107	509579	25.820	ng	98
62) Butyl Acetate	20.40	43	1434553	29.707	ng	95
63) n-Octane	20.57	57	479879	22.906	ng	# 65
64) Tetrachloroethene	20.76	166	470482	21.961	ng	96
65) Chlorobenzene	21.63	112	1293089	22.801	ng	100
66) Ethylbenzene	22.10	91	2315057	23.688	ng	98
67) m- & p-Xylene	22.34	91	3587528	47.518	ng	99
68) Bromoform	22.43	173	395324	28.183	ng	97
69) Styrene	22.78	104	1424275	25.334	ng	99
70) o-Xylene	22.93	91	1840488	23.959	ng	100
71) n-Nonane	23.19	43	1120233	23.111	ng	90
72) 1,1,2,2-Tetrachloroethane	22.89	83	833802	27.102	ng	99
74) Cumene	23.67	105	2314842	23.698	ng	98
75) alpha-Pinene	24.16	93	1152211	26.284	ng	95
76) n-Propylbenzene	24.29	91	2909839	23.901	ng	98
77) 3-Ethyltoluene	24.41	105	2347412	26.360	ng	99
78) 4-Ethyltoluene	24.47	105	2279933	25.795	ng	96
79) 1,3,5-Trimethylbenzene	24.56	105	1896044	25.164	ng	98

Data Path : J:\MS09\Data\2009\_03\04\  
Data File : 03040907.D  
Acq On : 4 Mar 2009 13:08  
Operator : EM  
Sample : 25ng TO-15 LCS STD  
Misc : S20-03030904/S20-02090907  
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 04 14:43:45 2009  
Quant Method : J:\MS09\Methods\R9021709.M  
Quant Title : EPA TO-15 per SOP VOA-TO15 (CASS TO-15/GC-MS)  
QLast Update : Wed Feb 18 07:31:09 2009  
Response via : Initial Calibration

Internal Standards		R.T.	QIon	Response	Conc	Units	Dev(Min)
80)	alpha-Methylstyrene	24.75	118	1053431	26.137	ng	97
81)	2-Ethyltoluene	24.80	105	2289120	25.168	ng	96
82)	1,2,4-Trimethylbenzene	25.06	105	2007566	25.103	ng	96
83)	n-Decane	25.16	57	1205323	25.185	ng	77
84)	Benzyl Chloride	25.23	91	1811803	32.523	ng	99
85)	1,3-Dichlorobenzene	25.26	146	1009850	23.724	ng	99
86)	1,4-Dichlorobenzene	25.33	146	1029006	23.549	ng	98
87)	sec-Butylbenzene	25.39	105	2614334	24.986	ng	99
88)	p-Isopropyltoluene	25.57	119	2446006	24.499	ng	98
89)	1,2,3-Trimethylbenzene	25.58	105	2035868	25.478	ng	96
90)	1,2-Dichlorobenzene	25.75	146	984001	24.112	ng	98
91)	d-Limonene	25.75	68	879138	26.632	ng	98
92)	1,2-Dibromo-3-Chloropr...	26.28	157	346831	29.553	ng	# 86
93)	n-Undecane	26.66	57	1266419	26.013	ng	75
94)	1,2,4-Trichlorobenzene	27.80	184	215402	29.667	ng	# 89
95)	Naphthalene	27.94	128	2603333	26.520	ng	100
96)	n-Dodecane	27.90	57	1285251	24.914	ng	73
97)	Hexachloro-1,3-butadiene	28.36	225	379479	25.703	ng	98
98)	Cyclohexanone	22.52	55	704714	24.640	ng	# 88
99)	tert-Butylbenzene	25.06	119	1955897	25.483	ng	97
100)	n-Butylbenzene	26.08	91	2198608	26.648	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed



Copy of Calculations

## Instructions for Data Validation-Method TO-15(SCAN)

### 1. Determination of Pressure Dilution Factor

Upon receipt at the laboratory the pressure or vacuum of the sample canisters is measured using a digital pressure gauge. The canisters are then pressurized with humidified zero air to approximately +3.5 psig (pounds per square inch gauge).

Pressure Dilution factor is calculated as:

$$PDF = \frac{P_f + 14.7}{P_i + 14.7}$$

$P_f$  final pressure in psig  
 $P_i$  initial pressure in psig

### 2. Validating Initial and Continuing Calibration Results

GC/MS target compound analysis is performed using internal standard quantitation. Three internal standard compounds (Bromochloromethane, 1,4-Difluorobenzene and Chlorobenzene-d5) are added to each aliquot of sample, blank, standard and duplicate at an amount of 25 nanograms(ng). Internal standard responses are used to calculate RRFs (relative response factors) as follows:

$$RRF = \frac{A_x C_{is}}{A_{is} C_x}$$

$A_x$  area response of the analyte quantitation ion  
 $A_{is}$  area response of the corresponding internal standard quantitation ion  
 $C_{is}$  internal standard concentration, ng  
 $C_x$  analyte concentration, ng

The percent relative standard deviation (%RSD) for the five or six initial calibration points should be less than 30% (with a maximum of two analytes  $\leq 40\%$ ) for the calibration to be considered valid and linear.

$$\%RSD = \frac{SD}{\overline{RRF}} (100)$$

$SD$  standard deviation  
 $\overline{RRF}$  average or mean RRF (ICAL)

## Instructions for Data Validation-Method TO-15(SCAN)

The initial calibration is verified once per twenty-four hour analytical sequence with the analysis of a continuing calibration standard at one of the initial calibration levels (actual analyte concentrations of the CCV are the same as the corresponding concentrations in the initial calibration). The relative response factor of each target analyte from the daily continuing calibration standard is compared to the average relative response factor from the initial multipoint calibration. The percent difference (%D) of the initial and continuing calibration relative response factors is calculated as follows:

$$\%D = \left( \frac{\overline{RRF} - RRF_{cont}}{\overline{RRF}} \right) (100)$$

$\overline{RRF}$                       average relative response factor from the initial calibration  
 $RRF_{cont}$                 relative response factor from the daily continuing calibration standard

Note: the percent difference (%D) should be less than 30% for an acceptable continuing calibration standard.

### 3. Validating GC/MS Target Analyte Quantitation Results

Target analytes are measured in nanograms using internal standard quantitation as follows:

$$ng_x = \frac{A_x ng_{is}}{A_{is} \overline{RRF}}$$

$ng_x$             nanogram concentration of analyte x  
 $A_x$             area response of the analyte's quantitation ion  
 $A_{is}$            area response of the corresponding internal standard's quantitation ion  
 $ng_{is}$           internal standard amount, in nanograms  
 $\overline{RRF}$         average or mean RRFs (ICAL)

### 4. Calculation of $\mu\text{g}/\text{m}^3$ (microgram per cubic meter) Results

Target compound results reported on the "Results of Analysis" form in units of  $\mu\text{g}/\text{m}^3$  are calculated as follows:

$$\mu\text{g}/\text{m}^3 = \frac{(ng)(PDF)}{L}$$

$ng$             nanograms of analyte (measured on the GC/MS quantitation report)  
 $PDF$         pressure dilution factor (see equation 1)  
 $L$             sample aliquot in Liters

## Instructions for Data Validation-Method TO-15(SCAN)

---

### 5. Conversion to ppb (parts per billion) Volume

$$C_{ppbv} = C_x \left( \frac{24.46}{FW} \right)$$

*FW* formula weight of the target analytes (i.e. formula weight of Dichloromethane is 84.94;  
1,2-Dichloropropane is 113)

24.46 molar volume of ideal gas at 25°C and 1 atmosphere

*C<sub>x</sub>* final analyte concentration calculated in equation 4 (µg/m<sup>3</sup>)