

Periodic Review Report

NYSDEC VCP Site #V00230-8

Reporting Period: May 1, 2025 to April 30, 2026

Location:

99 Ridgeland Road
Henrietta, New York 14623

Prepared for:

American Siepmann Corporation
65 Pixley Industrial Parkway
Rochester, New York 14624

LaBella Project No. 209387

May 30, 2026



300 State Street, Suite 201 | Rochester, NY 14614 | p 585-454-6110 | f 585-454-3066

Table of Contents

1.0	INTRODUCTION	1
2.0	BACKGROUND.....	1
3.0	PURPOSE AND SCOPE OF WORK.....	2
4.0	MONITORING DURING THE REPORTING PERIOD.....	3
4.1	Summary of Work Completed	3
4.2	Groundwater Monitoring.....	3
4.3	Sub-Slab Depressurization System Monitoring.....	4
4.4	Deviations	4
5.0	GROUNDWATER FLOW AND CONTOURS.....	4
6.0	SUMMARY OF GROUNDWATER MONITORING	4
6.1	Groundwater Data Summary	4
6.2	Groundwater Data Evaluation.....	5
7.0	INSTITUTIONAL AND ENGINEERING CONTROL CERTIFICATION.....	6
8.0	CONCLUSIONS AND RECOMMENDATIONS	6

Figures

Figure 1	Site Location Map
Figure 2	Groundwater Monitoring Well Locations
Figure 2A	Groundwater Monitoring Well Locations & December 2020 Groundwater Surface Contours
Figure 3	Concentrations of CVOCs in Groundwater August 8, 2025
Figure 4	Contours of Average Total CVOCs in Groundwater From 2001 and 2025

Tables

Table 1	Groundwater Sample Results for VOCs
---------	-------------------------------------

Appendices

Appendix A	Laboratory Report
Appendix B	SSDS Inspections
Appendix C	Graphs of CVOC Concentrations Over Time
Appendix D	Mass Reduction Calculations
Appendix E	Institutional and Engineering Controls Certification Form



1.0 INTRODUCTION

LaBella Associates, D.P.C. (LaBella) is pleased to submit this Periodic Review Report for the monitoring period from May 1, 2025 to April 30, 2026 for the property located at 99 Ridgeland Road, Town of Henrietta, Monroe County, New York, herein after referred to as the “Site”. The Site is enrolled in the New York State Department of Environmental Conservation’s (NYSDEC’s) Voluntary Cleanup Program (VCP), (NYSDEC Site Code V00230). A Site Location Map is included as Figure 1.

LaBella was retained by American Siepmann Corporation (ASC) to assist in the monitoring and reporting requirements associated with the Monitored Natural Attenuation (MNA) and sub-slab venting system remedial strategy for the Site.

2.0 BACKGROUND

Impact to the subsurface soil and groundwater at the Site from the chlorinated solvent trichloroethene (TCE) was first discovered in 1993 during an environmental site assessment by ERC. Additional investigations by SAW Environmental Services, Inc. (SAW) delineated the area of soil and groundwater impacted by the TCE and the breakdown products from TCE. SAW subsequently conducted the removal of approximately 185 tons of soil from the exterior eastern side of the building. Groundwater monitoring conducted by SAW from 1995 to 1998 documented concentrations of contaminants from non-detected to 2,900 parts per billion (ppb). During a September 2, 1998 meeting with the NYSDEC, the site owner, and previous site occupants, the NYSDEC requested that additional delineation work be conducted due to the continuing detection of contaminants in well MW-3 and the results of a Goresorber investigation completed in July 1998. The additional delineation work was completed by Haley & Aldrich (H&A). Subsequent to completing the additional delineation work, the results were used to develop a Remedial Action Work Plan (RAWP) for the Site.

A RAWP for the Site has been approved by the NYSDEC and consists of the following documents:

- *Revised Work Plan for Implementation of Monitored Natural Attenuation, 99 Ridgeland, Henrietta, New York* dated January 2003 prepared by Haley and Aldrich of New York.
- *Voluntary Cleanup Agreement Work Plan Addendum for Implementation of Monitored Natural Attenuation, 99 Ridgeland, Henrietta, New York 14414* dated July 14, 2003 prepared by Haley and Aldrich of New York.
- *Letter from NYSDEC to Harter, Secrest & Emery* (including attached Deed Restriction) dated August 14, 2003, RE: Voluntary Cleanup Project, Revised Work Plan for Implementation of Monitored Natural Attenuation, January 2003.

The RAWP identifies the remedial approach for the Site (MNA and sub-slab depressurization) and details the required work for implementing the remedial approach. As part of the MNA work, eight groundwater monitoring wells initially required regular monitoring/sampling and the sub-slab depressurization system required semi-annual monitoring. The monitoring wells included as part of the groundwater sampling program were B-103-OW, MW-203, MW-301, MW-302, B-112-OW, MW-4, MW-203, and MW-401. A site map with the monitoring well locations is included as Figure 2.



Initially, the seven (7) exterior 1-inch monitoring wells included as part of the sampling program were over-drilled in order to improve groundwater yields and obtain representative groundwater samples. A Well Maintenance Work Plan dated November 2005 was submitted to the NYSDEC and approved in a November 29, 2005 letter by the NYSDEC (with comments). One monitoring well included as part of the monitoring program, B-103-OW, is located on the interior of the building and was not accessible to the drilling equipment. As such, this well was not included as part of the over-drilling work. The seven exterior 4-inch diameter monitoring wells (designated MW-201-05, MW-203-05, MW-301-05, MW-302-05, B-112-OW-05, MW-4-05, and MW-401-05) were installed between December 5 and 8, 2005. The wells were over-drilled/installed at the same location as the previous existing smaller diameter 1-inch wells (MW-201, MW-203, MW-301, MW-302, B-112-OW, MW-4, and MW-401) and constructed to similar depths and well screened interval as the previous monitoring wells.

The NYSDEC has approved revisions to the operations, maintenance, and monitoring in letters dated November 9, 2009, June 2, 2010, and March 26, 2013. The NYSDEC approved the following modifications listed below:

- The Work Plan does not modify the approved remedy for the Site. Rather the operations, maintenance, and monitoring activities for the Site.
- The request to change to groundwater sampling parameters to the United States Environmental Protection Agency (USEPA) Target Compound List (TCL) VOCs only.
- The request to change the groundwater sampling method from low-flow sampling to passive diffusion bags (PDBs).
- The request to eliminate the annual sub-slab sampling point measurements is approved; however, manometer checks will be completed semi-annually in conjunction with groundwater monitoring activities.
- The request to eliminate sampling of monitoring well MW-201-05 (the upgradient well).
- The request to eliminate sampling of monitoring well MW-4-05.
- The request to reduce the groundwater sampling frequency from semi-annual to annual (with annual sampling to occur in the fall).
- In addition, a request to change the groundwater sampling frequency to every 15 months was made in the 2015 Annual Monitoring Report dated March 2016.

3.0 PURPOSE AND SCOPE OF WORK

The purpose of this report is to present the monitoring work completed at the Site during the May 1, 2025 to April 30, 2026 monitoring period. This report also summarizes the cumulative groundwater data. This work was completed in general accordance with the provisions identified in the RAWP and approved NYSDEC revisions. As required by the NYSDEC, this monitoring report includes the following information:

- A description of the remedy and all activities performed during the reporting period, including any problems encountered, solutions, significant repairs, and deviations from the work plan.
- Summary tables that include cumulative analytical results with comparisons to available Standards, Criteria, or Guidance Values (SCGs).



- Concentration posting maps for total chlorinated volatile organic compounds (CVOCs) in groundwater.
- Comments, conclusions, and recommendations based on an evaluation of the information in the report.
- Inspections of the SSDS.
- A copy of the laboratory analytical report(s).

4.0 MONITORING DURING THE REPORTING PERIOD

4.1 Summary of Work Completed

The following monitoring work was completed at the Site from May 1, 2025 to April 30, 2026:

- collection of groundwater samples on August 8, 2025;
- verification that the sub-slab depressurization system was operational on August 8, 2025 and March 10, 2026;
- compilation of historic data; and
- completion of the monitoring report.

A summary of the work completed during the reporting period is provided below.

4.2 Groundwater Monitoring

Groundwater samples were collected on August 8, 2025. The samples were collected using Passive Diffusion Bags (PDBs). A PDB sampler is a low density polyethylene bag filled with deionized water, which acts as a semi-permeable membrane, and is suspended in the well to passively collect groundwater samples. PDB samplers rely on the free movement of groundwater from the aquifer through the well screen. VOCs in groundwater will diffuse across the bag material until constituent concentrations within the bag reach equilibrium with concentrations in the surrounding groundwater. PDB samples were suspended in the middle of the well screen, which corresponds to the previous sample locations (i.e. the location of the bladder pump).

Groundwater samples that were collected on August 8, 2025 were from PDBs that were suspended during the previous sampling event (April 12, 2024).

All samples were submitted to a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) certified laboratory. The groundwater samples were analyzed for United States Environmental Protection Agency (USEPA) Target Compound List (TCL) volatile organic compounds (VOCs) using USEPA Method 8260. A copy of the laboratory analytical reports are provided in Appendix A.

Table 1 (attached) summarizes the recent sampling event as well as historic groundwater results for the six (6) wells sampled as well as previous samples collected at other wells not included during this monitoring event. Also included on Table 1 is a comparison to applicable SCGs (i.e., NYS Part 703/Technical Operational Guidance Series TOGS 1.1.1 Groundwater Standards).

QA/QC procedures included the collection and analysis of a trip blank, a duplicate sample, and a matrix spike/matrix spike duplicate (MS/MSD), as required in the RAWP during each sampling event.



4.3 Sub-Slab Depressurization System Monitoring

The sub-slab depressurization system was inspected on August 8, 2025 and March 10, 2026 in order to verify proper operation of the system. To accomplish this purpose, visual observation of pressure readings were collected from the in-line U-tube manometer. The in-line U-tube manometer on the suction side of the piping for the system indicated a pressure reading of approximately 0.5-inches of water column during each inspection indicating the sub-slab depressurization system is operational. This is consistent pressure readings observed during previous inspection events. Documentation of the SSDS operation is included in Appendix B.

4.4 Deviations

There were no deviations from the RAWP during the reporting period.

5.0 GROUNDWATER FLOW AND CONTOURS

Historical trends from 2005 to 2020 have consistently shown a north to south flow direction with a slight trend to the southwest. The most recent groundwater flow data collected was during the December 10, 2020 sampling event which indicated a similar groundwater flow direction to the south-southwest. The groundwater contour map is included as Figure 2A.

6.0 SUMMARY OF GROUNDWATER MONITORING

Groundwater monitoring was conducted on August 8, 2025. This section presents a summary of CVOC monitoring conducted to date. *[Note: Since the collection of MNA parameters was ceased after the June 15, 2009 sampling event (as approved by NYSDEC by letter dated November 9, 2009), a detailed evaluation of MNA was not completed; however, previous reports provide a detailed evaluation of the MNA indicator parameters and documented the on-going natural attenuation.]*

6.1 Groundwater Data Summary

To summarize the CVOC concentration and trends in the groundwater at the Site, graphs depicting the concentration of the select CVOCs (TCE, trans-1,2-DCE, cis-1,2-DCE, and VC) and total CVOCs over time are included in Appendix C. Graphs were not completed for well MW-401-05, since significant concentrations of CVOCs have not been detected in this well. It should also be noted that the upgradient well MW-201-05 had not identified CVOCs in any sampling event conducted from 2000 through 2011 and as such NYSDEC approved eliminating this well from the sampling program. In addition, monitoring well MW-4-05 had not detected a CVOC above the NYSDEC Groundwater Standards in 14 consecutive sampling events between April 2006 and October 2012 (including 11 consecutive sampling events with no CVOC detections) and as such NYSDEC approved eliminating this well from the sampling program.

Each well graphed is summarized below and a copy of each graph is included in Appendix C.

- **Monitoring Well B-103-OW** – This monitoring well is located within the apparent former source area of CVOCs and as indicated on the graph has shown significant decreases in CVOCs over time. Specifically, this well consistently detected seven (7) CVOCs with total concentrations between about 1 ppm and 6 ppm in sampling conducted in 1999 and 2000



(refer to Table 1); however, since 2008, primarily only the breakdown products of TCE (1,2-DCE and VC) have been detected at concentrations slightly above the NYSDEC Groundwater Standards. In the most recent sampling event no CVOCs were detected.

- **Monitoring Well MW-203-05** – This monitoring well is located slightly downgradient of the apparent source area and has also shown significant decreases in total CVOC concentrations over time. The graph for this well includes a trend line for total CVOCs, which depicts the overall trend for these compounds since 2000. As shown, total CVOCs are trending down from an initial value of approximately 2.54 ppm in 2000 to 0.284 ppm for the most recent sampling event. Concentrations of TCE, and cis-1,2-DCE still remain slightly above NYSDEC Groundwater Standards.
- **Monitoring Well B-112-OW-05** – This monitoring well is located south of the source area and has shown decreases in total CVOCs over time. The graph for this well includes trend lines for total CVOCs, Cis-1,2-DCE, and TCE, which depict the overall trend for these constituents since 2005. As shown, total CVOCs concentrations have decreased from about 0.12 ppm to 0.0275 ppm and TCE concentrations decreased from approximately 0.05 ppm to 0.014 ppm between 2005 and the most recent sampling event, respectively. Cis-1,2-DCE concentrations have remained generally stagnant with a slight downward trend potentially due to lateral plume movement and generation/natural attenuation of TCE degradation products. CVOC concentrations detected in the most recent sampling event were relatively low with only TCE and cis-1,2-DCE slightly exceeding NYSDEC Groundwater Standards. Results from the recent sampling show the continuation of the overall downward trend in total CVOCs.
- **Monitoring Well MW-302-05** – This well is located south and slightly west of the apparent source area and has shown an apparent increase in total CVOCs since 2001. This increase is likely due to some lateral migration of the plume; however, the concentrations detected are significantly lower (by an order of magnitude) than the previously documented source area concentrations and breakdown products are higher than TCE concentrations. In addition, the very low VC accumulation indicates almost complete degradation of the contaminants. Total CVOCs appear to have decreased since spikes seen in 2011 and 2012 potentially indicating that total CVOCs have already peaked. Cis-1,2-DCE was the only CVOC that remained above NYSDEC Groundwater Standards in the most recent sampling event.
- **Monitoring Well MW-301-05** – This well is located southwest of the apparent source area and has shown a decrease in total CVOCs since 2001. The graph depicts the overall downward trend for total CVOCs, TCE, Cis-1,2-DCE and VC since 2001. The total CVOC concentrations observed in the September 2021 sampling event appear to be low point in the data before increasing in 2022. The most recent sampling event identified concentrations that appear to be continuing to following the over decreasing trend despite a slight increase from the previous sampling event. Total CVOCs in August 2025 (0.479 ppm) are significantly lower than the apparent peak total CVOC concentration documented in 2005 (1.5472 ppm). The total CVOC concentrations appear to be continuing a downward trend.

6.2 Groundwater Data Evaluation

Table 1 summarizes the VOC groundwater data collected to date for the eight monitoring wells included in the MNA program. In addition, select CVOC data from the most recent sampling events has been included on Figure 3. To further evaluate the plume of CVOCs over time, a concentration contour map has been developed for total CVOCs. Specifically, the average total CVOC



concentrations from the 2001 data and the total CVOC concentrations from the most recent data (August 8, 2025) were used to develop concentration contours. The data was input into Surfer version 8.05 (Golden Software, Inc.) to develop the contours provided on Figure 4. The contours were used to evaluate general changes in the location and concentration of CVOCs between 2001 and the most recent groundwater sample results.

As an additional evaluation, concentration contours from Figure 4 (total CVOCs) were selected to conduct a relative evaluation of constituent mass reduction for total CVOCs. Specifically, the area encompassed by each selected concentration contour was calculated and this area was used to calculate a total volume of groundwater in the void spaces. An effective porosity of 0.35 was utilized along with an assumed groundwater plume thickness of 10 feet. To simplify the calculations and to evaluate general trends, the contours selected were assumed to be the average concentration throughout the area or each contour and thus volume calculated. *[Note: It is understood that this assumption is not valid for determining the actual mass of constituents and may underestimate the mass. However, this evaluation is not intended to calculate actual masses of constituents but rather to evaluate the relative trends in the constituent mass at the Site. Previous reports evaluated total CVOCs and individual CVOCs; however, due to decreasing concentrations only total CVOCs have been evaluated in this report.]* Below is a summary of the results of the stated evaluation and a table included in Appendix D.

- **Total CVOC – Figure 4:** As shown, the plume of total CVOCs has decreased in concentration from 2001 to the most recent sample events. The highest concentration of total CVOCs in 2001 was around wells MW-203-05 and B-103-OW at approximately 1.2 ppm, however, the highest concentration of total CVOCs in 2025 is around well MW-301-05 at approximately 0.48 ppm.

The 2001 CVOC Plume mass estimate utilized each of the contaminant contours and corresponding areas to develop a total mass estimate (with the assumptions noted above) which is approximately 3.37 Kg. Similarly, the 2025 CVOC Plume mass estimate utilized several contours based on the concentrations detected in the wells. The August 2025 CVOC plume mass estimate is approximately 0.38 Kg. This equates to an approximate 88.67% reduction in the mass of dissolved phase CVOCs at the Site indicating the overall concentrations and mass of CVOCs has significantly reduced.

7.0 INSTITUTIONAL AND ENGINEERING CONTROL CERTIFICATION

The NYSDEC Institutional and Engineering Controls Certification Form is included in Appendix E.

8.0 CONCLUSIONS AND RECOMMENDATIONS

The work conducted during this reporting period was completed in general accordance with the RAWP and revised operations, maintenance, and monitoring that were approved by the NYSDEC. The analytical results from the most recent sampling events indicate the concentrations of CVOCs are decreasing at the Site similar to historical trends that indicate natural attenuation of VOCs is ongoing. Based on the relative consistency of trends in analytical data over several years, it is recommended that sampling frequency is reduced from every 15 months to every three (3) years.




The reduction in sampling frequency would also align with NYSDEC DER-31 by reducing the number of mobilizations to the Site and materials needed for sampling as well as reducing impacts related to shipping samples to laboratories.

I:\AMERICAN SIEPMANN\209387\REPORTS\2026 ANNUAL REPORT\PRR RPT.DOCX



FIGURES




Scale: 1:24,000

FIGURE 1 Site Location Map

99 Ridgeland Road
Henrietta, New York

LaBella



LaBella Project No 209387



Periodic Review Report
NYSDEC VCP Site #00230-8
99 Ridgeland Avenue
Town of Henrietta, New York

Client:
American Siepmann Corp

Title:
Site Map with Groundwater
Monitoring Well Locations and
December 10, 2020
Groundwater Contours



1 inch = 60 feet

Intended to Print as 11x17

5/26/2023

[209387]


[FIGURE 2A]

Legend

- 4" ID Monitoring Well Installed November 2005
- 1" ID Monitoring Well Installed by Others
- December 2020 Groundwater Contour (ft)
- Approximate Site Boundary

Note:



- Groundwater contours were developed using Kriging interpolation of water level measurements in widely spaced wells as well as engineering judgement. These contours are shown to illustrate general groundwater patterns in the context of this report. The contour lines are approximate and actual contours may vary from the locations shown. This data should be considered accurate to the degree implied by the method used.
- Fluctuations in groundwater levels, directions, and flow rates may occur due to variations in surface water level, precipitation, barometric pressure, and other factors from the time measurements were taken.
- Groundwater contours represent a relative elevation to NAVD 1983 United State Geological Survey Mean Sea Level Benchmark as the vertical datum.
- Groundwater contours derived by using Surfer version 8.01 (Golden Software, Inc).
- All locations shown are approximate.



**Periodic Review Report
NYSDEC VCP Site #00230-8
99 Ridgeland Avenue
Town of Henrietta, New York**

Client:
American Siepmann Corp

Title:
**Site Map with Groundwater
Monitoring Well Locations**



Intended to Print as 11x17

5/26/2023

[209387]

[FIGURE 2]

Legend

- 4" ID Monitoring Well Installed November 2005
- 1" ID Monitoring Well Installed by Others
- Approximate Site Boundary

Note:

- (1) Aerial photograph [NYXROC030031NeighOrtho6706X_150412.tif] rereferenced from Pictometry Online website <https://pol.pictometry.com/en-us/app/login.php>
- (2) Tax parcel boundaries are approximate. Tax parcel GIS shapefile was provided from Monroe County GIS (<http://www.monroecounty.gov/gis-Data.php>).
- (3) Aerial photograph and parcel information provided may not represent current site conditions or property lines, and should be considered approximate.
- (4) All locations shown are approximate.

Periodic Review Report
NYSDEC VCP Site #00230-8
99 Ridgeland Avenue
Town of Henrietta, New York

Client:
American Siepmann Corp

Title:
Select CVOC Concentrations
From August 8, 2025
Groundwater Monitoring Event



0 60

1 in = 60 ft

Intended to Print as 11x17

4/24/2026

209387

FIGURE 3

Well ID: B-103-OW

Date: 08/8/2025

Parameter	Concentration (mg/L)
TCE	ND
1,2-DCE (cis)	ND
1,2-DCE (trans)	ND
vinyl chloride	ND
Total CVOCs	ND

Well ID: MW-203-05

Date: 08/8/2025

Parameter	Concentration (mg/L)
TCE	0.17
1,2-DCE (cis)	0.11
1,2-DCE (trans)	ND
vinyl chloride	0.0011
Total CVOCs	0.284

Well ID: MW-302-05

Date: 08/8/2025

Parameter	Concentration (mg/L)
TCE	0.0044
1,2-DCE (cis)	0.045
1,2-DCE (trans)	ND
vinyl chloride	0.00061
Total CVOCs	0.05

Well ID: MW-301-05

Date: 08/8/2025

Parameter	Concentration (mg/L)
TCE	0.019
1,2-DCE (cis)	0.44
1,2-DCE (trans)	ND
vinyl chloride	0.0036
Total CVOCs	0.479

MW-201-05

MW-203-05

MW-302-05

MW-301-05

B-112-OW-05

MW-4-05

MW-401-05

Well ID: MW-401-05

Date: 04/12/2024

Parameter	Concentration(mg/L)
TCE	ND
1,2-DCE (cis)	ND
1,2-DCE (trans)	ND
vinyl chloride	ND
Total CVOCs	ND

Well ID: B-112-OW-05

Date: 08/8/2025

Parameter	Concentration (mg/L)
TCE	0.014
1,2-DCE (cis)	0.012
1,2-DCE (trans)	ND
vinyl chloride	ND
Total CVOCs	0.0275

Legend

- 4" ID Monitoring Well Installed November 2005
- 1" ID Monitoring Well Installed by Others
- Approximate Site Boundary

Note:


(1) Aerial photographs [NYUROC012013CommOrtho35760_101113.jpg] referenced from Pictometry Online 1.01 website <https://pol.pictometry.com/en-us/app/login.php>

(2) Tax parcel boundaries are approximate. Tax parcel GIS shapefile was provided from Monroe County GIS (<http://www.monroecounty.gov/gis-Data.php>).

(3) Aerial photograph and parcel information provided may not represent current site conditions or property lines, and should be considered approximate.

(4) Concentrations are reported in milligrams per Liter (mg/L).

(5) Red values indicate concentrations above NYSDEC Groundwater Standard or Guidance values.



Legend

- 4" ID Monitoring Well Installed November 2005
- 1" ID Monitoring Well Installed by Others
- August 2025 Total CVOC Contours
- 2001 Average Isopleth Line of Total CVOCs (mg/L)
- Approximate Site Boundary

Note:


- Isopleths of Total CVOC concentrations detected in groundwater monitoring wells sampled at the Site were developed using the Kriging interpolation method. These contours are shown to illustrate general concentrations of Total CVOC in the groundwater at the Site. These contour lines are approximate and actual contours may vary from the locations shown. This data should be considered accurate to the degree implied by the method used.
- Total CVOC isopleths were developed by using concentration values from groundwater samples collected on August 8, 2025.
- Groundwater contours derived by using Surfer version 8.01 (Golden Software, Inc).
- Concentrations displayed in milligrams per Liter (mg/L).
- Dashed isopleth lines indicates location where concentration of Total CVOC was inferred.

**Periodic Review Report
NYSDEC VCP Site #00230-8
99 Ridgeland Avenue
Town of Henrietta, New York**

**Client:
American Siepmann Corp**

**Title:

Average Total CVOC
Concentrations From 2001 and
total CVOC Concentrations
from the August 8, 2025
Monitoring Event**



0 37.67

1 in = 38 ft

Intended to Print as 11x17

4/24/2026

[209387]

[FIGURE 4]



TABLE

TABLE 1

99 Ridgeland Road
Henrietta, New York

Reference Page for Historical Groundwater Sampling Results for Volatile Organic Compounds (VOCs)

Notes:

- Groundwater samples collected in 1995, 1996 and 1997 were collected by SAW Environmental
- Groundwater samples collected in 1999, 2000 and 2001 collected by Haley & Aldrich
- Groundwater samples collected in April 2004 were collected by TriTech Environmental
- Split samples collected by NYSDEC do not differentiate between cis and trans 1,2-DCE

*

= Ambient Groundwater Standards or Guidance Values referenced in New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series 1.1.1 (TOGS 1.1.1) dated June 1998.

J = Indicates that the value was estimated.

E = Indicates the compound detected exceeded the calibration limit of the laboratory instrument

0.0069 = Bold and highlighted values indicate concentrations that exceed NYSDEC TOGS 1.1.1 Groundwater Standard or Guidance Value.

NR = Indicates that dilution values were not recorded on data sheet.

NL = Indicates a value is not listed in NYSDEC TOGS 1.1.1 for these compounds.

S = Indicates the sample was Split with NYSDEC.

D = Indicates that the sample was diluted

B = Indicates that the same parameter was detected in the laboratory method blank

NT = Indicates the sample parameter was not listed In the historic data available.

U = Indicates element was analyzed for, but not detected.

D = Indicates compound identified in an analysis at the secondary dilution factor.

N = Spiked sample recovery not within control limits.

TABLE 1
GROUNDWATER SAMPLING RESULTS FOR VOLATILE ORGANIC COMPOUNDS (VOCs)
ALL RESULTS EXPRESSED IN MILLIGRAMS PER LITER (mg/L)

Well Location: B-103-OW-05

Analytical Dilution	2.5	10	NR	NR	10	1	20	NR	1	20	NR	5	5	1	5	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
---------------------	-----	----	----	----	----	---	----	----	---	----	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

TABLE 1
GROUNDWATER SAMPLING RESULTS FOR VOLATILE ORGANIC COMPOUNDS (VOCs)
ALL RESULTS EXPRESSED IN MILLIGRAMS PER LITER (mg/L)

Well Location: B-112-OW-05

Analytical Dilution	NR	4	4	1	2	4	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	NYSDEC Groundwater Standard or Guidance Value*		
Sample Date	4/12/2005	12/19/2005	4/13/2006	10/9/2006	4/23/2007	10/9/2007	10/9/2007 (Duplicate)	4/29/2008	11/4/2008	6/15/2009	1/15/2010	4/20/2010	10/14/2010	4/29/2011	11/1/2011	3/26/2012	10/25/2012	10/15/2013	11/11/2014	10/19/2015	10/19/2015 (Duplicate)	2/23/2017	7/6/2018	8/28/2020	12/10/2020	9/10/2021	11/30/2022	4/12/2024	4/12/2024 (Duplicate)	8/8/2025				
1,1-Dichloroethane	0.00862	0.0079	0.0042	0.005 J	ND	0.0029 J	0.003	0.0047	0.010	0.0054	0.004 J	0.0017 J	0.0060	0.004 J	0.0058	.0018 J	0.0068	0.00022 J	0.0051 NJ	0.0041	0.004	0.0032 J	0.00175	ND	0.0036	ND	0.0028	0.0018 J	0.002 J	0.0013 J	0.005			
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005		
1,1,1-Trichloroethane	0.00346	0.0043	ND	0.0006 J	ND	ND	ND	ND	0.0029	0.0016 J	ND	ND	ND	ND	0.0011	ND	ND	ND	0.00065 NJ	0.00067 J	0.00057 J	0.00037 J	ND	ND	ND	0.0007 J	ND	ND	ND	ND	ND	0.005		
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001		
Trichloroethene	0.0595	0.041	0.019	0.024	0.011	0.0015	0.016	0.038	0.014	0.021	0.010	0.0059	0.015	0.013	0.0142	0.0062	0.034	0.021	0.028 NJ	0.0320	0.0320	0.024 J	0.0139	0.0042	0.026	0.0052	0.018	0.016	0.016	0.014	0.005			
Acetone	ND	0.096	0.16	0.058	0.032	0.017 J	0.011	0.020	ND	ND	0.0100	ND	ND	0.0095	ND	ND	ND	ND	0.0014 NJ	0.002 J	0.0018 J	ND	ND	0.0460	ND	0.0048	0.028	0.12	0.16	0.033	0.05			
2 - Butanone	ND	ND	0.012 J	0.006 J	ND	ND	0.0019 J	0.020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05		
Cis-1,2-Dichloroethene	0.0478	0.059	0.021	0.022	0.079	0.016	0.016	0.031	0.110 D	0.045	0.037	0.017	0.054	0.036	0.0625	0.02	0.072	0.031	0.047 NJ	0.04	0.039	0.032 J	0.0207	0.0022 J	0.035	0.0026	0.039	0.017	0.019	0.012	0.005			
Trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00027 J	0.00044 NJ	0.00055 J	0.00055 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005		
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005		
M+P-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Methylene Chloride	ND	ND	ND	ND	ND	0.0047 B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Methyl tert-butyl Ether	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	
Vinyl Chloride	0.00215	0.0075	0.0029	0.003 J	ND	ND	0.0018	ND	0.0034	ND	ND	ND	ND	0.0039 J	ND	0.0045	ND	0.0058	0.0014	0.0017 NJ	0.0016	0.0016	ND	ND	ND	ND	ND	0.0014	0.00008	0.0014	0.00015 J	0.00011 J	ND	0.002
Chloroethane	ND	0.0052	ND	0.002 J	ND	ND	0.00044 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Benzene	ND	ND	ND	ND	ND	0.0025 J	0.0025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	
Carbon Disulfide	ND	ND	0.027	0.022	ND	ND	0.00076 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	
1,1-Dichloroethene	0.00135	ND	ND	0.0008 J	ND	ND	0.00051 J	ND	0.0019	ND	ND	ND	ND	0.001 J	ND	0.001	ND	0.0038	0.00078 NJ	0.00057 J	ND	ND	ND	ND	0.00096	ND	0.0009	0.00032 J	0.00033 J	0.00024 J	ND	0.005		
Total CVOCs	0.1229	0.1249	0.0741	0.1434	0.09	0.028	0.037	0.069	0.1422	0.0676	0.0470	0.0246	0.0799	0.053	0.0891	0.028	0.1204	0.05769	0.08367	0.08149	0.07952	0.06014	0.0364	0.0064	0.0677	0.00788	0.0621	0.03527	0.03744	0.02754	NL			

TABLE 1
GROUNDWATER SAMPLING RESULTS FOR VOLATILE ORGANIC COMPOUNDS (VOCs)
ALL RESULTS EXPRESSED IN MILLIGRAMS PER LITER (mg/L)

Well Location: MW-203-05

Analytical Dilution	10	NR	NR	10	5	NR	5	5	8		10 / 50	5	5 / 10	1	1	1	3	1	10	1	10	1	1	1	1	2.5	2.5	1	1	2	2	2	4	4	2	10	NYSDEC Groundwater Standard or Guidance Value*		
Sample Date	10/2/2000	10/2/2000 SD	4/12/2001	4/12/2001 S	9/21/2001	12/11/2005	4/20/2005	4/12/2006	11/4/2006	4/24/2007	10/10/2007	4/29/2008	11/4/2008	6/17/2009	6/17/2009 (Blind Duplicate)	8/7/2009 (Passive Diffusion Bag)	1/15/2010	4/20/2010	10/14/2010	4/29/2011	11/1/2011	3/26/2012	10/25/2012	10/15/2013	11/11/2014	10/19/2015	2/23/2017	7/6/2018	8/28/2020	12/10/2020	9/10/2021	9/10/2021 (Duplicate)	11/30/2022	11/30/2022 (Duplicate)	4/12/2024	8/8/2025			
1,1-Dichloroethane	ND	0.025 SD	0.028 S	ND	ND	0.044	0.026	0.012	0.009 J	0.02	0.060	0.0078	0.015	0.029	0.03	0.0067	0.0057	0.0046 J	0.017 J	0.0064	0.0115	0.001 J	0.012	0.0013	0.0094 NJ	0.0071	0.0058 J	0.00519	0.0032	0.0039 J	0.0045	0.0042	0.0033 J	0.0034 J	ND	ND	0.005		
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00028 J	0.00066 J	ND	ND	ND	ND	ND	ND	ND	ND	0.005
1,1,1-Trichloroethane	ND	ND	0.050 S	ND	ND	ND	0.009	ND	ND	ND	0.022	ND	ND	0.0061	0.0065	ND	ND	ND	ND	ND	ND	ND	0.00096 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
1,1,2-Trichloroethane	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	
Trichloroethene	1.2	1.1 SD	1.15 S	1.4	0.32	0.834	0.76	0.23	0.18	0.35	2.1 D	0.15	0.560 D	0.61 D	0.62 D	0.025	0.046	0.038	0.067	0.064	ND	0.045	0.091	0.022	0.052 NJ	0.03	0.17 J	0.225	0.160	0.26	0.33	0.31	0.36	0.36	0.038	0.17	0.005		
Acetone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.011	ND	ND	0.0065	ND	ND	ND	ND	ND	ND	0.0044 J	ND	0.0029 J	ND	0.0064	0.0061	0.085	0.09	0.24	1.6	0.05			
2-Butanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0015 NJ	0.0016 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	
Cis-1,2-Dichloroethene	1.2	1.2 SD	1.7 S	1.6	0.63	1.69	1.1 E	0.49	0.46	0.83	3.0 D	0.38	0.760 D	1.0 D	1.0 D	.26 D	0.140 D	0.18	1	0.21 D	0.437	0.12	0.61	0.059	0.64 NJ	0.410	0.25 J	0.233	0.14	0.18	0.26	0.24	0.19	0.19	0.024	0.11	0.005		
Trans-1,2-Dichloroethene	ND	ND	0.010 S	ND	ND	ND	0.015	0.08	0.005 J	0.0098	0.029	0.0023 J	0.0094	0.011	0.012	0.004 J	ND	0.0014 J	0.012 J	0.0026 J	ND	0.0011 J	0.0068	0.00080 J	0.0069 NJ	0.014	0.0029 J	0.00422	0.0022 J	0.0014 J	0.0047	0.0043	ND	ND	ND	ND	0.005		
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
M+P-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	0.010 B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Methyl tert-butyl Ether	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	
Vinyl Chloride	0.2	0.15 SD	0.087 S	0.12	0.081	0.129	0.1	0.058	0.021 J	0.067	0.160	0.0074	0.046	0.089	0.096	0.026	0.0014 J	ND	0.21	0.0087	0.196	ND	0.027	0.0037	0.013 NJ	0.010	ND	ND	0.0014	0.00019 J	0.0024	0.0024	0.00038 J	0.00042 J	ND	0.0011 J	0.002		
Chloroethane	ND	ND	ND	ND	ND	ND	0.0022 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	
Carbon Disulfide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	
1,1-Dichloroethene	ND	ND	0.0197 S	ND	ND	ND	0.013	0.0042 J	ND	0.01	0.043	ND	0.0082	0.017	0.018	0.0019 J	0.0014 J	0.0013 J	0.012 J	0.0022 J	ND	0.001 J	0.0081	0.00046 J	0.008 NJ	0.0047	0.0032 J	0.00562	0.00350	0.0042	0.0062	0.0058	0.005	0.005	0.00037 J	0.0029 J	0.005		
Total CVOCs	2.6	2.475	3.0447	3.12	1.031	2.697	2.0252	0.8742	0.675	1.293	5.424	0.168	1.399	1.762	1.783	0.324	0.195	0.225	1.318	0.294	0.645	0.168	0.756	0.087	0.7293	0.4818	0.4319	0.4730	0.3106	0.45035	0.6078	0.5667	0.55868	0.55882	0.06237	0.284	NL		

TABLE 1
GROUNDWATER SAMPLING RESULTS FOR VOLATILE ORGANIC COMPOUNDS (VOCs)
ALL RESULTS EXPRESSED IN MILLIGRAMS PER LITER (mg/L)

Well Location: MW-301-05

Analytical Dilution	5	NR	NR	20	5	10	20	5	1	10	10	10	1	1	8	1 / 5	5	1 / 5	10	1	1	1	1	5	5	5	4	5	1	5	2	4	NYSDEC Groundwater Standard or Guidance Value*
Sample Date	9/21/2001	9/21/2001 S	4/11/2005	12/21/2005	4/12/2006 (Duplicate)	4/12/2006	10/9/2006	4/23/2007	4/23/2007 (Duplicate)	10/10/2007	4/29/2008	11/4/2008	6/16/2009	8/7/2009 (Passive Diffusion Bag)	1/15/2010	4/20/2010	10/14/2010	4/29/2011	11/1/2011	3/26/2012	10/25/2012	10/15/2013	11/11/2014	10/19/2015	2/23/2017	7/6/2018	8/28/2020	12/10/2020	9/10/2021	11/30/2022	4/12/2024	8/8/2025	
1,1-Dichloroethane	0.015	0.011	0.0148	0.028	0.028	0.028	0.034 J	0.010	0.014	0.024	0.020	0.024	0.018	0.026	0.019	0.017	0.016 J	0.024	ND	0.01	ND	0.02	0.024 BJ	0.018	0.0037 J	0.0116	0.013	0.017	0.0019	0.017	0.0061	0.011	0.005
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
1,1,1-Trichloroethane	ND	0.0039	ND	0.0059	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0012 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
1,1,2-Trichloroethane	NT	NT	NT	0.00058 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001
Trichloroethene	0.21	0.724	0.04	0.29 E	0.072	0.068	0.034 J	0.014	0.016	0.190	0.055	0.079	0.044	0.13	0.035	0.037	0.031	0.11	ND	0.025	0.044	0.05	0.031 NJ	0.016	0.069 J	0.109	0.084	0.14	0.0021	0.14	0.03	0.019	0.005
Acetone	ND	ND	ND	ND	ND	ND	ND	ND	0.0023 J	0.013 J	ND	ND	ND	0.018	0.0061	ND	ND	0.0087	ND	0.003 J	ND	ND	0.0021 NJ	ND	ND	ND	0.24	ND	0.0041	0.079	0.12	0.11	0.05
2-Butanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05
Chloroform																							ND	0.0022 J	ND	ND	ND	ND	ND	ND	ND	ND	0.007
Cis-1,2-Dichloroethene	0.53 D	0.716	0.473	1.1	0.9	0.88	1.3	0.360	0.460 E	0.860	0.760	1.200 D	0.52 D	0.67 D	0.510 D	0.550 D	0.53	0.66 D	0.68	0.280 E	0.630 D	0.58	0.880 DNJ	0.640	0.33 J	0.381	0.410	0.54	0.11	0.57	0.2	0.44	0.005
Trans-1,2-Dichloroethene	ND	ND	ND	0.0075	0.0049	ND	ND	ND	0.0025	0.0077 J	0.0042 J	0.0061 J	ND	0.0062	0.0020 J	0.0013 J	ND	ND	ND	ND	0.0042 J	0.0034 J	0.0056 NJ	0.0042 J	ND	0.00183	ND	ND	ND	ND	ND	ND	0.005
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
M+P-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0011 B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
Methyl tert-butyl Ether	NT	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
Vinyl Chloride	0.11	ND	0.0836	0.098	0.024	0.028	0.12 J	0.011	0.015	0.100	0.0051	0.090	ND	0.064	ND	ND	0.015 J	ND	0.114	ND	0.058	0.058	0.076 NJ	0.048	ND	0.00983	ND	ND	0.0052	0.0029 J	0.00014 J	0.0036 J	0.002
Chloroethane	ND	ND	ND	0.0062	0.0052	0.0052	ND	ND	0.0021	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001
Carbon Disulfide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06
1,1-Dichloroethene	ND	ND	ND	0.011	0.0099	0.0094 J	0.015 J	0.0049	0.0059	0.014	ND	0.011	ND	0.011	0.0046 J	0.0042 J	ND	0.0086	ND	.0024 J	0.0084	0.0053 J	0.012 NJ	0.0078	0.011 J	0.00586	0.00520	0.0079	0.0017	0.009	0.0021	0.0054	0.005
Total CVOCs	0.865	1.4549	0.6114	1.5472	1.044	1.0186	1.503	0.3999	0.5155	1.1968	0.8443	1.3991	0.582	0.9084	0.5706	0.6095	0.592	0.8026	0.794	0.317403	0.7446	0.7167	1.0286	0.7362	0.4148	0.5191	0.5122	0.7049	0.1209	0.7389	0.23834	0.479	NL

TABLE 1
GROUNDWATER SAMPLING RESULTS FOR VOLATILE ORGANIC COMPOUNDS (VOCs)
ALL RESULTS EXPRESSED IN MILLIGRAMS PER LITER (mg/L)

Well Location: MW-302-05

Analytical Dilution	1	NR	NR	4	4	4	2	2	2	10	1	1	1	1	1	1 / 10	1 / 5	1	1	1	1	1	1	2.5	1	1	1	1	1	2	4	NYSDEC Groundwater Standard or Guidance Value*	
Sample Date	9/21/2001	9/21/2001 S	4/12/2005	12/20/2005	4/13/2006	10/10/2006	4/23/2007	10/10/2007	4/29/2008	11/4/2008 (Blind Duplicate)	11/4/2008	6/15/2009	1/15/2010	4/20/2010	10/14/2010	4/29/2011	11/1/2011	3/26/2012	10/25/2012	10/15/2013	10/15/2013 (DUP)	11/11/2014	10/19/2015	2/13/2017	7/6/2018	8/28/2020	12/10/2020	9/10/2021	11/30/2022	4/12/2024	8/8/2025		
1,1-Dichloroethane	ND	ND	ND	0.004	ND	0.003 J	0.0045	0.0013 J	0.0041	0.0085 J	.0086 J	0.0041 J	.0016 J	0.0039 J	0.0027 J	0.0088	0.0034	0.0072	0.0034 J	0.0027	0.003	0.0029 NJ	0.0033	0.00078 J	0.00412	0.0044	0.0032	0.0035	0.0037	0.0029 J	ND	0.005	
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
1,1,1,-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
1,1,2-Trichloroethane	NT	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001
Trichloroethene	ND	ND	ND	0.00468	0.01	0.005	0.006 J	0.012	0.0024	0.014	0.0019	0.0017	0.011	0.0026	0.0086	0.0046 J	0.016	ND	0.014	0.0011 J	0.002	0.002	0.001 NJ	0.0033	0.004 J	0.0110	0.0097	0.0058	0.0054	0.0077	0.0043	0.0044	0.005
Acetone	ND	ND	0.022	ND	0.11	0.016 J	ND	0.004 J	ND	ND	ND	ND	0.013	ND	ND	0.0079	0.012	.0034 J	ND	ND	ND	0.0018 NJ	0.0016 J	0.002	ND	0.082	ND	0.0071	0.12	0.25	0.43	0.05	
2 - Butanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05
Cis-1,2-Dichloroethene	0.027	0.018	0.0289	0.14	0.078	0.100	0.140	0.041	0.150	0.032	0.031	0.130	0.043	0.120	0.092	0.26 D	0.0969	.220 E	0.088	0.056	0.062	0.052 NJ	0.09	0.087	0.124	0.13	0.098	0.1	0.12	0.094	0.045	0.005	
Trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00022 J	ND	0.00059 J	ND	0.00317	ND	ND	ND	ND	ND	ND	ND	0.005
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
M+P-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	0.0024 B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
Methyl tert-butyl Ether	NT	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
Vinyl Chloride	ND	ND	0.0037	0.023	0.019	0.022 J	0.019	0.0092	0.019	0.056	0.0056	0.011	0.0018	0.0019 J	0.014	0.0025 J	0.0275 D	ND	0.03	0.012	0.012	0.03 NJ	0.0016	ND	ND	0.00048 J	0.00097 J	0.00069	0.0011	ND	0.00061 J	0.002	
Chloroethane	ND	ND	ND	0.0086	ND	0.016 J	0.0049	0.0012 J	0.0030	ND	ND	0.0032 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001
Carbon Disulfide	ND	ND	ND	ND	ND	ND	ND	0.00096 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001 J	ND	0.0029 J	0.001	.0018 J	0.00086 J	0.00045 J	ND	ND	0.00091 J	0.0034 J	0.00109	0.0012	0.0011	0.001	0.0015	0.00088 J	ND	0.005	
Total CVOCs	0.027	0.018	0.0373	0.177	0.102	0.147	0.180	0.058	0.190	0.098	0.047	0.159	0.049	0.135	0.114	0.2902	0.1288	0.2464	0.12336	0.07315	0.07922	0.0859	0.1013	0.09774	0.1434	0.1458	0.1091	0.11059	0.134	0.10208	0.05001	NL	

TABLE 1
GROUNDWATER SAMPLING RESULTS FOR VOLATILE ORGANIC COMPOUNDS (VOCs)
ALL RESULTS EXPRESSED IN MILLIGRAMS PER LITER (mg/L)

Well Location: MW-401-05

Analytical Dilution	1	NR	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	NYSDEC Groundwater Standard or Guidance Value*	
Sample Date	2/21/2002	4/11/2005	12/21/2005	4/12/2006	10/10/2006	4/24/2007	10/10/2007	4/30/2008	11/3/2008	6/16/2009	1/15/2010	1/15/2010 Blind Duplicate	4/20/2010	10/14/2010	4/29/2011	11/1/2011	3/26/2012	10/25/2012	10/15/2013	11/11/2014	11/11/2014 (Duplicate)	10/19/2015	2/23/2017	7/6/2018	8/28/2020	8/28/2020 (Duplicate)	12/10/2020	12/10/2020	9/10/2021	11/30/2022	4/12/2024		8/8/2025
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
1,1,2-Trichloroethane	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	
Trichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00031 J	ND	ND	ND	ND	ND	ND	0.005	
Acetone	ND	0.017	0.0087	ND	ND	ND	ND	ND	ND	ND	0.0087	0.0083	ND	ND	0.0076	0.0126	0.0069	ND	ND	0.0020 NJ	0.00017 NJ	ND	ND	ND	0.097	0.095	ND	ND	0.005	0.12	ND	0.53	0.05
2-Butanone	ND	ND	0.0026 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0031 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NL
Cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
M+P-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Methyl tert-butyl Ether	NT	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	
Vinyl Chloride	ND	ND	ND	0.0035	0.005 J	0.00090 J	0.0015	ND	0.0013	ND	ND	ND	ND	0.0031 J	ND	0.0017	ND	0.0013 J	0.00040 J	0.00094 NJ	0.00094 NJ	0.00064 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	
Carbon Disulfide	ND	ND	ND	ND	0.0007 J	ND	0.00047 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NL
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NL
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	
Total CVOCs	0	0	0	0.0035	0.0057	0.00090	0.00197	0	0.0013	0	0	0	0	0.0031	0	0.0017	0.01	0.0013	0.0004	0.00094	0.00094	0.00064	0	0	0.00031	0	0	0	0	0	0	NL	



APPENDIX A

Laboratory Report



ANALYTICAL REPORT

Lab Number:	L2549922
Client:	LaBella Associates, P.C. 105 N. Tioga Suite 200 Ithaca, NY 14850
ATTN:	Alexander Brett
Phone:	(585) 454-6110
Project Name:	99 RIDGELAND ROAD
Project Number:	209387
Report Date:	08/25/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 99 RIDGELAND ROAD**Project Number:** 209387**Lab Number:** L2549922**Report Date:** 08/25/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2549922-01	B-103-OW-08082025	WATER	ROCHESTER, NY	08/08/25 09:20	08/08/25
L2549922-02	B-112-OW-08082025	WATER	ROCHESTER, NY	08/08/25 10:00	08/08/25
L2549922-03	DUP-08082025	WATER	ROCHESTER, NY	08/08/25 10:01	08/08/25
L2549922-04	MW-301-05-08082025	WATER	ROCHESTER, NY	08/08/25 10:20	08/08/25
L2549922-05	MW-203-05-08082025	WATER	ROCHESTER, NY	08/08/25 11:00	08/08/25
L2549922-06	MW-302-05-08082025	WATER	ROCHESTER, NY	08/08/25 11:30	08/08/25
L2549922-07	MW-401-05-08082025	WATER	ROCHESTER, NY	08/08/25 13:00	08/08/25
L2549922-08	TRIP BLANK-08082025	WATER	ROCHESTER, NY	08/05/25 00:00	08/08/25

Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L2549922-08: The Trip Blank has a concentration above the reporting limit for acetone. The sample was re-analyzed and confirmed the original results. The results of the original analysis are reported.

The WG2105788-4 LCSD recovery associated with L2549922-02, -05D, -06D, and -07D is below the individual acceptance criteria for 1,2,3-trichlorobenzene (69%), but within the overall method allowances. The results of the associated samples are reported.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Caitlin Walukevich

Title: Technical Director/Representative

Date: 08/25/25

ORGANICS

VOLATILES

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-01

Date Collected: 08/08/25 09:20

Client ID: B-103-OW-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 16:25

Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS****Lab ID:** L2549922-01**Date Collected:** 08/08/25 09:20**Client ID:** B-103-OW-08082025**Date Received:** 08/08/25**Sample Location:** ROCHESTER, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	20		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	88		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	101		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-02

Date Collected: 08/08/25 10:00

Client ID: B-112-OW-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 14:57

Analyst: KAB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	1.3	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.24	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	14		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS****Lab ID:** L2549922-02**Date Collected:** 08/08/25 10:00**Client ID:** B-112-OW-08082025**Date Received:** 08/08/25**Sample Location:** ROCHESTER, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	12		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	33		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	108		70-130
4-Bromofluorobenzene	111		70-130
Dibromofluoromethane	89		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-03
 Client ID: DUP-08082025
 Sample Location: ROCHESTER, NY

Date Collected: 08/08/25 10:01
 Date Received: 08/08/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 16:51

Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	1.2	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.27	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	15		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS****Lab ID:** L2549922-03**Date Collected:** 08/08/25 10:01**Client ID:** DUP-08082025**Date Received:** 08/08/25**Sample Location:** ROCHESTER, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	13		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	28		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	87		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	103		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-04 D

Date Collected: 08/08/25 10:20

Client ID: MW-301-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 17:41

Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	10	2.8	4
1,1-Dichloroethane	11		ug/l	10	2.8	4
Chloroform	ND		ug/l	10	2.8	4
Carbon tetrachloride	ND		ug/l	2.0	0.54	4
1,2-Dichloropropane	ND		ug/l	4.0	0.55	4
Dibromochloromethane	ND		ug/l	2.0	0.60	4
1,1,2-Trichloroethane	ND		ug/l	6.0	2.0	4
Tetrachloroethene	ND		ug/l	2.0	0.72	4
Chlorobenzene	ND		ug/l	10	2.8	4
Trichlorofluoromethane	ND		ug/l	10	2.8	4
1,2-Dichloroethane	ND		ug/l	2.0	0.53	4
1,1,1-Trichloroethane	ND		ug/l	10	2.8	4
Bromodichloromethane	ND		ug/l	2.0	0.77	4
trans-1,3-Dichloropropene	ND		ug/l	2.0	0.66	4
cis-1,3-Dichloropropene	ND		ug/l	2.0	0.58	4
Bromoform	ND		ug/l	8.0	2.6	4
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	0.67	4
Benzene	ND		ug/l	2.0	0.64	4
Toluene	ND		ug/l	10	2.8	4
Ethylbenzene	ND		ug/l	10	2.8	4
Chloromethane	ND		ug/l	10	2.8	4
Bromomethane	ND		ug/l	10	2.8	4
Vinyl chloride	3.6	J	ug/l	4.0	0.28	4
Chloroethane	ND		ug/l	10	2.8	4
1,1-Dichloroethene	5.4		ug/l	2.0	0.68	4
trans-1,2-Dichloroethene	ND		ug/l	10	2.8	4
Trichloroethene	19		ug/l	2.0	0.70	4
1,2-Dichlorobenzene	ND		ug/l	10	2.8	4



Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

SAMPLE RESULTS

Lab ID: L2549922-04 D

Date Collected: 08/08/25 10:20

Client ID: MW-301-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	10	2.8	4
1,4-Dichlorobenzene	ND		ug/l	10	2.8	4
Methyl tert butyl ether	ND		ug/l	10	0.66	4
p/m-Xylene	ND		ug/l	10	2.8	4
o-Xylene	ND		ug/l	10	2.8	4
cis-1,2-Dichloroethene	440		ug/l	10	2.8	4
Styrene	ND		ug/l	10	2.8	4
Dichlorodifluoromethane	ND		ug/l	20	4.0	4
Acetone	110		ug/l	20	5.8	4
Carbon disulfide	ND		ug/l	20	4.0	4
2-Butanone	ND		ug/l	20	7.8	4
4-Methyl-2-pentanone	ND		ug/l	20	4.0	4
2-Hexanone	ND		ug/l	20	4.0	4
Bromochloromethane	ND		ug/l	10	2.8	4
1,2-Dibromoethane	ND		ug/l	8.0	2.6	4
1,2-Dibromo-3-chloropropane	ND		ug/l	10	2.8	4
Isopropylbenzene	ND		ug/l	10	2.8	4
1,2,3-Trichlorobenzene	ND		ug/l	10	2.8	4
1,2,4-Trichlorobenzene	ND		ug/l	10	2.8	4
Methyl Acetate	ND		ug/l	8.0	0.94	4
Cyclohexane	ND		ug/l	40	1.1	4
1,4-Dioxane	ND		ug/l	1000	240	4
Freon-113	ND		ug/l	10	2.8	4
Methyl cyclohexane	ND		ug/l	40	1.6	4

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	92		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	104		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-05 D

Date Collected: 08/08/25 11:00

Client ID: MW-203-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 15:23

Analyst: KAB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	25	7.0	10
1,1-Dichloroethane	ND		ug/l	25	7.0	10
Chloroform	ND		ug/l	25	7.0	10
Carbon tetrachloride	ND		ug/l	5.0	1.3	10
1,2-Dichloropropane	ND		ug/l	10	1.4	10
Dibromochloromethane	ND		ug/l	5.0	1.5	10
1,1,2-Trichloroethane	ND		ug/l	15	5.0	10
Tetrachloroethene	ND		ug/l	5.0	1.8	10
Chlorobenzene	ND		ug/l	25	7.0	10
Trichlorofluoromethane	ND		ug/l	25	7.0	10
1,2-Dichloroethane	ND		ug/l	5.0	1.3	10
1,1,1-Trichloroethane	ND		ug/l	25	7.0	10
Bromodichloromethane	ND		ug/l	5.0	1.9	10
trans-1,3-Dichloropropene	ND		ug/l	5.0	1.6	10
cis-1,3-Dichloropropene	ND		ug/l	5.0	1.4	10
Bromoform	ND		ug/l	20	6.5	10
1,1,2,2-Tetrachloroethane	ND		ug/l	5.0	1.7	10
Benzene	ND		ug/l	5.0	1.6	10
Toluene	ND		ug/l	25	7.0	10
Ethylbenzene	ND		ug/l	25	7.0	10
Chloromethane	ND		ug/l	25	7.0	10
Bromomethane	ND		ug/l	25	7.0	10
Vinyl chloride	1.1	J	ug/l	10	0.71	10
Chloroethane	ND		ug/l	25	7.0	10
1,1-Dichloroethene	2.9	J	ug/l	5.0	1.7	10
trans-1,2-Dichloroethene	ND		ug/l	25	7.0	10
Trichloroethene	170		ug/l	5.0	1.8	10
1,2-Dichlorobenzene	ND		ug/l	25	7.0	10



Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-05 D

Date Collected: 08/08/25 11:00

Client ID: MW-203-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	25	7.0	10
1,4-Dichlorobenzene	ND		ug/l	25	7.0	10
Methyl tert butyl ether	ND		ug/l	25	1.7	10
p/m-Xylene	ND		ug/l	25	7.0	10
o-Xylene	ND		ug/l	25	7.0	10
cis-1,2-Dichloroethene	110		ug/l	25	7.0	10
Styrene	ND		ug/l	25	7.0	10
Dichlorodifluoromethane	ND		ug/l	50	10.	10
Acetone	1600		ug/l	50	15.	10
Carbon disulfide	ND		ug/l	50	10.	10
2-Butanone	ND		ug/l	50	19.	10
4-Methyl-2-pentanone	ND		ug/l	50	10.	10
2-Hexanone	ND		ug/l	50	10.	10
Bromochloromethane	ND		ug/l	25	7.0	10
1,2-Dibromoethane	ND		ug/l	20	6.5	10
1,2-Dibromo-3-chloropropane	ND		ug/l	25	7.0	10
Isopropylbenzene	ND		ug/l	25	7.0	10
1,2,3-Trichlorobenzene	ND		ug/l	25	7.0	10
1,2,4-Trichlorobenzene	ND		ug/l	25	7.0	10
Methyl Acetate	ND		ug/l	20	2.3	10
Cyclohexane	ND		ug/l	100	2.7	10
1,4-Dioxane	ND		ug/l	2500	610	10
Freon-113	ND		ug/l	25	7.0	10
Methyl cyclohexane	ND		ug/l	100	4.0	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	106		70-130
4-Bromofluorobenzene	112		70-130
Dibromofluoromethane	82		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-06 D

Date Collected: 08/08/25 11:30

Client ID: MW-302-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 15:49

Analyst: KAB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	10	2.8	4
1,1-Dichloroethane	ND		ug/l	10	2.8	4
Chloroform	ND		ug/l	10	2.8	4
Carbon tetrachloride	ND		ug/l	2.0	0.54	4
1,2-Dichloropropane	ND		ug/l	4.0	0.55	4
Dibromochloromethane	ND		ug/l	2.0	0.60	4
1,1,2-Trichloroethane	ND		ug/l	6.0	2.0	4
Tetrachloroethene	ND		ug/l	2.0	0.72	4
Chlorobenzene	ND		ug/l	10	2.8	4
Trichlorofluoromethane	ND		ug/l	10	2.8	4
1,2-Dichloroethane	ND		ug/l	2.0	0.53	4
1,1,1-Trichloroethane	ND		ug/l	10	2.8	4
Bromodichloromethane	ND		ug/l	2.0	0.77	4
trans-1,3-Dichloropropene	ND		ug/l	2.0	0.66	4
cis-1,3-Dichloropropene	ND		ug/l	2.0	0.58	4
Bromoform	ND		ug/l	8.0	2.6	4
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	0.67	4
Benzene	ND		ug/l	2.0	0.64	4
Toluene	ND		ug/l	10	2.8	4
Ethylbenzene	ND		ug/l	10	2.8	4
Chloromethane	ND		ug/l	10	2.8	4
Bromomethane	ND		ug/l	10	2.8	4
Vinyl chloride	0.61	J	ug/l	4.0	0.28	4
Chloroethane	ND		ug/l	10	2.8	4
1,1-Dichloroethene	ND		ug/l	2.0	0.68	4
trans-1,2-Dichloroethene	ND		ug/l	10	2.8	4
Trichloroethene	4.4		ug/l	2.0	0.70	4
1,2-Dichlorobenzene	ND		ug/l	10	2.8	4



Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-06 D

Date Collected: 08/08/25 11:30

Client ID: MW-302-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	10	2.8	4
1,4-Dichlorobenzene	ND		ug/l	10	2.8	4
Methyl tert butyl ether	ND		ug/l	10	0.66	4
p/m-Xylene	ND		ug/l	10	2.8	4
o-Xylene	ND		ug/l	10	2.8	4
cis-1,2-Dichloroethene	45		ug/l	10	2.8	4
Styrene	ND		ug/l	10	2.8	4
Dichlorodifluoromethane	ND		ug/l	20	4.0	4
Acetone	430		ug/l	20	5.8	4
Carbon disulfide	ND		ug/l	20	4.0	4
2-Butanone	ND		ug/l	20	7.8	4
4-Methyl-2-pentanone	ND		ug/l	20	4.0	4
2-Hexanone	ND		ug/l	20	4.0	4
Bromochloromethane	ND		ug/l	10	2.8	4
1,2-Dibromoethane	ND		ug/l	8.0	2.6	4
1,2-Dibromo-3-chloropropane	ND		ug/l	10	2.8	4
Isopropylbenzene	ND		ug/l	10	2.8	4
1,2,3-Trichlorobenzene	ND		ug/l	10	2.8	4
1,2,4-Trichlorobenzene	ND		ug/l	10	2.8	4
Methyl Acetate	ND		ug/l	8.0	0.94	4
Cyclohexane	ND		ug/l	40	1.1	4
1,4-Dioxane	ND		ug/l	1000	240	4
Freon-113	ND		ug/l	10	2.8	4
Methyl cyclohexane	ND		ug/l	40	1.6	4

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	106		70-130
4-Bromofluorobenzene	112		70-130
Dibromofluoromethane	88		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-07 D

Date Collected: 08/08/25 13:00

Client ID: MW-401-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 16:16

Analyst: KAB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	10	2.8	4
1,1-Dichloroethane	ND		ug/l	10	2.8	4
Chloroform	ND		ug/l	10	2.8	4
Carbon tetrachloride	ND		ug/l	2.0	0.54	4
1,2-Dichloropropane	ND		ug/l	4.0	0.55	4
Dibromochloromethane	ND		ug/l	2.0	0.60	4
1,1,2-Trichloroethane	ND		ug/l	6.0	2.0	4
Tetrachloroethene	ND		ug/l	2.0	0.72	4
Chlorobenzene	ND		ug/l	10	2.8	4
Trichlorofluoromethane	ND		ug/l	10	2.8	4
1,2-Dichloroethane	ND		ug/l	2.0	0.53	4
1,1,1-Trichloroethane	ND		ug/l	10	2.8	4
Bromodichloromethane	ND		ug/l	2.0	0.77	4
trans-1,3-Dichloropropene	ND		ug/l	2.0	0.66	4
cis-1,3-Dichloropropene	ND		ug/l	2.0	0.58	4
Bromoform	ND		ug/l	8.0	2.6	4
1,1,2,2-Tetrachloroethane	ND		ug/l	2.0	0.67	4
Benzene	ND		ug/l	2.0	0.64	4
Toluene	ND		ug/l	10	2.8	4
Ethylbenzene	ND		ug/l	10	2.8	4
Chloromethane	ND		ug/l	10	2.8	4
Bromomethane	ND		ug/l	10	2.8	4
Vinyl chloride	ND		ug/l	4.0	0.28	4
Chloroethane	ND		ug/l	10	2.8	4
1,1-Dichloroethene	ND		ug/l	2.0	0.68	4
trans-1,2-Dichloroethene	ND		ug/l	10	2.8	4
Trichloroethene	ND		ug/l	2.0	0.70	4
1,2-Dichlorobenzene	ND		ug/l	10	2.8	4

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-07 D

Date Collected: 08/08/25 13:00

Client ID: MW-401-05-08082025

Date Received: 08/08/25

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	10	2.8	4
1,4-Dichlorobenzene	ND		ug/l	10	2.8	4
Methyl tert butyl ether	ND		ug/l	10	0.66	4
p/m-Xylene	ND		ug/l	10	2.8	4
o-Xylene	ND		ug/l	10	2.8	4
cis-1,2-Dichloroethene	ND		ug/l	10	2.8	4
Styrene	ND		ug/l	10	2.8	4
Dichlorodifluoromethane	ND		ug/l	20	4.0	4
Acetone	530		ug/l	20	5.8	4
Carbon disulfide	ND		ug/l	20	4.0	4
2-Butanone	ND		ug/l	20	7.8	4
4-Methyl-2-pentanone	ND		ug/l	20	4.0	4
2-Hexanone	ND		ug/l	20	4.0	4
Bromochloromethane	ND		ug/l	10	2.8	4
1,2-Dibromoethane	ND		ug/l	8.0	2.6	4
1,2-Dibromo-3-chloropropane	ND		ug/l	10	2.8	4
Isopropylbenzene	ND		ug/l	10	2.8	4
1,2,3-Trichlorobenzene	ND		ug/l	10	2.8	4
1,2,4-Trichlorobenzene	ND		ug/l	10	2.8	4
Methyl Acetate	ND		ug/l	8.0	0.94	4
Cyclohexane	ND		ug/l	40	1.1	4
1,4-Dioxane	ND		ug/l	1000	240	4
Freon-113	ND		ug/l	10	2.8	4
Methyl cyclohexane	ND		ug/l	40	1.6	4

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	111		70-130
Dibromofluoromethane	89		70-130

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-08
 Client ID: TRIP BLANK-08082025
 Sample Location: ROCHESTER, NY

Date Collected: 08/05/25 00:00
 Date Received: 08/08/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 08/21/25 17:16

Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25**SAMPLE RESULTS**

Lab ID: L2549922-08
Client ID: TRIP BLANK-08082025
Sample Location: ROCHESTER, NY

Date Collected: 08/05/25 00:00
Date Received: 08/08/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	14		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	90		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	104		70-130

Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 08/21/25 09:13
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-04,08 Batch: WG2105754-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70



Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D

Analytical Date: 08/21/25 09:13

Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-04,08 Batch: WG2105754-5					
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.17
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23



Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/21/25 09:13
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-04,08 Batch: WG2105754-5					
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	107		70-130

Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 08/21/25 11:02
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,05-07 Batch: WG2105788-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70



Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D

Analytical Date: 08/21/25 11:02

Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,05-07 Batch: WG2105788-5					
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.17
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23



Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/21/25 11:02
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,05-07 Batch: WG2105788-5					
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	90		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 Batch: WG2105754-3 WG2105754-4								
Methylene chloride	94		97		70-130	3		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	110		110		63-132	0		20
1,2-Dichloropropane	93		94		70-130	1		20
Dibromochloromethane	98		95		63-130	3		20
1,1,2-Trichloroethane	95		94		70-130	1		20
Tetrachloroethene	110		100		70-130	10		20
Chlorobenzene	99		99		75-130	0		20
Trichlorofluoromethane	110		110		62-150	0		20
1,2-Dichloroethane	100		98		70-130	2		20
1,1,1-Trichloroethane	110		100		67-130	10		20
Bromodichloromethane	97		96		67-130	1		20
trans-1,3-Dichloropropene	89		89		70-130	0		20
cis-1,3-Dichloropropene	97		98		70-130	1		20
Bromoform	94		94		54-136	0		20
1,1,2,2-Tetrachloroethane	92		93		67-130	1		20
Benzene	100		100		70-130	0		20
Toluene	100		99		70-130	1		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 Batch: WG2105754-3 WG2105754-4								
Ethylbenzene	100		100		70-130	0		20
Chloromethane	110		100		64-130	10		20
Bromomethane	80		82		39-139	2		20
Vinyl chloride	110		100		55-140	10		20
Chloroethane	100		99		55-138	1		20
1,1-Dichloroethene	100		100		61-145	0		20
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	100		100		70-130	0		20
1,2-Dichlorobenzene	98		96		70-130	2		20
1,3-Dichlorobenzene	100		97		70-130	3		20
1,4-Dichlorobenzene	97		96		70-130	1		20
Methyl tert butyl ether	90		92		63-130	2		20
p/m-Xylene	105		100		70-130	5		20
o-Xylene	105		100		70-130	5		20
cis-1,2-Dichloroethene	99		100		70-130	1		20
Styrene	105		105		70-130	0		20
Dichlorodifluoromethane	97		94		36-147	3		20
Acetone	86		87		58-148	1		20
Carbon disulfide	100		100		51-130	0		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 Batch: WG2105754-3 WG2105754-4								
2-Butanone	82		90		63-138	9		20
4-Methyl-2-pentanone	84		83		59-130	1		20
2-Hexanone	77		76		57-130	1		20
Bromochloromethane	110		100		70-130	10		20
1,2-Dibromoethane	97		95		70-130	2		20
1,2-Dibromo-3-chloropropane	86		86		41-144	0		20
Isopropylbenzene	100		100		70-130	0		20
1,2,3-Trichlorobenzene	97		100		70-130	3		20
1,2,4-Trichlorobenzene	100		99		70-130	1		20
Methyl Acetate	82		88		70-130	7		20
Cyclohexane	110		110		70-130	0		20
1,4-Dioxane	106		104		56-162	2		20
Freon-113	110		110		70-130	0		20
Methyl cyclohexane	97		97		70-130	0		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
------------------	--------------------------	-------------	---------------------------	-------------	-----------------------------	------------	-------------	-----------------------

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 Batch: WG2105754-3 WG2105754-4

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	103		104		70-130
Toluene-d8	101		100		70-130
4-Bromofluorobenzene	100		102		70-130
Dibromofluoromethane	102		102		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,05-07 Batch: WG2105788-3 WG2105788-4								
Methylene chloride	79		70		70-130	12		20
1,1-Dichloroethane	96		88		70-130	9		20
Chloroform	86		78		70-130	10		20
Carbon tetrachloride	86		78		63-132	10		20
1,2-Dichloropropane	97		88		70-130	10		20
Dibromochloromethane	88		80		63-130	10		20
1,1,2-Trichloroethane	98		85		70-130	14		20
Tetrachloroethene	89		79		70-130	12		20
Chlorobenzene	93		83		75-130	11		20
Trichlorofluoromethane	100		91		62-150	9		20
1,2-Dichloroethane	89		82		70-130	8		20
1,1,1-Trichloroethane	87		80		67-130	8		20
Bromodichloromethane	88		79		67-130	11		20
trans-1,3-Dichloropropene	95		84		70-130	12		20
cis-1,3-Dichloropropene	94		83		70-130	12		20
Bromoform	87		80		54-136	8		20
1,1,2,2-Tetrachloroethane	110		100		67-130	10		20
Benzene	93		84		70-130	10		20
Toluene	98		89		70-130	10		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,05-07 Batch: WG2105788-3 WG2105788-4								
Ethylbenzene	100		95		70-130	5		20
Chloromethane	91		86		64-130	6		20
Bromomethane	47		45		39-139	4		20
Vinyl chloride	100		89		55-140	12		20
Chloroethane	100		89		55-138	12		20
1,1-Dichloroethene	85		77		61-145	10		20
trans-1,2-Dichloroethene	86		78		70-130	10		20
Trichloroethene	88		78		70-130	12		20
1,2-Dichlorobenzene	94		84		70-130	11		20
1,3-Dichlorobenzene	96		84		70-130	13		20
1,4-Dichlorobenzene	93		82		70-130	13		20
Methyl tert butyl ether	87		79		63-130	10		20
p/m-Xylene	100		90		70-130	11		20
o-Xylene	100		90		70-130	11		20
cis-1,2-Dichloroethene	86		78		70-130	10		20
Styrene	100		85		70-130	16		20
Dichlorodifluoromethane	87		76		36-147	13		20
Acetone	78		76		58-148	3		20
Carbon disulfide	90		80		51-130	12		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,05-07 Batch: WG2105788-3 WG2105788-4								
2-Butanone	86		85		63-138	1		20
4-Methyl-2-pentanone	100		92		59-130	8		20
2-Hexanone	88		79		57-130	11		20
Bromochloromethane	84		75		70-130	11		20
1,2-Dibromoethane	93		84		70-130	10		20
1,2-Dibromo-3-chloropropane	80		72		41-144	11		20
Isopropylbenzene	110		97		70-130	13		20
1,2,3-Trichlorobenzene	76		69	Q	70-130	10		20
1,2,4-Trichlorobenzene	82		71		70-130	14		20
Methyl Acetate	91		86		70-130	6		20
Cyclohexane	98		88		70-130	11		20
1,4-Dioxane	108		96		56-162	12		20
Freon-113	83		72		70-130	14		20
Methyl cyclohexane	84		74		70-130	13		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,05-07 Batch: WG2105788-3 WG2105788-4								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	100		100		70-130
Toluene-d8	102		100		70-130
4-Bromofluorobenzene	106		107		70-130
Dibromofluoromethane	89		90		70-130

Matrix Spike Analysis

Batch Quality Control

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 QC Batch ID: WG2105754-6 WG2105754-7 QC Sample: L2549922-04 Client ID: MW-301-05-08082025												
Methylene chloride	ND	40	42	105		44	110		70-130	5		20
1,1-Dichloroethane	11	40	55	110		56	113		70-130	2		20
Chloroform	ND	40	43	108		46	115		70-130	7		20
Carbon tetrachloride	ND	40	44	110		48	120		63-132	9		20
1,2-Dichloropropane	ND	40	41	103		44	110		70-130	7		20
Dibromochloromethane	ND	40	40	100		44	110		63-130	10		20
1,1,2-Trichloroethane	ND	40	39	98		42	105		70-130	7		20
Tetrachloroethene	ND	40	44	110		46	115		70-130	4		20
Chlorobenzene	ND	40	43	108		46	115		75-130	7		20
Trichlorofluoromethane	ND	40	41	103		44	110		62-150	7		20
1,2-Dichloroethane	ND	40	39	98		41	103		70-130	5		20
1,1,1-Trichloroethane	ND	40	45	113		48	120		67-130	6		20
Bromodichloromethane	ND	40	41	103		43	108		67-130	5		20
trans-1,3-Dichloropropene	ND	40	35	88		38	95		70-130	8		20
cis-1,3-Dichloropropene	ND	40	40	100		43	108		70-130	7		20
Bromoform	ND	40	38	95		41	103		54-136	8		20
1,1,2,2-Tetrachloroethane	ND	40	40	100		43	108		67-130	7		20
Benzene	ND	40	45	113		47	118		70-130	4		20
Toluene	ND	40	43	108		46	115		70-130	7		20

Matrix Spike Analysis

Batch Quality Control

Project Name: 99 RIDGELAND ROAD

Project Number: 209387

Lab Number: L2549922

Report Date: 08/25/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 QC Batch ID: WG2105754-6 WG2105754-7 QC Sample: L2549922-04 Client ID: MW-301-05-08082025												
Ethylbenzene	ND	40	44	110		47	118		70-130	7		20
Chloromethane	ND	40	40	100		43	108		64-130	7		20
Bromomethane	ND	40	21	52		28	70		39-139	29	Q	20
Vinyl chloride	3.6J	40	48	120		50	125		55-140	4		20
Chloroethane	ND	40	44	110		47	118		55-138	7		20
1,1-Dichloroethene	5.4	40	51	114		54	122		61-145	6		20
trans-1,2-Dichloroethene	ND	40	46	115		48	120		70-130	4		20
Trichloroethene	19	40	62	108		65	115		70-130	5		20
1,2-Dichlorobenzene	ND	40	41	103		44	110		70-130	7		20
1,3-Dichlorobenzene	ND	40	41	103		43	108		70-130	5		20
1,4-Dichlorobenzene	ND	40	40	100		42	105		70-130	5		20
Methyl tert butyl ether	ND	40	37	92		40	100		63-130	8		20
p/m-Xylene	ND	80	89	111		94	118		70-130	5		20
o-Xylene	ND	80	89	111		95	119		70-130	7		20
cis-1,2-Dichloroethene	440	40	460	50	Q	460	50	Q	70-130	0		20
Styrene	ND	80	88	110		93	116		70-130	6		20
Dichlorodifluoromethane	ND	40	30	75		31	78		36-147	3		20
Acetone	110	40	130	50	Q	130	50	Q	58-148	0		20
Carbon disulfide	ND	40	45	113		47	118		51-130	4		20

Matrix Spike Analysis **Batch Quality Control**

Project Name: 99 RIDGELAND ROAD

Lab Number: L2549922

Project Number: 209387

Report Date: 08/25/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-04,08 QC Batch ID: WG2105754-6 WG2105754-7 QC Sample: L2549922-04 Client ID: MW-301-05-08082025												
2-Butanone	ND	40	28	70		28	70		63-138	0		20
4-Methyl-2-pentanone	ND	40	33	82		34	85		59-130	3		20
2-Hexanone	ND	40	28	70		34	85		57-130	19		20
Bromochloromethane	ND	40	43	108		48	120		70-130	11		20
1,2-Dibromoethane	ND	40	40	100		42	105		70-130	5		20
1,2-Dibromo-3-chloropropane	ND	40	38	95		38	95		41-144	0		20
Isopropylbenzene	ND	40	44	110		47	118		70-130	7		20
1,2,3-Trichlorobenzene	ND	40	37	92		40	100		70-130	8		20
1,2,4-Trichlorobenzene	ND	40	38	95		40	100		70-130	5		20
Methyl Acetate	ND	40	34	85		34	85		70-130	0		20
Cyclohexane	ND	40	39J	98		42	105		70-130	7		20
1,4-Dioxane	ND	2000	1300	65		1700	85		56-162	27	Q	20
Freon-113	ND	40	37	92		39	98		70-130	5		20
Methyl cyclohexane	ND	40	31J	78		33J	82		70-130	6		20

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		93		70-130
4-Bromofluorobenzene	99		100		70-130
Dibromofluoromethane	97		99		70-130
Toluene-d8	100		100		70-130

Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Serial_No:08252512:58
Lab Number: L2549922
Report Date: 08/25/25

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2549922-01A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-01B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-01C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-02A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-02B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-02C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-03A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-03B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-03C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04A1	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04A2	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04B1	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04B2	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04C1	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-04C2	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-05A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-05B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-05C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-06A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-06B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)

Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Serial_No:08252512:58
Lab Number: L2549922
Report Date: 08/25/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2549922-06C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-07A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-07B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-07C	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-08A	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)
L2549922-08B	Vial HCl preserved	NA	NA			Y	Absent		NYTCL-8260-R2(14)

Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenzo(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were

Report Format: DU Report with 'J' Qualifiers



Project Name: 99 RIDGELAND ROAD
Project Number: 209387

Lab Number: L2549922
Report Date: 08/25/25

Data Qualifiers

estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 99 RIDGELAND ROAD**Lab Number:** L2549922**Project Number:** 209387**Report Date:** 08/25/25

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLCFacility: **Northeast**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**Revision **28**Published Date: **07/25/2025**Page **1** of **2****Certification Information****The following analytes are not included in our Primary NELAP Scope of Accreditation:****Westborough Facility – 8 Walkup Dr. Westborough, MA 01581****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** **EPA RSK-175 Dissolved Gases****Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: **EPA RSK-175 Dissolved Gases****The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:****Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)****The following analytes are included in our Massachusetts DEP Scope of Accreditation****Westborough Facility – 8 Walkup Dr. Westborough, MA 01581****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, SM4500CL-G, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT.****Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1:** Hg. **EPA 245.7:** Hg.**SM2340B**

Pace Analytical Services LLCID No.:**17873**Facility: **Northeast**

Revision 28

Department: **Quality Assurance**

Published Date: 07/25/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY KY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

MA M-MA00030, CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 85084, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, LA 245052, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.

 NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288		Service Centers Woodcliff Lake, NJ 07677: 123 Tice Blvd, Suite 101 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105		Page _____ of _____		Date Rec'd in Lab 8/9/25		Pace Job # W2549922	
		Project Information Project Name: 99 Ridgeland Rd Project Location: Rochester, NY Project # 209387 (Use Project name as Project #) ☐		Deliverables ☐ ASP-A ☒ ASP-B ☐ EQUIS (1 File) ☐ EQUIS (4 File) ☐ Other		Billing Information ☒ Same as Client Info PO #			
Client Information Client: LABELLA ASSOCIATES Address: 300 STATE ST ROCHESTER, NY Phone: 585-454-6110 Fax: _____ Email: abrett@labella.com		Project Manager: Alex Brett PACE Quote #: _____ Turn-Around Time: Standard ☒ Due Date: _____ Rush (only if pre approved) ☐ # of Days: _____		Regulatory Requirement ☐ NY TOGS ☐ NY Part 375 ☐ AWQ Standards ☐ NY CP-51 ☐ NY Restricted Use ☐ Other ☐ NY Unrestricted Use ☐ NYC Sewer Discharge		Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: ☐ NJ ☐ NY ☐ Other:			
These samples have been previously analyzed by Pace ☐						ANALYSIS		Sample Filtration ☐ Done ☐ Lab to do Preservation ☐ Lab to do (Please Specify below) Sample Specific Comments	
Other project specific requirements/comments: Perform MS/MSD on MW-301-05-08082025 (Extra Sample included)						TCC VOCs in 8260		Total Bottles	
Please specify Metals or TAL.									
PACE Lab ID (Lab Use Only)		Sample ID		Collection Date Time		Sample Matrix		Sampler's Initials	
01 B-103-0W-08082025		B-103-0W-08082025		8/8/25 0920		GW		AB3	
02		B-112-0W-08082025		8/8/25 1000		GW		AB3	
03		DUP-08082025		8/8/25 1001		GW		AB3	
04		MW-301-05-08082025		8/8/25 1020		GW		AB3	
05		MW-203-05-08082025		8/8/25 1100		GW		AB3	
06		MW-302-05-08082025		8/8/25 1130		GW		AB3	
07		MW-401-05-08082025		8/8/25 1300		GW		AB3	
08		Trip Blank-08082025		8/8/25		GW		AB3	
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Container Type V		Preservative B	
Form No: 01-25 HC (rev. 29-Jan-2025)		Relinquished By: _____ Date/Time: 8/8/25 1311		Received By: _____ Date/Time: 8/8/25 1311		Relinquished By: _____ Date/Time: 8/8/25 13:24		Received By: _____ Date/Time: 8/8/25 13:24	
		Relinquished By: _____ Date/Time: 8/8/25 18:34		Received By: _____ Date/Time: 8/8 2300		Relinquished By: _____ Date/Time: 8/9 0245		Received By: _____ Date/Time: 8/9-25 0245	

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY PACE'S TERMS & CONDITIONS. (See reverse side.)



Sample Delivery Group Summary

Pace Job Number : L2549922

Received : 08-AUG-2025

Account Name : LaBella Associates, P.C.

Reviewer : Julie Convery

Project Number : 209387

Project Name : 99 RIDGELAND ROAD

Delivery Information

Samples Delivered By : Pace Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
A	Absent/	Ice	4.7	

Condition Information

- | | |
|--|-----|
| 1) All samples on COC received? | YES |
| 2) Extra samples received? | NO |
| 3) Are there any sample container discrepancies? | NO |
| 4) Are there any discrepancies between COC & sample labels? | NO |
| 5) Are samples in appropriate containers for requested analysis? | YES |
| 6) Are samples properly preserved for requested analysis? | YES |
| 7) Are samples within holding time for requested analysis? | YES |
| 8) All sampling equipment returned? | NA |

Volatile Organics/VPH

- | | |
|--|----|
| 1) Reagent Water Vials Frozen by Client? | NO |
|--|----|



APPENDIX B

SSDS Inspections



Sub-Slab Depressurization System August 8, 2025



Sub-Slab Depressurization System March 10, 2026



APPENDIX C

Graphs of CVOC Concentrations Over Time

TABLE 1

99 Ridgeland Road
Henrietta, New York

Reference Page for
Historical Groundwater Sampling Results
for Volatile Organic Compounds (VOCs)

Notes:

- Groundwater samples collected in 1995, 1996 and 1997 were collected by SAW Environmental
- Groundwater samples collected in 1999, 2000 and 2001 collected by Haley & Aldrich
- Groundwater samples collected in April 2004 were collected by TriTech Environmental
- Split samples collected by NYSDEC do not differentiate between cis and trans 1,2-DCE

* = Ambient Groundwater Standards or Guidance Values referenced in New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series 1.1.1 (TOGS 1.1.1) dated June 1998.

J = Indicates that the value was estimated.

E = Indicates the compound detected exceeded the calibration limit of the laboratory instrument

0.0069 = Bold and highlighted values indicate concentrations that exceed NYSDEC TOGS 1.1.1 Groundwater Standard or Guidance Value.

NR = Indicates that dilution values were not recorded on data sheet.

NL = Indicates a value is not listed in NYSDEC TOGS 1.1.1 for these compounds.

S = Indicates the sample was Split with NYSDEC.

D = Indicates that the sample was diluted


B = Indicates that the same parameter was detected in the laboratory method blank

NT = Indicates the sample parameter was not listed In the historic data available.


U = Indicates element was analyzed for, but not detected.

D = Indicates compound identified in an analysis at the secondary dilution factor.


Well: B-103-OW




Well: B-112-OW-05




Well: MW-203-05



Well: MW-301-05



Well: MW-302-05





APPENDIX D

Mass Reduction Calculations

Contaminant Mass Reduction Calculations
99 Ridgeland Road, Henrietta, New York
NYSDEC VCP Site# V00230-8

Mass of Contaminant = Plume Concentration (mg/L) * Aquifer Volume (L) * Porosity * 1 kg / 1000000 mg

Year of Estimate	Concentration (mg/L)	Area (sq. ft.)	Mass (Kg)
2001 Plume Mass Estimate	1.2	6,100	0.73
	0.9	9,470	0.84
	0.7	9,960	0.69
	0.5	13,670	0.68
	0.3	14,630	0.44
<i>Total CVOC Mass 2001</i>			3.37
August 2025 Plume Mass Estimate	0.4	324	0.01
	0.3	1,934	0.06
	0.2	8,770	0.17
	0.1	13,919	0.14
<i>Total CVOC Mass August 2025</i>			0.38

Mass Reduction (%) 88.67%

Notes:

Mass calculations are a relative comparison of impacts between 2001 and the most recent sampling events. The actual mass likely varies from these estimates and the above calculations are used only for estimating the relative mass reduction over time.

See Figure 4 of report for areas and corresponding plume concentrations.



APPENDIX E

Institutional and Engineering Controls Certification Form



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details

Box 1

Site No. **V00230**

Site Name 99 Ridgeland Road (GMC Management Proper)

Site Address: 99 Ridgeland Road Zip Code: 14623
City/Town: Henrietta
County: Monroe
Site Acreage: 1.250

Reporting Period: April 30, 2025 to April 30, 2026

YES NO

1. Is the information above correct? ☒ ☐

If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period? ☐ ☒

3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))? ☐ ☒

4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period? ☐ ☒

If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.

5. Is the site currently undergoing development? ☐ ☒

Box 2

YES NO

6. Is the current site use consistent with the use(s) listed below? ☒ ☐
Commercial and Industrial

7. Are all ICs in place and functioning as designed? ☒ ☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

Description of Institutional ControlsParcelOwnerInstitutional Control**162.070-01-014.100**

558 ELMGROVE LLC

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Building Use Restriction

Site use limited to commercial/industrial (daycare, childcare, & medical care are prohibited).

Disturbance of soil/fill below 1-ft must be done per Soil Management Plan.

Use of groundwater is prohibited.

Description of Engineering ControlsParcelEngineering Control**162.070-01-014.100**

Vapor Mitigation

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒

☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒

☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

**IC CERTIFICATIONS
SITE NO. V00230**

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Ross Cooley at 99 Ridgeland Rd, Rochester, NY 14623,
print name print business address

am certifying as Owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Ross Cooley

Digitally signed by Ross Cooley
DN: cn=Ross Cooley, o, ou=Elmgrove
Technologies,
email=ross@elmgrovetech.com, c=US
Date: 2026.05.26 09:34:24 -04'00'

Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

5/26/26

Date

EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Daniel P. Noll at LaBella Associates, D.P.C - 300 State Street, Suite 201, Rochester, NY 14614
print name print business address

am certifying as a Professional Engineer for the Remedial Party
(Owner or Remedial Party)

D P Noll



5/29/2026

Signature of Professional Engineer, for the Owner or
Remedial Party, Rendering Certification

Stamp
(Required for PE)

Date