

Weissman Holdings, Inc

**Final Post-Remedial Annual Report
and Project Evaluation for On-Site
Groundwater – Year 2**

Former Kings Electronics Co., Inc. Site
40 Marbledale Road
Tuckahoe, New York

VCA#W3-0855-99-07
VCP Site No. V00237-3

30 November 2010



A handwritten signature in black ink, appearing to read "Moh Mohiuddin".

ARCADIS of New York, Inc.
Moh Mohiuddin, Ph.D., P.E., BCEE
Principal Engineer-Engineer of Record
NY PE License #074527

**Final Post-Remedial Annual Report
and Project Evaluation for On-Site
Groundwater - Year 2**

Former Kings Electronics Co., Inc. Site
40 Marbledale Road
Tuckahoe, New York

VCA #W3-0855-99-07
VCP Site No. V00237-3

Prepared for:
Weissman Holdings, Inc.

Prepared by:
ARCADIS of New York, Inc.
Raritan Center Plaza III
105 Fieldcrest Avenue
Suite 305
Edison
New Jersey 08837
Tel 732.225.5061
Fax 732.225.5067

Our Ref.:
NJ000423.0005

Date:
30 November 2010

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

| | |
|--|-----------|
| 1. Introduction | 1 |
| 1.1 Project Summary to Date | 1 |
| 1.2 Purpose | 2 |
| 2. Pre-Remedial Groundwater Conditions | 2 |
| 3. Technical Overview | 3 |
| 3.1 Post-Remedial Monitoring | 4 |
| 3.1.1 Sampling Methodology | 4 |
| 3.1.2 Quality Assurance/Quality Control | 4 |
| 3.2 Inspections and Maintenance of the Injection and Monitoring Well Network | 5 |
| 3.2.1 Annual | 5 |
| 3.2.2 Other Inspections and Maintenance | 6 |
| 4. Post-Remedial Monitoring Program Results and Evaluation – Year 2 | 6 |
| 4.1 Groundwater Monitoring | 6 |
| 4.1.1 Results | 6 |
| 4.1.1.1 October 2009 | 6 |
| 4.1.1.2 January 2010 | 7 |
| 4.1.1.3 April 2010 | 7 |
| 4.1.1.4 July 2010 | 8 |
| 4.1.2 Evaluation | 8 |
| 4.2 Inspections and Maintenance of the Injection and Monitoring Well Network | 10 |
| 4.2.1 Results | 10 |
| 4.2.2 Evaluation | 10 |
| 5. Conclusions and Recommendations | 10 |
| 6. References | 11 |

Tables

- 1 Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010.
- 2 Volatile Organic Compound Results for Upgradient Groundwater Monitoring Well MW-6S, October 2008 to July 2010.
- 3 Summary of Groundwater Elevation Measurements, October 2008 to July 2010.

Figures

- 1 Site Location Map
- 2 Site Plan
- 3 Summary of CVOCs in Groundwater, October 2008 - July 2010
- 4 Groundwater Contour Map for the Shallow Overburden, July 2010
- 5 Groundwater Contour Map for the Deep Overburden, July 2010

Appendices

- A Groundwater Sampling Forms
- B Laboratory Data Packages
- C Data Usability Summary Report
- D Well Inspection Forms

1. Introduction

ARCADIS of New York, Inc. (ARCADIS), on behalf of Weissman Holdings, Inc., formerly Kings Electronics Co., Inc. (Kings), has prepared this Final Post-Remedial Annual Report (August 2008 – July 2010) and Project Evaluation (PRM Report) for Year 2 (August 2009 – July 2010) of the Post-Remedial Monitoring Period for on-site groundwater at the former Kings Electronics Co., Inc. facility (Site). This PRM Report is being submitted in accordance with the Post Remedial Operation, Maintenance and Monitoring Plan-On-Site Groundwater Remediation System dated 9 November 2009 (the 2009 OM&M Plan).

The Post-Remedial Monitoring Period began in August 2008, following shutdown of the groundwater remediation system. The PRM Report for Year 1 (August 2008 – July 2009) of the Post-Remedial Period was submitted to the New York State Department of Environmental Conservation (NYSDEC) on 30 October 2009. The results for Year 1 of the Post-Remedial Period showed that a post-remedial rebound of the site constituents for groundwater had not occurred.

This PRM Report for Year 2 of the Post-Remedial Period for the Site summarizes (i) monitoring results for Year 2, which includes four quarters of on-site groundwater monitoring (October 2009, January 2010, April 2010, and July 2010) following shutdown of the groundwater remediation system in August 2008 (also showing no rebound); (ii) the operations, maintenance and monitoring (OM&M) activities, which consist of monitoring well and injection well inspections; and (iii) conclusions and recommendations based on post-remedial monitoring data.

As discussed below and based on the post remedial monitoring results, this Final Post-Remedial Report concludes that there has been no rebound of the source area during the post remedial monitoring period – see Tables 1 - 3. With the submission of this report, all groundwater monitoring and reporting pursuant to the 2009 OM&M Plan is now complete.

1.1 Project Summary to Date

The Site is located at 40 Marbledale Road, Village of Tuckahoe, Town of Eastchester, Westchester County, New York, with Tax Map Identifier Numbers Section 68, Block 4, and Lots 29 and 36 E. The Site location is presented on Figure 1. A Site plan showing existing site features is presented on Figure 2. Constituents of concern (COCs) at the

Site are chlorinated volatile organic compounds (CVOCs) based on previous groundwater investigations.

NYSDEC approved Kings' Revised On-Site Remedial Action Work Plan (RAWP) dated 3 July 2002 (ARCADIS, 2002). As described in the RAWP, Enhanced Reductive Dechlorination (ERD) was selected as the cleanup remedy for the CVOC contamination in groundwater at the Site originating from the source (former degreaser) area. The ERD remedial system began operation in January 2003. The site specific cleanup goals established for the Site (i.e.; below NYSDEC's Division of Water Technical and Operational Guidance Series (TOGS) 1.1.1) were achieved in January 2008, after operating for a period of approximately 5 years. As set forth in the Final Engineering Report (FER) dated 11 February 2009 (ARCADIS, 2009), on-site post-remedial monitoring was to begin following shutdown of the groundwater remedial system in August 2008. The PRM Report for Year 1 (ARCADIS, 2009) of the Post-Remedial Period, submitted to NYSDEC on 30 October 2009, summarized the results for the first year and confirmed that a post-remedial rebound had not occurred during Year 1.

1.2 Purpose

The groundwater remedial action goals for the Site were to achieve groundwater quality standards meeting the Standard, Cleanup and Guidance Values of TOGS 1.1.1 (SCGs). Kings achieved these Site specific cleanup goals in January 2008.

As described herein, and in the previously submitted PRM Report for Year 1, all groundwater remediation activities ended in August 2008, beginning the Post-Remedial Period. The purpose of this PRM Report for Year 2 is to evaluate and document the effectiveness of the groundwater remediation during the second year of the Post-Remedial Monitoring Period and determine if any post-remedial action is warranted. In addition, this PRM report summarizes the operations, maintenance and monitoring (OM&M) groundwater activities for Year 2.

2. Pre-Remedial Groundwater Conditions

On-site groundwater was historically impacted with chlorinated VOCs (CVOCs). Trichloroethene (TCE) has been determined to be the diagnostic constituent of concern (COC) at the Site. The highest concentrations of total CVOCs in groundwater were detected in the upper unconsolidated unit (10 to 20 feet bgs). Prior to remediation

activities, concentrations of TCE in groundwater ranged from non-detect to 28,000 parts per billion (ppb).

Concentrations of CVOCs historically detected in the lower unconsolidated unit generally decreased by two to three orders of magnitude, demonstrating that the downward migration of CVOCs was limited, possibly attributable to decreased hydraulic conductivity at depth associated with the fining downward sequence observed for the unconsolidated unit.

3. Technical Overview

The Post-Remedial Monitoring Period includes at least eight quarters (2 years) of on-site groundwater monitoring as set forth in Section 8.1 of the FER (ARCADIS, 2009). Year 1 of the Post-Remedial Period was completed following the July 2009 monitoring event and was summarized in the PRM Report submitted to NYSDEC in October 2009. Year 2 of the Post Remedial Period (August 2009 – July 2010) is summarized in this Final Report.

On-site performance monitoring wells include six wells downgradient of the former degreaser source area (MW-9S, MW-9D, PTW-2, GP-104R, GP-103R and MW-13R). One additional well, upgradient of the groundwater treatment system and the former degreaser source area (MW-6S) is located at the northern (up-gradient) property line. Performance monitoring well results evaluate the effectiveness of the remediation and the upgradient well is utilized to document upgradient groundwater conditions.

Two objectives of the post-remedial monitoring are (i) to evaluate if a rebound of former source area contaminants has occurred in on-site groundwater and (ii) if so, to evaluate whether reinstatement of molasses substrate injections at any injection line or the implementation of an alternative remedial measure (Post Remedial Action) is necessary.

The Post Remedial Monitoring Period also includes inspections and maintenance of monitoring wells and injection wells on an annual and “as-needed” basis throughout the period. Inspections and maintenance are completed to ensure that the existing remedial system components (e.g., monitoring and injection wells) remain in operable condition.

Post-remedial activities for groundwater are summarized below in Sections 3.1, 3.2, and 3.3.

3.1 Post-Remedial Monitoring

Post-remedial quarterly monitoring was conducted as set forth in the FER, the Revised On-Site Remedial Action Work Plan for the Site, and by agreement with NYSDEC in accordance with the 2009 OM&M Plan.

3.1.1 Groundwater Sampling

On-site post-remedial monitoring, Year 2, was conducted during October 2009, January 2010, April 2010, and July 2010. Six on-site performance monitoring wells were sampled during each quarter: MW-9S, MW-9D, PTW-2, GP-104R, GP-103R and MW-13R. In addition, MW-6S (at the on-site up-gradient northern property line) was monitored each quarter to document groundwater quality upgradient of the former treatment zone and degreaser source area.

Purge water generated from the sampling activities was temporarily staged on-site in designated 55-gallon drums. On 12 February 2010, Royal Environmental Services Corporation (Royal), a 6 NYCRR Part 364 permitted transporter, removed purge water for delivery off-site. On 19 November, 2010, two drums containing the remaining purge water were removed from the Site by Royal.

3.1.1 Sampling Methodology

Monitoring wells were purged using a low-flow groundwater sampling technique during each sampling event. During well purging, field measurements were recorded onto groundwater sampling logs. Completed logs are provided as Appendix A. Groundwater samples were also collected using a low-flow groundwater sampling technique and were analyzed for Volatile Organic Compounds (VOCs) using EPA Method 8260. All groundwater samples were transferred properly into sample containers and placed in coolers with ice and maintained at 4° C for delivery to an ELAP-certified laboratory for analysis under proper chain of custody.

3.1.2 Quality Assurance/Quality Control

All monitoring well samples were analyzed by a NYS DOH ELAP certified laboratory following the quality assurance/quality control (QA/QC) procedures specified in the analytical method. Category A laboratory data deliverables were provided by the laboratory for samples collected during October 2009, January 2010, and April 2010. Category B laboratory data deliverables were provided by the laboratory for samples

collected during July 2010. The laboratory data packages for each of the four quarters are provided as Appendix B to this Report.

QA/QC samples were collected to assure quality control for the monitoring program. Analyses of QA/QC samples enabled data evaluation for accuracy and integrity. QA/QC sample sets included one trip blank with each cooler containing samples collected for VOC analyses, field blank samples for each day of any sampling event where a decontamination process was employed, and a blank duplicate (site specific) and MS/MSD (batch specific) analyzed at a frequency of one per every twenty samples in a sample delivery group (SDG) to determine the quality of laboratory analysis. QA/QC samples were used to verify the quality of the sampling and analytical results.

A data usability summary report (DUSR) was prepared for the Category B laboratory data deliverable for the July 2010 monitoring event. Results of the DUSR indicate that all data is useable for its intended purpose. The DUSR is provided as Appendix C.

3.2 Inspections and Maintenance of the Injection and Monitoring Well Network

3.2.1 Annual

Annual inspections and maintenance of the injection system and monitoring wells were completed as follows:

- (a) Annual well integrity assessments were completed on 7 July 2010 for injection wells (IW-5, IW-6, MW-HP-8S, MW-1, MW-11, MW-10, MW-12, MW-2, IW-8, IW-9, IW-10, IW-11, GP-106R2, IW-1R, IW-2, IW-3, IW-4, IW-13, IW-14, IW-15R, MW-7S & IW-16), post-remedial performance monitoring wells (MW-9S, MW-9D, PTW-2, GP-104R, GP103R and MW-13R), and the on-site, upgradient well (MW-6S). Injection Well IW-12 was not inspected because the well is located within a storage unit that is rented, and was therefore inaccessible during the well inspection event. Completed well inspection logs are provided as Appendix D.
- (b) Annual visual inspections were completed on 7 July 2010 for off-site monitoring wells (OS-MW-1, OS-MW-2, OS-MW-3, MW-HP-2S, MW-HP-2D) to assess if they remain secure. A visual examination of the flush-mount protective casing at the ground surface was completed to accomplish this. All off-site wells were secure.

3.2.2 Other Inspections and Maintenance

Additional maintenance of the injection system was completed on 30 July 2010 based on ARCADIS field observations. Maintenance and repair was performed by Weissman Holdings as follows:

- The cover plate for the injection vault in Line 1 did not close properly, after the July quarterly monitoring was completed, because the hinges are rusted solid. (Repeated opening will eventually break the cover.) Never-the-less, it was subsequently secured in the closed position, lying flat as designed and flush with the macadam.
- During the second year of the Post-Remedial Period, no reports of on-site flooding, injection system damage, or monitoring well damage were received by Weissman Holdings from the current Site's owner/operator.

4. Post-Remedial Monitoring Program Results and Evaluation – Year 2

Results for the second year of the post-remedial monitoring program are described in the following sections and supplement data from the first year to further document the effectiveness of the groundwater remediation performed by ARCADIS and its achievement of the groundwater remedial action goals.

4.1 Groundwater Monitoring

4.1.1 Results

Analytical results from Year 2 of the Post-Remedial Monitoring Period for post-remedial performance monitoring wells (MW-9S, MW-9D, PTW-2, GP-104R, GP-103R, MW-13R) are provided in Table 1. Analytical results for upgradient Monitoring Well MW-6S (for which there is no cleanup obligation) are provided in Table 2. A summary of the results for each quarter are provided as follows:

4.1.1.1 October 2009

Results of the post-remedial monitoring conducted during October 2009 are as follows:

- There were no exceedences of the SCG for TCE (5.0 µg/l) at post-remedial performance monitoring wells. Concentrations of TCE ranged from non-detect to 1.14 µg/l.
- There were no exceedences of other SCGs for any performance monitoring well.
- The reported TCE concentration at upgradient well MW-6S was 18.5 µg/l.

4.1.1.2 January 2010

Results of the post-remedial monitoring conducted during January 2010 are as follows:

- There were no exceedences of the SCG for TCE at post-remedial performance monitoring wells. Concentrations of TCE ranged from non-detect to 1.74 µg/l.
- There were no exceedences of other SCGs for any performance monitoring well.
- The reported TCE concentration at upgradient well MW-6S was 40.3 µg/l. Additionally, tetrachloroethene (PCE) was reported at a concentration of 5.17 µg/l.

4.1.1.3 April 2010

Results of the post-remedial monitoring conducted during April 2010 are as follows:

- There were no exceedences of the SCG for TCE at post-remedial performance monitoring wells. Concentrations of TCE ranged from non-detect to 3.48 µg/l.
- There were two exceedences of the SCG for vinyl chloride (VC). The exceedences were detected at wells MW-9S and GP-103R. Reported concentrations of VC were 7.31 µg/l and 3.02 µg/l, respectively.
- There was one exceedence of the SCG for cis-1,2-dichloroethene (cis-1,2-DCE) at Well MW-9S. The reported cis-1,2-DCE concentration was 6.59 µg/l.
- The reported TCE concentration at upgradient well MW-6S was 25.1 µg/l.

It should be noted that during the April 2010 quarterly monitoring, water-level elevation measurements were recorded as being higher than the previous winter/spring monitoring periods. The current Site operator's maintenance supervisor reported a

sump pump had to be employed within the basement, at a low point between GP-103R and MW-7S. Water-level elevation measurements for this quarter are provided in Table 3.

4.1.1.4 July 2010

Results of the post-remedial monitoring conducted during July 2010 are as follows:

- There was one exceedence of the SCG for TCE at post-remedial performance monitoring well PTW-2 at a concentration of 6.22 µg/l.
- There were two exceedences of the SCG for VC at wells GP-103R and GP-104R. The reported VC concentrations were 10.9 µg/l and 2.41 µg/l, respectively.
- The reported TCE concentration at upgradient well MW-6S was 16.3 µg/l.

4.1.2 Evaluation

As discussed below, based on an evaluation of the post-remedial monitoring data, a post-remedial rebound of the source area has not occurred. Detected VOC concentrations for each on-site well are shown on Figure 3.

TCE (diagnostic constituent of concern)

Based on the eight quarters of post-remedial monitoring data (October 2008 through July 2010), TCE slightly exceeded the applicable SCG at PTW-2 in July 2010 at a concentration of 6.22 µg/l. The detected concentration is likely a result from the upgradient CVOC plume detected at MW-6S and is not a result of a post-remedial rebound. This conclusion is based on the following:

- A post-remedial rebound of TCE would likely be characterized by a rebound of TCE concentrations that are at a greater magnitude than that detected at well PTW-2.
- TCE did not exceed the SCG at well MW-9S, which is located between the former source area and PTW-2. Any post-remedial rebound would be detected at MW-9S due to its proximity to the former source area and historical concentrations, therefore, the TCE concentration detected at PTW-2 is likely attributable to background conditions.

- Concentrations historically fluctuate at upgradient well MW-6S, indicating that the TCE mass upgradient of the source area is in flux. TCE concentrations at upgradient well MW-6S increased from 18.5 µg/l in October 2009 to 40.3 µg/l in January 2010, indicating movement of TCE mass from an upgradient location towards well MW-6S during the January 2010 period. This mass flux migrated downgradient and resulted in an increase of TCE concentration at well MW-9S three months later (0.338 µg/l in January 2010 to 1.9 µg/l in April 2010) and at PTW-2 after an additional three months (3.48 µg/l in April 2010 to 6.22 µg/l in July 2010). TCE concentrations at well MW-6S decreased after January 2010 and were followed by decreased TCE concentrations in Well MW-9S three months later (1.9 µg/l in April 2010 to non-detectable in July 2010). It is expected that the TCE concentration at PTW-2 will similarly decrease.
- Because of significant precipitation during Spring 2010 (e.g., water table rose by approximately 3.5 ft) and drought during Summer 2010 (e.g., water table dropped by approximately 5 ft), localized groundwater velocity changed which resulted in faster migration of TCE mass flux from upgradient well MW-6S area. The abnormal water level fluctuations did not result in a significant increase of TCE concentrations in any monitoring well, confirming no rebound of TCE concentrations.

CVOCs (non diagnostic constituents)

During Year 2 of the post-remedial period, other CVOCs (non-diagnostic constituents) were detected at concentrations greater than the SCGs. Cis-1,2-DCE and vinyl chloride were detected at MW-9S in April 2010 at a concentrations of 6.59 µg/l and 7.31 µg/l, respectively. Vinyl chloride was detected at GP-104R in July 2010 at a concentration of 2.41 µg/l. Vinyl chloride was also detected at GP-103R in October 2009, April 2010, and July 2010 at concentrations of 5.61 µg/l, 3.02 µg/l, and 10.9 µg/l, respectively.

As TCE mass flux migrates from the upgradient MW-6S area, it degrades within the former remediation zone. The compounds cis-1,2-DCE and vinyl chloride are degradation products of TCE and have a greater transport velocity in groundwater than TCE. The cis-1,2 DCE and vinyl chloride detections likely result from either (i) natural attenuation of the CVOC plume detected at upgradient well MW-6S that represents background conditions or (ii) localized residual CVOCs that are not related to the

former degreaser source. In either case, the relatively low concentrations suggest that they are not from a post-remedial rebound.

Groundwater Flow

Groundwater elevation measurements for each quarter were taken and are provided in Table 3. Groundwater contour maps indicate that flow direction in the shallow and deep overburden is generally towards the south (refer to Figures 4 and 5), consistent with the flow direction observed during previous monitoring events.

4.2 Inspections and Maintenance of the Injection and Monitoring Well Network

4.2.1 Results

The annual inspection and maintenance results from Year 2 of the Post-Remedial Period are summarized as follows:

- Maintenance to an injection vault was completed on 30 July 2010, as summarized in Section 3.2.2.

4.2.2 Evaluation

The injection and monitoring wells are in operable condition based on the 7 July 2010 inspection and maintenance completed on 30 July 2010.

5. Conclusions and Recommendations

The following conclusions are based on a review of the post-remedial data for Years 1 and 2 of the Post-Remedial Period:

- Post-remedial rebound of TCE has not occurred since shutdown of the groundwater remediation system in August 2008
- No further remedial measures are warranted
- Conclusion of the post-remedial monitoring program and annual inspection and maintenance of the injection system and monitoring wells pursuant to the 2009 OM&M Plan is recommended
- Termination of all future groundwater monitoring at the Site is recommended.

6. References

- ARCADIS. 2002. Revised On-Site Remedial Action Work Plan, Kings Electronics Co., Inc. Site. Tuckahoe, New York. July 3, 2002
- ARCADIS. 2009. Final Engineering Report, Former Kings Electronics Co., Inc. Site, Tuckahoe, New York. February 11, 2009
- ARCADIS 2009. Post-Remedial Annual Report and Project Evaluation for On-Site Groundwater – Year 1, Former Kings Electronics Co., Inc. Site, Tuckahoe, New York. 30 October 2009.
- ARCADIS 2009. Post-Remedial Operation, Maintenance and Monitoring Plan – On-Site Groundwater Remediation System, Former Kings Electronics Co., Inc. Site, Tuckahoe, New York. 9 November 2009.
- The Cody Ehlers Group. 1999. Summary of Environmental Conditions, Kings Electronics Co., Inc., 40 Marbledale Road, Tuckahoe, New York. February 23, 1999.
- The Cody Ehlers Group. 1999. April 1999 Soil Removal Summary Report, Kings Electronics Co., Inc., 40 Marbledale Road, Tuckahoe, New York. June 24, 1999.
- Geovation. 2002. Additional Site Investigation Activities, Kings Electronics Co., Inc. Site. Tuckahoe, New York. February 6, 2002
- Hall, Leo. M. 1968. Bedrock Geology in the Vicinity of White Plains, New York. University of Massachusetts, May 1968.
- Leggette, Brashears & Graham, Inc. 2000. Summary of Remedial Investigative Findings, Kings Electronics Co., Inc., 40 Marbledale Road, Tuckahoe, Westchester County, New York. June 1, 2000.
- New York State Department of Environmental Conservation. 2002. Draft DER-10 Technical Guidance for Site Investigation and Remediation. December 12, 2002

Table 1. Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| Location ID Lab Sample ID Sample Date | | MW-9D | | | | | | | |
|---|------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | MW-9D_E08-12330-010 | MW-9D_E09-00763-006 | MW-9D_E09-03980-007 | MW-9D_E09-07112-005 | MW-9D_E09-10185-005 | MW-9D_E10-00249-003 | MW-9D_E10-03186-005 | MW-9D_E10-06728-005 |
| | | 10/21/2008 | 1/21/2009 | 4/22/2009 | 7/15/2009 | 10/6/2009 | 1/7/2010 | 4/6/2010 | 7/8/2010 |
| Compound | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | <0.360 |
| Vinyl chloride | 2 | < 0.56 | < 0.46 | < 0.26 | < 0.26 | <0.470 | <1.00 | <1.00 | <0.420 |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | < 0.61 | <0.360 | <1.00 | <1.00 | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | <1.40 |
| trans-1,2-Dichloroethene | 5 | < 0.45 | < 0.25 | < 0.19 | < 0.19 | <0.340 | <1.00 | <1.00 | <0.330 |
| 1,1-Dichloroethane | 5 | < 0.34 | < 0.21 | < 0.23 | < 0.23 | <0.260 | <1.00 | <1.00 | <0.350 |
| cis-1,2-Dichloroethene | 5 | < 0.32 | < 0.19 | < 0.2 | < 0.2 | <0.270 | <1.00 | <1.00 | <0.220 |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | <0.330 |
| 1,1,1-Trichloroethane | 5 | < 0.43 | < 0.36 | < 0.23 | < 0.23 | <0.250 | <1.00 | <1.00 | <0.360 |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | <0.270 |
| Trichloroethene | 5 | < 0.32 | < 0.19 | < 0.28 | < 0.28 | <0.310 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | <0.280 |
| Tetrachloroethene | 5 | < 0.38 | < 0.33 | < 0.19 | < 0.19 | <0.300 | <1.00 | <1.00 | <0.280 |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | <0.210 |
| 1,1,1,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 1. Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| Location ID Lab Sample ID Sample Date | | MW-9S | | | | | | | |
|---|------|---------------------|---------------------|----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | MW-9S_E08-12330-008 | MW-9S_E09-00763-007 | MW-9SR_E09-03980-006 | MW-9S_E09-07112-006 | MW-9S_E09-10185-006 | MW-9S_E10-00249-004 | MW-9S_E10-03186-004 | MW-9S_E10-06728-004 |
| | | 10/21/2008 | 1/21/2009 | 4/22/2009 | 7/15/2009 | 10/6/2009 | 1/7/2010 | 4/6/2010 | 7/8/2010 |
| Compound | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | <0.360 |
| Vinyl chloride | 2 | 0.861 | 0.808 | 0.757 | < 0.26 | 1.15 | 0.757 J | 7.31 | 1.17 |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | < 0.61 | <0.360 | <1.00 | <1.00 | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | <1.40 |
| trans-1,2-Dichloroethene | 5 | 0.882 | < 0.25 | 1.31 | < 0.19 | 0.934 | 0.514 J | 2.00 | 0.626 J |
| 1,1-Dichloroethane | 5 | 0.52 | 0.547 | 0.877 | < 0.23 | 0.646 | 0.671 J | 4.16 | 1.11 |
| cis-1,2-Dichloroethene | 5 | 0.668 | 0.64 | 0.657 | 0.564 | 0.687 | 0.518 J | 6.59 | 0.360 J |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | <0.330 |
| 1,1,1-Trichloroethane | 5 | < 0.43 | < 0.36 | < 0.23 | < 0.23 | <0.250 | <1.00 | <1.00 | <0.360 |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | <0.270 |
| Trichloroethene | 5 | < 0.32 | < 0.19 | < 0.28 | < 0.28 | <0.310 | 0.338 J | 1.90 | <0.320 |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | <0.280 |
| Tetrachloroethene | 5 | < 0.38 | < 0.33 | < 0.19 | < 0.19 | <0.300 | <1.00 | <1.00 | <0.280 |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | <0.210 |
| 1,1,1,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 1. Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| Location ID Lab Sample ID Sample Date | | PTW-2 | | | | | | | |
|---|------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | PTW-2_E08-12330-014 | PTW-2_E09-00763-017 | PTW-2_E09-03980-001 | PTW-2_E09-07112-010 | PTW-2_E09-10185-003 | PTW-2_E10-00249-009 | PTW-2_E10-03186-003 | PTW-2_E10-06728-003 |
| | | 10/23/2008 | 1/22/2009 | 4/21/2009 | 7/16/2009 | 10/7/2009 | 1/8/2010 | 4/6/2010 | 7/8/2010 |
| Compound | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | <0.360 |
| Vinyl chloride | 2 | < 0.56 | < 0.46 | 0.816 | < 0.26 | 0.632 | 0.658 J | 1.38 | 0.846 J |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | < 0.61 | <0.360 | <1.00 | 1.79 | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | <1.40 |
| trans-1,2-Dichloroethene | 5 | < 0.45 | < 0.25 | 0.717 | < 0.19 | 0.384 | 0.799 J | <1.00 | <0.330 |
| 1,1-Dichloroethane | 5 | 0.657 | 1.69 | 1.88 | 0.576 | 1.41 | 3.37 | <1.00 | 1.39 |
| cis-1,2-Dichloroethene | 5 | 0.395 | < 0.19 | 1.31 | 1.76 | 2.19 | 0.510 J | <1.00 | 2.67 |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | <0.330 |
| 1,1,1-Trichloroethane | 5 | < 0.43 | < 0.36 | < 0.23 | < 0.23 | <0.250 | <1.00 | <1.00 | 0.691 J |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | <0.270 |
| Trichloroethene | 5 | < 0.32 | 0.525 | 1.54 | 2.22 | 1.14 | 0.794 J | 3.48 | 6.22 |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | <0.280 |
| Tetrachloroethene | 5 | < 0.38 | < 0.33 | < 0.19 | < 0.19 | <0.300 | <1.00 | <1.00 | 0.290 J |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | <0.210 |
| 1,1,1,2,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 1. Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| | | Location ID | GP-104R | | | | | | | |
|---------------------------|-----|---------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | Lab Sample ID | GP-104R_E08-12330-013 | GP-104R_E09-00763-012 | GP-104R_E09-03980-005 | GP-104R_E09-07112-009 | GP-104R_E09-10185-001 | GP-104R_E10-00249-007 | GP-104R_E10-03186-009 | GP-104R_E10-06728-009 |
| | | Sample Date | 10/23/2008 | 1/22/2009 | 4/22/2009 | 7/16/2009 | 10/7/2009 | 1/8/2010 | 4/7/2010 | 7/9/2010 |
| Compound | | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | | <0.360 |
| Vinyl chloride | 2 | < 0.56 | 0.502 | < 0.26 | < 0.26 | 1.48 | 1.04 | <1.00 | | 2.41 |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | < 0.61 | <0.360 | <1.00 | <1.00 | | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | | <1.40 |
| trans-1,2-Dichloroethene | 5 | 0.459 | 1.19 | 0.759 | < 0.19 | 0.971 | 1.43 | 0.686 J | | <0.330 |
| 1,1-Dichloroethane | 5 | 0.573 | 1.48 | 0.789 | < 0.23 | 0.931 | 1.16 | 1.30 | | 1.84 |
| cis-1,2-Dichloroethene | 5 | 0.589 | 1.58 | 1.16 | 1.64 | 1.26 | 1.36 | 1.06 | | 2.75 |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | | <0.330 |
| 1,1,1-Trichloroethane | 5 | < 0.43 | < 0.36 | < 0.23 | < 0.23 | <0.250 | <1.00 | <1.00 | | <0.360 |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | | <0.270 |
| Trichloroethene | 5 | 0.402 | 1.49 | 1.13 | 1.82 | 0.591 | 1.74 | 1.05 | | 0.533 J |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | | <0.280 |
| Tetrachloroethene | 5 | < 0.38 | < 0.33 | < 0.19 | < 0.19 | <0.300 | <1.00 | <1.00 | | <0.280 |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | | <0.210 |
| 1,1,2,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 1. Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| Location ID Lab Sample ID Sample Date | | GP-103R | | | | | | | |
|---|------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | GP-103R_E08-12330-007 | GP-103R_E09-00763-011 | GP-103R_E09-03980-004 | GP-103R_E09-07112-004 | GP-103R_E09-10185-002 | GP-103R_E10-00249-008 | GP-103R_E10-03186-010 | GP-103R_E10-06728-010 |
| | | 10/23/2008 | 1/22/2009 | 4/22/2009 | 7/16/2009 | 10/7/2009 | 1/8/2010 | 4/7/2010 | 7/9/2010 |
| Compound | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | <0.360 |
| Vinyl chloride | 2 | 35.2 | 0.763 | 10.9 | < 0.26 | 5.61 | 1.26 | 3.02 | 10.9 |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | < 0.61 | <0.360 | <1.00 | <1.00 | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | <1.40 |
| trans-1,2-Dichloroethene | 5 | 0.468 | < 0.25 | 1.8 | < 0.19 | 0.479 | 0.582 J | <1.00 | <0.330 |
| 1,1-Dichloroethane | 5 | 0.418 | < 0.21 | < 0.23 | < 0.23 | 0.620 | 0.458 J | <1.00 | <0.350 |
| cis-1,2-Dichloroethene | 5 | 6.31 | 0.579 | 3.22 | < 0.2 | 2.21 | 0.657 J | 1.91 | 1.74 |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | <0.330 |
| 1,1,1-Trichloroethane | 5 | < 0.43 | < 0.36 | < 0.23 | < 0.23 | <0.250 | <1.00 | <1.00 | <0.360 |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | <0.270 |
| Trichloroethene | 5 | 0.585 | < 0.19 | 0.323 | 0.285 | 0.541 | <1.00 | 1.29 | <0.320 |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | <0.280 |
| Tetrachloroethene | 5 | < 0.38 | < 0.33 | < 0.19 | < 0.19 | <0.300 | <1.00 | <1.00 | <0.280 |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | <0.210 |
| 1,1,1,2,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 1. Volatile Organic Compound Results for Post-Remedial Groundwater Monitoring Wells, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| Location ID Lab Sample ID Sample Date | | MW-13R | | | | | | | |
|---|------|----------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | MW-13R_E08-12330-012 | MW-13_E09-00763-009 | MW-13R_E09-03980-002 | MW-13R_E09-07112-008 | MW-13R_E09-10185-004 | MW-13R_E10-00249-005 | MW-13R_E10-03186-011 | MW-13R_E10-06728-007 |
| | | 10/22/2008 | 1/21/2009 | 4/21/2009 | 7/15/2009 | 10/6/2009 | 1/7/2010 | 4/7/2010 | 7/8/2010 |
| Compound | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | <0.360 |
| Vinyl chloride | 2 | < 0.56 | 2.73 | 0.546 | < 0.26 | 0.673 | 1.09 | <1.00 | <0.420 |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | < 0.61 | <0.360 | <1.00 | <1.00 | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | <1.40 |
| trans-1,2-Dichloroethene | 5 | < 0.45 | < 0.25 | < 0.19 | < 0.19 | <0.340 | <1.00 | <1.00 | <0.330 |
| 1,1-Dichloroethane | 5 | 0.61 | 0.86 | 0.792 | < 0.23 | 1.20 | 0.980 J | <1.00 | 0.636 J |
| cis-1,2-Dichloroethene | 5 | 0.647 | 1.85 | 0.853 | 0.721 | 0.668 | 0.941 J | <1.00 | 0.433 J |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | <0.330 |
| 1,1,1-Trichloroethane | 5 | < 0.43 | < 0.36 | < 0.23 | < 0.23 | <0.250 | <1.00 | <1.00 | <0.360 |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | <0.270 |
| Trichloroethene | 5 | 1.62 | 1.62 | 1.18 | 0.862 | 1.08 | 1.22 | <1.00 | 0.969 J |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | <0.280 |
| Tetrachloroethene | 5 | < 0.38 | < 0.33 | < 0.19 | < 0.19 | <0.300 | <1.00 | <1.00 | <0.280 |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | <0.210 |
| 1,1,1,2,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 2. Volatile Organic Compound Results for Upgradient Groundwater Monitoring Well MW-6S, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site Tuckahoe, New York.

| Location ID Lab Sample ID Sample Date | | MW-6S | | | | | | | |
|---|------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | MW-6S_E08-12330-015 | MW-6S_E09-00763-004 | MW-6S_E09-03980-003 | MW-6S_E09-07112-007 | MW-6S_E09-10185-007 | MW-6S_E10-00249-011 | MW-6S_E10-03186-006 | MW-6S_E10-06728-006 |
| | | 10/23/2008 | 1/20/2009 | 4/21/2009 | 7/15/2009 | 10/6/2009 | 1/8/2010 | 4/6/2010 | 7/8/2010 |
| Compound | SCGs | | | | | | | | |
| Chloromethane | 5 | < 0.51 | < 0.18 | < 0.23 | < 0.23 | <0.930 | <1.00 | <1.00 | <0.360 |
| Vinyl chloride | 2 | < 0.56 | < 0.46 | < 0.26 | < 0.26 | <0.470 | <1.00 | <1.00 | <0.420 |
| Bromomethane | 5 | < 0.51 | < 0.37 | < 0.36 | < 0.36 | <0.950 | <1.00 | <1.00 | <0.590 |
| Chloroethane | 5 | < 0.71 | < 0.64 | < 0.29 | < 0.29 | <0.170 | <1.00 | <1.00 | <0.410 |
| Trichlorofluoromethane | 5 | < 0.6 | < 0.74 | < 0.23 | < 0.23 | <0.310 | <1.00 | <1.00 | <0.390 |
| Acrolein | --- | < 1.87 | < 2.57 | < 4.34 | < 4.34 | <1.74 | <20.0 | <20.0 | <1.64 |
| 1,1-Dichloroethene | 5 | < 0.42 | < 0.53 | < 0.61 | 1.55 | <0.360 | <1.00 | <1.00 | <0.390 |
| Methylene chloride | 5 | < 1.98 | < 1.98 | < 1.98 | < 1.98 | <1.98 | <2.00 | <2.00 | <1.98 |
| Acrylonitrile | --- | < 1.19 | < 0.74 | < 0.95 | < 0.95 | <1.16 | <20.0 | <20.0 | <1.40 |
| trans-1,2-Dichloroethene | 5 | < 0.45 | < 0.25 | < 0.19 | < 0.19 | <0.340 | <1.00 | <1.00 | <0.330 |
| 1,1-Dichloroethane | 5 | < 0.34 | 0.417 | 0.382 | < 0.23 | <0.260 | 0.336 J | <1.00 | <0.350 |
| cis-1,2-Dichloroethene | 5 | < 0.32 | < 0.19 | < 0.2 | < 0.2 | <0.270 | 0.578 J | <1.00 | <0.220 |
| Chloroform | 7 | < 0.29 | < 0.14 | < 0.17 | < 0.17 | <0.220 | <1.00 | <1.00 | <0.330 |
| 1,1,1-Trichloroethane | 5 | 4.22 | 5.1 | 6.31 | < 0.23 | <0.250 | <1.00 | 4.23 | 2.51 |
| Carbon tetrachloride | 5 | < 0.45 | < 0.3 | < 0.16 | < 0.16 | <0.280 | <1.00 | <1.00 | <0.320 |
| 1,2-Dichloroethane (EDC) | 0.6 | < 0.28 | < 0.19 | < 0.21 | < 0.21 | <0.240 | <1.00 | <1.00 | <0.340 |
| Benzene | 1 | < 0.29 | < 0.17 | < 0.21 | < 0.21 | <0.290 | <1.00 | <1.00 | <0.270 |
| Trichloroethene | 5 | 24.1 | 43.3 | 33.9 | 37.3 | 18.5 | 40.3 | 25.1 | 16.3 |
| 1,2-Dichloropropane | 1 | < 0.21 | < 0.16 | < 0.2 | < 0.2 | <0.280 | <1.00 | <1.00 | <0.220 |
| Bromodichloromethane | 50 | < 0.21 | < 0.18 | < 0.12 | < 0.12 | <0.250 | <1.00 | <1.00 | <0.310 |
| 2-Chloroethyl vinyl ether | --- | < 0.63 | < 1.04 | < 0.99 | < 0.99 | <0.400 | <1.00 | <1.00 | <0.350 |
| cis-1,3-Dichloropropene | 0.4 | < 0.2 | < 0.24 | < 0.15 | < 0.15 | <0.140 | <1.00 | <1.00 | <0.210 |
| Toluene | 5 | < 0.34 | < 0.23 | < 0.2 | < 0.2 | <0.300 | <1.00 | <1.00 | <0.270 |
| trans-1,3-Dichloropropene | 0.4 | < 0.13 | < 0.32 | < 0.27 | < 0.27 | <0.130 | <1.00 | <1.00 | <0.250 |
| 1,1,2-Trichloroethane | 1 | < 0.36 | < 0.15 | < 0.15 | < 0.15 | <0.240 | <1.00 | <1.00 | <0.280 |
| Tetrachloroethene | 5 | 3.23 | 5.55 | 3.54 | 5.48 | 2.49 | 5.17 | 3.28 | 2.46 |
| Dibromochloromethane | 50 | < 0.25 | < 0.16 | < 0.16 | < 0.16 | <0.330 | <1.00 | <1.00 | <0.230 |
| Chlorobenzene | 5 | < 0.27 | < 0.2 | < 0.2 | < 0.2 | <0.170 | <1.00 | <1.00 | <0.270 |
| Ethylbenzene | 5 | < 0.33 | < 0.27 | < 0.19 | < 0.19 | <0.240 | <1.00 | <1.00 | <0.220 |
| Total Xylenes | 5 | < 0.98 | < 0.79 | < 0.44 | < 0.44 | <0.740 | <2.00 | <2.00 | <0.600 |
| Bromoform | 50 | < 0.3 | < 0.15 | < 0.14 | < 0.14 | <0.250 | <1.00 | <1.00 | <0.210 |
| 1,1,2,2-Tetrachloroethane | 5 | < 0.14 | < 0.17 | < 0.12 | < 0.12 | <0.190 | <1.00 | <1.00 | <0.210 |
| 1,3-Dichlorobenzene | 3 | < 0.32 | < 0.23 | < 0.17 | < 0.17 | <0.130 | <1.00 | <1.00 | <0.240 |
| 1,4-Dichlorobenzene | 3 | < 0.28 | < 0.25 | < 0.16 | < 0.16 | <0.180 | <1.00 | <1.00 | <0.230 |
| 1,2-Dichlorobenzene | 3 | < 0.28 | < 0.23 | < 0.15 | < 0.15 | <0.110 | <1.00 | <1.00 | <0.210 |

Results are reported in micrograms per liter (ug/l)

Results exceeding an SCG are shaded gray

--- No applicable SCG

Table 3. Summary of Groundwater Elevation Measurements, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site, Tuckahoe, New York

| Well ID | Measuring | 10/20/2008 | | 1/20/2009 | | 4/21/2009 | | 7/15/2009 | |
|---------------------------------|---------------------|-------------------------------|-----------------------------------|-------------------------------|-----------------------------------|-------------------------------|-----------------------------------|-------------------------------|-----------------------------------|
| | Point Elevation' | Depth to Water (ft bmp) | Groundwater Elevation' (ft) | Depth to Water (ft bmp) | Groundwater Elevation' (ft) | Depth to Water (ft bmp) | Groundwater Elevation' (ft) | Depth to Water (ft bmp) | Groundwater Elevation' (ft) |
| <u>Shallow Overburden Wells</u> | | | | | | | | | |
| MW-5S | 100.00 | --- | --- | 9.36 | 90.64 | --- | --- | --- | --- |
| MW-6S | 102.00 | 12.83 | 89.17 | 10.37 | 91.63 | 11.58 | 90.42 | 10.66 | 91.34 |
| MW-9S | 100.20 | 11.49 | 88.71 | 9.23 | 90.97 | 10.45 | 89.75 | 9.53 | 90.67 |
| MW-13R | 97.50 | 14.06 | 83.44 | 12.21 | 85.29 | 13.26 | 84.24 | 12.24 | 85.26 |
| GP-103R | 94.40 | 6.81 | 87.59 | 5.67 | 88.73 | 5.22 | 89.18 | 4.88 | 89.52 |
| GP-104R | 94.20 | 6.35 | 87.85 | 4.17 | 90.03 | 5.69 | 88.51 | 4.40 | 89.80 |
| PTW-1 | 100.00 | --- | --- | 9.74 | 90.26 | --- | --- | --- | --- |
| PTW-2 | 99.90 | 11.98 | 87.92 | 9.76 | 90.14 | 10.77 | 89.13 | 10.02 | 89.88 |
| <u>Deep Overburden Wells</u> | | | | | | | | | |
| MW-HP-1D | 99.50 | --- | --- | 9.34 | 90.16 | --- | --- | --- | --- |
| MW-6D | 102.00 | --- | --- | 10.49 | 91.51 | --- | --- | --- | --- |
| MW-7D | 97.90 | --- | --- | 10.86 | 87.04 | --- | --- | --- | --- |
| MW-HP-8D | 101.10 | --- | --- | 9.77 | 91.33 | --- | --- | --- | --- |
| MW-9D | 100.20 | 11.83 | 88.37 | 9.51 | 90.69 | 10.67 | 89.53 | 9.87 | 90.33 |
| <u>Off-Site Wells</u> | | | | | | | | | |
| MW-HP-2S | 100.70 | --- | --- | 10.31 | 90.39 | --- | --- | --- | --- |
| MW-HP-2D | 100.50 | --- | --- | 10.10 | 90.40 | --- | --- | --- | --- |
| OS-MW-1 | 98.10 | --- | --- | 14.83 | 83.27 | --- | --- | --- | --- |
| OS-MW-2 | 98.40 | --- | --- | 11.59 | 86.81 | --- | --- | --- | --- |
| OS-MW-3PL | 100.60 | --- | --- | 9.83 | 90.77 | --- | --- | --- | --- |
| <u>Injection Wells</u> | | | | | | | | | |
| <i>Injection Line #1</i> | | | | | | | | | |
| IW-5 | 101.50 | --- | --- | 9.96 | 91.54 | --- | --- | --- | --- |
| IW-6 | 101.20 | --- | --- | 9.72 | 91.48 | --- | --- | --- | --- |
| MW-HP-8S | 101.00 | --- | --- | 9.49 | 91.51 | --- | --- | --- | --- |
| MW-1 | 100.50 | --- | --- | 9.41 | 91.09 | --- | --- | --- | --- |
| <i>Injection Line #2</i> | | | | | | | | | |
| MW-11 | 103.70 | --- | --- | 12.35 | 91.35 | --- | --- | --- | --- |
| MW-10 | 103.70 | --- | --- | 12.35 | 91.35 | --- | --- | --- | --- |
| MW-12 | 103.40 | --- | --- | 12.07 | 91.33 | --- | --- | --- | --- |
| MW-2 | 100.30 | --- | --- | 8.78 | 91.52 | --- | --- | --- | --- |
| <i>Injection Line #3</i> | | | | | | | | | |
| IW-8 | 100.20 | --- | --- | 9.27 | 90.93 | --- | --- | --- | --- |
| IW-9 | 100.20 | --- | --- | 9.41 | 90.79 | --- | --- | --- | --- |
| IW-10 | 99.50 | --- | --- | 8.73 | 90.77 | --- | --- | --- | --- |
| IW-11 | 99.00 | --- | --- | 8.50 | 90.50 | --- | --- | --- | --- |
| <i>Injection Line #4</i> | | | | | | | | | |
| GP-106R2 | 100.80 | --- | --- | 10.65 | 90.15 | --- | --- | --- | --- |
| IW-1R | 100.10 | --- | --- | 10.05 | 90.05 | --- | --- | --- | --- |
| IW-2 | 99.20 | --- | --- | 9.21 | 89.99 | --- | --- | --- | --- |
| IW-3 | 98.40 | --- | --- | 8.11 | 90.29 | --- | --- | --- | --- |
| IW-4 | 98.40 | --- | --- | 8.32 | 90.08 | --- | --- | --- | --- |
| <i>Injection Line #5</i> | | | | | | | | | |
| IW-12 | 93.50 | --- | --- | 3.41 | 90.09 | --- | --- | --- | --- |
| IW-13 | 93.80 | --- | --- | 3.85 | 89.95 | --- | --- | --- | --- |
| IW-14 | 98.50 | --- | --- | 8.74 | 89.76 | --- | --- | --- | --- |
| <i>Injection Line #6</i> | | | | | | | | | |
| IW-15R | 98.40 | --- | --- | 9.63 | 88.77 | --- | --- | --- | --- |
| MW-7S | 97.70 | --- | --- | 10.15 | 87.55 | --- | --- | --- | --- |
| IW-16 | 97.00 | --- | --- | 9.08 | 87.92 | --- | --- | --- | --- |

¹ Elevations relative to on-site benchmark (January and December 2008 surveys)

ft bmp Feet below measuring point


--- Not measured.

Notes: Groundwater elevations measured for accessible wells during the annual inspection and maintenance event
Groundwater elevations measured for all post-remedial monitoring wells each quarter

Table 3. Summary of Groundwater Elevation Measurements, October 2008 to July 2010, Former Kings Electronics Co., Inc. Site, Tuckahoe, New York

| Well ID | Measuring Point Elevation ' (ft) | 10/6/2009 | | 1/7/2010 | | 4/6/2010 | | 7/6/2010 | |
|---------------------------------|--|-------------------------------|------------------------------------|-------------------------------|------------------------------------|-------------------------------|------------------------------------|-------------------------------|------------------------------------|
| | | Depth to Water (ft bmp) | Groundwater Elevation ' (ft) | Depth to Water (ft bmp) | Groundwater Elevation ' (ft) | Depth to Water (ft bmp) | Groundwater Elevation ' (ft) | Depth to Water (ft bmp) | Groundwater Elevation ' (ft) |
| <u>Shallow Overburden Wells</u> | | | | | | | | | |
| MW-5S | 100.00 | --- | --- | --- | --- | --- | --- | 11.09 | 88.91 |
| MW-6S | 102.00 | 11.94 | 90.06 | 11.00 | 91.00 | 7.08 | 94.92 | 12.27 | 89.73 |
| MW-9S | 100.20 | 10.61 | 89.59 | 10.07 | 90.13 | 6.36 | 93.84 | 11.21 | 88.99 |
| MW-13R | 97.50 | 13.37 | 84.13 | 12.43 | 85.07 | 8.71 | 88.79 | 11.95 | 85.55 |
| GP-103R | 94.40 | 6.86 | 87.54 | 5.32 | 89.08 | 1.40 | 93.00 | 6.37 | 88.03 |
| GP-104R | 94.20 | 5.38 | 88.82 | 4.83 | 89.37 | 1.91 | 92.29 | 5.90 | 88.30 |
| PTW-1 | 100.00 | --- | --- | --- | --- | --- | --- | --- | --- |
| PTW-2 | 99.90 | 9.96 | 89.94 | 10.22 | 89.68 | 6.99 | 92.91 | 11.51 | 88.39 |
| <u>Deep Overburden Wells</u> | | | | | | | | | |
| MW-HP-1D | 99.50 | --- | --- | --- | --- | --- | --- | 11.09 | 88.41 |
| MW-6D | 102.00 | --- | --- | --- | --- | --- | --- | 12.37 | 89.63 |
| MW-7D | 97.90 | --- | --- | --- | --- | --- | --- | 12.45 | 85.45 |
| MW-HP-8D | 101.10 | --- | --- | --- | --- | --- | --- | 11.65 | 89.45 |
| MW-9D | 100.20 | 10.88 | 89.32 | 10.19 | 90.01 | 6.71 | 93.49 | 11.37 | 88.83 |
| <u>Off-Site Wells</u> | | | | | | | | | |
| MW-HP-2S | 100.70 | --- | --- | --- | --- | --- | --- | 11.95 | 88.75 |
| MW-HP-2D | 100.50 | --- | --- | --- | --- | --- | --- | 11.75 | 88.75 |
| OS-MW-1 | 98.10 | --- | --- | --- | --- | --- | --- | 16.20 | 81.90 |
| OS-MW-2 | 98.40 | --- | --- | --- | --- | --- | --- | 13.10 | 85.30 |
| OS-MW-3PL | 100.60 | --- | --- | --- | --- | --- | --- | 11.50 | 89.10 |
| <u>Injection Wells</u> | | | | | | | | | |
| <i>Injection Line #1</i> | | | | | | | | | |
| IW-5 | 101.50 | --- | --- | --- | --- | --- | --- | --- | --- |
| IW-6 | 101.20 | --- | --- | --- | --- | --- | --- | 11.58 | 89.62 |
| MW-HP-8S | 101.00 | --- | --- | --- | --- | --- | --- | 11.36 | 89.64 |
| MW-1 | 100.50 | --- | --- | --- | --- | --- | --- | 11.15 | 89.35 |
| <i>Injection Line #2</i> | | | | | | | | | |
| MW-11 | 103.70 | --- | --- | --- | --- | --- | --- | 14.23 | 89.47 |
| MW-10 | 103.70 | --- | --- | --- | --- | --- | --- | 14.20 | 89.50 |
| MW-12 | 103.40 | --- | --- | --- | --- | --- | --- | 13.96 | 89.44 |
| MW-2 | 100.30 | --- | --- | --- | --- | --- | --- | 10.82 | 89.48 |
| <i>Injection Line #3</i> | | | | | | | | | |
| IW-8 | 100.20 | --- | --- | --- | --- | --- | --- | 11.36 | 88.84 |
| IW-9 | 100.20 | --- | --- | --- | --- | --- | --- | 11.15 | 89.05 |
| IW-10 | 99.50 | --- | --- | --- | --- | --- | --- | 10.41 | 89.09 |
| IW-11 | 99.00 | --- | --- | --- | --- | --- | --- | 10.28 | 88.72 |
| <i>Injection Line #4</i> | | | | | | | | | |
| GP-106R2 | 100.80 | --- | --- | --- | --- | --- | --- | 11.70 | 89.10 |
| IW-1R | 100.10 | --- | --- | --- | --- | --- | --- | 12.39 | 87.71 |
| IW-2 | 99.20 | --- | --- | --- | --- | --- | --- | 10.86 | 88.34 |
| IW-3 | 98.40 | --- | --- | --- | --- | --- | --- | 9.90 | 88.50 |
| IW-4 | 98.40 | --- | --- | --- | --- | --- | --- | 9.99 | 88.41 |
| <i>Injection Line #5</i> | | | | | | | | | |
| IW-12 | 93.50 | --- | --- | --- | --- | --- | --- | --- | --- |
| IW-13 | 93.80 | --- | --- | --- | --- | --- | --- | 5.60 | 88.20 |
| IW-14 | 98.50 | --- | --- | --- | --- | --- | --- | 10.42 | 88.08 |
| <i>Injection Line #6</i> | | | | | | | | | |
| IW-15R | 98.40 | --- | --- | --- | --- | --- | --- | 11.67 | 86.73 |
| MW-7S | 97.70 | --- | --- | --- | --- | --- | --- | 11.28 | 86.42 |
| IW-16 | 97.00 | --- | --- | --- | --- | --- | --- | 10.50 | 86.50 |



¹ Elevations relative to
ft bmp Feet below measur
--- Not measured.
Notes: Groundwater eleva
Groundwater eleva



SOURCE: U.S.G.S. 7.5 MINUTE QUADRANGLE, MT. VERNON, NY, 1995



QUADRANGLE LOCATION



GRAPHIC SCALE



FORMER KINGS ELECTRONICS SITE
 TUCKAHOE, NEW YORK
 FINAL POST-REMEDIAL ANNUAL REPORT AND PROJECT EVALUATION
 FOR ON-SITE GROUNDWATER - YEAR 2

SITE LOCATION



FIGURE
1

CITY:MAHWAH DIV:GROUP:ENV:CAD DB:J. GONZALEZ LD:E. RODRIGUEZ PIC:ORH PM:M. MOHLUDDIN TM:E. RODRIGUEZ LYR:OPTIONA="OFF"=REF
G:\ENV:CAD\Mahwah\ACT\N000423\0005\000001\2010-11\FIG 2-SITE PLAN.dwg LAYOUT: 2\$AVED: 11/30/2010 9:24 AM ACADVER: 18.0S (LMS TECH) PAGESETUP: ---PLOTSTYLETABLE: ---PLOTTED: 11/30/2010 9:31 AM BY: GONZALEZ, JAMES
XREFS: IMAGES: PROJECTNAME: 4230503X2 georation example.jpg
XBRD-C-LB survey map.jpg




SOURCE(S): PARTIAL PLOT PLAN, KINGS ELECTRONICS, BY ROB IAROPOLI, L.S., MAY 23, 2001, AND JOSEPH M. PICARDI, P.L.S., SITE PLAN, JULY 23, 1978.

SITE BOUNDARY BASED ON SITE PLAN PROVIDED BY GABRIEL E. SENOR, P.C. TITLED "SURVEY OF LOT 2 AS SHOWN ON SUBDIVISION MAP PREPARED FOR KINGS ELECTRONICS CO., INC., DRAWING NO. S-1, SEPTEMBER 21, 2000".

| | |
|---|-------------|
| FORMER KINGS ELECTRONICS SITE TUCKAHOE, NEW YORK FINAL POST-REMEDIAL ANNUAL REPORT AND PROJECT EVALUATION FOR ON-SITE GROUNDWATER - YEAR 2 | |
| SITE PLAN | |
| ARCADIS | FIGURE 2 |

CITY:MAHWAH DIV:GROUP:ENV/CAD DB:J. GONZALEZ LD: E. RODRIGUEZ PIC:QRI PM: M. MCHILUDDIN TM: E. RODRIGUEZ LVR:OPIONA*-OFF=REF-
G:\ENV\CAD\mahwah\ACTN\000423\0005\000001\2010-11\FG 3-SUMMARY OF CVOCs IN GW.dwg LAYOUT: 3SAVED: 11/30/2010 9:24 AM ACADVER: 18.05 (LMS TECH) PAGES:10 PLOT: 11/30/2010 9:32 AM BY: GONZALEZ, JAMES



Appendix A

Groundwater Sampling Forms

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| Date | <u>10/6/2009</u> | Sampled By | <u>D. Kirschner</u> |
| Sampling Time | <u>11:14</u> | Recorded By | <u>D. Kirschner</u> |
| Weather | <u>Sun, 60's</u> | Coded Replicate No. | <u>None</u> |
| Well ID | <u>MW-6S</u> | | |

Instrument Identification

Water Quality Meter(s) Lamotte 2020 Pine # 14015, YSI 600XL Pine # 8979 SN# 08G101421

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>19.41</u> | Pump Intake Depth (ft bmp) | <u>18.0'</u> |
| Depth to Water (ft bmp) | <u>11.94</u> | Purge Time | Start <u>10:37</u> Finish <u>11:16</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 10:42 | 5 | 300 | 0.40 | 17.29 | 6.68 | 1.014 | 139.5 | 5.91 | 153.0 | 11.98 |
| 10:47 | 10 | 300 | 0.79 | 17.53 | 6.65 | 1.056 | 147.4 | 5.77 | 65.3 | 11.99 |
| 10:52 | 15 | 300 | 1.19 | 17.53 | 6.64 | 1.057 | 151.2 | 5.79 | 16.4 | 11.99 |
| 10:57 | 20 | 300 | 1.58 | 17.54 | 6.64 | 1.058 | 151.9 | 5.76 | 6.30 | 11.99 |
| 11:02 | 25 | 300 | 1.98 | 17.54 | 6.64 | 1.071 | 153.1 | 5.75 | 1.73 | 11.99 |
| 11:07 | 30 | 300 | 2.38 | 17.54 | 6.63 | 1.080 | 155.2 | 5.75 | 1.95 | 11.99 |
| 11:12 | 35 | 300 | 2.77 | 17.56 | 6.63 | 1.089 | 157.9 | 5.75 | 1.93 | 11.99 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments Total volumes purged: 2.8 gallons

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9SR</u> |
| Date | <u>10/6/2009</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>12:05</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) Lamotte 2020e Pine # 07540, SN-ME-10465 YSI 650 XLM Pine # 5655/8979 SN# OPG10142

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>19.91</u> | Pump Intake Depth (ft bmp) | <u>18.0'</u> |
| Depth to Water (ft bmp) | <u>10.61</u> | Purge Time | Start <u>11:23</u> Finish <u>12:08</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 11:28 | 5 | 200 | 0.26 | 16.42 | 6.86 | 1.476 | -133.0 | 0.49 | 3.18 | 10.67 |
| 11:33 | 10 | 200 | 0.53 | 16.66 | 6.87 | 1.476 | -136.7 | 0.53 | 2.96 | 10.67 |
| 11:38 | 15 | 200 | 0.79 | 16.91 | 6.87 | 1.472 | -135.8 | 0.56 | 4.14 | 10.67 |
| 11:43 | 20 | 200 | 1.06 | 17.06 | 6.86 | 1.471 | -133.9 | 0.56 | 4.32 | 10.67 |
| 11:48 | 25 | 200 | 1.32 | 17.10 | 6.82 | 1.447 | -129.4 | 0.55 | 3.23 | 10.67 |
| 11:53 | 30 | 200 | 1.58 | 17.14 | 6.77 | 1.422 | -126.5 | 0.75 | 2.09 | 10.67 |
| 11:58 | 35 | 200 | 1.85 | 17.13 | 6.73 | 1.403 | -123.5 | 0.65 | 1.61 | 10.67 |
| 12:03 | 40 | 200 | 2.11 | 17.23 | 6.72 | 1.400 | -122.6 | 0.62 | 1.46 | 10.67 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments Total volumes purged: 2.11 gallons

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9D</u> |
| Date | <u>10/6/2009</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>10:59</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) Lamotte 2020e Pine # 07540, SN-ME-10465 YSI 650 XLM Pine # 5655/8979 SN# OPG10142

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>30.0'</u> Bottom <u>40.0'</u> |
| Sounded Depth (ft bmp) | <u>39.00</u> | Pump Intake Depth (ft bmp) | <u>35.0'</u> |
| Depth to Water (ft bmp) | <u>10.88</u> | Purge Time | Start <u>10:22</u> Finish <u>11:01</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 10:27 | 5 | 200 | 0.26 | 15.43 | 6.67 | 1.193 | -82.9 | 0.88 | 1.67 | 10.98 |
| 10:32 | 10 | 200 | 0.53 | 15.51 | 6.66 | 1.195 | -87.4 | 0.39 | 1.70 | 10.98 |
| 10:37 | 15 | 200 | 0.79 | 15.53 | 6.66 | 1.193 | -90.3 | 0.37 | 1.80 | 10.98 |
| 10:42 | 20 | 200 | 1.06 | 15.37 | 6.65 | 1.184 | -93.2 | 0.35 | 2.60 | 10.98 |
| 10:47 | 25 | 200 | 1.32 | 15.37 | 6.65 | 1.184 | -94.8 | 0.36 | 2.18 | 10.98 |
| 10:52 | 30 | 200 | 1.58 | 15.43 | 6.65 | 1.182 | -96.1 | 0.37 | 1.98 | 10.98 |
| 10:57 | 35 | 200 | 1.85 | 15.41 | 6.65 | 1.181 | -96.2 | 0.37 | 1.94 | 10.98 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments Total volumes purged: 1.85 gallons

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| Date | <u>10/6/2009</u> | Sampled By | <u>D. Kirschner</u> |
| Sampling Time | <u>12:43</u> | Recorded By | <u>D. Kirschner</u> |
| Weather | <u>Sun, 60's</u> | Coded Replicate No. | <u>None</u> |
| Well ID | <u>MW-13R</u> | | |

Instrument Identification

Water Quality Meter(s) Lamotte 2020 Pine # 14015, YSI 600XL Pine # 8979 SN# 08G101421

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>9.5'</u> Bottom <u>19.5'</u> |
| Sounded Depth (ft bmp) | <u>19.57</u> | Pump Intake Depth (ft bmp) | <u>17.5'</u> |
| Depth to Water (ft bmp) | <u>13.37</u> | Purge Time | Start <u>12:11</u> Finish <u>12:50</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 12:16 | 5 | 200 | 0.26 | 18.51 | 6.48 | 2.063 | 159.8 | 0.83 | 27.1 | 13.40 |
| 12:21 | 10 | 200 | 0.53 | 18.27 | 6.47 | 1.998 | 167.3 | 0.61 | 9.5 | 13.40 |
| 12:26 | 15 | 200 | 0.79 | 18.24 | 6.48 | 1.971 | 168.0 | 0.56 | 4.37 | 13.40 |
| 12:31 | 20 | 200 | 1.06 | 18.23 | 6.48 | 1.940 | 166.0 | 0.52 | 2.12 | 13.40 |
| 12:36 | 25 | 200 | 1.32 | 18.20 | 6.48 | 1.932 | 165.3 | 0.51 | 1.39 | 13.40 |
| 12:41 | 30 | 200 | 1.58 | 18.06 | 6.48 | 1.915 | 163.6 | 0.49 | 1.10 | 13.40 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments Total volumes purged: 1.60 gallons

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>PTW-2</u> |
| Date | <u>10/7/2009</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>12:02</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) Lamotte 2020e Pine # 07540, SN-ME-10465 YSI 650 XLM Pine # 5655/8979 SN# OPG10142

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>7.0'</u> Bottom <u>17.0'</u> |
| Sounded Depth (ft bmp) | <u>16.52</u> | Pump Intake Depth (ft bmp) | <u>15.0'</u> |
| Depth to Water (ft bmp) | <u>9.96</u> | Purge Time | Start <u>11:30</u> Finish <u>12:10</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 11:35 | 5 | 200 | 0.26 | 17.29 | 6.65 | 0.948 | -75.9 | 0.47 | 11.5 | 9.98 |
| 11:40 | 10 | 200 | 0.53 | 17.22 | 6.62 | 0.984 | -83.1 | 0.51 | 6.81 | 9.98 |
| 11:45 | 15 | 200 | 0.79 | 17.29 | 6.60 | 1.001 | -89.4 | 0.53 | 4.61 | 9.98 |
| 11:50 | 20 | 200 | 1.06 | 17.29 | 6.60 | 1.007 | -92.4 | 0.54 | 3.48 | 9.98 |
| 11:55 | 25 | 200 | 1.32 | 17.29 | 6.59 | 1.015 | -96.1 | 0.55 | 2.21 | 9.98 |
| 12:00 | 30 | 200 | 1.58 | 17.39 | 6.59 | 1.021 | -96.8 | 0.57 | 2.15 | 9.98 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear/ Tan Odor Slight Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments Total volumes purged: 1.60 gallons

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|-------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-103R</u> |
| Date | <u>10/7/2009</u> | Sampled By | <u>V. Myers/ D. Kirschner</u> |
| Sampling Time | <u>9:42</u> | Recorded By | <u>V. Myers/ D. Kirschner</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) Lamotte 2020e Pine # 07540, SN-ME-10465 YSI 650 XLM Pine # 5655/8979 SN# OPG10142

| | | | | |
|-------------------------|--------------|----------------------------|------------------------------|---------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> | |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> | Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.84</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> | |
| Depth to Water (ft bmp) | <u>6.86</u> | Purge Time | Start <u>9:05</u> | Finish <u>9:50</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 9:10 | 5 | 200 | 0.26 | 14.98 | 6.95 | 1.213 | -112.0 | 0.40 | 44.1 | 5.98 |
| 9:15 | 10 | 200 | 0.53 | 15.05 | 6.95 | 1.205 | 123.7 | 0.41 | 32.6 | 5.98 |
| 9:20 | 15 | 200 | 0.79 | 15.10 | 6.94 | 1.176 | -125.4 | 0.42 | 24.7 | 5.98 |
| 9:25 | 20 | 200 | 1.06 | 15.13 | 6.91 | 1.156 | -123.4 | 0.44 | 22.7 | 5.98 |
| 9:30 | 25 | 200 | 1.32 | 15.13 | 6.89 | 1.154 | -122.7 | 0.44 | 15.5 | 5.98 |
| 9:35 | 30 | 200 | 1.58 | 15.19 | 6.88 | 1.154 | -123.4 | 0.45 | 12.3 | 5.98 |
| 9:40 | 35 | 200 | 1.85 | 15.19 | 6.88 | 1.149 | -123.0 | 0.45 | 12.1 | 5.98 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor Slight Odor Appearance Clear slight color

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments Total volumes purged: 1.85 gallons

Low-Flow Groundwater Sampling Log

Project Kings Electronics
Project Number NJ000423.0005.0001 **Site Location** Tuckahoe, NY **Well ID** GP-104R
Date 10/7/2009 **Sampled By** V. Myers/ D. Kirschner
Sampling Time 10:32 **Recorded By** V. Myers/ D. Kirschner
Weather Indoors **Coded Replicate No.** DUP(100709)

Instrument Identification

Water Quality Meter(s) Lamotte 2020e Pine # 07540, SN-ME-10465 YSI 650 XLM Pine # 5655/8979 SN# OPG10142

Casing Material PVC **Purge Method** Low Flow Monsoon Pump
Casing Diameter 2.0" **Screen Interval (ft bmp)** Top 5.0' Bottom 15.0'
Sounded Depth (ft bmp) 14.90 **Pump Intake Depth (ft bmp)** 13.0'
Depth to Water (ft bmp) 5.38 **Purge Time** Start 9:55 Finish 10:35

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 10:00 | 5 | 200 | 0.26 | 16.88 | 6.98 | 1.370 | -82.2 | 0.59 | 352.00 | 5.37 |
| 10:05 | 10 | 200 | 0.53 | 17.32 | 6.97 | 1.387 | -39.9 | 0.64 | 317.00 | 5.37 |
| 10:10 | 15 | 200 | 0.79 | 17.18 | 6.91 | 1.304 | -25.9 | 0.57 | 53.00 | 5.37 |
| 10:15 | 20 | 200 | 1.06 | 17.14 | 6.89 | 1.266 | -113.5 | 0.47 | 23.00 | 5.37 |
| 10:20 | 25 | 200 | 1.32 | 17.16 | 6.89 | 1.264 | -116.1 | 0.45 | 14.00 | 5.37 |
| 10:25 | 30 | 200 | 1.58 | 17.11 | 6.90 | 1.264 | -119.8 | 0.42 | 7.31 | 5.37 |
| 10:30 | 35 | 200 | 1.85 | 17.12 | 6.90 | 1.262 | -121.0 | 0.42 | 6.49 | 5.37 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition **Color** Slightly Orange **Odor** No Odor **Appearance** Clear slight color

Parameter **Container** **No.** **Preservative**
VOCs Glass Vials 2 HCL

Comments Total volumes purged: 1.85 gallons

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-6S</u> |
| Date | <u>1/8/2010</u> | Sampled By | <u>C. Cifelli/D. Kirschner</u> |
| Sampling Time | <u>13:47</u> | Recorded By | <u>C. Cifelli</u> |
| Weather | <u>Cloudy, 30s</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|--------------------|
| Water Quality Meter(s) | <u>YSI 556 MPS</u> |
|------------------------|--------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>19.35</u> | Pump Intake Depth (ft bmp) | <u>18.0'</u> |
| Depth to Water (ft bmp) | <u>10.95</u> | Purge Time | Start <u>1309</u> Finish <u>1348</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1314 | 5 | 350 | 0.5 | 13.57 | 7.00 | 0.786 | 12.6 | 6.99 | 154.0 | 10.96 |
| 1319 | 10 | 350 | 0.9 | 13.16 | 7.07 | 0.799 | 36.4 | 6.05 | 60.0 | 10.96 |
| 1324 | 15 | 350 | 1.4 | 14.37 | 6.93 | 0.816 | 47.7 | 6.40 | 29.0 | 10.96 |
| 1329 | 20 | 350 | 1.8 | 14.40 | 6.92 | 0.854 | 53.1 | 6.25 | 27.2 | 10.96 |
| 1334 | 25 | 350 | 2.3 | 14.13 | 6.91 | 0.874 | 59.4 | 6.22 | 0.91 | 10.96 |
| 1339 | 30 | 350 | 2.8 | 14.45 | 6.92 | 0.882 | 66.1 | 6.29 | 0.89 | 10.96 |
| 1344 | 35 | 350 | 3.2 | 14.32 | 6.92 | 0.884 | 71.0 | 6.25 | 0.85 | 10.96 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|------------------|----------------------|
| Collected Sample Condition | Color <u>clear</u> | Odor <u>none</u> | Appearance <u>ok</u> |
|----------------------------|--------------------|------------------|----------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9SR</u> |
| Date | <u>1/7/2010</u> | Sampled By | <u>C. Cifelli/D. Kirschner</u> |
| Sampling Time | <u>12:25</u> | Recorded By | <u>C. Cifelli</u> |
| Weather | <u>Sunny, 30s</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|-------------------|
| Water Quality Meter(s) | <u>YSI 600 XL</u> |
|------------------------|-------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>18.76</u> | Pump Intake Depth (ft bmp) | <u>17.0'</u> |
| Depth to Water (ft bmp) | <u>10.07</u> | Purge Time | Start <u>1150</u> Finish <u>1225</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1155 | 5 | 300 | 0.4 | 16.98 | 7.03 | 1.345 | -94.7 | 0.86 | 35 | 10.08 |
| 1200 | 10 | 300 | 0.8 | 17.34 | 6.87 | 1.327 | -111.6 | 0.23 | 25 | 10.08 |
| 1205 | 15 | 300 | 1.2 | 17.43 | 6.81 | 1.311 | -122.0 | 0.14 | 0.0 | 10.08 |
| 1210 | 20 | 300 | 1.6 | 17.45 | 6.79 | 1.301 | -119.4 | 0.12 | 0.0 | 10.08 |
| 1215 | 25 | 300 | 2.0 | 17.49 | 6.77 | 1.296 | -115.6 | 0.13 | 0.0 | 10.08 |
| 1220 | 30 | 300 | 2.4 | 17.50 | 6.76 | 1.296 | -117.5 | 0.14 | 0.0 | 10.08 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|--------------------|----------------------|
| Collected Sample Condition | Color <u>clear</u> | Odor <u>slight</u> | Appearance <u>ok</u> |
|----------------------------|--------------------|--------------------|----------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9D</u> |
| Date | <u>1/7/2010</u> | Sampled By | <u>D. Kirschner/C. Cifelli</u> |
| Sampling Time | <u>13:07</u> | Recorded By | <u>D. Kirschner/C. Cifelli</u> |
| Weather | <u>Sunny, 30s</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|-------------------|
| Water Quality Meter(s) | <u>YSI 600 XL</u> |
|------------------------|-------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>30.0'</u> Bottom <u>40.0'</u> |
| Sounded Depth (ft bmp) | <u>39.11</u> | Pump Intake Depth (ft bmp) | <u>35.0'</u> |
| Depth to Water (ft bmp) | <u>10.14</u> | Purge Time | Start <u>1230</u> Finish <u>1310</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1235 | 5 | 200 | 0.3 | 15.74 | 6.66 | 1.153 | -93.8 | 0.18 | 0.25 | 10.24 |
| 1240 | 10 | 200 | 0.5 | 15.72 | 6.67 | 1.152 | -96.7 | 0.07 | 0.00 | 10.24 |
| 1245 | 15 | 200 | 0.8 | 15.73 | 6.67 | 1.157 | -97.7 | 0.07 | 0.00 | 10.24 |
| 1250 | 20 | 200 | 1.1 | 15.92 | 6.64 | 1.156 | -83.4 | 1.12 | 0.00 | 10.22 |
| 1255 | 25 | 200 | 1.3 | 15.85 | 6.67 | 1.153 | -95.9 | 0.09 | 0.00 | 10.22 |
| 1300 | 30 | 200 | 1.6 | 15.77 | 6.67 | 1.150 | -98.5 | 0.08 | 0.00 | 10.24 |
| 1305 | 35 | 200 | 1.8 | 15.60 | 6.67 | 1.148 | -99.5 | 0.07 | 0.00 | 10.24 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|-------------------------|----------------|-------------------------|
| Collected Sample Condition | Color <u>light grey</u> | Odor <u>no</u> | Appearance <u>clear</u> |
|----------------------------|-------------------------|----------------|-------------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-13R</u> |
| Date | <u>1/7/2010</u> | Sampled By | <u>D. Kirschner/C. Cifelli</u> |
| Sampling Time | <u>11:40</u> | Recorded By | <u>C. Cifelli</u> |
| Weather | <u>Sunny, 30s</u> | Coded Replicate No. | <u>DUP(010710)</u> |

Instrument Identification

| | |
|------------------------|-------------------|
| Water Quality Meter(s) | <u>YSI 600 XL</u> |
|------------------------|-------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>9.5'</u> Bottom <u>19.5'</u> |
| Sounded Depth (ft bmp) | <u>19.52</u> | Pump Intake Depth (ft bmp) | <u>17.5'</u> |
| Depth to Water (ft bmp) | <u>12.54</u> | Purge Time | Start <u>1050</u> Finish <u>1142</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1100 | 10 | 200 | 0.5 | 11.82 | 6.81 | 2.158 | 114.0 | 1.46 | 150 | 12.45 |
| 1105 | 15 | 200 | 0.8 | 13.34 | 6.73 | 2.193 | 121.2 | 1.08 | 23 | 12.44 |
| 1110 | 20 | 200 | 1.1 | 13.50 | 6.74 | 2.191 | 125.1 | 1.03 | 9.9 | 12.45 |
| 1115 | 25 | 200 | 1.3 | 14.37 | 6.74 | 2.236 | 127.6 | 0.91 | 7.7 | 12.45 |
| 1120 | 30 | 200 | 1.6 | 13.92 | 6.73 | 2.218 | 129.8 | 0.83 | 5.0 | 12.45 |
| 1125 | 35 | 200 | 1.8 | 12.60 | 6.73 | 2.165 | 130.5 | 0.86 | 3.6 | 12.45 |
| 1130 | 40 | 200 | 2.1 | 11.17 | 6.71 | 2.074 | 130.5 | 0.78 | 3.7 | 12.45 |
| 1135 | 45 | 200 | 2.4 | 13.30 | 6.71 | 2.209 | 131.8 | 0.71 | 3.6 | 12.45 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|------------------|----------------------|
| Collected Sample Condition | Color <u>clear</u> | Odor <u>none</u> | Appearance <u>ok</u> |
|----------------------------|--------------------|------------------|----------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>PTW-2</u> |
| Date | <u>1/8/2010</u> | Sampled By | <u>C. Cifelli/D. Kirschner</u> |
| Sampling Time | <u>10:56</u> | Recorded By | <u>C. Cifelli</u> |
| Weather | <u>Cloudy, 30s</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|-------------------|
| Water Quality Meter(s) | <u>YSI 556MPS</u> |
|------------------------|-------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>7.0'</u> Bottom <u>17.0'</u> |
| Sounded Depth (ft bmp) | <u>16.52</u> | Pump Intake Depth (ft bmp) | <u>15.0'</u> |
| Depth to Water (ft bmp) | <u>10.37</u> | Purge Time | Start <u>1008</u> Finish <u>1058</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1013 | 5 | 350 | 0.5 | 17.25 | 6.78 | 1.134 | -51.7 | 1.63 | 50 | 10.42 |
| 1018 | 10 | 350 | 0.9 | 17.55 | 6.80 | 1.146 | -103.5 | 0.90 | 25 | 10.42 |
| 1023 | 15 | 350 | 1.4 | 17.62 | 6.76 | 1.160 | -122.7 | 0.72 | 8.5 | 10.42 |
| 1028 | 20 | 350 | 1.8 | 17.65 | 6.76 | 1.160 | -108.2 | 0.50 | 3.5 | 10.42 |
| 1033 | 25 | 350 | 2.3 | 17.67 | 6.76 | 1.155 | -128.6 | 0.44 | 1.4 | 10.42 |
| 1038 | 30 | 350 | 2.8 | 17.70 | 6.77 | 1.155 | -90.2 | 0.42 | 0.0 | 10.42 |
| 1043 | 35 | 350 | 3.2 | 17.68 | 6.77 | 1.162 | -109.0 | 0.38 | 0.0 | 10.42 |
| 1048 | 40 | 350 | 3.7 | 17.69 | 6.75 | 1.160 | -118.0 | 0.35 | 0.0 | 10.42 |
| 1053 | 45 | 350 | 4.2 | 17.69 | 6.89 | 1.164 | -117.5 | 0.31 | 0.0 | 10.42 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|------------------|----------------------|
| Collected Sample Condition | Color <u>clear</u> | Odor <u>none</u> | Appearance <u>ok</u> |
|----------------------------|--------------------|------------------|----------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-103R</u> |
| Date | <u>1/8/2010</u> | Sampled By | <u>D. Kirschner/C. Cifelli</u> |
| Sampling Time | <u>12:10</u> | Recorded By | <u>D. Kirschner/C. Cifelli</u> |
| Weather | <u>Cloudy, 30s</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|--------------------|
| Water Quality Meter(s) | <u>YSI 556 MPS</u> |
|------------------------|--------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>8"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.87</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> |
| Depth to Water (ft bmp) | <u>5.23</u> | Purge Time | Start <u>1128</u> Finish <u>1212</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1133 | 5 | 300 | 0.4 | 15.83 | 7.06 | 1.199 | -92.7 | 3.05 | 70 | 5.30 |
| 1138 | 10 | 300 | 0.8 | 15.98 | 7.07 | 1.225 | -100.2 | 2.45 | 65 | 5.30 |
| 1143 | 15 | 300 | 1.2 | 16.08 | 7.07 | 1.234 | -113.2 | 2.13 | 40 | 5.30 |
| 1148 | 20 | 300 | 1.6 | 16.11 | 7.07 | 1.235 | -118.8 | 1.58 | 15 | 5.29 |
| 1153 | 25 | 300 | 2.0 | 15.98 | 7.06 | 1.231 | -96.3 | 1.23 | 40 | 5.29 |
| 1158 | 30 | 300 | 2.4 | 15.86 | 7.06 | 1.227 | -93.3 | 1.09 | 39 | 5.30 |
| 1203 | 35 | 300 | 2.8 | 16.15 | 7.06 | 1.232 | -101.4 | 0.98 | 38 | 5.31 |
| 1208 | 40 | 300 | 3.2 | 16.43 | 7.07 | 1.237 | -105.1 | 0.89 | 38 | 5.30 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|-------------------------------|--------------------------|----------------------|
| Collected Sample Condition | Color <u>very light green</u> | Odor <u>slight decay</u> | Appearance <u>ok</u> |
|----------------------------|-------------------------------|--------------------------|----------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|--------------------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-104R</u> |
| Date | <u>1/8/2010</u> | Sampled By | <u>D. Kirschner/C. Cifelli</u> |
| Sampling Time | <u>12:47</u> | Recorded By | <u>D. Kirschner/C. Cifelli</u> |
| Weather | <u>Cloudy, 30s</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|--------------------|
| Water Quality Meter(s) | <u>YSI 556 MPS</u> |
|------------------------|--------------------|

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.92</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> |
| Depth to Water (ft bmp) | <u>4.83</u> | Purge Time | Start <u>1215</u> Finish <u>1249</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 1220 | 5 | 400 | 0.5 | 16.94 | 7.22 | 0.934 | -44.5 | 1.70 | 120 | 4.93 |
| 1225 | 10 | 400 | 1.1 | 17.03 | 7.15 | 1.007 | -75.9 | 0.30 | 42 | 4.91 |
| 1230 | 15 | 400 | 1.6 | 17.05 | 7.11 | 1.096 | -101.3 | 0.21 | 25 | 4.91 |
| 1235 | 20 | 400 | 2.1 | 17.05 | 7.10 | 1.109 | -106.6 | 0.20 | 10 | 4.91 |
| 1240 | 25 | 400 | 2.6 | 17.05 | 7.10 | 1.110 | -108.3 | 0.20 | 11 | 4.91 |
| 1245 | 30 | 400 | 3.2 | 17.06 | 7.10 | 1.115 | -115.7 | 0.20 | 4.59 | 4.91 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|------------------|----------------------|
| Collected Sample Condition | Color <u>clear</u> | Odor <u>none</u> | Appearance <u>ok</u> |
|----------------------------|--------------------|------------------|----------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-6S</u> |
| Date | <u>4/6/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>11:46</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Sun 70's</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 04JL6000AF, La Motte 2020 SN 26856

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>19.32</u> | Pump Intake Depth (ft bmp) | <u>18.0'</u> |
| Depth to Water (ft bmp) | <u>7.08</u> | Purge Time | Start <u>11:15</u> Finish <u>11:50</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 11:20 | 5 | 350 | 0.46 | 13.17 | --- | 0.742 | 56.4 | 12.56 | 7.61 | 7.19 |
| 11:25 | 10 | 350 | 0.92 | 13.1 | --- | 0.981 | 73.2 | 10.32 | 5.0 | 7.19 |
| 11:30 | 15 | 350 | 1.39 | 13.23 | 6.72 | 1.067 | 85.0 | 9.79 | 3.2 | 7.19 |
| 11:35 | 20 | 350 | 1.85 | 13.22 | 6.62 | 1.110 | 90.1 | 9.03 | 3.27 | 7.19 |
| 11:40 | 25 | 350 | 2.31 | 13.33 | 6.66 | 1.120 | 90.5 | 8.95 | 2.36 | 7.19 |
| 11:45 | 30 | 350 | 2.77 | 13.13 | 6.66 | 1.127 | 97.2 | 9.06 | 2.13 | 7.19 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

--- Instrument/recording error.

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9SR</u> |
| Date | <u>4/6/2010</u> | Sampled By | <u>C. Laprus</u> |
| Sampling Time | <u>10:53</u> | Recorded By | <u>C. Laprus</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|---|
| Water Quality Meter(s) | <u>YSI 600XL SN 04JL6000AF, La Motte 2020 03313</u> |
|------------------------|---|

| | | | |
|-------------------------|--------------|----------------------------|---------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>19.94</u> | Pump Intake Depth (ft bmp) | <u>17.0'</u> |
| Depth to Water (ft bmp) | <u>6.36</u> | Purge Time | Start <u>9:26</u> Finish <u>10:03</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 9:31 | 5 | 250 | 0.33 | 16.81 | 6.80 | 1.03 | 11.9 | 3.13 | * | 6.39 |
| 9:36 | 10 | 250 | 0.66 | 16.85 | 6.80 | 1.037 | 11.9 | 2.50 | * | 6.39 |
| 9:41 | 15 | 250 | 0.99 | 16.86 | 6.82 | 1.034 | -41.9 | 1.74 | * | 6.39 |
| 9:46 | 20 | 250 | 1.32 | 26.79 | 6.81 | 1.043 | -49.9 | 1.10 | * | 6.39 |
| 9:51 | 25 | 250 | 1.65 | 16.78 | 6.82 | 1.047 | -59.9 | 0.64 | * | 6.39 |
| 9:56 | 30 | 250 | 1.98 | 16.74 | 6.82 | 1.047 | -62.3 | 0.62 | * | 6.39 |
| 10:01 | 35 | 250 | 2.31 | 16.75 | 6.82 | 1.045 | -64.4 | 0.60 | * | 6.39 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|---------------------|-------------------------|
| Collected Sample Condition | Color <u>Clear</u> | Odor <u>No Odor</u> | Appearance <u>Clear</u> |
|----------------------------|--------------------|---------------------|-------------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

| | |
|----------|--|
| Comments | <u>* LaMotte turbidity meter is not working correctly calibrated and instrument is still malfunctioning.</u> |
| | |
| | |
| | |

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| Date | <u>4/6/2010</u> | Sampled By | <u>C. Laprus</u> |
| Sampling Time | <u>10:52</u> | Recorded By | <u>C. Laprus</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |
| Well ID | <u>MW-9D</u> | | |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 04JL6000AF, La Motte 2020 03313

| | | | | |
|-------------------------|--------------|----------------------------|------------------------------|---------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> | |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>30.0'</u> | Bottom <u>40.0'</u> |
| Sounded Depth (ft bmp) | <u>39.01</u> | Pump Intake Depth (ft bmp) | <u>35.0'</u> | |
| Depth to Water (ft bmp) | <u>6.71</u> | Purge Time | Start <u>10:20</u> | Finish <u>10:53</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 10:25 | 5 | 250 | 0.33 | 15.78 | 6.92 | 1.099 | -74.6 | 0.35 | * | 6.73 |
| 10:30 | 10 | 250 | 0.66 | 15.78 | 6.93 | 1.100 | -89.0 | 0.26 | * | 6.74 |
| 10:35 | 15 | 250 | 0.99 | 15.69 | 6.93 | 1.100 | -97.6 | 0.21 | * | 6.74 |
| 10:40 | 20 | 250 | 1.32 | 15.68 | 6.93 | 1.100 | -99.9 | 0.19 | * | 6.74 |
| 10:45 | 25 | 250 | 1.65 | 15.65 | 6.93 | 1.101 | -102.5 | 0.18 | * | 6.74 |
| 10:50 | 30 | 250 | 1.98 | 15.63 | 6.93 | 1.101 | -103.6 | 0.18 | * | 6.74 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments * LaMotte turbidity meter is not working correctly calibrated and instrument is still malfunctioning.

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-13R</u> |
| Date | <u>4/7/2010</u> | Sampled By | <u>C. Laprus</u> |
| Sampling Time | <u>10:12</u> | Recorded By | <u>C. Laprus</u> |
| Weather | <u>80's, Sun</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|---|
| Water Quality Meter(s) | <u>YSI 600XL SN 04JL6000AF, La Motte 2020 03313</u> |
|------------------------|---|

| | | | |
|-------------------------|--------------|----------------------------|---------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>9.5'</u> Bottom <u>19.5'</u> |
| Sounded Depth (ft bmp) | <u>19.49</u> | Pump Intake Depth (ft bmp) | <u>17.0'</u> |
| Depth to Water (ft bmp) | <u>8.75</u> | Purge Time | Start <u>9:40</u> Finish <u>10:17</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 9:45 | 5 | 200 | 0.26 | 13.58 | 6.70 | 1.79 | 115.8 | 2.61 | * | 8.79 |
| 9:50 | 10 | 200 | 0.53 | 13.99 | 6.70 | 1.724 | 114.2 | 2.27 | * | 8.78 |
| 9:55 | 15 | 200 | 0.79 | 14.16 | 6.71 | 1.703 | 113.6 | 2.24 | * | 8.78 |
| 10:00 | 25 | 200 | 1.32 | 14.39 | 6.69 | 1.702 | 113.8 | 2.15 | * | 8.78 |
| 10:05 | 30 | 200 | 1.58 | 14.24 | 6.68 | 1.681 | 114.2 | 2.14 | * | 8.78 |
| 10:10 | 35 | 200 | 1.85 | 14.28 | 6.67 | 1.679 | 114.7 | 2.16 | * | 8.78 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|---------------------|-------------------------|
| Collected Sample Condition | Color <u>Clear</u> | Odor <u>No Odor</u> | Appearance <u>Clear</u> |
|----------------------------|--------------------|---------------------|-------------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

| | |
|----------|--|
| Comments | <u>* LaMotte turbidity meter is not working correctly calibrated and instrument is still malfunctioning.</u> |
| | |
| | |
| | |

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>PTW-2</u> |
| Date | <u>4/6/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>10:36</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>Dup(040610)</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 04JL6000AF, La Motte 2020 SN 26856

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>7.0'</u> Bottom <u>17.0'</u> |
| Sounded Depth (ft bmp) | <u>16.42</u> | Pump Intake Depth (ft bmp) | <u>15.0'</u> |
| Depth to Water (ft bmp) | <u>6.99</u> | Purge Time | Start <u>10:05</u> Finish <u>10:39</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 10:10 | 5 | 350 | 0.46 | 16.24 | 6.70 | 1.465 | -88.4 | 1.20 | 100.0 | 7.02 |
| 10:15 | 10 | 350 | 0.92 | 16.00 | 6.59 | 1.422 | -63.9 | 0.57 | 15.70 | 7.03 |
| 10:20 | 15 | 350 | 1.39 | 16.00 | 6.54 | 1.386 | -52.4 | 0.51 | 7.65 | 7.03 |
| 10:25 | 20 | 350 | 1.85 | 16.05 | 6.56 | 1.376 | -53.3 | 0.55 | 5.44 | 7.03 |
| 10:30 | 25 | 350 | 2.31 | 16.06 | 6.55 | 1.375 | -52.8 | 0.55 | 4.96 | 7.03 |
| 10:35 | 30 | 350 | 2.77 | 16.17 | 6.55 | 1.373 | -51.3 | 0.53 | 4.27 | 7.03 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-103R</u> |
| Date | <u>4/7/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>10:06</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 04JL6000AF, La Motte 2020 SN 26856

| | | | |
|-------------------------|--------------|----------------------------|---------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.87</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> |
| Depth to Water (ft bmp) | <u>1.96</u> | Purge Time | Start <u>9:35</u> Finish <u>10:10</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 9:40 | 5 | 300 | 0.40 | 15.56 | 7.09 | 1.197 | -148.0 | 0.34 | 14.8 | 2.00 |
| 9:45 | 10 | 300 | 0.79 | 15.55 | 6.98 | 1.202 | -142.0 | 0.27 | 23.7 | 2.00 |
| 9:50 | 15 | 300 | 1.19 | 15.56 | 6.96 | 1.206 | -139.7 | 0.25 | 15.1 | 2.20 |
| 9:55 | 20 | 300 | 1.58 | 15.56 | 6.94 | 1.206 | -140.4 | 0.20 | 5.07 | 2.20 |
| 10:00 | 25 | 300 | 1.98 | 15.60 | 6.92 | 1.207 | -136.5 | 0.21 | 3.01 | 2.20 |
| 10:05 | 30 | 300 | 2.38 | 15.59 | 6.92 | 1.207 | -135.1 | 0.19 | 2.75 | 2.20 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-104R</u> |
| Date | <u>4/7/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>10:57</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>Indoors</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 04JL6000AF, La Motte 2020 SN 26856

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Low Flow Monsoon Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.91</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> |
| Depth to Water (ft bmp) | <u>1.42</u> | Purge Time | Start <u>10:25</u> Finish <u>10:59</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 10:30 | 5 | 400 | 0.53 | 14.29 | 6.83 | 1.308 | 49.0 | 0.43 | 61.1 | 1.60 |
| 10:35 | 10 | 400 | 1.06 | 14.25 | 6.82 | 1.282 | -75.6 | 0.46 | 29.9 | 1.60 |
| 10:40 | 15 | 400 | 1.58 | 14.27 | 6.81 | 1.251 | -98.4 | 0.22 | 15.1 | 1.60 |
| 10:45 | 20 | 400 | 2.11 | 14.32 | 6.81 | 1.242 | -102.7 | 0.18 | 10.33 | 1.60 |
| 10:50 | 25 | 400 | 2.64 | 14.35 | 6.80 | 1.231 | -106.6 | 0.18 | 6.22 | 1.60 |
| 10:55 | 30 | 400 | 3.17 | 14.36 | 6.80 | 1.225 | -107.7 | 0.16 | 7.95 | 1.60 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor No Odor Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-6S</u> |
| Date | <u>7/8/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>11:57</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>90's, Cloudy</u> | Coded Replicate No. | <u>DUP(070810)</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 3158-1602, La Motte 2020 SN 2912-5101

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>19.3</u> | Pump Intake Depth (ft bmp) | <u>18.0'</u> |
| Depth to Water (ft bmp) | <u>12.32</u> | Purge Time | Start <u>11:20</u> Finish <u>12:02</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 11:25 | 5 | 200 | 0.26 | 19.06 | 6.42 | 1.152 | 119.3 | 8.42 | 10.56 | 12.32 |
| 11:30 | 10 | 200 | 0.53 | 18.15 | 6.30 | 1.145 | 133.7 | 8.04 | 6.8 | 12.32 |
| 11:35 | 15 | 200 | 0.79 | 18.15 | 6.23 | 1.173 | 142.1 | 7.45 | 3.1 | 12.32 |
| 11:40 | 20 | 200 | 1.06 | 17.43 | 6.13 | 1.219 | 147.9 | 7.14 | 2.72 | 12.32 |
| 11:45 | 25 | 200 | 1.32 | 17.31 | 6.07 | 1.279 | 153 | 6.91 | 1.19 | 12.32 |
| 11:50 | 30 | 200 | 1.58 | 17.7 | 6.06 | 1.31 | 154.6 | 6.77 | 1.76 | 12.32 |
| 11:55 | 35 | 200 | 1.9 | 18.56 | 6.08 | 1.345 | 154.6 | 6.46 | 1.34 | 12.32 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor Clear Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9SR</u> |
| Date | <u>7/8/2010</u> | Sampled By | <u>D. Kirschner</u> |
| Sampling Time | <u>14:11</u> | Recorded By | <u>D. Kirschner</u> |
| Weather | <u>90's, cloudy</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|---|
| Water Quality Meter(s) | <u>YSI 600XL SN 01E0374AC, La Motte 2020 ME 10465</u> |
|------------------------|---|

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>10.0'</u> Bottom <u>20.0'</u> |
| Sounded Depth (ft bmp) | <u>18.65</u> | Pump Intake Depth (ft bmp) | <u>17.0'</u> |
| Depth to Water (ft bmp) | <u>11.25</u> | Purge Time | Start <u>13:34</u> Finish <u>14:15</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 13:39 | 5 | 200 | 0.26 | 16.64 | 6.71 | 1.346 | -103.4 | 0.69 | 40 | 11.25 |
| 13:44 | 10 | 200 | 0.53 | 16.85 | 6.71 | 1.314 | -104.9 | 0.42 | 15 | 11.25 |
| 13:49 | 15 | 200 | 0.79 | 17.00 | 6.72 | 1.273 | -109.3 | 0.28 | 6.1 | 11.25 |
| 13:54 | 20 | 200 | 1.06 | 17.14 | 6.72 | 1.259 | -109.9 | 0.25 | 3.1 | 11.25 |
| 13:59 | 25 | 200 | 1.32 | 17.13 | 6.72 | 1.244 | -113 | 0.19 | 3 | 11.25 |
| 14:04 | 30 | 200 | 1.58 | 17.11 | 6.72 | 1.244 | -112.4 | 0.18 | 2.7 | 11.25 |
| 14:09 | 35 | 200 | 1.85 | 17.14 | 6.72 | 1.248 | -110.3 | 0.19 | 3 | 11.25 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|-------------------|-------------------------|
| Collected Sample Condition | Color <u>Clear</u> | Odor <u>Clear</u> | Appearance <u>Clear</u> |
|----------------------------|--------------------|-------------------|-------------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-9D</u> |
| Date | <u>7/8/2010</u> | Sampled By | <u>D. Kirschner</u> |
| Sampling Time | <u>12:07</u> | Recorded By | <u>D. Kirschner</u> |
| Weather | <u>90's, cloudy</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 01E0374AC, La Motte ME10465

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>30.0'</u> Bottom <u>40.0'</u> |
| Sounded Depth (ft bmp) | <u>38.73</u> | Pump Intake Depth (ft bmp) | <u>35.0'</u> |
| Depth to Water (ft bmp) | <u>11.37</u> | Purge Time | Start <u>11:35</u> Finish <u>12:10</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 11:40 | 5 | 200 | 0.26 | 16.1 | 6.62 | 1.349 | -82.1 | 1.31 | 28 | 11.4 |
| 11:45 | 10 | 200 | 0.53 | 16.31 | 6.62 | 1.367 | -79.4 | 0.96 | 11 | 11.46 |
| 11:50 | 15 | 200 | 0.79 | 15.98 | 6.61 | 1.359 | -64.2 | 0.72 | 7.3 | 11.46 |
| 11:55 | 20 | 200 | 1.06 | 15.96 | 6.61 | 1.361 | -63.2 | 0.70 | 4 | 11.46 |
| 12:00 | 25 | 200 | 1.32 | 15.98 | 6.61 | 1.368 | -61.1 | 0.71 | 0.93 | 11.47 |
| 12:05 | 30 | 200 | 1.58 | 16.01 | 6.62 | 1.372 | -61.5 | 0.70 | 1.04 | 11.47 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor Clear Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>MW-13R</u> |
| Date | <u>7/8/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>10:32</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>90's, cloudy</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

| | |
|------------------------|---|
| Water Quality Meter(s) | <u>YSI 600XL SN 3158-1602, La Motte 2912-5101</u> |
|------------------------|---|

| | | | |
|-------------------------|--------------|----------------------------|---------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>9.5'</u> Bottom <u>19.5'</u> |
| Sounded Depth (ft bmp) | <u>19.5</u> | Pump Intake Depth (ft bmp) | <u>17.0'</u> |
| Depth to Water (ft bmp) | <u>13.65</u> | Purge Time | Start <u>9:50</u> Finish <u>10:36</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 9:55 | 5 | 200 | 0.26 | 19.1 | 6.24 | 1.660 | 69.4 | 1.60 | 10.03 | 13.67 |
| 10:00 | 10 | 200 | 0.53 | 17.13 | 6.18 | 1.635 | 81.6 | 1.09 | 12.9 | 13.67 |
| 10:05 | 15 | 200 | 0.79 | 16.61 | 6.11 | 1.652 | 89.4 | 0.86 | 9.39 | 13.67 |
| 10:10 | 25 | 200 | 1.32 | 17.92 | 6.12 | 1.685 | 98.3 | 0.66 | 12.9 | 13.67 |
| 10:15 | 30 | 200 | 1.58 | 17.68 | 6.10 | 1.682 | 110.9 | 0.65 | 7.72 | 13.67 |
| 10:20 | 35 | 200 | 1.85 | 17.89 | 6.09 | 1.675 | 118.2 | 0.62 | 10.99 | 13.67 |
| 10:25 | 40 | 200 | 2.1 | 17.57 | 6.09 | 1.672 | 121.5 | 0.64 | 11.64 | 13.67 |
| 10:30 | 45 | 200 | 2.4 | 17.62 | 6.07 | 1.675 | 123.6 | 0.64 | 10.97 | 13.67 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | |
|----------------------------|--------------------|-------------------|-------------------------|
| Collected Sample Condition | Color <u>Clear</u> | Odor <u>Clear</u> | Appearance <u>Clear</u> |
|----------------------------|--------------------|-------------------|-------------------------|

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| | | | |
| | | | |

Comments _____

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>PTW-2</u> |
| Date | <u>7/8/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>14:12</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>90's, cloudy</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 3158-1602, La Motte 2020 SN 2912-5101

| | | | |
|-------------------------|--------------|----------------------------|--|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>7.0'</u> Bottom <u>17.0'</u> |
| Sounded Depth (ft bmp) | <u>16.5</u> | Pump Intake Depth (ft bmp) | <u>15.0'</u> |
| Depth to Water (ft bmp) | <u>11.51</u> | Purge Time | Start <u>13:40</u> Finish <u>14:15</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|-------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 13:45 | 5 | 200 | 0.26 | 18.18 | 6.49 | 0.991 | -24.9 | 1.93 | 1.54 | 11.50 |
| 13:50 | 10 | 200 | 0.53 | 19.14 | 6.37 | 1.023 | -20.4 | 0.07 | 1.90 | 11.50 |
| 13:55 | 15 | 200 | 0.79 | 19.76 | 6.39 | 1.037 | -12.2 | 0.22 | 1.97 | 11.50 |
| 14:00 | 20 | 200 | 1.06 | 20.35 | 6.39 | 1.052 | -11.4 | 0.44 | 1.39 | 11.50 |
| 14:05 | 25 | 200 | 1.32 | 21.50 | 6.41 | 1.081 | -20.44 | 0.49 | 1.27 | 11.50 |
| 14:10 | 30 | 200 | 1.58 | 20.70 | 6.42 | 1.088 | -30 | 0.48 | 1.24 | 11.50 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor Clear Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-103R</u> |
| Date | <u>7/9/2010</u> | Sampled By | <u>V. Myers</u> |
| Sampling Time | <u>9:17</u> | Recorded By | <u>V. Myers</u> |
| Weather | <u>90's, cloudy</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 3158-1602, La Motte 2020 SN 2912-5101

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.84</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> |
| Depth to Water (ft bmp) | <u>6.41</u> | Purge Time | Start <u>8:40</u> Finish <u>9:20</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 8:45 | 5 | 200 | 0.26 | 15.51 | 6.71 | 1.137 | -98.6 | 1.02 | 17.6 | 15.40 |
| 8:50 | 10 | 200 | 0.53 | 15.66 | 6.64 | 1.141 | -98.0 | 1.07 | 9.25 | 15.40 |
| 8:55 | 15 | 200 | 0.79 | 15.52 | 6.64 | 1.138 | -99.1 | 0.39 | 6.71 | 15.40 |
| 9:00 | 20 | 200 | 1.06 | 15.3 | 6.65 | 1.131 | -100.8 | 0.51 | 4.15 | 15.40 |
| 9:05 | 25 | 200 | 1.32 | 15.22 | 6.66 | 1.139 | -101.2 | 0.62 | 2.92 | 15.40 |
| 9:10 | 30 | 200 | 1.58 | 14.92 | 6.66 | 1.133 | -99.9 | 0.64 | 3.27 | 15.40 |
| 9:15 | 35 | 200 | 1.85 | 15.23 | 6.68 | 1.142 | -101.5 | 0.68 | 2.93 | 15.40 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor Clear Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Low-Flow Groundwater Sampling Log

| | | | |
|----------------|---------------------------|---------------------|---------------------|
| Project | <u>Kings Electronics</u> | | |
| Project Number | <u>NJ000423.0005.0001</u> | Site Location | <u>Tuckahoe, NY</u> |
| | | Well ID | <u>GP-104R</u> |
| Date | <u>7/9/2010</u> | Sampled By | <u>D. Kirschner</u> |
| Sampling Time | <u>9:18</u> | Recorded By | <u>D. Kirschner</u> |
| Weather | <u>90's, cloudy</u> | Coded Replicate No. | <u>None</u> |

Instrument Identification

Water Quality Meter(s) YSI 600XL SN 01E0374AC, La Motte 2020 SN ME10465

| | | | |
|-------------------------|--------------|----------------------------|--------------------------------------|
| Casing Material | <u>PVC</u> | Purge Method | <u>Bladder Pump</u> |
| Casing Diameter | <u>2.0"</u> | Screen Interval (ft bmp) | Top <u>5.0'</u> Bottom <u>15.0'</u> |
| Sounded Depth (ft bmp) | <u>14.91</u> | Pump Intake Depth (ft bmp) | <u>13.0'</u> |
| Depth to Water (ft bmp) | <u>5.94</u> | Purge Time | Start <u>8:41</u> Finish <u>9:20</u> |

Field Parameter Measurements During Purging

| Time | Minutes Elapsed | Flow Rate (mL/min) | Volume Purged (gal) | Temp (°C) | pH (s.u.) | Conductivity (mS/cm) | ORP (mV) | DO (mg/L) | Turbidity (NTU) | Depth to Water (ft bmp) |
|------|-----------------|--------------------|---------------------|-----------|-----------|----------------------|----------|-----------|-----------------|-------------------------|
| 8:46 | 5 | 200 | 0.26 | 15.4 | 6.72 | 1.561 | -50.0 | 0.90 | 210 | 0.90 |
| 8:51 | 10 | 200 | 0.53 | 15.17 | 6.72 | 1.497 | -61.7 | 0.64 | 80 | 0.64 |
| 8:56 | 15 | 200 | 0.79 | 15.24 | 6.72 | 1.397 | -80.6 | 0.46 | 31 | 0.46 |
| 9:01 | 20 | 200 | 1.06 | 15.25 | 6.73 | 1.341 | -88.4 | 0.41 | 21 | 0.41 |
| 9:06 | 25 | 200 | 1.32 | 15.2 | 6.73 | 1.304 | -92.4 | 0.40 | 10 | 0.40 |
| 9:11 | 30 | 200 | 1.58 | 15.21 | 6.73 | 1.300 | -93.5 | 0.39 | 9 | 0.39 |
| 9:16 | 35 | 200 | 1.85 | 15.23 | 6.73 | 1.297 | -96.4 | 0.39 | 8 | 0.39 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Collected Sample Condition Color Clear Odor Clear Appearance Clear

| | | | |
|-------------|--------------------|----------|--------------|
| Parameter | Container | No. | Preservative |
| <u>VOCs</u> | <u>Glass Vials</u> | <u>2</u> | <u>HCL</u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Comments

Appendix B

Laboratory Data Packages

ANALYTICAL DATA REPORT

Arcadis Geraghty & Miller
1 International Blvd.
Suite 406
Mahwah, NJ 07495

Project Name: **KINGS ELECTRONICS - VENDOR**
#1168636
IAL Case Number: **E10-00249**

These data have been reviewed and accepted by:



Michael H. Lefth, Ph.D.
Laboratory Director

This report shall not be reproduced, except in its entirety, without the written consent of Integrated Analytical Laboratories, LLC. The test results included in this report relate only to the samples analyzed.

Sample Summary

IAL Case No.

E10-00249

Client Arcadis Geraghty & Miller

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 1/ 8/2009@17:21

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Depth Top/Bottom</u> | <u>Sampling Time</u> | <u>Matrix</u> | <u># of Container</u> |
|---------------|-------------------------|-------------------------|----------------------|---------------|-----------------------|
| 00249-001 | FB(010710) | n/a | 1/ 7/2010@13:30 | Aqueous | 2 |
| 00249-002 | FB(010810) | n/a | 1/ 8/2010@08:55 | Aqueous | 2 |
| 00249-003 | MW-9D | n/a | 1/ 7/2010@13:07 | Aqueous | 2 |
| 00249-004 | MW-9S | n/a | 1/ 7/2010@12:25 | Aqueous | 2 |
| 00249-005 | MW-13R | n/a | 1/ 7/2010@11:40 | Aqueous | 2 |
| 00249-006 | DUP(010710) | n/a | 1/ 7/2010 | Aqueous | 2 |
| 00249-007 | GP-104R | n/a | 1/ 8/2010@12:47 | Aqueous | 2 |
| 00249-008 | GP-103R | n/a | 1/ 8/2010@12:10 | Aqueous | 2 |
| 00249-009 | PTW-2 | n/a | 1/ 8/2010@10:56 | Aqueous | 2 |
| 00249-010 | TB(010810) | n/a | 1/ 8/2010 | Aqueous | 2 |
| 00249-011 | MW-6S | n/a | 1/ 8/2010@13:47 | Aqueous | 2 |

INTEGRATED ANALYTICAL LABORATORIES, LLC.

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| Qualifiers | 1 |
| Conformance / NonConformance Summary | 2 |
| Laboratory Deliverables Check List | 3 |
| GC/MS NonConformance Summary | 4 |
| Summary Report | 5 |
| Analytical Results | |
| Volatiles | 6 |
| Methodology Summary * | |
| Quality Control | |
| Volatiles | 17 |
| Tuning Results Summary | |
| Method Blank Results Summary | |
| Calibration Summary | |
| Surrogate Compound Recovery Results Summary | |
| Matrix Spike/Matrix Spike Duplicate Results Summary | |
| Internal Standard Summary | |
| Chromatograms | |
| Sample Tracking | |
| Chains of Custody | 58 |
| Laboratory Chronicle | 60 |

* Methodology is included in the IAL Project Information Page

INTEGRATED ANALYTICAL LABORATORIES, LLC.

MATRIX QUALIFIERS

- A -** Indicates the sample is an Aqueous matrix.
- O -** Indicates the sample is an Oil matrix.
- S -** Indicates the sample is a Soil, Sludge or Sediment matrix.
- X -** Indicates the sample is an Other matrix as indicated by Client Chain of Custody.

DATA QUALIFIERS

- B -** Indicates the analyte was found in the Blank and in the sample. It indicates possible sample contamination and warns the data user to use caution when applying the results of the analyte.
- C -** Common Laboratory Contaminant.
- D -** The compound was reported from the Diluted analysis.
- D.F. -** Dilution Factor.
- E -** Estimated concentration, reported results are outside the calibrated range of the instrument.
- J -** Indicates the concentration was reported below the RL but above the MDL. For GC/MS procedures, the mass spectral data meets the criteria required to identify the target compound.
- RL -** Reporting Limit.
- MDL -** Method Detection Limit.
- MI -** Indicates compound concentration could not be determined due to Matrix Interferences.
- NA -** Not Applicable.
- ND -** Indicates the compound was analyzed for but Not Detected at the MDL.

REPORT QUALIFIERS

All solid sample analyses are reported on a dry weight basis.

All solid sample values are corrected for original sample size and percent solids.

- Q -** Qualifier


INTEGRATED ANALYTICAL LABORATORIES, LLC.


CONFORMANCE / NONCONFORMANCE SUMMARY

Integrated Analytical Laboratories, LLC. received eleven (11) aqueous sample(s) from Arcadis Geraghty & Miller (Project: KINGS ELECTRONICS - VENDOR #1168636) on January 8, 2009 for the analysis of:

(11) PP VOA + Cis 1,2-DCE

A review of the QA/QC measures for the analysis of the sample(s) contained in this report has been performed by:


Reviewed by


Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

LABORATORY DELIVERABLES CHECK LIST

Lab Case Number: E10-00249

| | Check If Complete |
|--|----------------------|
| 1. Cover Page, Title Page listing Lab Certification #, facility name & address and date of report preparation. | <u>✓</u> |
| 2. Table of Contents. | <u>✓</u> |
| 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds. | <u>✓</u> |
| 4. Summary Table cross-referencing Field ID's vs. Lab ID's. | <u>✓</u> |
| 5. Document bound, paginated and legible. | <u>✓</u> |
| 6. Chain of Custody. | <u>✓</u> |
| 7. Methodology Summary. | <u>✓</u> |
| 8. Laboratory Chronicle and Holding Time Check. | <u>✓</u> |
| 9. Results submitted on a dry weight basis (if applicable). | <u>✓</u> |
| 10. Method Detection Limits. | <u>✓</u> |
| 11. Lab certified by NJDEP for parameters or appropriate category of parameters or a member of the USEPA CLP. | <u>✓</u> |
| 12. NonConformance Summary. | <u>✓</u> |

Lab Case Number: E09 - 249

13. Comments:

1/15/10
Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

SUMMARY REPORT

Client: Arcadis Geraghty & Miller

Project: KINGS ELECTRONICS - VENDOR #1168636

Lab Case No.: E10-00249

| | | | | |
|--|-------------------|--------------------|-------------------|-------------------|
| Lab ID: | 00249-001 | 00249-002 | 00249-003 | 00249-004 |
| Client ID: | FB(010710) | FB(010810) | MW-9D | MW-9S |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 1/7/10 | 1/8/10 | 1/7/10 | 1/7/10 |
| PARAMETER(Units) | Conc Q RL | Conc Q RL | Conc Q RL | Conc Q RL |
| Volatiles + Cis 1,2-DCE (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | ND 1.00 | ND 1.00 | ND 1.00 | 0.757 J 1.00 |
| trans-1,2-Dichloroethene | ND 1.00 | ND 1.00 | ND 1.00 | 0.514 J 1.00 |
| 1,1-Dichloroethane | ND 1.00 | ND 1.00 | ND 1.00 | 0.671 J 1.00 |
| cis-1,2-Dichloroethene | ND 1.00 | ND 1.00 | ND 1.00 | 0.518 J 1.00 |
| Trichloroethene | ND 1.00 | ND 1.00 | ND 1.00 | 0.338 J 1.00 |
| TOTAL VO's: | ND | ND | ND | 2.80 J |
| Lab ID: | 00249-005 | 00249-006 | 00249-007 | 00249-008 |
| Client ID: | MW-13R | DUP(010710) | GP-104R | GP-103R |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 1/7/10 | 1/7/10 | 1/8/10 | 1/8/10 |
| PARAMETER(Units) | Conc Q RL | Conc Q RL | Conc Q RL | Conc Q RL |
| Volatiles + Cis 1,2-DCE (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | 1.09 1.00 | 1.32 1.00 | 1.04 1.00 | 1.26 1.00 |
| trans-1,2-Dichloroethene | ND 1.00 | ND 1.00 | 1.43 1.00 | 0.582 J 1.00 |
| 1,1-Dichloroethane | 0.980 J 1.00 | 1.03 1.00 | 1.16 1.00 | 0.458 J 1.00 |
| cis-1,2-Dichloroethene | 0.941 J 1.00 | 0.958 J 1.00 | 1.36 1.00 | 0.657 J 1.00 |
| Trichloroethene | 1.22 1.00 | 1.37 1.00 | 1.74 1.00 | ND 1.00 |
| TOTAL VO's: | 4.23 J | 4.68 J | 6.73 | 2.96 J |
| Lab ID: | 00249-009 | 00249-010 | 00249-011 | |
| Client ID: | PTW-2 | TB(010810) | MW-6S | |
| Matrix: | Aqueous | Aqueous | Aqueous | |
| Sampled Date | 1/8/10 | 1/8/10 | 1/8/10 | |
| PARAMETER(Units) | Conc Q RL | Conc Q RL | Conc Q RL | |
| Volatiles + Cis 1,2-DCE (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | |
| Vinyl chloride | 0.658 J 1.00 | ND 1.00 | ND 1.00 | |
| trans-1,2-Dichloroethene | 0.799 J 1.00 | ND 1.00 | ND 1.00 | |
| 1,1-Dichloroethane | 3.37 1.00 | ND 1.00 | 0.336 J 1.00 | |
| cis-1,2-Dichloroethene | 0.510 J 1.00 | ND 1.00 | 0.578 J 1.00 | |
| Trichloroethene | 0.794 J 1.00 | ND 1.00 | 40.3 1.00 | |
| Tetrachloroethene | ND 1.00 | ND 1.00 | 5.17 1.00 | |
| TOTAL VO's: | 6.13 J | ND | 46.4 J | |

ND = Analyzed for but Not Detected at the MDL

J = The concentration was detected at a value below the RL and above the MDL

All qualifiers on individual Volatiles & Semivolatiles are carried down through summation.

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-001

Client ID: FB(010710)

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2726.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | ND | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-002

Client ID: FB(010810)

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2727.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | ND | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-003

Client ID: MW-9D

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2732.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | ND | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-004

Client ID: MW-9S

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2733.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | 0.757 | J | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | 0.514 | J | 1.00 | 0.340 |
| 1,1-Dichloroethane | 0.671 | J | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 0.518 | J | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | 0.338 | J | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 2.80 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-005

Client ID: MW-13R

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2734.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | 1.09 | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | 0.980 | J | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 0.941 | J | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | 1.22 | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 4.23 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-006

Client ID: DUP(010710)

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2735.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | 1.32 | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | 1.03 | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 0.958 | J | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | 1.37 | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 4.68 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-007

Client ID: GP-104R

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2736.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | 1.04 | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | 1.43 | | 1.00 | 0.340 |
| 1,1-Dichloroethane | 1.16 | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 1.36 | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | 1.74 | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 6.73

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-008

Client ID: GP-103R

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2737.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | 1.26 | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | 0.582 | J | 1.00 | 0.340 |
| 1,1-Dichloroethane | 0.458 | J | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 0.657 | J | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 2.96 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-009

Client ID: PTW-2

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2738.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | 0.658 | J | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | 0.799 | J | 1.00 | 0.340 |
| 1,1-Dichloroethane | 3.37 | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 0.510 | J | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | 0.794 | J | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 6.13 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-010

Client ID: TB(010810)

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2728.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | ND | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 00249-011

Client ID: MW-6S

Date Received: 01/08/2009

Date Analyzed: 01/15/2010

Data file: L2739.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | ND | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | 0.336 | J | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | 0.578 | J | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | 40.3 | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | 5.17 | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 46.4 J

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L2445.D

BFB Injection Date: 12/31/2009

Inst ID: MSD_L

BFB Injection Time: 11:17

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 16.3 |
| 75 | 30.0 - 60.0% of mass 95 | 43.9 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 7.9 |
| 173 | Less than 2.0% of mass 174 | 0.8 (1.0)1 |
| 174 | Great than 50.0% of mass 95 | 83.5 |
| 175 | 5.0 - 9.0% of mass 174 | 6.6 (7.9)1 |
| 176 | 95.0 - 101.0% of mass 174 | 84.1 (100.7)1 |
| 177 | 5.0 - 9.0% of mass 176 | 6.7 (8.0)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|-----------|---------------|---------|---------------|---------------|
| 5PPB | STD-5PPB | L2448.D | 12/31/2009 | 12:41 |
| 20PPB | STD-20PPB | L2449.D | 12/31/2009 | 13:09 |
| 100PPB | STD-100PPB | L2450.D | 12/31/2009 | 13:36 |
| 150PPB | STD-150PPB | L2451.D | 12/31/2009 | 14:05 |
| 200PPB | STD-200PPB | L2452.D | 12/31/2009 | 14:34 |
| 1PPB | STD-1PPB | L2458.D | 12/31/2009 | 17:27 |
| 2PPB | STD-2PPB | L2460.D | 12/31/2009 | 18:25 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L2720.D

BFB Injection Date: 01/15/2010

Inst ID: MSD_L

BFB Injection Time: 2:07

| m/z | Ion Abundance Criteria | % Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 15.7 |
| 75 | 30.0 - 60.0% of mass 95 | 44.7 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.5 |
| 173 | Less than 2.0% of mass 174 | 0.7 (0.8)1 |
| 174 | Great than 50.0% of mass 95 | 85.0 |
| 175 | 5.0 - 9.0% of mass 174 | 6.5 (7.6)1 |
| 176 | 95.0 - 101.0% of mass 174 | 85.9 (101.0)1 |
| 177 | 5.0 - 9.0% of mass 176 | 5.9 (6.9)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|-------------|---------------|---------|---------------|---------------|
| 100PPB | STD-100PPB | L2722.D | 01/15/2010 | 3:00 |
| NA | METHOD-BLK | L2725.D | 01/15/2010 | 4:21 |
| FB(010710) | 00249-001 | L2726.D | 01/15/2010 | 4:47 |
| FB(010810) | 00249-002 | L2727.D | 01/15/2010 | 5:14 |
| TB(010810) | 00249-010 | L2728.D | 01/15/2010 | 5:41 |
| LCS-50PPB | BLK-SPK | L2729.D | 01/15/2010 | 6:08 |
| MS | 00249-001MS | L2730.D | 01/15/2010 | 6:35 |
| MSD | 00249-001MSD | L2731.D | 01/15/2010 | 7:01 |
| MW-9D | 00249-003 | L2732.D | 01/15/2010 | 7:28 |
| MW-9S | 00249-004 | L2733.D | 01/15/2010 | 7:55 |
| MW-13R | 00249-005 | L2734.D | 01/15/2010 | 8:21 |
| DUP(010710) | 00249-006 | L2735.D | 01/15/2010 | 8:48 |
| GP-104R | 00249-007 | L2736.D | 01/15/2010 | 9:15 |
| GP-103R | 00249-008 | L2737.D | 01/15/2010 | 9:42 |
| PTW-2 | 00249-009 | L2738.D | 01/15/2010 | 10:09 |
| MW-6S | 00249-011 | L2739.D | 01/15/2010 | 10:36 |

VOLATILE METHOD BLANK SUMMARY

Lab File ID: L2725.D

Instrument ID: MSD L

Date Analyzed: 01/15/2010

Time Analyzed: 04:21

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS & MSD:

| Client ID | Lab Sample ID | Date Analyzed | Time Analyzed |
|------------------|----------------------|----------------------|----------------------|
| FB(010710) | 00249-001 | 01/15/2010 | 4:47 |
| FB(010810) | 00249-002 | 01/15/2010 | 5:14 |
| TB(010810) | 00249-010 | 01/15/2010 | 5:41 |
| LCS-50PPB | BLK-SPK | 01/15/2010 | 6:08 |
| MS | 00249-001MS | 01/15/2010 | 6:35 |
| MSD | 00249-001MSD | 01/15/2010 | 7:01 |
| MW-9D | 00249-003 | 01/15/2010 | 7:28 |
| MW-9S | 00249-004 | 01/15/2010 | 7:55 |
| MW-13R | 00249-005 | 01/15/2010 | 8:21 |
| DUP(010710) | 00249-006 | 01/15/2010 | 8:48 |
| GP-104R | 00249-007 | 01/15/2010 | 9:15 |
| GP-103R | 00249-008 | 01/15/2010 | 9:42 |
| PTW-2 | 00249-009 | 01/15/2010 | 10:09 |
| MW-6S | 00249-011 | 01/15/2010 | 10:36 |

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project:

Lab ID: METHOD-BLK

Client ID: NA

Date Received:

Date Analyzed: 01/15/2010

Data file: L2725.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.930 |
| Vinyl chloride | ND | | 1.00 | 0.470 |
| Bromomethane | ND | | 1.00 | 0.950 |
| Chloroethane | ND | | 1.00 | 0.170 |
| Trichlorofluoromethane | ND | | 1.00 | 0.310 |
| Acrolein | ND | | 20.0 | 1.74 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.360 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.16 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.340 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.260 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.220 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.250 |
| Carbon tetrachloride | ND | | 1.00 | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.310 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.400 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.140 |
| Toluene | ND | | 1.00 | 0.300 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.130 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.240 |
| Tetrachloroethene | ND | | 1.00 | 0.300 |
| Dibromochloromethane | ND | | 1.00 | 0.330 |
| Chlorobenzene | ND | | 1.00 | 0.170 |
| Ethylbenzene | ND | | 1.00 | 0.240 |
| Total Xylenes | ND | | 2.00 | 0.740 |
| Bromoform | ND | | 1.00 | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.190 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.130 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.180 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS Tentatively Identified Compounds

Client/Project:

Lab ID: METHOD-BLK
Client ID: NA
Date Received:
Date Analyzed: 01/15/2010
Date File: L2725.D

GC/MS Column: DB-624
Sample wt/vol: 5ml
Matrix-Units: Aqueous- $\mu\text{g/L}$ (ppb)
Dilution Factor: 1
% Moisture: 100

| CAS # | Compound | Estimated Concentration | Retention Time |
|-------|----------|----------------------------|-------------------|
|-------|----------|----------------------------|-------------------|

No peaks detected

Total TICs = 0

Response Factor Report MSD_L

Method Path : C:\MSDCHEM\1\METHODS\
 Method File : LAM1231.M
 Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 Last Update : Mon Jan 04 14:17:38 2010
 Response Via : Initial Calibration

Calibration Files

1 =L2458.D 2 =L2460.D 5 =L2448.D
 20 =L2449.D 100 =L2450.D 200 =L2452.D

| Compound | 1 | 2 | 5 | 20 | 100 | 200 | Avg | %RSD |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----ISTD----- | | | | | | | | |
| 1) I Pentafluorobenzene | | | | | | | | |
| 2) T Dichlorodifluorom | 0.276 | 0.338 | 0.274 | 0.320 | 0.359 | 0.281 | 0.304 | 11.39 |
| 3) P Chloromethane | 0.550 | 0.493 | 0.513 | 0.521 | 0.516 | 0.504 | 0.510 | 4.72 |
| 4) C Vinyl chloride | 0.349 | 0.401 | 0.387 | 0.441 | 0.453 | 0.428 | 0.409 | 8.63 |
| 5) T Bromomethane | 0.349 | 0.317 | 0.336 | 0.305 | 0.252 | 0.318 | 0.318 | 10.70 |
| 6) T Chloroethane | 0.239 | 0.252 | 0.253 | 0.264 | 0.253 | 0.179 | 0.236 | 12.96 |
| 7) T Trichlorofluorome | 0.318 | 0.394 | 0.293 | 0.408 | 0.456 | 0.364 | 0.370 | 14.88 |
| 8) T Acrolein | 0.013 | 0.016 | 0.019 | 0.017 | 0.017 | 0.016 | 0.016 | 10.80 |
| 9) MC 1,1-Dichloroethen | 0.331 | 0.371 | 0.306 | 0.370 | 0.378 | 0.350 | 0.349 | 7.40 |
| 10) T Acetone | 0.127 | 0.112 | 0.112 | 0.096 | 0.090 | 0.094 | 0.102 | 14.85 |
| 11) T Carbon disulfide | 1.004 | 1.177 | 1.061 | 1.201 | 1.285 | 1.255 | 1.166 | 8.65 |
| 12) T Vinyl acetate | 1.606 | 1.406 | 1.322 | 1.435 | 1.498 | 1.566 | 1.468 | 6.61 |
| 13) T Methylene chlorid | | 0.626 | 0.659 | 0.626 | 0.519 | 0.506 | 0.569 | 13.40 |
| 14) T Acrylonitrile | 0.143 | 0.156 | 0.197 | 0.172 | 0.178 | 0.186 | 0.173 | 10.48 |
| 15) T tert-Butyl alcoho | 0.036 | 0.040 | 0.037 | 0.037 | 0.036 | 0.045 | 0.038 | 8.54 |
| 16) T trans-1,2-Dichlor | 0.520 | 0.478 | 0.490 | 0.547 | 0.551 | 0.569 | 0.525 | 6.32 |
| 17) T Methyl tert-butyl | 1.678 | 1.440 | 1.379 | 1.460 | 1.467 | 1.589 | 1.491 | 7.00 |
| 18) P 1,1-Dichloroethan | 0.922 | 0.899 | 0.824 | 0.893 | 0.930 | 0.986 | 0.907 | 5.37 |
| 19) T Diisopropyl ether | 1.862 | 1.700 | 1.540 | 1.624 | 1.658 | 1.731 | 1.673 | 6.25 |
| 20) T cis-1,2-Dichloroe | 0.654 | 0.598 | 0.562 | 0.617 | 0.635 | 0.668 | 0.621 | 5.75 |
| 21) T 2,2-Dichloropropa | 0.615 | 0.672 | 0.493 | 0.617 | 0.712 | 0.751 | 0.648 | 12.98 |
| 22) T 2-Butanone (MEK) | 0.248 | 0.199 | 0.181 | 0.195 | 0.190 | 0.205 | 0.200 | 11.17 |
| 23) T Bromochloromethan | 0.334 | 0.299 | 0.263 | 0.284 | 0.297 | 0.315 | 0.297 | 7.62 |
| 25) C Chloroform | 1.124 | 1.021 | 0.924 | 0.946 | 0.970 | 1.011 | 0.989 | 7.13 |
| 26) T 1,1,1-Trichloroet | 0.552 | 0.624 | 0.551 | 0.677 | 0.755 | 0.781 | 0.664 | 13.90 |
| 27) T Carbon tetrachlor | 0.440 | 0.433 | 0.383 | 0.494 | 0.595 | 0.532 | 0.482 | 14.60 |
| 28) T 1,1-Dichloroprope | 0.653 | 0.622 | 0.519 | 0.608 | 0.652 | 0.656 | 0.615 | 7.85 |
| 29) T 1,2-Dichloroethan | 0.821 | 0.741 | 0.657 | 0.675 | 0.677 | 0.704 | 0.703 | 8.66 |
| 30) S 1,2-Dichloroethan | 0.465 | 0.468 | 0.465 | 0.461 | 0.452 | 0.458 | 0.460 | 1.42 |
| -----ISTD----- | | | | | | | | |
| 31) I 1,4-Difluorobenzene | | | | | | | | |
| 32) M Benzene | 1.679 | 1.523 | 1.383 | 1.454 | 1.488 | 1.546 | 1.498 | 6.62 |
| 33) M Trichloroethene | 0.399 | 0.381 | 0.335 | 0.363 | 0.380 | 0.401 | 0.374 | 6.17 |
| 34) C 1,2-Dichloropropa | 0.407 | 0.360 | 0.317 | 0.351 | 0.368 | 0.392 | 0.364 | 8.02 |
| 35) T Dibromomethane | 0.239 | 0.225 | 0.205 | 0.231 | 0.243 | 0.262 | 0.234 | 7.43 |
| 36) T 1,4-Dioxane | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | 0.004 | 0.003 | 12.99 |
| 37) T Bromodichlorometh | 0.369 | 0.338 | 0.352 | 0.399 | 0.477 | 0.474 | 0.411 | 14.84 |
| 38) T 2-Chloroethyl vin | 0.219 | 0.186 | 0.192 | 0.214 | 0.240 | 0.265 | 0.221 | 12.44 |
| 39) T cis-1,3-Dichlorop | 0.540 | 0.681 | 0.472 | 0.512 | 0.602 | 0.661 | 0.579 | 13.23 |
| 40) T 4-Methyl-2-pentan | 0.299 | 0.262 | 0.236 | 0.263 | 0.276 | 0.309 | 0.273 | 8.98 |
| 41) S Toluene-d8 | 1.048 | 1.048 | 1.049 | 1.060 | 1.062 | 1.058 | 1.054 | 0.57 |
| 42) MC Toluene | 1.077 | 0.955 | 0.860 | 0.908 | 0.949 | 0.983 | 0.948 | 7.40 |
| 43) T trans-1,3-Dichlor | 0.415 | 0.484 | 0.510 | 0.444 | 0.542 | 0.602 | 0.505 | 12.52 |
| 44) T 1,1,2-Trichloroet | 0.288 | 0.284 | 0.253 | 0.273 | 0.283 | 0.305 | 0.280 | 5.73 |
| 45) T Tetrachloroethene | 0.451 | 0.404 | 0.319 | 0.353 | 0.378 | 0.387 | 0.378 | 11.26 |
| 46) T 1,3-Dichloropropa | 0.624 | 0.563 | 0.508 | 0.531 | 0.549 | 0.585 | 0.555 | 7.10 |
| 47) T 2-Hexanone | 0.178 | 0.153 | 0.159 | 0.187 | 0.197 | 0.223 | 0.184 | 12.85 |
| 48) T Dibromochlorometh | 0.248 | 0.235 | 0.280 | 0.293 | 0.351 | 0.322 | 0.287 | 13.94 |
| 49) T 1,2-Dibromoethane | 0.373 | 0.320 | 0.308 | 0.339 | 0.354 | 0.383 | 0.346 | 7.78 |

| | | -----ISTD----- | | | | | | | |
|-----|---------------------|----------------|-------|-------|-------|-------|-------|-------|-------|
| 50) | I Chlorobenzene-d5 | | | | | | | | |
| 51) | MP Chlorobenzene | 1.377 | 1.154 | 1.016 | 1.054 | 1.079 | 1.124 | 1.120 | 11.00 |
| 52) | T 1,1,1,2-Tetrachlo | 0.300 | 0.281 | 0.271 | 0.342 | 0.379 | 0.377 | 0.331 | 14.00 |
| 53) | C Ethylbenzene | 2.030 | 1.796 | 1.597 | 1.721 | 1.730 | 1.738 | 1.747 | 8.17 |
| 54) | T m,p-Xylene | 0.803 | 0.695 | 0.634 | 0.673 | 0.668 | 0.649 | 0.677 | 9.04 |
| 55) | T o-Xylene | 0.752 | 0.684 | 0.618 | 0.685 | 0.705 | 0.705 | 0.688 | 5.96 |
| 56) | T Styrene | 1.230 | 1.133 | 1.061 | 1.186 | 1.242 | 1.225 | 1.176 | 5.50 |
| 57) | P Bromoform | 0.137 | 0.180 | 0.143 | 0.184 | 0.197 | 0.186 | 0.174 | 13.55 |
| 58) | T Isopropylbenzene | 1.568 | 1.475 | 1.342 | 1.502 | 1.564 | 1.594 | 1.500 | 5.78 |
| 59) | S Bromofluorobenzen | 0.454 | 0.448 | 0.456 | 0.454 | 0.454 | 0.447 | 0.452 | 0.72 |
| 60) | P 1,1,2,2-Tetrachlo | 0.507 | 0.442 | 0.398 | 0.445 | 0.459 | 0.488 | 0.454 | 7.83 |
| 61) | T Bromobenzene | 0.609 | 0.509 | 0.451 | 0.483 | 0.497 | 0.518 | 0.507 | 9.91 |
| 62) | T 1,2,3-Trichloropr | 0.409 | 0.361 | 0.333 | 0.349 | 0.344 | 0.371 | 0.357 | 7.54 |
| 63) | T n-Propylbenzene | 2.019 | 1.734 | 1.497 | 1.678 | 1.728 | 1.746 | 1.715 | 9.41 |
| 64) | T 2-Chlorotoluene | 1.542 | 1.233 | 1.098 | 1.158 | 1.174 | 1.212 | 1.219 | 12.37 |
| 65) | T 1,3,5-Trimethylbe | 1.508 | 1.261 | 1.141 | 1.252 | 1.285 | 1.308 | 1.282 | 8.85 |
| 66) | T 4-Chlorotoluene | 1.790 | 1.440 | 1.275 | 1.329 | 1.348 | 1.366 | 1.403 | 12.81 |
| 67) | T tert-Butylbenzene | 1.055 | 0.878 | 0.800 | 0.910 | 0.954 | 0.982 | 0.925 | 8.83 |
| 68) | T 1,2,4-Trimethylbe | 1.614 | 1.288 | 1.200 | 1.334 | 1.366 | 1.398 | 1.357 | 9.57 |
| 69) | T sec-Butylbenzene | 1.487 | 1.281 | 1.098 | 1.256 | 1.342 | 1.371 | 1.299 | 9.25 |
| 70) | T 1,3-Dichlorobenze | 1.159 | 0.855 | 0.764 | 0.824 | 0.843 | 0.894 | 0.879 | 14.74 |
| 71) | T 4-Isopropyltoluen | 1.296 | 1.021 | 0.888 | 1.043 | 1.079 | 1.103 | 1.063 | 11.63 |
| 72) | T 1,4-Dichlorobenze | 1.082 | 0.925 | 0.808 | 0.848 | 0.872 | 0.925 | 0.901 | 10.08 |
| 73) | T n-Butylbenzene | 0.574 | 0.471 | 0.428 | 0.510 | 0.564 | 0.581 | 0.523 | 10.94 |
| 74) | T 1,2-Dichlorobenze | 1.125 | 0.854 | 0.760 | 0.812 | 0.837 | 0.878 | 0.867 | 13.83 |
| 75) | T 1,2-Dibromo-3-chl | 0.024 | 0.030 | 0.036 | 0.032 | 0.034 | 0.038 | 0.032 | 14.41 |
| 76) | T 1,2,4-Trichlorobe | 0.634 | 0.494 | 0.426 | 0.478 | 0.528 | 0.581 | 0.523 | 13.03 |
| 77) | T Hexachlorobutadie | 0.259 | 0.250 | 0.186 | 0.197 | 0.211 | 0.227 | 0.219 | 12.65 |
| 78) | T Naphthalene | 1.266 | 1.003 | 0.965 | 1.125 | 1.212 | 1.383 | 1.167 | 12.62 |
| 79) | T 1,2,3-Trichlorobe | 0.556 | 0.499 | 0.396 | 0.437 | 0.478 | 0.538 | 0.483 | 11.44 |
| 80) | T 1,1,2-Trichloro-1 | 0.220 | 0.244 | 0.195 | 0.233 | 0.257 | 0.202 | 0.221 | 11.08 |
| 81) | T Methyl acetate | 0.281 | 0.241 | 0.215 | 0.207 | 0.199 | 0.208 | 0.220 | 14.13 |
| 82) | T Cyclohexane | 0.286 | 0.307 | 0.334 | 0.385 | 0.408 | 0.355 | 0.344 | 12.39 |
| 83) | T Methylcyclohexane | 0.263 | 0.238 | 0.216 | 0.216 | 0.250 | 0.218 | 0.229 | 9.39 |

(#) = Out of Range ### Number of calibration levels exceeded format ###

LAM1231.M Mon Jan 04 14:17:43 2010

Evaluate Continuing Calibration Report

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2722.D
 Acq On : 15 Jan 2010 3:00
 Operator : MEI
 Sample : 100PPB,STD-100PPB,A,5ml,
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Jan 15 10:25:25 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|-------|------------------------------|-------|-------|-------|-------|----------|
| 1 I | Pentafluorobenzene | 1.000 | 1.000 | 0.0 | 76 | 0.00 |
| 3 P | Chloromethane | 0.510 | 0.440 | 13.7 | 65 | 0.00 |
| 4 C | Vinyl chloride | 0.409 | 0.399 | 2.4 | 67 | 0.00 |
| 5 T | Bromomethane | 0.318 | 0.286 | 10.1 | 86 | 0.01 |
| 6 T | Chloroethane | 0.236 | 0.267 | -13.1 | 80 | 0.01 |
| 7 T | Trichlorofluoromethane | 0.370 | 0.316 | 14.6 | 53 | 0.00 |
| 8 T | Acrolein | 0.016 | 0.016 | 0.0 | 71 | 0.01 |
| 9 MC | 1,1-Dichloroethene | 0.349 | 0.411 | -17.8 | 83 | 0.00 |
| 10 T | Acetone | 0.102 | 0.114 | -11.8 | 96 | 0.01 |
| 11 T | Carbon disulfide | 1.166 | 1.315 | -12.8 | 78 | 0.01 |
| 12 T | Vinyl acetate | 1.468 | 1.220 | 16.9 | 62 | 0.01 |
| 13 T | Methylene chloride | 0.569 | 0.550 | 3.3 | 81 | 0.01 |
| 14 T | Acrylonitrile | 0.173 | 0.196 | -13.3 | 84 | 0.00 |
| 15 T | tert-Butyl alcohol (TBA) | 0.038 | 0.033 | 13.2 | 69 | 0.00 |
| 16 T | trans-1,2-Dichloroethene | 0.525 | 0.555 | -5.7 | 77 | 0.00 |
| 17 T | Methyl tert-butyl ether (MT) | 1.491 | 1.376 | 7.7 | 71 | 0.00 |
| 18 P | 1,1-Dichloroethane | 0.907 | 0.917 | -1.1 | 75 | 0.00 |
| 19 T | Diisopropyl ether (DIPE) | 1.673 | 1.589 | 5.0 | 73 | 0.00 |
| 20 T | cis-1,2-Dichloroethene | 0.621 | 0.636 | -2.4 | 76 | 0.01 |
| 21 T | 2,2-Dichloropropane | 0.648 | 0.643 | 0.8 | 69 | 0.00 |
| 22 T | 2-Butanone (MEK) | 0.200 | 0.184 | 8.0 | 73 | 0.00 |
| 23 T | Bromochloromethane | 0.297 | 0.304 | -2.4 | 78 | 0.00 |
| 25 C | Chloroform | 0.989 | 0.976 | 1.3 | 76 | 0.00 |
| 26 T | 1,1,1-Trichloroethane | 0.664 | 0.783 | -17.9 | 79 | 0.00 |
| 27 T | Carbon tetrachloride | 0.482 | 0.576 | -19.5 | 74 | 0.00 |
| 28 T | 1,1-Dichloropropene | 0.615 | 0.663 | -7.8 | 77 | 0.00 |
| 29 T | 1,2-Dichloroethane (EDC) | 0.703 | 0.662 | 5.8 | 74 | 0.00 |
| 30 S | 1,2-Dichloroethane-d4 | 0.460 | 0.463 | -0.7 | 78 | 0.00 |
| 31 I | 1,4-Difluorobenzene | 1.000 | 1.000 | 0.0 | 82 | 0.00 |
| 32 M | Benzene | 1.498 | 1.365 | 8.9 | 75 | -0.01 |
| 33 M | Trichloroethene | 0.374 | 0.381 | -1.9 | 82 | 0.00 |
| 34 C | 1,2-Dichloropropane | 0.364 | 0.333 | 8.5 | 75 | 0.00 |
| 35 T | Dibromomethane | 0.234 | 0.221 | 5.6 | 75 | 0.00 |
| 37 T | Bromodichloromethane | 0.411 | 0.441 | -7.3 | 76 | 0.00 |
| 38 T | 2-Chloroethyl vinyl ether | 0.221 | 0.198 | 10.4 | 68 | 0.00 |
| 39 T | cis-1,3-Dichloropropene | 0.579 | 0.500 | 13.6 | 68 | 0.00 |
| 40 T | 4-Methyl-2-pentanone (MIBK) | 0.273 | 0.232 | 15.0 | 69 | 0.00 |
| 41 S | Toluene-d8 | 1.054 | 1.073 | -1.8 | 83 | 0.00 |
| 42 MC | Toluene | 0.948 | 0.867 | 8.5 | 75 | 0.00 |
| 43 T | trans-1,3-Dichloropropene | 0.505 | 0.440 | 12.9 | 67 | 0.00 |
| 44 T | 1,1,2-Trichloroethane | 0.280 | 0.256 | 8.6 | 74 | 0.00 |

| | | | | | | |
|-------|-----------------------------|-------|-------|-------|----|-------|
| 45 T | Tetrachloroethene | 0.378 | 0.360 | 4.8 | 78 | 0.00 |
| 46 T | 1,3-Dichloropropane | 0.555 | 0.493 | 11.2 | 74 | 0.00 |
| 47 T | 2-Hexanone | 0.184 | 0.163 | 11.4 | 68 | 0.00 |
| 48 T | Dibromochloromethane | 0.287 | 0.342 | -19.2 | 80 | 0.00 |
| 49 T | 1,2-Dibromoethane (EDB) | 0.346 | 0.324 | 6.4 | 75 | 0.00 |
| 50 I | Chlorobenzene-d5 | 1.000 | 1.000 | 0.0 | 85 | 0.00 |
| 51 MP | Chlorobenzene | 1.120 | 0.973 | 13.1 | 76 | 0.00 |
| 52 T | 1,1,1,2-Tetrachloroethane | 0.331 | 0.348 | -5.1 | 78 | 0.00 |
| 53 C | Ethylbenzene | 1.747 | 1.552 | 11.2 | 76 | 0.00 |
| 54 T | m,p-Xylene | 0.677 | 0.611 | 9.7 | 77 | 0.00 |
| 55 T | o-Xylene | 0.688 | 0.638 | 7.3 | 76 | 0.00 |
| 56 T | Styrene | 1.176 | 1.113 | 5.4 | 76 | 0.00 |
| 57 P | Bromoform | 0.174 | 0.193 | -10.9 | 83 | 0.00 |
| 58 T | Isopropylbenzene | 1.500 | 1.428 | 4.8 | 77 | 0.00 |
| 59 S | Bromofluorobenzene | 0.452 | 0.450 | 0.4 | 84 | 0.00 |
| 60 P | 1,1,2,2-Tetrachloroethane | 0.454 | 0.367 | 19.2 | 68 | 0.00 |
| 61 T | Bromobenzene | 0.507 | 0.457 | 9.9 | 78 | 0.00 |
| 62 T | 1,2,3-Trichloropropane | 0.357 | 0.297 | 16.8 | 73 | 0.00 |
| 63 T | n-Propylbenzene | 1.715 | 1.538 | 10.3 | 75 | 0.00 |
| 64 T | 2-Chlorotoluene | 1.219 | 1.043 | 14.4 | 75 | 0.00 |
| 65 T | 1,3,5-Trimethylbenzene | 1.282 | 1.148 | 10.5 | 75 | -0.01 |
| 66 T | 4-Chlorotoluene | 1.403 | 1.188 | 15.3 | 74 | 0.00 |
| 67 T | tert-Butylbenzene | 0.925 | 0.892 | 3.6 | 79 | 0.00 |
| 68 T | 1,2,4-Trimethylbenzene | 1.357 | 1.224 | 9.8 | 76 | 0.00 |
| 69 T | sec-Butylbenzene | 1.299 | 1.242 | 4.4 | 78 | 0.00 |
| 70 T | 1,3-Dichlorobenzene | 0.879 | 0.759 | 13.7 | 76 | 0.00 |
| 71 T | 4-Isopropyltoluene | 1.063 | 0.983 | 7.5 | 77 | 0.00 |
| 72 T | 1,4-Dichlorobenzene | 0.901 | 0.785 | 12.9 | 76 | 0.00 |
| 73 T | n-Butylbenzene | 0.523 | 0.495 | 5.4 | 74 | 0.00 |
| 74 T | 1,2-Dichlorobenzene | 0.867 | 0.765 | 11.8 | 77 | 0.00 |
| 75 T | 1,2-Dibromo-3-chloropropane | 0.032 | 0.037 | -15.6 | 91 | 0.00 |
| 76 T | 1,2,4-Trichlorobenzene | 0.523 | 0.472 | 9.8 | 76 | 0.00 |
| 77 T | Hexachlorobutadiene | 0.219 | 0.207 | 5.5 | 83 | -0.01 |
| 78 T | Naphthalene | 1.167 | 1.087 | 6.9 | 76 | 0.00 |
| 79 T | 1,2,3-Trichlorobenzene | 0.483 | 0.437 | 9.5 | 77 | 0.00 |
| 80 T | 1,1,2-Trichloro-1,2,2-trifl | 0.221 | 0.221 | 0.0 | 73 | 0.01 |
| 81 T | Methyl acetate | 0.220 | 0.177 | 19.5 | 75 | 0.00 |
| 82 T | Cyclohexane | 0.344 | 0.342 | 0.6 | 71 | 0.00 |
| 83 T | Methylcyclohexane | 0.229 | 0.201 | 12.2 | 68 | 0.00 |

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

LAM1231.M Fri Jan 15 10:25:34 2010

VOLATILE SURROGATE PERCENT RECOVERY SUMMARY

Date Analyzed: 01/15/2010

| Lab Sample ID | Matrix | File ID | SMC1 # | SMC2 # | SMC3 # |
|---------------|---------|---------|--------|--------|--------|
| METHOD-BLK | AQUEOUS | L2725.D | 99 | 100 | 95 |
| 00249-001 | AQUEOUS | L2726.D | 99 | 99 | 96 |
| 00249-002 | AQUEOUS | L2727.D | 101 | 100 | 97 |
| 00249-010 | AQUEOUS | L2728.D | 100 | 100 | 96 |
| BLK-SPK | AQUEOUS | L2729.D | 107 | 104 | 100 |
| 00249-001MS | AQUEOUS | L2730.D | 100 | 102 | 96 |
| 00249-001MSD | AQUEOUS | L2731.D | 98 | 99 | 95 |
| 00249-003 | AQUEOUS | L2732.D | 99 | 102 | 95 |
| 00249-004 | AQUEOUS | L2733.D | 101 | 100 | 98 |
| 00249-005 | AQUEOUS | L2734.D | 99 | 100 | 96 |
| 00249-006 | AQUEOUS | L2735.D | 101 | 101 | 98 |
| 00249-007 | AQUEOUS | L2736.D | 102 | 100 | 96 |
| 00249-008 | AQUEOUS | L2737.D | 103 | 99 | 96 |
| 00249-009 | AQUEOUS | L2738.D | 102 | 100 | 97 |
| 00249-011 | AQUEOUS | L2739.D | 102 | 100 | 97 |

| | Concentration | Aqueous/Meoh | Soil |
|------------------------------|---------------|--------------|--------|
| SMC1 = 1,2-Dichloroethane-d4 | 50 ppb | 45-154 | 51-164 |
| SMC2 = Toluene-d8 | 50 ppb | 47-151 | 52-157 |
| SMC3 = Bromofluorobenzene | 50 ppb | 48-149 | 56-154 |

Column to be used to flag recovery values

AQUEOUS VOLATILE MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Matrix spike Lab sample ID: 00249-001

Batch No.: LAM011410B

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 56.0 | 112 | 46 - 150 |
| Benzene | 50.0 | 0.0 | 52.5 | 105 | 63 - 146 |
| Trichloroethene | 50.0 | 0.0 | 52.1 | 104 | 60 - 152 |
| Toluene | 50.0 | 0.0 | 51.2 | 102 | 63 - 151 |
| Chlorobenzene | 50.0 | 0.0 | 47.8 | 96 | 75 - 149 |

| Compound | SAMPLE CONC. (ug/L) | MSD CONC. (ug/L) | MSD % # REC | % RPD # | QC LIMITS | |
|---------------------------|---------------------------|------------------------|-------------------|------------|-----------|----------|
| | | | | | RPD | REC. |
| 1,1-Dichloroethene | 0.0 | 59.0 | 118 | 5 | 17 | 46 - 150 |
| Benzene | 0.0 | 47.9 | 96 | 9 | 14 | 63 - 146 |
| Trichloroethene | 0.0 | 48.2 | 96 | 8 | 15 | 60 - 152 |
| Toluene | 0.0 | 47.5 | 95 | 7 | 15 | 63 - 151 |
| Chlorobenzene | 0.0 | 46.8 | 94 | 2 | 12 | 75 - 149 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L2450.D

Date Analyzed: 12/31/2009

Instrument ID: MSD_L

Time Analyzed: 13:36

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 177124 | 6.19 | 259867 | 7.00 | 249663 | 10.33 |
| UPPER LIMIT | 354248 | 6.69 | 519734 | 7.50 | 499326 | 10.83 |
| LOWER LIMIT | 88562 | 5.69 | 129933.5 | 6.50 | 124831.5 | 9.83 |
| LAB SAMPLE ID | | | | | | |
| 01 STD-5PPB | 183389 | 6.19 | 270006 | 7.00 | 248120 | 10.33 |
| 02 STD-20PPB | 172853 | 6.19 | 255157 | 7.00 | 238521 | 10.33 |
| 03 STD-150PPB | 184831 | 6.19 | 272556 | 7.00 | 261842 | 10.33 |
| 04 STD-200PPB | 171766 | 6.19 | 251452 | 7.00 | 243593 | 10.33 |
| 05 STD-1PPB | 173059 | 6.19 | 252670 | 7.00 | 232858 | 10.33 |
| 06 STD-2PPB | 162050 | 6.19 | 239725 | 7.00 | 221050 | 10.33 |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

FORM 8

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L2722.D

Date Analyzed: 01/15/2010

Instrument ID: MSD_L

Time Analyzed: 3:00

| | 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|----|------------------|---------------|------|---------------|------|---------------|-------|
| | 12 HOUR STD | 134650 | 6.19 | 213745 | 7.00 | 210980 | 10.33 |
| | UPPER LIMIT | 269300 | 6.69 | 427490 | 7.50 | 421960 | 10.83 |
| | LOWER LIMIT | 67325 | 5.69 | 106872.5 | 6.50 | 105490 | 9.83 |
| | LAB SAMPLE ID | | | | | | |
| 01 | METHOD-BLK | 142372 | 6.19 | 212363 | 7.00 | 205400 | 10.33 |
| 02 | 00249-001 | 131888 | 6.19 | 196520 | 7.00 | 188008 | 10.33 |
| 03 | 00249-002 | 121475 | 6.19 | 181161 | 7.00 | 174900 | 10.33 |
| 04 | 00249-010 | 141074 | 6.19 | 210024 | 7.00 | 203574 | 10.33 |
| 05 | BLK-SPK | 108739 | 6.19 | 175147 | 7.00 | 176414 | 10.33 |
| 06 | 00249-001MS | 119167 | 6.19 | 174214 | 7.00 | 170974 | 10.33 |
| 07 | 00249-001MSD | 139149 | 6.19 | 206213 | 7.00 | 199297 | 10.33 |
| 08 | 00249-003 | 132962 | 6.19 | 193771 | 7.00 | 190183 | 10.33 |
| 09 | 00249-004 | 125233 | 6.19 | 187653 | 7.00 | 182088 | 10.33 |
| 10 | 00249-005 | 127330 | 6.19 | 188086 | 7.00 | 183491 | 10.33 |
| 11 | 00249-006 | 117919 | 6.19 | 173846 | 7.00 | 168753 | 10.33 |
| 12 | 00249-007 | 114345 | 6.19 | 172477 | 7.00 | 165296 | 10.33 |
| 13 | 00249-008 | 111963 | 6.19 | 169212 | 7.00 | 163900 | 10.33 |
| 14 | 00249-009 | 125279 | 6.19 | 185365 | 7.00 | 177164 | 10.33 |
| 15 | 00249-011 | 114152 | 6.19 | 168823 | 7.00 | 163431 | 10.33 |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

FORM 8

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2726.D
 Acq On : 15 Jan 2010 4:47
 Operator : MEI
 Sample : FB(010710),00249-001,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
 ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jan 15 10:39:30 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 131888 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 196520 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 188008 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|----------------|----------|-------|--------|-------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 59954 | 49.38 | UG | -0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 98.76% | |
| 41) Toluene-d8 | 8.67 | 98 | 205791 | 49.68 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 99.36% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 81968 | 48.20 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 96.40% | |

| Target Compounds | Qvalue |
|------------------|--------|
| ----- | |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2726.D
Acq On : 15 Jan 2010 4:47
Operator : MEI
Sample : FB(010710),00249-001,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jan 15 10:39:30 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2727.D
 Acq On : 15 Jan 2010 5:14
 Operator : MEI
 Sample : FB(010810),00249-002,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
 ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jan 15 10:41:52 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 121475 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 181161 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 174900 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|-------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 56334 | 50.38 | UG | -0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 100.76% | |
| 41) Toluene-d8 | 8.67 | 98 | 191258 | 50.08 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 100.16% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 76337 | 48.25 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 96.50% | |

| Target Compounds | Qvalue |
|------------------|--------|
| ----- | |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2727.D
Acq On : 15 Jan 2010 5:14
Operator : MEI
Sample : FB(010810),00249-002,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jan 15 10:41:52 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2732.D
 Acq On : 15 Jan 2010 7:28
 Operator : MEI
 Sample : MW-9D,00249-003,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
 ALS Vial : 38 Sample Multiplier: 1

Quant Time: Jan 15 10:47:20 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 132962 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 193771 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 190183 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 60283 | 49.25 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 98.50% | |
| 41) Toluene-d8 | 8.67 | 98 | 208469 | 51.04 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 102.08% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 81528 | 47.39 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 94.78% | |

| Target Compounds | Qvalue |
|------------------|--------|
| ----- | |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2732.D
Acq On : 15 Jan 2010 7:28
Operator : MEI
Sample : MW-9D,00249-003,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
ALS Vial : 38 Sample Multiplier: 1

Quant Time: Jan 15 10:47:20 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2733.D
 Acq On : 15 Jan 2010 7:55
 Operator : MEI
 Sample : MW-9S,00249-004,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
 ALS Vial : 39 Sample Multiplier: 1

Quant Time: Jan 15 10:51:40 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 125233 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 187653 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 182088 | 50.00 | UG | 0.00 |

| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 58289 | 50.56 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 101.12% | |
| 41) Toluene-d8 | 8.67 | 98 | 198187 | 50.10 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 100.20% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 80444 | 48.84 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 97.68% | |


| Target Compounds | | | | | | Qvalue |
|------------------------------|------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.23 | 62 | 775 | 0.76 | UG | 98 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 676 | 0.51 | UG | # 68 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 1525 | 0.67 | UG | # 87 |
| 20) cis-1,2-Dichloroethene | 5.60 | 96 | 805 | 0.52 | UG | # 68 |
| 33) Trichloroethene | 7.31 | 95 | 475 | 0.34 | UG | 96 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2733.D
 Acq On : 15 Jan 2010 7:55
 Operator : MEI
 Sample : MW-9S,00249-004,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
 ALS Vial : 39 Sample Multiplier: 1

Quant Time: Jan 15 10:51:40 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2734.D
 Acq On : 15 Jan 2010 8:21
 Operator : MEI
 Sample : MW-13R,00249-005,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
 ALS Vial : 40 Sample Multiplier: 1

Quant Time: Jan 15 10:54:56 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 127330 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 188086 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 183491 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|-------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 57829 | 49.34 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 98.68% | |
| 41) Toluene-d8 | 8.66 | 98 | 198724 | 50.12 | UG | -0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 100.24% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 79965 | 48.18 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 96.36% | |


Target Compounds

| | R.T. | QIon | Response | Conc | Units | Qvalue |
|----------------------------|------|------|----------|------|-------|--------|
| 4) Vinyl chloride | 2.23 | 62 | 1132 | 1.09 | UG | # 86 |
| 18) 1,1-Dichloroethane | 4.94 | 63 | 2265 | 0.98 | UG | # 87 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 1488 | 0.94 | UG | # 97 |
| 33) Trichloroethene | 7.30 | 95 | 1720 | 1.22 | UG | 96 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2734.D
Acq On : 15 Jan 2010 8:21
Operator : MEI
Sample : MW-13R,00249-005,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
ALS Vial : 40 Sample Multiplier: 1

Quant Time: Jan 15 10:54:56 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2735.D
 Acq On : 15 Jan 2010 8:48
 Operator : MEI
 Sample : DUP(010710),00249-006,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
 ALS Vial : 41 Sample Multiplier: 1

Quant Time: Jan 15 10:58:05 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 117919 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 173846 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 168753 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|----------------|----|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 54846 | 50.53 | UG | 0.00 |
| Spiked Amount 50.000 | Range 43 - 133 | | Recovery | = | 101.06% | |
| 41) Toluene-d8 | 8.67 | 98 | 185167 | 50.53 | UG | 0.00 |
| Spiked Amount 50.000 | Range 39 - 137 | | Recovery | = | 101.06% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 74731 | 48.96 | UG | 0.00 |
| Spiked Amount 50.000 | Range 23 - 145 | | Recovery | = | 97.92% | |


Target Compounds

| | | | | | Qvalue |
|----------------------------|------|----|------|---------|--------|
| 4) Vinyl chloride | 2.21 | 62 | 1276 | 1.32 UG | 99 |
| 18) 1,1-Dichloroethane | 4.94 | 63 | 2198 | 1.03 UG | 98 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 1403 | 0.96 UG | # 95 |
| 33) Trichloroethene | 7.30 | 95 | 1781 | 1.37 UG | 97 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2735.D
Acq On : 15 Jan 2010 8:48
Operator : MEI
Sample : DUP(010710),00249-006,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/07/10,01/08/09,
ALS Vial : 41 Sample Multiplier: 1

Quant Time: Jan 15 10:58:05 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2736.D
 Acq On : 15 Jan 2010 9:15
 Operator : MEI
 Sample : GP-104R,00249-007,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
 ALS Vial : 42 Sample Multiplier: 1

Quant Time: Jan 15 10:59:58 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 114345 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 172477 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 165296 | 50.00 | UG | 0.00 |

| System Monitoring Compounds | | | | | | |
|-----------------------------|----------------|----|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 53738 | 51.05 | UG | 0.00 |
| Spiked Amount 50.000 | Range 43 - 133 | | Recovery | = | 102.10% | |
| 41) Toluene-d8 | 8.67 | 98 | 181635 | 49.96 | UG | 0.00 |
| Spiked Amount 50.000 | Range 39 - 137 | | Recovery | = | 99.92% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 71696 | 47.95 | UG | 0.00 |
| Spiked Amount 50.000 | Range 23 - 145 | | Recovery | = | 95.90% | |


| Target Compounds | | | | | | Qvalue |
|------------------------------|------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.23 | 62 | 971 | 1.04 | UG | 99 |
| 16) trans-1,2-Dichloroethene | 4.47 | 96 | 1723 | 1.43 | UG | # 99 |
| 18) 1,1-Dichloroethane | 4.94 | 63 | 2398 | 1.16 | UG | 100 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 1928 | 1.36 | UG | # 68 |
| 33) Trichloroethene | 7.30 | 95 | 2248 | 1.74 | UG | 99 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2736.D
Acq On : 15 Jan 2010 9:15
Operator : MEI
Sample : GP-104R,00249-007,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 42 Sample Multiplier: 1

Quant Time: Jan 15 10:59:58 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2737.D
 Acq On : 15 Jan 2010 9:42
 Operator : MEI
 Sample : GP-103R,00249-008,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
 ALS Vial : 43 Sample Multiplier: 1


Quant Time: Jan 15 11:01:31 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|------------------------------|----------------|------|------------|---------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 111963 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 169212 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 163900 | 50.00 | UG | 0.00 |
| System Monitoring Compounds | | | | | | |
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 52823 | 51.25 | UG | 0.00 |
| Spiked Amount 50.000 | Range 43 - 133 | | Recovery = | 102.50% | | |
| 41) Toluene-d8 | 8.67 | 98 | 176725 | 49.54 | UG | 0.00 |
| Spiked Amount 50.000 | Range 39 - 137 | | Recovery = | 99.08% | | |
| 59) Bromofluorobenzene | 11.73 | 95 | 70846 | 47.79 | UG | 0.00 |
| Spiked Amount 50.000 | Range 23 - 145 | | Recovery = | 95.58% | | |
| Target Compounds | | | | | | |
| 4) Vinyl chloride | 2.22 | 62 | 1151 | 1.26 | UG | # 86 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 685 | 0.58 | UG | # 94 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 931 | 0.46 | UG | # 96 |
| 20) cis-1,2-Dichloroethene | 5.60 | 96 | 914 | 0.66 | UG | # 68 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2737.D
Acq On : 15 Jan 2010 9:42
Operator : MEI
Sample : GP-103R,00249-008,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 43 Sample Multiplier: 1

Quant Time: Jan 15 11:01:31 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2738.D
 Acq On : 15 Jan 2010 10:09
 Operator : MEI
 Sample : PTW-2,00249-009,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
 ALS Vial : 44 Sample Multiplier: 1

Quant Time: Jan 15 11:02:37 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 125279 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 185365 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 177164 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|-------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 59010 | 51.17 | UG | -0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 102.34% | |
| 41) Toluene-d8 | 8.66 | 98 | 195365 | 50.00 | UG | -0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 100.00% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 77424 | 48.31 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 96.62% | |


Target Compounds

| | R.T. | QIon | Response | Conc | Units | Qvalue |
|------------------------------|------|------|----------|------|-------|--------|
| 4) Vinyl chloride | 2.21 | 62 | 674 | 0.66 | UG | # 96 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 1051 | 0.80 | UG | # 100 |
| 18) 1,1-Dichloroethane | 4.94 | 63 | 7654 | 3.37 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.60 | 96 | 793 | 0.51 | UG | # 98 |
| 33) Trichloroethene | 7.30 | 95 | 1102 | 0.79 | UG | # 97 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2738.D
Acq On : 15 Jan 2010 10:09
Operator : MEI
Sample : PTW-2,00249-009,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 44 Sample Multiplier: 1

Quant Time: Jan 15 11:02:37 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2728.D
Acq On : 15 Jan 2010 5:41
Operator : MEI
Sample : TB(010810),00249-010,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 34 Sample Multiplier: 1

Quant Time: Jan 15 10:42:32 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 141074 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 210024 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 203574 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 64791 | 49.89 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.78% |
| 41) Toluene-d8 | 8.67 | 98 | 222198 | 50.19 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 100.38% |
| 59) Bromofluorobenzene | 11.73 | 95 | 88257 | 47.93 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 95.86% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2728.D
Acq On : 15 Jan 2010 5:41
Operator : MEI
Sample : TB(010810),00249-010,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 34 Sample Multiplier: 1

Quant Time: Jan 15 10:42:32 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2739.D
 Acq On : 15 Jan 2010 10:36
 Operator : MEI
 Sample : MW-6S,00249-011,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
 ALS Vial : 45 Sample Multiplier: 1

Quant Time: Jan 15 11:11:27 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 114152 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 168823 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 163431 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|-------|----------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 53818 | 51.22 | UG | 0.00 |
| Spiked Amount 50.000 | Range | 43 - 133 | Recovery | = | 102.44% | |
| 41) Toluene-d8 | 8.67 | 98 | 178797 | 50.24 | UG | 0.00 |
| Spiked Amount 50.000 | Range | 39 - 137 | Recovery | = | 100.48% | |
| 59) Bromofluorobenzene | 11.73 | 95 | 71446 | 48.33 | UG | 0.00 |
| Spiked Amount 50.000 | Range | 23 - 145 | Recovery | = | 96.66% | |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|----------------------------|------|------|----------|-------|-------|--------|
| 18) 1,1-Dichloroethane | 4.94 | 63 | 695 | 0.34 | UG | # 94 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 819 | 0.58 | UG | # 98 |
| 33) Trichloroethene | 7.30 | 95 | 50892 | 40.28 | UG | # 98 |
| 45) Tetrachloroethene | 9.37 | 166 | 6589 | 5.17 | UG | # 99 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2739.D
Acq On : 15 Jan 2010 10:36
Operator : MEI
Sample : MW-6S,00249-011,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,01/08/10,01/08/09,
ALS Vial : 45 Sample Multiplier: 1

Quant Time: Jan 15 11:11:27 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\01-14-10\
 Data File : L2725.D
 Acq On : 15 Jan 2010 4:21
 Operator : MEI
 Sample : NA,METHOD-BLK,A,5ml,100
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Quant Time: Jan 15 10:27:47 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Mon Jan 04 16:40:54 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 142372 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 212363 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 205400 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|--------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 65024 | 49.61 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.22% |
| 41) Toluene-d8 | 8.67 | 98 | 223410 | 49.90 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 99.80% |
| 59) Bromofluorobenzene | 11.73 | 95 | 87847 | 47.28 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 94.56% |

| Target Compounds | Qvalue |
|------------------|--------|
| ----- | |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2725.D
Acq On : 15 Jan 2010 4:21
Operator : MEI
Sample : NA,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 31 Sample Multiplier: 1

Quant Time: Jan 15 10:27:47 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Mon Jan 04 16:40:54 2010
Response via : Initial Calibration



LSC Area Percent Report

Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2725.D
Acq On : 15 Jan 2010 4:21
Operator : MEI
Sample : NA,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 31 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 1 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Title : VOLATILE ORGANICS BY EPA METHOD 8260B

Signal : TIC

| peak # | R.T. min | first scan | max scan | last scan | PK TY | peak height | corr. area | corr. % max. | % of total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1 | 6.191 | 432 | 440 | 454 | rBV | 161290 | 374363 | 65.80% | 14.514% |
| 2 | 6.526 | 465 | 473 | 492 | rVB | 76805 | 182834 | 32.13% | 7.088% |
| 3 | 7.003 | 514 | 520 | 535 | rBV | 206583 | 453296 | 79.67% | 17.574% |
| 4 | 8.668 | 674 | 684 | 698 | rBV | 273802 | 568961 | 100.00% | 22.058% |
| 5 | 10.333 | 842 | 848 | 860 | rBV | 297287 | 559601 | 98.35% | 21.695% |
| 6 | 11.734 | 979 | 986 | 1001 | rBV | 239757 | 434452 | 76.36% | 16.843% |
| 7 | 15.673 | 1367 | 1374 | 1380 | rVB2 | 3114 | 5876 | 1.03% | 0.228% |




Sum of corrected areas: 2579383

LSC Report - Integrated Chromatogram

```
Data Path : C:\MSDCHEM\1\DATA\01-14-10\
Data File : L2725.D
Acq On    : 15 Jan 2010    4:21
Operator  : MEI
Sample    : NA,METHOD-BLK,A,5ml,100
Misc      :
ALS Vial  : 31    Sample Multiplier: 1
```

Quant Method : C:\MSDCHEM\1\METHODS\LAM1231.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B

TIC Library : C:\DATABASE\NIST05A.L
TIC Integration Parameters: LSCINT.P



INTEGRATED ANALYTICAL LABORATORIES CHAIN OF CUSTODY

| CUSTOMER INFO | |
|---------------------------|--|
| Company: | ARCADIS-05, Inc. |
| Address: | 1 International Blvd Mahwah, NJ 07495 |
| Telephone #: | 201-684-1410 |
| Fax #: | 201-684-1420 |
| EMAIL Address: | |
| Project Manager: | Eric Rodriguez |
| Sampler: | D. Kirschner / C. Cicelli |
| Project Name: | Kings Electronics |
| Project Location (State): | New York |
| Bottle Order #: | |
| Quote #: | |

| REPORTING INFO | |
|----------------|--|
| REPORT TO: | ARCADIS-05, Inc. |
| Address: | 1 International Blvd Mahwah, NJ 07495 |
| Attn: | Eric Rodriguez |
| FAX #: | 201-684-1420 |
| INVOICE TO: | ARCADIS-05, Inc. |
| Address: | 1 International Blvd Mahwah, NJ 07495 |
| Attn: | Eric Rodriguez |
| PO #: | NJ0004230305.0000. |

| PHC- MUST CHOOSE | |
|---|---|
| DRO (3-5 day TAT) | QAM025 (5 day TAT min.) |
| DRO (8015B) - used for: Fuel Oil #2/Home Heating Oil #1 #2. | QAM-025 (QQA-QAM025) - used for: all other fuel oil and unknown contaminants. |
| Verbal/Fax | Results needed by: |
| 24 hr* 48 hr* | 2 wk/Sat 72 hr* 1 wk* |
| Hard Copy | 3 wk/Sat |
| Other *call for price | |

| ANALYTICAL PARAMETERS | |
|---------------------------|---|
| Cooler Temp <u>4</u> °C | |
| # BOTTLES & PRESERVATIVES | |
| HCl | 2 |
| NaOH | 2 |
| HNO3 | 2 |
| H2SO4 | 2 |
| MeOH | 2 |
| Other | 2 |
| Encore | 2 |

| Client ID | Depth (ft. only) | Sampling | | Matrix | # Containers | TAT # |
|--------------|------------------|----------|------|--------|--------------|-------|
| | | Date | Time | | | |
| FB(010700) | | 1/2/10 | 1330 | AQ | 2 | 1 |
| FB(010710) | | 1/8/10 | 0855 | AQ | 2 | 2 |
| MW-9D | | 1/7/10 | 1307 | AQ | 2 | 3 |
| MW-9SE | | 1/7/10 | 1225 | AQ | 2 | 4 |
| MW-13R | | 1/7/10 | 1140 | AQ | 2 | 5 |
| DUP (010710) | | 1/7/10 | - | AQ | 2 | 6 |
| GP-104R | | 1/8/10 | 1247 | AQ | 2 | 7 |
| GP-103R | | 1/8/10 | 1210 | AQ | 2 | 8 |
| PTW-2 | | 1/8/10 | 1056 | AQ | 2 | 9 |
| TB(010800) | | 1/8/10 | - | AQ | 2 | 10 |

| | |
|------------------------------|-----------|
| Known Hazard: Yes or No | Describe: |
| Conc. Expected: Low Med High | |

MDL Req: GWQS (11/05) - SRS - SRS/IGW - SRS Residential - OTHER (SEE COMMENTS)

Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any ambiguities have been resolved.

| Signature/Company | Date | Time |
|-------------------------------------|--------|------|
| Relinquished by: <u>[Signature]</u> | 1/8/09 | 1721 |
| Relinquished by: | | |
| Relinquished by: | | |
| Relinquished by: | | |
| Relinquished by: | | |

Lab Case # 00249

PAGE: 1 of 2

10/2009 rev Rev. No. 9 12/09/09

PROJECT INFORMATION



Case No. **E10-00249** Project **KINGS ELECTRONICS - VENDOR #1168636**

| | |
|---|----------------------------------|
| Customer Arcadis Geraghty & Miller | P.O. # NJ000423.0005.0006 |
| Contact Eric Rodriguez | Received 1/8/2010 17:21 |
| EMail eric.rodriguez@arcadis-us.com <input type="checkbox"/> EMail EDDs | Verbal Due 1/25/2010 |
| Phone (201) 684-1410 Fax 1(201) 684-1420 | Report Due 2/1/2010 |
| Report To | Bill To |
| 1 International Blvd. | 640 Plaza Drive |
| Suite 406 | Suite 130 |
| Mahwah, NJ 07495 | Highlands Ranch, CO 80129 |
| Attn: Eric Rodriguez | Attn: Eric Rodriguez |
| Report Format Reduced | |
| Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA | |

| Lab ID | Client Sample ID | Depth Top / Bottom | Sampling Time | Matrix | Unit | # of Containers |
|-----------|------------------|--------------------|----------------|---------|------|-----------------|
| 00249-001 | FB(010710) | n/a | 1/7/2010@13:30 | Aqueous | ug/L | 2 |
| 00249-002 | FB(010810) | n/a | 1/8/2010@08:55 | Aqueous | ug/L | 2 |
| 00249-003 | MW-9D | n/a | 1/7/2010@13:07 | Aqueous | ug/L | 2 |
| 00249-004 | MW-9S | n/a | 1/7/2010@12:25 | Aqueous | ug/L | 2 |
| 00249-005 | MW-13R | n/a | 1/7/2010@11:40 | Aqueous | ug/L | 2 |
| 00249-006 | DUP(010710) | n/a | 1/7/2010 | Aqueous | ug/L | 2 |
| 00249-007 | GP-104R | n/a | 1/8/2010@12:47 | Aqueous | ug/L | 2 |
| 00249-008 | GP-103R | n/a | 1/8/2010@12:10 | Aqueous | ug/L | 2 |
| 00249-009 | PTW-2 | n/a | 1/8/2010@10:56 | Aqueous | ug/L | 2 |
| 00249-010 | TB(010810) | n/a | 1/8/2010 | Aqueous | ug/L | 2 |
| 00249-011 | MW-6S | n/a | 1/8/2010@13:47 | Aqueous | ug/L | 2 |

| Sample # | Tests | Status | QA Method |
|----------|----------------------|----------|-----------|
| 001 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 002 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 003 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 004 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 005 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 006 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 007 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 008 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 009 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 010 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 011 | PP VOA + Cis 1,2-DCE | Complete | 8260B |

01/12/2010 14:53 by katie - REV 1

As per Eric Rodriguez, change sample ID for sample 4 to read: MW-9S.

REPORTING INFO

| | |
|-------------|---------------------|
| REPORT TO: | ALCADIS-US, Inc |
| Address: | 1 Intermed Blvd |
| | Muhwyl NJ 07445 |
| Attn: | ERIC ROYAL |
| FAX # | 201-684-1420 |
| INVOICE TO: | ALCADIS-US, Inc |
| Address: | 1 Intermed Blvd |
| | Muhwyl, NJ 07445 |
| Attn: | ERIC ROYAL |
| PO # | NJ000423-0005-00001 |

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Wine

| Conc. | Expected: | Low | Med | High |
|-------|-----------|-----|-----|------|
|-------|-----------|-----|-----|------|

Comments:

Lab Case # 6229

3

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 10

00249

CLIENT:

Arce

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

✓ = YES/NA

✗ = NO

✓ Bottles Intact

✓ no-Missing Bottles

✓ no-Extra Bottles

✓ Sufficient Sample Volume

✓ no-headspace/bubbles in VOs

✓ Labels intact/correct

✓ pH Check (exclude VOs)¹

✓ Correct bottles/preservative

✓ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

✓ Chain of Custody is Clear

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

[Signature]

DATE

1/8/12

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☒

If COC is **NOT** clear, **STOP** until you get client to authorize/clarify work.

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

KJ

DATE

1/11/10

REV 03/2009

0059

Laboratory Custody Chronicle

IAL Case No.

E10-00249

Client Arcadis Geraghty & Miller

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 1/ 8/2009@17:21

Department: Volatiles

PP VOA + Cis 1,2-DCE

| | | | <u>Prep. Date</u> | <u>Analyst</u> | <u>Analysis Date</u> | <u>Analyst</u> |
|---|-----------|---------|-------------------|----------------|----------------------|----------------|
| " | 00249-001 | Aqueous | n/a | n/a | 1/15/10 | Xing |
| " | -002 | " | n/a | n/a | 1/15/10 | Xing |
| " | -003 | " | n/a | n/a | 1/15/10 | Xing |
| " | -004 | " | n/a | n/a | 1/15/10 | Xing |
| " | -005 | " | n/a | n/a | 1/15/10 | Xing |
| " | -006 | " | n/a | n/a | 1/15/10 | Xing |
| " | -007 | " | n/a | n/a | 1/15/10 | Xing |
| " | -008 | " | n/a | n/a | 1/15/10 | Xing |
| " | -009 | " | n/a | n/a | 1/15/10 | Xing |
| " | -010 | " | n/a | n/a | 1/15/10 | Xing |
| " | -011 | " | n/a | n/a | 1/15/10 | Xing |



ANALYTICAL DATA REPORT

Arcadis Geraghty & Miller
1 International Blvd.
Suite 406
Mahwah, NJ 07495

Project Name: **KINGS ELECTRONICS - VENDOR**
#1168636
IAL Case Number: **E09-10185**

These data have been reviewed and accepted by:

A handwritten signature in black ink, appearing to read "Michael H. Leftin". The signature is written in a cursive, flowing style.

Michael H. Leftin, Ph.D.
Laboratory Director

This report shall not be reproduced, except in its entirety, without the written consent of Integrated Analytical Laboratories, LLC. The test results included in this report relate only to the samples analyzed.

Sample Summary

IAL Case No.

E09-10185

Client Arcadis Geraghty & Miller

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 10/ 7/2009@15:05

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Depth Top/Bottom</u> | <u>Sampling Time</u> | <u>Matrix</u> | <u># of Container</u> |
|---------------|-------------------------|-------------------------|----------------------|---------------|-----------------------|
| 10185-001 | GP-104R | n/a | 10/ 7/2009@10:32 | Aqueous | 2 |
| 10185-002 | GP-103R | n/a | 10/ 7/2009@09:42 | Aqueous | 2 |
| 10185-003 | PTW-2 | n/a | 10/ 7/2009@12:02 | Aqueous | 2 |
| 10185-004 | MW-13R | n/a | 10/ 6/2009@12:43 | Aqueous | 2 |
| 10185-005 | MW-9D | n/a | 10/ 6/2009@10:59 | Aqueous | 2 |
| 10185-006 | MW-9S | n/a | 10/ 6/2009@12:05 | Aqueous | 2 |
| 10185-007 | MW-6S | n/a | 10/ 6/2009@11:14 | Aqueous | 2 |
| 10185-008 | FB(100609) | n/a | 10/ 6/2009@12:00 | Aqueous | 2 |
| 10185-009 | FB(100709) | n/a | 10/ 7/2009@10:20 | Aqueous | 2 |
| 10185-010 | TB(100609) | n/a | 10/ 6/2009 | Aqueous | 1 |
| 10185-011 | DUP(100709) | n/a | 10/ 7/2009 | Aqueous | 2 |

INTEGRATED ANALYTICAL LABORATORIES, LLC.

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| Qualifiers | 1 |
| Conformance / NonConformance Summary | 2 |
| Laboratory Deliverables Check List | 3 |
| GC/MS NonConformance Summary | 4 |
| Summary Report | 5 |
| Analytical Results | |
| Volatiles | 6 |
| Methodology Summary * | |
| Quality Control | |
| Volatiles | 17 |
| Tuning Results Summary | |
| Method Blank Results Summary | |
| Calibration Summary | |
| Surrogate Compound Recovery Results Summary | |
| Matrix Spike/Matrix Spike Duplicate Results Summary | |
| Internal Standard Summary | |
| Chromatograms | |
| Sample Tracking | |
| Chains of Custody | 64 |
| Laboratory Chronicle | 68 |

* Methodology is included in the IAL Project Information Page

INTEGRATED ANALYTICAL LABORATORIES, LLC.

MATRIX QUALIFIERS

- A -** Indicates the sample is an Aqueous matrix.
- O -** Indicates the sample is an Oil matrix.
- S -** Indicates the sample is a Soil, Sludge or Sediment matrix.
- X -** Indicates the sample is an Other matrix as indicated by Client Chain of Custody.

DATA QUALIFIERS

- B -** Indicates the analyte was found in the Blank and in the sample. It indicates possible sample contamination and warns the data user to use caution when applying the results of the analyte.
- C -** Common Laboratory Contaminant.
- D -** The compound was reported from the Diluted analysis.
- D.F. -** Dilution Factor.
- E -** Estimated concentration, reported results are outside the calibrated range of the instrument.
- J -** Indicates an estimated value. The compound was detected at a value below the method detection limit but greater than zero. For GC/MS procedures, the mass spectral data meets the criteria required to identify the target compound.
- MDL -** Method Detection Limit.
- MI -** Indicates compound concentration could not be determined due to Matrix Interferences.
- NA -** Not Applicable.
- ND -** Indicates the compound was analyzed for but Not Detected at the MDL.

REPORT QUALIFIERS

All solid sample analyses are reported on a dry weight basis.

All solid sample values are corrected for original sample size and percent solids.

- Q -** Qualifier


INTEGRATED ANALYTICAL LABORATORIES, LLC.


CONFORMANCE / NONCONFORMANCE SUMMARY

Integrated Analytical Laboratories, LLC. received eleven (11) aqueous sample(s) from Arcadis Geraghty & Miller (Project: KINGS ELECTRONICS - VENDOR #1168636) on October 7, 2009 for the analysis of:

(11) PP VOA + Cis 1,2-DCE
(1) VO Project Revision

A review of the QA/QC measures for the analysis of the sample(s) contained in this report has been performed by:


Reviewed by


Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

LABORATORY DELIVERABLES CHECK LIST

Lab Case Number: E09-10185

Check If
Complete

- | | | |
|-----|---|----------|
| 1. | Cover Page, Title Page listing Lab Certification #, facility name & address and date of report preparation. | <u>✓</u> |
| 2. | Table of Contents. | <u>✓</u> |
| 3. | Summary Sheets listing analytical results for all targeted and non-targeted compounds. | <u>✓</u> |
| 4. | Summary Table cross-referencing Field ID's vs. Lab ID's. | <u>✓</u> |
| 5. | Document bound, paginated and legible. | <u>✓</u> |
| 6. | Chain of Custody. | <u>✓</u> |
| 7. | Methodology Summary. | <u>✓</u> |
| 8. | Laboratory Chronicle and Holding Time Check. | <u>✓</u> |
| 9. | Results submitted on a dry weight basis (if applicable). | <u>✓</u> |
| 10. | Method Detection Limits. | <u>✓</u> |
| 11. | Lab certified by NJDEP for parameters or appropriate category of parameters or a member of the USEPA CLP. | <u>✓</u> |
| 12. | NonConformance Summary. | <u>✓</u> |

Lab Case Number: E09 - 10185

Lab Case Number: E09 - 10185

| No | Yes |
|----|-----|
|----|-----|

Yes

-
- ✓
-
-

- ✓

[illegible]

-

_____ ✓

- 02

па

na

- _____ na _____

✓

_____ ✓

-

-
- na
-

Other

□ □ □ □ □

11/11/2016

- _____ na _____

100

na

✓

✓

Organics Manager

16/13/00
Date

0004

INTEGRATED ANALYTICAL LABORATORIES, LLC.

SUMMARY REPORT

Client: Arcadis Geraghty & Miller

Project: KINGS ELECTRONICS - VENDOR #1168636

Lab Case No.: E09-10185

| | | | | |
|--------------------------|-------------------|-------------------|--------------------|-------------------|
| Lab ID: | 10185-001 | 10185-002 | 10185-003 | 10185-004 |
| Client ID: | GP-104R | GP-103R | PTW-2 | MW-13R |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 10/7/09 | 10/7/09 | 10/7/09 | 10/6/09 |
| PARAMETER(Units) | Conc Q MDL | Conc Q MDL | Conc Q MDL | Conc Q MDL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | 1.48 0.470 | 5.61 0.470 | 0.632 0.470 | 0.673 0.470 |
| trans-1,2-Dichloroethene | 0.971 0.340 | 0.479 0.340 | 0.384 0.340 | ND 0.340 |
| 1,1-Dichloroethane | 0.931 0.260 | 0.620 0.260 | 1.41 0.260 | 1.20 0.260 |
| cis-1,2-Dichloroethene | 1.26 0.270 | 2.21 0.270 | 2.19 0.270 | 0.668 0.270 |
| Trichloroethene | 0.591 0.310 | 0.541 0.310 | 1.14 0.310 | 1.08 0.310 |
| TOTAL VO's: | 5.23 | 9.46 | 5.76 | 3.62 |
| Lab ID: | 10185-005 | 10185-006 | 10185-007 | 10185-008 |
| Client ID: | MW-9D | MW-9S | MW-6S | FB(100609) |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 10/6/09 | 10/6/09 | 10/6/09 | 10/6/09 |
| PARAMETER(Units) | Conc Q MDL | Conc Q MDL | Conc Q MDL | Conc Q MDL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | ND 0.470 | 1.15 0.470 | ND 0.470 | ND 0.470 |
| trans-1,2-Dichloroethene | ND 0.340 | 0.934 0.340 | ND 0.340 | ND 0.340 |
| 1,1-Dichloroethane | ND 0.260 | 0.646 0.260 | ND 0.260 | ND 0.260 |
| cis-1,2-Dichloroethene | ND 0.270 | 0.687 0.270 | ND 0.270 | ND 0.270 |
| Trichloroethene | ND 0.310 | ND 0.310 | 18.5 0.310 | ND 0.310 |
| Tetrachloroethene | ND 0.300 | ND 0.300 | 2.49 0.300 | ND 0.300 |
| TOTAL VO's: | ND | 3.42 | 21.0 | ND |
| Lab ID: | 10185-009 | 10185-010 | 10185-011 | |
| Client ID: | FB(100709) | TB(100609) | DUP(100709) | |
| Matrix: | Aqueous | Aqueous | Aqueous | |
| Sampled Date | 10/7/09 | 10/6/09 | 10/7/09 | |
| PARAMETER(Units) | Conc Q MDL | Conc Q MDL | Conc Q MDL | |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | |
| Vinyl chloride | ND 0.470 | ND 0.470 | 2.29 0.470 | |
| trans-1,2-Dichloroethene | ND 0.340 | ND 0.340 | 1.22 0.340 | |
| 1,1-Dichloroethane | ND 0.260 | ND 0.260 | 1.21 0.260 | |
| cis-1,2-Dichloroethene | ND 0.270 | ND 0.270 | 1.53 0.270 | |
| Trichloroethene | ND 0.310 | ND 0.310 | 0.731 0.310 | |
| TOTAL VO's: | ND | ND | 6.98 | |

ND = Analyzed for but Not Detected at the MDL

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-001
 Client ID: GP-104R
 Date Received: 10/07/2009
 Date Analyzed: 10/09/2009
 Data file: L0998.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | 1.48 | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | 0.971 | | 0.340 |
| 1,1-Dichloroethane | 0.931 | | 0.260 |
| cis-1,2-Dichloroethene | 1.26 | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | 0.591 | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 5.23

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-002

Client ID: GP-103R

Date Received: 10/07/2009

Date Analyzed: 10/09/2009

Data file: L1000.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | 5.61 | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | 0.479 | | 0.340 |
| 1,1-Dichloroethane | 0.620 | | 0.260 |
| cis-1,2-Dichloroethene | 2.21 | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | 0.541 | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 9.46

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-003

Client ID: PTW-2

Date Received: 10/07/2009

Date Analyzed: 10/09/2009

Data file: L1002.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | 0.632 | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | 0.384 | | 0.340 |
| 1,1-Dichloroethane | 1.41 | | 0.260 |
| cis-1,2-Dichloroethene | 2.19 | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | 1.14 | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 5.76

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 10185-004

Client ID: MW-13R

Date Received: 10/07/2009

Date Analyzed: 10/09/2009

Data file: L0999.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | 0.673 | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | 1.20 | | 0.260 |
| cis-1,2-Dichloroethene | 0.668 | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | 1.08 | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 3.62

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 10185-005
 Client ID: MW-9D
 Date Received: 10/07/2009
 Date Analyzed: 10/13/2009
 Data file: L1053.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-006
 Client ID: MW-9S
 Date Received: 10/07/2009
 Date Analyzed: 10/13/2009
 Data file: L1054.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | 1.15 | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | 0.934 | | 0.340 |
| 1,1-Dichloroethane | 0.646 | | 0.260 |
| cis-1,2-Dichloroethene | 0.687 | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 3.42

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-007
 Client ID: MW-6S
 Date Received: 10/07/2009
 Date Analyzed: 10/09/2009
 Data file: L0997.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | 18.5 | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | 2.49 | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 21.0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-008

Client ID: FB(100609)

Date Received: 10/07/2009

Date Analyzed: 10/09/2009

Data file: L0990.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 10185-009
 Client ID: FB(100709)
 Date Received: 10/07/2009
 Date Analyzed: 10/09/2009
 Data file: L0991.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 10185-010

Client ID: TB(100609)

Date Received: 10/07/2009

Date Analyzed: 10/09/2009

Data file: L0992.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 10185-011
 Client ID: DUP(100709)
 Date Received: 10/07/2009
 Date Analyzed: 10/13/2009
 Data file: L1055.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | 2.29 | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | 1.22 | | 0.340 |
| 1,1-Dichloroethane | 1.21 | | 0.260 |
| cis-1,2-Dichloroethene | 1.53 | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | 0.731 | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 6.98

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L0892.D

BFB Injection Date: 10/06/2009

Inst ID: MSD_L

BFB Injection Time: 9:38

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 19.1 |
| 75 | 30.0 - 60.0% of mass 95 | 55.0 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.7 |
| 173 | Less than 2.0% of mass 174 | 0.4 (0.7)1 |
| 174 | Great than 50.0% of mass 95 | 62.7 |
| 175 | 5.0 - 9.0% of mass 174 | 4.5 (7.2)1 |
| 176 | 95.0 - 101.0% of mass 174 | 63.3 (100.9)1 |
| 177 | 5.0 - 9.0% of mass 176 | 4.3 (6.8)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|---------------|---------------|---------|---------------|---------------|
| 1PPB | STD1PPB | L0893.D | 10/06/2009 | 10:05 |
| 5PPB | STD-5PPB | L0895.D | 10/06/2009 | 11:09 |
| 20PPB | STD-20PPB | L0897.D | 10/06/2009 | 12:55 |
| 100PPB | STD-100PPB | L0899.D | 10/06/2009 | 13:53 |
| 150PPB | STD-150PPB | L0900.D | 10/06/2009 | 14:23 |
| 200PPB | STD-200PPB | L0901.D | 10/06/2009 | 14:54 |
| N/A | METHOD-BLK | L0905.D | 10/06/2009 | 17:12 |
| NS-MW-7/12.69 | 09991-001 | L0906.D | 10/06/2009 | 17:41 |
| LCS-50PPB | BLK-SPK | L0907.D | 10/06/2009 | 18:09 |
| MS | 09991-001MS | L0908.D | 10/06/2009 | 18:37 |
| MSD | 09991-001MSD | L0909.D | 10/06/2009 | 19:06 |
| NS-MW-6/12.58 | 09991-002 | L0910.D | 10/06/2009 | 19:33 |
| NS-MW-3/7.79 | 09991-003 | L0911.D | 10/06/2009 | 20:00 |
| NS-MW-4/9.43 | 09991-004 | L0912.D | 10/06/2009 | 20:27 |
| NS-MW-2/8.62 | 09991-006 | L0914.D | 10/06/2009 | 21:21 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L0983.D

BFB Injection Date: 10/09/2009

Inst ID: MSD_L

BFB Injection Time: 10:14

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 19.1 |
| 75 | 30.0 - 60.0% of mass 95 | 53.5 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 5.4 |
| 173 | Less than 2.0% of mass 174 | 0.5 (0.9)1 |
| 174 | Great than 50.0% of mass 95 | 56.2 |
| 175 | 5.0 - 9.0% of mass 174 | 4.2 (7.5)1 |
| 176 | 95.0 - 101.0% of mass 174 | 56.7 (100.9)1 |
| 177 | 5.0 - 9.0% of mass 176 | 5.0 (8.9)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|------------|---------------|---------|---------------|---------------|
| 100PPB | STD-210PPB | L0984.D | 10/09/2009 | 10:41 |
| N/A | METHOD-BLK | L0987.D | 10/09/2009 | 12:13 |
| FB | 10152-006 | L0988.D | 10/09/2009 | 12:41 |
| TB | 10152-007 | L0989.D | 10/09/2009 | 13:10 |
| FB(100609) | 10185-008 | L0990.D | 10/09/2009 | 13:38 |
| FB(100709) | 10185-009 | L0991.D | 10/09/2009 | 14:07 |
| TB(100609) | 10185-010 | L0992.D | 10/09/2009 | 14:36 |
| BLDG_710 | 10175-001 | L0993.D | 10/09/2009 | 15:05 |
| LCS-50PPB | BLK-SPK | L0994.D | 10/09/2009 | 15:36 |
| MS | 10152-006MS | L0995.D | 10/09/2009 | 16:06 |
| MSD | 10152-006MSD | L0996.D | 10/09/2009 | 16:35 |
| MW-6S | 10185-007 | L0997.D | 10/09/2009 | 17:03 |
| GP-104R | 10185-001 | L0998.D | 10/09/2009 | 17:31 |
| MW-13R | 10185-004 | L0999.D | 10/09/2009 | 18:01 |
| GP-103R | 10185-002 | L1000.D | 10/09/2009 | 18:30 |
| PTW-2 | 10185-003 | L1002.D | 10/09/2009 | 19:29 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L1039.D

BFB Injection Date: 10/13/2009

Inst ID: MSD_L

BFB Injection Time: 9:57

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 19.2 |
| 75 | 30.0 - 60.0% of mass 95 | 52.5 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 5.9 |
| 173 | Less than 2.0% of mass 174 | 0.6 (1.2)1 |
| 174 | Great than 50.0% of mass 95 | 51.0 |
| 175 | 5.0 - 9.0% of mass 174 | 4.5 (8.9)1 |
| 176 | 95.0 - 101.0% of mass 174 | 50.6 (99.2)1 |
| 177 | 5.0 - 9.0% of mass 176 | 3.2 (6.3)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|------------------------|---------------|---------|---------------|---------------|
| 100PPB | STD-100PPB | L1040.D | 10/13/2009 | 10:24 |
| N/A | METHOD-BLK | L1044.D | 10/13/2009 | 12:20 |
| TCLP | TCLP-BLK | L1045.D | 10/13/2009 | 12:48 |
| WASTE_CLASS | 10308-001 | L1046.D | 10/13/2009 | 13:16 |
| ROLL_OFF_LIME | 10340-001 | L1047.D | 10/13/2009 | 13:44 |
| FWPH_SOILS | 10340-002 | L1048.D | 10/13/2009 | 14:12 |
| TCLP | TCLP-SPK | L1049.D | 10/13/2009 | 14:40 |
| LCS-50PPB | BLK-SPK | L1050.D | 10/13/2009 | 15:09 |
| MS | 10152-001MS | L1051.D | 10/13/2009 | 15:38 |
| MSD | 10152-001MSD | L1052.D | 10/13/2009 | 16:06 |
| MW-9D | 10185-005 | L1053.D | 10/13/2009 | 16:34 |
| MW-9SR <i>10/10/09</i> | 10185-006 | L1054.D | 10/13/2009 | 17:02 |
| DUP(100709) | 10185-011 | L1055.D | 10/13/2009 | 17:30 |
| MW-1 | 10152-001 | L1058.D | 10/13/2009 | 18:55 |
| MW-3 | 10152-003 | L1059.D | 10/13/2009 | 19:23 |
| MW-2R | 10152-002 | L1060.D | 10/13/2009 | 19:50 |
| MW-5R | 10152-005 | L1062.D | 10/13/2009 | 20:45 |
| MW-4R | 10152-004 | L1064.D | 10/13/2009 | 21:38 |

VOLATILE METHOD BLANK SUMMARY

Lab File ID: L0987.D

Instrument ID: MSD L

Date Analyzed: 10/09/2009

Time Analyzed: 12:13

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS & MSD:

| Client ID | Lab Sample ID | Date Analyzed | Time Analyzed |
|------------------|----------------------|--------------------------|--------------------------|
| FB | 10152-006 | 10/09/2009 | 12:41 |
| TB | 10152-007 | 10/09/2009 | 13:10 |
| FB(100609) | 10185-008 | 10/09/2009 | 13:38 |
| FB(100709) | 10185-009 | 10/09/2009 | 14:07 |
| TB(100609) | 10185-010 | 10/09/2009 | 14:36 |
| BLDG_710 | 10175-001 | 10/09/2009 | 15:05 |
| LCS-50PPB | BLK-SPK | 10/09/2009 | 15:36 |
| MS | 10152-006MS | 10/09/2009 | 16:06 |
| MSD | 10152-006MSD | 10/09/2009 | 16:35 |
| MW-6S | 10185-007 | 10/09/2009 | 17:03 |
| GP-104R | 10185-001 | 10/09/2009 | 17:31 |
| MW-13R | 10185-004 | 10/09/2009 | 18:01 |
| GP-103R | 10185-002 | 10/09/2009 | 18:30 |
| PTW-2 | 10185-003 | 10/09/2009 | 19:29 |

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project:

Lab ID: METHOD-BLK
 Client ID: N/A
 Date Received:
 Date Analyzed: 10/09/2009
 Data file: L0987.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 0

VOLATILE METHOD BLANK SUMMARY

Lab File ID: L1044.D

Instrument ID: MSD_L

Date Analyzed: 10/13/2009

Time Analyzed: 12:20

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS & MSD:

| Client ID | Lab Sample ID | Date Analyzed | Time Analyzed |
|---------------------------|----------------------|----------------------|----------------------|
| TCLP | TCLP-BLK | 10/13/2009 | 12:48 |
| WASTE_CLASS | 10308-001 | 10/13/2009 | 13:16 |
| ROLL_OFF_LIME | 10340-001 | 10/13/2009 | 13:44 |
| FWPH_SOILS | 10340-002 | 10/13/2009 | 14:12 |
| TCLP | TCLP-SPK | 10/13/2009 | 14:40 |
| LCS-50PPB | BLK-SPK | 10/13/2009 | 15:09 |
| MS | 10152-001MS | 10/13/2009 | 15:38 |
| MSD | 10152-001MSD | 10/13/2009 | 16:06 |
| MW-9D | 10185-005 | 10/13/2009 | 16:34 |
| MW-9SR <i>As Analyzed</i> | 10185-006 | 10/13/2009 | 17:02 |
| DUP(100709) | 10185-011 | 10/13/2009 | 17:30 |
| MW-1 | 10152-001 | 10/13/2009 | 18:55 |
| MW-3 | 10152-003 | 10/13/2009 | 19:23 |
| MW-2R | 10152-002 | 10/13/2009 | 19:50 |
| MW-5R | 10152-005 | 10/13/2009 | 20:45 |
| MW-4R | 10152-004 | 10/13/2009 | 21:38 |

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project:

Lab ID: METHOD-BLK
 Client ID: N/A
 Date Received:
 Date Analyzed: 10/13/2009
 Data file: L1044.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | MDL |
|---------------------------|---------------|---|-------|
| Chloromethane | ND | | 0.930 |
| Vinyl chloride | ND | | 0.470 |
| Bromomethane | ND | | 0.950 |
| Chloroethane | ND | | 0.170 |
| Trichlorofluoromethane | ND | | 0.310 |
| Acrolein | ND | | 1.74 |
| 1,1-Dichloroethene | ND | | 0.360 |
| Methylene chloride | ND | | 1.98 |
| Acrylonitrile | ND | | 1.16 |
| trans-1,2-Dichloroethene | ND | | 0.340 |
| 1,1-Dichloroethane | ND | | 0.260 |
| cis-1,2-Dichloroethene | ND | | 0.270 |
| Chloroform | ND | | 0.220 |
| 1,1,1-Trichloroethane | ND | | 0.250 |
| Carbon tetrachloride | ND | | 0.280 |
| 1,2-Dichloroethane (EDC) | ND | | 0.240 |
| Benzene | ND | | 0.290 |
| Trichloroethene | ND | | 0.310 |
| 1,2-Dichloropropane | ND | | 0.280 |
| Bromodichloromethane | ND | | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 0.400 |
| cis-1,3-Dichloropropene | ND | | 0.140 |
| Toluene | ND | | 0.300 |
| trans-1,3-Dichloropropene | ND | | 0.130 |
| 1,1,2-Trichloroethane | ND | | 0.240 |
| Tetrachloroethene | ND | | 0.300 |
| Dibromochloromethane | ND | | 0.330 |
| Chlorobenzene | ND | | 0.170 |
| Ethylbenzene | ND | | 0.240 |
| Total Xylenes | ND | | 0.740 |
| Bromoform | ND | | 0.250 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.190 |
| 1,3-Dichlorobenzene | ND | | 0.130 |
| 1,4-Dichlorobenzene | ND | | 0.180 |
| 1,2-Dichlorobenzene | ND | | 0.110 |

Total Target Compounds: 0

Response Factor Report MSD_L

Method Path : C:\MSDCHEM\1\METHODS\
 Method File : LAW1006.M
 Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 Last Update : Tue Oct 06 17:04:43 2009
 Response Via : Initial Calibration

Calibration Files

100 =L0899.D 200 =L0901.D 150 =L0900.D
 1 =L0893.D 20 =L0897.D 5 =L0895.D

| | Compound | 100 | 200 | 150 | 1 | 20 | 5 | Avg | %RSD |
|----------------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----ISTD----- | | | | | | | | | |
| 1) I | Pentafluorobenzene | | | | | | | | |
| 2) T | Dichlorodifluorom | 0.637 | 0.497 | 0.518 | 0.576 | 0.632 | 0.639 | 0.583 | 10.90 |
| 3) P | Chloromethane | 0.841 | 0.815 | 0.795 | 0.871 | 0.977 | 0.988 | 0.881 | 9.35 |
| 4) C | Vinyl chloride | 0.796 | 0.695 | 0.699 | 0.654 | 0.867 | 0.891 | 0.767 | 12.89 |
| 5) T | Bromomethane | 0.301 | 0.255 | 0.301 | 0.263 | 0.355 | 0.353 | 0.305 | 13.99 |
| 6) T | Chloroethane | 0.343 | 0.281 | 0.261 | 0.282 | 0.320 | 0.333 | 0.303 | 10.95 |
| 7) T | Trichlorofluorome | 0.668 | 0.524 | 0.553 | 0.528 | 0.719 | 0.628 | 0.603 | 13.39 |
| 8) T | Acrolein | 0.082 | 0.072 | 0.062 | 0.054 | 0.066 | 0.074 | 0.068 | 14.44 |
| 9) MC | 1,1-Dichloroethen | 0.621 | 0.557 | 0.551 | 0.524 | 0.671 | 0.696 | 0.603 | 11.67 |
| 0) T | Acetone | 0.162 | 0.151 | 0.144 | 0.199 | 0.190 | 0.161 | 0.168 | 13.04 |
| 1) T | Carbon disulfide | 2.059 | 1.929 | 1.905 | 1.411 | 2.075 | 1.848 | 1.871 | 12.95 |
| 2) T | Vinyl acetate | 2.830 | 2.619 | 2.546 | 2.394 | 3.126 | 2.992 | 2.751 | 10.17 |
| 3) T | Methylene chlorid | 0.825 | 0.777 | 0.751 | 0.938 | 0.971 | 1.021 | 0.881 | 12.63 |
| 4) T | Acrylonitrile | 0.307 | 0.279 | 0.241 | 0.212 | 0.228 | 0.239 | 0.251 | 14.03 |
| 5) T | tert-Butyl alcoho | 0.093 | 0.089 | 0.084 | 0.079 | 0.076 | 0.061 | 0.080 | 14.12 |
| 6) T | trans-1,2-Dichlor | 0.847 | 0.831 | 0.792 | 0.645 | 0.877 | 0.867 | 0.810 | 10.62 |
| 7) T | Methyl tert-butyl | 2.863 | 2.908 | 2.718 | 2.390 | 3.074 | 3.031 | 2.831 | 8.84 |
| 8) P | 1,1-Dichloroethan | 1.649 | 1.611 | 1.523 | 1.478 | 1.763 | 1.770 | 1.632 | 7.38 |
| 9) T | Diisopropyl ether | 2.865 | 2.741 | 2.615 | 2.733 | 3.202 | 3.190 | 2.891 | 8.61 |
| 0) T | cis-1,2-Dichloroe | 0.941 | 0.946 | 0.884 | 0.790 | 0.993 | 1.001 | 0.926 | 8.50 |
| 1) T | 2,2-Dichloropropa | 1.253 | 1.160 | 1.142 | 0.905 | 1.286 | 1.183 | 1.155 | 11.63 |
| 2) T | 2-Butanone (MEK) | 0.368 | 0.352 | 0.331 | 0.297 | 0.406 | 0.424 | 0.363 | 12.96 |
| 3) T | Bromochloromethan | 0.385 | 0.386 | 0.358 | 0.308 | 0.406 | 0.394 | 0.373 | 9.55 |
| 4) C | Chloroform | 1.678 | 1.650 | 1.562 | 1.476 | 1.800 | 1.812 | 1.663 | 7.91 |
| 5) T | 1,1,1-Trichloroet | 1.183 | 1.133 | 1.094 | 0.805 | 1.182 | 1.103 | 1.083 | 13.07 |
| 6) T | Carbon tetrachlor | 0.701 | 0.763 | 0.681 | 0.503 | 0.778 | 0.767 | 0.699 | 14.86 |
| 7) T | 1,1-Dichloroprope | 1.135 | 1.053 | 1.025 | 0.823 | 1.137 | 1.152 | 1.054 | 11.82 |
| 8) T | 1,2-Dichloroethan | 1.410 | 1.332 | 1.291 | 1.350 | 1.597 | 1.652 | 1.439 | 10.43 |
| 9) S | 1,2-Dichloroethan | 0.773 | 0.758 | 0.767 | 0.806 | 0.818 | 0.831 | 0.792 | 3.81 |
| -----ISTD----- | | | | | | | | | |
| 0) I | 1,4-Difluorobenzene | | | | | | | | |
| 1) M | Benzene | 2.067 | 2.079 | 1.952 | 1.762 | 2.106 | 2.092 | 2.010 | 6.64 |
| 2) M | Trichloroethene | 0.493 | 0.492 | 0.467 | 0.415 | 0.491 | 0.493 | 0.475 | 6.54 |
| 3) C | 1,2-Dichloropropa | 0.524 | 0.521 | 0.491 | 0.467 | 0.545 | 0.544 | 0.515 | 6.01 |
| 4) T | Dibromomethane | 0.340 | 0.339 | 0.317 | 0.230 | 0.350 | 0.336 | 0.319 | 14.03 |
| 5) T | 1,4-Dioxane | 0.004 | 0.004 | 0.004 | 0.003 | 0.004 | 0.003 | 0.004 | 14.49 |
| 6) T | Bromodichlorometh | 0.712 | 0.727 | 0.678 | 0.507 | 0.654 | 0.562 | 0.640 | 13.63 |
| 7) T | 2-Chloroethyl vin | 0.366 | 0.373 | 0.344 | 0.284 | 0.357 | 0.319 | 0.340 | 9.89 |
| 8) T | cis-1,3-Dichlorop | 0.907 | 0.905 | 0.808 | 0.592 | 0.855 | 0.743 | 0.802 | 14.98 |
| 9) T | 4-Methyl-2-pentan | 0.467 | 0.459 | 0.430 | 0.387 | 0.469 | 0.437 | 0.441 | 7.04 |
| 0) S | Toluene-d8 | 1.192 | 1.161 | 1.181 | 1.196 | 1.182 | 1.205 | 1.186 | 1.28 |
| 1) MC | Toluene | 1.220 | 1.217 | 1.144 | 1.023 | 1.210 | 1.185 | 1.167 | 6.50 |
| 2) T | trans-1,3-Dichlor | 0.868 | 0.879 | 0.821 | 0.606 | 0.794 | 0.658 | 0.771 | 14.70 |
| 3) T | 1,1,2-Trichloroet | 0.406 | 0.409 | 0.379 | 0.308 | 0.411 | 0.397 | 0.385 | 10.29 |
| 4) T | Tetrachloroethene | 0.305 | 0.299 | 0.285 | 0.252 | 0.295 | 0.294 | 0.288 | 6.53 |
| 5) T | 1,3-Dichloropropa | 0.836 | 0.834 | 0.786 | 0.669 | 0.866 | 0.838 | 0.805 | 8.88 |
| 6) T | 2-Hexanone | 0.330 | 0.329 | 0.307 | 0.217 | 0.326 | 0.284 | 0.299 | 14.61 |
| 7) T | Dibromochlorometh | 0.269 | 0.289 | 0.284 | 0.187 | 0.259 | 0.276 | 0.261 | 14.44 |
| 8) T | 1,2-Dibromoethane | 0.445 | 0.448 | 0.417 | 0.308 | 0.446 | 0.415 | 0.413 | 13.02 |
| -----ISTD----- | | | | | | | | | |
| 0) I | Chlorobenzene-d5 | | | | | | | | |
| 1) MP | Chlorobenzene | 1.204 | 1.207 | 1.143 | 1.136 | 1.251 | 1.270 | 1.202 | 4.54 |
| 2) T | 1,1,1,2-Tetrachlo | 0.351 | 0.339 | 0.366 | 0.241 | 0.322 | 0.304 | 0.320 | 13.95 |

| | | | | | | | | | | |
|----|---|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3) | C | Ethylbenzene | 2.008 | 1.988 | 1.886 | 1.746 | 2.072 | 2.067 | 1.961 | 6.38 |
| 4) | T | m,p-Xylene | 0.742 | 0.711 | 0.691 | 0.603 | 0.741 | 0.725 | 0.702 | 7.44 |
| 5) | T | o-Xylene | 0.776 | 0.769 | 0.741 | 0.607 | 0.776 | 0.755 | 0.737 | 8.87 |
| 6) | T | Styrene | 1.445 | 1.436 | 1.383 | 1.004 | 1.418 | 1.332 | 1.336 | 12.58 |
| 7) | P | Bromoform | 0.197 | 0.172 | 0.156 | 0.165 | 0.174 | 0.138 | 0.167 | 11.93 |
| 8) | T | Isopropylbenzene | 1.496 | 1.476 | 1.412 | 1.264 | 1.510 | 1.458 | 1.436 | 6.33 |
| 9) | S | Bromofluorobenzen | 0.532 | 0.537 | 0.536 | 0.531 | 0.537 | 0.547 | 0.537 | 1.08 |
| 0) | P | 1,1,2,2-Tetrachlo | 0.642 | 0.648 | 0.616 | 0.424 | 0.637 | 0.590 | 0.593 | 14.37 |
| 1) | T | Bromobenzene | 0.430 | 0.446 | 0.417 | 0.354 | 0.433 | 0.406 | 0.414 | 7.87 |
| 2) | T | 1,2,3-Trichloropr | 0.526 | 0.530 | 0.497 | 0.384 | 0.556 | 0.549 | 0.507 | 12.56 |
| 3) | T | n-Propylbenzene | 1.773 | 1.739 | 1.665 | 1.551 | 1.793 | 1.773 | 1.716 | 5.38 |
| 4) | T | 2-Chlorotoluene | 1.306 | 1.314 | 1.236 | 1.149 | 1.355 | 1.349 | 1.285 | 6.15 |
| 5) | T | 1,3,5-Trimethylbe | 1.237 | 1.233 | 1.179 | 1.099 | 1.263 | 1.226 | 1.206 | 4.88 |
| 6) | T | 4-Chlorotoluene | 1.543 | 1.531 | 1.461 | 1.411 | 1.594 | 1.586 | 1.521 | 4.73 |
| 7) | T | tert-Butylbenzene | 0.853 | 0.863 | 0.805 | 0.780 | 0.859 | 0.829 | 0.832 | 4.00 |
| 8) | T | 1,2,4-Trimethylbe | 1.304 | 1.318 | 1.252 | 1.133 | 1.362 | 1.300 | 1.278 | 6.21 |
| 9) | T | sec-Butylbenzene | 1.236 | 1.209 | 1.162 | 1.055 | 1.228 | 1.172 | 1.177 | 5.66 |
| 0) | T | 1,3-Dichlorobenze | 0.686 | 0.714 | 0.657 | 0.611 | 0.700 | 0.671 | 0.673 | 5.42 |
| 1) | T | 4-Isopropyltoluen | 0.986 | 0.972 | 0.925 | 0.826 | 0.999 | 0.939 | 0.941 | 6.68 |
| 2) | T | 1,4-Dichlorobenze | 0.717 | 0.746 | 0.694 | 0.644 | 0.742 | 0.710 | 0.709 | 5.26 |
| 3) | T | n-Butylbenzene | 0.577 | 0.577 | 0.550 | 0.483 | 0.554 | 0.520 | 0.544 | 6.68 |
| 4) | T | 1,2-Dichlorobenze | 0.696 | 0.735 | 0.674 | 0.573 | 0.710 | 0.691 | 0.680 | 8.30 |
| 5) | T | 1,2-Dibromo-3-chl | 0.079 | 0.077 | 0.076 | 0.078 | 0.093 | 0.064 | 0.078 | 11.93 |
| 6) | T | 1,2,4-Trichlorobe | 0.374 | 0.411 | 0.378 | 0.372 | 0.367 | 0.340 | 0.374 | 6.11 |
| 7) | T | Hexachlorobutadie | 0.140 | 0.149 | 0.139 | 0.163 | 0.135 | 0.134 | 0.143 | 7.65 |
| 8) | T | Naphthalene | 1.188 | 1.286 | 1.173 | 1.084 | 1.176 | 1.026 | 1.155 | 7.80 |
| 9) | T | 1,2,3-Trichlorobe | 0.347 | 0.389 | 0.351 | 0.350 | 0.339 | 0.324 | 0.350 | 6.16 |
| 0) | T | 1,1,2-Trichloro-1 | 0.299 | 0.231 | 0.248 | 0.340 | 0.308 | 0.314 | 0.290 | 14.34 |
| 1) | T | Methyl acetate | 0.270 | 0.262 | 0.249 | 0.272 | 0.310 | 0.329 | 0.282 | 10.96 |
| 2) | T | Cyclohexane | 0.479 | 0.385 | 0.396 | 0.508 | 0.493 | 0.430 | 0.448 | 11.63 |
| 3) | T | Methylcyclohexane | 0.291 | 0.229 | 0.238 | 0.204 | 0.281 | 0.278 | 0.253 | 13.73 |

#) = Out of Range

W1006.M Tue Oct 06 17:04:49 2009 RPT1

Evaluate Continuing Calibration Report

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
 Data File : L0984.D
 Acq On : 9 Oct 2009 10:41
 Operator : MEI
 Sample : 100PPB,STD-210PPB,A,5ml,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 12 10:35:23 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 35% Max. Rel. Area : 200%

| | Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|-------|------------------------------|-------|-------|-------|-------|----------|
| 1 I | Pentafluorobenzene | 1.000 | 1.000 | 0.0 | 118 | 0.00 |
| 2 T | Dichlorodifluoromethane | 0.583 | 0.474 | 18.7 | 88 | 0.00 |
| 3 P | Chloromethane | 0.881 | 0.878 | 0.3 | 123 | 0.00 |
| 4 C | Vinyl chloride | 0.767 | 0.795 | -3.7 | 118 | 0.00 |
| 5 T | Bromomethane | 0.305 | 0.398 | -30.5 | 156 | 0.00 |
| 6 T | Chloroethane | 0.303 | 0.401 | -32.3 | 138 | 0.00 |
| 7 T | Trichlorofluoromethane | 0.603 | 0.522 | 13.4 | 92 | 0.00 |
| 8 T | Acrolein | 0.068 | 0.065 | 4.4 | 93 | 0.00 |
| 9 MC | 1,1-Dichloroethene | 0.603 | 0.658 | -9.1 | 125 | -0.01 |
| 10 T | Acetone | 0.168 | 0.185 | -10.1 | 135 | 0.00 |
| 11 T | Carbon disulfide | 1.871 | 2.319 | -23.9 | 133 | 0.00 |
| 12 T | Vinyl acetate | 2.751 | 2.515 | 8.6 | 105 | 0.00 |
| 13 T | Methylene chloride | 0.881 | 0.942 | -6.9 | 135 | 0.00 |
| 14 T | Acrylonitrile | 0.251 | 0.224 | 10.8 | 86 | 0.00 |
| 15 T | tert-Butyl alcohol (TBA) | 0.080 | 0.068 | 15.0 | 87 | 0.00 |
| 16 T | trans-1,2-Dichloroethene | 0.810 | 0.786 | 3.0 | 109 | 0.00 |
| 17 T | Methyl tert-butyl ether (MT) | 2.831 | 2.415 | 14.7 | 99 | 0.00 |
| 18 P | 1,1-Dichloroethane | 1.632 | 1.489 | 8.8 | 106 | 0.00 |
| 19 T | Diisopropyl ether (DIPE) | 2.891 | 2.677 | 7.4 | 110 | 0.00 |
| 20 T | cis-1,2-Dichloroethene | 0.926 | 0.877 | 5.3 | 110 | 0.00 |
| 21 T | 2,2-Dichloropropane | 1.155 | 1.107 | 4.2 | 104 | 0.00 |
| 22 T | 2-Butanone (MEK) | 0.363 | 0.312 | 14.0 | 100 | 0.00 |
| 23 T | Bromochloromethane | 0.373 | 0.351 | 5.9 | 107 | 0.00 |
| 25 C | Chloroform | 1.663 | 1.520 | 8.6 | 107 | 0.00 |
| 26 T | 1,1,1-Trichloroethane | 1.083 | 1.022 | 5.6 | 102 | 0.00 |
| 27 T | Carbon tetrachloride | 0.699 | 0.762 | -9.0 | 128 | 0.00 |
| 28 T | 1,1-Dichloropropene | 1.054 | 1.001 | 5.0 | 104 | 0.00 |
| 29 T | 1,2-Dichloroethane (EDC) | 1.439 | 1.264 | 12.2 | 106 | 0.00 |
| 30 S | 1,2-Dichloroethane-d4 | 0.792 | 0.718 | 9.3 | 110 | 0.00 |
| 31 I | 1,4-Difluorobenzene | 1.000 | 1.000 | 0.0 | 120 | 0.00 |
| 32 M | Benzene | 2.010 | 1.893 | 5.8 | 110 | 0.00 |
| 33 M | Trichloroethene | 0.475 | 0.429 | 9.7 | 105 | 0.00 |
| 34 C | 1,2-Dichloropropane | 0.515 | 0.484 | 6.0 | 111 | 0.00 |
| 35 T | Dibromomethane | 0.319 | 0.295 | 7.5 | 104 | 0.00 |
| 36 T | 1,4-Dioxane | 0.004 | 0.003 | 25.0 | 82 | 0.00 |
| 37 T | Bromodichloromethane | 0.640 | 0.625 | 2.3 | 106 | 0.00 |
| 38 T | 2-Chloroethyl vinyl ether | 0.340 | 0.269 | 20.9 | 89 | 0.00 |
| 39 T | cis-1,3-Dichloropropene | 0.802 | 0.805 | -0.4 | 107 | 0.00 |
| 40 T | 4-Methyl-2-pentanone (MIBK) | 0.441 | 0.349 | 20.9 | 90 | 0.00 |
| 41 S | Toluene-d8 | 1.186 | 1.205 | -1.6 | 121 | 0.00 |
| 42 MC | Toluene | 1.167 | 1.111 | 4.8 | 109 | 0.00 |
| 43 T | trans-1,3-Dichloropropene | 0.771 | 0.744 | 3.5 | 103 | 0.00 |
| 44 T | 1,1,2-Trichloroethane | 0.385 | 0.346 | 10.1 | 102 | 0.00 |
| 45 T | Tetrachloroethene | 0.288 | 0.268 | 6.9 | 106 | 0.00 |
| 46 T | 1,3-Dichloropropane | 0.805 | 0.726 | 9.8 | 104 | 0.00 |

| | | | | | | | |
|----|----|-----------------------------|-------|-------|-------|-----|------|
| 47 | T | 2-Hexanone | 0.299 | 0.250 | 16.4 | 91 | 0.00 |
| 48 | T | Dibromochloromethane | 0.261 | 0.349 | -33.7 | 156 | 0.00 |
| 49 | T | 1,2-Dibromoethane (EDB) | 0.413 | 0.380 | 8.0 | 103 | 0.00 |
| 50 | I | Chlorobenzene-d5 | 1.000 | 1.000 | 0.0 | 124 | 0.00 |
| 51 | MP | Chlorobenzene | 1.202 | 1.085 | 9.7 | 111 | 0.00 |
| 52 | T | 1,1,1,2-Tetrachloroethane | 0.320 | 0.347 | -8.4 | 122 | 0.00 |
| 53 | C | Ethylbenzene | 1.961 | 1.810 | 7.7 | 111 | 0.00 |
| 54 | T | m,p-Xylene | 0.702 | 0.686 | 2.3 | 114 | 0.00 |
| 55 | T | o-Xylene | 0.737 | 0.713 | 3.3 | 114 | 0.00 |
| 56 | T | Styrene | 1.336 | 1.321 | 1.1 | 113 | 0.00 |
| 57 | P | Bromoform | 0.167 | 0.196 | -17.4 | 123 | 0.00 |
| 58 | T | Isopropylbenzene | 1.436 | 1.329 | 7.5 | 110 | 0.00 |
| 59 | S | Bromofluorobenzene | 0.537 | 0.525 | 2.2 | 122 | 0.00 |
| 60 | P | 1,1,2,2-Tetrachloroethane | 0.593 | 0.534 | 9.9 | 103 | 0.00 |
| 61 | T | Bromobenzene | 0.414 | 0.382 | 7.7 | 110 | 0.00 |
| 62 | T | 1,2,3-Trichloropropane | 0.507 | 0.422 | 16.8 | 99 | 0.00 |
| 63 | T | n-Propylbenzene | 1.716 | 1.577 | 8.1 | 110 | 0.00 |
| 64 | T | 2-Chlorotoluene | 1.285 | 1.157 | 10.0 | 110 | 0.00 |
| 65 | T | 1,3,5-Trimethylbenzene | 1.206 | 1.113 | 7.7 | 111 | 0.00 |
| 66 | T | 4-Chlorotoluene | 1.521 | 1.390 | 8.6 | 111 | 0.00 |
| 67 | T | tert-Butylbenzene | 0.832 | 0.759 | 8.8 | 110 | 0.00 |
| 68 | T | 1,2,4-Trimethylbenzene | 1.278 | 1.191 | 6.8 | 113 | 0.00 |
| 69 | T | sec-Butylbenzene | 1.177 | 1.084 | 7.9 | 108 | 0.00 |
| 70 | T | 1,3-Dichlorobenzene | 0.673 | 0.618 | 8.2 | 111 | 0.00 |
| 71 | T | 4-Isopropyltoluene | 0.941 | 0.874 | 7.1 | 110 | 0.00 |
| 72 | T | 1,4-Dichlorobenzene | 0.709 | 0.644 | 9.2 | 111 | 0.00 |
| 73 | T | n-Butylbenzene | 0.544 | 0.516 | 5.1 | 111 | 0.00 |
| 74 | T | 1,2-Dichlorobenzene | 0.680 | 0.626 | 7.9 | 111 | 0.00 |
| 75 | T | 1,2-Dibromo-3-chloropropane | 0.078 | 0.081 | -3.8 | 127 | 0.00 |
| 76 | T | 1,2,4-Trichlorobenzene | 0.374 | 0.325 | 13.1 | 108 | 0.00 |
| 77 | T | Hexachlorobutadiene | 0.143 | 0.119 | 16.8 | 105 | 0.00 |
| 78 | T | Naphthalene | 1.155 | 0.917 | 20.6 | 95 | 0.00 |
| 79 | T | 1,2,3-Trichlorobenzene | 0.350 | 0.286 | 18.3 | 102 | 0.00 |
| 80 | T | 1,1,2-Trichloro-1,2,2-trifl | 0.290 | 0.288 | 0.7 | 119 | 0.00 |
| 81 | T | Methyl acetate | 0.282 | 0.269 | 4.6 | 123 | 0.00 |
| 82 | T | Cyclohexane | 0.448 | 0.368 | 17.9 | 95 | 0.00 |
| 83 | T | Methylcyclohexane | 0.253 | 0.223 | 11.9 | 95 | 0.00 |

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

AW1006.M Mon Oct 12 10:35:28 2009 RPT1

Data Path : C:\MSDCHEM\1\DATA\10-13-09\
 Data File : L1040.D
 Acq On : 13 Oct 2009 10:24
 Operator : MEI
 Sample : 100PPB,STD-100PPB,A,5ml,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 13 14:36:23 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 35% Max. Rel. Area : 200%

| | Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|-------|------------------------------|-------|-------|-------|-------|----------|
| 1 I | Pentafluorobenzene | 1.000 | 1.000 | 0.0 | 133 | 0.00 |
| 2 T | Dichlorodifluoromethane | 0.583 | 0.596 | -2.2 | 124 | 0.00 |
| 3 P | Chloromethane | 0.881 | 0.956 | -8.5 | 151 | 0.00 |
| 4 C | Vinyl chloride | 0.767 | 0.876 | -14.2 | 146 | 0.00 |
| 5 T | Bromomethane | 0.305 | 0.409 | -34.1 | 180 | 0.00 |
| 6 T | Chloroethane | 0.303 | 0.404 | -33.3 | 157 | 0.01 |
| 7 T | Trichlorofluoromethane | 0.603 | 0.776 | -28.7 | 154 | 0.01 |
| 8 T | Acrolein | 0.068 | 0.054 | 20.6 | 87 | 0.00 |
| 9 MC | 1,1-Dichloroethene | 0.603 | 0.691 | -14.6 | 148 | 0.00 |
| 10 T | Acetone | 0.168 | 0.175 | -4.2 | 144 | 0.00 |
| 11 T | Carbon disulfide | 1.871 | 2.452 | -31.1 | 158 | 0.00 |
| 12 T | Vinyl acetate | 2.751 | 2.575 | 6.4 | 121 | 0.00 |
| 13 T | Methylene chloride | 0.881 | 0.936 | -6.2 | 151 | 0.00 |
| 14 T | Acrylonitrile | 0.251 | 0.202 | 19.5 | 88 | 0.00 |
| 15 T | tert-Butyl alcohol (TRA) | 0.080 | 0.067 | 16.2 | 97 | 0.00 |
| 16 T | trans-1,2-Dichloroethene | 0.810 | 0.798 | 1.5 | 125 | 0.00 |
| 17 T | Methyl tert-butyl ether (MT) | 2.831 | 2.453 | 13.4 | 114 | 0.00 |
| 18 P | 1,1-Dichloroethane | 1.632 | 1.513 | 7.3 | 122 | 0.00 |
| 19 T | Diisopropyl ether (DIPE) | 2.891 | 2.664 | 7.9 | 124 | 0.00 |
| 20 T | cis-1,2-Dichloroethene | 0.926 | 0.880 | 5.0 | 124 | 0.00 |
| 21 T | 2,2-Dichloropropane | 1.155 | 1.164 | -0.8 | 123 | 0.00 |
| 22 T | 2-Butanone (MEK) | 0.363 | 0.312 | 14.0 | 113 | 0.00 |
| 23 T | Bromochloromethane | 0.373 | 0.347 | 7.0 | 120 | 0.00 |
| 25 C | Chloroform | 1.663 | 1.515 | 8.9 | 120 | 0.00 |
| 26 T | 1,1,1-Trichloroethane | 1.083 | 1.072 | 1.0 | 120 | 0.00 |
| 27 T | Carbon tetrachloride | 0.699 | 0.813 | -16.3 | 154 | 0.00 |
| 28 T | 1,1-Dichloropropene | 1.054 | 1.055 | -0.1 | 124 | 0.00 |
| 29 T | 1,2-Dichloroethane (EDC) | 1.439 | 1.249 | 13.2 | 118 | 0.00 |
| 30 S | 1,2-Dichloroethane-d4 | 0.792 | 0.703 | 11.2 | 121 | 0.00 |
| 31 T | 1,4-Difluorobenzene | 1.000 | 1.000 | 0.0 | 132 | 0.00 |
| 32 M | Benzene | 2.010 | 1.946 | 3.2 | 124 | 0.00 |
| 33 M | Trichloroethene | 0.475 | 0.453 | 4.6 | 121 | 0.00 |
| 34 C | 1,2-Dichloropropane | 0.515 | 0.501 | 2.7 | 126 | 0.00 |
| 35 T | Dibromomethane | 0.319 | 0.301 | 5.6 | 117 | 0.00 |
| 37 T | Bromodichloromethane | 0.640 | 0.641 | -0.2 | 119 | 0.00 |
| 38 T | 2-Chloroethyl vinyl ether | 0.340 | 0.284 | 16.5 | 102 | 0.00 |
| 39 T | cis-1,3-Dichloropropene | 0.802 | 0.829 | -3.4 | 120 | 0.00 |
| 40 T | 4-Methyl-2-pentanone (MIBK) | 0.441 | 0.353 | 20.0 | 100 | 0.00 |
| 41 S | Toluene-d8 | 1.186 | 1.199 | -1.1 | 132 | 0.00 |
| 42 MC | Toluene | 1.167 | 1.137 | 2.6 | 123 | 0.00 |
| 43 T | trans-1,3-Dichloropropene | 0.771 | 0.765 | 0.8 | 116 | 0.00 |
| 44 T | 1,1,2-Trichloroethane | 0.385 | 0.355 | 7.8 | 115 | 0.00 |
| 45 T | Tetrachloroethene | 0.288 | 0.289 | -0.3 | 125 | 0.00 |
| 46 T | 1,3-Dichloropropane | 0.805 | 0.750 | 6.8 | 118 | 0.00 |
| 47 T | 2-Hexanone | 0.299 | 0.254 | 15.1 | 101 | 0.00 |

| | | | | | | |
|-------|-----------------------------|-------|-------|-------|-----|------|
| 48 T | Dibromochloromethane | 0.261 | 0.348 | -33.3 | 170 | 0.00 |
| 49 T | 1,2-Dibromoethane (EDB) | 0.413 | 0.389 | 5.8 | 115 | 0.00 |
| 50 I | Chlorobenzene-d5 | 1.000 | 1.000 | 0.0 | 137 | 0.00 |
| 51 MP | Chlorobenzene | 1.202 | 1.097 | 8.7 | 125 | 0.00 |
| 52 T | 1,1,1,2-Tetrachloroethane | 0.320 | 0.355 | -10.9 | 139 | 0.00 |
| 53 C | Ethylbenzene | 1.961 | 1.852 | 5.6 | 126 | 0.00 |
| 54 T | m,p-Xylene | 0.702 | 0.697 | 0.7 | 129 | 0.00 |
| 55 T | o-Xylene | 0.737 | 0.726 | 1.5 | 128 | 0.00 |
| 56 T | Styrene | 1.336 | 1.334 | 0.1 | 126 | 0.00 |
| 57 P | Bromoform | 0.167 | 0.206 | -23.4 | 143 | 0.00 |
| 58 T | Isopropylbenzene | 1.436 | 1.392 | 3.1 | 127 | 0.00 |
| 59 S | Bromofluorobenzene | 0.537 | 0.526 | 2.0 | 135 | 0.00 |
| 60 P | 1,1,2,2-Tetrachloroethane | 0.593 | 0.538 | 9.3 | 115 | 0.00 |
| 61 T | Bromobenzene | 0.414 | 0.393 | 5.1 | 125 | 0.00 |
| 62 T | 1,2,3-Trichloropropane | 0.507 | 0.423 | 16.6 | 110 | 0.00 |
| 63 T | n-Propylbenzene | 1.716 | 1.650 | 3.8 | 127 | 0.00 |
| 64 T | 2-Chlorotoluene | 1.285 | 1.187 | 7.6 | 124 | 0.00 |
| 65 T | 1,3,5-Trimethylbenzene | 1.206 | 1.152 | 4.5 | 127 | 0.00 |
| 66 T | 4-Chlorotoluene | 1.521 | 1.402 | 7.8 | 124 | 0.00 |
| 67 T | tert-Butylbenzene | 0.832 | 0.799 | 4.0 | 128 | 0.00 |
| 68 T | 1,2,4-Trimethylbenzene | 1.278 | 1.211 | 5.2 | 127 | 0.00 |
| 69 T | sec-Butylbenzene | 1.177 | 1.160 | 1.4 | 128 | 0.00 |
| 70 T | 1,3-Dichlorobenzene | 0.673 | 0.630 | 6.4 | 126 | 0.00 |
| 71 T | 4-Isopropyltoluene | 0.941 | 0.930 | 1.2 | 129 | 0.00 |
| 72 T | 1,4-Dichlorobenzene | 0.709 | 0.660 | 6.9 | 126 | 0.00 |
| 73 T | n-Butylbenzene | 0.544 | 0.544 | 0.0 | 129 | 0.00 |
| 74 T | 1,2-Dichlorobenzene | 0.680 | 0.639 | 6.0 | 125 | 0.00 |
| 75 T | 1,2-Dibromo-3-chloropropane | 0.078 | 0.083 | -6.4 | 145 | 0.00 |
| 76 T | 1,2,4-Trichlorobenzene | 0.374 | 0.348 | 7.0 | 128 | 0.00 |
| 77 T | Hexachlorobutadiene | 0.143 | 0.134 | 6.3 | 132 | 0.00 |
| 78 T | Naphthalene | 1.155 | 0.955 | 17.3 | 110 | 0.00 |
| 79 T | 1,2,3-Trichlorobenzene | 0.350 | 0.307 | 12.3 | 121 | 0.00 |
| 80 T | 1,1,2-Trichloro-1,2,2-trifl | 0.290 | 0.316 | -9.0 | 145 | 0.01 |
| 81 T | Methyl acetate | 0.282 | 0.254 | 9.9 | 129 | 0.00 |
| 82 T | Cyclohexane | 0.448 | 0.423 | 5.6 | 121 | 0.00 |
| 83 T | Methylcyclohexane | 0.253 | 0.255 | -0.8 | 120 | 0.00 |

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

LAW1006.M Tue Oct 13 14:36:28 2009 RPT1

VOLATILE SURROGATE PERCENT RECOVERY SUMMARY

Date Analyzed: 10/09/2009

| Lab Sample ID | Matrix | File ID | SMC1 # | SMC2 # | SMC3 # |
|---------------|---------|---------|--------|--------|--------|
| METHOD-BLK | AQUEOUS | L0987.D | 99 | 100 | 96 |
| 10152-006 | AQUEOUS | L0988.D | 100 | 101 | 95 |
| 10152-007 | AQUEOUS | L0989.D | 100 | 101 | 96 |
| 10185-008 | AQUEOUS | L0990.D | 99 | 101 | 96 |
| 10185-009 | AQUEOUS | L0991.D | 100 | 102 | 96 |
| 10185-010 | AQUEOUS | L0992.D | 100 | 101 | 94 |
| 10175-001 | AQUEOUS | L0993.D | 100 | 101 | 94 |
| BLK-SPK | AQUEOUS | L0994.D | 95 | 102 | 99 |
| 10152-006MS | AQUEOUS | L0995.D | 100 | 101 | 95 |
| 10152-006MSD | AQUEOUS | L0996.D | 100 | 101 | 94 |
| 10185-007 | AQUEOUS | L0997.D | 99 | 102 | 95 |
| 10185-001 | AQUEOUS | L0998.D | 99 | 103 | 95 |
| 10185-004 | AQUEOUS | L0999.D | 100 | 101 | 94 |
| 10185-002 | AQUEOUS | L1000.D | 100 | 101 | 95 |
| 10185-003 | AQUEOUS | L1002.D | 99 | 101 | 95 |

| | Concentration | Aqueous/Meoh | Soil |
|------------------------------|---------------|--------------|--------|
| SMC1 = 1,2-Dichloroethane-d4 | 50 ppb | 45-154 | 51-164 |
| SMC2 = Toluene-d8 | 50 ppb | 47-151 | 52-157 |
| SMC3 = Bromofluorobenzene | 50 ppb | 48-149 | 56-154 |

Column to be used to flag recovery values

VOLATILE SURROGATE PERCENT RECOVERY SUMMARY

Date Analyzed: 10/13/2009

| Lab Sample ID | Matrix | File ID | SMC1 # | SMC2 # | SMC3 # |
|---------------|---------|---------|--------|--------|--------|
| METHOD-BLK | AQUEOUS | L1044.D | 97 | 100 | 97 |
| TCLP-BLK | AQUEOUS | L1045.D | 97 | 100 | 95 |
| 10308-001 | AQUEOUS | L1046.D | 98 | 100 | 95 |
| 10340-001 | AQUEOUS | L1047.D | 97 | 101 | 96 |
| 10340-002 | AQUEOUS | L1048.D | 98 | 100 | 94 |
| TCLP-SPK | AQUEOUS | L1049.D | 75 | 102 | 98 |
| BLK-SPK | AQUEOUS | L1050.D | 92 | 102 | 98 |
| 10152-001MS | AQUEOUS | L1051.D | 96 | 100 | 95 |
| 10152-001MSD | AQUEOUS | L1052.D | 97 | 100 | 95 |
| 10185-005 | AQUEOUS | L1053.D | 97 | 100 | 95 |
| 10185-006 | AQUEOUS | L1054.D | 97 | 100 | 95 |
| 10185-011 | AQUEOUS | L1055.D | 97 | 102 | 94 |
| 10152-001 | AQUEOUS | L1058.D | 105 | 100 | 87 |
| 10152-003 | AQUEOUS | L1059.D | 103 | 102 | 90 |
| 10152-002 | AQUEOUS | L1060.D | 103 | 101 | 92 |
| 10152-005 | AQUEOUS | L1062.D | 101 | 101 | 93 |
| 10152-004 | AQUEOUS | L1064.D | 101 | 101 | 92 |

| | Concentration | Aqueous/Meoh | Soil |
|------------------------------|---------------|--------------|--------|
| SMC1 = 1,2-Dichloroethane-d4 | 50 ppb | 45-154 | 51-164 |
| SMC2 = Toluene-d8 | 50 ppb | 47-151 | 52-157 |
| SMC3 = Bromofluorobenzene | 50 ppb | 48-149 | 56-154 |

Column to be used to flag recovery values

AQUEOUS VOLATILE MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Matrix spike Lab sample ID: 10152-006

Batch No.: LAW100909A

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 65.2 | 130 | 46 - 150 |
| Benzene | 50.0 | 0.0 | 51.5 | 103 | 63 - 146 |
| Trichloroethene | 50.0 | 0.0 | 50.6 | 101 | 60 - 152 |
| Toluene | 50.0 | 0.0 | 52.9 | 106 | 63 - 151 |
| Chlorobenzene | 50.0 | 0.0 | 51.3 | 103 | 75 - 149 |

| Compound | SAMPLE CONC. (ug/L) | MSD CONC. (ug/L) | MSD % # REC | % RPD # | QC LIMITS | |
|---------------------------|---------------------------|------------------------|-------------------|------------|-----------|----------|
| | | | | | RPD | REC. |
| 1,1-Dichloroethene | 0.0 | 64.0 | 128 | 2 | 17 | 46 - 150 |
| Benzene | 0.0 | 49.3 | 99 | 4 | 14 | 63 - 146 |
| Trichloroethene | 0.0 | 49.3 | 99 | 2 | 15 | 60 - 152 |
| Toluene | 0.0 | 50.5 | 101 | 5 | 15 | 63 - 151 |
| Chlorobenzene | 0.0 | 49.4 | 99 | 4 | 12 | 75 - 149 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

AQUEOUS VOLATILE MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Matrix spike Lab sample ID: 10152-001

Batch No.: LAW101309A

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 72.1 | 144 | 46 - 150 |
| Benzene | 50.0 | 0.0 | 55.0 | 110 | 63 - 146 |
| Trichloroethene | 50.0 | 0.0 | 55.4 | 111 | 60 - 152 |
| Toluene | 50.0 | 0.0 | 56.5 | 113 | 63 - 151 |
| Chlorobenzene | 50.0 | 0.0 | 53.5 | 107 | 75 - 149 |

| Compound | SAMPLE CONC. (ug/L) | MSD CONC. (ug/L) | MSD % # REC | % RPD # | QC LIMITS RPD REC. |
|---------------------------|---------------------------|------------------------|-------------------|------------|-----------------------|
| 1,1-Dichloroethene | 0.0 | 72.8 | 146 | 1 | 17 46 - 150 |
| Benzene | 0.0 | 53.3 | 107 | 3 | 14 63 - 146 |
| Trichloroethene | 0.0 | 53.7 | 107 | 4 | 15 60 - 152 |
| Toluene | 0.0 | 55.1 | 110 | 3 | 15 63 - 151 |
| Chlorobenzene | 0.0 | 52.7 | 105 | 2 | 12 75 - 149 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L0899.D

Date Analyzed: 10/06/2009

Instrument ID: MSD_L

Time Analyzed: 13:53

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 145068 | 6.19 | 253735 | 7.01 | 256470 | 10.33 |
| UPPER LIMIT | 290136 | 6.69 | 507470 | 7.51 | 512940 | 10.83 |
| LOWER LIMIT | 72534 | 5.69 | 126867.5 | 6.51 | 128235 | 9.83 |
| LAB SAMPLE ID | | | | | | |
| 01 STD1PPB | 159085 | 6.19 | 284536 | 7.01 | 278630 | 10.33 |
| 02 STD-5PPB | 155865 | 6.19 | 281356 | 7.01 | 276891 | 10.33 |
| 03 STD-20PPB | 138109 | 6.19 | 249669 | 7.01 | 246126 | 10.33 |
| 04 STD-150PPB | 161015 | 6.19 | 280992 | 7.01 | 281052 | 10.33 |
| 05 STD-200PPB | 153006 | 6.19 | 266022 | 7.01 | 268907 | 10.34 |
| 06 METHOD-BLK | 136937 | 6.19 | 250645 | 7.01 | 243550 | 10.33 |
| 07 09991-001 | 150953 | 6.19 | 272804 | 7.01 | 268294 | 10.33 |
| 08 BLK-SPK | 151371 | 6.19 | 271343 | 7.01 | 268867 | 10.34 |
| 09 09991-001MS | 142101 | 6.19 | 256448 | 7.01 | 251283 | 10.33 |
| 10 09991-001MSD | 149395 | 6.19 | 270511 | 7.01 | 268883 | 10.33 |
| 11 09991-002 | 133856 | 6.19 | 242623 | 7.01 | 235012 | 10.33 |
| 12 09991-003 | 130603 | 6.20 | 238476 | 7.01 | 234448 | 10.34 |
| 13 09991-004 | 145001 | 6.19 | 262536 | 7.01 | 257122 | 10.34 |
| 14 09991-006 | 133577 | 6.19 | 243542 | 7.01 | 238348 | 10.33 |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L0984.D

Date Analyzed: 10/09/2009

Instrument ID: MSD_L

Time Analyzed: 10:41

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 171126 | 6.20 | 304894 | 7.01 | 317098 | 10.34 |
| UPPER LIMIT | 342252 | 6.70 | 609788 | 7.51 | 634196 | 10.84 |
| LOWER LIMIT | 85563 | 5.70 | 152447 | 6.51 | 158549 | 9.84 |
| LAB SAMPLE ID | | | | | | |
| 01 METHOD-BLK | 139376 | 6.19 | 259604 | 7.01 | 260386 | 10.33 |
| 02 10152-006 | 136443 | 6.20 | 255223 | 7.01 | 254672 | 10.33 |
| 03 10152-007 | 142938 | 6.20 | 267218 | 7.01 | 265672 | 10.33 |
| 04 10185-008 | 152739 | 6.19 | 280109 | 7.01 | 282487 | 10.33 |
| 05 10185-009 | 138704 | 6.19 | 257616 | 7.01 | 258787 | 10.33 |
| 06 10185-010 | 146106 | 6.19 | 272409 | 7.01 | 276352 | 10.33 |
| 07 10175-001 | 140558 | 6.19 | 263590 | 7.01 | 266328 | 10.33 |
| 08 BLK-SPK | 151014 | 6.19 | 270070 | 7.01 | 279866 | 10.33 |
| 09 10152-006MS | 137018 | 6.19 | 253512 | 7.01 | 253848 | 10.33 |
| 10 10152-006MSD | 150279 | 6.20 | 279426 | 7.01 | 284412 | 10.33 |
| 11 10185-007 | 150871 | 6.19 | 280652 | 7.01 | 281822 | 10.33 |
| 12 10185-001 | 163306 | 6.19 | 303756 | 7.01 | 309542 | 10.33 |
| 13 10185-004 | 153305 | 6.19 | 285395 | 7.01 | 288558 | 10.33 |
| 14 10185-002 | 157479 | 6.20 | 294065 | 7.01 | 297870 | 10.34 |
| 15 10185-003 | 150889 | 6.20 | 281987 | 7.01 | 282324 | 10.34 |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

FORM 8

0035

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L1040.D

Date Analyzed: 10/13/2009

Instrument ID: MSD_L

Time Analyzed: 10:24

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 192777 | 6.19 | 334310 | 7.01 | 350849 | 10.33 |
| UPPER LIMIT | 385554 | 6.69 | 668620 | 7.51 | 701698 | 10.83 |
| LOWER LIMIT | 96388.5 | 5.69 | 167155 | 6.51 | 175424.5 | 9.83 |
| LAB SAMPLE ID | | | | | | |
| 01 METHOD-BLK | 168461 | 6.20 | 309613 | 7.01 | 310041 | 10.33 |
| 02 TCLP-BLK | 165483 | 6.19 | 302286 | 7.01 | 303252 | 10.33 |
| 03 10308-001 | 146245 | 6.20 | 269973 | 7.01 | 272070 | 10.33 |
| 04 10340-001 | 156988 | 6.19 | 289589 | 7.01 | 290679 | 10.33 |
| 05 10340-002 | 135020 | 6.19 | 251156 | 7.01 | 253539 | 10.33 |
| 06 TCLP-SPK | 185075 | 6.19 | 265851 | 7.01 | 277204 | 10.33 |
| 07 BLK-SPK | 168373 | 6.19 | 304475 | 7.01 | 317767 | 10.33 |
| 08 10152-001MS | 147481 | 6.19 | 264789 | 7.01 | 272268 | 10.33 |
| 09 10152-001MSD | 145335 | 6.19 | 268547 | 7.01 | 272905 | 10.33 |
| 10 10185-005 | 154774 | 6.19 | 287087 | 7.01 | 289283 | 10.33 |
| 11 10185-006 | 190627 | 6.19 | 352905 | 7.01 | 358814 | 10.33 |
| 12 10185-011 | 160974 | 6.19 | 298717 | 7.01 | 305198 | 10.33 |
| 13 10152-001 | 156851 | 6.19 | 294434 | 7.01 | 290224 | 10.33 |
| 14 10152-003 | 167743 | 6.19 | 313223 | 7.01 | 319471 | 10.33 |
| 15 10152-002 | 177517 | 6.19 | 336723 | 7.01 | 340129 | 10.33 |
| 16 10152-005 | 173675 | 6.19 | 328934 | 7.01 | 331118 | 10.33 |
| 17 10152-004 | 175719 | 6.20 | 331090 | 7.01 | 337266 | 10.33 |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
 Data File : L0998.D
 Acq On : 9 Oct 2009 17:31
 Operator : MEI
 Sample : GP-104R,10185-001,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 12 10:21:05 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 163306 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 303756 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 309542 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 128389 | 49.61 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.22% |
| 41) Toluene-d8 | 8.66 | 98 | 371296 | 51.52 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 103.04% |
| 59) Bromofluorobenzene | 11.73 | 95 | 157346 | 47.36 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 94.72% |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|------------------------------|------|------|----------|------|-------|--------|
| 4) Vinyl chloride | 2.21 | 62 | 3712 | 1.48 | UG | 99 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 2569 | 0.97 | UG | # 68 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 4964 | 0.93 | UG | 100 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 3819 | 1.26 | UG | # 99 |
| 33) Trichloroethene | 7.31 | 95 | 1706 | 0.59 | UG | 89 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0998.D
Acq On : 9 Oct 2009 17:31
Operator : MEI
Sample : GP-104R,10185-001,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 12 10:21:05 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
 Data File : L1000.D
 Acq On : 9 Oct 2009 18:30
 Operator : MEI
 Sample : GP-103R,10185-002,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Oct 12 10:24:30 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.20 | 168 | 157479 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 294065 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.34 | 117 | 297870 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 124363 | 49.83 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 99.66% | |
| 41) Toluene-d8 | 8.67 | 98 | 353244 | 50.63 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 101.26% | |
| 59) Bromofluorobenzene | 11.74 | 95 | 151307 | 47.33 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 94.66% | |


Target Compounds

| | | | | | | Qvalue |
|------------------------------|------|----|-------|------|----|--------|
| 4) Vinyl chloride | 2.21 | 62 | 13551 | 5.61 | UG | 99 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 1222 | 0.48 | UG | # 100 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 3187 | 0.62 | UG | # 99 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 6432 | 2.21 | UG | # 98 |
| 33) Trichloroethene | 7.30 | 95 | 1511 | 0.54 | UG | 88 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L1000.D
Acq On : 9 Oct 2009 18:30
Operator : MEI
Sample : GP-103R,10185-002,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Oct 12 10:24:30 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
 Data File : L1002.D
 Acq On : 9 Oct 2009 19:29
 Operator : MEI
 Sample : PTW-2,10185-003,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Oct 12 10:28:31 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.20 | 168 | 150889 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 281987 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.34 | 117 | 282324 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 117785 | 49.26 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 98.52% | |
| 41) Toluene-d8 | 8.67 | 98 | 338726 | 50.63 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 101.26% | |
| 59) Bromofluorobenzene | 11.74 | 95 | 143717 | 47.43 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 94.86% | |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|------------------------------|------|------|----------|------|-------|--------|
| 4) Vinyl chloride | 2.20 | 62 | 1462 | 0.63 | UG | 100 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 938 | 0.38 | UG | # 97 |
| 18) 1,1-Dichloroethane | 4.94 | 63 | 6954 | 1.41 | UG | 99 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 6123 | 2.19 | UG | # 99 |
| 33) Trichloroethene | 7.30 | 95 | 3057 | 1.14 | UG | 90 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L1002.D
Acq On : 9 Oct 2009 19:29
Operator : MEI
Sample : PTW-2,10185-003,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Oct 12 10:28:31 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
 Data File : L0999.D
 Acq On : 9 Oct 2009 18:01
 Operator : MEI
 Sample : MW-13R,10185-004,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Oct 12 10:22:58 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 153305 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 285395 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 288558 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 121077 | 49.84 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 99.68% | |
| 41) Toluene-d8 | 8.66 | 98 | 342237 | 50.55 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 101.10% | |
| 59) Bromofluorobenzene | 11.74 | 95 | 146114 | 47.18 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 94.36% | |


Target Compounds

| | | | | | | Qvalue |
|----------------------------|------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.20 | 62 | 1582 | 0.67 | UG | 98 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 6026 | 1.20 | UG | # 99 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 1897 | 0.67 | UG | # 99 |
| 33) Trichloroethene | 7.31 | 95 | 2933 | 1.08 | UG | # 88 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0999.D
Acq On : 9 Oct 2009 18:01
Operator : MEI
Sample : MW-13R,10185-004,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Oct 12 10:22:58 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-13-09\
 Data File : L1053.D
 Acq On : 13 Oct 2009 16:34
 Operator : MEI
 Sample : MW-9D,10185-005,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 14 09:59:57 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 154774 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 287087 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 289283 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 119545 | 48.74 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 97.48% |
| 41) Toluene-d8 | 8.66 | 98 | 341186 | 50.09 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 100.18% |
| 59) Bromofluorobenzene | 11.73 | 95 | 147426 | 47.48 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 94.96% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1053.D
Acq On : 13 Oct 2009 16:34
Operator : MEI
Sample : MW-9D,10185-005,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 14 09:59:57 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1054.D
Acq On : 13 Oct 2009 17:02
Operator : MEI
Sample : MW-9S,10185-006,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 14 10:04:10 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 190627 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 352905 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 358814 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 146240 | 48.41 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 96.82% |
| 41) Toluene-d8 | 8.66 | 98 | 418791 | 50.02 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 100.04% |
| 59) Bromofluorobenzene | 11.73 | 95 | 182656 | 47.43 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 94.86% |


Target Compounds

| | | | | | | Qvalue |
|------------------------------|------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.22 | 62 | 3354 | 1.15 | UG | # 95 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 2885 | 0.93 | UG | # 68 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 4020 | 0.65 | UG | # 97 |
| 20) cis-1,2-Dichloroethene | 5.61 | 96 | 2424 | 0.69 | UG | # 98 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1054.D
Acq On : 13 Oct 2009 17:02
Operator : MEI
Sample : MW-9S,10185-006,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 14 10:04:10 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0997.D
Acq On : 9 Oct 2009 17:03
Operator : MEI
Sample : MW-6S,10185-007,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 12 10:18:06 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 150871 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 280652 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 281822 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 118073 | 49.39 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 98.78% |
| 41) Toluene-d8 | 8.66 | 98 | 338577 | 50.85 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 101.70% |
| 59) Bromofluorobenzene | 11.74 | 95 | 143496 | 47.44 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 94.88% |


Target Compounds

| | | | | | | Qvalue |
|-----------------------|------|-----|-------|-------|----|--------|
| 33) Trichloroethene | 7.30 | 95 | 49324 | 18.50 | UG | 89 |
| 45) Tetrachloroethene | 9.37 | 166 | 4031 | 2.49 | UG | # 99 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0997.D
Acq On : 9 Oct 2009 17:03
Operator : MEI
Sample : MW-6S,10185-007,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 12 10:18:06 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0990.D
Acq On : 9 Oct 2009 13:38
Operator : MEI
Sample : FB(100609),10185-008,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 09 16:28:54 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 152739 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 280109 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 282487 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 119811 | 49.50 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.00% |
| 41) Toluene-d8 | 8.66 | 98 | 336928 | 50.70 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 101.40% |
| 59) Bromofluorobenzene | 11.73 | 95 | 144974 | 47.82 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 95.64% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0990.D
Acq On : 9 Oct 2009 13:38
Operator : MEI
Sample : FB(100609),10185-008,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 09 16:28:54 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0991.D
Acq On : 9 Oct 2009 14:07
Operator : MEI
Sample : FB(100709),10185-009,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 09 16:29:29 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 138704 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 257616 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 258787 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 109543 | 49.84 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.68% |
| 41) Toluene-d8 | 8.66 | 98 | 311204 | 50.92 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 101.84% |
| 59) Bromofluorobenzene | 11.74 | 95 | 133851 | 48.19 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 96.38% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0991.D
Acq On : 9 Oct 2009 14:07
Operator : MEI
Sample : FB(100709),10185-009,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 09 16:29:29 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0992.D
Acq On : 9 Oct 2009 14:36
Operator : MEI
Sample : TB(100609),10185-010,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 09 16:30:07 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 146106 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 272409 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 276352 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 115302 | 49.80 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.60% |
| 41) Toluene-d8 | 8.66 | 98 | 326437 | 50.51 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 101.02% |
| 59) Bromofluorobenzene | 11.74 | 95 | 140107 | 47.24 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 94.48% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0992.D
Acq On : 9 Oct 2009 14:36
Operator : MEI
Sample : TB(100609),10185-010,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/06/09,10/07/09,
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 09 16:30:07 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-13-09\
 Data File : L1055.D
 Acq On : 13 Oct 2009 17:30
 Operator : MEI
 Sample : DUP(100709),10185-011,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Oct 14 10:09:43 2009
 Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Oct 06 17:23:47 2009
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 160974 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 298717 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 305198 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 123737 | 48.51 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 97.02% |
| 41) Toluene-d8 | 8.66 | 98 | 360317 | 50.84 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 101.68% |
| 59) Bromofluorobenzene | 11.73 | 95 | 153428 | 46.84 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 93.68% |


Target Compounds

| | | | | | | Qvalue |
|------------------------------|------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.21 | 62 | 5645 | 2.29 | UG | 98 |
| 16) trans-1,2-Dichloroethene | 4.46 | 96 | 3174 | 1.22 | UG | # 98 |
| 18) 1,1-Dichloroethane | 4.95 | 63 | 6361 | 1.21 | UG | 100 |
| 20) cis-1,2-Dichloroethene | 5.62 | 96 | 4549 | 1.53 | UG | # 99 |
| 33) Trichloroethene | 7.30 | 95 | 2074 | 0.73 | UG | 89 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1055.D
Acq On : 13 Oct 2009 17:30
Operator : MEI
Sample : DUP(100709),10185-011,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,10/07/09,10/07/09,
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Oct 14 10:09:43 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0987.D
Acq On : 9 Oct 2009 12:13
Operator : MEI
Sample : N/A, METHOD-BLK, A, 5ml, 100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 09 16:22:22 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.19 | 168 | 139376 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 259604 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 260386 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.53 | 65 | 109585 | 49.62 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 99.24% |
| 41) Toluene-d8 | 8.66 | 98 | 308817 | 50.14 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 100.28% |
| 59) Bromofluorobenzene | 11.73 | 95 | 133969 | 47.94 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 95.88% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-09-09\
Data File : L0987.D
Acq On : 9 Oct 2009 12:13
Operator : MEI
Sample : N/A,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 09 16:22:22 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1044.D
Acq On : 13 Oct 2009 12:20
Operator : MEI
Sample : N/A, METHOD-BLK, A, 5ml, 100
Misc :
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 13 14:37:40 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.20 | 168 | 168461 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.01 | 114 | 309613 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.33 | 117 | 310041 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 129441 | 48.49 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 96.98% |
| 41) Toluene-d8 | 8.67 | 98 | 368538 | 50.17 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 100.34% |
| 59) Bromofluorobenzene | 11.74 | 95 | 160835 | 48.33 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 96.66% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1044.D
Acq On : 13 Oct 2009 12:20
Operator : MEI
Sample : N/A, METHOD-BLK, A, 5ml, 100
Misc :
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 13 14:37:40 2009
Quant Method : C:\MSDCHEM\1\METHODS\LAW1006.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Oct 06 17:23:47 2009
Response via : Initial Calibration



LSC Area Percent Report

Data Path : C:\MSDCHEM\1\DATA\10-13-09\
Data File : L1044.D
Acq On : 13 Oct 2009 12:20
Operator : MEI
Sample : N/A,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 6 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 1 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : C:\MSDCHEM\1\METHODS\LAW1006.M

Title : VOLATILE ORGANICS BY EPA METHOD 8260B

Signal : TIC

| peak # | R.T. min | first scan | max scan | last scan | PK TY | peak height | corr. area | corr. % max. | % of total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1 | 6.190 | 434 | 440 | 457 | rVB | 240958 | 566034 | 54.10% | 12.654% |
| 2 | 6.524 | 467 | 473 | 487 | rBV | 157893 | 349579 | 33.41% | 7.815% |
| 3 | 7.010 | 513 | 521 | 535 | rBV | 378886 | 781578 | 74.70% | 17.473% |
| 4 | 8.671 | 677 | 685 | 703 | rVB | 474877 | 999581 | 95.54% | 22.347% |
| 5 | 10.332 | 841 | 849 | 863 | rBV | 539852 | 1046273 | 100.00% | 23.391% |
| 6 | 11.739 | 975 | 988 | 1002 | rVB | 392466 | 729974 | 69.77% | 16.319% |

Sum of corrected areas: 4473019

INTEGRATED ANALYTICAL LABORATORIES
CHAIN OF CUSTODY

CUSTOMER INFO

Company: ARCADIS-US, Inc.
Address: 1 International Blvd.
MAHWAH, NJ 07495
Telephone #: 201-684-1410
Fax #: 201-684-1420
Project Manager: Eric Booriguez
Sampler: D. Kierschner/V. Myers
Project Name: KINGS Electronics
Project Location (State): New York
Bottle Order #: 303715
Quote #:

REPORTING INFO

REPORT TO: ARCADIS-US, Inc.
Address: 1 International Blvd.
MAHWAH, NJ 07495
Attn: Eric Booriguez
FAX #: 201-684-1420
INVOICE TO: ARCADIS-US, Inc.
Address: 1 International Blvd.
MAHWAH, NJ 07495
Attn: Eric Booriguez
PO # 12000423.0005.00001

SAMPLE INFORMATION

| Client ID | Depth (ft. only) |
|------------|------------------|
| GP-104R | |
| GP-103R | |
| PTW-2 | |
| MW-13R | |
| MW-9D | |
| MW-9SR | |
| MW-6S | |
| FB(100609) | |
| FB(100709) | |
| TB(100609) | |

Sample Matrix

| DW - Drinking Water | AQ - Aqueous | WW - Waste Water |
|------------------------|----------------------|----------------------|
| LIQ - Liquid (Specify) | OT - Other (Specify) | |
| S - Soil | SL - Sludge | SOL - Solid W - Wipe |
| Date | Time | Matrix |
| 10/7/09 | 10:32 | AQ |
| 10/7/09 | 9:42 | AQ |
| 10/7/09 | 12:02 | AQ |
| 10/6/09 | 12:43 | AQ |
| 10/6/09 | 10:59 | AQ |
| 10/6/09 | 12:05 | AQ |
| 10/6/09 | 11:44 | AQ |
| 10/6/09 | 12:00 | AQ |
| 10/7/09 | 10:20 | AQ |
| 10/6/09 | --- | AQ |

Known Hazard: Yes or No Describe:
Conc. Expected: Low Med High

| Signature/Company | Date | Time |
|---|----------------|--------------|
| Relinquished by: <u>Dennis L. Ayala / ARCADIS</u> | <u>10/7/09</u> | <u>15:05</u> |
| Relinquished by: | | |
| Relinquished by: | | |
| Relinquished by: | | |
| Relinquished by: | | |

Turnaround Time (starts the following day if samples rec'd at lab > 5PM)

*Lab notification is required for RUSH TAT prior to sample arrival. RUSH TAT IS NOT GUARANTEED WITHOUT LAB APPROVAL. **RUSH SURCHARGES WILL APPLY IF ABLE TO ACCOMMODATE.

PHC- MUST CHOOSE

DRO (3-5 day TAT)
QAM025 (5 day TAT min.)
DRO (80158) - used for: Fuel Oil #2/Home Heating Oil #1/#2.
QAM-025 (QQA-QAM025) - used for: all other fuel oil and unknown contaminants.
Verbal/Fax 24 hr* 48 hr*
Hard Copy 72 hr* 3 wk/Std
Other call for price

Report Format

Results Only
Reduced
Regulatory - 15%
Surcharge applies
Other (describe)

Rush TAT Charge**

24 hr - 100% ...
48 hr - 75% ...
72 hr - 50% ...
96 hr - 35% ...
5 day - 25% ...
6-9 day 10%

EDD's

SRP, dbf format
SRP, wk1 format
lab approved custom
EDD
NO EDD/CD REQ'D

ANALYTICAL PARAMETERS

Cooler Temp 3 °C

BOTTLES & PRESERVATIVES

| HCl | NaOH | HNO3 | H2SO4 | MeOH | Other | Name | Encore |
|-----|------|------|-------|------|-------|------|--------|
| 2 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 1 | | | | | | | |

MDL Req: GWQS (11/05) - SRS - SRS/IGW - SRS Residential - OTHER (SEE COMMENTS)

Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any ambiguities have been resolved.

Comments:

Lab Case # 10185
PAGE: 1 of 2

CUSTOMER INFO

| | |
|---------------------------|--------------------------------------|
| Company: | ARCADIS-US, Inc. |
| Address: | INTERNATIONAL BLD DAPHNA IL 07495 |
| Telephone #: | 201-684-1410 |
| Fax #: | 201-684-1420 |
| Project Manager: | Eric Rodriguez |
| Sampler: | D. Kyschner / V. Meyer |
| Project Name: | KINISSElectronics |
| Project Location (State): | NEW YORK |
| Bottle Order #: | B03715 |
| Quote #: | |

REPORTING INFO

| |
|---|
| REPORT TO: Arcadis-OS, Inc. |
| Address: International Blvd Mantua, NJ 07995 |
| Attn: E. Rodriguez |
| FAX # 201-684-1420 |
| INVOICE TO: Arcadis-OS, Inc. |
| Address: International Blvd Mantua, NJ 07995 |
| Attn: E. Rodriguez |
| PO # |

SAMPLE INFORMATION

[illegible]

| Known Hazard: | Yes | No | Describe: |
|-----------------|-----|-----|-----------|
| Conc. Expected: | Low | Med | High |

Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any ambiguities have been resolved.

| Signature/Company | Date | Time | Signature/Company |
|--|---------|------|---------------------------------|
| Relinquished by: <i>Deborah Lynn Arcadio</i> | 10/7/05 | 1:05 | Received by: <i>[Signature]</i> |
| Relinquished by: | | | Received by: |
| Relinquished by: | | | Received by: |
| Relinquished by: | | | Received by: |
| Relinquished by: | | | Received by: |

LA - COPIES - WHITE & YELLOW; CLIENT COPY - PINK

5

PROJECT INFORMATION



Case No. **E09-10185**

Project **KINGS ELECTRONICS - VENDOR #1168636**

Customer **Arcadis Geraghty & Miller**

P.O. # **NJ000423.0005.0000**

Contact **Eric Rodriguez**

Received **10/7/2009 15:05**

E-Mail **eric.rodriguez@arcadis-us.com**

☐ E-Mail EDDs

Verbal Due **10/21/2009**

Phone **(201) 684-1410**

Fax **1(201) 684-1420**

Report Due **10/28/2009**

Report To

Bill To

1 International Blvd.

640 Plaza Drive

Suite 406

Suite 130

Mahwah, NJ 07495

Highlands Ranch, CO 80129

Attn: Eric Rodriguez

Attn: Eric Rodriguez

Report Format Reduced

Additional Info

☐ State Form

☐ Field Sampling

☐ Conditional VOA

| Lab ID | Client Sample ID | Depth Top / Bottom | Sampling Time | Matrix | Unit | # of Containers |
|-----------|------------------|--------------------|-----------------|---------|------|-----------------|
| 10185-001 | GP-104R | n/a | 10/7/2009@10:32 | Aqueous | ug/L | 2 |
| 10185-002 | GP-103R | n/a | 10/7/2009@09:42 | Aqueous | ug/L | 2 |
| 10185-003 | PTW-2 | n/a | 10/7/2009@12:02 | Aqueous | ug/L | 2 |
| 10185-004 | MW-13R | n/a | 10/6/2009@12:43 | Aqueous | ug/L | 2 |
| 10185-005 | MW-9D | n/a | 10/6/2009@10:59 | Aqueous | ug/L | 2 |
| 10185-006 | MW-9S | n/a | 10/6/2009@12:05 | Aqueous | ug/L | 2 |
| 10185-007 | MW-6S | n/a | 10/6/2009@11:14 | Aqueous | ug/L | 2 |
| 10185-008 | FB(100609) | n/a | 10/6/2009@12:00 | Aqueous | ug/L | 2 |
| 10185-009 | FB(100709) | n/a | 10/7/2009@10:20 | Aqueous | ug/L | 2 |
| 10185-010 | TB(100609) | n/a | 10/6/2009 | Aqueous | ug/L | 1 |
| 10185-011 | DUP(100709) | n/a | 10/7/2009 | Aqueous | ug/L | 2 |

| Sample # | Tests | Status | QA Method |
|----------|----------------------|----------|-----------|
| 001 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 002 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 003 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 004 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 005 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 006 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| " | VO Project Revision | Run | 624 |
| 007 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 008 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 009 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 010 | PP VOA + Cis 1,2-DCE | Complete | 8260B |
| 011 | PP VOA + Cis 1,2-DCE | Complete | 8260B |

10/15/2009 09:58 by kim - REV 1

Per Eric Rodriguez, please change sample ID MW-9SR to MW-9S on sample 006.

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: **E 09**

10185

CLIENT:

Arcadis

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA

☒ = NO

☒ Bottles Intact

☒ no-Missing Bottles

☒ no-Extra Bottles

☒ Sufficient Sample Volume

☒ no-headspace/bubbles in VO's

☒ Labels intact/correct

☒ pH Check (exclude VO's)¹

☒ Correct bottles/preservative

☒ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

☒ Chain of Custody is Clear

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

DM

DATE

10/7/09

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

If COC is **NOT** clear, **STOP** until you get client to authorize/clarify work.

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

[Signature]

DATE

10.8.09

REV 03/2009

0067

Laboratory Custody Chronicle

IAL Case No.

E09-10185

Client Arcadis Geraghty & Miller

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 10/ 7/2009@15:05

Department: Volatiles

PP VOA + Cis 1,2-DCE


| | | | <u>Prep. Date</u> | <u>Analyst</u> | <u>Analysis Date</u> | <u>Analyst</u> |
|---|-----------|---------|-------------------|----------------|----------------------|----------------|
| " | 10185-001 | Aqueous | n/a | n/a | 10/ 9/09 | Xing |
| " | -002 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -003 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -004 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -005 | " | n/a | n/a | 10/13/09 | Xing |
| " | -006 | " | n/a | n/a | 10/13/09 | Xing |
| " | -007 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -008 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -009 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -010 | " | n/a | n/a | 10/ 9/09 | Xing |
| " | -011 | " | n/a | n/a | 10/13/09 | Xing |

ANALYTICAL DATA REPORT

Arcadis Geraghty & Miller - Albany
465 New Karner Road
Albany, NY 12205

Project Name: **KINGS ELECTRONICS - VENDOR**
#1168636
IAL Case Number: **E10-03186**

These data have been reviewed and accepted by:



Michael H. Lefin, Ph.D.
Laboratory Director

This report shall not be reproduced, except in its entirety, without the written consent of Integrated Analytical Laboratories, LLC. The test results included in this report relate only to the samples analyzed.

Sample Summary

IAL Case No.

E10-03186

Client Arcadis Geraghty & Miller - Albany

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 4/ 7/2010@19:00

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Depth Top/Bottom</u> | <u>Sampling Time</u> | <u>Matrix</u> | <u># of Container</u> |
|---------------|-------------------------|-------------------------|----------------------|---------------|-----------------------|
| 03186-001 | FB (040610) | n/a | 4/ 6/2010 | Aqueous | 2 |
| 03186-002 | TB (040610) | n/a | 4/ 6/2010@09:00 | Aqueous | 1 |
| 03186-003 | PTW-2 | n/a | 4/ 6/2010@10:36 | Aqueous | 2 |
| 03186-004 | MW-9S | n/a | 4/ 6/2010@10:53 | Aqueous | 2 |
| 03186-005 | MW-9D | n/a | 4/ 6/2010@10:52 | Aqueous | 2 |
| 03186-006 | MW-6S | n/a | 4/ 6/2010@11:46 | Aqueous | 2 |
| 03186-007 | DUP (040610) | n/a | 4/ 6/2010 | Aqueous | 2 |
| 03186-008 | FB (040710) | n/a | 4/ 7/2010@09:00 | Aqueous | 2 |
| 03186-009 | GP-104R | n/a | 4/ 7/2010@10:57 | Aqueous | 2 |
| 03186-010 | GP-103R | n/a | 4/ 7/2010@10:10 | Aqueous | 2 |
| 03186-011 | MW-13R | n/a | 4/ 7/2010@10:12 | Aqueous | 2 |

INTEGRATED ANALYTICAL LABORATORIES, LLC.

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| Qualifiers | 1 |
| Conformance / NonConformance Summary | 2 |
| Laboratory Deliverables Check List | 3 |
| GC/MS NonConformance Summary | 4 |
| Summary Report | 5 |
| Analytical Results | |
| Volatiles | 6 |
| Methodology Summary * | |
| Quality Control | |
| Volatiles | 17 |
| Tuning Results Summary | |
| Method Blank Results Summary | |
| Calibration Summary | |
| Surrogate Compound Recovery Results Summary | |
| Matrix Spike/Matrix Spike Duplicate Results Summary | |
| Internal Standard Summary | |
| Chromatograms | |
| Sample Tracking | |
| Chains of Custody | 70 |
| Laboratory Chronicle | 74 |

* Methodology is included in the IAL Project Information Page

INTEGRATED ANALYTICAL LABORATORIES, LLC.

MATRIX QUALIFIERS

- A -** Indicates the sample is an Aqueous matrix.
- O -** Indicates the sample is an Oil matrix.
- S -** Indicates the sample is a Soil, Sludge or Sediment matrix.
- X -** Indicates the sample is an Other matrix as indicated by Client Chain of Custody.

DATA QUALIFIERS

- B -** Indicates the analyte was found in the Blank and in the sample. It indicates possible sample contamination and warns the data user to use caution when applying the results of the analyte.
- C -** Common Laboratory Contaminant.
- D -** The compound was reported from the Diluted analysis.
- D.F. -** Dilution Factor.
- E -** Estimated concentration, reported results are outside the calibrated range of the instrument.
- J -** Indicates the concentration was reported below the RL but above the MDL. For GC/MS procedures, the mass spectral data meets the criteria required to identify the target compound.
- RL -** Reporting Limit.
- MDL -** Method Detection Limit.
- MI -** Indicates compound concentration could not be determined due to Matrix Interferences.
- NA -** Not Applicable.
- ND -** Indicates the compound was analyzed for but Not Detected at the MDL.

REPORT QUALIFIERS

All solid sample analyses are reported on a dry weight basis.

All solid sample values are corrected for original sample size and percent solids.

- Q -** Qualifier

INTEGRATED ANALYTICAL LABORATORIES, LLC.

CONFORMANCE / NONCONFORMANCE SUMMARY


Integrated Analytical Laboratories, LLC. received eleven (11) aqueous sample(s) from Arcadis Geraghty & Miller - Albany (Project: KINGS ELECTRONICS - VENDOR #1168636) on April 7, 2010 for the analysis of:

(11) PP VOA + Cis 1,2-DCE

A review of the QA/QC measures for the analysis of the sample(s) contained in this report has been performed by:



Reviewed by



Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

LABORATORY DELIVERABLES CHECK LIST

Lab Case Number: E10-03186


| | Check If Complete |
|--|----------------------|
| 1. Cover Page, Title Page listing Lab Certification #, facility name & address and date of report preparation. | <u>✓</u> |
| 2. Table of Contents. | <u>✓</u> |
| 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds. | <u>✓</u> |
| 4. Summary Table cross-referencing Field ID's vs. Lab ID's. | <u>✓</u> |
| 5. Document bound, paginated and legible. | <u>✓</u> |
| 6. Chain of Custody. | <u>✓</u> |
| 7. Methodology Summary. | <u>✓</u> |
| 8. Laboratory Chronicle and Holding Time Check. | <u>✓</u> |
| 9. Results submitted on a dry weight basis (if applicable). | <u>✓</u> |
| 10. Method Detection Limits. | <u>✓</u> |
| 11. Lab certified by NJDEP for parameters or appropriate category of parameters or a member of the USEPA CLP. | <u>✓</u> |
| 12. NonConformance Summary. | <u>✓</u> |

INTEGRATED ANALYTICAL LABORATORIES
CONFORMANCE/NONCONFORMANCE SUMMARY
GC/MS VOLATILE ANALYSIS

Lab Case Number: E10 - 03186

| | No | Yes |
|---|--|--|
| 1. Chromatograms Labeled/Compounds Identified (Field Samples and Method Blanks). | <u> </u> | <u>✓</u> |
| 2. GC/MS Tuning Specifications: | | |
| a. BFB Passed | <u> </u> | <u>✓</u> |
| 3. GC/MS Tuning Frequency - Performed every 24 hours for 600 series, 12 hours for 8000 series and 8 hours for 500 series. | <u> </u> | <u>✓</u> |
| 4. GC/MS Calibration - Initial calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours before sample analysis for 600 series, 12 hours for 8000 series | <u> </u> | <u>✓</u> |
| 5. GC/MS Calibration Requirements: | | |
| a. Calibration Check Compounds | <u> </u> | <u>✓</u> |
| b. System Performance Check Compounds | <u> </u> | <u>✓</u> |
| 6. Blank Contamination - If yes, list compounds and concentrations in each blank: | <u>✓</u> | <u> </u> |
| <hr/> | | |
| 7. Surrogate Recoveries Meet Criteria (If not met, list those compounds and their recoveries which fall outside the acceptable range) | <u> </u> | <u>✓</u> |
| <hr/> | | |
| If not met, were the calculations checked and the results qualified as "estimated"? | <u> </u> | <u>na</u> |
| 8. Matrix Spike/Matrix Spike Duplicate meet criteria (if not, list those compounds and their recoveries/% differences which fall outside the acceptable range) | <u> </u> | <u> </u> |
| <hr/> | | |
| 9. Internal Standard Area/Retention Time Shift meet criteria | <u> </u> | <u>✓</u> |
| 10. Extraction Holding Time Met | <u> </u> | <u> </u> |
| If not met, list number of days exceeded for each sample: | <u> </u> | <u> </u> |
| <hr/> | | |
| 11. Analysis Holding Time Met | <u> </u> | <u>✓</u> |
| If not met, list number of days exceeded for each sample: | <u> </u> | <u> </u> |
| <hr/> | | |
| 12. Sample Dilution Performed | <u>✓</u> | <u> </u> |
| High Target Compounds | High Nontarget Compounds | Matrix Interference |
| <div style="border: 1px solid black; width: 100px; height: 20px;"></div> | <div style="border: 1px solid black; width: 100px; height: 20px;"></div> | <div style="border: 1px solid black; width: 100px; height: 20px;"></div> |
| | Other | <div style="border: 1px solid black; width: 100px; height: 20px;"></div> |

13. Comments:



 Organics Manager

4/12/10

 Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

SUMMARY REPORT

Client: Arcadis Geraghty & Miller - Albany

Project: KINGS ELECTRONICS - VENDOR #1168636

Lab Case No.: E10-03186

| | | | | |
|--------------------------|--------------------|--------------------|-------------------|-------------------|
| Lab ID: | 03186-001 | 03186-002 | 03186-003 | 03186-004 |
| Client ID: | FB (040610) | TB (040610) | PTW-2 | MW-9S |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 4/6/10 | 4/6/10 | 4/6/10 | 4/6/10 |
| PARAMETER(Units) | Conc Q RL | Conc Q RL | Conc Q RL | Conc Q RL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | ND 1.00 | ND 1.00 | 1.38 1.00 | 7.31 1.00 |
| trans-1,2-Dichloroethene | ND 1.00 | ND 1.00 | ND 1.00 | 2.00 1.00 |
| 1,1-Dichloroethane | ND 1.00 | ND 1.00 | 1.79 1.00 | 4.16 1.00 |
| cis-1,2-Dichloroethene | ND 1.00 | ND 1.00 | ND 1.00 | 6.59 1.00 |
| Trichloroethene | ND 1.00 | ND 1.00 | 3.48 1.00 | 1.90 1.00 |
| TOTAL VO's: | ND | ND | 6.65 | 22.0 |

| | | | | |
|--------------------------|-------------------|-------------------|---------------------|--------------------|
| Lab ID: | 03186-005 | 03186-006 | 03186-007 | 03186-008 |
| Client ID: | MW-9D | MW-6S | DUP (040610) | FB (040710) |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 4/6/10 | 4/6/10 | 4/6/10 | 4/7/10 |
| PARAMETER(Units) | Conc Q RL | Conc Q RL | Conc Q RL | Conc Q RL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | ND 1.00 | ND 1.00 | 1.50 1.00 | ND 1.00 |
| 1,1-Dichloroethane | ND 1.00 | ND 1.00 | 1.66 1.00 | ND 1.00 |
| cis-1,2-Dichloroethene | ND 1.00 | ND 1.00 | ND 1.00 | ND 1.00 |
| 1,1,1-Trichloroethane | ND 1.00 | 4.23 1.00 | ND 1.00 | ND 1.00 |
| Trichloroethene | ND 1.00 | 25.1 1.00 | 3.35 1.00 | ND 1.00 |
| Tetrachloroethene | ND 1.00 | 3.28 1.00 | ND 1.00 | ND 1.00 |
| TOTAL VO's: | ND | 32.6 | 6.51 | ND |

| | | | |
|--------------------------|-------------------|-------------------|-------------------|
| Lab ID: | 03186-009 | 03186-010 | 03186-011 |
| Client ID: | GP-104R | GP-103R | MW-13R |
| Matrix: | Aqueous | Aqueous | Aqueous |
| Sampled Date | 4/7/10 | 4/7/10 | 4/7/10 |
| PARAMETER(Units) | Conc Q RL | Conc Q RL | Conc Q RL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | ND 1.00 | 3.02 1.00 | ND 1.00 |
| trans-1,2-Dichloroethene | 0.686 J 1.00 | ND 1.00 | ND 1.00 |
| 1,1-Dichloroethane | 1.30 1.00 | ND 1.00 | ND 1.00 |
| cis-1,2-Dichloroethene | 1.06 1.00 | 1.91 1.00 | ND 1.00 |
| Trichloroethene | 1.05 1.00 | 1.29 1.00 | ND 1.00 |
| TOTAL VO's: | 4.10 J | 6.22 | ND |

ND = Analyzed for but Not Detected at the MDL

J = The concentration was detected at a value below the RL and above the MDL

All qualifiers on individual Volatiles & Semivolatiles are carried down through summation.

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-001

Client ID: FB_(040610)

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8212.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | ND | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.450 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.380 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | ND | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-002

Client ID: TB_(040610)

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8213.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | ND | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.450 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.380 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | ND | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-003

Client ID: PTW-2

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8214.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | 1.38 | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | 1.79 | | 1.00 | 0.450 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | 3.48 | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 6.65

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-004

Client ID: MW-9S

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8215.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | 7.31 | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | 2.00 | | 1.00 | 0.480 |
| 1,1-Dichloroethane | 4.16 | | 1.00 | 0.450 |
| cis-1,2-Dichloroethene | 6.59 | | 1.00 | 0.380 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | 1.90 | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 22.0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-005

Client ID: MW-9D

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8216.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | ND | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.450 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.380 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | ND | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-006

Client ID: MW-6S

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8217.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | ND | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.450 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.380 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | 4.23 | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | 25.1 | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | 3.28 | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 32.6

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 03186-007

Client ID: DUP_(040610)

Date Received: 04/07/2010

Date Analyzed: 04/09/2010

Data file: J8218.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | 1.50 | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | 1.66 | | 1.00 | 0.450 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | 3.35 | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 6.51

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: AGM-ALBANY/KINGS_EL

Lab ID: 03186-008

Client ID: FB_(040710)

Date Received: 04/07/2010

Date Analyzed: 04/13/2010

Data file: L4830.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.270 |
| Vinyl chloride | ND | | 1.00 | 0.410 |
| Bromomethane | ND | | 1.00 | 0.520 |
| Chloroethane | ND | | 1.00 | 0.620 |
| Trichlorofluoromethane | ND | | 1.00 | 0.460 |
| Acrolein | ND | | 20.0 | 1.75 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.450 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.33 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.460 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.390 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.420 |
| Chloroform | ND | | 1.00 | 0.430 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.400 |
| Carbon tetrachloride | ND | | 1.00 | 0.380 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.330 |
| Benzene | ND | | 1.00 | 0.370 |
| Trichloroethene | ND | | 1.00 | 0.380 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.340 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.320 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.260 |
| Toluene | ND | | 1.00 | 0.280 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.240 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.400 |
| Tetrachloroethene | ND | | 1.00 | 0.330 |
| Dibromochloromethane | ND | | 1.00 | 0.220 |
| Chlorobenzene | ND | | 1.00 | 0.430 |
| Ethylbenzene | ND | | 1.00 | 0.380 |
| Total Xylenes | ND | | 2.00 | 0.790 |
| Bromoform | ND | | 1.00 | 0.350 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.220 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.340 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.370 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.340 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: AGM-ALBANY/KINGS_EL

Lab ID: 03186-009

Client ID: GP-104R

Date Received: 04/07/2010

Date Analyzed: 04/13/2010

Data file: L4831.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.270 |
| Vinyl chloride | ND | | 1.00 | 0.410 |
| Bromomethane | ND | | 1.00 | 0.520 |
| Chloroethane | ND | | 1.00 | 0.620 |
| Trichlorofluoromethane | ND | | 1.00 | 0.460 |
| Acrolein | ND | | 20.0 | 1.75 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.450 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.33 |
| trans-1,2-Dichloroethene | 0.686 | J | 1.00 | 0.460 |
| 1,1-Dichloroethane | 1.30 | | 1.00 | 0.390 |
| cis-1,2-Dichloroethene | 1.06 | | 1.00 | 0.420 |
| Chloroform | ND | | 1.00 | 0.430 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.400 |
| Carbon tetrachloride | ND | | 1.00 | 0.380 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.330 |
| Benzene | ND | | 1.00 | 0.370 |
| Trichloroethene | 1.05 | | 1.00 | 0.380 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.340 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.320 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.260 |
| Toluene | ND | | 1.00 | 0.280 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.240 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.400 |
| Tetrachloroethene | ND | | 1.00 | 0.330 |
| Dibromochloromethane | ND | | 1.00 | 0.220 |
| Chlorobenzene | ND | | 1.00 | 0.430 |
| Ethylbenzene | ND | | 1.00 | 0.380 |
| Total Xylenes | ND | | 2.00 | 0.790 |
| Bromoform | ND | | 1.00 | 0.350 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.220 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.340 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.370 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.340 |

Total Target Compounds: 4.10

J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: AGM-ALBANY/KINGS EL

Lab ID: 03186-010

Client ID: GP-103R

Date Received: 04/07/2010

Date Analyzed: 04/13/2010

Data file: L4832.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.270 |
| Vinyl chloride | 3.02 | | 1.00 | 0.410 |
| Bromomethane | ND | | 1.00 | 0.520 |
| Chloroethane | ND | | 1.00 | 0.620 |
| Trichlorofluoromethane | ND | | 1.00 | 0.460 |
| Acrolein | ND | | 20.0 | 1.75 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.450 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.33 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.460 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.390 |
| cis-1,2-Dichloroethene | 1.91 | | 1.00 | 0.420 |
| Chloroform | ND | | 1.00 | 0.430 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.400 |
| Carbon tetrachloride | ND | | 1.00 | 0.380 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.330 |
| Benzene | ND | | 1.00 | 0.370 |
| Trichloroethene | 1.29 | | 1.00 | 0.380 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.340 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.320 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.260 |
| Toluene | ND | | 1.00 | 0.280 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.240 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.400 |
| Tetrachloroethene | ND | | 1.00 | 0.330 |
| Dibromochloromethane | ND | | 1.00 | 0.220 |
| Chlorobenzene | ND | | 1.00 | 0.430 |
| Ethylbenzene | ND | | 1.00 | 0.380 |
| Total Xylenes | ND | | 2.00 | 0.790 |
| Bromoform | ND | | 1.00 | 0.350 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.220 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.340 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.370 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.340 |

Total Target Compounds: 6.22

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: AGM-ALBANY/KINGS EL

Lab ID: 03186-011

Client ID: MW-13R

Date Received: 04/07/2010

Date Analyzed: 04/13/2010

Data file: L4833.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.270 |
| Vinyl chloride | ND | | 1.00 | 0.410 |
| Bromomethane | ND | | 1.00 | 0.520 |
| Chloroethane | ND | | 1.00 | 0.620 |
| Trichlorofluoromethane | ND | | 1.00 | 0.460 |
| Acrolein | ND | | 20.0 | 1.75 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.450 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.33 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.460 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.390 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.420 |
| Chloroform | ND | | 1.00 | 0.430 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.400 |
| Carbon tetrachloride | ND | | 1.00 | 0.380 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.330 |
| Benzene | ND | | 1.00 | 0.370 |
| Trichloroethene | ND | | 1.00 | 0.380 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.340 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.320 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.260 |
| Toluene | ND | | 1.00 | 0.280 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.240 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.400 |
| Tetrachloroethene | ND | | 1.00 | 0.330 |
| Dibromochloromethane | ND | | 1.00 | 0.220 |
| Chlorobenzene | ND | | 1.00 | 0.430 |
| Ethylbenzene | ND | | 1.00 | 0.380 |
| Total Xylenes | ND | | 2.00 | 0.790 |
| Bromoform | ND | | 1.00 | 0.350 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.220 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.340 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.370 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.340 |

Total Target Compounds: 0

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L4208.D

BFB Injection Date: 03/18/2010

Inst ID: MSD_L

BFB Injection Time: 11:21

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----------------------|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 22.6 |
| 75 | 30.0 - 60.0% of mass 95 | 54.7 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.8 |
| 173 | Less than 2.0% of mass 174 | 0.5 (0.6)1 |
| 174 | Great than 50.0% of mass 95 | 88.1 |
| 175 | 5.0 - 9.0% of mass 174 | 6.3 (7.1)1 |
| 176 | 95.0 - 101.0% of mass 174 | 87.0 (98.8)1 |
| 177 | 5.0 - 9.0% of mass 176 | 5.8 (6.7)2 |
| 1-Value is % mass 174 | | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|----------------|---------------|---------|---------------|---------------|
| 1PPB | STD-1PPB | L4210.D | 03/18/2010 | 12:37 |
| 5PPB | STD-5PPB | L4212.D | 03/18/2010 | 13:31 |
| 2PPB | STD-2PPB | L4213.D | 03/18/2010 | 14:13 |
| 20PPB | STD-20PPB | L4214.D | 03/18/2010 | 14:41 |
| 100PPB | STD-100PPB | L4215.D | 03/18/2010 | 15:09 |
| 150PPB | STD-150PPB | L4216.D | 03/18/2010 | 15:38 |
| 200PPB | STD-200PPB | L4217.D | 03/18/2010 | 16:07 |
| N/A | METHOD-BLK | L4221.D | 03/18/2010 | 18:21 |
| TB04_(031810) | 02456-002 | L4222.D | 03/18/2010 | 18:50 |
| 171MW11_(60-80 | 02456-001 | L4224.D | 03/18/2010 | 19:45 |
| LCS-50PPB | BLK-SPK | L4225.D | 03/18/2010 | 20:12 |
| MS | 02373-013MS | L4226.D | 03/18/2010 | 20:39 |
| MSD | 02373-013MSD | L4227.D | 03/18/2010 | 21:06 |
| FIELD_BLANK | 02373-013 | L4228.D | 03/18/2010 | 21:33 |
| FIELD_BLANK | 02375-020 | L4229.D | 03/18/2010 | 21:59 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: L4816.D

BFB Injection Date: 04/13/2010

Inst ID: MSD_L

BFB Injection Time: 11:47

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 19.1 |
| 75 | 30.0 - 60.0% of mass 95 | 50.7 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.8 |
| 173 | Less than 2.0% of mass 174 | 0.4 (0.5)1 |
| 174 | Great than 50.0% of mass 95 | 85.7 |
| 175 | 5.0 - 9.0% of mass 174 | 6.1 (7.1)1 |
| 176 | 95.0 - 101.0% of mass 174 | 82.4 (96.1)1 |
| 177 | 5.0 - 9.0% of mass 176 | 5.5 (6.7)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|----------------|---------------|---------|---------------|---------------|
| N/A | METHOD-BLK | L4820.D | 04/13/2010 | 13:39 |
| TCLP | TCLP-BLK | L4821.D | 04/13/2010 | 14:06 |
| FIELD_BLANK | 03181-006 | L4822.D | 04/13/2010 | 14:33 |
| ST._GEORGE_(OI | 03299-001 | L4823.D | 04/13/2010 | 14:59 |
| LCS-50PPB | BLK-SPK | L4824.D | 04/13/2010 | 15:26 |
| TCLP | TCLP--SPK | L4825.D | 04/13/2010 | 15:56 |
| MS | 03311-018MS | L4826.D | 04/13/2010 | 16:49 |
| MSD | 03311-018MSD | L4827.D | 04/13/2010 | 17:15 |
| FB-SOIL | 03311-018 | L4828.D | 04/13/2010 | 17:42 |
| FIELD | 03233-001 | L4829.D | 04/13/2010 | 18:09 |
| FB_(040710) | 03186-008 | L4830.D | 04/13/2010 | 18:36 |
| GP-104R | 03186-009 | L4831.D | 04/13/2010 | 19:02 |
| GP-103R | 03186-010 | L4832.D | 04/13/2010 | 19:29 |
| MW-13R | 03186-011 | L4833.D | 04/13/2010 | 19:55 |
| EFFLUENT | 03274-002 | L4834.D | 04/13/2010 | 20:22 |
| INFLUENT | 03274-001 | L4835.D | 04/13/2010 | 20:49 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: J7560.D

BFB Injection Date: 03/22/2010

Inst ID: MSD_J

BFB Injection Time: 8:28

| m/z | Ion Abundance Criteria | %Relative Abundance | | |
|-----|------------------------------------|---------------------|----------|---|
| 50 | 15 - 40.0% of mass 95 | 21.1 | | |
| 75 | 30.0 - 60.0% of mass 95 | 58.4 | | |
| 95 | Base peak, 100% relative abundance | 100.0 | | |
| 96 | 5.0 - 9.0% of mass 95 | 6.8 | | |
| 173 | Less than 2.0% of mass 174 | 0.0 | (0.0) | 1 |
| 174 | Great than 50.0% of mass 95 | 72.0 | | |
| 175 | 5.0 - 9.0% of mass 174 | 5.5 | (7.7) | 1 |
| 176 | 95.0 - 101.0% of mass 174 | 69.0 | (95.8) | 1 |
| 177 | 5.0 - 9.0% of mass 176 | 4.5 | (6.5) | 2 |
| | 1-Value is % mass 174 | | | |
| | 2-Value is % mass 176 | | | |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|----------------|---------------|---------|---------------|---------------|
| 5PPB | STD-5PPB | J7562.D | 03/22/2010 | 9:26 |
| 20PPB | STD-20PPB | J7563.D | 03/22/2010 | 9:55 |
| 1PPB | STD-1PPB | J7564.D | 03/22/2010 | 10:24 |
| 200PPB | STD-200PPB | J7565.D | 03/22/2010 | 10:53 |
| 100PPB | STD-100PPB | J7566.D | 03/22/2010 | 11:22 |
| 2PPB | STD-2PPB | J7567.D | 03/22/2010 | 11:52 |
| 150PPB | STD-150PPB | J7568.D | 03/22/2010 | 12:21 |
| NA | METHOD-BLK | J7570.D | 03/22/2010 | 13:30 |
| TCLP | TCLP-BLK | J7571.D | 03/22/2010 | 13:59 |
| SP-2 | 02482-001 | J7572.D | 03/22/2010 | 14:28 |
| TCLP | TCLP-SPK | J7573.D | 03/22/2010 | 14:57 |
| TB06_(032210) | 02562-001 | J7574.D | 03/22/2010 | 15:42 |
| 171MW10B(80-10 | 02562-002 | J7575.D | 03/22/2010 | 16:11 |
| 171MW10B(60-80 | 02562-003 | J7576.D | 03/22/2010 | 16:40 |
| MS | MS | J7577.D | 03/22/2010 | 17:09 |
| MSD | MSD | J7578.D | 03/22/2010 | 17:39 |
| LCS-50PPB | BLK-SPK | J7579.D | 03/22/2010 | 18:08 |
| MW-21I/59 | 02358-001 | J7580.D | 03/22/2010 | 18:37 |
| MW-22I/59 | 02358-003 | J7582.D | 03/22/2010 | 19:35 |
| 171MW10B(60-80 | 02562-003 | J7583.D | 03/22/2010 | 20:04 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: J8198.D

BFB Injection Date: 04/09/2010

Inst ID: MSD_J

BFB Injection Time: 9:13

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 23.2 |
| 75 | 30.0 - 60.0% of mass 95 | 49.7 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.9 |
| 173 | Less than 2.0% of mass 174 | 0.2 (0.3)1 |
| 174 | Great than 50.0% of mass 95 | 66.2 |
| 175 | 5.0 - 9.0% of mass 174 | 5.0 (7.6)1 |
| 176 | 95.0 - 101.0% of mass 174 | 63.8 (96.4)1 |
| 177 | 5.0 - 9.0% of mass 176 | 3.9 (6.1)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|--------------|---------------|---------|---------------|---------------|
| 100PPB | STD-100PPB | J8199.D | 04/09/2010 | 11:53 |
| NA | METHOD-BLK | J8201.D | 04/09/2010 | 13:00 |
| MW-18 | 03077-001 | J8202.D | 04/09/2010 | 13:29 |
| LCS-50PPB | BLK-SPK | J8203.D | 04/09/2010 | 13:58 |
| MS | 03186-005MS | J8204.D | 04/09/2010 | 14:27 |
| MSD | 03186-005MSD | J8205.D | 04/09/2010 | 14:56 |
| BLDG_710 | 03086-001 | J8208.D | 04/09/2010 | 16:23 |
| FB040710 | 03187-004 | J8209.D | 04/09/2010 | 16:52 |
| TB040710 | 03187-005 | J8210.D | 04/09/2010 | 17:21 |
| FIELD_BLANK | 03181-006 | J8211.D | 04/09/2010 | 17:50 |
| FB_(040610) | 03186-001 | J8212.D | 04/09/2010 | 18:18 |
| TB_(040610) | 03186-002 | J8213.D | 04/09/2010 | 18:47 |
| PTW-2 | 03186-003 | J8214.D | 04/09/2010 | 19:15 |
| MW-9S | 03186-004 | J8215.D | 04/09/2010 | 19:44 |
| MW-9D | 03186-005 | J8216.D | 04/09/2010 | 20:13 |
| MW-6S | 03186-006 | J8217.D | 04/09/2010 | 20:42 |
| DUP_(040610) | 03186-007 | J8218.D | 04/09/2010 | 21:10 |

VOLATILE METHOD BLANK SUMMARY

Lab File ID:

L4820.17
L4821.17

Instrument ID:

MSD L

Date Analyzed: 04/13/2010

Time Analyzed:

13:39
14:06

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS & MSD:

| Client ID | Lab Sample ID | Date Analyzed | Time Analyzed |
|----------------|---------------|---------------|---------------|
| FIELD_BLANK | 03181-006 | 04/13/2010 | 14:33 |
| ST._GEORGE_(OL | 03299-001 | 04/13/2010 | 14:59 |
| LCS-50PPB | BLK-SPK | 04/13/2010 | 15:26 |
| TCLP | TCLP--SPK | 04/13/2010 | 15:56 |
| MS | 03311-018MS | 04/13/2010 | 16:49 |
| MSD | 03311-018MSD | 04/13/2010 | 17:15 |
| FB-SOIL | 03311-018 | 04/13/2010 | 17:42 |
| FIELD | 03233-001 | 04/13/2010 | 18:09 |
| FB_(040710) | 03186-008 | 04/13/2010 | 18:36 |
| GP-104R | 03186-009 | 04/13/2010 | 19:02 |
| GP-103R | 03186-010 | 04/13/2010 | 19:29 |
| MW-13R | 03186-011 | 04/13/2010 | 19:55 |
| EFFLUENT | 03274-002 | 04/13/2010 | 20:22 |
| INFLUENT | 03274-001 | 04/13/2010 | 20:49 |

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project:

Lab ID: METHOD-BLK

Client ID: N/A

Date Received:

Date Analyzed: 04/13/2010

Data file: L4820.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.360 |
| Bromomethane | ND | | 1.00 | 0.430 |
| Chloroethane | ND | | 1.00 | 0.370 |
| Trichlorofluoromethane | ND | | 1.00 | 0.340 |
| Acrolein | ND | | 20.0 | 1.81 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.370 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.11 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.350 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.340 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.270 |
| Chloroform | ND | | 1.00 | 0.260 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.300 |
| Carbon tetrachloride | ND | | 1.00 | 0.270 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.290 |
| Trichloroethene | ND | | 1.00 | 0.340 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.280 |
| Bromodichloromethane | ND | | 1.00 | 0.250 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.860 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.290 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.270 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.260 |
| Tetrachloroethene | ND | | 1.00 | 0.330 |
| Dibromochloromethane | ND | | 1.00 | 0.220 |
| Chlorobenzene | ND | | 1.00 | 0.210 |
| Ethylbenzene | ND | | 1.00 | 0.310 |
| Total Xylenes | ND | | 2.00 | 0.820 |
| Bromoform | ND | | 1.00 | 0.170 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.250 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.250 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS Tentatively Identified Compounds

Client/Project:

Lab ID: METHOD-BLK

Client ID: N/A

Date Received:

Date Analyzed: 04/13/2010

Date File: L4820.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous- μ g/L (ppb)

Dilution Factor: 1

% Moisture: 100

| CAS # | Compound | Estimated Concentration | Retention Time |
|-------|----------|----------------------------|-------------------|
|-------|----------|----------------------------|-------------------|

No peaks detected

Total TICs = 0

VOLATILE METHOD BLANK SUMMARY

Lab File ID: J8201.D

Instrument ID: MSD_J

Date Analyzed: 04/09/2010

Time Analyzed: 13:00

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS & MSD:

| Client ID | Lab Sample ID | Date Analyzed | Time Analyzed |
|------------------|----------------------|----------------------|----------------------|
| MW-18 | 03077-001 | 04/09/2010 | 13:29 |
| LCS-50PPB | BLK-SPK | 04/09/2010 | 13:58 |
| MS | 03186-005MS | 04/09/2010 | 14:27 |
| MSD | 03186-005MSD | 04/09/2010 | 14:56 |
| BLDG_710 | 03086-001 | 04/09/2010 | 16:23 |
| FB040710 | 03187-004 | 04/09/2010 | 16:52 |
| TB040710 | 03187-005 | 04/09/2010 | 17:21 |
| FIELD_BLANK | 03181-006 | 04/09/2010 | 17:50 |
| FB_(040610) | 03186-001 | 04/09/2010 | 18:18 |
| TB_(040610) | 03186-002 | 04/09/2010 | 18:47 |
| PTW-2 | 03186-003 | 04/09/2010 | 19:15 |
| MW-9S | 03186-004 | 04/09/2010 | 19:44 |
| MW-9D | 03186-005 | 04/09/2010 | 20:13 |
| MW-6S | 03186-006 | 04/09/2010 | 20:42 |
| DUP_(040610) | 03186-007 | 04/09/2010 | 21:10 |

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project:

Lab ID: METHOD-BLK

Client ID: NA

Date Received:

Date Analyzed: 04/09/2010

Data file: J8201.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.550 |
| Vinyl chloride | ND | | 1.00 | 0.460 |
| Bromomethane | ND | | 1.00 | 0.870 |
| Chloroethane | ND | | 1.00 | 0.720 |
| Trichlorofluoromethane | ND | | 1.00 | 0.750 |
| Acrolein | ND | | 20.0 | 1.44 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.590 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.62 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.480 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.450 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.380 |
| Chloroform | ND | | 1.00 | 0.250 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.310 |
| Carbon tetrachloride | ND | | 1.00 | 0.220 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.240 |
| Benzene | ND | | 1.00 | 0.200 |
| Trichloroethene | ND | | 1.00 | 0.230 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.240 |
| Bromodichloromethane | ND | | 1.00 | 0.230 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.630 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| Toluene | ND | | 1.00 | 0.190 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.190 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.300 |
| Tetrachloroethene | ND | | 1.00 | 0.220 |
| Dibromochloromethane | ND | | 1.00 | 0.210 |
| Chlorobenzene | ND | | 1.00 | 0.190 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.230 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.300 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.190 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.230 |

Total Target Compounds: 0

Response Factor Report MSD_L

Method Path : C:\MSDCHEM\1\METHODS\

Method File : LAM0318.M

Title : VOLATILE ORGANICS BY EPA METHOD 8260B

Last Update : Fri Mar 19 11:52:06 2010

Response Via : Initial Calibration

Calibration Files

1 =L4210.D 2 =L4213.D 5 =L4212.D
 20 =L4214.D 100 =L4215.D 200 =L4217.D 150 =L4216.D

| | Compound | 1 | 2 | 5 | 20 | 100 | 200 | 150 | Avg | %RSD |
|----------------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----ISTD----- | | | | | | | | | | |
| 1) I | Pentafluorobenzene | | | | | | | | | |
| 2) T | Dichlorodifluorom | 0.425 | | 0.342 | 0.479 | 0.478 | 0.379 | 0.409 | 0.419 | 13.01 |
| 3) P | Chloromethane | 1.048 | | 1.058 | 1.138 | 0.994 | 0.806 | 0.839 | 0.981 | 13.37 |
| 4) C | Vinyl chloride | 1.073 | | 0.945 | 1.077 | 0.964 | 0.811 | 0.837 | 0.951 | 11.84 |
| 5) T | Bromomethane | 0.613 | | 0.647 | 0.692 | 0.515 | 0.477 | 0.553 | 0.583 | 14.11 |
| 6) T | Chloroethane | 0.629 | | 0.547 | 0.539 | 0.414 | 0.473 | 0.538 | 0.524 | 13.97 |
| 7) T | Trichlorofluorome | 1.087 | | 0.917 | 1.226 | 1.110 | 0.831 | 0.926 | 1.016 | 14.61 |
| 8) T | Acrolein | 0.092 | | 0.106 | 0.096 | 0.115 | 0.082 | 0.094 | 0.098 | 11.85 |
| 9) MC | 1,1-Dichloroethen | 0.794 | | 0.799 | 0.893 | 0.784 | 0.607 | 0.649 | 0.754 | 14.11 |
| 0) T | Acetone | 0.161 | | 0.159 | 0.191 | 0.182 | 0.145 | 0.149 | 0.164 | 11.03 |
| 1) T | Carbon disulfide | 2.902 | | 2.512 | 2.947 | 2.733 | 2.193 | 2.301 | 2.598 | 12.08 |
| 2) T | Vinyl acetate | 1.925 | | 1.762 | 2.051 | 2.035 | 1.861 | 1.816 | 1.908 | 6.15 |
| 3) T | Methylene chlorid | 1.339 | 1.566 | 1.155 | 1.204 | 1.732 | 1.539 | 1.548 | 1.440 | 14.73 |
| 4) T | Acrylonitrile | 0.127 | | 0.143 | 0.136 | 0.181 | 0.171 | 0.172 | 0.155 | 14.51 |
| 5) T | tert-Butyl alcoho | 0.086 | | 0.077 | 0.077 | 0.069 | 0.061 | 0.060 | 0.072 | 14.04 |
| 6) T | trans-1,2-Dichlor | 0.545 | | 0.510 | 0.573 | 0.605 | 0.640 | 0.588 | 0.577 | 7.94 |
| 7) T | Methyl tert-butyl | 1.531 | | 1.502 | 1.743 | 1.785 | 1.814 | 1.678 | 1.675 | 7.86 |
| 8) P | 1,1-Dichloroethan | 0.900 | | 0.902 | 1.009 | 0.976 | 0.912 | 0.878 | 0.929 | 5.53 |
| 9) T | Diisopropyl ether | 1.963 | | 1.883 | 2.151 | 2.099 | 1.940 | 1.879 | 1.986 | 5.72 |
| 0) T | cis-1,2-Dichloroe | 0.579 | | 0.549 | 0.637 | 0.661 | 0.659 | 0.617 | 0.617 | 7.33 |
| 1) T | 2,2-Dichloropropa | 0.709 | | 0.686 | 0.811 | 0.840 | 0.839 | 0.795 | 0.780 | 8.52 |
| 2) T | 2-Butanone (MEK) | 0.256 | | 0.237 | 0.260 | 0.250 | 0.239 | 0.227 | 0.245 | 5.15 |
| 3) T | Bromochloromethan | 0.264 | | 0.279 | 0.317 | 0.324 | 0.318 | 0.299 | 0.300 | 8.06 |
| 5) C | Chloroform | 0.930 | | 0.908 | 1.038 | 1.020 | 0.965 | 0.923 | 0.964 | 5.61 |
| 6) T | 1,1,1-Trichloroet | 0.656 | | 0.674 | 0.801 | 0.816 | 0.829 | 0.781 | 0.759 | 9.92 |
| 7) T | Carbon tetrachlor | 0.493 | | 0.421 | 0.588 | 0.587 | 0.607 | 0.583 | 0.547 | 13.44 |
| 8) T | 1,1-Dichloroprope | 0.638 | | 0.588 | 0.680 | 0.709 | 0.715 | 0.678 | 0.668 | 7.15 |
| 9) T | 1,2-Dichloroethan | 0.754 | | 0.788 | 0.890 | 0.915 | 0.871 | 0.829 | 0.841 | 7.41 |
| 0) S | 1,2-Dichloroethan | 0.459 | 0.477 | 0.471 | 0.480 | 0.453 | 0.413 | 0.426 | 0.454 | 5.70 |
| -----ISTD----- | | | | | | | | | | |
| 31) I | 1,4-Difluorobenzene | | | | | | | | | |
| 32) M | Benzene | 1.312 | | 1.273 | 1.449 | 1.599 | 1.719 | 1.562 | 1.486 | 11.66 |
| 33) M | Trichloroethene | 0.355 | | 0.331 | 0.368 | 0.403 | 0.442 | 0.399 | 0.383 | 10.31 |
| 34) C | 1,2-Dichloropropa | 0.326 | | 0.330 | 0.382 | 0.397 | 0.412 | 0.380 | 0.371 | 9.49 |
| 35) T | Dibromomethane | 0.268 | | 0.211 | 0.251 | 0.281 | 0.301 | 0.272 | 0.264 | 11.59 |
| 36) T | 1,4-Dioxane | | 0.003 | 0.003 | 0.004 | 0.003 | 0.004 | 0.003 | 0.003 | 6.61 |
| 37) T | Bromodichlorometh | 0.412 | | 0.523 | 0.431 | 0.532 | 0.577 | 0.519 | 0.499 | 12.79 |
| 38) T | 2-Chloroethyl vin | 0.278 | | 0.373 | 0.259 | 0.270 | 0.292 | 0.266 | 0.290 | 14.59 |
| 39) T | cis-1,3-Dichlorop | 0.592 | | 0.460 | 0.593 | 0.665 | 0.711 | 0.649 | 0.612 | 14.24 |
| 40) T | 4-Methyl-2-pentan | 0.357 | | 0.310 | 0.382 | 0.393 | 0.413 | 0.380 | 0.372 | 9.62 |
| 41) S | Toluene-d8 | 0.947 | 0.971 | 0.951 | 0.986 | 0.969 | 0.978 | 0.973 | 0.968 | 1.47 |
| 42) MC | Toluene | 0.933 | | 1.248 | 0.918 | 1.027 | 1.186 | 1.051 | 1.060 | 12.54 |
| 43) T | trans-1,3-Dichlor | 0.433 | | 0.570 | 0.558 | 0.642 | 0.655 | 0.640 | 0.583 | 14.43 |
| 44) T | 1,1,2-Trichloroet | 0.239 | | 0.239 | 0.290 | 0.305 | 0.329 | 0.300 | 0.284 | 13.00 |
| 45) T | Tetrachloroethene | 0.336 | | 0.309 | 0.339 | 0.374 | 0.452 | 0.394 | 0.368 | 13.90 |
| 46) T | 1,3-Dichloropropa | 0.473 | | 0.478 | 0.578 | 0.600 | 0.657 | 0.590 | 0.563 | 12.96 |
| 47) T | 2-Hexanone | 0.336 | | 0.225 | 0.280 | 0.281 | 0.300 | 0.273 | 0.283 | 12.78 |
| 48) T | Dibromochlorometh | 0.279 | | 0.308 | 0.294 | 0.361 | 0.407 | 0.358 | 0.335 | 14.65 |
| 49) T | 1,2-Dibromoethane | 0.441 | | 0.463 | 0.349 | 0.378 | 0.422 | 0.376 | 0.405 | 10.84 |
| -----ISTD----- | | | | | | | | | | |
| 50) I | Chlorobenzene-d5 | | | | | | | | | |
| 51) MP | Chlorobenzene | 0.996 | | 0.955 | 1.074 | 1.199 | 1.291 | 1.173 | 1.115 | 11.54 |
| 52) T | 1,1,1,2-Tetrachlo | 0.222 | | 0.252 | 0.299 | 0.321 | 0.259 | 0.274 | 0.271 | 12.89 |

| | | | | | | | | | | |
|----|---|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3) | C | Ethylbenzene | 1.459 | 1.420 | 1.621 | 1.825 | 1.964 | 1.788 | 1.680 | 12.85 |
| 4) | T | m,p-Xylene | 0.882 | 0.853 | 0.677 | 0.891 | 0.956 | 0.902 | 0.860 | 11.13 |
| 5) | T | o-Xylene | 0.843 | 0.790 | 0.670 | 0.887 | 0.997 | 0.905 | 0.849 | 13.13 |
| 6) | T | Styrene | 1.331 | 1.302 | 1.197 | 1.569 | 1.716 | 1.569 | 1.447 | 13.80 |
| 7) | P | Bromoform | 0.104 | 0.110 | 0.140 | 0.128 | 0.151 | 0.135 | 0.128 | 14.14 |
| 8) | T | Isopropylbenzene | 1.283 | 1.183 | 1.358 | 1.592 | 1.743 | 1.574 | 1.455 | 14.69 |
| 9) | S | Bromofluorobenzen | 0.409 | 0.406 | 0.414 | 0.402 | 0.408 | 0.396 | 0.395 | 1.74 |
| 0) | P | 1,1,2,2-Tetrachlo | 0.361 | 0.355 | 0.437 | 0.487 | 0.401 | 0.440 | 0.413 | 12.29 |
| 1) | T | Bromobenzene | 0.415 | 0.406 | 0.471 | 0.596 | 0.462 | 0.495 | 0.474 | 14.53 |
| 2) | T | 1,2,3-Trichloropr | 0.234 | 0.255 | 0.286 | 0.306 | 0.314 | 0.284 | 0.280 | 10.85 |
| 3) | T | n-Propylbenzene | 1.424 | 1.315 | 1.510 | 1.685 | 1.805 | 1.637 | 1.563 | 11.54 |
| 4) | T | 2-Chlorotoluene | 0.991 | 1.052 | 1.037 | 1.188 | 1.045 | 1.339 | 1.109 | 11.80 |
| 5) | T | 1,3,5-Trimethylbe | 1.270 | 1.235 | 1.132 | 1.423 | 1.618 | 1.446 | 1.354 | 12.94 |
| 6) | T | 4-Chlorotoluene | 1.197 | 1.713 | 1.245 | 1.497 | 1.647 | 1.474 | 1.462 | 14.19 |
| 7) | T | tert-Butylbenzene | 0.817 | 0.967 | 0.848 | 1.008 | 1.151 | 1.014 | 0.967 | 12.59 |
| 8) | T | 1,2,4-Trimethylbe | 1.102 | 1.444 | 1.198 | 1.467 | 1.617 | 1.453 | 1.380 | 13.88 |
| 9) | T | sec-Butylbenzene | 1.132 | 0.967 | 1.112 | 1.295 | 1.421 | 1.292 | 1.203 | 13.56 |
| 0) | T | 1,3-Dichlorobenze | 0.729 | 0.931 | 0.753 | 0.929 | 1.039 | 0.919 | 0.883 | 13.46 |
| 1) | T | 4-Isopropyltoluen | 0.923 | 1.055 | 0.994 | 1.201 | 1.372 | 1.210 | 1.126 | 14.70 |
| 2) | T | 1,4-Dichlorobenze | 0.778 | 0.941 | 0.792 | 0.979 | 1.087 | 0.960 | 0.923 | 12.81 |
| 3) | T | n-Butylbenzene | 0.462 | 0.487 | 0.447 | 0.559 | 0.625 | 0.564 | 0.524 | 13.27 |
| 4) | T | 1,2-Dichlorobenze | 0.731 | 0.718 | 0.767 | 0.975 | 0.921 | 0.978 | 0.848 | 14.48 |
| 5) | T | 1,2-Dibromo-3-chl | 0.061 | 0.039 | 0.052 | 0.049 | 0.054 | 0.050 | 0.051 | 13.68 |
| 6) | T | 1,2,4-Trichlorobe | 0.437 | 0.341 | 0.390 | 0.476 | 0.521 | 0.465 | 0.438 | 14.73 |
| 7) | T | Hexachlorobutadie | 0.150 | 0.116 | 0.123 | 0.139 | 0.113 | 0.136 | 0.130 | 11.18 |
| 8) | T | Naphthalene | 0.890 | 0.883 | 1.090 | 1.105 | 1.296 | 1.069 | 1.055 | 14.62 |
| 9) | T | 1,2,3-Trichlorobe | 0.366 | 0.302 | 0.343 | 0.418 | 0.366 | 0.418 | 0.369 | 12.15 |
| 0) | T | 1,1,2-Trichloro-1 | 0.542 | 0.494 | 0.488 | 0.500 | 0.387 | 0.413 | 0.471 | 12.42 |
| 1) | T | Methyl acetate | 0.458 | 0.389 | 0.433 | 0.408 | 0.332 | 0.337 | 0.393 | 12.96 |
| 2) | T | Cyclohexane | 0.266 | 0.385 | 0.383 | 0.380 | 0.363 | 0.349 | 0.354 | 12.79 |
| 3) | T | Methylcyclohexane | 0.257 | 0.185 | 0.217 | 0.238 | 0.230 | 0.219 | 0.224 | 10.84 |

 (#) = Out of Range ### Number of calibration levels exceeded format ###

AM0318.M Fri Mar 19 11:52:12 2010 RPT1

Evaluate Continuing Calibration Report

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
 Data File : L4817.D
 Acq On : 13 Apr 2010 12:14
 Operator : MEI
 Sample : 100PPB,STD-100PPB,W,5ml,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 14 09:58:21 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Thu Mar 25 10:58:10 2010
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|-------|------------------------------|-------|-------|-------|-------|----------|
| 1 I | Pentafluorobenzene | 1.000 | 1.000 | 0.0 | 147 | 0.00 |
| 2 T | Dichlorodifluoromethane | 0.419 | 0.423 | -1.0 | 130 | 0.02 |
| 3 P | Chloromethane | 0.981 | 0.800 | 18.5 | 119 | -0.05 |
| 4 C | Vinyl chloride | 0.951 | 0.783 | 17.7 | 120 | -0.03 |
| 5 T | Bromomethane | 0.583 | 0.479 | 17.8 | 137 | -0.05 |
| 6 T | Chloroethane | 0.524 | 0.443 | 15.5 | 158 | -0.02 |
| 7 T | Trichlorofluoromethane | 1.016 | 1.033 | -1.7 | 137 | -0.01 |
| 8 T | Acrolein | 0.098 | 0.089 | 9.2 | 114 | 0.00 |
| 9 MC | 1,1-Dichloroethene | 0.754 | 0.767 | -1.7 | 144 | -0.01 |
| 10 T | Acetone | 0.164 | 0.143 | 12.8 | 116 | 0.00 |
| 11 T | Carbon disulfide | 2.598 | 2.523 | 2.9 | 136 | -0.01 |
| 12 T | Vinyl acetate | 1.908 | 1.692 | 11.3 | 123 | 0.00 |
| 13 T | Methylene chloride | 1.440 | 1.547 | -7.4 | 132 | -0.01 |
| 14 T | Acrylonitrile | 0.155 | 0.175 | -12.9 | 142 | 0.00 |
| 15 T | tert-Butyl alcohol (TBA) | 0.072 | 0.073 | -1.4 | 156 | -0.01 |
| 16 T | trans-1,2-Dichloroethene | 0.577 | 0.652 | -13.0 | 159 | 0.00 |
| 17 T | Methyl tert-butyl ether (MT) | 1.675 | 1.532 | 8.5 | 127 | -0.01 |
| 18 P | 1,1-Dichloroethane | 0.929 | 0.994 | -7.0 | 150 | 0.00 |
| 19 T | Diisopropyl ether (DIPE) | 1.986 | 1.989 | -0.2 | 140 | 0.00 |
| 20 T | cis-1,2-Dichloroethene | 0.617 | 0.709 | -14.9 | 158 | -0.01 |
| 21 T | 2,2-Dichloropropane | 0.780 | 0.846 | -8.5 | 148 | 0.00 |
| 22 T | 2-Butanone (MEK) | 0.245 | 0.263 | -7.3 | 155 | 0.00 |
| 23 T | Bromochloromethane | 0.300 | 0.343 | -14.3 | 156 | 0.00 |
| 25 C | Chloroform | 0.964 | 1.089 | -13.0 | 157 | 0.00 |
| 26 T | 1,1,1-Trichloroethane | 0.759 | 0.894 | -17.8 | 161 | 0.00 |
| 27 T | Carbon tetrachloride | 0.547 | 0.638 | -16.6 | 160 | 0.00 |
| 28 T | 1,1-Dichloropropene | 0.668 | 0.782 | -17.1 | 163 | 0.01 |
| 29 T | 1,2-Dichloroethane (EDC) | 0.841 | 0.838 | 0.4 | 135 | 0.00 |
| 30 S | 1,2-Dichloroethane-d4 | 0.454 | 0.402 | 11.5 | 131 | 0.00 |
| 31 I | 1,4-Difluorobenzene | 1.000 | 1.000 | 0.0 | 155 | 0.00 |
| 32 M | Benzene | 1.486 | 1.619 | -9.0 | 157 | 0.00 |
| 33 M | Trichloroethene | 0.383 | 0.429 | -12.0 | 165 | 0.00 |
| 34 C | 1,2-Dichloropropane | 0.371 | 0.375 | -1.1 | 146 | 0.00 |
| 35 T | Dibromomethane | 0.264 | 0.240 | 9.1 | 133 | 0.00 |
| 37 T | Bromodichloromethane | 0.499 | 0.516 | -3.4 | 150 | 0.00 |
| 38 T | 2-Chloroethyl vinyl ether | 0.290 | 0.339 | -16.9 | 194 | 0.00 |
| 39 T | cis-1,3-Dichloropropene | 0.612 | 0.620 | -1.3 | 144 | 0.00 |
| 40 T | 4-Methyl-2-pentanone (MIBK) | 0.372 | 0.403 | -8.3 | 159 | 0.00 |
| 41 S | Toluene-d8 | 0.968 | 0.982 | -1.4 | 157 | 0.01 |
| 42 MC | Toluene | 1.060 | 1.096 | -3.4 | 165 | 0.00 |
| 43 T | trans-1,3-Dichloropropene | 0.583 | 0.555 | 4.8 | 134 | 0.00 |
| 44 T | 1,1,2-Trichloroethane | 0.284 | 0.266 | 6.3 | 135 | 0.00 |
| 45 T | Tetrachloroethene | 0.368 | 0.426 | -15.8 | 176 | 0.00 |
| 46 T | 1,3-Dichloropropane | 0.563 | 0.528 | 6.2 | 136 | 0.00 |
| 47 T | 2-Hexanone | 0.283 | 0.266 | 6.0 | 146 | 0.00 |

| | | | | | | | |
|----|----|-----------------------------|-------|-------|-------|-----|-------|
| 48 | T | Dibromochloromethane | 0.335 | 0.397 | -18.5 | 170 | 0.00 |
| 49 | T | 1,2-Dibromoethane (EDB) | 0.405 | 0.333 | 17.8 | 136 | 0.00 |
| 50 | I | Chlorobenzene-d5 | 1.000 | 1.000 | 0.0 | 173 | 0.00 |
| 51 | MP | Chlorobenzene | 1.115 | 1.123 | -0.7 | 162 | 0.00 |
| 52 | T | 1,1,1,2-Tetrachloroethane | 0.271 | 0.315 | -16.2 | 170 | 0.00 |
| 53 | C | Ethylbenzene | 1.680 | 1.700 | -1.2 | 161 | 0.00 |
| 54 | T | m,p-Xylene | 0.860 | 0.813 | 5.5 | 158 | 0.00 |
| 55 | T | o-Xylene | 0.849 | 0.813 | 4.2 | 159 | 0.00 |
| 56 | T | Styrene | 1.447 | 1.398 | 3.4 | 154 | 0.00 |
| 57 | P | Bromoform | 0.128 | 0.150 | -17.2 | 203 | 0.00 |
| 58 | T | Isopropylbenzene | 1.455 | 1.520 | -4.5 | 165 | 0.00 |
| 59 | S | Bromofluorobenzene | 0.404 | 0.389 | 3.7 | 165 | 0.00 |
| 60 | P | 1,1,2,2-Tetrachloroethane | 0.413 | 0.361 | 12.6 | 128 | -0.01 |
| 61 | T | Bromobenzene | 0.474 | 0.523 | -10.3 | 152 | 0.00 |
| 62 | T | 1,2,3-Trichloropropane | 0.280 | 0.269 | 3.9 | 153 | 0.00 |
| 63 | T | n-Propylbenzene | 1.563 | 1.592 | -1.9 | 164 | 0.00 |
| 64 | T | 2-Chlorotoluene | 1.109 | 1.104 | 0.5 | 161 | 0.00 |
| 65 | T | 1,3,5-Trimethylbenzene | 1.354 | 1.355 | -0.1 | 165 | -0.01 |
| 66 | T | 4-Chlorotoluene | 1.462 | 1.366 | 6.6 | 158 | 0.00 |
| 67 | T | tert-Butylbenzene | 0.967 | 0.984 | -1.8 | 169 | 0.00 |
| 68 | T | 1,2,4-Trimethylbenzene | 1.380 | 1.352 | 2.0 | 160 | 0.00 |
| 69 | T | sec-Butylbenzene | 1.203 | 1.276 | -6.1 | 171 | 0.00 |
| 70 | T | 1,3-Dichlorobenzene | 0.883 | 0.848 | 4.0 | 158 | 0.00 |
| 71 | T | 4-Isopropyltoluene | 1.126 | 1.165 | -3.5 | 168 | 0.00 |
| 72 | T | 1,4-Dichlorobenzene | 0.923 | 0.873 | 5.4 | 155 | 0.00 |
| 73 | T | n-Butylbenzene | 0.524 | 0.547 | -4.4 | 169 | 0.00 |
| 74 | T | 1,2-Dichlorobenzene | 0.848 | 0.833 | 1.8 | 148 | 0.00 |
| 75 | T | 1,2-Dibromo-3-chloropropane | 0.051 | 0.045 | 11.8 | 160 | 0.00 |
| 76 | T | 1,2,4-Trichlorobenzene | 0.438 | 0.418 | 4.6 | 152 | 0.00 |
| 77 | T | Hexachlorobutadiene | 0.130 | 0.124 | 4.6 | 155 | 0.00 |
| 78 | T | Naphthalene | 1.055 | 1.072 | -1.6 | 168 | 0.00 |
| 79 | T | 1,2,3-Trichlorobenzene | 0.369 | 0.300 | 18.7 | 124 | 0.00 |
| 80 | T | 1,1,2-Trichloro-1,2,2-trifl | 0.471 | 0.383 | 18.7 | 133 | -0.03 |
| 81 | T | Methyl acetate | 0.393 | 0.444 | -13.0 | 189 | 0.00 |
| 82 | T | Cyclohexane | 0.354 | 0.311 | 12.1 | 142 | 0.00 |
| 83 | T | Methylcyclohexane | 0.224 | 0.203 | 9.4 | 148 | 0.00 |

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

LAM0318.M Wed Apr 14 09:58:26 2010 RPT1

Response Factor Report MSD_J

Method Path : C:\MSDCHEM\1\METHODS\
 Method File : J0322.M
 Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 Last Update : Wed Mar 24 11:27:19 2010
 Response Via : Initial Calibration

Calibration Files

1 =J7564.D 2 =J7567.D 5 =J7562.D
 20 =J7563.D 100 =J7566.D 200 =J7565.D 150 =J7568.D

| Compound | 1 | 2 | 5 | 20 | 100 | 200 | 150 | Avg | %RSD |
|---------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1) I Pentafluorobenzene | -----ISTD----- | | | | | | | | |
| 2) T Dichlorodifluorom | 0.648 | 0.787 | 0.669 | 0.719 | 0.621 | 0.564 | 0.549 | 0.651 | 12.91 |
| 3) P Chloromethane | 0.587 | 0.649 | 0.606 | 0.675 | 0.424 | 0.605 | 0.601 | 0.592 | 13.59 |
| 4) C Vinyl chloride | 0.442 | 0.530 | 0.509 | 0.622 | 0.449 | 0.529 | 0.531 | 0.516 | 11.66 |
| 5) T Bromomethane | 0.280 | 0.281 | 0.315 | 0.278 | 0.233 | 0.222 | 0.216 | 0.261 | 14.23 |
| 6) T Chloroethane | 0.218 | 0.320 | 0.259 | 0.300 | 0.223 | 0.268 | 0.296 | 0.269 | 14.39 |
| 7) T Trichlorofluorome | 0.612 | 0.770 | 0.856 | 0.834 | 0.572 | 0.708 | 0.697 | 0.721 | 14.78 |
| 8) T Acrolein | 0.074 | 0.069 | 0.067 | 0.062 | 0.053 | 0.063 | 0.057 | 0.064 | 11.34 |
| 9) MC 1,1-Dichloroethen | 0.347 | 0.367 | 0.389 | 0.384 | 0.355 | 0.392 | 0.391 | 0.375 | 5.00 |
| 10) T Acetone | 0.154 | 0.168 | 0.156 | 0.188 | 0.152 | 0.151 | 0.150 | 0.160 | 8.58 |
| 11) T Carbon disulfide | 1.391 | 1.471 | 1.543 | 1.552 | 1.281 | 1.441 | 1.454 | 1.448 | 6.41 |
| 12) T Vinyl acetate | 1.642 | 1.295 | 1.351 | 1.482 | 1.447 | 1.383 | 1.343 | 1.421 | 8.20 |
| 13) T Methylene chlorid | | 0.498 | 0.551 | 0.552 | 0.424 | 0.474 | 0.475 | 0.496 | 10.03 |
| 14) T Acrylonitrile | 0.233 | 0.259 | 0.218 | 0.200 | 0.240 | 0.194 | 0.177 | 0.217 | 13.29 |
| 15) T tert-Butyl alcoho | 0.044 | 0.055 | 0.054 | 0.046 | 0.040 | 0.047 | 0.040 | 0.047 | 12.82 |
| 16) T trans-1,2-Dichlor | 0.450 | 0.523 | 0.573 | 0.566 | 0.466 | 0.459 | 0.462 | 0.500 | 10.65 |
| 17) T Methyl tert-butyl | 1.778 | 1.678 | 1.749 | 1.738 | 1.656 | 1.542 | 1.473 | 1.659 | 6.83 |
| 18) P 1,1-Dichloroethan | 0.979 | 1.111 | 1.057 | 1.004 | 0.909 | 0.875 | 0.883 | 0.974 | 9.25 |
| 19) T Diisopropyl ether | 1.425 | 1.270 | 1.440 | 1.665 | 1.617 | 1.562 | 1.590 | 1.510 | 9.14 |
| 20) T cis-1,2-Dichloroe | 0.540 | 0.429 | 0.457 | 0.471 | 0.486 | 0.495 | 0.481 | 0.480 | 7.15 |
| 21) T 2,2-Dichloropropa | 0.369 | 0.384 | 0.385 | 0.400 | 0.363 | 0.352 | 0.335 | 0.370 | 5.93 |
| 22) T 2-Butanone (MEK) | 0.201 | 0.203 | 0.213 | 0.232 | 0.238 | 0.236 | 0.212 | 0.219 | 7.21 |
| 23) T Bromochloromethan | 0.307 | 0.253 | 0.252 | 0.252 | 0.229 | 0.219 | 0.222 | 0.248 | 12.21 |
| 25) C Chloroform | 1.037 | 1.050 | 1.010 | 0.972 | 0.882 | 0.871 | 0.885 | 0.958 | 8.11 |
| 26) T 1,1,1-Trichloroet | 0.705 | 0.714 | 0.658 | 0.666 | 0.614 | 0.603 | 0.612 | 0.653 | 6.96 |
| 27) T Carbon tetrachlor | 0.751 | 0.545 | 0.552 | 0.574 | 0.535 | 0.522 | 0.528 | 0.573 | 14.05 |
| 28) T 1,1-Dichloroprope | 0.743 | 0.610 | 0.589 | 0.672 | 0.646 | 0.640 | 0.635 | 0.648 | 7.63 |
| 29) T 1,2-Dichloroethan | 0.865 | 1.046 | 0.929 | 0.889 | 0.833 | 0.827 | 0.826 | 0.888 | 8.95 |
| 30) S 1,2-Dichloroethan | 0.740 | 0.721 | 0.679 | 0.621 | 0.586 | 0.583 | 0.575 | 0.644 | 10.74 |
| 31) I 1,4-Difluorobenzene | -----ISTD----- | | | | | | | | |
| 32) M Benzene | 1.534 | 1.287 | 1.261 | 1.308 | 1.239 | 1.181 | 1.228 | 1.291 | 8.89 |
| 33) M Trichloroethene | 0.349 | 0.296 | 0.289 | 0.299 | 0.302 | 0.297 | 0.302 | 0.305 | 6.48 |
| 34) C 1,2-Dichloropropa | 0.351 | 0.294 | 0.312 | 0.333 | 0.323 | 0.311 | 0.321 | 0.321 | 5.61 |
| 35) T Dibromomethane | 0.261 | 0.215 | 0.212 | 0.220 | 0.221 | 0.212 | 0.213 | 0.222 | 7.84 |
| 36) T 1,4-Dioxane | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | 10.65 |
| 37) T Bromodichlorometh | 0.442 | 0.364 | 0.377 | 0.421 | 0.438 | 0.450 | 0.455 | 0.421 | 8.62 |
| 38) T 2-Chloroethyl vin | 0.042 | 0.049 | 0.046 | 0.048 | 0.062 | 0.049 | 0.043 | 0.049 | 13.37 |
| 39) T cis-1,3-Dichlorop | 0.427 | 0.408 | 0.411 | 0.418 | 0.515 | 0.526 | 0.519 | 0.460 | 12.17 |
| 40) T 4-Methyl-2-pentan | 0.270 | 0.258 | 0.271 | 0.233 | 0.309 | 0.300 | 0.280 | 0.275 | 9.24 |
| 41) S Toluene-d8 | 0.966 | 0.996 | 1.002 | 1.045 | 1.083 | 1.074 | 1.083 | 1.036 | 4.60 |
| 42) MC Toluene | 0.929 | 0.785 | 0.766 | 0.807 | 0.802 | 0.779 | 0.799 | 0.809 | 6.75 |
| 43) T trans-1,3-Dichlor | 0.399 | 0.331 | 0.430 | 0.422 | 0.485 | 0.477 | 0.477 | 0.432 | 12.80 |
| 44) T 1,1,2-Trichloroet | 0.326 | 0.250 | 0.236 | 0.244 | 0.253 | 0.248 | 0.247 | 0.258 | 11.84 |
| 45) T Tetrachloroethene | 0.342 | 0.269 | 0.249 | 0.272 | 0.276 | 0.284 | 0.283 | 0.282 | 10.21 |
| 46) T 1,3-Dichloropropa | 0.522 | 0.450 | 0.470 | 0.531 | 0.577 | 0.571 | 0.570 | 0.527 | 9.65 |
| 47) T 2-Hexanone | 0.272 | 0.265 | 0.281 | 0.187 | 0.288 | 0.276 | 0.241 | 0.258 | 13.54 |
| 48) T Dibromochlorometh | 0.255 | 0.312 | 0.322 | 0.246 | 0.314 | 0.340 | 0.326 | 0.302 | 12.08 |
| 49) T 1,2-Dibromoethane | 0.298 | 0.235 | 0.252 | 0.281 | 0.318 | 0.324 | 0.316 | 0.289 | 12.04 |
| 50) I Chlorobenzene-d5 | -----ISTD----- | | | | | | | | |
| 51) MP Chlorobenzene | 1.016 | 1.007 | 0.918 | 0.908 | 0.832 | 0.799 | 0.825 | 0.901 | 9.69 |
| 52) T 1,1,1,2-Tetrachlo | 0.338 | 0.288 | 0.274 | 0.296 | 0.299 | 0.300 | 0.306 | 0.300 | 6.55 |

| | | | | | | | | | | | |
|-----|---|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 53) | C | Ethylbenzene | 1.303 | 1.100 | 1.216 | 1.494 | 1.498 | 1.503 | 1.521 | 1.376 | 12.34 |
| 54) | T | m,p-Xylene | 0.439 | 0.384 | 0.495 | 0.566 | 0.533 | 0.507 | 0.527 | 0.493 | 12.57 |
| 55) | T | o-Xylene | 0.517 | 0.437 | 0.588 | 0.465 | 0.551 | 0.527 | 0.544 | 0.518 | 10.00 |
| 56) | T | Styrene | 0.983 | 0.825 | 0.799 | 1.063 | 1.032 | 0.977 | 1.016 | 0.956 | 10.79 |
| 57) | P | Bromoform | 0.146 | 0.197 | 0.184 | 0.146 | 0.182 | 0.208 | 0.189 | 0.179 | 13.50 |
| 58) | T | Isopropylbenzene | 1.030 | 1.222 | 1.577 | 1.289 | 1.404 | 1.422 | 1.432 | 1.339 | 13.21 |
| 59) | S | Bromofluorobenzen | 0.570 | 0.579 | 0.614 | 0.634 | 0.616 | 0.616 | 0.605 | 0.605 | 3.71 |
| 60) | P | 1,1,2,2-Tetrachlo | 0.603 | 0.511 | 0.499 | 0.512 | 0.469 | 0.431 | 0.411 | 0.491 | 12.85 |
| 61) | T | Bromobenzene | 0.454 | 0.380 | 0.376 | 0.407 | 0.386 | 0.362 | 0.372 | 0.391 | 7.99 |
| 62) | T | 1,2,3-Trichloropr | 0.411 | 0.356 | 0.339 | 0.366 | 0.355 | 0.342 | 0.320 | 0.355 | 8.03 |
| 63) | T | n-Propylbenzene | 1.376 | 1.349 | 1.358 | 1.750 | 1.756 | 1.728 | 1.726 | 1.577 | 12.87 |
| 64) | T | 2-Chlorotoluene | 1.089 | 0.905 | 1.089 | 1.265 | 1.232 | 1.190 | 1.201 | 1.139 | 10.80 |
| 65) | T | 1,3,5-Trimethylbe | 1.629 | 1.560 | 1.195 | 1.221 | 1.292 | 1.235 | 1.252 | 1.341 | 13.20 |
| 66) | T | 4-Chlorotoluene | 1.299 | 1.539 | 1.470 | 1.585 | 1.472 | 1.404 | 1.418 | 1.455 | 6.44 |
| 67) | T | tert-Butylbenzene | 0.929 | 0.694 | 0.900 | 0.813 | 0.870 | 0.825 | 0.832 | 0.838 | 9.07 |
| 68) | T | 1,2,4-Trimethylbe | 0.806 | 0.860 | 1.128 | 1.126 | 1.147 | 0.903 | 1.077 | 1.007 | 14.39 |
| 69) | T | sec-Butylbenzene | 1.519 | 1.548 | 1.012 | 1.384 | 1.393 | 1.339 | 1.345 | 1.363 | 12.86 |
| 70) | T | 1,3-Dichlorobenze | 0.731 | 0.655 | 0.689 | 0.759 | 0.717 | 0.677 | 0.691 | 0.703 | 5.02 |
| 71) | T | 4-Isopropyltoluen | 1.278 | 1.192 | 0.819 | 0.970 | 1.116 | 1.066 | 1.078 | 1.074 | 13.85 |
| 72) | T | 1,4-Dichlorobenze | 0.750 | 0.667 | 0.762 | 0.814 | 0.765 | 0.721 | 0.736 | 0.745 | 6.06 |
| 73) | T | n-Butylbenzene | 0.433 | 0.391 | 0.589 | 0.550 | 0.571 | 0.538 | 0.544 | 0.517 | 14.40 |
| 74) | T | 1,2-Dichlorobenze | 0.689 | 0.660 | 0.735 | 0.809 | 0.712 | 0.656 | 0.678 | 0.706 | 7.62 |
| 75) | T | 1,2-Dibromo-3-chl | 0.062 | 0.086 | 0.062 | 0.073 | 0.084 | 0.086 | 0.087 | 0.077 | 14.82 |
| 76) | T | 1,2,4-Trichlorobe | 0.273 | 0.280 | 0.252 | 0.301 | 0.365 | 0.352 | 0.344 | 0.310 | 14.26 |
| 77) | T | Hexachlorobutadie | 0.173 | 0.169 | 0.231 | 0.198 | 0.182 | 0.162 | 0.160 | 0.182 | 13.84 |
| 78) | T | Naphthalene | 0.871 | 0.805 | 0.845 | 1.063 | 1.162 | 1.041 | 0.994 | 0.969 | 13.60 |
| 79) | T | 1,2,3-Trichlorobe | 0.338 | 0.320 | 0.314 | 0.354 | 0.369 | 0.349 | 0.336 | 0.340 | 5.67 |
| 80) | T | 1,1,2-Trichloro-1 | 0.148 | 0.170 | 0.218 | 0.184 | 0.177 | 0.179 | 0.172 | 0.178 | 11.84 |
| 81) | T | Methyl acetate | 0.156 | 0.179 | 0.212 | 0.194 | 0.164 | 0.161 | 0.159 | 0.175 | 12.08 |
| 82) | T | Cyclohexane | 0.386 | 0.401 | 0.356 | 0.330 | 0.378 | 0.308 | 0.309 | 0.352 | 10.67 |
| 83) | T | Methylcyclohexane | 0.213 | 0.169 | 0.159 | 0.202 | 0.200 | 0.185 | 0.187 | 0.188 | 10.16 |

(#) = Out of Range ### Number of calibration levels exceeded format ###

J0322.M Wed Mar 24 11:36:48 2010 RT1

Evaluate Continuing Calibration Report

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
 Data File : J8199.D
 Acq On : 9 Apr 2010 11:53
 Operator : DANA
 Sample : 100PPB,STD-100PPB,A,5ml,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 09 12:52:46 2010
 Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Wed Mar 24 16:16:43 2010
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|-------|------------------------------|-------|-------|-------|-------|----------|
| 1 I | Pentafluorobenzene | 1.000 | 1.000 | 0.0 | 69 | 0.00 |
| 2 T | Dichlorodifluoromethane | 0.651 | 0.710 | -9.1 | 79 | 0.01 |
| 3 P | Chloromethane | 0.592 | 0.627 | -5.9 | 102 | 0.02 |
| 4 C | Vinyl chloride | 0.516 | 0.611 | -18.4 | 94 | 0.01 |
| 5 T | Bromomethane | 0.261 | 0.282 | -8.0 | 84 | -0.01 |
| 6 T | Chloroethane | 0.269 | 0.297 | -10.4 | 92 | 0.00 |
| 7 T | Trichlorofluoromethane | 0.721 | 0.809 | -12.2 | 98 | 0.00 |
| 8 T | Acrolein | 0.064 | 0.048 | 25.0 | 63 | 0.01 |
| 9 MC | 1,1-Dichloroethene | 0.375 | 0.430 | -14.7 | 84 | -0.01 |
| 10 T | Acetone | 0.160 | 0.161 | -0.6 | 73 | 0.01 |
| 11 T | Carbon disulfide | 1.448 | 1.716 | -18.5 | 93 | 0.00 |
| 12 T | Vinyl acetate | 1.421 | 1.619 | -13.9 | 77 | 0.01 |
| 13 T | Methylene chloride | 0.496 | 0.578 | -16.5 | 94 | 0.00 |
| 14 T | Acrylonitrile | 0.217 | 0.243 | -12.0 | 70 | 0.00 |
| 15 T | tert-Butyl alcohol (TBA) | 0.047 | 0.050 | -6.4 | 86 | 0.02 |
| 16 T | trans-1,2-Dichloroethene | 0.500 | 0.473 | 5.4 | 70 | 0.00 |
| 17 T | Methyl tert-butyl ether (MT) | 1.659 | 1.637 | 1.3 | 68 | 0.00 |
| 18 P | 1,1-Dichloroethane | 0.974 | 0.956 | 1.8 | 73 | 0.00 |
| 19 T | Diisopropyl ether (DIPE) | 1.510 | 1.732 | -14.7 | 74 | 0.00 |
| 20 T | cis-1,2-Dichloroethene | 0.480 | 0.476 | 0.8 | 68 | 0.00 |
| 21 T | 2,2-Dichloropropane | 0.370 | 0.416 | -12.4 | 79 | 0.01 |
| 22 T | 2-Butanone (MEK) | 0.219 | 0.224 | -2.3 | 65 | 0.01 |
| 23 T | Bromochloromethane | 0.248 | 0.224 | 9.7 | 68 | 0.00 |
| 25 C | Chloroform | 0.958 | 0.980 | -2.3 | 77 | 0.01 |
| 26 T | 1,1,1-Trichloroethane | 0.653 | 0.735 | -12.6 | 83 | 0.01 |
| 27 T | Carbon tetrachloride | 0.573 | 0.650 | -13.4 | 84 | 0.01 |
| 28 T | 1,1-Dichloropropene | 0.648 | 0.691 | -6.6 | 74 | 0.00 |
| 29 T | 1,2-Dichloroethane (EDC) | 0.888 | 1.033 | -16.3 | 86 | 0.00 |
| 30 S | 1,2-Dichloroethane-d4 | 0.644 | 0.605 | 6.1 | 72 | 0.00 |
| 31 I | 1,4-Difluorobenzene | 1.000 | 1.000 | 0.0 | 66 | 0.00 |
| 32 M | Benzene | 1.291 | 1.313 | -1.7 | 70 | 0.00 |
| 33 M | Trichloroethene | 0.305 | 0.321 | -5.2 | 71 | 0.00 |
| 34 C | 1,2-Dichloropropane | 0.321 | 0.342 | -6.5 | 71 | 0.00 |
| 35 T | Dibromomethane | 0.222 | 0.241 | -8.6 | 72 | 0.00 |
| 36 T | 1,4-Dioxane | 0.003 | 0.003 | 0.0 | 84 | 0.00 |
| 37 T | Bromodichloromethane | 0.421 | 0.432 | -2.6 | 66 | 0.00 |
| 38 T | 2-Chloroethyl vinyl ether | 0.049 | 0.055 | -12.2 | 59 | 0.00 |
| 39 T | cis-1,3-Dichloropropene | 0.460 | 0.532 | -15.7 | 69 | 0.00 |
| 40 T | 4-Methyl-2-pentanone (MIBK) | 0.275 | 0.319 | -16.0 | 69 | 0.00 |
| 41 S | Toluene-d8 | 1.036 | 0.928 | 10.4 | 57 | 0.00 |
| 42 MC | Toluene | 0.809 | 0.861 | -6.4 | 71 | 0.00 |
| 43 T | trans-1,3-Dichloropropene | 0.432 | 0.513 | -18.8 | 70 | 0.00 |
| 44 T | 1,1,2-Trichloroethane | 0.258 | 0.256 | 0.8 | 67 | -0.01 |
| 45 T | Tetrachloroethene | 0.282 | 0.298 | -5.7 | 72 | 0.00 |
| 46 T | 1,3-Dichloropropane | 0.527 | 0.604 | -14.6 | 70 | -0.01 |

| | | | | | | | |
|----|----|-----------------------------|-------|-------|-------|-----|-------|
| 47 | T | 2-Hexanone | 0.258 | 0.281 | -8.9 | 65 | -0.01 |
| 48 | T | Dibromochloromethane | 0.302 | 0.343 | -13.6 | 73 | 0.00 |
| 49 | T | 1,2-Dibromoethane (EDB) | 0.289 | 0.318 | -10.0 | 66 | 0.00 |
| 50 | I | Chlorobenzene-d5 | 1.000 | 1.000 | 0.0 | 91 | 0.00 |
| 51 | MP | Chlorobenzene | 0.901 | 0.801 | 11.1 | 88 | 0.00 |
| 52 | T | 1,1,1,2-Tetrachloroethane | 0.300 | 0.292 | 2.7 | 89 | 0.00 |
| 53 | C | Ethylbenzene | 1.376 | 1.168 | 15.1 | 71 | 0.00 |
| 54 | T | m,p-Xylene | 0.493 | 0.411 | 16.6 | 70 | 0.00 |
| 55 | T | o-Xylene | 0.518 | 0.510 | 1.5 | 84 | 0.00 |
| 56 | T | Styrene | 0.956 | 0.796 | 16.7 | 70 | 0.00 |
| 57 | P | Bromoform | 0.179 | 0.149 | 16.8 | 75 | 0.00 |
| 58 | T | Isopropylbenzene | 1.339 | 1.316 | 1.7 | 85 | 0.00 |
| 59 | S | Bromofluorobenzene | 0.605 | 0.570 | 5.8 | 84 | 0.00 |
| 60 | P | 1,1,2,2-Tetrachloroethane | 0.491 | 0.563 | -14.7 | 109 | 0.00 |
| 62 | T | 1,2,3-Trichloropropane | 0.355 | 0.294 | 17.2 | 75 | 0.00 |
| 63 | T | n-Propylbenzene | 1.577 | 1.343 | 14.8 | 70 | 0.00 |
| 64 | T | 2-Chlorotoluene | 1.139 | 0.976 | 14.3 | 72 | 0.00 |
| 65 | T | 1,3,5-Trimethylbenzene | 1.341 | 1.123 | 16.3 | 79 | 0.00 |
| 66 | T | 4-Chlorotoluene | 1.455 | 1.202 | 17.4 | 74 | 0.00 |
| 67 | T | tert-Butylbenzene | 0.838 | 0.738 | 11.9 | 77 | 0.00 |
| 68 | T | 1,2,4-Trimethylbenzene | 1.007 | 1.053 | -4.6 | 84 | 0.00 |
| 69 | T | sec-Butylbenzene | 1.363 | 1.331 | 2.3 | 87 | 0.00 |
| 70 | T | 1,3-Dichlorobenzene | 0.703 | 0.642 | 8.7 | 82 | 0.00 |
| 71 | T | 4-Isopropyltoluene | 1.074 | 0.889 | 17.2 | 72 | 0.00 |
| 72 | T | 1,4-Dichlorobenzene | 0.745 | 0.636 | 14.6 | 76 | 0.00 |
| 73 | T | n-Butylbenzene | 0.517 | 0.451 | 12.8 | 72 | 0.00 |
| 74 | T | 1,2-Dichlorobenzene | 0.706 | 0.601 | 14.9 | 77 | 0.00 |
| 75 | T | 1,2-Dibromo-3-chloropropane | 0.077 | 0.074 | 3.9 | 80 | 0.00 |
| 76 | T | 1,2,4-Trichlorobenzene | 0.310 | 0.309 | 0.3 | 77 | 0.00 |
| 77 | T | Hexachlorobutadiene | 0.182 | 0.149 | 18.1 | 74 | 0.00 |
| 78 | T | Naphthalene | 0.969 | 0.841 | 13.2 | 66 | 0.00 |
| 79 | T | 1,2,3-Trichlorobenzene | 0.340 | 0.270 | 20.6 | 67 | -0.01 |
| 80 | T | 1,1,2-Trichloro-1,2,2-trifl | 0.178 | 0.168 | 5.6 | 87 | 0.00 |
| 81 | T | Methyl acetate | 0.175 | 0.184 | -5.1 | 102 | 0.01 |
| 82 | T | Cyclohexane | 0.352 | 0.369 | -4.8 | 89 | 0.01 |
| 83 | T | Methylcyclohexane | 0.188 | 0.175 | 6.9 | 80 | 0.00 |
| 84 | T | Acetaldehyde | 0.000 | 0.000 | 0.0 | 87 | 0.06 |

(#) = Out of Range

J0322.M Mon Apr 12 08:36:37 2010 RT1

VOLATILE SURROGATE PERCENT RECOVERY SUMMARY

Date Analyzed: 04/13/2010

| Lab Sample ID | Matrix | File ID | SMC1 # | SMC2 # | SMC3 # |
|---------------|---------|---------|--------|--------|--------|
| TCLP-BLK | AQUEOUS | L4821.D | 95 | 99 | 99 |
| 03181-006 | AQUEOUS | L4822.D | 97 | 99 | 99 |
| 03299-001 | AQUEOUS | L4823.D | 96 | 99 | 99 |
| BLK-SPK | AQUEOUS | L4824.D | 92 | 101 | 99 |
| TCLP--SPK | AQUEOUS | L4825.D | 93 | 101 | 99 |
| 03311-018MS | AQUEOUS | L4826.D | 98 | 101 | 95 |
| 03311-018MSD | AQUEOUS | L4827.D | 98 | 101 | 95 |
| 03311-018 | AQUEOUS | L4828.D | 97 | 99 | 98 |
| 03233-001 | AQUEOUS | L4829.D | 96 | 99 | 98 |
| 03186-008 | AQUEOUS | L4830.D | 95 | 100 | 99 |
| 03186-009 | AQUEOUS | L4831.D | 97 | 100 | 99 |
| 03186-010 | AQUEOUS | L4832.D | 96 | 100 | 98 |
| 03186-011 | AQUEOUS | L4833.D | 95 | 100 | 98 |
| 03274-002 | AQUEOUS | L4834.D | 95 | 99 | 98 |
| 03274-001 | AQUEOUS | L4835.D | 94 | 101 | 101 |

| | Concentration | Aqueous/Meoh | Soil |
|------------------------------|---------------|--------------|--------|
| SMC1 = 1,2-Dichloroethane-d4 | 50 ppb | 45-154 | 51-164 |
| SMC2 = Toluene-d8 | 50 ppb | 47-151 | 52-157 |
| SMC3 = Bromofluorobenzene | 50 ppb | 48-149 | 56-154 |

Column to be used to flag recovery values

VOLATILE SURROGATE PERCENT RECOVERY SUMMARY

Date Analyzed: 04/09/2010

| Lab Sample ID | Matrix | File ID | SMC1 # | SMC2 # | SMC3 # |
|---------------|---------|---------|--------|--------|--------|
| METHOD-BLK | AQUEOUS | J8201.D | 144 | 74 | 66 |
| 03077-001 | AQUEOUS | J8202.D | 146 | 75 | 86 |
| BLK-SPK | AQUEOUS | J8203.D | 105 | 94 | 72 |
| 03186-005MS | AQUEOUS | J8204.D | 130 | 72 | 71 |
| 03186-005MSD | AQUEOUS | J8205.D | 137 | 74 | 71 |
| 03086-001 | AQUEOUS | J8208.D | 146 | 75 | 70 |
| 03187-004 | AQUEOUS | J8209.D | 149 | 77 | 70 |
| 03187-005 | AQUEOUS | J8210.D | 148 | 76 | 70 |
| 03181-006 | AQUEOUS | J8211.D | 141 | 76 | 71 |
| 03186-001 | AQUEOUS | J8212.D | 146 | 76 | 71 |
| 03186-002 | AQUEOUS | J8213.D | 145 | 75 | 71 |
| 03186-003 | AQUEOUS | J8214.D | 148 | 76 | 69 |
| 03186-004 | AQUEOUS | J8215.D | 142 | 76 | 71 |
| 03186-005 | AQUEOUS | J8216.D | 144 | 76 | 70 |
| 03186-006 | AQUEOUS | J8217.D | 140 | 78 | 70 |
| 03186-007 | AQUEOUS | J8218.D | 143 | 78 | 70 |

| | Concentration | Aqueous/Meoh | Soil |
|------------------------------|---------------|--------------|--------|
| SMC1 = 1,2-Dichloroethane-d4 | 50 ppb | 39-183 | 39-183 |
| SMC2 = Toluene-d8 | 50 ppb | 58-143 | 58-143 |
| SMC3 = Bromofluorobenzene | 50 ppb | 50-152 | 50-152 |

Column to be used to flag recovery values

AQUEOUS VOLATILE MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Matrix spike Lab sample ID: 03311-018

Batch No.: LAM041310A

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 66.6 | 133 | 46 - 150 |
| Benzene | 50.0 | 0.0 | 54.5 | 109 | 63 - 146 |
| Trichloroethene | 50.0 | 0.0 | 57.8 | 116 | 60 - 152 |
| Toluene | 50.0 | 0.0 | 51.8 | 104 | 63 - 151 |
| Chlorobenzene | 50.0 | 0.0 | 53.9 | 108 | 75 - 149 |

| Compound | SAMPLE CONC. (ug/L) | MSD CONC. (ug/L) | MSD % REC # | % RPD # | QC LIMITS | |
|---------------------------|---------------------------|------------------------|-------------------|------------|-----------|----------|
| | | | | | RPD | REC. |
| 1,1-Dichloroethene | 0.0 | 57.8 | 116 | 14 | 17 | 46 - 150 |
| Benzene | 0.0 | 49.5 | 99 | 10 | 14 | 63 - 146 |
| Trichloroethene | 0.0 | 51.9 | 104 | 11 | 15 | 60 - 152 |
| Toluene | 0.0 | 46.7 | 93 | 11 | 15 | 63 - 151 |
| Chlorobenzene | 0.0 | 49.6 | 99 | 9 | 12 | 75 - 149 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

AQUEOUS VOLATILE MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Matrix spike Lab sample ID: 03186-005

Batch No.: J040910

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 62.4 | 125 | 34 - 149 |
| Benzene | 50.0 | 0.0 | 49.7 | 99 | 45 - 136 |
| Trichloroethene | 50.0 | 0.0 | 51.2 | 102 | 40 - 147 |
| Toluene | 50.0 | 0.0 | 53.0 | 106 | 43 - 137 |
| Chlorobenzene | 50.0 | 0.0 | 53.2 | 106 | 45 - 144 |

| Compound | SAMPLE CONC. (ug/L) | MSD CONC. (ug/L) | MSD % # REC | % RPD # | QC LIMITS | |
|---------------------------|---------------------------|------------------------|-------------------|------------|-----------|----------|
| | | | | | RPD | REC. |
| 1,1-Dichloroethene | 0.0 | 56.6 | 113 | 10 | 19 | 34 - 149 |
| Benzene | 0.0 | 54.0 | 108 | 9 | 15 | 45 - 136 |
| Trichloroethene | 0.0 | 56.2 | 112 | 9 | 18 | 40 - 147 |
| Toluene | 0.0 | 58.5 | 117 | 10 | 16 | 43 - 137 |
| Chlorobenzene | 0.0 | 58.7 | 117 | 10 | 16 | 45 - 144 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L4215.D
Instrument ID: MSD_L

Date Analyzed: 03/18/2010
Time Analyzed: 15:09

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 294042 | 6.18 | 424261 | 6.99 | 439651 | 10.32 |
| UPPER LIMIT | 588084 | 6.68 | 848522 | 7.49 | 879302 | 10.82 |
| LOWER LIMIT | 147021 | 5.68 | 212130.5 | 6.49 | 219825.5 | 9.82 |
| LAB SAMPLE ID | | | | | | |
| 01 STD-1PPB | 328019 | 6.18 | 505415 | 6.99 | 475839 | 10.32 |
| 02 STD-5PPB | 317421 | 6.18 | 490043 | 6.99 | 481041 | 10.32 |
| 03 STD-2PPB | 250239 | 6.18 | 391405 | 6.99 | 389808 | 10.32 |
| 04 STD-20PPB | 282573 | 6.18 | 435452 | 6.99 | 450261 | 10.32 |
| 05 STD-150PPB | 345686 | 6.18 | 471768 | 6.99 | 514420 | 10.32 |
| 06 STD-200PPB | 348200 | 6.18 | 459105 | 6.99 | 514270 | 10.32 |
| 07 METHOD-BLK | 261206 | 6.18 | 412925 | 6.99 | 415458 | 10.32 |
| 08 02456-002 | 217552 | 6.18 | 346814 | 6.99 | 330474 | 10.32 |
| 09 02456-001 | 224516 | 6.18 | 359226 | 6.99 | 350968 | 10.32 |
| 10 BLK-SPK | 247548 | 6.18 | 373751 | 6.99 | 387129 | 10.32 |
| 11 02373-013MS | 247491 | 6.18 | 391018 | 6.99 | 395505 | 10.32 |
| 12 02373-013MSD | 242661 | 6.18 | 386217 | 6.99 | 387515 | 10.32 |
| 13 02373-013 | 196483 | 6.18 | 304900 | 6.99 | 289324 | 10.32 |
| 14 02375-020 | 208128 | 6.18 | 304784 | 6.99 | 278737 | 10.32 |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): L4820.D
Instrument ID: MSD_L

Date Analyzed: 04/13/2010
Time Analyzed: 13:39

| | 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|----|------------------|---------------|------|---------------|------|---------------|-------|
| | 12 HOUR STD | 380418 | 6.18 | 625690 | 7.00 | 650410 | 10.32 |
| | UPPER LIMIT | 760836 | 6.68 | 1251380 | 7.50 | 1300820 | 10.82 |
| | LOWER LIMIT | 190209 | 5.68 | 312845 | 6.50 | 325205 | 9.82 |
| | LAB SAMPLE ID | | | | | | |
| 01 | TCLP-BLK | 341422 | 6.18 | 559082 | 6.99 | 583207 | 10.32 |
| 02 | 03181-006 | 321170 | 6.18 | 529168 | 6.99 | 553029 | 10.32 |
| 03 | 03299-001 | 375974 | 6.18 | 617195 | 7.00 | 648473 | 10.32 |
| 04 | BLK-SPK | 346358 | 6.18 | 547878 | 7.00 | 603918 | 10.32 |
| 05 | TCLP--SPK | 354823 | 6.18 | 566730 | 7.00 | 625631 | 10.32 |
| 06 | 03311-018MS | 324790 | 6.18 | 530644 | 6.99 | 589684 | 10.32 |
| 07 | 03311-018MSD | 330169 | 6.18 | 543540 | 6.99 | 600112 | 10.32 |
| 08 | 03311-018 | 339762 | 6.18 | 557677 | 7.00 | 587840 | 10.32 |
| 09 | 03233-001 | 349539 | 6.18 | 574008 | 6.99 | 603014 | 10.32 |
| 10 | 03186-008 | 357574 | 6.18 | 586965 | 7.00 | 612469 | 10.32 |
| 11 | 03186-009 | 352343 | 6.18 | 584286 | 7.00 | 614628 | 10.32 |
| 12 | 03186-010 | 345928 | 6.18 | 572486 | 7.00 | 597293 | 10.32 |
| 13 | 03186-011 | 345505 | 6.18 | 572428 | 7.00 | 597324 | 10.32 |
| 14 | 03274-002 | 305236 | 6.18 | 504469 | 7.00 | 526087 | 10.32 |
| 15 | 03274-001 | 310681 | 6.18 | 507504 | 7.00 | 533193 | 10.32 |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): J7566.D

Date Analyzed: 03/22/2010

Instrument ID: MSD_J

Time Analyzed: 11:22

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 487993 | 5.95 | 732017 | 6.76 | 809770 | 10.10 |
| UPPER LIMIT | 975986 | 6.45 | 1464034 | 7.26 | 1619540 | 10.60 |
| LOWER LIMIT | 243996.5 | 5.45 | 366008.5 | 6.26 | 404885 | 9.60 |
| LAB SAMPLE ID | | | | | | |
| 01 STD-5PPB | 410857 | 5.95 | 675442 | 6.76 | 687001 | 10.10 |
| 02 STD-20PPB | 432122 | 5.95 | 682505 | 6.76 | 709655 | 10.10 |
| 03 STD-1PPB | 359127 | 5.95 | 617008 | 6.76 | 625335 | 10.10 |
| 04 STD-200PPB | 475175 | 5.95 | 730848 | 6.76 | 849213 | 10.10 |
| 05 STD-2PPB | 388414 | 5.95 | 654920 | 6.76 | 676119 | 10.10 |
| 06 STD-150PPB | 481829 | 5.95 | 732889 | 6.76 | 843471 | 10.10 |
| 07 METHOD-BLK | 365335 | 5.95 | 649438 | 6.76 | 662655 | 10.10 |
| 08 TCLP-BLK | 314720 | 5.95 | 569296 | 6.77 | 598565 | 10.10 |
| 09 02482-001 | 316750 | 5.95 | 565328 | 6.77 | 588841 | 10.10 |
| 10 TCLP-SPK | 413936 | 5.95 | 641196 | 6.77 | 689448 | 10.10 |
| 11 02562-001 | 346613 | 5.95 | 611611 | 6.76 | 632004 | 10.10 |
| 12 02562-002 | 318127 | 5.95 | 579550 | 6.77 | 604440 | 10.10 |
| 13 02562-003 | 290791 | 5.95 | 540786 | 6.77 | 569360 | 10.10 |
| 14 MS | 306480 | 5.95 | 576366 | 6.77 | 594043 | 10.10 |
| 15 MSD | 314599 | 5.95 | 594984 | 6.76 | 616325 | 10.10 |
| 16 BLK-SPK | 396722 | 5.95 | 606791 | 6.76 | 663038 | 10.10 |
| 17 02358-001 | 335649 | 5.95 | 567485 | 6.77 | 592842 | 10.10 |
| 18 02358-003 | 302032 | 5.95 | 554313 | 6.77 | 594978 | 10.10 |
| 19 02562-003 | 273865 | 5.95 | 517128 | 6.77 | 551862 | 10.10 |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): J8199.D

Date Analyzed: 04/09/2010

Instrument ID: MSD_J

Time Analyzed: 11:53

| | 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|----|------------------|---------------|------|---------------|------|---------------|-------|
| | 12 HOUR STD | 337930 | 5.95 | 486433 | 6.76 | 644599 | 10.10 |
| | UPPER LIMIT | 675860 | 6.45 | 972866 | 7.26 | 1289198 | 10.60 |
| | LOWER LIMIT | 168965 | 5.45 | 243216.5 | 6.26 | 322299.5 | 9.60 |
| | LAB SAMPLE ID | | | | | | |
| 01 | METHOD-BLK | 183038 | 5.95 | 340748 | 6.77 | 357331 | 10.10 |
| 02 | 03077-001 | 232412 | 5.95 | 450261 | 6.77 | 495832 | 10.10 |
| 03 | BLK-SPK | 382964 | 5.95 | 568074 | 6.77 | 845855 | 10.10 |
| 04 | 03186-005MS | 295998 | 5.95 | 552133 | 6.77 | 558988 | 10.10 |
| 05 | 03186-005MSD | 263562 | 5.95 | 509640 | 6.77 | 527181 | 10.10 |
| 06 | 03086-001 | 229861 | 5.95 | 441262 | 6.77 | 475580 | 10.10 |
| 07 | 03187-004 | 225227 | 5.95 | 435576 | 6.77 | 481497 | 10.10 |
| 08 | 03187-005 | 228193 | 5.95 | 440656 | 6.77 | 484596 | 10.10 |
| 09 | 03181-006 | 238988 | 5.95 | 450646 | 6.77 | 497143 | 10.10 |
| 10 | 03186-001 | 233412 | 5.95 | 443337 | 6.77 | 482862 | 10.10 |
| 11 | 03186-002 | 233724 | 5.95 | 451537 | 6.77 | 479989 | 10.10 |
| 12 | 03186-003 | 214543 | 5.95 | 412495 | 6.77 | 451398 | 10.10 |
| 13 | 03186-004 | 242889 | 5.95 | 451685 | 6.77 | 486119 | 10.10 |
| 14 | 03186-005 | 237039 | 5.95 | 450783 | 6.77 | 497964 | 10.10 |
| 15 | 03186-006 | 236921 | 5.95 | 444762 | 6.77 | 494048 | 10.10 |
| 16 | 03186-007 | 237825 | 5.95 | 443111 | 6.77 | 492915 | 10.10 |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8212.D
Acq On : 9 Apr 2010 18:18
Operator : DANA
Sample : FB (040610), 03186-001, A, 5ml, 100
Misc : ARCADIS/KINGS_ELEC, 04/06/10, 04/07/10,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Apr 12 08:53:19 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 233412 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 443337 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 482862 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 218679 | 72.79 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 145.58%# |
| 41) Toluene-d8 | 8.43 | 98 | 349234 | 38.03 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 76.06% |
| 59) Bromofluorobenzene | 11.51 | 95 | 206178 | 35.29 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 70.58% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8212.D
Acq On : 9 Apr 2010 18:18
Operator : DANA
Sample : FB_ (040610), 03186-001, A, 5ml, 100
Misc : ARCADIS/KINGS_ELEC, 04/06/10, 04/07/10,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Apr 12 08:53:19 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8213.D
Acq On : 9 Apr 2010 18:47
Operator : DANA
Sample : TB_(040610),03186-002,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Apr 12 08:54:01 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 233724 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 451537 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 479989 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 218036 | 72.48 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 144.96%# |
| 41) Toluene-d8 | 8.42 | 98 | 352771 | 37.72 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 75.44% |
| 59) Bromofluorobenzene | 11.51 | 95 | 205037 | 35.30 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 70.60% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8213.D
Acq On : 9 Apr 2010 18:47
Operator : DANA
Sample : TB_(040610),03186-002,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Apr 12 08:54:01 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
 Data File : J8214.D
 Acq On : 9 Apr 2010 19:15
 Operator : DANA
 Sample : PTW-2,03186-003,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,04/07/10,04/07/10,
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Apr 12 09:04:52 2010
 Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Wed Mar 24 16:16:43 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 214543 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 412495 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 451398 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 204535 | 74.07 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 148.14%# |
| 41) Toluene-d8 | 8.43 | 98 | 323549 | 37.87 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 75.74% |
| 59) Bromofluorobenzene | 11.51 | 95 | 189765 | 34.74 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 69.48% |


Target Compounds

| | | | | | Qvalue |
|------------------------|------|----|-------|------|--------|
| 4) Vinyl chloride | 1.99 | 62 | 3063m | 1.38 | UG |
| 18) 1,1-Dichloroethane | 4.68 | 63 | 7472 | 1.79 | UG |
| 33) Trichloroethene | 7.05 | 95 | 8744 | 3.48 | UG # |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8214.D
Acq On : 9 Apr 2010 19:15
Operator : DANA
Sample : PTW-2,03186-003,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/07/10,04/07/10,
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Apr 12 09:04:52 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
 Data File : J8215.D
 Acq On : 9 Apr 2010 19:44
 Operator : DANA
 Sample : MW-9S,03186-004,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Apr 12 08:56:38 2010
 Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Wed Mar 24 16:16:43 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 242889 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 451685 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 486119 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 221817 | 70.95 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 141.90%# |
| 41) Toluene-d8 | 8.43 | 98 | 354849 | 37.93 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 75.86% |
| 59) Bromofluorobenzene | 11.51 | 95 | 208291 | 35.41 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 70.82% |


Target Compounds

| | | | | | | Qvalue |
|------------------------------|------|----|--------|------|----|--------|
| 4) Vinyl chloride | 1.97 | 62 | 18320m | 7.31 | UG | |
| 16) trans-1,2-Dichloroethene | 4.18 | 96 | 4863 | 2.00 | UG | # 100 |
| 18) 1,1-Dichloroethane | 4.67 | 63 | 19702 | 4.16 | UG | 98 |
| 20) cis-1,2-Dichloroethene | 5.35 | 96 | 15354 | 6.59 | UG | # 100 |
| 33) Trichloroethene | 7.04 | 95 | 5228 | 1.90 | UG | 87 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8215.D
Acq On : 9 Apr 2010 19:44
Operator : DANA
Sample : MW-9S,03186-004,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Apr 12 08:56:38 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8216.D
Acq On : 9 Apr 2010 20:13
Operator : DANA
Sample : MW-9D,03186-005,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Apr 12 08:57:23 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 237039 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 450783 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 497964 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 219271 | 71.87 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 143.74%# |
| 41) Toluene-d8 | 8.43 | 98 | 355989 | 38.13 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 76.26% |
| 59) Bromofluorobenzene | 11.51 | 95 | 211574 | 35.11 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 70.22% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8216.D
Acq On : 9 Apr 2010 20:13
Operator : DANA
Sample : MW-9D,03186-005,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Apr 12 08:57:23 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
 Data File : J8217.D
 Acq On : 9 Apr 2010 20:42
 Operator : DANA
 Sample : MW-6S,03186-006,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Apr 12 08:58:25 2010
 Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Wed Mar 24 16:16:43 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 236921 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 444762 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 494048 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 212932 | 69.83 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 139.66%# |
| 41) Toluene-d8 | 8.43 | 98 | 359820 | 39.06 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 78.12% |
| 59) Bromofluorobenzene | 11.51 | 95 | 208206 | 34.83 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 69.66% |


Target Compounds

| | R.T. | QIon | Response | Conc | Units | Qvalue |
|---------------------------|------|------|----------|-------|-------|--------|
| 26) 1,1,1-Trichloroethane | 5.91 | 97 | 13094 | 4.23 | UG | # 100 |
| 33) Trichloroethene | 7.05 | 95 | 67996 | 25.08 | UG | # 83 |
| 45) Tetrachloroethene | 9.12 | 166 | 8223 | 3.28 | UG | # 99 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8217.D
Acq On : 9 Apr 2010 20:42
Operator : DANA
Sample : MW-6S,03186-006,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Apr 12 08:58:25 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
 Data File : J8218.D
 Acq On : 9 Apr 2010 21:10
 Operator : DANA
 Sample : DUP_(040610),03186-007,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
 ALS Vial : 21 Sample Multiplier: 1

Quant Time: Apr 12 09:05:33 2010
 Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Wed Mar 24 16:16:43 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 237825 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 443111 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 492915 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|----------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 218149 | 71.27 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 142.54%# |
| 41) Toluene-d8 | 8.42 | 98 | 356410 | 38.83 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 77.66% |
| 59) Bromofluorobenzene | 11.51 | 95 | 208575 | 34.97 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 69.94% |


Target Compounds

| | R.T. | QIon | Response | Conc | Units | Qvalue |
|------------------------|------|------|----------|------|-------|--------|
| 4) Vinyl chloride | 1.96 | 62 | 3689m | 1.50 | UG | |
| 18) 1,1-Dichloroethane | 4.67 | 63 | 7672 | 1.66 | UG | # 97 |
| 33) Trichloroethene | 7.04 | 95 | 9036 | 3.35 | UG | # 28 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8218.D
Acq On : 9 Apr 2010 21:10
Operator : DANA
Sample : DUP_(040610),03186-007,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,04/06/10,04/07/10,
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Apr 12 09:05:33 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4830.D
Acq On : 13 Apr 2010 18:36
Operator : MEI
Sample : FB_(040710),03186-008,A,5ml,100
Misc : AGM-ALBANY/KINGS_EL,04/07/10,04/07/10,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Apr 14 10:17:44 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Thu Mar 25 10:58:10 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.18 | 168 | 357574 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 586965 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.32 | 117 | 612469 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|--------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 154617 | 47.62 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 95.24% |
| 41) Toluene-d8 | 8.66 | 98 | 568089 | 49.99 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 99.98% |
| 59) Bromofluorobenzene | 11.72 | 95 | 244542 | 49.35 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 98.70% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4830.D
Acq On : 13 Apr 2010 18:36
Operator : MEI
Sample : FB_(040710),03186-008,A,5ml,100
Misc : AGM-ALBANY/KINGS_EL,04/07/10,04/07/10,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Apr 14 10:17:44 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Thu Mar 25 10:58:10 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-13-10\
 Data File : L4831.D
 Acq On : 13 Apr 2010 19:02
 Operator : MEI
 Sample : GP-104R, 03186-009, A, 5ml, 100
 Misc : AGM-ALBANY/KINGS_EL, 04/07/10, 04/07/10,
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Apr 14 13:27:29 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Thu Mar 25 10:58:10 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.18 | 168 | 352343 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 584286 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.32 | 117 | 614628 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 155166 | 48.50 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 97.00% | |
| 41) Toluene-d8 | 8.66 | 98 | 566902 | 50.11 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 100.22% | |
| 59) Bromofluorobenzene | 11.72 | 95 | 246426 | 49.56 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 99.12% | |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|------------------------------|------|------|----------|------|-------|--------|
| 16) trans-1,2-Dichloroethene | 4.45 | 96 | 2789 | 0.69 | UG | # 96 |
| 18) 1,1-Dichloroethane | 4.93 | 63 | 8508 | 1.30 | UG | 99 |
| 20) cis-1,2-Dichloroethene | 5.60 | 96 | 4596 | 1.06 | UG | # 68 |
| 33) Trichloroethene | 7.29 | 95 | 4679 | 1.05 | UG | 91 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4831.D
Acq On : 13 Apr 2010 19:02
Operator : MEI
Sample : GP-104R, 03186-009, A, 5ml, 100
Misc : AGM-ALBANY/KINGS EL, 04/07/10, 04/07/10,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Apr 14 13:27:29 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Thu Mar 25 10:58:10 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-13-10\
 Data File : L4832.D
 Acq On : 13 Apr 2010 19:29
 Operator : MEI
 Sample : GP-103R,03186-010,A,5ml,100
 Misc : AGM-ALBANY/KINGS EL,04/07/10,04/07/10,
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Apr 14 13:26:37 2010
 Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Thu Mar 25 10:58:10 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.18 | 168 | 345928 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 572486 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.32 | 117 | 597293 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|----------------|----------|-------|--------|------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 150515 | 47.91 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 95.82% | |
| 41) Toluene-d8 | 8.66 | 98 | 553426 | 49.93 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 99.86% | |
| 59) Bromofluorobenzene | 11.72 | 95 | 237146 | 49.08 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 98.16% | |

| Target Compounds | | | | | | Qvalue |
|----------------------------|------|----|-------|------|----|--------|
| 4) Vinyl chloride | 2.17 | 62 | 19870 | 3.02 | UG | 99 |
| 20) cis-1,2-Dichloroethene | 5.60 | 96 | 8162 | 1.91 | UG | # 99 |
| 33) Trichloroethene | 7.29 | 95 | 5665 | 1.29 | UG | 92 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4832.D
Acq On : 13 Apr 2010 19:29
Operator : MEI
Sample : GP-103R, 03186-010, A, 5ml, 100
Misc : AGM-ALBANY/KINGS_EL, 04/07/10, 04/07/10,
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Apr 14 13:26:37 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Thu Mar 25 10:58:10 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4833.D
Acq On : 13 Apr 2010 19:55
Operator : MEI
Sample : MW-13R, 03186-011, A, 5ml, 100
Misc : AGM-ALBANY/KINGS_EL, 04/07/10, 04/07/10,
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Apr 14 13:26:11 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Thu Mar 25 10:58:10 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.18 | 168 | 345505 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 572428 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.32 | 117 | 597324 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|--------|------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 149374 | 47.61 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 95.22% | |
| 41) Toluene-d8 | 8.66 | 98 | 553497 | 49.94 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 99.88% | |
| 59) Bromofluorobenzene | 11.72 | 95 | 236537 | 48.95 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 97.90% | |

Target Compounds


| | | | | | Qvalue |
|-----------------------------------|-----------------|---------------|-----------------|--------------------|-----------------|
| 18) 1,1-Dichloroethane | 4.93 | 63 | 2491 | 0.39 UG | # 98 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

4/22/10 - A/S

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4833.D
Acq On : 13 Apr 2010 19:55
Operator : MEI
Sample : MW-13R, 03186-011, A, 5ml, 100
Misc : AGM-ALBANY/KINGS EL, 04/07/10, 04/07/10,
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Apr 14 13:26:11 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Thu Mar 25 10:58:10 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8201.D
Acq On : 9 Apr 2010 13:00
Operator : DANA
Sample : NA,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Apr 12 09:16:50 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 5.95 | 168 | 183038 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 6.77 | 114 | 340748 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.10 | 117 | 357331 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|----------|------|
| 30) 1,2-Dichloroethane-d4 | 6.27 | 65 | 170034 | 72.17 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 144.34%# | |
| 41) Toluene-d8 | 8.42 | 98 | 259524 | 36.77 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 73.54% | |
| 59) Bromofluorobenzene | 11.51 | 95 | 143255 | 33.13 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 66.26% | |


Target Compounds

Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-09-10\
Data File : J8201.D
Acq On : 9 Apr 2010 13:00
Operator : DANA
Sample : NA,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Apr 12 09:16:50 2010
Quant Method : C:\MSDCHEM\1\METHODS\J0322.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Wed Mar 24 16:16:43 2010
Response via : Initial Calibration



Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4820.D
Acq On : 13 Apr 2010 13:39
Operator : MEI
Sample : N/A, METHOD-BLK, W, 5ml, 100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Apr 14 10:00:03 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Fri Mar 19 11:54:20 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.18 | 168 | 380418 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.00 | 114 | 625690 | 50.00 | UG | 0.01 |
| 50) Chlorobenzene-d5 | 10.32 | 117 | 650410 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|--------|
| 30) 1,2-Dichloroethane-d4 | 6.52 | 65 | 163855 | 47.43 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 94.86% |
| 41) Toluene-d8 | 8.66 | 98 | 600464 | 49.57 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 99.14% |
| 59) Bromofluorobenzene | 11.72 | 95 | 262476 | 49.88 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 99.76% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4820.D
Acq On : 13 Apr 2010 13:39
Operator : MEI
Sample : N/A,METHOD-BLK,W,5ml,100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Apr 14 10:00:03 2010
Quant Method : C:\MSDCHEM\1\METHODS\LAM0318.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Fri Mar 19 11:54:20 2010
Response via : Initial Calibration



LSC Area Percent Report

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4820.D
Acq On : 13 Apr 2010 13:39
Operator : MEI
Sample : N/A,METHOD-BLK,W,5ml,100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 1 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : C:\MSDCHEM\1\METHODS\LAM0318.M

Title : VOLATILE ORGANICS BY EPA METHOD 8260B




Signal : TIC

| peak # | R.T. min | first scan | max scan | last scan | PK TY | peak height | corr. area | corr. % max. | % of total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1 | 6.181 | 431 | 439 | 452 | rBV | 468556 | 1097632 | 57.06% | 13.798% |
| 2 | 6.516 | 464 | 472 | 486 | rBV | 189189 | 446951 | 23.23% | 5.618% |
| 3 | 6.993 | 513 | 519 | 533 | rBV | 621463 | 1389902 | 72.25% | 17.472% |
| 4 | 8.658 | 676 | 683 | 704 | rBV | 754256 | 1601761 | 83.27% | 20.135% |
| 5 | 10.323 | 837 | 847 | 860 | rBV | 1048287 | 1923640 | 100.00% | 24.181% |
| 6 | 11.724 | 974 | 985 | 999 | rBV | 759349 | 1344499 | 69.89% | 16.901% |
| 7 | 15.663 | 1366 | 1373 | 1379 | rBV2 | 14227 | 23960 | 1.25% | 0.301% |
| 8 | 17.683 | 1564 | 1572 | 1579 | rBV | 19223 | 49467 | 2.57% | 0.622% |
| 9 | 18.089 | 1608 | 1612 | 1618 | rBV2 | 12328 | 29942 | 1.56% | 0.376% |
| 10 | 18.191 | 1618 | 1622 | 1631 | rBV2 | 15823 | 47273 | 2.46% | 0.594% |

Sum of corrected areas: 7955027

Data Path : C:\MSDCHEM\1\DATA\04-13-10\
Data File : L4820.D
Acq On : 13 Apr 2010 13:39
Operator : MEI
Sample : N/A, METHOD-BLK, W, 5ml, 100
Misc :
ALS Vial : 5 Sample Multiplier: 1

TIC Library : C:\DATABASE\NIST05A.L
TIC Integration Parameters: LSCINT.P



CHAIN OF CUSTODY

| |
|---|
| REPORT TO: E. Rodriguez |
| Address: 1 International Blvd Manassas, NJ 07495 |
| Attn: E. Rodriguez |
| FAX # 201-684-1920 |
| INVOICE TO: Acca-015 - U.S., Inc. |
| Address: 1 International Blvd Manassas, NJ 07495 |
| Attn: E. Rodriguez |
| PO # 10000493.00005.00001 |

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)

| Date | Sampling | | Matrix | # containers | IAL # |
|--------|----------|------|--------|-----------------|-------|
| | Date | Time | | | |
| 4/6/10 | 9:00 | FB | 2 | 1 | |
| 4/6/10 | 9:00 | TB | 1 | 2 | |
| 4/6/10 | 10:36 | AQ | 2 | 3 | |
| 4/6/10 | 10:53 | AQ | 2 | 4 | |
| 4/6/10 | 10:52 | AQ | 2 | 5 | |
| 4/6/10 | 11:46 | AQ | 2 | 6 | |
| 4/6/10 | — | AQ | 2 | 7 | |
| 4/7/10 | 9:00 | FB | 2 | 8 | |
| 4/7/10 | 10:57 | AQ | 2 | 9 | |
| 4/7/10 | 10:10 | AQ | 2 | 10 | |

| Conc. Expected: | Low | Med | High |
|-----------------|-----|-----|------|
|-----------------|-----|-----|------|

Comments:

Comments:

Lab Case # 03186

PAGE: 7 of 7

CUSTOMER INFO

| | |
|---------------------------|-----------------------|
| Company: | AVCARS - U.S., Inc. |
| Address: | 1 International Blvd. |
| | MATTHEW NJ 07945 |
| Telephone #: | 201-684-1410 |
| Fax #: | 201-684-1420 |
| EMAIL Address: | |
| Project Manager: | E. Rodriguez |
| Sampler: | C. Lopez, V. Myers |
| Project Name: | Kings Electronics |
| Project Location (State): | Tuckahoe, NY |
| Bottle Order #: | |
| Quote #: | |

REPORTING INFO

| | | | |
|-----------------------------|--------------------------------------|--------------------------------|----------------------------------|
| REPORT TO: Accad 15 | Address: 1 International Blvd | Attn: Matthew, NJ 07495 | FAX # 201.684.1420 |
| INVOICE TO: Accad 15 | Address: 1 International Blvd | Attn: Matthew, NJ 07495 | |
| | | Attn: Er. Rodriguez | PO # 425000423.0005.00001 |

SAMPLE INFORMATION

| S - Soil | SL - Sludge | SOL - Solid | W - Wipe | Matrix | # containers | IAL # | Sampling | |
|----------|-------------|-------------|----------|--------|--------------|-------|----------|------|
| | | | | | | | Date | Time |

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Wipe

| Client ID | Depth (ft. only) |
|-----------|------------------|
|-----------|------------------|

mw-132

$$9 \overline{) 710} \quad 78$$

Q

→

| Known Hazard: | Yes or No | Describe: |
|-----------------|--------------|-----------|
| Conc. Expected: | Low Med High | |

| | Conc. | Expected; | Low | Med | High |
|--|-------|-----------|-----|-----|------|
|--|-------|-----------|-----|-----|------|

| Signature/Company | Date | Time | Signature/Company | Date | Time |
|--|------|------|-------------------|------|------|
| Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any ambiguities have been resolved. | | | | | |
| Comments: | | | | | |

| Signature/C/Company | Date | Time | Signature/Company | Date | Time |
|-------------------------------------|--------|-------|--------------------|--------|-------|
| Relinquished by: <i>[Signature]</i> | 4/7/10 | 14:00 | <i>[Signature]</i> | 4/7/10 | 13:35 |
| Relinquished by: <i>[Signature]</i> | 4/7/10 | 19:00 | <i>[Signature]</i> | 4/7/10 | 19:00 |
| Relinquished by: | | | Received by: | | |
| Relinquished by: | | | Received by: | | |
| Relinquished by: | | | Received by: | | |

Lab Case # 03186

PAGE: 2 of 2

PROJECT INFORMATION



Case No. **E10-03186**

Project **KINGS ELECTRONICS - VENDOR #1168636**

| | |
|---|---|
| Customer Arcadis Geraghty & Miller - Albany | P.O. # NJ000423.0005.0000 |
| Contact Eric Rodriguez | Received 4/7/2010 19:00 |
| EMail eric.rodriguez@arcadis-us.com <input type="checkbox"/> EMail EDDs | Verbal Due 4/22/2010 |
| Phone (518) 452-7826 Fax 1(518) 452-7086 | Report Due 4/29/2010 |
| Report To 465 New Karner Road Albany, NY 12205 Attn: Eric Rodriguez | Bill To 640 Plaza Drive Suite 130 Highlands Ranch, CO 80129 Attn: Eric Rodriguez |
| Report Format Reduced | |
| Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA | |

| Lab ID | Client Sample ID | Depth Top / Bottom | Sampling Time | Matrix | Unit | # of Containers |
|-----------|------------------|--------------------|----------------|---------|------|-----------------|
| 03186-001 | FB (040610) | n/a | 4/6/2010 | Aqueous | ug/L | 2 |
| 03186-002 | TB (040610) | n/a | 4/6/2010@09:00 | Aqueous | ug/L | 1 |
| 03186-003 | PTW-2 | n/a | 4/6/2010@10:36 | Aqueous | ug/L | 2 |
| 03186-004 | MW-9S | n/a | 4/6/2010@10:53 | Aqueous | ug/L | 2 |
| 03186-005 | MW-9D | n/a | 4/6/2010@10:52 | Aqueous | ug/L | 2 |
| 03186-006 | MW-6S | n/a | 4/6/2010@11:46 | Aqueous | ug/L | 2 |
| 03186-007 | DUP (040610) | n/a | 4/6/2010 | Aqueous | ug/L | 2 |
| 03186-008 | FB (040710) | n/a | 4/7/2010@09:00 | Aqueous | ug/L | 2 |
| 03186-009 | GP-104R | n/a | 4/7/2010@10:57 | Aqueous | ug/L | 2 |
| 03186-010 | GP-103R | n/a | 4/7/2010@10:10 | Aqueous | ug/L | 2 |
| 03186-011 | MW-13R | n/a | 4/7/2010@10:12 | Aqueous | ug/L | 2 |

| Sample # | Tests | Status | QA Method |
|----------|----------------------|------------|-----------|
| 001 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 002 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 003 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 004 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 005 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 006 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 007 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 008 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 009 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 010 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 011 | PP VOA + Cis 1,2-DCE | In Process | 8260B |

04/12/2010 09:21 by kim - REV 1

CHANGE REPORT MAILING ADDRESS TO THE ALBANY OFFICE, PER ERIC RODRIGUEZ.

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: **E 10**

03186

CLIENT:

Arcadis

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA

☒ = NO

☒ Bottles Intact

☒ no-Missing Bottles

☒ no-Extra Bottles

☒ Sufficient Sample Volume

☒ no-headspace/bubbles in VO's

☒ Labels intact/correct

☒ pH Check (exclude VO's)¹

☒ Correct bottles/preservative

☒ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

☒ Chain of Custody is Clear

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

[Signature]

DATE

4/7/10

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

If COC is **NOT** clear, **STOP** until you get client to authorize/clarify work.

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

[Signature]

DATE

4.9.10

REV 03/2009

0073

Laboratory Custody Chronicle

IAL Case No.

E10-03186

Client Arcadis Geraghty & Miller - Albany

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 4/ 7/2010@19:00

Department: Volatiles

PP VOA + Cis 1,2-DCE

| | | | <u>Prep. Date</u> | <u>Analyst</u> | <u>Analysis Date</u> | <u>Analyst</u> |
|---|-----------|---------|-------------------|----------------|----------------------|----------------|
| " | 03186-001 | Aqueous | n/a | n/a | 4/ 9/10 | Xing |
| " | -002 | " | n/a | n/a | 4/ 9/10 | Xing |
| " | -003 | " | n/a | n/a | 4/ 9/10 | Xing |
| " | -004 | " | n/a | n/a | 4/ 9/10 | Xing |
| " | -005 | " | n/a | n/a | 4/ 9/10 | Xing |
| " | -006 | " | n/a | n/a | 4/ 9/10 | Xing |
| " | -007 | " | n/a | n/a | 4/ 9/10 | Xing |
| " | -008 | " | n/a | n/a | 4/13/10 | Xing |
| " | -009 | " | n/a | n/a | 4/13/10 | Xing |
| " | -010 | " | n/a | n/a | 4/13/10 | Xing |
| " | -011 | " | n/a | n/a | 4/13/10 | Xing |

ANALYTICAL DATA REPORT

Arcadis Geraghty & Miller
465 New Karner Rd
Albany, NY 12205

Project Name: **KINGS ELECTRONICS - VENDOR**
#1168636
IAL Case Number: **E10-06728**

These data have been reviewed and accepted by:



Michael H. Leftin, Ph.D.
Laboratory Director

This report shall not be reproduced, except in its entirety, without the written consent of Integrated Analytical Laboratories, LLC. The test results included in this report relate only to the samples analyzed.

Sample Summary

IAL Case No.

E10-06728

Client Arcadis Geraghty & Miller

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 7/9/2010@17:20

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Depth Top/Bottom</u> | <u>Sampling Time</u> | <u>Matrix</u> | <u># of Container</u> |
|---------------|-------------------------|-------------------------|----------------------|---------------|-----------------------|
| 06728-001 | FB(070810) | n/a | 7/8/2010@09:00 | Aqueous | 2 |
| 06728-002 | TB(070810) | n/a | 7/8/2010 | Aqueous | 1 |
| 06728-003 | PTW-2 | n/a | 7/8/2010@14:12 | Aqueous | 2 |
| 06728-004 | MW-9S | n/a | 7/8/2010@14:11 | Aqueous | 2 |
| 06728-005 | MW-9D | n/a | 7/8/2010@12:07 | Aqueous | 2 |
| 06728-006 | MW-6S | n/a | 7/8/2010@11:57 | Aqueous | 2 |
| 06728-007 | MW-13R | n/a | 7/8/2010@10:32 | Aqueous | 2 |
| 06728-008 | DUP(070810) | n/a | 7/8/2010 | Aqueous | 2 |
| 06728-009 | GP-104R | n/a | 7/9/2010@09:18 | Aqueous | 2 |
| 06728-010 | GP-103R | n/a | 7/9/2010@09:17 | Aqueous | 2 |
| 06728-011 | FB(070910) | n/a | 7/9/2010@08:30 | Aqueous | 2 |

INTEGRATED ANALYTICAL LABORATORIES, LLC.

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| Qualifiers | 1 |
| Conformance / NonConformance Summary | 2 |
| Laboratory Deliverables Check List | 3 |
| GC/MS NonConformance Summary | 4 |
| Summary Report | 5 |
| Analytical Results | |
| Volatiles | 6 |
| Methodology Summary * | |
| Quality Control | |
| Volatiles | 17 |
| Tuning Results Summary | |
| Method Blank Results Summary | |
| Calibration Summary | |
| Surrogate Compound Recovery Results Summary | |
| Matrix Spike/Matrix Spike Duplicate Results Summary | |
| Internal Standard Summary | |
| Chromatograms | |
| Sample Tracking | |
| Chains of Custody | 151 |
| Laboratory Chronicle | 156 |

* Methodology is included in the IAL Project Information Page

INTEGRATED ANALYTICAL LABORATORIES, LLC.

MATRIX QUALIFIERS

- A -** Indicates the sample is an Aqueous matrix.
- O -** Indicates the sample is an Oil matrix.
- S -** Indicates the sample is a Soil, Sludge or Sediment matrix.
- X -** Indicates the sample is an Other matrix as indicated by Client Chain of Custody.

DATA QUALIFIERS

- B -** Indicates the analyte was found in the Blank and in the sample. It indicates possible sample contamination and warns the data user to use caution when applying the results of the analyte.
- C -** Common Laboratory Contaminant.
- D -** The compound was reported from the Diluted analysis.
- D.F. -** Dilution Factor.
- E -** Estimated concentration, reported results are outside the calibrated range of the instrument.
- J -** Indicates the concentration was reported below the RL but above the MDL. For GC/MS procedures, the mass spectral data meets the criteria required to identify the target compound.
- RL -** Reporting Limit.
- MDL -** Method Detection Limit.
- MI -** Indicates compound concentration could not be determined due to Matrix Interferences.
- NA -** Not Applicable.
- ND -** Indicates the compound was analyzed for but Not Detected at the MDL.

REPORT QUALIFIERS

All solid sample analyses are reported on a dry weight basis.

All solid sample values are corrected for original sample size and percent solids.

- Q -** Qualifier


INTEGRATED ANALYTICAL LABORATORIES, LLC.


CONFORMANCE / NONCONFORMANCE SUMMARY

Integrated Analytical Laboratories, LLC. received eleven (11) aqueous sample(s) from Arcadis Geraghty & Miller (Project: KINGS ELECTRONICS - VENDOR #1168636) on July 9, 2010 for the analysis of:

(11) PP VOA + Cis 1,2-DCE

A review of the QA/QC measures for the analysis of the sample(s) contained in this report has been performed by:


Reviewed by


Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

LABORATORY DELIVERABLES CHECK LIST

Lab Case Number: E10-06728


| | Check If Complete |
|--|----------------------|
| 1. Cover Page, Title Page listing Lab Certification #, facility name & address and date of report preparation. | <u>✓</u> |
| 2. Table of Contents. | <u>✓</u> |
| 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds. | <u>✓</u> |
| 4. Summary Table cross-referencing Field ID's vs. Lab ID's. | <u>✓</u> |
| 5. Document bound, paginated and legible. | <u>✓</u> |
| 6. Chain of Custody. | <u>✓</u> |
| 7. Methodology Summary. | <u>✓</u> |
| 8. Laboratory Chronicle and Holding Time Check. | <u>✓</u> |
| 9. Results submitted on a dry weight basis (if applicable). | <u>✓</u> |
| 10. Method Detection Limits. | <u>✓</u> |
| 11. Lab certified by NJDEP for parameters or appropriate category of parameters or a member of the USEPA CLP. | <u>✓</u> |
| 12. NonConformance Summary. | <u>✓</u> |

INTEGRATED ANALYTICAL LABORATORIES
CONFORMANCE/NONCONFORMANCE SUMMARY
GC/MS VOLATILE ANALYSIS

Lab Case Number: E10 - 06728

| | No | Yes |
|---|--|--|
| 1. Chromatograms Labeled/Compounds Identified (Field Samples and Method Blanks). | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. GC/MS Tuning Specifications: | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| a. BFB Passed | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. GC/MS Tuning Frequency - Performed every 24 hours for 600 series, 12 hours for 8000 series and 8 hours for 500 series. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 4. GC/MS Calibration - Initial calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours before sample analysis for 600 series, 12 hours for 8000 series | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. GC/MS Calibration Requirements: | | |
| a. Calibration Check Compounds | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b. System Performance Check Compounds | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 6. Blank Contamination - If yes, list compounds and concentrations in each blank: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | | |
| 7. Surrogate Recoveries Meet Criteria (If not met, list those compounds and their recoveries which fall outside the acceptable range) | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| | | |
| If not met, were the calculations checked and the results qualified as "estimated"? | <input type="checkbox"/> | <input type="checkbox"/> na |
| 8. Matrix Spike/Matrix Spike Duplicate meet criteria (if not, list those compounds and their recoveries/% differences which fall outside the acceptable range) | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| | | |
| 9. Internal Standard Area/Retention Time Shift meet criteria | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 10. Extraction Holding Time Met | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| If not met, list number of days exceeded for each sample: | | |
| | | |
| | | |
| 11. Analysis Holding Time Met | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| If not met, list number of days exceeded for each sample: | | |
| | | |
| | | |
| 12. Sample Dilution Performed | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| High Target Compounds | High Nontarget Compounds | Matrix Interference |
| <div style="border: 1px solid black; width: 100px; height: 20px;"></div> | <div style="border: 1px solid black; width: 100px; height: 20px;"></div> | <div style="border: 1px solid black; width: 100px; height: 20px;"></div> |
| | | Other |
| | | <div style="border: 1px solid black; width: 100px; height: 20px;"></div> |

13. Comments:



 Organics Manager

7/14/10

 Date

INTEGRATED ANALYTICAL LABORATORIES, LLC.

SUMMARY REPORT

Client: Arcadis Geraghty & Miller

Project: KINGS ELECTRONICS - VENDOR #1168636

Lab Case No.: E10-06728

| | | | | |
|--------------------------|-------------------|-------------------|-------------------|--------------------|
| Lab ID: | 06728-001 | 06728-002 | 06728-003 | 06728-004 |
| Client ID: | FB(070810) | TB(070810) | PTW-2 | MW-9S |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 7/8/10 | 7/8/10 | 7/8/10 | 7/8/10 |
| PARAMETER(Units) | Conc Q MDL | Conc Q MDL | Conc Q MDL | Conc Q MDL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| Vinyl chloride | ND 0.420 | ND 0.420 | 0.846 J 0.420 | 1.17 0.420 |
| trans-1,2-Dichloroethene | ND 0.330 | ND 0.330 | ND 0.330 | 0.626 J 0.330 |
| 1,1-Dichloroethane | ND 0.350 | ND 0.350 | 1.39 0.350 | 1.11 0.350 |
| cis-1,2-Dichloroethene | ND 0.220 | ND 0.220 | 2.67 0.220 | 0.360 J 0.220 |
| 1,1,1-Trichloroethane | ND 0.360 | ND 0.360 | 0.691 J 0.360 | ND 0.360 |
| Trichloroethene | ND 0.320 | ND 0.320 | 6.22 0.320 | ND 0.320 |
| Tetrachloroethene | ND 0.280 | ND 0.280 | 0.290 J 0.280 | ND 0.280 |
| TOTAL VO's: | ND | ND | 12.1 J | 3.27 J |
| Lab ID: | 06728-005 | 06728-006 | 06728-007 | 06728-008 |
| Client ID: | MW-9D | MW-6S | MW-13R | DUP(070810) |
| Matrix: | Aqueous | Aqueous | Aqueous | Aqueous |
| Sampled Date | 7/8/10 | 7/8/10 | 7/8/10 | 7/8/10 |
| PARAMETER(Units) | Conc Q MDL | Conc Q MDL | Conc Q MDL | Conc Q MDL |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) |
| 1,1-Dichloroethane | ND 0.350 | ND 0.350 | 0.636 J 0.350 | ND 0.350 |
| cis-1,2-Dichloroethene | ND 0.220 | ND 0.220 | 0.433 J 0.220 | ND 0.220 |
| 1,1,1-Trichloroethane | ND 0.360 | 2.51 0.360 | ND 0.360 | 2.93 0.360 |
| Trichloroethene | ND 0.320 | 16.3 0.320 | 0.969 J 0.320 | 19.0 0.320 |
| Tetrachloroethene | ND 0.280 | 2.46 0.280 | ND 0.280 | 2.91 0.280 |
| TOTAL VO's: | ND | 21.3 | 2.04 J | 24.8 |
| Lab ID: | 06728-009 | 06728-010 | 06728-011 | |
| Client ID: | GP-104R | GP-103R | FB(070910) | |
| Matrix: | Aqueous | Aqueous | Aqueous | |
| Sampled Date | 7/9/10 | 7/9/10 | 7/9/10 | |
| PARAMETER(Units) | Conc Q MDL | Conc Q MDL | Conc Q MDL | |
| Volatiles (Units) | (ug/L-ppb) | (ug/L-ppb) | (ug/L-ppb) | |
| Vinyl chloride | 2.41 0.420 | 10.9 0.420 | ND 0.420 | |
| 1,1-Dichloroethane | 1.84 0.350 | ND 0.350 | ND 0.350 | |
| cis-1,2-Dichloroethene | 2.75 0.220 | 1.74 0.220 | ND 0.220 | |
| Trichloroethene | 0.533 J 0.320 | ND 0.320 | ND 0.320 | |
| TOTAL VO's: | 7.53 J | 12.6 | ND | |

ND = Analyzed for but Not Detected at the MDL

J = The concentration was detected at a value below the RL and above the MDL

All qualifiers on individual Volatiles & Semivolatiles are carried down through summation.

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-001

Client ID: FB(070810)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0613.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-002

Client ID: TB(070810)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0614.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-003

Client ID: PTW-2

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0615.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 0.846 | J | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | 1.39 | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 2.67 | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | 0.691 | J | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 6.22 | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | 0.290 | J | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 12.1 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-004

Client ID: MW-9S

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0616.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 1.17 | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | 0.626 | J | 1.00 | 0.330 |
| 1,1-Dichloroethane | 1.11 | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 0.360 | J | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 3.27 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-005

Client ID: MW-9D

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0617.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-006

Client ID: MW-6S

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0618.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | 2.51 | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 16.3 | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | 2.46 | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 21.3

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-007

Client ID: MW-13R

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0619.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | 0.636 | J | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 0.433 | J | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 0.969 | J | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 2.04 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-008

Client ID: DUP(070810)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0620.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | 2.93 | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 19.0 | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | 2.91 | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 24.8

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-009

Client ID: GP-104R

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0621.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 2.41 | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | 1.84 | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 2.75 | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 0.533 | J | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 7.53 J

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-010
 Client ID: GP-103R
 Date Received: 07/09/2010
 Date Analyzed: 07/13/2010
 Data file: F0622.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 10.9 | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 1.74 | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 12.6

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-011

Client ID: FB(070910)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0623.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: F0406.D

BFB Injection Date: 07/02/2010

Inst ID: MSD_F

BFB Injection Time: 12:39

| m/z | Ion Abundance Criteria | %Relative Abundance | | |
|-----|------------------------------------|-----------------------|----------|---|
| 50 | 15 - 40.0% of mass 95 | 16.4 | | |
| 75 | 30.0 - 60.0% of mass 95 | 48.4 | | |
| 95 | Base peak, 100% relative abundance | 100.0 | | |
| 96 | 5.0 - 9.0% of mass 95 | 6.7 | | |
| 173 | Less than 2.0% of mass 174 | 0.8 | (1.0) | 1 |
| 174 | Great than 50.0% of mass 95 | 79.5 | | |
| 175 | 5.0 - 9.0% of mass 174 | 5.9 | (7.4) | 1 |
| 176 | 95.0 - 101.0% of mass 174 | 76.6 | (96.3) | 1 |
| 177 | 5.0 - 9.0% of mass 176 | 5.1 | (6.6) | 2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 | | |


This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|-----------|---------------|---------|---------------|---------------|
| 5PPB | STD-5PPB | F0409.D | 07/02/2010 | 14:29 |
| 20PPB | STD-20PPB | F0410.D | 07/02/2010 | 14:55 |
| 100PPB | STD-100PPB | F0411.D | 07/02/2010 | 15:21 |
| 200PPB | STD-200PPB | F0413.D | 07/02/2010 | 16:14 |
| 150PPB | STD-150PPB | F0414.D | 07/02/2010 | 16:41 |
| 1PPB | STD-1PPB | F0417.D | 07/02/2010 | 18:05 |
| 2PPB | STD-2PPB | F0418.D | 07/02/2010 | 18:31 |
| N/A | METHOD-BLK | F0420.D | 07/02/2010 | 19:24 |
| TCLP | TCLP-BLK | F0421.D | 07/02/2010 | 19:50 |
| 001 | 06383-001 | F0422.D | 07/02/2010 | 20:16 |
| TCLP | TCLP-SPK | F0423.D | 07/02/2010 | 20:42 |
| LCS-50PPB | BLK-SPK | F0424.D | 07/02/2010 | 21:09 |
| MS | WATER-MS | F0425.D | 07/02/2010 | 21:35 |
| MSD | WATER-MSD | F0426.D | 07/02/2010 | 22:02 |
| TB | 06220-026 | F0427.D | 07/02/2010 | 22:28 |
| TB | 06323-008 | F0428.D | 07/02/2010 | 22:55 |
| FB-S | 06329-019 | F0429.D | 07/02/2010 | 23:21 |

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0406.D
 Acq On : 2 Jul 2010 12:39
 Operator : XING
 Sample : BFB TUNING
 Misc : 50NG
 ALS Vial : 5 Sample Multiplier: 1

Integration File: LSCINT.P

Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 Last Update : Fri Jul 02 16:55:38 2010



AutoFind: Scans 988, 989, 990; Background Corrected with Scan 982

| Target Mass | Rel. to Mass | Lower Limit% | Upper Limit% | Rel. Abn% | Raw Abn | Result Pass/Fail |
|-------------|--------------|--------------|--------------|-----------|---------|------------------|
| 50 | 95 | 15 | 40 | 16.4 | 8519 | PASS |
| 75 | 95 | 30 | 60 | 48.4 | 25080 | PASS |
| 95 | 95 | 100 | 100 | 100.0 | 51853 | PASS |
| 96 | 95 | 5 | 9 | 6.7 | 3456 | PASS |
| 173 | 174 | 0.00 | 2 | 1.0 | 421 | PASS |
| 174 | 95 | 50 | 100 | 79.5 | 41208 | PASS |
| 175 | 174 | 5 | 9 | 7.4 | 3039 | PASS |
| 176 | 174 | 95 | 101 | 96.3 | 39698 | PASS |
| 177 | 176 | 5 | 9 | 6.6 | 2627 | PASS |

BFB TUNING

Modified:subtracted

| m/z | abund. | m/z | abund. | m/z | abund. | m/z | abund. |
|-------|--------|-------|--------|-------|--------|-------|--------|
| 36.05 | 344 | 48.05 | 241 | 60.05 | 449 | 72.05 | 227 |
| 37.10 | 1896 | 49.10 | 1832 | 61.05 | 2185 | 73.05 | 2124 |
| 38.10 | 1643 | 50.10 | 8519 | 62.00 | 2376 | 74.05 | 8549 |
| 39.05 | 682 | 51.10 | 2583 | 63.10 | 1760 | 75.10 | 25080 |
| 40.10 | 27 | 52.10 | 118 | 64.05 | 185 | 76.10 | 2252 |
| 41.30 | 7 | 53.00 | 18 | 65.05 | 161 | 77.00 | 222 |
| 43.10 | 27 | 55.00 | 121 | 66.05 | 20 | 77.95 | 133 |
| 44.00 | 238 | 56.10 | 653 | 66.95 | 110 | 78.90 | 1332 |
| 45.05 | 322 | 57.05 | 1250 | 68.00 | 4844 | 79.95 | 374 |
| 46.05 | 29 | 58.05 | 62 | 69.05 | 4870 | 80.95 | 1321 |
| 47.10 | 378 | 59.00 | 7 | 70.05 | 364 | 81.95 | 239 |

Average of 11.757 to 11.777 min.: F0406.D\data.ms

BFB TUNING

Modified:subtracted

| m/z | abund. | m/z | abund. | m/z | abund. | m/z | abund. |
|-------|--------|--------|--------|--------|--------|--------|--------|
| 83.05 | 42 | 102.95 | 30 | 114.90 | 72 | 126.85 | 18 |
| 86.05 | 48 | 103.90 | 232 | 115.95 | 209 | 127.95 | 230 |
| 87.00 | 1344 | 104.95 | 77 | 116.90 | 408 | 128.95 | 122 |
| 88.00 | 1301 | 105.95 | 239 | 117.90 | 273 | 129.95 | 241 |
| 90.95 | 204 | 106.90 | 56 | 119.00 | 337 | 130.95 | 94 |
| 92.00 | 1573 | 109.95 | 29 | 122.00 | 11 | 134.95 | 96 |
| 93.00 | 2425 | 110.90 | 49 | 122.90 | 16 | 136.95 | 123 |
| 94.05 | 6525 | 111.85 | 28 | 123.80 | 20 | 139.00 | 9 |
| 95.10 | 51853 | 112.10 | 8 | 124.00 | 14 | 139.90 | 33 |
| 96.10 | 3456 | 112.90 | 12 | 124.80 | 7 | 140.90 | 814 |
| 97.00 | 76 | 113.05 | 24 | 125.70 | 7 | 141.95 | 88 |

Average of 11.757 to 11.777 min.: F0406.D\data.ms

BFB TUNING

Modified:subtracted

| m/z | abund. | m/z | abund. | m/z | abund. | m/z | abund. |
|--------|--------|--------|--------|--------|--------|-----|--------|
| 142.95 | 898 | 152.90 | 45 | 170.95 | 46 | | |
| 143.85 | 41 | 153.80 | 35 | 172.00 | 257 | | |
| 144.95 | 128 | 154.10 | 14 | 173.05 | 421 | | |
| 145.85 | 97 | 154.95 | 166 | 174.00 | 41208 | | |
| 146.70 | 9 | 155.90 | 10 | 175.00 | 3039 | | |
| 146.95 | 40 | 156.10 | 15 | 176.00 | 39698 | | |
| 147.90 | 190 | 156.90 | 115 | 177.00 | 2627 | | |
| 148.90 | 56 | 158.10 | 8 | 177.95 | 67 | | |
| 149.95 | 93 | 158.90 | 94 | 207.05 | 17 | | |
| 151.80 | 11 | 160.90 | 99 | | | | |
| 152.20 | 11 | 170.40 | 7 | | | | |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: F0603.D

BFB Injection Date: 07/13/2010

Inst ID: MSD_F

BFB Injection Time: 9:59

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 16.7 |
| 75 | 30.0 - 60.0% of mass 95 | 49.1 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.5 |
| 173 | Less than 2.0% of mass 174 | 0.9 (1.2)1 |
| 174 | Great than 50.0% of mass 95 | 75.9 |
| 175 | 5.0 - 9.0% of mass 174 | 5.8 (7.7)1 |
| 176 | 95.0 - 101.0% of mass 174 | 73.3 (96.6)1 |
| 177 | 5.0 - 9.0% of mass 176 | 4.8 (6.6)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|-------------|---------------|---------|---------------|---------------|
| 100PPB | STD-100PPB | F0604.D | 07/13/2010 | 10:25 |
| N/A | METHOD-BLK | F0607.D | 07/13/2010 | 11:55 |
| FB | 06674-004 | F0608.D | 07/13/2010 | 12:58 |
| TB | 06674-005 | F0609.D | 07/13/2010 | 13:24 |
| LCS-50PPB | BLK-SPK | F0610.D | 07/13/2010 | 13:50 |
| MS | 06728-005MS | F0611.D | 07/13/2010 | 14:17 |
| MSD | 06728-005MSD | F0612.D | 07/13/2010 | 14:43 |
| FB(070810) | 06728-001 | F0613.D | 07/13/2010 | 15:10 |
| TB(070810) | 06728-002 | F0614.D | 07/13/2010 | 15:36 |
| PTW-2 | 06728-003 | F0615.D | 07/13/2010 | 16:03 |
| MW-9S | 06728-004 | F0616.D | 07/13/2010 | 16:29 |
| MW-9D | 06728-005 | F0617.D | 07/13/2010 | 16:55 |
| MW-6S | 06728-006 | F0618.D | 07/13/2010 | 17:22 |
| MW-13R | 06728-007 | F0619.D | 07/13/2010 | 17:48 |
| DUP(070810) | 06728-008 | F0620.D | 07/13/2010 | 18:14 |
| GP-104R | 06728-009 | F0621.D | 07/13/2010 | 18:41 |
| GP-103R | 06728-010 | F0622.D | 07/13/2010 | 19:07 |
| FB(070910) | 06728-011 | F0623.D | 07/13/2010 | 19:34 |
| FB | 06462-003 | F0624.D | 07/13/2010 | 20:00 |
| TB | 06462-004 | F0625.D | 07/13/2010 | 20:27 |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

Lab File ID: F0603.D

BFB Injection Date : 07/13/201

Inst ID: MSD_F

BFB Injection Time: 9:59

| m/z | Ion Abundance Criteria | %Relative Abundance |
|-----|------------------------------------|-----------------------|
| 50 | 15 - 40.0% of mass 95 | 16.7 |
| 75 | 30.0 - 60.0% of mass 95 | 49.1 |
| 95 | Base peak, 100% relative abundance | 100.0 |
| 96 | 5.0 - 9.0% of mass 95 | 6.5 |
| 173 | Less than 2.0% of mass 174 | 0.9 (1.2)1 |
| 174 | Great than 50.0% of mass 95 | 75.9 |
| 175 | 5.0 - 9.0% of mass 174 | 5.8 (7.7)1 |
| 176 | 95.0 - 101.0% of mass 174 | 73.3 (96.6)1 |
| 177 | 5.0 - 9.0% of mass 176 | 4.8 (6.6)2 |
| | 1-Value is % mass 174 | 2-Value is % mass 176 |


This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

| Client ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|-----------|---------------|---------|---------------|---------------|
| GW-1 | 06662-001 | F0627.D | 07/13/2010 | 21:19 |

Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0603.D
 Acq On : 13 Jul 2010 9:59
 Operator : XING
 Sample : BFB TUNING
 Misc : 50NG
 ALS Vial : 1 Sample Multiplier: 1

Integration File: LSCINT.P

Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 Last Update : Tue Jul 06 13:53:33 2010



AutoFind: Scans 988, 989, 990; Background Corrected with Scan 982

| Target Mass | Rel. to Mass | Lower Limit% | Upper Limit% | Rel. Abn% | Raw Abn | Result Pass/Fail |
|-------------|--------------|--------------|--------------|-----------|---------|------------------|
| 50 | 95 | 15 | 40 | 16.7 | 8281 | PASS |
| 75 | 95 | 30 | 60 | 49.1 | 24411 | PASS |
| 95 | 95 | 100 | 100 | 100.0 | 49706 | PASS |
| 96 | 95 | 5 | 9 | 6.5 | 3220 | PASS |
| 173 | 174 | 0.00 | 2 | 1.2 | 435 | PASS |
| 174 | 95 | 50 | 100 | 75.9 | 37736 | PASS |
| 175 | 174 | 5 | 9 | 7.7 | 2907 | PASS |
| 176 | 174 | 95 | 101 | 96.6 | 36460 | PASS |
| 177 | 176 | 5 | 9 | 6.6 | 2393 | PASS |

Average of 11.757 to 11.777 min.: F0603.D\data.ms

BFB TUNING

Modified:subtracted

| m/z | abund. | m/z | abund. | m/z | abund. | m/z | abund. |
|-------|--------|-------|--------|-------|--------|-------|--------|
| 36.10 | 351 | 49.05 | 1821 | 62.05 | 2154 | 74.05 | 8141 |
| 37.10 | 1870 | 50.10 | 8281 | 63.10 | 1788 | 75.10 | 24411 |
| 38.10 | 1703 | 51.10 | 2534 | 64.05 | 212 | 76.10 | 2124 |
| 39.10 | 675 | 52.05 | 101 | 65.05 | 213 | 77.05 | 209 |
| 40.00 | 32 | 53.00 | 27 | 66.05 | 22 | 78.00 | 118 |
| 42.80 | 6 | 55.10 | 114 | 67.05 | 113 | 79.00 | 1339 |
| 44.00 | 232 | 56.00 | 670 | 68.00 | 4712 | 79.95 | 385 |
| 45.10 | 313 | 57.05 | 1207 | 69.05 | 4700 | 80.95 | 1435 |
| 46.25 | 41 | 58.05 | 38 | 70.05 | 352 | 81.95 | 270 |
| 47.05 | 347 | 60.00 | 429 | 72.05 | 226 | 82.95 | 22 |
| 48.00 | 228 | 61.00 | 2140 | 73.00 | 2063 | 83.20 | 20 |

Average of 11.757 to 11.777 min.: F0603.D\data.ms

BFB TUNING

Modified:subtracted

| m/z | abund. | m/z | abund. | m/z | abund. | m/z | abund. |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 85.95 | 33 | 103.95 | 226 | 115.95 | 206 | 126.90 | 8 |
| 87.00 | 1319 | 104.80 | 14 | 116.90 | 425 | 127.95 | 232 |
| 87.95 | 1253 | 105.05 | 47 | 117.95 | 224 | 128.90 | 109 |
| 90.95 | 198 | 105.95 | 216 | 118.95 | 319 | 129.90 | 206 |
| 92.00 | 1641 | 106.70 | 6 | 120.10 | 6 | 130.95 | 97 |
| 93.00 | 2362 | 106.90 | 50 | 121.70 | 12 | 132.80 | 7 |
| 94.00 | 6016 | 109.85 | 29 | 122.90 | 11 | 134.00 | 17 |
| 95.05 | 49706 | 110.95 | 62 | 123.90 | 38 | 134.90 | 121 |
| 96.05 | 3220 | 112.00 | 30 | 124.90 | 10 | 135.85 | 15 |
| 97.05 | 103 | 112.95 | 42 | 125.70 | 10 | 136.95 | 114 |
| 102.95 | 28 | 114.95 | 55 | 126.10 | 11 | 139.00 | 17 |

Average of 11.757 to 11.777 min.: F0603.D\data.ms

BFB TUNING

Modified:subtracted

| m/z | abund. | m/z | abund. | m/z | abund. | m/z | abund. |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 139.90 | 34 | 147.90 | 189 | 158.05 | 19 | 178.00 | 62 |
| 140.20 | 8 | 148.80 | 42 | 158.85 | 79 | 206.80 | 8 |
| 140.95 | 744 | 149.20 | 13 | 160.95 | 89 | 207.30 | 18 |
| 141.80 | 34 | 149.95 | 71 | 171.00 | 52 | | |
| 142.10 | 29 | 151.95 | 31 | 172.00 | 354 | | |
| 142.90 | 852 | 153.00 | 38 | 173.05 | 435 | | |
| 143.95 | 68 | 153.85 | 38 | 174.00 | 37736 | | |
| 144.95 | 209 | 154.95 | 168 | 175.00 | 2907 | | |
| 145.90 | 94 | 155.70 | 7 | 176.00 | 36460 | | |
| 146.80 | 12 | 156.10 | 19 | 177.00 | 2393 | | |
| 147.00 | 32 | 156.95 | 114 | 177.80 | 7 | | |

VOLATILE METHOD BLANK SUMMARY

Lab File ID: F0607.D

Instrument ID: MSD_F

Date Analyzed: 07/13/2010

Time Analyzed: 11:55

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS & MSD:

| Client ID | Lab Sample ID | Date Analyzed | Time Analyzed |
|------------------|----------------------|----------------------|----------------------|
| FB | 06674-004 | 07/13/2010 | 12:58 |
| TB | 06674-005 | 07/13/2010 | 13:24 |
| LCS-50PPB | BLK-SPK | 07/13/2010 | 13:50 |
| MS | 06728-005MS | 07/13/2010 | 14:17 |
| MSD | 06728-005MSD | 07/13/2010 | 14:43 |
| FB(070810) | 06728-001 | 07/13/2010 | 15:10 |
| TB(070810) | 06728-002 | 07/13/2010 | 15:36 |
| PTW-2 | 06728-003 | 07/13/2010 | 16:03 |
| MW-9S | 06728-004 | 07/13/2010 | 16:29 |
| MW-9D | 06728-005 | 07/13/2010 | 16:55 |
| MW-6S | 06728-006 | 07/13/2010 | 17:22 |
| MW-13R | 06728-007 | 07/13/2010 | 17:48 |
| DUP(070810) | 06728-008 | 07/13/2010 | 18:14 |
| GP-104R | 06728-009 | 07/13/2010 | 18:41 |
| GP-103R | 06728-010 | 07/13/2010 | 19:07 |
| FB(070910) | 06728-011 | 07/13/2010 | 19:34 |
| FB | 06462-003 | 07/13/2010 | 20:00 |
| TB | 06462-004 | 07/13/2010 | 20:27 |
| GW-1 | 06662-001 | 07/13/2010 | 21:19 |

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project:

Lab ID: METHOD-BLK

Client ID: N/A

Date Received:

Date Analyzed: 07/13/2010

Data file: F0607.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

Method Path : C:\MSDCHEM\1\METHODS\
 Method File : FAM0702.M
 Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 Last Update : Tue Jul 06 13:53:33 2010
 Response Via : Initial Calibration

Calibration Files

1 =F0417.D 2 =F0418.D 5 =F0409.D
 20 =F0410.D 100 =F0411.D 200 =F0413.D 150 =F0414.D

| | Compound | 1 | 2 | 5 | 20 | 100 | 200 | 150 | Avg | %RSD |
|----------------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----ISTD----- | | | | | | | | | | |
| 1) I | Pentafluorobenzene | | | | | | | | | |
| 2) T | Dichlorodifluorom | 0.406 | 0.439 | 0.380 | 0.316 | 0.367 | 0.341 | 0.330 | 0.369 | 11.82 |
| 3) P | Chloromethane | 0.266 | 0.271 | 0.233 | 0.228 | 0.210 | 0.203 | 0.212 | 0.232 | 11.77 |
| 4) C | Vinyl chloride | 0.315 | 0.335 | 0.308 | 0.268 | 0.272 | 0.258 | 0.254 | 0.287 | 11.04 |
| 5) T | Bromomethane | 0.289 | 0.286 | 0.228 | 0.243 | 0.228 | 0.210 | 0.223 | 0.244 | 12.79 |
| 6) T | Chloroethane | 0.182 | 0.192 | 0.164 | 0.168 | 0.156 | 0.152 | 0.153 | 0.167 | 9.12 |
| 7) T | Trichlorofluorome | 0.750 | 0.799 | 0.659 | 0.581 | 0.640 | 0.614 | 0.573 | 0.659 | 12.96 |
| 8) T | Acrolein | 0.012 | 0.014 | 0.013 | 0.015 | 0.013 | 0.013 | 0.013 | 0.013 | 6.23 |
| 9) MC | 1,1-Dichloroethen | 0.372 | 0.377 | 0.356 | 0.304 | 0.309 | 0.307 | 0.295 | 0.331 | 10.65 |
| 10) T | Acetone | | 0.112 | 0.105 | 0.088 | 0.081 | 0.082 | 0.085 | 0.092 | 14.32 |
| 11) T | Carbon disulfide | 1.210 | 1.150 | 1.021 | 0.915 | 0.959 | 0.954 | 0.930 | 1.020 | 11.33 |
| 12) T | Vinyl acetate | 0.997 | 0.910 | 0.952 | 0.893 | 0.894 | 0.867 | 0.870 | 0.912 | 5.16 |
| 13) T | Methylene chlorid | | 0.479 | 0.451 | 0.389 | 0.343 | 0.372 | 0.371 | 0.401 | 13.14 |
| 14) T | Acrylonitrile | 0.107 | 0.116 | 0.106 | 0.118 | 0.103 | 0.098 | 0.101 | 0.107 | 6.94 |
| 15) T | tert-Butyl alcoho | 0.036 | 0.035 | 0.035 | 0.031 | 0.028 | 0.030 | 0.031 | 0.032 | 9.54 |
| 16) T | trans-1,2-Dichlor | 0.531 | 0.515 | 0.515 | 0.456 | 0.416 | 0.401 | 0.396 | 0.461 | 12.75 |
| 17) T | Methyl tert-butyl | 1.401 | 1.313 | 1.278 | 1.155 | 1.089 | 1.061 | 1.105 | 1.200 | 10.84 |
| 18) P | 1,1-Dichloroethan | 0.756 | 0.806 | 0.757 | 0.662 | 0.615 | 0.616 | 0.621 | 0.691 | 11.66 |
| 19) T | Diisopropyl ether | 0.917 | 0.861 | 0.953 | 1.041 | 1.029 | 1.001 | 1.027 | 0.976 | 6.94 |
| 20) T | cis-1,2-Dichloroe | 0.473 | 0.434 | 0.440 | 0.437 | 0.439 | 0.437 | 0.441 | 0.443 | 3.00 |
| 21) T | 2,2-Dichloropropa | 0.558 | 0.540 | 0.539 | 0.499 | 0.494 | 0.474 | 0.462 | 0.509 | 7.16 |
| 22) T | 2-Butanone (MEK) | 0.126 | 0.139 | 0.142 | 0.131 | 0.132 | 0.132 | 0.131 | 0.133 | 4.07 |
| 23) T | Bromochloromethan | 0.381 | 0.354 | 0.346 | 0.309 | 0.286 | 0.288 | 0.285 | 0.321 | 12.14 |
| 25) C | Chloroform | 1.023 | 0.996 | 0.996 | 0.853 | 0.801 | 0.799 | 0.779 | 0.892 | 12.09 |
| 26) T | 1,1,1-Trichloroet | 0.913 | 0.862 | 0.811 | 0.719 | 0.742 | 0.736 | 0.704 | 0.784 | 10.19 |
| 27) T | Carbon tetrachlor | 0.842 | 0.864 | 0.734 | 0.657 | 0.731 | 0.732 | 0.680 | 0.749 | 10.33 |
| 28) T | 1,1-Dichloroprope | 0.570 | 0.516 | 0.457 | 0.430 | 0.473 | 0.468 | 0.456 | 0.481 | 9.69 |
| 29) T | 1,2-Dichloroethan | 0.813 | 0.812 | 0.825 | 0.693 | 0.649 | 0.639 | 0.617 | 0.721 | 12.78 |
| 30) S | 1,2-Dichloroethan | 0.513 | 0.507 | 0.493 | 0.484 | 0.450 | 0.445 | 0.433 | 0.475 | 6.75 |
| -----ISTD----- | | | | | | | | | | |
| 31) I | 1,4-Difluorobenzene | | | | | | | | | |
| 32) M | Benzene | 1.155 | 1.096 | 1.029 | 0.935 | 0.923 | 0.897 | 0.904 | 0.991 | 10.41 |
| 33) M | Trichloroethene | 0.354 | 0.297 | 0.286 | 0.258 | 0.283 | 0.287 | 0.278 | 0.292 | 10.29 |
| 34) C | 1,2-Dichloropropa | 0.240 | 0.223 | 0.221 | 0.200 | 0.202 | 0.199 | 0.200 | 0.212 | 7.54 |
| 35) T | Dibromomethane | 0.217 | 0.207 | 0.199 | 0.175 | 0.176 | 0.174 | 0.169 | 0.188 | 10.16 |
| 36) T | 1,4-Dioxane | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 11.79 |
| 37) T | Bromodichlorometh | 0.450 | 0.411 | 0.424 | 0.376 | 0.399 | 0.403 | 0.385 | 0.407 | 6.09 |
| 38) T | 2-Chloroethyl vin | 0.112 | 0.098 | 0.102 | 0.099 | 0.132 | 0.130 | 0.132 | 0.115 | 13.89 |
| 39) T | cis-1,3-Dichlorop | 0.292 | 0.303 | 0.304 | 0.324 | 0.380 | 0.381 | 0.373 | 0.337 | 11.87 |
| 40) T | 4-Methyl-2-pentan | 0.153 | 0.159 | 0.128 | 0.139 | 0.175 | 0.176 | 0.176 | 0.158 | 12.12 |
| 41) S | Toluene-d8 | 0.822 | 0.850 | 0.863 | 0.887 | 0.906 | 0.899 | 0.882 | 0.873 | 3.38 |
| 42) MC | Toluene | 0.788 | 0.727 | 0.706 | 0.655 | 0.680 | 0.658 | 0.644 | 0.694 | 7.35 |
| 43) T | trans-1,3-Dichlor | 0.304 | 0.325 | 0.329 | 0.317 | 0.392 | 0.390 | 0.378 | 0.348 | 10.74 |
| 44) T | 1,1,2-Trichloroet | 0.222 | 0.192 | 0.191 | 0.167 | 0.179 | 0.173 | 0.171 | 0.185 | 10.27 |
| 45) T | Tetrachloroethene | 0.326 | 0.290 | 0.266 | 0.248 | 0.286 | 0.280 | 0.271 | 0.281 | 8.62 |
| 46) T | 1,3-Dichloropropa | 0.362 | 0.330 | 0.349 | 0.328 | 0.363 | 0.352 | 0.349 | 0.348 | 3.97 |
| 47) T | 2-Hexanone | 0.102 | 0.094 | 0.095 | 0.096 | 0.126 | 0.125 | 0.126 | 0.109 | 14.34 |
| 48) T | Dibromochlorometh | 0.394 | 0.348 | 0.355 | 0.344 | 0.400 | 0.400 | 0.383 | 0.375 | 6.72 |
| 49) T | 1,2-Dibromoethane | 0.277 | 0.248 | 0.254 | 0.237 | 0.274 | 0.270 | 0.262 | 0.260 | 5.63 |
| -----ISTD----- | | | | | | | | | | |
| 50) I | Chlorobenzene-d5 | | | | | | | | | |
| 51) MP | Chlorobenzene | 1.164 | 1.092 | 1.074 | 0.923 | 0.904 | 0.876 | 0.870 | 0.986 | 12.19 |
| 52) T | 1,1,1,2-Tetrachlo | 0.522 | 0.432 | 0.437 | 0.397 | 0.397 | 0.393 | 0.387 | 0.424 | 11.22 |

| | | | | | | | | | | | |
|-----|---|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 54) | T | m,p-Xylene | 0.520 | 0.456 | 0.533 | 0.513 | 0.520 | 0.493 | 0.489 | 0.503 | 5.16 |
| 55) | T | o-Xylene | 0.408 | 0.406 | 0.418 | 0.487 | 0.523 | 0.506 | 0.501 | 0.464 | 11.03 |
| 56) | T | Styrene | 0.714 | 0.745 | 0.895 | 0.923 | 0.957 | 0.920 | 0.911 | 0.867 | 11.04 |
| 57) | P | Bromoform | 0.218 | 0.186 | 0.193 | 0.183 | 0.219 | 0.226 | 0.214 | 0.206 | 8.52 |
| 58) | T | Isopropylbenzene | 1.065 | 0.905 | 1.089 | 1.049 | 1.228 | 1.204 | 1.177 | 1.102 | 10.14 |
| 59) | S | Bromofluorobenzen | 0.395 | 0.403 | 0.414 | 0.415 | 0.413 | 0.407 | 0.403 | 0.407 | 1.80 |
| 60) | P | 1,1,2,2-Tetrachlo | 0.365 | 0.342 | 0.324 | 0.293 | 0.286 | 0.276 | 0.290 | 0.311 | 10.70 |
| 61) | T | Bromobenzene | 0.497 | 0.420 | 0.413 | 0.388 | 0.401 | 0.392 | 0.384 | 0.413 | 9.46 |
| 62) | T | 1,2,3-Trichloropr | 0.264 | 0.251 | 0.229 | 0.205 | 0.202 | 0.197 | 0.195 | 0.220 | 12.57 |
| 63) | T | n-Propylbenzene | 1.168 | 0.957 | 1.036 | 1.130 | 1.213 | 1.180 | 1.152 | 1.119 | 8.11 |
| 64) | T | 2-Chlorotoluene | 0.956 | 0.763 | 0.840 | 0.855 | 0.877 | 0.850 | 0.837 | 0.854 | 6.72 |
| 65) | T | 1,3,5-Trimethylbe | 0.896 | 0.769 | 0.899 | 1.029 | 1.061 | 1.029 | 1.009 | 0.956 | 10.99 |
| 66) | T | 4-Chlorotoluene | 1.186 | 0.968 | 1.106 | 1.051 | 1.046 | 1.008 | 0.987 | 1.050 | 7.19 |
| 67) | T | tert-Butylbenzene | 0.639 | 0.697 | 0.719 | 0.786 | 0.920 | 0.894 | 0.878 | 0.790 | 13.85 |
| 68) | T | 1,2,4-Trimethylbe | 0.898 | 0.872 | 0.985 | 1.126 | 1.126 | 1.093 | 1.072 | 1.024 | 10.41 |
| 69) | T | sec-Butylbenzene | 0.876 | 0.801 | 0.838 | 0.966 | 1.102 | 1.062 | 1.056 | 0.957 | 12.58 |
| 70) | T | 1,3-Dichlorobenze | 0.900 | 0.734 | 0.750 | 0.711 | 0.713 | 0.688 | 0.671 | 0.738 | 10.30 |
| 71) | T | 4-Isopropyltoluen | 0.805 | 0.787 | 0.838 | 1.018 | 1.094 | 1.053 | 1.046 | 0.949 | 13.93 |
| 72) | T | 1,4-Dichlorobenze | 0.952 | 0.754 | 0.822 | 0.774 | 0.759 | 0.729 | 0.711 | 0.786 | 10.36 |
| 73) | T | n-Butylbenzene | 0.321 | 0.345 | 0.275 | 0.334 | 0.405 | 0.394 | 0.397 | 0.353 | 13.63 |
| 74) | T | 1,2-Dichlorobenze | 0.847 | 0.742 | 0.793 | 0.769 | 0.723 | 0.691 | 0.679 | 0.749 | 7.89 |
| 75) | T | 1,2-Dibromo-3-chl | 0.060 | 0.047 | 0.047 | 0.048 | 0.056 | 0.059 | 0.056 | 0.053 | 10.88 |
| 76) | T | 1,2,4-Trichlorobe | 0.316 | 0.235 | 0.264 | 0.242 | 0.321 | 0.332 | 0.323 | 0.290 | 14.42 |
| 77) | T | Hexachlorobutadie | | 0.148 | 0.128 | 0.124 | 0.128 | 0.128 | 0.126 | 0.130 | 6.85 |
| 78) | T | Naphthalene | 0.879 | | 0.947 | 0.974 | 1.215 | 1.224 | 1.179 | 1.070 | 14.33 |
| 79) | T | 1,2,3-Trichlorobe | 0.320 | 0.245 | 0.243 | 0.282 | 0.310 | 0.314 | 0.313 | 0.290 | 11.53 |
| 80) | T | 1,1,2-Trichloro-1 | 0.271 | 0.286 | 0.239 | 0.196 | 0.230 | 0.220 | 0.214 | 0.236 | 13.48 |
| 81) | T | Methyl acetate | 0.185 | 0.165 | 0.172 | 0.147 | 0.136 | 0.135 | 0.134 | 0.154 | 13.35 |
| 82) | T | Cyclohexane | | 0.309 | 0.292 | 0.222 | 0.242 | 0.233 | 0.236 | 0.256 | 13.98 |
| 83) | T | Methylcyclohexane | 0.135 | 0.135 | 0.131 | 0.128 | 0.170 | 0.166 | 0.166 | 0.147 | 12.77 |

 (#) = Out of Range ### Number of calibration levels exceeded format ###

FAM0702.M Tue Jul 06 13:53:40 2010 RP1

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0409.D
 Acq On : 2 Jul 2010 14:29
 Operator : XING
 Sample : SPPB, STD-5PPB, A, 5mL, 100
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jul 13 16:25:12 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.193 | 168 | 205401 | 50.00 | UG | -0.01 |
| 31) 1,4-Difluorobenzene | 7.016 | 114 | 329128 | 50.00 | UG | -0.01 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 299217 | 50.00 | UG | 0.00 |

| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.528 | 65 | 101291 | 51.94 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 103.88% | |
| 41) Toluene-d8 | 8.681 | 98 | 284200 | 49.47 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 98.94% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 123787 | 50.79 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 101.58% | |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|--------------------------------|-------|------|----------|--------|-------|--------|
| 2) Dichlorodifluoromethane | 1.788 | 85 | 7807 | 5.16 | UG | 100 |
| 3) Chloromethane | 1.960 | 50 | 4780 | 5.02 | UG | 100 |
| 4) Vinyl chloride | 2.092 | 62 | 6324 | 5.36 | UG | 99 |
| 5) Bromomethane | 2.468 | 94 | 4688 | 4.68 | UG | # 39 |
| 6) Chloroethane | 2.590 | 64 | 3377 | 4.93 | UG | 99 |
| 7) Trichlorofluoromethane | 2.864 | 101 | 13533 | 5.00 | UG | # 37 |
| 8) Acrolein | 3.392 | 56 | 5218 | 97.55 | UG | # 96 |
| 9) 1,1-Dichloroethene | 3.493 | 96 | 7306 | 5.37 | UG | # 100 |
| 10) Acetone | 3.584 | 43 | 2008m | 5.31 | UG | |
| 11) Carbon disulfide | 3.747 | 76 | 20962 | 5.00 | UG | 100 |
| 12) Vinyl acetate | 5.006 | 43 | 19559 | 5.22 | UG | 100 |
| 13) Methylene chloride | 4.102 | 84 | 9761 | 5.93 | UG | # 100 |
| 14) Acrylonitrile | 4.417 | 53 | 43539 | 99.09 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.285 | 59 | 1447 | 10.90 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.417 | 96 | 10588 | 5.59 | UG | # 98 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 26245 | 5.32 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.924 | 63 | 15550 | 5.48 | UG | 99 |
| 19) Diisopropyl ether (DIPE) | 5.006 | 45 | 19578 | 4.89 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 9031 | 4.96 | UG | # 100 |
| 21) 2,2-Dichloropropane | 5.594 | 77 | 11069 | 5.29 | UG | 97 |
| 22) 2-Butanone (MEK) | 5.635 | 43 | 2918 | 5.33 | UG | # 98 |
| 23) Bromochloromethane | 5.879 | 128 | 7114 | 5.39 | UG | # 100 |
| 25) Chloroform | 5.970 | 83 | 20452 | 5.58 | UG | 100 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 16660 | 5.17 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 15075 | 4.90 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.346 | 75 | 9389 | 4.75 | UG | # 95 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 16952 | 5.72 | UG | 100 |
| 32) Benzene | 6.589 | 78 | 33874 | 5.19 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 9408 | 4.90 | UG | # 81 |
| 34) 1,2-Dichloropropane | 7.564 | 63 | 7278 | 5.21 | UG | # 100 |
| 35) Dibromomethane | 7.706 | 93 | 6566 | 5.30 | UG | 98 |
| 36) 1,4-Dioxane | 7.736 | 88 | 10797 | 864.78 | UG | # 100 |
| 37) Bromodichloromethane | 7.879 | 83 | 13943 | 5.20 | UG | # 99 |
| 38) 2-Chloroethyl vinyl ether | 8.224 | 63 | 2872m | 3.79 | UG | |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 9997 | 4.51 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 4042 | 3.89 | UG | 99 |
| 42) Toluene | 8.762 | 92 | 23249 | 5.09 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.016 | 75 | 9929 | 4.34 | UG | # 91 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 6283 | 5.16 | UG | 93 |


Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0409.D
 Acq On : 2 Jul 2010 14:29
 Operator : XING
 Sample : 5PPB,STD-5PPB,A,5mL,100
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jul 13 16:25:12 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|-------|-------|----------|
| 45) Tetrachloroethene | 9.391 | 166 | 8767 | 4.74 | UG | # 100 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 11472 | 5.01 | UG | 100 |
| 47) 2-Hexanone | 9.523 | 43 | 2644 | 3.68 | UG | 98 |
| 48) Dibromochloromethane | 9.696 | 129 | 11680 | 4.73 | UG | 99 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 8365 | 4.88 | UG | 99 |
| 51) Chlorobenzene | 10.396 | 112 | 32123 | 5.44 | UG | # 100 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 13084 | 5.16 | UG | # 98 |
| 53) Ethylbenzene | 10.518 | 91 | 35812 | 4.93 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 31918 | 10.60 | UG | 90 |
| 55) o-Xylene | 11.137 | 106 | 12501 | 4.50 | UG | 92 |
| 56) Styrene | 11.158 | 104 | 26778 | 5.16 | UG | # 72 |
| 57) Bromoform | 11.381 | 173 | 5777 | 4.70 | UG | # 99 |
| 58) Isopropylbenzene | 11.574 | 105 | 24680 | 3.74 | UG | 99 |
| 60) 1,1,2,2-Tetrachloroethane | 11.949 | 83 | 9698 | 5.21 | UG | 99 |
| 61) Bromobenzene | 11.949 | 156 | 12358 | 4.99 | UG | # 34 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 6839 | 5.18 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 30989 | 4.63 | UG | # 91 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 25092m | 4.91 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.295 | 105 | 26895 | 4.70 | UG | 98 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 33106 | 5.27 | UG | # 96 |
| 67) tert-Butylbenzene | 12.691 | 119 | 17436 | 3.69 | UG | # 100 |
| 68) 1,2,4-Trimethylbenzene | 12.751 | 105 | 29468 | 4.81 | UG | 99 |
| 69) sec-Butylbenzene | 12.965 | 105 | 23969 | 4.18 | UG | 99 |
| 70) 1,3-Dichlorobenzene | 13.097 | 146 | 22442 | 5.08 | UG | # 100 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 25088 | 4.42 | UG | # 99 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 24587 | 5.23 | UG | 100 |
| 73) n-Butylbenzene | 13.645 | 92 | 8219m | 3.89 | UG | |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 23741 | 5.30 | UG | # 99 |
| 75) 1,2-Dibromo-3-chloropr... | 14.619 | 75 | 1400 | 4.39 | UG | # 91 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 6158 | 3.54 | UG | 98 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 3833 | 4.91 | UG | 99 |
| 78) Naphthalene | 15.797 | 128 | 25627m | 4.00 | UG | |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 7282 | 4.20 | UG | 99 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.534 | 101 | 7137 | 5.04 | UG | # 85 |
| 81) Methyl acetate | 3.990 | 43 | 5645 | 6.14 | UG | # 97 |
| 82) Cyclohexane | 6.204 | 56 | 8922m | 5.83 | UG | |
| 83) Methylcyclohexane | 7.513 | 55 | 3450 | 3.92 | UG | # 81 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jul 13 16:25:12 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0410.D
 Acq On : 2 Jul 2010 14:55
 Operator : XING
 Sample : 20PPB, STD-20PPB, A, 5mL, 100
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 13 16:26:36 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 204581 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 318960 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 300059 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.529 | 65 | 98948 | 50.94 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 101.88% | |
| 41) Toluene-d8 | 8.681 | 98 | 282918 | 50.82 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 101.64% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 124520 | 50.95 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 101.90% | |

Target Compounds

| | | | | | | Qvalue |
|--------------------------------|-------|-----|--------|---------|----|--------|
| 2) Dichlorodifluoromethane | 1.788 | 85 | 25893 | 17.17 | UG | 100 |
| 3) Chloromethane | 1.960 | 50 | 18618 | 19.65 | UG | 98 |
| 4) Vinyl chloride | 2.092 | 62 | 21950 | 18.68 | UG | 99 |
| 5) Bromomethane | 2.468 | 94 | 19911 | 19.95 | UG | # 54 |
| 6) Chloroethane | 2.590 | 64 | 13742 | 20.13 | UG | 99 |
| 7) Trichlorofluoromethane | 2.874 | 101 | 47560 | 17.63 | UG | # 37 |
| 8) Acrolein | 3.402 | 56 | 11880 | 222.99 | UG | 99 |
| 9) 1,1-Dichloroethene | 3.503 | 96 | 24889 | 18.35 | UG | # 100 |
| 10) Acetone | 3.595 | 43 | 7167 | 19.03 | UG | 99 |
| 11) Carbon disulfide | 3.757 | 76 | 74846 | 17.94 | UG | 100 |
| 12) Vinyl acetate | 5.006 | 43 | 73064 | 19.58 | UG | 100 |
| 13) Methylene chloride | 4.102 | 84 | 31795 | 19.39 | UG | # 99 |
| 14) Acrylonitrile | 4.417 | 53 | 96611 | 220.75 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.295 | 59 | 5011 | 37.90 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 37284 | 19.75 | UG | # 98 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 94556 | 19.25 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.925 | 63 | 54184 | 19.18 | UG | # 85 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 85156 | 21.33 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 35722 | 19.71 | UG | # 99 |
| 21) 2,2-Dichloropropane | 5.595 | 77 | 40867 | 19.61 | UG | 94 |
| 22) 2-Butanone (MEK) | 5.645 | 43 | 10741 | 19.70 | UG | # 98 |
| 23) Bromochloromethane | 5.879 | 128 | 25257 | 19.21 | UG | # 100 |
| 25) Chloroform | 5.970 | 83 | 69783 | 19.11 | UG | 100 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 58802 | 18.34 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 53778 | 17.56 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.346 | 75 | 35196 | 17.87 | UG | # 85 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 56727 | 19.22 | UG | 100 |
| 32) Benzene | 6.589 | 78 | 119350 | 18.87 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 32906 | 17.69 | UG | # 79 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 25561 | 18.86 | UG | # 100 |
| 35) Dibromomethane | 7.706 | 93 | 22362 | 18.62 | UG | 96 |
| 36) 1,4-Dioxane | 7.726 | 88 | 25117 | 2075.86 | UG | # 100 |
| 37) Bromodichloromethane | 7.879 | 83 | 47953 | 18.47 | UG | # 99 |
| 38) 2-Chloroethyl vinyl ether | 8.224 | 63 | 12687 | 17.30 | UG | # 94 |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 41309 | 19.23 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 17756 | 17.62 | UG | 97 |
| 42) Toluene | 8.762 | 92 | 83506 | 18.86 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.016 | 75 | 40390 | 18.21 | UG | # 91 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 21350 | 18.08 | UG | 93 |

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0410.D
 Acq On : 2 Jul 2010 14:55
 Operator : XING
 Sample : 20PPB,STD-20PPB,A,5mL,100
 Misc :
 ALS Vial : 9 Sample Multiplier: 1


Quant Time: Jul 13 16:26:36 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|-------|-------|----------|
| 45) Tetrachloroethene | 9.391 | 166 | 31685 | 17.67 | UG | # 99 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 41879 | 18.89 | UG | 100 |
| 47) 2-Hexanone | 9.523 | 43 | 12191 | 17.51 | UG | 99 |
| 48) Dibromochloromethane | 9.696 | 129 | 43891 | 18.36 | UG | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 30275 | 18.23 | UG | 100 |
| 51) Chlorobenzene | 10.396 | 112 | 110781 | 18.72 | UG | # 100 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 47631 | 18.74 | UG | # 99 |
| 53) Ethylbenzene | 10.518 | 91 | 143663 | 19.74 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 123095 | 40.75 | UG | 92 |
| 55) o-Xylene | 11.137 | 106 | 58442 | 20.98 | UG | 91 |
| 56) Styrene | 11.158 | 104 | 110797 | 21.31 | UG | 95 |
| 57) Bromoform | 11.391 | 173 | 21989 | 17.82 | UG | # 77 |
| 58) Isopropylbenzene | 11.574 | 105 | 125951 | 19.04 | UG | 99 |
| 60) 1,1,2,2-Tetrachloroethane | 11.950 | 83 | 35205 | 18.87 | UG | 100 |
| 61) Bromobenzene | 11.950 | 156 | 46539 | 18.75 | UG | # 35 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 24636 | 18.62 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 135659 | 20.19 | UG | # 98 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 102310m | 19.97 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.285 | 105 | 123546 | 21.53 | UG | 99 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 126144 | 20.01 | UG | # 96 |
| 67) tert-Butylbenzene | 12.691 | 119 | 94325 | 19.88 | UG | # 100 |
| 68) 1,2,4-Trimethylbenzene | 12.752 | 105 | 135098 | 21.97 | UG | 99 |
| 69) sec-Butylbenzene | 12.955 | 105 | 115908 | 20.18 | UG | 99 |
| 70) 1,3-Dichlorobenzene | 13.097 | 146 | 85309 | 19.26 | UG | # 99 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 122160 | 21.46 | UG | # 99 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 92892 | 19.70 | UG | 100 |
| 73) n-Butylbenzene | 13.645 | 92 | 40072 | 18.91 | UG | # 91 |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 92250 | 20.52 | UG | # 100 |
| 75) 1,2-Dibromo-3-chloropr... | 14.620 | 75 | 5808 | 18.16 | UG | 89 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 29021 | 16.65 | UG | 99 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 14930 | 19.08 | UG | 100 |
| 78) Naphthalene | 15.797 | 128 | 116915 | 18.21 | UG | 100 |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 33863 | 19.49 | UG | 99 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.524 | 101 | 23505 | 16.57 | UG | # 85 |
| 81) Methyl acetate | 4.001 | 43 | 17650 | 19.15 | UG | # 97 |
| 82) Cyclohexane | 6.214 | 56 | 26633 | 17.35 | UG | # 83 |
| 83) Methylcyclohexane | 7.513 | 55 | 15341 | 17.37 | UG | # 82 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-02-10\
Data File : F0410.D
Acq On : 2 Jul 2010 14:55
Operator : XING
Sample : 20PPB,STD-20PPB,A,5mL,100
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 13 16:26:36 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0411.D
 Acq On : 2 Jul 2010 15:21
 Operator : XING
 Sample : 100PPB,STD-100PPB,A,5mL,100
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jul 13 16:27:25 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 234310 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 355151 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 345830 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.528 | 65 | 105356 | 47.36 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 94.72% | |
| 41) Toluene-d8 | 8.680 | 98 | 321787 | 51.91 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 103.82% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 142998 | 50.76 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 101.52% | |

Target Compounds

| | | | | | | Qvalue |
|--------------------------------|-------|-----|--------|---------|----|--------|
| 2) Dichlorodifluoromethane | 1.787 | 85 | 172033 | 99.62 | UG | 100 |
| 3) Chloromethane | 1.960 | 50 | 98186 | 90.47 | UG | 99 |
| 4) Vinyl chloride | 2.092 | 62 | 127614 | 94.82 | UG | 99 |
| 5) Bromomethane | 2.457 | 94 | 106735 | 93.36 | UG | # 56 |
| 6) Chloroethane | 2.579 | 64 | 73286 | 93.72 | UG | 99 |
| 7) Trichlorofluoromethane | 2.874 | 101 | 299725 | 96.98 | UG | # 37 |
| 8) Acrolein | 3.402 | 56 | 17615 | 288.69 | UG | 98 |
| 9) 1,1-Dichloroethene | 3.503 | 96 | 144586 | 93.10 | UG | # 100 |
| 10) Acetone | 3.594 | 43 | 37915 | 87.88 | UG | 99 |
| 11) Carbon disulfide | 3.757 | 76 | 449501 | 94.06 | UG | 100 |
| 12) Vinyl acetate | 5.005 | 43 | 419102 | 98.08 | UG | 100 |
| 13) Methylene chloride | 4.102 | 84 | 160703 | 85.55 | UG | # 100 |
| 14) Acrylonitrile | 4.417 | 53 | 145158 | 289.59 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.295 | 59 | 26710 | 176.40 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 194717 | 90.07 | UG | # 99 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 510487 | 90.74 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.924 | 63 | 288151 | 89.05 | UG | # 99 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 482362 | 105.52 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.604 | 96 | 205941 | 99.23 | UG | # 99 |
| 21) 2,2-Dichloropropane | 5.594 | 77 | 231477 | 96.96 | UG | 93 |
| 22) 2-Butanone (MEK) | 5.635 | 43 | 61822 | 99.02 | UG | # 93 |
| 23) Bromochloromethane | 5.879 | 128 | 133985 | 88.98 | UG | # 99 |
| 25) Chloroform | 5.970 | 83 | 375534 | 89.81 | UG | 100 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 347533 | 94.62 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 342586 | 97.66 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.346 | 75 | 221651 | 98.25 | UG | # 85 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 304208 | 90.00 | UG | 100 |
| 32) Benzene | 6.589 | 78 | 655478 | 93.09 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 200706 | 96.90 | UG | # 80 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 143569 | 95.16 | UG | # 100 |
| 35) Dibromomethane | 7.706 | 93 | 125102 | 93.53 | UG | 97 |
| 36) 1,4-Dioxane | 7.726 | 88 | 45365 | 3367.25 | UG | # 100 |
| 37) Bromodichloromethane | 7.878 | 83 | 283411 | 98.05 | UG | # 99 |
| 38) 2-Chloroethyl vinyl ether | 8.224 | 63 | 93410 | 114.38 | UG | # 94 |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 270062 | 112.94 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 124021 | 110.55 | UG | 97 |
| 42) Toluene | 8.762 | 92 | 483303 | 98.01 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.015 | 75 | 278204 | 112.64 | UG | # 91 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 126936 | 96.52 | UG | 94 |

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0411.D
 Acq On : 2 Jul 2010 15:21
 Operator : XING
 Sample : 100PPB,STD-100PPB,A,5mL,100
 Misc :
 ALS Vial : 10 Sample Multiplier: 1


Quant Time: Jul 13 16:27:25 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| 45) Tetrachloroethene | 9.391 | 166 | 202980 | 101.65 | UG | # 99 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 257636 | 104.36 | UG | 100 |
| 47) 2-Hexanone | 9.523 | 43 | 89465 | 115.41 | UG | 97 |
| 48) Dibromochloromethane | 9.696 | 129 | 284049 | 106.68 | UG | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 194634 | 105.28 | UG | 100 |
| 51) Chlorobenzene | 10.396 | 112 | 625277 | 91.69 | UG | # 100 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 274622 | 93.75 | UG | # 98 |
| 53) Ethylbenzene | 10.518 | 91 | 877053 | 104.54 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 718645 | 206.41 | UG | 92 |
| 55) o-Xylene | 11.137 | 106 | 361822 | 112.71 | UG | 92 |
| 56) Styrene | 11.158 | 104 | 662096 | 110.47 | UG | 95 |
| 57) Bromoform | 11.391 | 173 | 151360 | 106.46 | UG | # 100 |
| 58) Isopropylbenzene | 11.574 | 105 | 849658 | 111.42 | UG | 100 |
| 60) 1,1,2,2-Tetrachloroethane | 11.949 | 83 | 197503 | 91.87 | UG | 100 |
| 61) Bromobenzene | 11.949 | 156 | 277147 | 96.91 | UG | # 35 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 139970 | 91.79 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 839220 | 108.40 | UG | # 98 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 608198m | 102.99 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.295 | 105 | 733661 | 110.94 | UG | 99 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 723615 | 99.60 | UG | # 97 |
| 67) tert-Butylbenzene | 12.690 | 119 | 636369 | 116.39 | UG | # 100 |
| 68) 1,2,4-Trimethylbenzene | 12.751 | 105 | 778758 | 109.90 | UG | 99 |
| 69) sec-Butylbenzene | 12.954 | 105 | 762476 | 115.16 | UG | 99 |
| 70) 1,3-Dichlorobenzene | 13.097 | 146 | 492826 | 96.54 | UG | # 100 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 756486 | 115.28 | UG | # 99 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 525099 | 96.60 | UG | 100 |
| 73) n-Butylbenzene | 13.645 | 92 | 280393 | 114.81 | UG | # 91 |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 499803 | 96.48 | UG | # 100 |
| 75) 1,2-Dibromo-3-chloropr... | 14.619 | 75 | 38561 | 104.59 | UG | # 85 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 222125 | 110.57 | UG | 100 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 88460 | 98.07 | UG | 100 |
| 78) Naphthalene | 15.797 | 128 | 840522 | 113.59 | UG | 100 |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 214388 | 107.06 | UG | 100 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.523 | 101 | 158910 | 97.18 | UG | # 85 |
| 81) Methyl acetate | 3.990 | 43 | 94285 | 88.75 | UG | # 93 |
| 82) Cyclohexane | 6.214 | 56 | 167712 | 94.78 | UG | # 83 |
| 83) Methylcyclohexane | 7.513 | 55 | 117383 | 115.35 | UG | # 78 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : C:\msdchem\1\DATA\07-02-10\  
Data File : F0411.D  
Acq On    : 2 Jul 2010 15:21  
Operator  : XING  
Sample    : 100PPB,STD-100PPB,A,5mL,100  
Misc      :  
ALS Vial  : 10 Sample Multiplier: 1
```

Quant Time: Jul 13 16:27:25 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0413.D
 Acq On : 2 Jul 2010 16:14
 Operator : XING
 Sample : 200PPB,STD-200PPB,A,5mL,100
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 13 16:29:20 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.193 | 168 | 243375 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.016 | 114 | 372783 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 361305 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.528 | 65 | 108193 | 46.83 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 93.66% | |
| 41) Toluene-d8 | 8.681 | 98 | 335034 | 51.49 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 102.98% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 147231 | 50.03 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 100.06% | |

Target Compounds

| | | | | | | Qvalue |
|--------------------------------|-------|-----|---------|---------|----|--------|
| 2) Dichlorodifluoromethane | 1.777 | 85 | 332117 | 185.15 | UG | 100 |
| 3) Chloromethane | 1.960 | 50 | 197491 | 175.19 | UG | 99 |
| 4) Vinyl chloride | 2.092 | 62 | 250920 | 179.50 | UG | 100 |
| 5) Bromomethane | 2.437 | 94 | 204909 | 172.56 | UG | # 55 |
| 6) Chloroethane | 2.569 | 64 | 148214 | 182.49 | UG | 99 |
| 7) Trichlorofluoromethane | 2.864 | 101 | 597622 | 186.17 | UG | # 37 |
| 8) Acrolein | 3.392 | 56 | 30749 | 485.17 | UG | 99 |
| 9) 1,1-Dichloroethene | 3.493 | 96 | 299025 | 185.37 | UG | # 100 |
| 10) Acetone | 3.595 | 43 | 79528 | 177.47 | UG | 99 |
| 11) Carbon disulfide | 3.747 | 76 | 928961 | 187.14 | UG | 100 |
| 12) Vinyl acetate | 5.006 | 43 | 843937 | 190.14 | UG | 100 |
| 13) Methylene chloride | 4.092 | 84 | 330853 | 169.58 | UG | # 99 |
| 14) Acrylonitrile | 4.417 | 53 | 239418 | 459.85 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.295 | 59 | 58552 | 372.30 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.417 | 96 | 390313 | 173.82 | UG | # 99 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 1033306 | 176.84 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.924 | 63 | 599868 | 178.48 | UG | # 99 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 974730 | 205.28 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 425659 | 197.46 | UG | # 99 |
| 21) 2,2-Dichloropropane | 5.594 | 77 | 461280 | 186.03 | UG | # 62 |
| 22) 2-Butanone (MEK) | 5.635 | 43 | 128356 | 197.93 | UG | # 96 |
| 23) Bromochloromethane | 5.879 | 128 | 280115 | 179.09 | UG | # 100 |
| 25) Chloroform | 5.970 | 83 | 777796 | 179.08 | UG | 100 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 716886 | 187.91 | UG | # 99 |
| 27) Carbon tetrachloride | 6.346 | 117 | 712446 | 195.53 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.346 | 75 | 455459 | 194.37 | UG | # 96 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 622545 | 177.32 | UG | 100 |
| 32) Benzene | 6.589 | 78 | 1336934 | 180.89 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 427486 | 196.62 | UG | # 82 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 297226 | 187.68 | UG | # 100 |
| 35) Dibromomethane | 7.706 | 93 | 259099 | 184.55 | UG | 96 |
| 36) 1,4-Dioxane | 7.737 | 88 | 82578 | 5839.50 | UG | # 100 |
| 37) Bromodichloromethane | 7.879 | 83 | 601082 | 198.11 | UG | # 100 |
| 38) 2-Chloroethyl vinyl ether | 8.214 | 63 | 194482 | 226.88 | UG | # 94 |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 568341 | 226.43 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 262391 | 222.83 | UG | 97 |
| 42) Toluene | 8.762 | 92 | 981881 | 189.70 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.016 | 75 | 581485 | 224.29 | UG | # 91 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 258354 | 187.15 | UG | 94 |

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0413.D
 Acq On : 2 Jul 2010 16:14
 Operator : XING
 Sample : 200PPB,STD-200PPB,A,5mL,100
 Misc :
 ALS Vial : 12 Sample Multiplier: 1


Quant Time: Jul 13 16:29:20 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| 45) Tetrachloroethene | 9.391 | 166 | 417577 | 199.22 | UG | # 99 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 525174 | 202.66 | UG | 100 |
| 47) 2-Hexanone | 9.523 | 43 | 186991 | 229.81 | UG | 96 |
| 48) Dibromochloromethane | 9.696 | 129 | 596926 | 213.59 | UG | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 402352 | 207.34 | UG | 100 |
| 51) Chlorobenzene | 10.396 | 112 | 1265366 | 177.60 | UG | # 100 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 567914 | 185.56 | UG | # 98 |
| 53) Ethylbenzene | 10.518 | 91 | 1775585 | 202.57 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 1423912 | 391.45 | UG | 93 |
| 55) o-Xylene | 11.137 | 106 | 730706 | 217.87 | UG | 93 |
| 56) Styrene | 11.158 | 104 | 1329001 | 212.24 | UG | 96 |
| 57) Bromoform | 11.391 | 173 | 325964 | 219.44 | UG | # 100 |
| 58) Isopropylbenzene | 11.574 | 105 | 1739878 | 218.40 | UG | 100 |
| 60) 1,1,2,2-Tetrachloroethane | 11.950 | 83 | 392848 | 174.91 | UG | 99 |
| 61) Bromobenzene | 11.950 | 156 | 566496 | 189.60 | UG | # 35 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 285037 | 178.91 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 1705621 | 210.87 | UG | # 91 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 1227555m | 198.97 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.295 | 105 | 1487200 | 215.26 | UG | 99 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 1456780 | 191.92 | UG | # 97 |
| 67) tert-Butylbenzene | 12.691 | 119 | 1292512 | 226.28 | UG | # 100 |
| 68) 1,2,4-Trimethylbenzene | 12.752 | 105 | 1579535 | 213.37 | UG | 99 |
| 69) sec-Butylbenzene | 12.965 | 105 | 1534866 | 221.89 | UG | 99 |
| 70) 1,3-Dichlorobenzene | 13.107 | 146 | 994863 | 186.54 | UG | # 100 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 1521871 | 221.98 | UG | # 99 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 1053198 | 185.45 | UG | 100 |
| 73) n-Butylbenzene | 13.645 | 92 | 569552 | 223.23 | UG | # 91 |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 998981 | 184.59 | UG | # 100 |
| 75) 1,2-Dibromo-3-chloropr... | 14.619 | 75 | 85543 | 222.08 | UG | # 82 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 479384 | 228.40 | UG | 100 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 184426 | 195.70 | UG | 100 |
| 78) Naphthalene | 15.797 | 128 | 1768829 | 228.81 | UG | 100 |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 454002 | 217.02 | UG | 100 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.513 | 101 | 318523 | 186.45 | UG | # 85 |
| 81) Methyl acetate | 3.990 | 43 | 195328 | 175.98 | UG | # 97 |
| 82) Cyclohexane | 6.214 | 56 | 336577 | 182.07 | UG | # 83 |
| 83) Methylcyclohexane | 7.513 | 55 | 239350 | 225.13 | UG | # 77 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-02-10\
Data File : F0413.D
Acq On : 2 Jul 2010 16:14
Operator : XING
Sample : 200PPB,STD-200PPB,A,5mL,100
Misc :
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 13 16:29:20 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0417.D
 Acq On : 2 Jul 2010 18:05
 Operator : XING
 Sample : 1PPB,STD-1PPB,A,5ml,100
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 13 16:36:23 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 192156 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 316031 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 279638 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.528 | 65 | 98483 | 53.98 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 107.96% | |
| 41) Toluene-d8 | 8.691 | 98 | 259848 | 47.11 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 94.22% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 110523 | 48.52 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 97.04% | |

Target Compounds

| | | | | | | Qvalue |
|--------------------------------|-------|-----|-------|--------|----|--------|
| 2) Dichlorodifluoromethane | 1.787 | 85 | 1693 | 1.20 | UG | 99 |
| 3) Chloromethane | 1.960 | 50 | 1055m | 1.19 | UG | |
| 4) Vinyl chloride | 2.082 | 62 | 1392 | 1.26 | UG | # 96 |
| 5) Bromomethane | 2.468 | 94 | 1098m | 1.17 | UG | |
| 6) Chloroethane | 2.589 | 64 | 839 | 1.31 | UG | 99 |
| 7) Trichlorofluoromethane | 2.863 | 101 | 3034 | 1.20 | UG | # 38 |
| 8) Acrolein | 3.402 | 56 | 950 | 18.99 | UG | # 66 |
| 9) 1,1-Dichloroethene | 3.503 | 96 | 1621 | 1.27 | UG | # 100 |
| 11) Carbon disulfide | 3.757 | 76 | 4980 | 1.27 | UG | 100 |
| 12) Vinyl acetate | 5.016 | 43 | 3831 | 1.09 | UG | # 99 |
| 14) Acrylonitrile | 4.427 | 53 | 8207 | 19.96 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.285 | 59 | 287m | 2.31 | UG | |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 2178m | 1.23 | UG | |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 5384 | 1.17 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.924 | 63 | 3421 | 1.29 | UG | 99 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 3524 | 0.94 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.604 | 96 | 1816 | 1.07 | UG | # 95 |
| 21) 2,2-Dichloropropane | 5.594 | 77 | 2144 | 1.10 | UG | 95 |
| 22) 2-Butanone (MEK) | 5.645 | 43 | 484 | 0.95 | UG | 100 |
| 23) Bromochloromethane | 5.879 | 128 | 1595 | 1.29 | UG | # 96 |
| 25) Chloroform | 5.970 | 83 | 4240m | 1.24 | UG | |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 3509 | 1.16 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 3236 | 1.12 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.346 | 75 | 2189 | 1.18 | UG | # 85 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 3487m | 1.26 | UG | |
| 32) Benzene | 6.589 | 78 | 7725 | 1.23 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 2238 | 1.21 | UG | # 80 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 1520 | 1.13 | UG | # 99 |
| 35) Dibromomethane | 7.706 | 93 | 1374 | 1.15 | UG | 95 |
| 36) 1,4-Dioxane | 7.736 | 88 | 1411 | 117.70 | UG | # 100 |
| 37) Bromodichloromethane | 7.878 | 83 | 2846 | 1.11 | UG | # 99 |
| 38) 2-Chloroethyl vinyl ether | 8.213 | 63 | 708m | 0.97 | UG | |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 1723 | 0.81 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.559 | 43 | 967m | 0.97 | UG | |
| 42) Toluene | 8.762 | 92 | 4982 | 1.14 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.026 | 75 | 1922 | 0.87 | UG | 98 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 1406 | 1.20 | UG | 95 |
| 45) Tetrachloroethene | 9.391 | 166 | 2238 | 1.26 | UG | # 97 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 2290 | 1.04 | UG | 99 |

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0417.D
 Acq On : 2 Jul 2010 18:05
 Operator : XING
 Sample : 1PPB, STD-1PPB, A, 5ml, 100
 Misc :
 ALS Vial : 12 Sample Multiplier: 1


Quant Time: Jul 13 16:36:23 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|------|-------|----------|
| 47) 2-Hexanone | 9.523 | 43 | 527m | 0.76 | UG | |
| 48) Dibromochloromethane | 9.696 | 129 | 2493 | 1.05 | UG | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 1751 | 1.06 | UG | 99 |
| 51) Chlorobenzene | 10.396 | 112 | 6698m | 1.21 | UG | |
| 52) 1,1,1,2-Tetrachloroethane | 10.487 | 131 | 2917 | 1.23 | UG | # 98 |
| 53) Ethylbenzene | 10.518 | 91 | 7245 | 1.07 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 5816 | 2.07 | UG | 89 |
| 55) o-Xylene | 11.137 | 106 | 2281 | 0.88 | UG | 90 |
| 56) Styrene | 11.158 | 104 | 3795 | 0.78 | UG | 95 |
| 57) Bromoform | 11.381 | 173 | 1219 | 1.06 | UG | # 100 |
| 58) Isopropylbenzene | 11.574 | 105 | 4464 | 0.72 | UG | 100 |
| 60) 1,1,2,2-Tetrachloroethane | 11.949 | 83 | 2245 | 1.29 | UG | 100 |
| 61) Bromobenzene | 11.949 | 156 | 2780 | 1.20 | UG | # 34 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 1474 | 1.20 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 6530 | 1.04 | UG | 98 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 5319m | 1.11 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.284 | 105 | 5013 | 0.94 | UG | 98 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 6635 | 1.13 | UG | # 96 |
| 67) tert-Butylbenzene | 12.690 | 119 | 3575 | 0.81 | UG | # 100 |
| 68) 1,2,4-Trimethylbenzene | 12.751 | 105 | 4712 | 0.82 | UG | 98 |
| 69) sec-Butylbenzene | 12.954 | 105 | 4698 | 0.88 | UG | # 93 |
| 70) 1,3-Dichlorobenzene | 13.107 | 146 | 5258m | 1.27 | UG | |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 4383 | 0.83 | UG | # 100 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 5699 | 1.30 | UG | 99 |
| 73) n-Butylbenzene | 13.645 | 92 | 1687 | 0.85 | UG | # 89 |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 5046 | 1.20 | UG | # 99 |
| 75) 1,2-Dibromo-3-chloropr... | 14.619 | 75 | 357 | 1.20 | UG | 95 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 1911 | 1.18 | UG | 98 |
| 78) Naphthalene | 15.797 | 128 | 5642m | 0.94 | UG | |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 1911 | 1.18 | UG | 98 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.523 | 101 | 1652 | 1.25 | UG | # 81 |
| 81) Methyl acetate | 3.990 | 43 | 1014m | 1.18 | UG | |
| 83) Methylcyclohexane | 7.513 | 55 | 755 | 0.92 | UG | # 83 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-02-10\
Data File : F0417.D
Acq On : 2 Jul 2010 18:05
Operator : XING
Sample : 1PPB,STD-1PPB,A,5ml,100
Misc :
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 13 16:36:23 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0418.D
 Acq On : 2 Jul 2010 18:31
 Operator : XING
 Sample : 2PPB,STD-2PPB,A,5ml,100
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jul 13 16:41:29 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 196973 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 319419 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 290053 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.528 | 65 | 99774 | 53.35 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 106.70% |
| 41) Toluene-d8 | 8.681 | 98 | 271480 | 48.69 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 97.38% |
| 59) Bromofluorobenzene | 11.767 | 95 | 116862 | 49.46 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 98.92% |

Target Compounds

| | | | | | | Qvalue |
|--------------------------------|-------|-----|-------|--------|----|--------|
| 2) Dichlorodifluoromethane | 1.787 | 85 | 3712 | 2.56 | UG | 98 |
| 3) Chloromethane | 1.960 | 50 | 2266 | 2.48 | UG | 100 |
| 4) Vinyl chloride | 2.092 | 62 | 2907 | 2.57 | UG | 99 |
| 5) Bromomethane | 2.468 | 94 | 2261m | 2.35 | UG | |
| 6) Chloroethane | 2.589 | 64 | 1547 | 2.35 | UG | 97 |
| 7) Trichlorofluoromethane | 2.884 | 101 | 6437m | 2.48 | UG | |
| 8) Acrolein | 3.402 | 56 | 2718 | 52.99 | UG | 97 |
| 9) 1,1-Dichloroethene | 3.503 | 96 | 3044m | 2.33 | UG | |
| 10) Acetone | 3.605 | 43 | 919m | 2.53 | UG | |
| 11) Carbon disulfide | 3.757 | 76 | 9058 | 2.25 | UG | 100 |
| 12) Vinyl acetate | 5.006 | 43 | 7170 | 2.00 | UG | # 100 |
| 13) Methylene chloride | 4.102 | 84 | 3980m | 2.52 | UG | |
| 14) Acrylonitrile | 4.427 | 53 | 22805 | 54.12 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.295 | 59 | 548 | 4.31 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 4668 | 2.57 | UG | # 100 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 10345 | 2.19 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.924 | 63 | 6351 | 2.33 | UG | 99 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 6781 | 1.76 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 3417 | 1.96 | UG | # 97 |
| 21) 2,2-Dichloropropane | 5.594 | 77 | 4254 | 2.12 | UG | 97 |
| 22) 2-Butanone (MEK) | 5.645 | 43 | 1094 | 2.08 | UG | 100 |
| 23) Bromochloromethane | 5.879 | 128 | 3007 | 2.38 | UG | # 98 |
| 25) Chloroform | 5.970 | 83 | 8306 | 2.36 | UG | 99 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 6792 | 2.20 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 6806 | 2.31 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.346 | 75 | 4064 | 2.14 | UG | # 85 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 6710 | 2.36 | UG | 99 |
| 32) Benzene | 6.589 | 78 | 14007 | 2.21 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 3790 | 2.03 | UG | # 81 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 2849 | 2.10 | UG | # 99 |
| 35) Dibromomethane | 7.706 | 93 | 2641 | 2.20 | UG | 96 |
| 36) 1,4-Dioxane | 7.736 | 88 | 4131 | 340.93 | UG | # 100 |
| 37) Bromodichloromethane | 7.879 | 83 | 5256 | 2.02 | UG | # 99 |
| 38) 2-Chloroethyl vinyl ether | 8.224 | 63 | 1204m | 1.64 | UG | |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 3384 | 1.57 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 2037m | 2.02 | UG | |
| 42) Toluene | 8.762 | 92 | 9292 | 2.10 | UG | 100 |
| 43) trans-1,3-Dichloropropene | 9.026 | 75 | 3537 | 1.59 | UG | # 98 |
| 44) 1,1,2-Trichloroethane | 9.229 | 83 | 2456 | 2.08 | UG | 94 |

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0418.D
 Acq On : 2 Jul 2010 18:31
 Operator : XING
 Sample : 2PPB,STD-2PPB,A,5ml,100
 Misc :
 ALS Vial : 13 Sample Multiplier: 1


Quant Time: Jul 13 16:41:29 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|------|-------|----------|
| 45) Tetrachloroethene | 9.391 | 166 | 3711 | 2.07 | UG | # 100 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 4220 | 1.90 | UG | 100 |
| 47) 2-Hexanone | 9.523 | 43 | 1106m | 1.59 | UG | |
| 48) Dibromochloromethane | 9.696 | 129 | 4443 | 1.86 | UG | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 3164 | 1.90 | UG | 99 |
| 51) Chlorobenzene | 10.396 | 112 | 13312 | 2.33 | UG | # 99 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 5011 | 2.04 | UG | # 96 |
| 53) Ethylbenzene | 10.518 | 91 | 12687 | 1.80 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 10589 | 3.63 | UG | 93 |
| 55) o-Xylene | 11.137 | 106 | 4716m | 1.75 | UG | |
| 56) Styrene | 11.158 | 104 | 7440 | 1.48 | UG | 94 |
| 57) Bromoform | 11.381 | 173 | 2159 | 1.81 | UG | # 99 |
| 58) Isopropylbenzene | 11.574 | 105 | 10664m | 1.67 | UG | |
| 60) 1,1,2,2-Tetrachloroethane | 11.949 | 83 | 3964 | 2.20 | UG | 99 |
| 61) Bromobenzene | 11.949 | 156 | 4872 | 2.03 | UG | # 35 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 2915 | 2.28 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 11101 | 1.71 | UG | # 91 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 8843m | 1.79 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.295 | 105 | 8552 | 1.54 | UG | 98 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 11227 | 1.84 | UG | # 96 |
| 67) tert-Butylbenzene | 12.691 | 119 | 7343m | 1.60 | UG | |
| 68) 1,2,4-Trimethylbenzene | 12.751 | 105 | 8382m | 1.41 | UG | |
| 69) sec-Butylbenzene | 12.954 | 105 | 8297 | 1.49 | UG | # 93 |
| 70) 1,3-Dichlorobenzene | 13.097 | 146 | 8513 | 1.99 | UG | # 99 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 8853m | 1.61 | UG | |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 8753 | 1.92 | UG | 98 |
| 73) n-Butylbenzene | 13.645 | 92 | 3106m | 1.52 | UG | |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 8603 | 1.98 | UG | # 99 |
| 75) 1,2-Dibromo-3-chloropr... | 14.619 | 75 | 545 | 1.76 | UG | # 88 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 2575 | 1.53 | UG | 98 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 1707m | 2.26 | UG | |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 2837 | 1.69 | UG | 96 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.523 | 101 | 3268m | 2.38 | UG | |
| 81) Methyl acetate | 4.001 | 43 | 2139m | 2.40 | UG | |
| 82) Cyclohexane | 6.204 | 56 | 3713m | 2.50 | UG | |
| 83) Methylcyclohexane | 7.513 | 55 | 1568 | 1.84 | UG | # 46 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-02-10\
 Data File : F0418.D
 Acq On : 2 Jul 2010 18:31
 Operator : XING
 Sample : 2PPB,STD-2PPB,A,5ml,100
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jul 13 16:41:29 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0604.D
 Acq On : 13 Jul 2010 10:25
 Operator : KING
 Sample : 100PPB,STD-100PPB,A,5mL,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jul 13 11:56:54 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|-------|------------------------------|-------|-------|-------|-------|----------|
| 1 I | Pentafluorobenzene | 1.000 | 1.000 | 0.0 | 81 | 0.00 |
| 2 T | Dichlorodifluoromethane | 0.369 | 0.385 | -4.3 | 85 | 0.00 |
| 3 P | Chloromethane | 0.232 | 0.221 | 4.7 | 85 | 0.00 |
| 4 C | Vinyl chloride | 0.287 | 0.273 | 4.9 | 81 | 0.00 |
| 5 T | Bromomethane | 0.244 | 0.242 | 0.8 | 86 | 0.01 |
| 6 T | Chloroethane | 0.167 | 0.166 | 0.6 | 86 | 0.00 |
| 7 T | Trichlorofluoromethane | 0.659 | 0.729 | -10.6 | 92 | 0.00 |
| 8 T | Acrolein | 0.013 | 0.014 | -7.7 | 89 | 0.00 |
| 9 MC | 1,1-Dichloroethene | 0.331 | 0.318 | 3.9 | 84 | 0.00 |
| 10 T | Acetone | 0.092 | 0.081 | 12.0 | 81 | 0.00 |
| 11 T | Carbon disulfide | 1.020 | 0.994 | 2.5 | 84 | 0.00 |
| 12 T | Vinyl acetate | 0.912 | 0.926 | -1.5 | 84 | 0.00 |
| 13 T | Methylene chloride | 0.401 | 0.357 | 11.0 | 85 | 0.00 |
| 14 T | Acrylonitrile | 0.107 | 0.107 | 0.0 | 84 | 0.01 |
| 15 T | tert-Butyl alcohol (TBA) | 0.032 | 0.029 | 9.4 | 82 | 0.00 |
| 16 T | trans-1,2-Dichloroethene | 0.461 | 0.437 | 5.2 | 85 | 0.00 |
| 17 T | Methyl tert-butyl ether (MT) | 1.200 | 1.156 | 3.7 | 86 | 0.00 |
| 18 P | 1,1-Dichloroethane | 0.691 | 0.641 | 7.2 | 84 | 0.01 |
| 19 T | Diisopropyl ether (DIPE) | 0.976 | 1.077 | -10.3 | 85 | 0.00 |
| 20 T | cis-1,2-Dichloroethene | 0.443 | 0.460 | -3.8 | 85 | 0.00 |
| 21 T | 2,2-Dichloropropane | 0.509 | 0.556 | -9.2 | 91 | 0.00 |
| 22 T | 2-Butanone (MEK) | 0.133 | 0.128 | 3.8 | 79 | 0.01 |
| 23 T | Bromochloromethane | 0.321 | 0.301 | 6.2 | 85 | 0.00 |
| 25 C | Chloroform | 0.892 | 0.852 | 4.5 | 86 | 0.00 |
| 26 T | 1,1,1-Trichloroethane | 0.784 | 0.816 | -4.1 | 89 | 0.00 |
| 27 T | Carbon tetrachloride | 0.749 | 0.809 | -8.0 | 90 | 0.00 |
| 28 T | 1,1-Dichloropropene | 0.481 | 0.492 | -2.3 | 84 | 0.01 |
| 29 T | 1,2-Dichloroethane (EDC) | 0.721 | 0.694 | 3.7 | 87 | 0.00 |
| 30 S | 1,2-Dichloroethane-d4 | 0.475 | 0.451 | 5.1 | 81 | 0.01 |
| 31 I | 1,4-Difluorobenzene | 1.000 | 1.000 | 0.0 | 82 | 0.00 |
| 32 M | Benzene | 0.991 | 0.945 | 4.6 | 84 | 0.00 |
| 33 M | Trichloroethene | 0.292 | 0.295 | -1.0 | 85 | 0.00 |
| 34 C | 1,2-Dichloropropane | 0.212 | 0.210 | 0.9 | 85 | 0.00 |
| 35 T | Dibromomethane | 0.188 | 0.184 | 2.1 | 85 | 0.00 |
| 36 T | 1,4-Dioxane | 0.002 | 0.002 | 0.0 | 73 | 0.01 |
| 37 T | Bromodichloromethane | 0.407 | 0.424 | -4.2 | 87 | 0.00 |
| 38 T | 2-Chloroethyl vinyl ether | 0.115 | 0.128 | -11.3 | 79 | 0.00 |
| 39 T | cis-1,3-Dichloropropene | 0.337 | 0.392 | -16.3 | 84 | 0.00 |
| 40 T | 4-Methyl-2-pentanone (MIBK) | 0.158 | 0.172 | -8.9 | 80 | 0.00 |
| 41 S | Toluene-d8 | 0.873 | 0.936 | -7.2 | 84 | 0.01 |
| 42 MC | Toluene | 0.694 | 0.705 | -1.6 | 85 | 0.00 |
| 43 T | trans-1,3-Dichloropropene | 0.348 | 0.403 | -15.8 | 84 | 0.01 |
| 44 T | 1,1,2-Trichloroethane | 0.185 | 0.180 | 2.7 | 82 | 0.00 |
| 45 T | Tetrachloroethene | 0.281 | 0.300 | -6.8 | 86 | 0.00 |
| 46 T | 1,3-Dichloropropane | 0.348 | 0.374 | -7.5 | 84 | 0.00 |

| | | | | | | | |
|----|----|-----------------------------|-------|-------|-------|----|-------|
| 47 | T | 2-Hexanone | 0.109 | 0.119 | -9.2 | 77 | 0.00 |
| 48 | T | Dibromochloromethane | 0.375 | 0.420 | -12.0 | 86 | 0.00 |
| 49 | T | 1,2-Dibromoethane (EDB) | 0.260 | 0.278 | -6.9 | 83 | 0.00 |
| 50 | I | Chlorobenzene-d5 | 1.000 | 1.000 | 0.0 | 89 | 0.00 |
| 51 | MP | Chlorobenzene | 0.986 | 0.880 | 10.8 | 86 | 0.00 |
| 52 | T | 1,1,1,2-Tetrachloroethane | 0.424 | 0.399 | 5.9 | 89 | 0.00 |
| 53 | C | Ethylbenzene | 1.213 | 1.227 | -1.2 | 86 | 0.00 |
| 54 | T | m,p-Xylene | 0.503 | 0.504 | -0.2 | 86 | 0.00 |
| 55 | T | o-Xylene | 0.464 | 0.515 | -11.0 | 87 | 0.00 |
| 56 | T | Styrene | 0.867 | 0.934 | -7.7 | 87 | 0.00 |
| 57 | P | Bromoform | 0.206 | 0.211 | -2.4 | 85 | 0.00 |
| 58 | T | Isopropylbenzene | 1.102 | 1.211 | -9.9 | 88 | 0.00 |
| 59 | S | Bromofluorobenzene | 0.407 | 0.430 | -5.7 | 92 | 0.00 |
| 60 | P | 1,1,2,2-Tetrachloroethane | 0.311 | 0.302 | 2.9 | 94 | 0.00 |
| 61 | T | Bromobenzene | 0.413 | 0.395 | 4.4 | 88 | 0.00 |
| 62 | T | 1,2,3-Trichloropropane | 0.220 | 0.197 | 10.5 | 86 | 0.00 |
| 63 | T | n-Propylbenzene | 1.119 | 1.201 | -7.3 | 88 | 0.00 |
| 64 | T | 2-Chlorotoluene | 0.854 | 0.861 | -0.8 | 87 | 0.00 |
| 65 | T | 1,3,5-Trimethylbenzene | 0.956 | 1.067 | -11.6 | 89 | 0.00 |
| 66 | T | 4-Chlorotoluene | 1.050 | 1.034 | 1.5 | 88 | 0.00 |
| 67 | T | tert-Butylbenzene | 0.790 | 0.911 | -15.3 | 88 | 0.00 |
| 68 | T | 1,2,4-Trimethylbenzene | 1.024 | 1.137 | -11.0 | 90 | 0.00 |
| 69 | T | sec-Butylbenzene | 0.957 | 1.098 | -14.7 | 88 | 0.00 |
| 70 | T | 1,3-Dichlorobenzene | 0.738 | 0.705 | 4.5 | 88 | -0.01 |
| 71 | T | 4-Isopropyltoluene | 0.949 | 1.105 | -16.4 | 90 | 0.00 |
| 72 | T | 1,4-Dichlorobenzene | 0.786 | 0.748 | 4.8 | 87 | 0.00 |
| 73 | T | n-Butylbenzene | 0.353 | 0.399 | -13.0 | 88 | 0.00 |
| 74 | T | 1,2-Dichlorobenzene | 0.749 | 0.724 | 3.3 | 89 | 0.00 |
| 75 | T | 1,2-Dibromo-3-chloropropane | 0.053 | 0.054 | -1.9 | 86 | 0.00 |
| 76 | T | 1,2,4-Trichlorobenzene | 0.290 | 0.322 | -11.0 | 89 | 0.00 |
| 77 | T | Hexachlorobutadiene | 0.130 | 0.130 | 0.0 | 90 | 0.00 |
| 78 | T | Naphthalene | 1.070 | 1.197 | -11.9 | 87 | 0.00 |
| 79 | T | 1,2,3-Trichlorobenzene | 0.290 | 0.315 | -8.6 | 90 | 0.00 |
| 80 | T | 1,1,2-Trichloro-1,2,2-trifl | 0.236 | 0.225 | 4.7 | 87 | 0.00 |
| 81 | T | Methyl acetate | 0.154 | 0.131 | 14.9 | 85 | 0.01 |
| 82 | T | Cyclohexane | 0.256 | 0.230 | 10.2 | 84 | 0.00 |
| 83 | T | Methylcyclohexane | 0.147 | 0.166 | -12.9 | 87 | 0.00 |

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

FAM0702.M Tue Jul 13 11:56:58 2010 RP1

Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0604.D
 Acq On : 13 Jul 2010 10:25
 Operator : XING
 Sample : 100PPB,STD-100PPB,A,5mL,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jul 13 11:56:54 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 190029 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 289736 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 307100 | 50.00 | UG | 0.00 |

| System Monitoring Compounds | | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-----------------------------|--------|------------|------|----------|-------|---------|----------|
| 30) 1,2-Dichloroethane-d4 | | 6.539 | 65 | 85693 | 47.50 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 43 - | 133 | Recovery | = | 95.00% | |
| 41) Toluene-d8 | | 8.691 | 98 | 271086 | 53.60 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - | 137 | Recovery | = | 107.20% | |
| 59) Bromofluorobenzene | | 11.767 | 95 | 132068 | 52.80 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - | 145 | Recovery | = | 105.60% | |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|--------------------------------|-------|------|----------|---------|-------|--------|
| 2) Dichlorodifluoromethane | 1.788 | 85 | 146158 | 104.36 | UG | 100 |
| 3) Chloromethane | 1.960 | 50 | 83894 | 95.31 | UG | 99 |
| 4) Vinyl chloride | 2.092 | 62 | 103932 | 95.22 | UG | 99 |
| 5) Bromomethane | 2.458 | 94 | 92053 | 99.28 | UG | # 55 |
| 6) Chloroethane | 2.579 | 64 | 62909 | 99.20 | UG | 99 |
| 7) Trichlorofluoromethane | 2.874 | 101 | 277089 | 110.55 | UG | # 36 |
| 8) Acrolein | 3.402 | 56 | 15748m | 318.23 | UG | |
| 9) 1,1-Dichloroethene | 3.503 | 96 | 120885 | 95.97 | UG | # 100 |
| 10) Acetone | 3.595 | 43 | 30705 | 87.75 | UG | 99 |
| 11) Carbon disulfide | 3.757 | 76 | 377921 | 97.51 | UG | 100 |
| 12) Vinyl acetate | 5.006 | 43 | 351869 | 101.53 | UG | 100 |
| 13) Methylene chloride | 4.102 | 84 | 135812 | 89.15 | UG | # 100 |
| 14) Acrylonitrile | 4.427 | 53 | 122316 | 300.88 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.295 | 59 | 21979 | 178.98 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 166066 | 94.72 | UG | # 99 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 439454 | 96.32 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.935 | 63 | 243433 | 92.76 | UG | # 97 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 409296 | 110.40 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 174667 | 103.77 | UG | # 99 |
| 21) 2,2-Dichloropropane | 5.594 | 77 | 211168 | 109.07 | UG | 96 |
| 22) 2-Butanone (MEK) | 5.645 | 43 | 48704 | 96.19 | UG | # 96 |
| 23) Bromochloromethane | 5.879 | 128 | 114449 | 93.72 | UG | # 99 |
| 25) Chloroform | 5.970 | 83 | 323943 | 95.52 | UG | 100 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 310159 | 104.12 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 307322 | 108.02 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.356 | 75 | 187112 | 102.27 | UG | # 85 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 263828 | 96.24 | UG | 100 |
| 32) Benzene | 6.589 | 78 | 547711 | 95.35 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 170884 | 101.13 | UG | # 81 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 121968 | 99.09 | UG | # 100 |
| 35) Dibromomethane | 7.706 | 93 | 106658 | 97.75 | UG | 96 |
| 36) 1,4-Dioxane | 7.736 | 88 | 33082 | 3009.93 | UG | # 100 |
| 37) Bromodichloromethane | 7.879 | 83 | 245472 | 104.09 | UG | # 99 |
| 38) 2-Chloroethyl vinyl ether | 8.224 | 63 | 74089 | 111.20 | UG | # 94 |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 227383 | 116.56 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 99695 | 108.93 | UG | 97 |
| 42) Toluene | 8.762 | 92 | 408648 | 101.58 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.026 | 75 | 233658 | 115.96 | UG | # 98 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 104542 | 97.44 | UG | 93 |

Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0604.D
 Acq On : 13 Jul 2010 10:25
 Operator : XING
 Sample : 100PPB,STD-100PPB,A,5mL,100
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Quant Time: Jul 13 11:56:54 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) | |
|-------------------------------|--------|------|----------|--------|-------|----------|-----|
| 45) Tetrachloroethene | 9.391 | 166 | 173788 | 106.68 | UG | # | 99 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 216521 | 107.50 | UG | | 100 |
| 47) 2-Hexanone | 9.523 | 43 | 68788 | 108.77 | UG | | 97 |
| 48) Dibromochloromethane | 9.696 | 129 | 243303 | 112.01 | UG | | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 161356 | 106.98 | UG | | 100 |
| 51) Chlorobenzene | 10.396 | 112 | 540470 | 89.25 | UG | # | 100 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 244860 | 94.13 | UG | # | 98 |
| 53) Ethylbenzene | 10.518 | 91 | 753598 | 101.15 | UG | | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 619391 | 200.34 | UG | | 92 |
| 55) o-Xylene | 11.137 | 106 | 316571 | 111.05 | UG | | 92 |
| 56) Styrene | 11.158 | 104 | 573666 | 107.78 | UG | | 96 |
| 57) Bromoform | 11.391 | 173 | 129382 | 102.48 | UG | # | 100 |
| 58) Isopropylbenzene | 11.574 | 105 | 743851 | 109.85 | UG | | 100 |
| 60) 1,1,2,2-Tetrachloroethane | 11.949 | 83 | 185570m | 97.21 | UG | | |
| 61) Bromobenzene | 11.949 | 156 | 242809 | 95.61 | UG | # | 51 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 120810 | 89.21 | UG | # | 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 737825 | 107.32 | UG | # | 91 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 528573m | 100.80 | UG | | |
| 65) 1,3,5-Trimethylbenzene | 12.295 | 105 | 655200 | 111.58 | UG | | 99 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 635000 | 98.42 | UG | # | 97 |
| 67) tert-Butylbenzene | 12.691 | 119 | 559767 | 115.29 | UG | # | 100 |
| 68) 1,2,4-Trimethylbenzene | 12.751 | 105 | 698463 | 111.00 | UG | | 99 |
| 69) sec-Butylbenzene | 12.955 | 105 | 674621 | 114.74 | UG | # | 93 |
| 70) 1,3-Dichlorobenzene | 13.097 | 146 | 432809 | 95.48 | UG | # | 100 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 678876 | 116.50 | UG | # | 99 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 459347 | 95.16 | UG | | 100 |
| 73) n-Butylbenzene | 13.645 | 92 | 245344 | 113.13 | UG | # | 91 |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 444645 | 96.66 | UG | # | 100 |
| 75) 1,2-Dibromo-3-chloropr... | 14.619 | 75 | 33077 | 101.03 | UG | # | 84 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 197601 | 110.76 | UG | | 100 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 80050 | 99.93 | UG | | 100 |
| 78) Naphthalene | 15.797 | 128 | 735174 | 111.88 | UG | | 100 |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 193648 | 108.90 | UG | | 100 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.523 | 101 | 138238 | 95.20 | UG | # | 85 |
| 81) Methyl acetate | 4.001 | 43 | 80424m | 85.25 | UG | | |
| 82) Cyclohexane | 6.214 | 56 | 141485 | 90.05 | UG | # | 66 |
| 83) Methylcyclohexane | 7.513 | 55 | 101824 | 112.68 | UG | # | 79 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0604.D
Acq On : 13 Jul 2010 10:25
Operator : XING
Sample : 100PPB,STD-100PPB,A,5mL,100
Misc :
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jul 13 11:56:54 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



VOLATILE SURROGATE PERCENT RECOVERY SUMMARY

Date Analyzed: 07/13/2010

| Lab Sample ID | Matrix | File ID | SMC1 # | SMC2 # | SMC3 # |
|---------------|---------|---------|--------|--------|--------|
| METHOD-BLK | AQUEOUS | F0607.D | 117 | 92 | 93 |
| 06674-004 | AQUEOUS | F0608.D | 126 | 91 | 93 |
| 06674-005 | AQUEOUS | F0609.D | 122 | 94 | 93 |
| BLK-SPK | AQUEOUS | F0610.D | 101 | 109 | 106 |
| 06728-005MS | AQUEOUS | F0611.D | 111 | 94 | 93 |
| 06728-005MSD | AQUEOUS | F0612.D | 114 | 94 | 92 |
| 06728-001 | AQUEOUS | F0613.D | 119 | 94 | 91 |
| 06728-002 | AQUEOUS | F0614.D | 119 | 94 | 92 |
| 06728-003 | AQUEOUS | F0615.D | 117 | 94 | 92 |
| 06728-004 | AQUEOUS | F0616.D | 121 | 95 | 95 |
| 06728-005 | AQUEOUS | F0617.D | 113 | 94 | 92 |
| 06728-006 | AQUEOUS | F0618.D | 119 | 96 | 92 |
| 06728-007 | AQUEOUS | F0619.D | 120 | 97 | 92 |
| 06728-008 | AQUEOUS | F0620.D | 121 | 96 | 91 |
| 06728-009 | AQUEOUS | F0621.D | 119 | 94 | 92 |
| 06728-010 | AQUEOUS | F0622.D | 120 | 93 | 92 |
| 06728-011 | AQUEOUS | F0623.D | 122 | 94 | 93 |
| 06462-003 | AQUEOUS | F0624.D | 120 | 94 | 92 |
| 06462-004 | AQUEOUS | F0625.D | 123 | 94 | 90 |
| 06662-001 | AQUEOUS | F0627.D | 104 | 95 | 99 |

| | Concentration | Aqueous/Meoh | Soil |
|------------------------------|---------------|--------------|--------|
| SMC1 = 1,2-Dichloroethane-d4 | 50 ppb | 76-138 | 39-165 |
| SMC2 = Toluene-d8 | 50 ppb | 66-119 | 45-162 |
| SMC3 = Bromofluorobenzene | 50 ppb | 43-136 | 40-152 |

Column to be used to flag recovery values

AQUEOUS VOLATILE LABORATORY CONTROL SAMPLE RECOVERY

Matrix spike Lab sample ID: BLK-SPK

Batch No.: FSO071310A

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 46.1 | 92 | 70 - 130 |
| Benzene | 50.0 | 0.0 | 47.8 | 96 | 70 - 130 |
| Trichloroethene | 50.0 | 0.0 | 48.2 | 96 | 70 - 130 |
| Toluene | 50.0 | 0.0 | 50.6 | 101 | 70 - 130 |
| Chlorobenzene | 50.0 | 0.0 | 45.0 | 90 | 70 - 130 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

Spike Recovery: 0 out of 5 outside limits

AQUEOUS VOLATILE MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Matrix spike Lab sample ID: 06728-005

Batch No.: FSO071310A

| Compound | SPIKE ADDED (ug/L) | SAMPLE CONC. (ug/L) | MS CONC. (ug/L) | MS % REC # | QC LIMITS REC. |
|---------------------------|--------------------------|---------------------------|-----------------------|------------------|----------------------|
| 1,1-Dichloroethene | 50.0 | 0.0 | 65.2 | 130 | 52 - 157 |
| Benzene | 50.0 | 0.0 | 52.4 | 105 | 55 - 155 |
| Trichloroethene | 50.0 | 0.0 | 52.4 | 105 | 61 - 153 |
| Toluene | 50.0 | 0.0 | 52.3 | 105 | 58 - 144 |
| Chlorobenzene | 50.0 | 0.0 | 51.2 | 102 | 63 - 149 |

| Compound | SAMPLE CONC. (ug/L) | MSD CONC. (ug/L) | MSD % # REC | % RPD # | QC LIMITS | |
|---------------------------|---------------------------|------------------------|-------------------|------------|-----------|----------|
| | | | | | RPD | REC. |
| 1,1-Dichloroethene | 0.0 | 64.8 | 130 | 0 | 14 | 52 - 157 |
| Benzene | 0.0 | 51.9 | 104 | 1 | 8 | 55 - 155 |
| Trichloroethene | 0.0 | 52.5 | 105 | 0 | 19 | 61 - 153 |
| Toluene | 0.0 | 52.0 | 104 | 1 | 12 | 58 - 144 |
| Chlorobenzene | 0.0 | 50.9 | 102 | 0 | 11 | 63 - 149 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

NC Non calculable

RPD: 0 out of 5 outside limits

Spike Recovery: 0 out of 10 outside limits

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): F0411.D

Date Analyzed: 07/02/2010

Instrument ID: MSD_F

Time Analyzed: 15:21

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 234310 | 6.20 | 355151 | 7.03 | 345830 | 10.37 |
| UPPER LIMIT | 468620 | 6.70 | 710302 | 7.53 | 691660 | 10.87 |
| LOWER LIMIT | 117155 | 5.70 | 177575.5 | 6.53 | 172915 | 9.87 |
| LAB SAMPLE ID | | | | | | |
| 01 STD-5PPB | 205401 | 6.19 | 329128 | 7.02 | 299217 | 10.37 |
| 02 STD-20PPB | 204581 | 6.20 | 318960 | 7.03 | 300059 | 10.37 |
| 03 STD-200PPB | 243375 | 6.19 | 372783 | 7.02 | 361305 | 10.37 |
| 04 STD-150PPB | 266538 | 6.20 | 406826 | 7.03 | 388494 | 10.37 |
| 05 STD-1PPB | 192156 | 6.20 | 316031 | 7.03 | 279638 | 10.37 |
| 06 STD-2PPB | 196973 | 6.20 | 319419 | 7.03 | 290053 | 10.37 |
| 07 METHOD-BLK | 168762 | 6.20 | 282511 | 7.03 | 254211 | 10.37 |
| 08 TCLP-BLK | 156832 | 6.20 | 268672 | 7.03 | 239965 | 10.37 |
| 09 06383-001 | 159452 | 6.20 | 267955 | 7.03 | 234031 | 10.37 |
| 10 TCLP-SPK | 199709 | 6.20 | 305766 | 7.03 | 288824 | 10.37 |
| 11 BLK-SPK | 225177 | 6.19 | 343725 | 7.02 | 318786 | 10.37 |
| 12 WATER-MS | 198006 | 6.20 | 324267 | 7.03 | 281136 | 10.37 |
| 13 WATER-MSD | 183636 | 6.20 | 304163 | 7.02 | 265691 | 10.37 |
| 14 06220-026 | 168613 | 6.20 | 281252 | 7.03 | 241160 | 10.37 |
| 15 06323-008 | 166186 | 6.20 | 280738 | 7.03 | 245572 | 10.37 |
| 16 06329-019 | 151851 | 6.20 | 260003 | 7.03 | 224524 | 10.37 |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

FORM 8

0054

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab File ID (Standard): F0604.D

Date Analyzed: 07/13/2010

Instrument ID: MSD_F

Time Analyzed: 10:25

| 50UG/L | IS1 AREA # | RT # | IS2 AREA # | RT # | IS3 AREA # | RT # |
|------------------|---------------|------|---------------|------|---------------|-------|
| 12 HOUR STD | 190029 | 6.20 | 289736 | 7.03 | 307100 | 10.37 |
| UPPER LIMIT | 380058 | 6.70 | 579472 | 7.53 | 614200 | 10.87 |
| LOWER LIMIT | 95014.5 | 5.70 | 144868 | 6.53 | 153550 | 9.87 |
| LAB SAMPLE ID | | | | | | |
| 01 METHOD-BLK | 145454 | 6.20 | 255693 | 7.03 | 244487 | 10.37 |
| 02 06674-004 | 131161 | 6.20 | 231718 | 7.03 | 219190 | 10.37 |
| 03 06674-005 | 133793 | 6.20 | 236784 | 7.03 | 232675 | 10.37 |
| 04 BLK-SPK | 176930 | 6.20 | 273515 | 7.03 | 288349 | 10.37 |
| 05 06728-005MS | 165172 | 6.20 | 288664 | 7.03 | 276008 | 10.37 |
| 06 06728-005MSD | 160999 | 6.20 | 282662 | 7.03 | 272665 | 10.37 |
| 07 06728-001 | 146942 | 6.20 | 258176 | 7.03 | 247701 | 10.37 |
| 08 06728-002 | 142101 | 6.20 | 249677 | 7.03 | 242789 | 10.37 |
| 09 06728-003 | 147932 | 6.20 | 259336 | 7.03 | 250095 | 10.37 |
| 10 06728-004 | 142588 | 6.20 | 253879 | 7.03 | 249984 | 10.37 |
| 11 06728-005 | 164208 | 6.20 | 280176 | 7.03 | 270080 | 10.37 |
| 12 06728-006 | 146744 | 6.20 | 256120 | 7.03 | 253236 | 10.37 |
| 13 06728-007 | 144315 | 6.20 | 253484 | 7.03 | 252299 | 10.37 |
| 14 06728-008 | 138758 | 6.20 | 243446 | 7.03 | 240327 | 10.37 |
| 15 06728-009 | 141347 | 6.20 | 248915 | 7.03 | 240857 | 10.37 |
| 16 06728-010 | 143454 | 6.20 | 251436 | 7.03 | 243559 | 10.37 |
| 17 06728-011 | 138188 | 6.20 | 246383 | 7.03 | 241251 | 10.37 |
| 18 06462-003 | 139877 | 6.20 | 248249 | 7.03 | 242164 | 10.37 |
| 19 06462-004 | 138707 | 6.20 | 246966 | 7.03 | 238683 | 10.37 |
| 20 06662-001 | 187962 | 6.20 | 314953 | 7.03 | 312630 | 10.37 |
| 21 | | | | | | |
| 22 | | | | | | |

IS1 = PENTAFLUOROBENZENE

IS2 = 1,4-DIFLUOROBENZENE

IS3 = CHLOROBENZENE-D5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk

* Values outside of QC limits.

FORM 8

0055

LABORATORY CHRONICLE - GC/MS VOA (Soil)

DATE:
INSTRUMENT:

7/2/10 17:00

MSDF

TUNE FILE:
SEQUENCE FILE:
METHOD:

TUNE F

07-02-10

FAM0702

ANALYST:

Xingfang Wang

MXF

Initial

| STANDARD | # | # | (ul) | CONC. |
|------------------|-------|---|------|-------------|
| ISTD/SURR | LS831 | | 1 | 250 ug/mL |
| PRIMARY 8260 STD | LS843 | | 12.5 | 40 ug/mL |
| PRIMARY AC/AC | LS835 | | 1.5 | 1000 ug/mL |
| 1,4-Dioxane | LS811 | | 1.5 | 10000 ug/mL |
| 8260 MATRIX SPK | LS833 | | 10 | 25 ug/mL |
| | | | | |
| SECONDARY 8260 S | L2267 | | 6.25 | 40 ug/mL |
| SECONDARY AC/AC | LS809 | | 1 | 1000 ug/mL |

| Vial # | Data File | Case # | Samp # | DF | Wt /Vol | Jar # | MX | Client ID | Samp Date | Recd Date | % Moist | Comments |
|--------|-----------|------------|------------|----|---------|-------|----|-----------|-----------|-----------|---------|----------|
| 1 | F0406 | BFB TUNING | 50NG | | | | | | | | 100 | / |
| 2 | F0407 | 1PPB | STD-1PPB | | 5 | | A | | | | 100 | / |
| 3 | F0408 | 2PPB | STD-2PPB | | 5 | | A | | | | 100 | / |
| 4 | F0409 | 5PPB | STD-5PPB | | 5 | | A | | | | 100 | / |
| 5 | F0410 | 20PPB | STD-20PPB | | 5 | | A | | | | 100 | / |
| 6 | F0411 | 100PPB | STD-100PPB | | 5 | | A | | | | 100 | / |
| 7 | F0412 | 1PPB | STD-1PPB | | 5 | | A | | | | 100 | / |
| 8 | F0413 | 200PPB | STD-200PPB | | 5 | | A | | | | 100 | / |
| 9 | F0414 | 150PPB | STD-150PPB | | 5 | | A | | | | 100 | / |
| 10 | F0415 | BLK | | | 5 | | A | | | | 100 | / |
| 11 | F0416 | BLK | | | 5 | | A | | | | 100 | / |
| 12 | F0417 | 1PPB | STD-1PPB | | 5 | | A | | | | 100 | / |
| 13 | F0418 | 2PPB | STD-2PPB | | 5 | | A | | | | 100 | / |
| 14 | F0419 | BLK | | | 5 | | A | | | | 100 | / |
| 15 | F0420 | N/A | METHOD-BLK | | 5 | | A | | | | 100 | / |
| 16 | F0421 | TCLP | TCLP-BLK | | 0.1 | | A | 001 | 06/30/10 | 06/30/10 | 100 | / |
| 17 | F0422 | 6383 | 1 | | 0.1 | | A | | | | 100 | / |
| 18 | F0423 | TCLP | TCLP-SPK | | 5 | | A | | | | 100 | / |
| 19 | F0424 | LCS-50PPB | BLK-SPK | | 5 | | A | | | | 100 | / |
| 20 | F0425 | MS | WATER-MS | | 5 | | A | | | | 100 | / |
| 21 | F0426 | MSD | WATER-MSD | | 5 | | A | TB | 06/24/10 | 06/24/10 | 100 | / |
| 22 | F0427 | 6220 | 26 | | 5 | | A | TB | 06/28/10 | 06/28/10 | 100 | / |
| 23 | F0428 | 6323 | 8 | | 5 | | A | FB-S | 06/25/10 | 06/28/10 | 100 | / |
| 24 | F0429 | 6329 | 19 | | 5 | | A | | | | 100 | / |
| 25 | F0430 | BLK | | | 5 | | A | | | | 100 | / |

LABORATORY CHRONICLE - GC/MS VOA (Soil)

DATE: 7/13/10 13:06
INSTRUMENT: MSDF
TUNE FILE: TUNE F
SEQUENCE FILE: 07-13-10
METHOD: FAM0702
ANALYST: Xingfang Wang
WXF Initial

| STANDARD | # | # | (ul) | CONC. |
|------------------|-------|---|------|-------------|
| ISTD/SURR | LS831 | | 1 | 250 ug/mL |
| PRIMARY 8260 STD | LS843 | | 12.5 | 40 ug/mL |
| PRIMARY AC/AC | LS835 | | 1.5 | 1000 ug/mL |
| 1,4-Dioxane | LS811 | | 1.5 | 10000 ug/mL |
| 8260 MATRIX SPK | LS833 | | 10 | 25 ug/mL |
| | | | | |
| SECONDARY 8260 S | L2267 | | 6.25 | 40 ug/mL |
| SECONDARY AC/AC | LS809 | | 1 | 1000 ug/mL |

| Vial # | Data File | Case # | Samp # | DF | Wt /Vol | Jar # | MX | Client ID | Samp Date | Recd Date | % Moist | Comments |
|--------|-----------|------------|-------------|----|---------|-------|----|-------------|-----------|-----------|---------|----------|
| 1 | F0603 | BFB TUNING | 50NG | | | | | | | | | OK |
| 2 | F0604 | 100PPB | STD-100PPB | | 5 | | A | | | | 100 | OK |
| 3 | F0605 | BLK | | | 5 | | A | | | | 100 | / |
| 4 | F0606 | BLK | | | 5 | | A | | | | 100 | / |
| 5 | F0607 | N/A | METHOD-BLK | | 5 | | A | | | | 100 | OK |
| 6 | F0608 | 6674 | 4 | | 5 | | A | FB | 07/08/10 | 07/08/10 | 100 | OK |
| 7 | F0609 | | 5 | | 5 | | A | TB | 07/08/10 | 07/08/10 | 100 | OK |
| 8 | F0610 | LCS-50PPB | BLK-SPK | | 5 | | A | | | | 100 | OK |
| 9 | F0611 | MS | 06728-005MS | | 5 | | A | | | | 100 | OK |
| 10 | F0612 | MSD | 6728-005MSD | | 5 | | A | | | | 100 | OK |
| 11 | F0613 | 6728 | 1 | | 5 | | A | FB(070810) | 07/08/10 | 07/09/10 | 100 | OK |
| 12 | F0614 | | 2 | | 5 | | A | TB(070810) | 07/08/10 | 07/09/10 | 100 | OK |
| 13 | F0615 | | 3 | | 5 | | A | PTW-2 | 07/08/10 | 07/09/10 | 100 | OK |
| 14 | F0616 | | 4 | | 5 | | A | MW-9S | 07/08/10 | 07/09/10 | 100 | OK |
| 15 | F0617 | | 5 | | 5 | | A | MW-9D | 07/08/10 | 07/09/10 | 100 | OK |
| 16 | F0618 | | 6 | | 5 | | A | MW-6S | 07/08/10 | 07/09/10 | 100 | OK |
| 17 | F0619 | | 7 | | 5 | | A | MW-13R | 07/08/10 | 07/09/10 | 100 | OK |
| 18 | F0620 | | 8 | | 5 | | A | DUP(070810) | 07/08/10 | 07/09/10 | 100 | OK |
| 19 | F0621 | | 9 | | 5 | | A | GP-104R | 07/09/10 | 07/09/10 | 100 | OK |
| 20 | F0622 | | 10 | | 5 | | A | GP-103R | 07/09/10 | 07/09/10 | 100 | OK |
| 21 | F0623 | | 11 | | 5 | | A | FB(070910) | 07/09/10 | 07/09/10 | 100 | OK |
| 22 | F0624 | 6462 | 3 | | 5 | | A | FB | 07/01/10 | 07/01/10 | 100 | OK |
| 23 | F0625 | | 4 | | 5 | | A | TB | 07/01/10 | 07/01/10 | 100 | OK |
| 24 | F0626 | 6662 | 1 | | 1 | | A | GW-1 | 07/07/10 | 07/08/10 | 100 | / |
| 25 | F0627 | | 1 | | 5 | | A | GW-1 | 07/07/10 | 07/08/10 | 100 | OK |
| 26 | F0628 | BLK | | | 5 | | A | | | | 100 | / |
| 27 | F0629 | BLK | | | 5 | | A | | | | 100 | / |

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0613.D
Acq On : 13 Jul 2010 15:10
Operator : XING
Sample : FB(070810),06728-001,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jul 13 16:48:56 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 146942 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 258176 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 247701 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 82683 | 59.27 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 118.54% | |
| 41) Toluene-d8 | 8.691 | 98 | 210762 | 46.77 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 93.54% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 92004 | 45.60 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 91.20% | |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0613.D
Acq On : 13 Jul 2010 15:10
Operator : XING
Sample : FB(070810), 06728-001, A, 5ml, 100
Misc : ARCADIS/KINGS_ELEC, 07/08/10, 07/09/10,
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jul 13 16:48:56 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration





XFT 2-7





#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0613.D
Acq: 13 Jul 2010 15:10


Tgt Ion: 168 Resp: 146942
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#30
1,2-Dichloroethane-d4
Concen: 59.27 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0613.D
Acq: 13 Jul 2010 15:10





Tgt Ion: 65 Resp: 82683
Ion Ratio Lower Upper
65 100
65 100.0 80.0 120.0
67 45.4 41.3 61.9








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0613.D
Acq: 13 Jul 2010 15:10


Tgt Ion: 114 Resp: 258176
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0



#41
Toluene-d8
Concen: 46.77 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0613.D
Acq: 13 Jul 2010 15:10





Tgt Ion: 98 Resp: 210762
Ion Ratio Lower Upper
98 100
98 100.0 80.0 120.0
100 64.1 51.2 76.8








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0613.D
Acq: 13 Jul 2010 15:10

Tgt Ion: 117 Resp: 247701
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 45.60 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0613.D
Acq: 13 Jul 2010 15:10

Tgt Ion: 95 Resp: 92004
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 85.3 62.2 93.4
176 81.5 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0614.D
Acq On : 13 Jul 2010 15:36
Operator : XING
Sample : TB(070810),06728-002,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 13 16:49:34 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 142101 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 249677 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 242789 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 80401 | 59.60 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 119.20% |
| 41) Toluene-d8 | 8.691 | 98 | 204429 | 46.91 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 93.82% |
| 59) Bromofluorobenzene | 11.767 | 95 | 91386 | 46.21 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 92.42% |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0614.D
Acq On : 13 Jul 2010 15:36
Operator : KING
Sample : TB(070810),06728-002,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 13 16:49:34 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration






XTH



#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0614.D
Acq: 13 Jul 2010 15:36

Tgt Ion: 168 Resp: 142101


| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 168 | 100 | | |
| 168 | 100.0 | 80.0 | 120.0 |
| 99 | 0.0 | 0.0 | 0.0 |
| 137 | 0.0 | 0.0 | 0.0 |



#30
1,2-Dichloroethane-d4
Concen: 59.60 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0614.D
Acq: 13 Jul 2010 15:36



Tgt Ion: 65 Resp: 80401


| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 44.7 | 41.3 | 61.9 |



Abundance





Ion 65.15 (64.85 to 65.85): F06
Ion 65.15 (64.85 to 65.85): F06
Ion 67.15 (66.85 to 67.85): F06








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0614.D
Acq: 13 Jul 2010 15:36


Tgt Ion: 114 Resp: 249677
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0



#41
Toluene-d8
Concen: 46.91 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0614.D
Acq: 13 Jul 2010 15:36



Tgt Ion: 98 Resp: 204429
Ion Ratio Lower Upper
98 100
98 100.0 80.0 120.0
100 63.8 51.2 76.8






#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0614.D
Acq: 13 Jul 2010 15:36

Tgt Ion: 117 Resp: 242789
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 46.21 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0614.D
Acq: 13 Jul 2010 15:36

Tgt Ion: 95 Resp: 91386
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 84.2 62.2 93.4
176 81.9 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0615.D
 Acq On : 13 Jul 2010 16:03
 Operator : KING
 Sample : PTW-2,06728-003,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jul 13 16:50:42 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 147932 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 259336 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 250095 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 81992 | 58.38 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 116.76% |
| 41) Toluene-d8 | 8.691 | 98 | 213284 | 47.12 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 94.24% |
| 59) Bromofluorobenzene | 11.767 | 95 | 93733 | 46.01 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 92.02% |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|----------------------------|-------|------|----------|------|-------|--------|
| 4) Vinyl chloride | 2.092 | 62 | 719 | 0.85 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.935 | 63 | 2843 | 1.39 | UG | # 99 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 3505 | 2.67 | UG | # 98 |
| 26) 1,1,1-Trichloroethane | 6.173 | 97 | 1603 | 0.69 | UG | # 58 |
| 33) Trichloroethene | 7.310 | 95 | 9406 | 6.22 | UG | # 82 |
| 45) Tetrachloroethene | 9.391 | 166 | 423 | 0.29 | UG | # 100 |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0615.D
Acq On : 13 Jul 2010 16:03
Operator : XING
Sample : PTW-2,06728-003,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jul 13 16:50:42 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration





XTH




#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03


Tgt Ion: 168 Resp: 147932
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#4
Vinyl chloride
Concen: 0.85 UG
RT: 2.092 min Scan# 36
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03


Tgt Ion: 62 Resp: 719
Ion Ratio Lower Upper
62 100
62 100.0 80.0 120.0
64 31.7 24.6 36.8








#18
1,1-Dichloroethane
Concen: 1.39 UG
RT: 4.935 min Scan# 316
Delta R.T. 0.010 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 63 | 100 | | |
| 63 | 100.0 | 80.0 | 120.0 |
| 65 | 30.3 | 24.7 | 37.1 |
| 83 | 15.9 | 10.2 | 15.2# |






Abundance Ion 63.10 (62.80 to 63.80): F06
Ion 63.10 (62.80 to 63.80): F06
Ion 65.10 (64.80 to 65.80): F06
Ion 83.00 (82.70 to 83.70): F06




#20
cis-1,2-Dichloroethene
Concen: 2.67 UG
RT: 5.605 min Scan# 382
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 96 | 100 | | |
| 96 | 100.0 | 80.0 | 120.0 |
| 61 | 0.0 | 0.0 | 0.0 |
| 98 | 68.9 | 51.7 | 77.5 |

Abundance Ion 96.00 (95.70 to 96.70): F06
Ion 96.00 (95.70 to 96.70): F06
Ion 61.10 (60.80 to 61.80): F06
Ion 98.00 (97.70 to 98.70): F06





#26
1,1,1-Trichloroethane
Concen: 0.69 UG
RT: 6.173 min Scan# 438
Delta R.T. 0.010 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03

| | | | |
|----------|-------|-------|--------|
| Tgt Ion: | 97 | Resp: | 1603 |
| Ion | Ratio | Lower | Upper |
| 97 | 100 | | |
| 97 | 100.0 | 80.0 | 120.0 |
| 99 | 0.0 | 67.2 | 100.8# |
| 61 | 0.0 | 0.0 | 0.0 |




Abundance

Ion 97.00 (96.70 to 97.70): F0615.D\data.ms (-430) (-)

Ion 97.00 (96.70 to 97.70): F0615.D\data.ms

Ion 99.10 (98.80 to 99.80): F0615.D\data.ms

Ion 61.10 (60.80 to 61.80): F0615.D\data.ms



#30
1,2-Dichloroethane-d4
Concen: 58.38 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03



| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 65 | Resp: | 81992 |
| Ion | Ratio | Lower | Upper |
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 44.9 | 41.3 | 61.9 |


Abundance

Ion 65.15 (64.85 to 65.85): F0615.D\data.ms

Ion 65.15 (64.85 to 65.85): F0615.D\data.ms





Ion 67.15 (66.85 to 67.85): F0615.D\data.ms








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03


Tgt Ion: 114 Resp: 259336
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0



#33
Trichloroethene
Concen: 6.22 UG
RT: 7.310 min Scan# 550
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03


Tgt Ion: 95 Resp: 9406
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
130 126.3 80.4 120.6#
132 121.8 74.2 111.2#





#41
Toluene-d8
Concen: 47.12 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.6 | 51.2 | 76.8 |




Abundance

Ion 98.20 (97.90 to 98.90): F0615.D\data.ms

Time-->




Time-->



#45
Tetrachloroethene
Concen: 0.29 UG
RT: 9.391 min Scan# 755
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 166 | 100 | | |
| 166 | 100.0 | 80.0 | 120.0 |
| 129 | 0.0 | 0.0 | 0.0 |
| 168 | 47.8 | 38.2 | 57.2 |




Abundance

Ion 166.00 (165.70 to 166.70): F0615.D\data.ms

Time-->





Time-->




#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03

Tgt Ion: 117 Resp: 250095
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 46.01 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0615.D
Acq: 13 Jul 2010 16:03

Tgt Ion: 95 Resp: 93733
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 84.2 62.2 93.4
176 81.0 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0616.D
 Acq On : 13 Jul 2010 16:29
 Operator : KING
 Sample : MW-9S,06728-004,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jul 13 16:53:01 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 142588 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 253879 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 249984 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.538 | 65 | 81740 | 60.38 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 120.76% |
| 41) Toluene-d8 | 8.691 | 98 | 209613 | 47.30 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 94.60% |
| 59) Bromofluorobenzene | 11.767 | 95 | 97219 | 47.74 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 95.48% |

Target Compounds


| | | | | | | Qvalue |
|------------------------------|-------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.092 | 62 | 962 | 1.17 | UG | # 87 |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 824 | 0.63 | UG | # 100 |
| 18) 1,1-Dichloroethane | 4.934 | 63 | 2176 | 1.11 | UG | # 99 |
| 20) cis-1,2-Dichloroethene | 5.604 | 96 | 454 | 0.36 | UG | # 96 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Xt + jw

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0616.D
Acq On : 13 Jul 2010 16:29
Operator : XING
Sample : MW-9S,06728-004,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jul 13 16:53:01 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration






XTHJ






#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.203 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29


| | | | |
|-----------|-------|-------|--------|
| Tgt Ion: | 168 | Resp: | 142588 |
| Ion Ratio | Lower | Upper | |
| 168 | 100 | | |
| 168 | 100.0 | 80.0 | 120.0 |
| 99 | 0.0 | 0.0 | 0.0 |
| 137 | 0.0 | 0.0 | 0.0 |



#4
Vinyl chloride
Concen: 1.17 UG
RT: 2.092 min Scan# 36
Delta R.T. 0.000 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29

| | | | |
|-----------|-------|-------|-------|
| Tgt Ion: | 62 | Resp: | 962 |
| Ion Ratio | Lower | Upper | |
| 62 | 100 | | |
| 62 | 100.0 | 80.0 | 120.0 |
| 64 | 0.0 | 24.6 | 36.8# |





#16
trans-1,2-Dichloroethene
Concen: 0.63 UG
RT: 4.427 min Scan# 266
Delta R.T. 0.000 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29



| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 96 | Resp: | 824 |
| Ion | Ratio | Lower | Upper |
| 96 | 100 | | |
| 96 | 100.0 | 80.0 | 120.0 |
| 61 | 0.0 | 0.0 | 0.0 |
| 98 | 63.2 | 50.8 | 76.2 |

Abundance

Ion 96.00 (95.70 to 96.70): F06

Ion 61.10 (60.80 to 61.80): F06

Ion 98.00 (97.70 to 98.70): F06



#18
1,1-Dichloroethane
Concen: 1.11 UG
RT: 4.934 min Scan# 316
Delta R.T. 0.010 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29

| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 63 | Resp: | 2176 |
| Ion | Ratio | Lower | Upper |
| 63 | 100 | | |
| 63 | 100.0 | 80.0 | 120.0 |
| 65 | 32.0 | 24.7 | 37.1 |
| 83 | 15.5 | 10.2 | 15.2# |


Abundance


Ion 63.10 (62.80 to 63.80): F06

Ion 63.10 (62.80 to 63.80): F06


Ion 65.10 (64.80 to 65.80): F06

Ion 83.00 (82.70 to 83.70): F06





#20
 cis-1,2-Dichloroethene
 Concen: 0.36 UG
 RT: 5.604 min Scan# 382
 Delta R.T. 0.000 min
 Lab File: F0616.D
 Acq: 13 Jul 2010 16:29



Tgt Ion: 96 Resp: 454




| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 96 | 100 | | |
| 96 | 100.0 | 80.0 | 120.0 |
| 61 | 0.0 | 0.0 | 0.0 |
| 98 | 56.8 | 51.7 | 77.5 |

Abundance


Ion 96.00 (95.70 to 96.70): F06

Ion 61.10 (60.80 to 61.80): F06

Ion 98.00 (97.70 to 98.70): F06



#30
 1,2-Dichloroethane-d4
 Concen: 60.38 UG
 RT: 6.538 min Scan# 474
 Delta R.T. 0.010 min
 Lab File: F0616.D
 Acq: 13 Jul 2010 16:29



Tgt Ion: 65 Resp: 81740



| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 44.9 | 41.3 | 61.9 |


Abundance

Ion 65.15 (64.85 to 65.85): F06

Ion 65.15 (64.85 to 65.85): F06





Ion 67.15 (66.85 to 67.85): F06








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29


Tgt Ion: 114 Resp: 253879
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0



#41
Toluene-d8
Concen: 47.30 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29





Tgt Ion: 98 Resp: 209613
Ion Ratio Lower Upper
98 100
98 100.0 80.0 120.0
100 64.3 51.2 76.8








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29

Tgt Ion: 117 Resp: 249984
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 47.74 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0616.D
Acq: 13 Jul 2010 16:29

Tgt Ion: 95 Resp: 97219
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 84.3 62.2 93.4
176 81.4 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0617.D
Acq On : 13 Jul 2010 16:55
Operator : XING
Sample : MW-9D,06728-005,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Jul 14 10:12:41 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 164208 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 280176 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 270080 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 88228 | 56.59 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 113.18% |
| 41) Toluene-d8 | 8.691 | 98 | 230677 | 47.17 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 94.34% |
| 59) Bromofluorobenzene | 11.767 | 95 | 101674 | 46.22 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 92.44% |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0617.D
Acq On : 13 Jul 2010 16:55
Operator : KING
Sample : MW-9D, 06728-005, A, 5ml, 100
Misc : ARCADIS/KINGS_ELEC, 07/08/10, 07/09/10,
ALS Vial : 15 Sample Multiplier: 1




Quant Time: Jul 14 10:12:41 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

*Xptg*





#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0617.D
Acq: 13 Jul 2010 16:55


Tgt Ion: 168 Resp: 164208
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#30
1,2-Dichloroethane-d4
Concen: 56.59 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0617.D
Acq: 13 Jul 2010 16:55





Tgt Ion: 65 Resp: 88228
Ion Ratio Lower Upper
65 100
65 100.0 80.0 120.0
67 44.9 41.3 61.9








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0617.D
Acq: 13 Jul 2010 16:55


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 114 | 100 | | |
| 114 | 100.0 | 80.0 | 120.0 |



#41
Toluene-d8
Concen: 47.17 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0617.D
Acq: 13 Jul 2010 16:55





| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.0 | 51.2 | 76.8 |








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0617.D
Acq: 13 Jul 2010 16:55

Tgt Ion: 117 Resp: 270080
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 46.22 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0617.D
Acq: 13 Jul 2010 16:55

Tgt Ion: 95 Resp: 101674
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 85.6 62.2 93.4
176 80.7 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0618.D
 Acq On : 13 Jul 2010 17:22
 Operator : XING
 Sample : MW-6S,06728-006,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Jul 14 15:44:27 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 146744 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 256120 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 253236 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.538 | 65 | 82632 | 59.31 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 118.62% |
| 41) Toluene-d8 | 8.691 | 98 | 215035 | 48.10 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 96.20% |
| 59) Bromofluorobenzene | 11.767 | 95 | 94966 | 46.04 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 92.08% |

Target Compounds


| | R.T. | QIon | Response | Conc | Units | Qvalue |
|---------------------------|-------|------|----------|-------|-------|--------|
| 26) 1,1,1-Trichloroethane | 6.173 | 97 | 5779 | 2.51 | UG | # 58 |
| 33) Trichloroethene | 7.310 | 95 | 24298 | 16.27 | UG | # 77 |
| 45) Tetrachloroethene | 9.391 | 166 | 3543 | 2.46 | UG | # 99 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed


00887
 XHH

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0618.D
Acq On : 13 Jul 2010 17:22
Operator : XING
Sample : MW-6S,06728-006,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Jul 14 15:44:27 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration




XTHJ wj



#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.203 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 168 | 100 | | |
| 168 | 100.0 | 80.0 | 120.0 |
| 99 | 0.0 | 0.0 | 0.0 |
| 137 | 0.0 | 0.0 | 0.0 |





Abundance

Ion 168.00 (167.70 to 168.70): I

Ion 168.00 (167.70 to 168.70): I


Ion 99.00 (98.70 to 99.70): F06

Ion 137.00 (136.70 to 137.70): I



#26
1,1,1-Trichloroethane
Concen: 2.51 UG
RT: 6.173 min Scan# 438
Delta R.T. 0.010 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|--------|
| 97 | 100 | | |
| 97 | 100.0 | 80.0 | 120.0 |
| 99 | 0.0 | 67.2 | 100.8# |
| 61 | 0.0 | 0.0 | 0.0 |





Abundance


Ion 97.00 (96.70 to 97.70): F06

Ion 97.00 (96.70 to 97.70): F06

Ion 99.10 (98.80 to 99.80): F06


Ion 61.10 (60.80 to 61.80): F06








#30
1,2-Dichloroethane-d4
Concen: 59.31 UG
RT: 6.538 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 44.8 | 41.3 | 61.9 |




Abundance Ion 65.15 (64.85 to 65.85): F06
Ion 65.15 (64.85 to 65.85): F06
Ion 67.15 (66.85 to 67.85): F06






#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 114 | 100 | | |
| 114 | 100.0 | 80.0 | 120.0 |



Abundance Ion 114.00 (113.70 to 114.70): I
Ion 114.00 (113.70 to 114.70): I







#33
 Trichloroethene
 Concen: 16.27 UG
 RT: 7.310 min Scan# 550
 Delta R.T. 0.000 min
 Lab File: F0618.D
 Acq: 13 Jul 2010 17:22

Tgt Ion: 95 Resp: 24298
 Ion Ratio Lower Upper
 95 100
 95 100.0 80.0 120.0
 130 134.0 80.4 120.6#
 132 128.9 74.2 111.2#



Abundance Ion 95.00 (94.70 to 95.70): F06
 25000 Ion 95.00 (94.70 to 95.70): F06
 20000 Ion 130.00 (129.70 to 130.70): F06
 15000 Ion 132.00 (131.70 to 132.70): F06




#41
 Toluene-d8
 Concen: 48.10 UG
 RT: 8.691 min Scan# 686
 Delta R.T. 0.010 min
 Lab File: F0618.D
 Acq: 13 Jul 2010 17:22


Tgt Ion: 98 Resp: 215035
 Ion Ratio Lower Upper
 98 100
 98 100.0 80.0 120.0
 100 64.2 51.2 76.8

Abundance Ion 98.20 (97.90 to 98.90): F06
 150000 Ion 98.20 (97.90 to 98.90): F06
 100000 Ion 100.20 (99.90 to 100.90): F06








#45
Tetrachloroethene
Concen: 2.46 UG
RT: 9.391 min Scan# 755
Delta R.T. 0.000 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22




Tgt Ion:166 Resp: 3543

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 166 | 100 | | |
| 166 | 100.0 | 80.0 | 120.0 |
| 129 | 0.0 | 0.0 | 0.0 |
| 168 | 45.9 | 38.2 | 57.2 |

Abundance Ion 166.00 (165.70 to 166.70): I
Ion 166.00 (165.70 to 166.70): I
Ion 129.00 (128.70 to 129.70): I
Ion 168.00 (167.70 to 168.70): I





#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22




Tgt Ion:117 Resp: 253236

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 117 | 100 | | |
| 117 | 100.0 | 80.0 | 120.0 |


Abundance Ion 117.00 (116.70 to 117.70): I
Ion 117.00 (116.70 to 117.70): I





#59
Bromofluorobenzene
Concen: 46.04 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0618.D
Acq: 13 Jul 2010 17:22

| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 95 | Resp: | 94966 |
| Ion | Ratio | Lower | Upper |
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 174 | 84.6 | 62.2 | 93.4 |
| 176 | 82.1 | 60.5 | 90.7 |





Abundance

Ion 95.10 (94.80 to 95.80): F06

Ion 174.10 (173.80 to 174.80): F06

Ion 176.10 (175.80 to 176.80): F06



Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0619.D
Acq On : 13 Jul 2010 17:48
Operator : XING
Sample : MW-13R,06728-007,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Jul 26 10:25:30 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 144315 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 253484 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 252299 | 50.00 | UG | 0.00 |


| System Monitoring Compounds | | | | | | |
|-----------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 82369 | 60.12 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 120.24% |
| 41) Toluene-d8 | 8.691 | 98 | 214267 | 48.43 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 96.86% |
| 59) Bromofluorobenzene | 11.767 | 95 | 94532 | 46.00 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 92.00% |

| Target Compounds | | | | | | Qvalue |
|----------------------------|-------|----|------|------|----|--------|
| 18) 1,1-Dichloroethane | 4.935 | 63 | 1267 | 0.64 | UG | # 88 |
| 20) cis-1,2-Dichloroethene | 5.615 | 96 | 554 | 0.43 | UG | # 95 |
| 33) Trichloroethene | 7.310 | 95 | 1432 | 0.97 | UG | # 77 |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0619.D
Acq On : 13 Jul 2010 17:48
Operator : XING
Sample : MW-13R,06728-007,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Jul 26 10:25:30 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration





X + Hg 47





#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 168 | 100 | | |
| 168 | 100.0 | 80.0 | 120.0 |
| 99 | 0.0 | 0.0 | 0.0 |
| 137 | 0.0 | 0.0 | 0.0 |



#18
1,1-Dichloroethane
Concen: 0.64 UG
RT: 4.935 min Scan# 316
Delta R.T. 0.010 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 63 | 100 | | |
| 63 | 100.0 | 80.0 | 120.0 |
| 65 | 0.0 | 24.7 | 37.1# |
| 83 | 12.5 | 10.2 | 15.2 |







#20
 cis-1,2-Dichloroethene
 Concen: 0.43 UG
 RT: 5.615 min Scan# 383
 Delta R.T. 0.010 min
 Lab File: F0619.D
 Acq: 13 Jul 2010 17:48

| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 96 | Resp: | 554 |
| Ion | Ratio | Lower | Upper |
| 96 | 100 | | |
| 96 | 100.0 | 80.0 | 120.0 |
| 61 | 118.6 | 0.0 | 0.0# |
| 98 | 74.7 | 51.7 | 77.5 |


Abundance Ion 96.00 (95.70 to 96.70): F0619.D\data.ms (-333) (-)
 Ion 96.00 (95.70 to 96.70): F0619.D\data.ms (-333) (-)
 Ion 61.10 (60.80 to 61.80): F0619.D\data.ms (-333) (-)
 Ion 98.00 (97.70 to 98.70): F0619.D\data.ms (-333) (-)




#30
 1,2-Dichloroethane-d4
 Concen: 60.12 UG
 RT: 6.539 min Scan# 474
 Delta R.T. 0.010 min
 Lab File: F0619.D
 Acq: 13 Jul 2010 17:48

| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 65 | Resp: | 82369 |
| Ion | Ratio | Lower | Upper |
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 44.5 | 41.3 | 61.9 |





Abundance Ion 65.15 (64.85 to 65.85): F0619.D\data.ms (-424) (-)
 Ion 65.15 (64.85 to 65.85): F0619.D\data.ms (-424) (-)
 Ion 67.15 (66.85 to 67.85): F0619.D\data.ms (-424) (-)








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48


Tgt Ion: 114 Resp: 253484
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0



#33
Trichloroethene
Concen: 0.97 UG
RT: 7.310 min Scan# 550
Delta R.T. 0.000 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48





Tgt Ion: 95 Resp: 1432
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
130 138.5 80.4 120.6#
132 124.1 74.2 111.2#








#41
Toluene-d8
Concen: 48.43 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48


| Tgt Ion | Resp | Lower | Upper |
|---------|--------|-------|-------|
| 98 | 214267 | | |
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.7 | 51.2 | 76.8 |




#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48

| Tgt Ion | Resp | Lower | Upper |
|---------|--------|-------|-------|
| 117 | 252299 | | |
| 117 | 100 | | |
| 117 | 100.0 | 80.0 | 120.0 |







#59
Bromofluorobenzene
Concen: 46.00 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0619.D
Acq: 13 Jul 2010 17:48



| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 95 | Resp: | 94532 |
| Ion | Ratio | Lower | Upper |
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 174 | 85.0 | 62.2 | 93.4 |
| 176 | 82.1 | 60.5 | 90.7 |



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0620.D
 Acq On : 13 Jul 2010 18:14
 Operator : XING
 Sample : DUP(070810),06728-008,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Jul 14 10:18:44 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 138758 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 243446 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 240327 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 79491 | 60.34 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 120.68% |
| 41) Toluene-d8 | 8.691 | 98 | 203716 | 47.94 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 95.88% |
| 59) Bromofluorobenzene | 11.767 | 95 | 89520 | 45.73 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 91.46% |

Target Compounds


| | | | | | | Qvalue |
|---------------------------|-------|-----|-------|-------|----|--------|
| 26) 1,1,1-Trichloroethane | 6.173 | 97 | 6372 | 2.93 | UG | # 58 |
| 33) Trichloroethene | 7.310 | 95 | 26990 | 19.01 | UG | # 78 |
| 45) Tetrachloroethene | 9.391 | 166 | 3990 | 2.91 | UG | # 98 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed


0102
 Xrfj

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0620.D
Acq On : 13 Jul 2010 18:14
Operator : XING
Sample : DUP(070810),06728-008,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/08/10,07/09/10,
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Jul 14 10:18:44 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration




XTH



#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0620.D
Acq: 13 Jul 2010 18:14

| | | |
|-------------|-------|------------|
| Tgt Ion:168 | Resp: | 138758 |
| Ion Ratio | Lower | Upper |
| 168 | 100 | |
| 168 | 100.0 | 80.0 120.0 |
| 99 | 0.0 | 0.0 0.0 |
| 137 | 0.0 | 0.0 0.0 |





Abundance

Ion 168.00 (167.70 to 168.70): I

Ion 168.00 (167.70 to 168.70): I


Ion 99.00 (98.70 to 99.70): F06

Ion 137.00 (136.70 to 137.70): I



#26
1,1,1-Trichloroethane
Concen: 2.93 UG
RT: 6.173 min Scan# 438
Delta R.T. 0.010 min
Lab File: F0620.D
Acq: 13 Jul 2010 18:14

| | | |
|-------------|-------|-------------|
| Tgt Ion: 97 | Resp: | 6372 |
| Ion Ratio | Lower | Upper |
| 97 | 100 | |
| 97 | 100.0 | 80.0 120.0 |
| 99 | 0.0 | 67.2 100.8# |
| 61 | 0.0 | 0.0 0.0 |





Abundance


Ion 97.00 (96.70 to 97.70): F06

Ion 97.00 (96.70 to 97.70): F06

Ion 99.10 (98.80 to 99.80): F06


Ion 61.10 (60.80 to 61.80): F06








#30
 1,2-Dichloroethane-d4
 Concen: 60.34 UG
 RT: 6.539 min Scan# 474
 Delta R.T. 0.010 min
 Lab File: F0620.D
 Acq: 13 Jul 2010 18:14

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 44.8 | 41.3 | 61.9 |




Abundance Ion 65.15 (64.85 to 65.85): F06
 Ion 65.15 (64.85 to 65.85): F06
 Ion 67.15 (66.85 to 67.85): F06






#31
 1,4-Difluorobenzene
 Concen: 50.00 UG
 RT: 7.026 min Scan# 522
 Delta R.T. 0.000 min
 Lab File: F0620.D
 Acq: 13 Jul 2010 18:14

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 114 | 100 | | |
| 114 | 100.0 | 80.0 | 120.0 |




Abundance Ion 114.00 (113.70 to 114.70): I
 Ion 114.00 (113.70 to 114.70): I





#33
 Trichloroethene
 Concen: 19.01 UG
 RT: 7.310 min Scan# 550
 Delta R.T. 0.000 min
 Lab File: F0620.D
 Acq: 13 Jul 2010 18:14



| | | | |
|----------|-------|-------|--------|
| Tgt Ion: | 95 | Resp: | 26990 |
| Ion | Ratio | Lower | Upper |
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 130 | 131.9 | 80.4 | 120.6# |
| 132 | 127.4 | 74.2 | 111.2# |




Abundance

Ion 95.00 (94.70 to 95.70): F06


Ion 95.00 (94.70 to 95.70): F06

Ion 130.00 (129.70 to 130.70): F06

Ion 132.00 (131.70 to 132.70): F06



#41
 Toluene-d8
 Concen: 47.94 UG
 RT: 8.691 min Scan# 686
 Delta R.T. 0.010 min
 Lab File: F0620.D
 Acq: 13 Jul 2010 18:14





| | | | |
|----------|-------|-------|--------|
| Tgt Ion: | 98 | Resp: | 203716 |
| Ion | Ratio | Lower | Upper |
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.4 | 51.2 | 76.8 |


Abundance

Ion 98.20 (97.90 to 98.90): F06


Ion 98.20 (97.90 to 98.90): F06

Ion 100.20 (99.90 to 100.90): F06





#45
Tetrachloroethene
Concen: 2.91 UG
RT: 9.391 min Scan# 755
Delta R.T. 0.000 min
Lab File: F0620.D
Acq: 13 Jul 2010 18:14



Tgt Ion: 166 Resp: 3990

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 166 | 100 | | |
| 166 | 100.0 | 80.0 | 120.0 |
| 129 | 0.0 | 0.0 | 0.0 |
| 168 | 42.9 | 38.2 | 57.2 |




Abundance

Ion 166.00 (165.70 to 166.70): I


Ion 166.00 (165.70 to 166.70): I

Ion 129.00 (128.70 to 129.70): I

Ion 168.00 (167.70 to 168.70): I



#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0620.D
Acq: 13 Jul 2010 18:14





Tgt Ion: 117 Resp: 240327


| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 117 | 100 | | |
| 117 | 100.0 | 80.0 | 120.0 |

Abundance

Ion 117.00 (116.70 to 117.70): I

Ion 117.00 (116.70 to 117.70): I






#59
Bromofluorobenzene
Concen: 45.73 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0620.D
Acq: 13 Jul 2010 18:14

| | | | |
|----------|-------|-------|-------|
| Tgt Ion: | 95 | Resp: | 89520 |
| Ion | Ratio | Lower | Upper |
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 174 | 84.4 | 62.2 | 93.4 |
| 176 | 81.1 | 60.5 | 90.7 |

Abundance Ion 95.10 (94.80 to 95.80): F06
Ion 95.10 (94.80 to 95.80): F06
Ion 174.10 (173.80 to 174.80): F06
Ion 176.10 (175.80 to 176.80): F06



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0621.D
 Acq On : 13 Jul 2010 18:41
 Operator : XING
 Sample : GP-104R, 06728-009, A, 5ml, 100
 Misc : ARCADIS/KINGS_ELEC, 07/09/10, 07/09/10,
 ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jul 14 10:19:34 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 141347 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 248915 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 240857 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.538 | 65 | 79777 | 59.45 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 118.90% |
| 41) Toluene-d8 | 8.691 | 98 | 203282 | 46.79 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 93.58% |
| 59) Bromofluorobenzene | 11.767 | 95 | 90343 | 46.05 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 92.10% |


Target Compounds

| | | | | | | Qvalue |
|----------------------------|-------|----|------|------|----|--------|
| 4) Vinyl chloride | 2.092 | 62 | 1956 | 2.41 | UG | 99 |
| 18) 1,1-Dichloroethane | 4.934 | 63 | 3583 | 1.84 | UG | # 97 |
| 20) cis-1,2-Dichloroethene | 5.604 | 96 | 3448 | 2.75 | UG | # 100 |
| 33) Trichloroethene | 7.310 | 95 | 773 | 0.53 | UG | # 35 |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0621.D
Acq On : 13 Jul 2010 18:41
Operator : KING
Sample : GP-104R,06728-009,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/09/10,07/09/10,
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jul 14 10:19:34 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration





XTHJ




#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.203 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41


Tgt Ion: 168 Resp: 141347
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#4
Vinyl chloride
Concen: 2.41 UG
RT: 2.092 min Scan# 36
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41

Tgt Ion: 62 Resp: 1956
Ion Ratio Lower Upper
62 100
62 100.0 80.0 120.0
64 33.9 24.6 36.8





#18
1,1-Dichloroethane
Concen: 1.84 UG
RT: 4.934 min Scan# 316
Delta R.T. 0.010 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41

Tgt Ion: 63 Resp: 3583

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 63 | 100 | | |
| 63 | 100.0 | 80.0 | 120.0 |
| 65 | 31.6 | 24.7 | 37.1 |
| 83 | 0.0 | 10.2 | 15.2# |




Abundance

Ion 63.10 (62.80 to 63.80): F06

Ion 63.10 (62.80 to 63.80): F06

Ion 65.10 (64.80 to 65.80): F06

Ion 83.00 (82.70 to 83.70): F06



#20
cis-1,2-Dichloroethene
Concen: 2.75 UG
RT: 5.604 min Scan# 382
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41

Tgt Ion: 96 Resp: 3448

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 96 | 100 | | |
| 96 | 100.0 | 80.0 | 120.0 |
| 61 | 0.0 | 0.0 | 0.0 |
| 98 | 64.6 | 51.7 | 77.5 |



Abundance


Ion 96.00 (95.70 to 96.70): F06

Ion 96.00 (95.70 to 96.70): F06

Ion 61.10 (60.80 to 61.80): F06





Ion 98.00 (97.70 to 98.70): F06








#30
1,2-Dichloroethane-d4
Concen: 59.45 UG
RT: 6.538 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 45.1 | 41.3 | 61.9 |




#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 114 | 100 | | |
| 114 | 100.0 | 80.0 | 120.0 |








#33
Trichloroethene
Concen: 0.53 UG
RT: 7.310 min Scan# 550
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41




Tgt Ion: 95 Resp: 773

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|--------|
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 130 | 0.0 | 80.4 | 120.6# |
| 132 | 0.0 | 74.2 | 111.2# |

Abundance Ion 95.00 (94.70 to 95.70): F06
800 Ion 95.00 (94.70 to 95.70): F06
Ion 130.00 (129.70 to 130.70): F06
Ion 132.00 (131.70 to 132.70): F06





#41
Toluene-d8
Concen: 46.79 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41




Tgt Ion: 98 Resp: 203282

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.2 | 51.2 | 76.8 |



Abundance Ion 98.20 (97.90 to 98.90): F06
150000 Ion 98.20 (97.90 to 98.90): F06
Ion 100.20 (99.90 to 100.90): F06






#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41

Tgt Ion: 117 Resp: 240857
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 46.05 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0621.D
Acq: 13 Jul 2010 18:41

Tgt Ion: 95 Resp: 90343
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 84.9 62.2 93.4
176 81.8 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0622.D
 Acq On : 13 Jul 2010 19:07
 Operator : KING
 Sample : GP-103R,06728-010,A,5ml,100
 Misc : ARCADIS/KINGS_ELEC,07/09/10,07/09/10,
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Jul 14 21:23:09 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 143454 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 251436 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 243559 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 81426 | 59.79 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 119.58% |
| 41) Toluene-d8 | 8.691 | 98 | 203866 | 46.45 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 92.90% |
| 59) Bromofluorobenzene | 11.767 | 95 | 90928 | 45.83 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 91.66% |

Target Compounds


| | | | | | | Qvalue |
|----------------------------|-------|----|------|-------|----|--------|
| 4) Vinyl chloride | 2.092 | 62 | 9018 | 10.94 | UG | 99 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 2210 | 1.74 | UG | # 96 |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

XPH 07

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0622.D
Acq On : 13 Jul 2010 19:07
Operator : KING
Sample : GP-103R,06728-010,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/09/10,07/09/10,
ALS Vial : 20 Sample Multiplier: 1



Quant Time: Jul 14 21:23:09 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07




Tgt Ion: 168 Resp: 143454
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#4
Vinyl chloride
Concen: 10.94 UG
RT: 2.092 min Scan# 36
Delta R.T. 0.000 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07

Tgt Ion: 62 Resp: 9018
Ion Ratio Lower Upper
62 100
62 100.0 80.0 120.0
64 32.4 24.6 36.8









#20
cis-1,2-Dichloroethene
Concen: 1.74 UG
RT: 5.605 min Scan# 382
Delta R.T. 0.000 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 96 | 100 | | |
| 96 | 100.0 | 80.0 | 120.0 |
| 61 | 0.0 | 0.0 | 0.0 |
| 98 | 71.6 | 51.7 | 77.5 |


Abundance Ion 96.00 (95.70 to 96.70): F06
Ion 96.00 (95.70 to 96.70): F06
Ion 61.10 (60.80 to 61.80): F06
Ion 98.00 (97.70 to 98.70): F06




#30
1,2-Dichloroethane-d4
Concen: 59.79 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 45.1 | 41.3 | 61.9 |





Abundance Ion 65.15 (64.85 to 65.85): F06
Ion 65.15 (64.85 to 65.85): F06
Ion 67.15 (66.85 to 67.85): F06








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07


Tgt Ion: 114 Resp: 251436
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0



#41
Toluene-d8
Concen: 46.45 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07





Tgt Ion: 98 Resp: 203866
Ion Ratio Lower Upper
98 100
98 100.0 80.0 120.0
100 65.0 51.2 76.8








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07

Tgt Ion: 117 Resp: 243559
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 45.83 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0622.D
Acq: 13 Jul 2010 19:07

Tgt Ion: 95 Resp: 90928
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 85.2 62.2 93.4
176 81.9 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0623.D
Acq On : 13 Jul 2010 19:34
Operator : XING
Sample : FB(070910),06728-011,A,5ml,100
Misc : ARCADIS/KINGS_ELEC,07/09/10,07/09/10,
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Jul 14 21:23:49 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 138188 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 246383 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 241251 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|-------|----------|----------|----|---------|
| 30) 1,2-Dichloroethane-d4 | 6.538 | 65 | 79877 | 60.88 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 43 - 133 | Recovery | = | 121.76% |
| 41) Toluene-d8 | 8.691 | 98 | 202966 | 47.19 | UG | 0.01 |
| Spiked Amount | 50.000 | Range | 39 - 137 | Recovery | = | 94.38% |
| 59) Bromofluorobenzene | 11.767 | 95 | 91535 | 46.58 | UG | 0.00 |
| Spiked Amount | 50.000 | Range | 23 - 145 | Recovery | = | 93.16% |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0623.D
Acq On : 13 Jul 2010 19:34
Operator : XING
Sample : FB(070910), 06728-011, A, 5ml, 100
Misc : ARCADIS/KINGS_ELEC, 07/09/10, 07/09/10,
ALS Vial : 21 Sample Multiplier: 1




Quant Time: Jul 14 21:23:49 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.203 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0623.D
Acq: 13 Jul 2010 19:34


Tgt Ion: 168 Resp: 138188
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#30
1,2-Dichloroethane-d4
Concen: 60.88 UG
RT: 6.538 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0623.D
Acq: 13 Jul 2010 19:34





Tgt Ion: 65 Resp: 79877
Ion Ratio Lower Upper
65 100
65 100.0 80.0 120.0
67 44.8 41.3 61.9








#31
 1,4-Difluorobenzene
 Concen: 50.00 UG
 RT: 7.026 min Scan# 522
 Delta R.T. 0.000 min
 Lab File: F0623.D
 Acq: 13 Jul 2010 19:34


Tgt Ion: 114 Resp: 246383
 Ion Ratio Lower Upper
 114 100
 114 100.0 80.0 120.0



#41
 Toluene-d8
 Concen: 47.19 UG
 RT: 8.691 min Scan# 686
 Delta R.T. 0.010 min
 Lab File: F0623.D
 Acq: 13 Jul 2010 19:34





Tgt Ion: 98 Resp: 202966
 Ion Ratio Lower Upper
 98 100
 98 100.0 80.0 120.0
 100 64.7 51.2 76.8








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0623.D
Acq: 13 Jul 2010 19:34

Tgt Ion: 117 Resp: 241251
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 46.58 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0623.D
Acq: 13 Jul 2010 19:34

Tgt Ion: 95 Resp: 91535
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 84.3 62.2 93.4
176 81.1 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0607.D
Acq On : 13 Jul 2010 11:55
Operator : XING
Sample : N/A,METHOD-BLK,A,5ml,100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jul 13 14:16:49 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.203 | 168 | 145454 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 255693 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 244487 | 50.00 | UG | 0.00 |

System Monitoring Compounds


| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.538 | 65 | 80754 | 58.48 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 116.96% | |
| 41) Toluene-d8 | 8.691 | 98 | 204459 | 45.81 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 91.62% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 92800 | 46.60 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 93.20% | |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0607.D
Acq On : 13 Jul 2010 11:55
Operator : XING
Sample : N/A, METHOD-BLK, A, 5ml, 100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jul 13 14:16:49 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration





XTHJ WJ




#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.203 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0607.D
Acq: 13 Jul 2010 11:55


Tgt Ion: 168 Resp: 145454
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#30
1,2-Dichloroethane-d4
Concen: 58.48 UG
RT: 6.538 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0607.D
Acq: 13 Jul 2010 11:55





Tgt Ion: 65 Resp: 80754
Ion Ratio Lower Upper
65 100
65 100.0 80.0 120.0
67 45.0 41.3 61.9








#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0607.D
Acq: 13 Jul 2010 11:55


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 114 | 100 | | |
| 114 | 100.0 | 80.0 | 120.0 |



#41
Toluene-d8
Concen: 45.81 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0607.D
Acq: 13 Jul 2010 11:55





| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.8 | 51.2 | 76.8 |








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0607.D
Acq: 13 Jul 2010 11:55

Tgt Ion: 117 Resp: 244487
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#59
Bromofluorobenzene
Concen: 46.60 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0607.D
Acq: 13 Jul 2010 11:55

Tgt Ion: 95 Resp: 92800
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
174 85.0 62.2 93.4
176 82.3 60.5 90.7



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0610.D
 Acq On : 13 Jul 2010 13:50
 Operator : XING
 Sample : LCS-50PPB,BLK-SPK,A,5ml,100
 Misc : AP-RAH/ALLSTATE,07/08/10,07/08/10
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jul 13 14:21:27 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 176930 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 273515 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 288349 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 84757 | 50.46 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 100.92% | |
| 41) Toluene-d8 | 8.691 | 98 | 259976 | 54.45 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 108.90% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 123977 | 52.78 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 105.56% | |

Target Compounds

| | | | | | | Qvalue |
|--------------------------------|-------|-----|--------|---------|----|--------|
| 2) Dichlorodifluoromethane | 1.788 | 85 | 62992 | 48.31 | UG | 100 |
| 3) Chloromethane | 1.960 | 50 | 38504 | 46.98 | UG | 99 |
| 4) Vinyl chloride | 2.092 | 62 | 46396 | 45.66 | UG | 99 |
| 5) Bromomethane | 2.468 | 94 | 41803 | 48.42 | UG | # 55 |
| 6) Chloroethane | 2.590 | 64 | 28344 | 48.00 | UG | 100 |
| 7) Trichlorofluoromethane | 2.874 | 101 | 119065 | 51.02 | UG | # 37 |
| 8) Acrolein | 3.402 | 56 | 7552m | 163.91 | UG | |
| 9) 1,1-Dichloroethene | 3.503 | 96 | 54083 | 46.12 | UG | # 100 |
| 10) Acetone | 3.595 | 43 | 16154 | 49.59 | UG | 100 |
| 11) Carbon disulfide | 3.757 | 76 | 168730 | 46.76 | UG | 100 |
| 12) Vinyl acetate | 5.006 | 43 | 163147 | 50.56 | UG | 100 |
| 13) Methylene chloride | 4.102 | 84 | 64938 | 45.78 | UG | # 100 |
| 14) Acrylonitrile | 4.427 | 53 | 54533 | 144.08 | UG | # 100 |
| 15) tert-Butyl alcohol (TBA) | 4.295 | 59 | 10180 | 89.04 | UG | # 100 |
| 16) trans-1,2-Dichloroethene | 4.427 | 96 | 77643 | 47.56 | UG | # 98 |
| 17) Methyl tert-butyl ethe... | 4.437 | 73 | 198990 | 46.84 | UG | 100 |
| 18) 1,1-Dichloroethane | 4.935 | 63 | 112116 | 45.88 | UG | # 99 |
| 19) Diisopropyl ether (DIPE) | 5.016 | 45 | 189114 | 54.79 | UG | # 100 |
| 20) cis-1,2-Dichloroethene | 5.605 | 96 | 79337 | 50.62 | UG | # 99 |
| 21) 2,2-Dichloropropane | 5.595 | 77 | 89208 | 49.49 | UG | 93 |
| 22) 2-Butanone (MEK) | 5.645 | 43 | 23035 | 48.86 | UG | # 97 |
| 23) Bromochloromethane | 5.879 | 128 | 54697 | 48.10 | UG | # 100 |
| 25) Chloroform | 5.970 | 83 | 155174 | 49.14 | UG | 100 |
| 26) 1,1,1-Trichloroethane | 6.163 | 97 | 138308 | 49.87 | UG | # 58 |
| 27) Carbon tetrachloride | 6.346 | 117 | 136570 | 51.56 | UG | 99 |
| 28) 1,1-Dichloropropene | 6.356 | 75 | 85207 | 50.02 | UG | # 95 |
| 29) 1,2-Dichloroethane (EDC) | 6.620 | 62 | 127083 | 49.79 | UG | 100 |
| 32) Benzene | 6.589 | 78 | 259278 | 47.81 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 76828 | 48.16 | UG | # 79 |
| 34) 1,2-Dichloropropane | 7.574 | 63 | 57306 | 49.32 | UG | # 100 |
| 35) Dibromomethane | 7.706 | 93 | 50046 | 48.58 | UG | 97 |
| 36) 1,4-Dioxane | 7.737 | 88 | 15235 | 1468.35 | UG | # 100 |
| 37) Bromodichloromethane | 7.879 | 83 | 113226 | 50.86 | UG | # 68 |
| 38) 2-Chloroethyl vinyl ether | 8.224 | 63 | 30492 | 48.48 | UG | # 94 |
| 39) cis-1,3-Dichloropropene | 8.386 | 75 | 100462 | 54.55 | UG | # 97 |
| 40) 4-Methyl-2-pentanone (...) | 8.569 | 43 | 43301 | 50.12 | UG | 98 |
| 42) Toluene | 8.762 | 92 | 192113 | 50.59 | UG | 99 |
| 43) trans-1,3-Dichloropropene | 9.026 | 75 | 101352 | 53.28 | UG | # 98 |
| 44) 1,1,2-Trichloroethane | 9.239 | 83 | 48196 | 47.58 | UG | 93 |

Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0610.D
 Acq On : 13 Jul 2010 13:50
 Operator : XING
 Sample : LCS-50PPB,BLK-SPK,A,5ml,100
 Misc : AP-RAH/ALLSTATE,07/08/10,07/08/10
 ALS Vial : 8 Sample Multiplier: 1


Quant Time: Jul 13 14:21:27 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| 45) Tetrachloroethene | 9.391 | 166 | 77264 | 50.24 | UG | # 99 |
| 46) 1,3-Dichloropropane | 9.432 | 76 | 99688 | 52.43 | UG | 99 |
| 47) 2-Hexanone | 9.523 | 43 | 31386 | 52.57 | UG | 98 |
| 48) Dibromochloromethane | 9.696 | 129 | 109144 | 53.23 | UG | 100 |
| 49) 1,2-Dibromoethane (EDB) | 9.828 | 107 | 73158 | 51.38 | UG | 100 |
| 51) Chlorobenzene | 10.396 | 112 | 255774 | 44.98 | UG | # 100 |
| 52) 1,1,1,2-Tetrachloroethane | 10.498 | 131 | 114231 | 46.77 | UG | # 98 |
| 53) Ethylbenzene | 10.518 | 91 | 347080 | 49.62 | UG | 99 |
| 54) m,p-Xylene | 10.660 | 106 | 293180 | 100.99 | UG | 92 |
| 55) o-Xylene | 11.137 | 106 | 144999 | 54.17 | UG | 91 |
| 56) Styrene | 11.158 | 104 | 266848 | 53.40 | UG | 95 |
| 57) Bromoform | 11.391 | 173 | 55843 | 47.11 | UG | # 100 |
| 58) Isopropylbenzene | 11.574 | 105 | 333528 | 52.46 | UG | 99 |
| 60) 1,1,2,2-Tetrachloroethane | 11.950 | 83 | 79794 | 44.52 | UG | 100 |
| 61) Bromobenzene | 11.950 | 156 | 111923 | 46.94 | UG | # 35 |
| 62) 1,2,3-Trichloropropane | 12.000 | 75 | 57394 | 45.14 | UG | # 100 |
| 63) n-Propylbenzene | 12.071 | 91 | 334567 | 51.83 | UG | # 98 |
| 64) 2-Chlorotoluene | 12.183 | 91 | 245593m | 49.88 | UG | |
| 65) 1,3,5-Trimethylbenzene | 12.285 | 105 | 302238 | 54.82 | UG | 99 |
| 66) 4-Chlorotoluene | 12.315 | 91 | 298778 | 49.32 | UG | # 97 |
| 67) tert-Butylbenzene | 12.691 | 119 | 252528 | 55.39 | UG | # 100 |
| 68) 1,2,4-Trimethylbenzene | 12.752 | 105 | 325558 | 55.10 | UG | 99 |
| 69) sec-Butylbenzene | 12.955 | 105 | 301600 | 54.63 | UG | # 93 |
| 70) 1,3-Dichlorobenzene | 13.097 | 146 | 205769 | 48.34 | UG | # 100 |
| 71) 4-Isopropyltoluene | 13.137 | 119 | 307344 | 56.17 | UG | # 99 |
| 72) 1,4-Dichlorobenzene | 13.208 | 146 | 220730 | 48.70 | UG | 100 |
| 73) n-Butylbenzene | 13.645 | 92 | 107684 | 52.88 | UG | # 91 |
| 74) 1,2-Dichlorobenzene | 13.675 | 146 | 215908 | 49.99 | UG | # 100 |
| 75) 1,2-Dibromo-3-chloropr... | 14.620 | 75 | 14452 | 47.01 | UG | # 87 |
| 76) 1,2,4-Trichlorobenzene | 15.533 | 180 | 79886 | 47.69 | UG | 100 |
| 77) Hexachlorobutadiene | 15.706 | 225 | 35173 | 46.77 | UG | 99 |
| 78) Naphthalene | 15.797 | 128 | 322423 | 52.26 | UG | 100 |
| 79) 1,2,3-Trichlorobenzene | 16.041 | 180 | 84986 | 50.90 | UG | 99 |
| 80) 1,1,2-Trichloro-1,2,2-... | 3.524 | 101 | 61281 | 44.95 | UG | # 61 |
| 81) Methyl acetate | 4.001 | 43 | 36738 | 41.47 | UG | # 97 |
| 82) Cyclohexane | 6.224 | 56 | 60889 | 41.27 | UG | # 82 |
| 83) Methylcyclohexane | 7.513 | 55 | 41320 | 48.70 | UG | # 79 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0610.D
Acq On : 13 Jul 2010 13:50
Operator : XING
Sample : LCS-50PPB,BLK-SPK,A,5ml,100
Misc : AP-RAH/ALLSTATE,07/08/10,07/08/10
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jul 13 14:21:27 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0611.D
 Acq On : 13 Jul 2010 14:17
 Operator : XING
 Sample : MS,06728-005MS,A,5mL,100
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 14 10:01:43 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 165172 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 288664 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 276008 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|--------|----------------|----------|-------|---------|------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 86868 | 55.40 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 43 - 133 | Recovery | = | 110.80% | |
| 41) Toluene-d8 | 8.691 | 98 | 236407 | 46.92 | UG | 0.01 |
| Spiked Amount | 50.000 | Range 39 - 137 | Recovery | = | 93.84% | |
| 59) Bromofluorobenzene | 11.767 | 95 | 104715 | 46.58 | UG | 0.00 |
| Spiked Amount | 50.000 | Range 23 - 145 | Recovery | = | 93.16% | |

Target Compounds


| | | | | | | Qvalue |
|-----------------------|--------|-----|--------|-------|----|--------|
| 9) 1,1-Dichloroethene | 3.503 | 96 | 71351 | 65.17 | UG | # 100 |
| 32) Benzene | 6.589 | 78 | 300094 | 52.43 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 88265 | 52.43 | UG | # 79 |
| 42) Toluene | 8.762 | 92 | 209600 | 52.30 | UG | 99 |
| 51) Chlorobenzene | 10.396 | 112 | 278802 | 51.23 | UG | # 100 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed


XTHJWJ

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0611.D
Acq On : 13 Jul 2010 14:17
Operator : XING
Sample : MS, 06728-005MS, A, 5mL, 100
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jul 14 10:01:43 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration





Xtfg wj




#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17


Tgt Ion: 168 Resp: 165172
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0



#9
1,1-Dichloroethene
Concen: 65.17 UG
RT: 3.503 min Scan# 175
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17


Tgt Ion: 96 Resp: 71351
Ion Ratio Lower Upper
96 100
96 100.0 80.0 120.0
61 0.0 0.0 0.0
63 0.0 0.0 0.0





#30
1,2-Dichloroethane-d4
Concen: 55.40 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 65 | 100 | | |
| 65 | 100.0 | 80.0 | 120.0 |
| 67 | 45.1 | 41.3 | 61.9 |






Abundance

Ion 65.15 (64.85 to 65.85): F06


Ion 65.15 (64.85 to 65.85): F06

Ion 67.15 (66.85 to 67.85): F06



#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17



| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 114 | 100 | | |
| 114 | 100.0 | 80.0 | 120.0 |




Abundance

Ion 114.00 (113.70 to 114.70): F


Ion 114.00 (113.70 to 114.70): F







#32
Benzene
Concen: 52.43 UG
RT: 6.589 min Scan# 479
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17

Tgt Ion: 78 Resp: 300094
Ion Ratio Lower Upper
78 100
78 100.0 80.0 120.0
77 22.9 18.6 27.8




Abundance Ion 78.05 (77.75 to 78.75): F06
200000 Ion 78.05 (77.75 to 78.75): F06
Ion 77.05 (76.75 to 77.75): F06






#33
Trichloroethene
Concen: 52.43 UG
RT: 7.310 min Scan# 550
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17

Tgt Ion: 95 Resp: 88265
Ion Ratio Lower Upper
95 100
95 100.0 80.0 120.0
130 129.0 80.4 120.6#
132 126.2 74.2 111.2#







Abundance Ion 95.00 (94.70 to 95.70): F06
Ion 95.00 (94.70 to 95.70): F06
Ion 130.00 (129.70 to 130.70): F06
Ion 132.00 (131.70 to 132.70): F06








#41
Toluene-d8
Concen: 46.92 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17


Tgt Ion: 98 Resp: 236407
Ion Ratio Lower Upper
98 100
98 100.0 80.0 120.0
100 63.9 51.2 76.8



#42
Toluene
Concen: 52.30 UG
RT: 8.762 min Scan# 693
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17





Tgt Ion: 92 Resp: 209600
Ion Ratio Lower Upper
92 100
92 100.0 80.0 120.0
91 169.6 133.4 200.0








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17


Tgt Ion: 117 Resp: 276008
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#51
Chlorobenzene
Concen: 51.23 UG
RT: 10.396 min Scan# 854
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17

Tgt Ion: 112 Resp: 278802
Ion Ratio Lower Upper
112 100
112 100.0 80.0 120.0
114 32.0 25.8 38.8
77 0.0 0.0 0.0





#59
Bromofluorobenzene
Concen: 46.58 UG
RT: 11.767 min Scan# 989
Delta R.T. 0.000 min
Lab File: F0611.D
Acq: 13 Jul 2010 14:17

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 174 | 85.1 | 62.2 | 93.4 |
| 176 | 81.4 | 60.5 | 90.7 |

Abundance

Ion 95.10 (94.80 to 95.80): F06

100000 Ion 95.10 (94.80 to 95.80): F06


80000 Ion 174.10 (173.80 to 174.80): F06

60000 Ion 176.10 (175.80 to 176.80): F06

40000

20000

0



Data Path : C:\msdchem\1\DATA\07-13-10\
 Data File : F0612.D
 Acq On : 13 Jul 2010 14:43
 Operator : XING
 Sample : MSD,06728-005MSD,A,5mL,100
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jul 14 10:02:24 2010
 Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
 Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
 QLast Update : Tue Jul 06 13:53:33 2010
 Response via : Initial Calibration

| Internal Standards | R.T. | QIon | Response | Conc | Units | Dev(Min) |
|-------------------------|--------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene | 6.204 | 168 | 160999 | 50.00 | UG | 0.00 |
| 31) 1,4-Difluorobenzene | 7.026 | 114 | 282662 | 50.00 | UG | 0.00 |
| 50) Chlorobenzene-d5 | 10.366 | 117 | 272665 | 50.00 | UG | 0.00 |

System Monitoring Compounds

| | | | | | | |
|---------------------------|----------------|----|------------|---------|----|------|
| 30) 1,2-Dichloroethane-d4 | 6.539 | 65 | 87000 | 56.92 | UG | 0.01 |
| Spiked Amount 50.000 | Range 43 - 133 | | Recovery = | 113.84% | | |
| 41) Toluene-d8 | 8.691 | 98 | 231158 | 46.85 | UG | 0.01 |
| Spiked Amount 50.000 | Range 39 - 137 | | Recovery = | 93.70% | | |
| 59) Bromofluorobenzene | 11.767 | 95 | 102132 | 45.98 | UG | 0.00 |
| Spiked Amount 50.000 | Range 23 - 145 | | Recovery = | 91.96% | | |

Target Compounds


| | | | | | | Qvalue |
|-----------------------|--------|-----|--------|-------|----|--------|
| 9) 1,1-Dichloroethene | 3.503 | 96 | 69137 | 64.79 | UG | # 100 |
| 32) Benzene | 6.589 | 78 | 290639 | 51.86 | UG | 100 |
| 33) Trichloroethene | 7.310 | 95 | 86545 | 52.50 | UG | # 79 |
| 42) Toluene | 8.762 | 92 | 204062 | 52.00 | UG | 99 |
| 51) Chlorobenzene | 10.396 | 112 | 273855 | 50.93 | UG | # 100 |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

XPT 01437

Data Path : C:\msdchem\1\DATA\07-13-10\
Data File : F0612.D
Acq On : 13 Jul 2010 14:43
Operator : XING
Sample : MSD,06728-005MSD,A,5mL,100
Misc :
ALS Vial : 10 Sample Multiplier: 1


Quant Time: Jul 14 10:02:24 2010
Quant Method : C:\MSDCHEM\1\METHODS\FAM0702.M
Quant Title : VOLATILE ORGANICS BY EPA METHOD 8260B
QLast Update : Tue Jul 06 13:53:33 2010
Response via : Initial Calibration







#1
Pentafluorobenzene
Concen: 50.00 UG
RT: 6.204 min Scan# 441
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43

Tgt Ion: 168 Resp: 160999
Ion Ratio Lower Upper
168 100
168 100.0 80.0 120.0
99 0.0 0.0 0.0
137 0.0 0.0 0.0




Abundance Ion 168.00 (167.70 to 168.70): I
Ion 168.00 (167.70 to 168.70): I
Ion 99.00 (98.70 to 99.70): F06
Ion 137.00 (136.70 to 137.70): I






#9
1,1-Dichloroethene
Concen: 64.79 UG
RT: 3.503 min Scan# 175
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43

Tgt Ion: 96 Resp: 69137
Ion Ratio Lower Upper
96 100
96 100.0 80.0 120.0
61 0.0 0.0 0.0
63 0.0 0.0 0.0





Abundance Ion 96.00 (95.70 to 96.70): F06
Ion 96.00 (95.70 to 96.70): F06
Ion 61.10 (60.80 to 61.80): F06
Ion 63.10 (62.80 to 63.80): F06






#30
1,2-Dichloroethane-d4
Concen: 56.92 UG
RT: 6.539 min Scan# 474
Delta R.T. 0.010 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43


Tgt Ion: 65 Resp: 87000
Ion Ratio Lower Upper
65 100
65 100.0 80.0 120.0
67 44.9 41.3 61.9



#31
1,4-Difluorobenzene
Concen: 50.00 UG
RT: 7.026 min Scan# 522
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43





Tgt Ion: 114 Resp: 282662
Ion Ratio Lower Upper
114 100
114 100.0 80.0 120.0








#32
Benzene
Concen: 51.86 UG
RT: 6.589 min Scan# 479
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 78 | 100 | | |
| 78 | 100.0 | 80.0 | 120.0 |
| 77 | 23.2 | 18.6 | 27.8 |



#33
Trichloroethene
Concen: 52.50 UG
RT: 7.310 min Scan# 550
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43


| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|--------|
| 95 | 100 | | |
| 95 | 100.0 | 80.0 | 120.0 |
| 130 | 129.3 | 80.4 | 120.6# |
| 132 | 125.7 | 74.2 | 111.2# |





#41
Toluene-d8
Concen: 46.85 UG
RT: 8.691 min Scan# 686
Delta R.T. 0.010 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 98 | 100 | | |
| 98 | 100.0 | 80.0 | 120.0 |
| 100 | 64.1 | 51.2 | 76.8 |






Abundance

Ion 98.20 (97.90 to 98.90): F06


Ion 98.20 (97.90 to 98.90): F06

Ion 100.20 (99.90 to 100.90): F06



#42
Toluene
Concen: 52.00 UG
RT: 8.762 min Scan# 693
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 92 | 100 | | |
| 92 | 100.0 | 80.0 | 120.0 |
| 91 | 169.7 | 133.4 | 200.0 |






Abundance

Ion 91.70 (91.40 to 92.40): F06

Ion 91.70 (91.40 to 92.40): F06





Ion 91.05 (90.75 to 91.75): F06








#50
Chlorobenzene-d5
Concen: 50.00 UG
RT: 10.366 min Scan# 851
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43


Tgt Ion: 117 Resp: 272665
Ion Ratio Lower Upper
117 100
117 100.0 80.0 120.0



#51
Chlorobenzene
Concen: 50.93 UG
RT: 10.396 min Scan# 854
Delta R.T. 0.000 min
Lab File: F0612.D
Acq: 13 Jul 2010 14:43


Tgt Ion: 112 Resp: 273855
Ion Ratio Lower Upper
112 100
112 100.0 80.0 120.0
114 32.1 25.8 38.8
77 0.0 0.0 0.0







#59
 Bromofluorobenzene
 Concen: 45.98 UG
 RT: 11.767 min Scan# 989
 Delta R.T. 0.000 min
 Lab File: F0612.D
 Acq: 13 Jul 2010 14:43

Tgt Ion: 95 Resp: 102132
 Ion Ratio Lower Upper
 95 100
 95 100.0 80.0 120.0
 174 85.5 62.2 93.4
 176 82.0 60.5 90.7



Abundance Ion 95.10 (94.80 to 95.80): F06
 Ion 95.10 (94.80 to 95.80): F06
 Ion 174.10 (173.80 to 174.80): F06
 Ion 176.10 (175.80 to 176.80): F06



REPORTING INFO

| | |
|----------------------------------|--|
| REPORT TO: Arcadis - U.S., Inc. | Address: 1 International Blvd. Mahwah, NJ 07495 |
| ATTN: E. Rodriguez | FAX # 201.684.4420 |
| INVOICE TO: Arcadis - U.S., Inc. | Address: 1 International Blvd. Mahwah, NJ 07495 |
| ATTN: E. Rodriguez | PO # NJ0000423.0005.00001 |





Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Wipe

| Date | Sampling | | Matrix | # containers | IAL # |
|--------|----------|------|--------|--------------|-------|
| | Date | Time | | | |
| 7/8/10 | 0900 | | FB | 2 | |
| 7/8/10 | — | | FB | 1 | |
| 7/8/10 | 1412 | | AQ | 2 | |
| 7/8/10 | 1411 | | AQ | 2 | |
| 7/8/10 | 1207 | | AQ | 2 | |
| 7/8/10 | 1157 | | AQ | 2 | |
| 7/8/10 | 1032 | | AQ | 2 | |
| 7/8/10 | — | | AQ | 2 | |
| 7/9/10 | 0918 | | AQ | 2 | |
| 7/9/10 | 0917 | | AQ | 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 | 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 | 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 | 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 | 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 | 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 | 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 | 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 | 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 | 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 | 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 | 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 | 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 | 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 | 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 | 460 | 461 | 462 | 463 | 464 | 465 | 466 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

Comments:

| Relinquished by: | Signature/Company | Date | Time | Received by: | Signature/Company | Date | Time |
|------------------|---|--------|------|--------------|---|--------|------|
| Relinquished by: |  | 7/9/10 | 1510 | Received by: |  | 7/9/10 | 1510 |
| Relinquished by: |  | 7/9/10 | 1720 | Received by: |  | 7/9/10 | 1720 |
| Relinquished by: | | | | Received by: | | | |
| Relinquished by: | | | | Received by: | | | |
| Relinquished by: | | | | Received by: | | | |

Lab Case #

6228

LA=COPIES - WHITE & YELLOW; CLIENT COPY - PINK

1 cooler

REPORTING INFO

REPORT TO: *Acropolis-U.S., Inc.*
Address: *1 International Blvd.*
Mattawan, NJ 07995
ATTN: *E. Rodriguez*
FAX # *201-689-1420*

INVOICE TO: *Acropolis-U.S., Inc.*
Address: *1 International Blvd.*
Mattawan, NJ 07995
ATTN: *E. Rodriguez*
FO #

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Waste

| Conc. | Expected: | Low | Med | High |
|-------|-----------|-----|-----|------|
| 1 | 1 | 1 | 1 | 1 |
| 2 | 2 | 2 | 2 | 2 |
| 3 | 3 | 3 | 3 | 3 |
| 4 | 4 | 4 | 4 | 4 |
| 5 | 5 | 5 | 5 | 5 |
| 6 | 6 | 6 | 6 | 6 |
| 7 | 7 | 7 | 7 | 7 |
| 8 | 8 | 8 | 8 | 8 |
| 9 | 9 | 9 | 9 | 9 |
| 10 | 10 | 10 | 10 | 10 |
| 11 | 11 | 11 | 11 | 11 |
| 12 | 12 | 12 | 12 | 12 |
| 13 | 13 | 13 | 13 | 13 |
| 14 | 14 | 14 | 14 | 14 |
| 15 | 15 | 15 | 15 | 15 |
| 16 | 16 | 16 | 16 | 16 |
| 17 | 17 | 17 | 17 | 17 |
| 18 | 18 | 18 | 18 | 18 |
| 19 | 19 | 19 | 19 | 19 |
| 20 | 20 | 20 | 20 | 20 |
| 21 | 21 | 21 | 21 | 21 |
| 22 | 22 | 22 | 22 | 22 |
| 23 | 23 | 23 | 23 | 23 |
| 24 | 24 | 24 | 24 | 24 |
| 25 | 25 | 25 | 25 | 25 |
| 26 | 26 | 26 | 26 | 26 |
| 27 | 27 | 27 | 27 | 27 |
| 28 | 28 | 28 | 28 | 28 |
| 29 | 29 | 29 | 29 | 29 |
| 30 | 30 | 30 | 30 | 30 |
| 31 | 31 | 31 | 31 | 31 |
| 32 | 32 | 32 | 32 | 32 |
| 33 | 33 | 33 | 33 | 33 |
| 34 | 34 | 34 | 34 | 34 |
| 35 | 35 | 35 | 35 | 35 |
| 36 | 36 | 36 | 36 | 36 |
| 37 | 37 | 37 | 37 | 37 |
| 38 | 38 | 38 | 38 | 38 |
| 39 | 39 | 39 | 39 | 39 |
| 40 | 40 | 40 | 40 | 40 |
| 41 | 41 | 41 | 41 | 41 |
| 42 | 42 | 42 | 42 | 42 |
| 43 | 43 | 43 | 43 | 43 |
| 44 | 44 | 44 | 44 | 44 |
| 45 | 45 | 45 | 45 | 45 |
| 46 | 46 | 46 | 46 | 46 |
| 47 | 47 | 47 | 47 | 47 |
| 48 | 48 | 48 | 48 | 48 |
| 49 | 49 | 49 | 49 | 49 |
| 50 | 50 | 50 | 50 | 50 |
| 51 | 51 | 51 | 51 | 51 |
| 52 | 52 | 52 | 52 | 52 |
| 53 | 53 | 53 | 53 | 53 |
| 54 | 54 | 54 | 54 | 54 |
| 55 | 55 | 55 | 55 | 55 |
| 56 | 56 | 56 | 56 | 56 |
| 57 | 57 | 57 | 57 | 57 |
| 58 | 58 | 58 | 58 | 58 |
| 59 | 59 | 59 | 59 | 59 |
| 60 | 60 | 60 | 60 | 60 |
| 61 | 61 | 61 | 61 | 61 |
| 62 | 62 | 62 | 62 | 62 |
| 63 | 63 | 63 | 63 | 63 |
| 64 | 64 | 64 | 64 | 64 |
| 65 | 65 | 65 | 65 | 65 |
| 66 | 66 | 66 | 66 | 66 |
| 67 | 67 | 67 | 67 | 67 |
| 68 | 68 | 68 | 68 | 68 |
| 69 | 69 | 69 | 69 | 69 |
| 70 | 70 | 70 | 70 | 70 |
| 71 | 71 | 71 | 71 | 71 |
| 72 | 72 | 72 | 72 | 72 |
| 73 | 73 | 73 | 73 | 73 |
| 74 | 74 | 74 | 74 | 74 |
| 75 | 75 | 75 | 75 | 75 |
| 76 | 76 | 76 | 76 | 76 |
| 77 | 77 | 77 | 77 | 77 |
| 78 | 78 | 78 | 78 | 78 |
| 79 | 79 | 79 | 79 | 79 |
| 80 | 80 | 80 | 80 | 80 |
| 81 | 81 | 81 | 81 | 81 |
| 82 | 82 | 82 | 82 | 82 |
| 83 | 83 | 83 | 83 | 83 |
| 84 | 84 | 84 | 84 | 84 |
| 85 | 85 | 85 | 85 | 85 |
| 86 | 86 | 86 | 86 | 86 |
| 87 | 87 | 87 | 87 | 87</ |

Please print legibly and fill out each item.

not start until any ambiguities have been resolved.

Comments:

| Signature/Company | Date | Time | Signature/Company | Date | Time |
|-------------------------------------|--------|------|---------------------------------|--------|------|
| Relinquished by: <i>Deborah</i> | 7/9/10 | 1510 | Received by: <i>[Signature]</i> | 7/9/10 | 1510 |
| Relinquished by: <i>[Signature]</i> | 7/9/10 | 1720 | Received by: <i>[Signature]</i> | 7/9/10 | 1720 |
| Relinquished by: | | | Received by: | | |
| Relinquished by: | | | Received by: | | |
| Relinquished by: | | | Received by: | | |

LAI_COPIES - WHITE & YELLOW; CLIENT COPY - PINK

Lab Case #

6728

100/22

PROJECT INFORMATION



Case No. **E10-06728**

Project **KINGS ELECTRONICS - VENDOR #1168636**

Customer **Arcadis Geraghty & Miller**

P.O. # **NJ000427.0005.0000**

Contact **Eric Rodriguez**

Received **7/9/2010 17:20**

E-Mail **eric.rodriguez@arcadis-us.com**

☐ E-Mail EDDs

Verbal Due **7/26/2010**

Phone **(201) 684-1410**

Fax **1(201) 684-1420**

Report Due **8/2/2010**

Report To

465 New Karner Rd

Albany, NY 12205

Bill To

630 Plaza Drive

Suite 600

Highlands Ranch, CO 80129

Attn: Eric Rodriguez

Attn: Eric Rodriguez

Report Format Regulatory

Additional Info ☐ State Form

☐ Field Sampling

☐ Conditional VOA

| Lab ID | Client Sample ID | Depth Top / Bottom | Sampling Time | Matrix | Unit | # of Containers |
|-----------|------------------|--------------------|----------------|---------|------|-----------------|
| 06728-001 | FB(070810) | n/a | 7/8/2010@09:00 | Aqueous | ug/L | 2 |
| 06728-002 | TB(070810) | n/a | 7/8/2010 | Aqueous | ug/L | 1 |
| 06728-003 | PTW-2 | n/a | 7/8/2010@14:12 | Aqueous | ug/L | 2 |
| 06728-004 | MW-9S | n/a | 7/8/2010@14:11 | Aqueous | ug/L | 2 |
| 06728-005 | MW-9D | n/a | 7/8/2010@12:07 | Aqueous | ug/L | 2 |
| 06728-006 | MW-6S | n/a | 7/8/2010@11:57 | Aqueous | ug/L | 2 |
| 06728-007 | MW-13R | n/a | 7/8/2010@10:32 | Aqueous | ug/L | 2 |
| 06728-008 | DUP(070810) | n/a | 7/8/2010 | Aqueous | ug/L | 2 |
| 06728-009 | GP-104R | n/a | 7/9/2010@09:18 | Aqueous | ug/L | 2 |
| 06728-010 | GP-103R | n/a | 7/9/2010@09:17 | Aqueous | ug/L | 2 |
| 06728-011 | FB(070910) | n/a | 7/9/2010@08:30 | Aqueous | ug/L | 2 |

| Sample # | Tests | Status | QA Method |
|----------|----------------------|------------|-----------|
| 001 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 002 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 003 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 004 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 005 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 006 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 007 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 008 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 009 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 010 | PP VOA + Cis 1,2-DCE | In Process | 8260B |
| 011 | PP VOA + Cis 1,2-DCE | In Process | 8260B |

PROJECT INFORMATION



E 1 0 - 0 6 7 2 8

Case No. **E10-06728**

Project **KINGS ELECTRONICS - VENDOR #1168636**

07/13/2010 09:20 by katie - NOTE 2

As per Eric Rodriguez, please change the MW-9SR sample ID from MW-9SR to MW-9S.

Also, please change the report mailing address to:

Eric Rodriguez
ARCADIS
465 New Karner Road
Albany, NY 12205

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: **E 10**

06728

CLIENT:

Arcadis

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

✓ = YES/NA

✗ = NO

✓ Bottles Intact

✓ no-Missing Bottles

✓ no-Extra Bottles

✓ Sufficient Sample Volume

✓ no-headspace/bubbles in VOs

✓ Labels intact/correct

✓ pH Check (exclude VOs)¹

✓ Correct bottles/preservative

✓ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

✓ Chain of Custody is Clear

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

[Signature]

DATE

7/9/10

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

If COC is **NOT** clear, **STOP** until you get client to authorize/clarify work.

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

Ku

DATE

7/12/10

REV 03/2009

0155

Laboratory Custody Chronicle

IAL Case No.

E10-06728

Client Arcadis Geraghty & Miller

Project KINGS ELECTRONICS - VENDOR #1168636

Received On 7/9/2010@17:20

Department: Volatiles

PP VOA + Cis 1,2-DCE

| | | | <u>Prep. Date</u> | <u>Analyst</u> | <u>Analysis Date</u> | <u>Analyst</u> |
|---|-----------|---------|-------------------|----------------|----------------------|----------------|
| " | 06728-001 | Aqueous | n/a | n/a | 7/13/10 | Xing |
| " | -002 | " | n/a | n/a | 7/13/10 | Xing |
| " | -003 | " | n/a | n/a | 7/13/10 | Xing |
| " | -004 | " | n/a | n/a | 7/13/10 | Xing |
| " | -005 | " | n/a | n/a | 7/13/10 | Xing |
| " | -006 | " | n/a | n/a | 7/13/10 | Xing |
| " | -007 | " | n/a | n/a | 7/13/10 | Xing |
| " | -008 | " | n/a | n/a | 7/13/10 | Xing |
| " | -009 | " | n/a | n/a | 7/13/10 | Xing |
| " | -010 | " | n/a | n/a | 7/13/10 | Xing |
| " | -011 | " | n/a | n/a | 7/13/10 | Xing |

Appendix C

Data Usability Summary Report



EcoChem, INC.
Environmental Data Quality

DATA USABILITY SUMMARY REPORT

KINGS/STORAGE DELUXE IAQ INVESTIGATION

JULY 8, 2010 Sampling Event

Prepared for:

Environmental Management, LTD.
On the Lake @ 41 Franck Road
Stony Point, New York 10980

Prepared by:

EcoChem, Inc.
710 Second Avenue, Suite 660
Seattle, Washington 98104

EcoChem Project: C23902-1

August 31, 2010

Approved for Release:

Christina Mott
Senior Project Chemist
EcoChem, Inc.

DATA USABILITY SUMMARY REPORT

KINGS/STORAGE DELUXE IAQ INVESTIGATION

This report documents the review of analytical data from the analyses of eight aqueous samples, one trip blank, two field blanks and the associated laboratory quality control (QC) samples. A full (USEPA Level IV) validation was performed. Samples were analyzed by Integrated Analytical Laboratories, LLC, Randolph, New Jersey. **Table 1** provides a cross reference of sample identifiers and collection date.

TABLE 1: Sample Index

| Field ID | Lab ID | Date Collected | SDG |
|-------------|-----------|----------------|-----------|
| FB(070810) | 06728-001 | 7/8/2010 | E10-06728 |
| TB(070810) | 06728-002 | 7/8/2010 | E10-06728 |
| PTW-2 | 06728-003 | 7/8/2010 | E10-06728 |
| MW-9S | 06728-004 | 7/8/2010 | E10-06728 |
| MW-9D | 06728-005 | 7/8/2010 | E10-06728 |
| MW-6S | 06728-006 | 7/8/2010 | E10-06728 |
| MW-13R | 06728-007 | 7/8/2010 | E10-06728 |
| DUP(070810) | 06728-008 | 7/8/2010 | E10-06728 |
| GP-104R | 06728-009 | 7/9/2010 | E10-06728 |
| GP-103R | 06728-010 | 7/9/2010 | E10-06728 |
| FB(070910) | 06728-011 | 7/9/2010 | E10-06728 |

BASIS OF DATA EVALUATION

The data were validated using guidance and QC criteria documented in *USEPA Region II Data Review Standard Operating Procedure (SOP) Number HW-24, Revision 2, August 2008: Validating Volatile Organic Compounds –by Gas Chromatography/Mass Spectrometry; SW-846 Method 8260B* and the analytical method, *SW-846 Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, Method 8260B Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS), Revision 2, December 1996, New York State Department of Environmental Conservation, DEC Program Policy DER-10, Technical Guidance for Site Investigation and Remediation.*

The technical findings and qualifiers assigned are organized by method and immediately follow this introduction. Data Validation Qualifier Code definitions are provided as **Appendix A**. The sample result summary forms are included as **Appendix B**. The data validation worksheets are included as **Appendix C**.

PROCESS FOR DATA VALIDATION

A full data validation equivalent to an USEPA CLP “QA Level IV” level of effort was performed. **Table 2** lists the quality control (QC) elements that were reviewed.

TABLE 2: Full (USEPA Level IV) Quality Control Elements

| Quality Control Elements |
|---|
| <ul style="list-style-type: none">➤ Data Completeness➤ Cover letter, Narrative, and Data Reporting Forms➤ Analytical holding times➤ Chain of custody and sample handling/preservation➤ Instrument performance: GC/MS tune (from summary forms)➤ Method blank contamination (from summary forms)➤ Initial and continuing calibration (from summary forms)➤ Field and Trip blank contamination (from sample result summaries)➤ Analytical accuracy: surrogate %R for organic analyses, matrix spike sample %R, and laboratory control sample %R (from summary forms)➤ Analytical precision: matrix spike duplicate sample RPD (from summary forms)➤ Field precision: field duplicate RPD (if analyzed)➤ Internal standard areas (from summary forms)➤ Reported detection limits (from sample result summaries)➤ Compound identification evaluated from raw data➤ Compound quantitation, transcription and calculation checks performed at a frequency of 10 percent from raw data. If an error was noted, 100 percent of the calculations and transcriptions for that data package were verified. |

Laboratory QC samples were used to assess the effectiveness of extraction/preparation procedures and to evaluate laboratory method performance, potential contamination during the analytical process, and sample matrix effects. Quality control samples included method blanks, laboratory control samples (LCS), matrix spike (MS) samples, and laboratory duplicate samples. Surrogates were added to each sample analyzed for organic compounds to further assess the effects of sample matrix on accuracy.

During validation, the results of the QC samples and instrument calibration and tuning are compared to the measurement quality objectives (MQO) initially established during project planning. Validation also provides a quantitative and qualitative evaluation of the data and identifies potential sources of error, uncertainty, and bias that may affect the overall data usability.

Data were qualified when associated QC sample and instrument performance results were outside the laboratory QC sample control limits. For the Kings/Storage Deluxe IAQ Investigation samples, no data were qualified for any reason.

TECHNICAL SUMMARY

Overall, the data are acceptable for the intended purposes. No data were rejected, or qualified for any reason. The data meet all the criteria for the parameters tested.

All data, as reported, are acceptable for use.

DATA USABILITY SUMMARY REPORT

Kings-Storage Deluxe IAQ Investigation

Volatile Organic Compounds – Method 8260B

This report documents the review of analytical data from the analyses of aqueous samples and the associated laboratory and field quality control (QC) samples. Integrated Analytical Laboratories, LLC, Randolph, New Jersey, analyzed the samples.

| SDG | Number of Samples | Validation Level |
|-----------|--|------------------|
| E10-06728 | 8 Aqueous, 1 Trip Blank & 2 Field Blanks | Full |

I. DATA PACKAGE COMPLETENESS

The laboratory submitted all deliverables as required by ASP Category B. The laboratory followed adequate corrective action processes and all anomalies were discussed in the case narrative.

II. TECHNICAL DATA VALIDATION

The QC requirements that were reviewed are summarized in the following table. All requirements were met for each QC element, unless noted below.

| | |
|---------------------------------------|---|
| Holding Times and Sample Preservation | Laboratory Control Samples (LCS) |
| GC/MS Instrument Performance Check | 1 Field Replicates |
| 1 Initial Calibration (ICAL) | Internal Standards |
| Continuing Calibration (CCAL) | Target Analyte List |
| Blanks (Method) | Reporting Limits |
| 1 Blanks (Field and Trip) | Compound Identification |
| Surrogate Compounds | 1 Calculation Verification (Full validation only) |

¹ Quality control results are discussed below, but no data were qualified.

² Quality control outliers that impact the reported data were noted. Data qualifiers were issued as discussed below.

Initial Calibration

Seven standards were used for the initial calibration of the GC/MS instrument. Raw data for calibration standard STD-50PPB were not included in the raw data package supplied by the laboratory. Raw data were supplied for all other calibration points and the initial calibration was confirmed by recalculation to be within the method acceptance criteria. Based on the review of the initial calibration, these results were determined to be acceptable without qualification.

Blanks (Field and Trip)

One trip blank was submitted with the samples in this data set. No target analytes were detected in Sample TB (070810).

Two field blank samples were submitted with the samples in this data set. No target analytes were detected in Sample FB (070810) or Sample FB (070910).

Field Replicates

The following acceptance criteria were applied for field replicates: the relative percent difference (RPD) control limit is 35% for results greater than five times the reporting limit (RL). For results less than five times the RL, the difference between the sample and replicate must be less than the RL. Samples MW-6S and DUP (070810) were submitted as field replicates. Precision was acceptable.

Calculation Verification

Calculation verifications were performed. No calculation errors were found.

IV. OVERALL ASSESSMENT

As was determined by this evaluation, the laboratory followed the specified analytical method. Accuracy was acceptable, as demonstrated by the surrogate, LCS and MS/MSD percent recovery values. Precision was also acceptable as demonstrated by the matrix spike duplicate and field duplicate relative percent difference values.

All data, as reported, are acceptable for use.



EcoChem, INC.
Environmental Data Quality

APPENDIX A

DATA QUALIFIER DEFINITIONS

REASON CODES

AND CRITERIA TABLES

DATA VALIDATION QUALIFIER CODES

Based on National Functional Guidelines

The following definitions provide brief explanations of the qualifiers assigned to results in the data review process.

| | |
|----|---|
| U | The analyte was analyzed for, but was not detected above the reported sample quantitation limit. |
| J | The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample. |
| NJ | The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents the approximate concentration. |
| UJ | The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample. |
| R | The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified. |

The following is an EcoChem qualifier that may also be assigned during the data review process:

| | |
|-----|---|
| DNR | Do not report; a more appropriate result is reported from another analysis or dilution. |
|-----|---|

DATA QUALIFIER REASON CODES

| | |
|----|---|
| 1 | Holding Time/Sample Preservation |
| 2 | Chromatographic pattern in sample does not match pattern of calibration standard. |
| 3 | Compound Confirmation |
| 4 | Tentatively Identified Compound (TIC) (associated with NJ only) |
| 5A | Calibration (initial) |
| 5B | Calibration (continuing) |
| 6 | Field Blank Contamination |
| 7 | Lab Blank Contamination (e.g., method blank, instrument, etc.) |
| 8 | Matrix Spike(MS & MSD) Recoveries |
| 9 | Precision (all replicates) |
| 10 | Laboratory Control Sample Recoveries |
| 11 | A more appropriate result is reported (associated with "R" and "DNR" only) |
| 12 | Reference Material |
| 13 | Surrogate Spike Recoveries (a.k.a., labeled compounds & recovery standards) |
| 14 | Other (define in validation report) |
| 15 | GFAA Post Digestion Spike Recoveries |
| 16 | ICP Serial Dilution % Difference |
| 17 | ICP Interference Check Standard Recovery |
| 18 | Trip Blank Contamination |
| 19 | Internal Standard Performance (e.g., area, retention time, recovery) |
| 20 | Linear Range Exceeded |
| 21 | Potential False Positives |
| 22 | Elevated Detection Limit Due to Interference (i.e., laboratory, chemical and/or matrix) |

EcoChem Validation Guidelines for Volatile Analysis by GC/MS
(Based on Organic NFG 1999)

| VALIDATION QC ELEMENT | ACCEPTANCE CRITERIA | ACTION | REASON CODE |
|--|---|--|-------------|
| Cooler Temperature | 4°C±2°C Water: HCl to pH < 2 | J(+)/UJ(-) if greater than 6 deg. C (EcoChem PJ) | 1 |
| Hold Time | Waters: 14 days preserved 7 Days: unpreserved (for aromatics) Solids: 14 Days | J(+)/UJ(-) if hold times exceeded If exceeded by > 3X HT: J(+)/R(-) (EcoChem PJ) | 1 |
| Tuning | BFB Beginning of each 12 hour period Method acceptance criteria | R(+/-) all analytes in all samples associated with the tune | 5A |
| Initial Calibration (Minimum 5 stds.) | RRF > 0.05 | (EcoChem PJ, see TM-06) If MDL= reporting limit: J(+)/R(-) if RRF < 0.05 If reporting limit > MDL: note in worksheet if RRF < 0.05 | 5A |
| | %RSD < 30% | (EcoChem PJ, see TM-06) J(+) if %RSD > 30% | 5A |
| Continuing Calibration (Prior to each 12 hr. shift) | RRF > 0.05 | (EcoChem PJ, see TM-06) If MDL= reporting limit: J(+)/R(-) if RRF < 0.05 If reporting limit > MDL: note in worksheet if RRF < 0.05 | 5B |
| | %D < 25% | (EcoChem PJ, see TM-06) If > +/-90%: J+/R- If -90% to -26%: J+ (high bias) If 26% to 90%: J+/UJ- (low bias) | 5B |
| Method Blank | One per matrix per batch No results > CRQL | U(+) if sample (+) result is less than CRQL and less than appropriate 5X or 10X rule (raise sample value to CRQL) | 7 |
| | | U(+) if sample (+) result is greater than or equal to CRQL and less than appropriate 5X and 10X rule (at reported sample value) | 7 |
| | No TICs present | R(+) TICs using 10X rule | 7 |
| Storage Blank | One per SDG <CRQL | U(+) the specific analyte(s) results in all assoc. samples using the 5x or 10x rule | 7 |
| Trip Blank | Frequency as per project QAPP | Same as method blank for positive results remaining in trip blank after method blank qualifiers are assigned | 18 |
| Field Blanks (if required in QAPP) | No results > CRQL | Apply 5X/10X rule; U(+) < action level | 6 |

EcoChem Validation Guidelines for Volatile Analysis by GC/MS
(Based on Organic NFG 1999)

| VALIDATION QC ELEMENT | ACCEPTANCE CRITERIA | ACTION | REASON CODE |
|--|--|--|--------------------|
| MS/MSD (recovery) | One per matrix per batch Use method acceptance criteria | Qualify parent only unless other QC indicates systematic problems: J(+) if both %R > UCL J(+)/UJ(-) if both %R < LCL J(+)/R(-) if both %R < 10% PJ if only one %R outlier | 8 |
| MS/MSD (RPD) | One per matrix per batch Use method acceptance criteria | J(+) in parent sample if RPD > CL | 9 |
| LCS <i>low conc. H₂O VOA</i> | One per lab batch Within method control limits | J(+) assoc. compd if > UCL J(+)/R(-) assoc. compd if < LCL J(+)/R(-) all compds if half are < LCL | 10 |
| LCS <i>regular VOA (H₂O & solid)</i> | One per lab batch Lab or method control limits | J(+) if %R > UCL J(+)/UJ(-) if %R < LCL J(+)/R(-) if %R < 10% (EcoChem PJ) | 10 |
| LCS/LCSD (if required) | One set per matrix and batch of 20 samples RPD < 35% | J(+)/UJ(-) assoc. compd. in all samples | 9 |
| Surrogates | Added to all samples Within method control limits | J(+) if %R > UCL J(+)/UJ(-) if %R < LCL but > 10% (see PJ ¹) J(+)/R(-) if < 10% | 13 |
| Internal Standard (IS) | Added to all samples Acceptable Range: IS area 50% to 200% of CCAL area RT within 30 seconds of CC RT | J(+) if > 200% J(+)/UJ(-) if < 50% J(+)/R(-) if < 25% RT > 30 seconds, narrate and Notify PM | 19 |
| Field Duplicates | Use QAPP limits. If no QAPP: Solids: RPD < 50% OR absolute diff. < 2X RL (for results < 5X RL) Aqueous: RPD < 35% OR absolute diff. < 1X RL (if either result < 5X RL) | Narrate and qualify if required by project (EcoChem PJ) | 9 |
| TICs | Major ions (>10%) in reference must be present in sample; intensities agree within 20%; check identification | NJ the TIC unless: R(+) common laboratory contaminants See Technical Director for ID issues | 4 |
| Quantitation/ Identification | RRT within 0.06 of standard RRT Ion relative intensity within 20% of standard All ions in std. at > 10% intensity must be present in sample | See Technical Director if outliers | 14 21 (false +) |

PJ¹ No action if there are 4+ surrogates and only 1 outlier.



EcoChem, INC.
Environmental Data Quality

APPENDIX B

SAMPLE RESULT SUMMARY FORMS

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-001

Client ID: FB(070810)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0613.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chlorooctyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

Chatt
8.31.10

0006

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-002

Client ID: TB(070810)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0614.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

Chatt
8-31-10

0007

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-003

Client ID: PTW-2

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0615.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 0.846 | J | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | 1.39 | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 2.67 | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | 0.691 | J | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 6.22 | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | 0.290 | J | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds:

12.1

J

Chatt
8-31-10

0008

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS ELEC

Lab ID: 06728-004

Client ID: MW-9S

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0616.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 1.17 | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | 0.626 | J | 1.00 | 0.330 |
| 1,1-Dichloroethane | 1.11 | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 0.360 | J | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 3.27

J

Chatt
8-31-10

0009

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-005

Client ID: MW-9D

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0617.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

Chatt
8-31-10

0010

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-006

Client ID: MW-6S

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0618.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | 2.51 | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 16.3 | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | 2.46 | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 21.3

Christ
8-31-10

0011

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-007

Client ID: MW-13R

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0619.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | 0.636 | J | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 0.433 | J | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 0.969 | J | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds:

2.04

J

Christ
8-31-10

0012

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-008

Client ID: DUP(070810)

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0620.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | 2.93 | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 19.0 | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | 2.91 | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 24.8

Chett
8-31-10

0013

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-009

Client ID: GP-104R

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0621.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 2.41 | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | 1.84 | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 2.75 | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | 0.533 | J | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 7.53

J

Christ
8-31-10

0014

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-010

Client ID: GP-103R

Date Received: 07/09/2010

Date Analyzed: 07/13/2010

Data file: F0622.D

GC/MS Column: DB-624

Sample wt/vol: 5ml

Matrix-Units: Aqueous-µg/L (ppb)

Dilution Factor: 1

% Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | 10.9 | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | 1.74 | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 12.6

Chatt
8-31-10

0015

INTEGRATED ANALYTICAL LABORATORIES

VOLATILE ORGANICS

Client/Project: ARCADIS/KINGS_ELEC

Lab ID: 06728-011
 Client ID: FB(070910)
 Date Received: 07/09/2010
 Date Analyzed: 07/13/2010
 Data file: F0623.D

GC/MS Column: DB-624
 Sample wt/vol: 5ml
 Matrix-Units: Aqueous-µg/L (ppb)
 Dilution Factor: 1
 % Moisture: 100

| Compound | Concentration | Q | RL | MDL |
|---------------------------|---------------|---|------|-------|
| Chloromethane | ND | | 1.00 | 0.360 |
| Vinyl chloride | ND | | 1.00 | 0.420 |
| Bromomethane | ND | | 1.00 | 0.590 |
| Chloroethane | ND | | 1.00 | 0.410 |
| Trichlorofluoromethane | ND | | 1.00 | 0.390 |
| Acrolein | ND | | 20.0 | 1.64 |
| 1,1-Dichloroethene | ND | | 1.00 | 0.390 |
| Methylene chloride | ND | | 2.00 | 1.98 |
| Acrylonitrile | ND | | 20.0 | 1.40 |
| trans-1,2-Dichloroethene | ND | | 1.00 | 0.330 |
| 1,1-Dichloroethane | ND | | 1.00 | 0.350 |
| cis-1,2-Dichloroethene | ND | | 1.00 | 0.220 |
| Chloroform | ND | | 1.00 | 0.330 |
| 1,1,1-Trichloroethane | ND | | 1.00 | 0.360 |
| Carbon tetrachloride | ND | | 1.00 | 0.320 |
| 1,2-Dichloroethane (EDC) | ND | | 1.00 | 0.340 |
| Benzene | ND | | 1.00 | 0.270 |
| Trichloroethene | ND | | 1.00 | 0.320 |
| 1,2-Dichloropropane | ND | | 1.00 | 0.220 |
| Bromodichloromethane | ND | | 1.00 | 0.310 |
| 2-Chloroethyl vinyl ether | ND | | 1.00 | 0.350 |
| cis-1,3-Dichloropropene | ND | | 1.00 | 0.210 |
| Toluene | ND | | 1.00 | 0.270 |
| trans-1,3-Dichloropropene | ND | | 1.00 | 0.250 |
| 1,1,2-Trichloroethane | ND | | 1.00 | 0.280 |
| Tetrachloroethene | ND | | 1.00 | 0.280 |
| Dibromochloromethane | ND | | 1.00 | 0.230 |
| Chlorobenzene | ND | | 1.00 | 0.270 |
| Ethylbenzene | ND | | 1.00 | 0.220 |
| Total Xylenes | ND | | 2.00 | 0.600 |
| Bromoform | ND | | 1.00 | 0.210 |
| 1,1,2,2-Tetrachloroethane | ND | | 1.00 | 0.210 |
| 1,3-Dichlorobenzene | ND | | 1.00 | 0.240 |
| 1,4-Dichlorobenzene | ND | | 1.00 | 0.230 |
| 1,2-Dichlorobenzene | ND | | 1.00 | 0.210 |

Total Target Compounds: 0

Chatt
8-31-10



EcoChem, INC.
Environmental Data Quality

APPENDIX C

DATA VALIDATION WORKSHEETS

| | |
|---|---|
| Project No.: <u>C23902-1</u> | Screener: <u>Chatt</u> Date: <u>8-31-10</u> |
| Project Name: <u>Kings Storage Deluxe</u> | Reviewer: <u>ES</u> Date: <u>8/31/10</u> |
| SDG/Package: <u>E10-06728</u> | |

MODULE A: COMPLETENESS AND HOLDING TIME CHECKLIST

1.0 Chain-of-Custody

| | Y | N | N/A |
|--|-------------------------------------|-------------------------------------|-------------------------------------|
| 1.1 Are all Chain-of-Custody (COC) forms included in data package? | <input checked="" type="checkbox"/> | | |
| 1.2 Were COC forms properly signed and dated? | <input checked="" type="checkbox"/> | | |
| 1.3 Was sample container temperature recorded on COC form (or other appropriate form) by laboratory? | | <input checked="" type="checkbox"/> | |
| 1.4 Is the recorded temperature within control limits (4°C ±2°C) Temperature(s): _____ | | | <input checked="" type="checkbox"/> |

Comments:

Cooler Temp was not recorded, however, the Sample Receipt Verification form completed by the lab indicated the cooler temp was between 2-6°C.

2.0 Completeness Check

| | | | |
|---|-------------------------------------|--|--|
| 2.1 Is a case narrative present and does it describe analytical problems, discrepancies and corrective actions? | <input checked="" type="checkbox"/> | | |
| 2.2 Are all required summary forms present (see attached list)? | <input checked="" type="checkbox"/> | | |
| 2.3 Are data present for all samples listed on COC form? | <input checked="" type="checkbox"/> | | |
| 2.4 Are all required raw data sections present (see attached list)? | <input checked="" type="checkbox"/> | | |

(PRELIMINARY CHECK ONLY; detailed review of raw data will be documented on Module B Checklist).

Comments:

3.0 Holding Times/Preservation (Technical Criteria: ☒CFR40; ☐QAPP; ☐Other _____)

| | | | |
|--|-------------------------------------|-------------------------------------|-------------------------------------|
| 3.1 Were all samples properly preserved? | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3.2 Complete the Holding Time Tables. (Documented in Comments or in worksheets attached to Module B; qualifiers assigned during Module B review) | <input checked="" type="checkbox"/> | | |

Comments:

Samples are indicated as HCl preserved on COC, but no documentation in pkg exists that pH < 2 was verified at analysis for 8260B H2O samples

Completeness and Holding Time Check Complete?

| Table | Parameters (✓) | Completed | Location (attached or filename) |
|-----------------------------|-------------------------------------|--|---------------------------------|
| Sample Index | | <input checked="" type="checkbox"/> | |
| Holding Time Tables (list): | | | |
| Volatiles | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Y / NA | |
| Semivolatile | | Y / NA | |
| Pest/PCBs | | Y / NA | |
| Metals | | Y / NA | |
| Dioxins/Furans | | Y / NA | |
| Conventionals | | Y / NA | |
| PAH-8270SIM | | Y / NA | |
| Herbicides | | Y / NA | |
| TBT/Krone | | Y / NA | |
| Phthalates-525.2 | | Y / NA | |
| Fuels | | Y / NA | |
| Phenols | | | |

☐ See attached.

| | | |
|--|--|----------------------|
| Project No.: <u>C23902-1</u> | Reviewer: <u>Chioti</u> | Date: <u>8.30.10</u> |
| Project Name: <u>Kings / Storage Delay</u> | Secondary: <u>905</u> | Date: <u>8/31/10</u> |
| SDG/Package: <u>E10-06728</u> | Laboratory: <u>Integrated Analytical</u> | |

| | |
|---------------------------------------|--|
| Parameter/Method: <u>VOCs / 8260B</u> | Data Validation Criteria Table: <u>Eco Chem / NFG and NYDEC - DER-10</u> |
|---------------------------------------|--|

MODULE B: TECHNICAL EVALUATION CHECKLIST- ORGANICS

- ☒ MODULE B-1 (Summaries of sample results; accuracy; precision; blanks)
- ☒ MODULE B-2 (Summaries of calibration, instrument performance & compound ID)
- ☒ B-2 Org ☐ B-2 HRMS ☐ B-2 Other _____ (name)

Qualifiers Issued. See Sample Summary forms or other: _____

1.0 Technical Holding Times and Sample Handling (B-1)

| | Y | N | N/A |
|---|-------------------------------------|--------------------------|--------------------------|
| 1.1 Is Module A Checklist (COC, package completeness, Holding Time Table) complete? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1.2 Are all holding times within the technical criteria from <input checked="" type="checkbox"/> CFR40; <input type="checkbox"/> QAPP; <input type="checkbox"/> Other _____)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> no outliers _____ see attached Holding Time worksheet or data package page _____ see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1.3 Are all cooler temperatures within the control limits? (temperature outliers listed on HT table) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> no outliers _____ see attached Holding Time worksheet or data package page _____ see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Comments: _____ Data judged as not significantly affected by outliers; no qualifiers assigned

2.0 Surrogates/Labeled Compounds (B-1)

| | | | |
|--|-------------------------------------|--------------------------|--------------------------|
| 2.1 Are all recovery values within the control limits? <u>8000C limits (-70-130%)</u> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> no outliers _____ see attached Surrogate Summary Form or data package page _____ see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Comments: _____ No positive results; no qualifiers as all outliers were > UCL (high bias)

_____ No qualifiers assigned; one outlier per fraction/column acceptable (if > 10%)

3.0 Method/Field Blank (B-1)

Y N N/A

| | | | |
|--|-------------------------------------|--------------------------|--------------------------|
| 3.1 Are Method Blanks free from contamination? <input checked="" type="checkbox"/> no outliers <input type="checkbox"/> see attached Blank Summary Form or data package page <input type="checkbox"/> see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3.2 Are there any trip/equipment/field blanks included in the data package (list below)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3.3 Are trip/equipment/field blanks free from contamination? <input checked="" type="checkbox"/> no outliers <input type="checkbox"/> see attached Blank Summary Form or data package page <input type="checkbox"/> see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Comments: ☐ No positive results in associated samples; no action required for method / trip / equip. / other☐ 10X action level established for common lab cont.; 5X action level for othersFB (070810)TB (070810)FB (070910)**4.0 Laboratory Control Sample (Blank Spike/OPR Sample) (B-1)**

| | | | |
|--|-------------------------------------|--------------------------|-------------------------------------|
| 4.1 Are all %R-values within the control limits? <input checked="" type="checkbox"/> no outliers <input type="checkbox"/> see attached Summary Form or data package page <input type="checkbox"/> see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4.2 Are all RPD values within control limits (if duplicate analyzed)? <input type="checkbox"/> no outliers <input type="checkbox"/> see attached Summary Form or data package page <input type="checkbox"/> see below | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments for LCS: ☐ No positive results in associated samples; no qualifiers as all outliers were > UCL (high bias)BLK-SPK - LCS SDPPB**5.0 Performance Evaluation (PE)/Standard Reference Material (SRM) (B-1)**

PE/SRM Sample ID(s):

| | | | |
|--|--------------------------|-------------------------------------|-------------------------------------|
| 5.1 Was PE/SRM sample(s) analyzed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 5.2 Are all values within control limits? <input type="checkbox"/> no outliers <input type="checkbox"/> see below | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments: ☐ No qualifiers assigned based on PE/SRM outliersNot req'd by method or program.

6.0 Matrix Spike/Matrix Spike Duplicate or Sample and Lab Duplicate(B-1)

Parent Sample ID: _____

Y N N/A

6.1 Are all %R-values within the control limits?

☒ no outliers _____ see attached MS/MSD Summary Form or data package page _____ see below☒ ☐ ☐

6.2 Are all RPD values within control limits?

☒ no outliers _____ see attached MS/MSD Summary Form or data package page _____ see below☒ ☐ ☐

Comments: _____ No positive results in parent sample; no qualifiers as all outliers were > UCL (high bias)

7.0 Field Duplicate (B-1) Field Duplicate Sample ID(s):

7.1 Were field duplicates collected and analyzed?

☒ ☐ ☐

7.2 Are all RPD values within control limits?

☒ no outliers _____ see attached Field Dup. Summary Form or data package page _____ see below☒ ☐ ☐

Comments: _____ No qualifiers assigned based on field duplicate outliers

MW65 and DUP (070810)**8.0 Sample Results (B-1)**8.1 Are there results for all analytes on the client required target compound list(s) **see QAPP for lists?**☒ ☐ ☐

8.2a Were TIC requested for this project?

☐ ☒ ☐

8.2b If "yes", were TIC reported as required?

☐ ☐ ☒

8.3 Are reporting limits and sample results adjusted for sample size, % moisture (solid samples), etc.?

☒ ☐ ☐8.4 Are concentrations reported on the appropriate basis? _____ Dry weight ☒ Wet weight☒ ☐ ☐

8.5 Do detection limits meet project-specific or method-specific limits?

☒ ☐ ☐

Comments: _____ Qualify TIC "NJ" unless already qualified "U" due to blank contamination

No QAPP avail for this project.

General Notes and Information:

MODULE: B-2-Org (calibration, instrument performance & compound identification)**9.0 Internal Standards (B-2)**

Y N N/A

9.1 Are all internal standard values within the control limits?

☒ no outliers ☐ see attached Int. Std. Summary Form or data package page ☐ see below☒☐☐

Comments:

10.0 Initial Calibration (B-2)

10.1 Are ICALs analyzed on all instruments on which samples are analyzed?

☒☐☐10.2 Are response factors / calibration factors stable (☒ %RSD (515% RSD) correlation coefficients ☐ other)?☒☐☐☒ no outliers ☐ see attached ICAL Summary Form or data package page ☐ see below

10.3 Are response factors greater than the required minimum control limit?

☒☐☐Comments: ☐ No positive results assoc. w/ outliers; RL judged as not affected – no qualifiers assigned☐ RF historically low; no qualifiers assigned since response is stable

ICAL : 7/2/10

Note: Raw data for ICAL standard STD-150PPB was not included in the data package. The ICAL Summary table shows that all other RRFs and the avg RRF to be in control. Based on the combined info for all ICAL points. Data are NOT qualified.

11.0 Continuing Calibration (B-2)

11.1 Are CCALs analyzed at the proper frequency?

☒☐☐☒ no outliers ☐ see attached CCAL Summary Form or data package page ☐ see below11.2 Are CCALs acceptable (☒ %D ☐ %R ☐ other)?☒☐☐☒ no outliers ☐ see attached CCAL Summary Form or data package page ☐ see below

11.3 Are response factors greater than the required minimum control limit?

☒☐☐☒ no outliers ☐ see attached CCAL Summary Form or data package page ☐ see belowComments: ☐ No positive results assoc. w/ outliers; RL judged as not affected – no qualifiers assigned☐ RF historically low; no qualifiers assigned since response is stable

CCAL : 7/13/10 10:25

12.0 Instrument Tune (B-2)

| | Y | N | N/A |
|---|-------------------------------------|--------------------------|--------------------------|
| 12.1 Were instruments tuned at the required frequency? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12.2 Are <u>✓</u> all instrument tune criteria within the required control limits? <u>✓</u> no outliers <u> </u> see attached data package page <u> </u> see below | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Comments:

AFB : 7/2/10 12:39
7/13/10 09:59

13.0 Breakdown (Pesticides only) (B-2)

| | | | |
|---|--------------------------|--------------------------|-------------------------------------|
| 13.1 Are breakdown products less than the required control limit (if applicable)? <u> </u> no outliers <u> </u> see attached Breakdown Summary Form or data package page <u> </u> see below | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 13.2 Are breakdown check standards analyzed at the proper frequency? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments: No positive results assoc. w/ outliers; RL judged as not affected – no qualifiers assigned

See Summary Forms (attached) for other outliers and qualifiers.

General Notes and Information:

| | |
|--|---|
| Project No.: <u>C23902-1</u> | Reviewer: <u>CMOTT</u> Date: <u>8-31-10</u> |
| SDG/Package: <u>E10-06728</u> | Secondary: <u>45</u> Date: <u>8/31/10</u> |
| Parameter/Method: <u>82606</u> | Equation List: <u>Attached</u> |
| Laboratory: <u>Integrated Analytical</u> | <u>See Calculation Worksheets</u> |

MODULE C: CALCULATION AND TRANSCRIPTION CHECKLIST

(As per project specific requirements and/or *Summary of Recalculation Requirements*)

| | Chromatograms Checked (✓/ NA/ *) * see comments | Calculations Attached (✓/ NA) | Transcriptions | | |
|--|--|-------------------------------------|----------------|------------------|--------|
| | | | OK (✓) | See Below (✓) | NA (✓) |
| Tunes | ✓ | CM ✓ N/A | | | |
| Initial calibration # points for curve? <u>7</u> <input checked="" type="checkbox"/> checked averaging formula | ✓ | 8-30-10 ✓ | | | |
| Continuing Calibration | ✓ | ✓ | | | |
| Blanks (method & instrument) | ✓ | ✓ | | | |
| Samples | ✓ | ✓ | | | |
| Surrogates | ✓ | ✓ | | | |
| <u>LCS</u> or OPR | ✓ | ✓ | | | |
| MS/MSD or Matrix Spike | ✓ | ✓ | | | |
| Laboratory Duplicate | N/A | N/A | | | |
| Internal Standards | ✓ | ✓ | | | |
| Serial Dilutions | N/A | N/A | | | |
| Other: | | | | | |
| | | | | | |

Comments: (attach additional page if needed)



EcoChem, Inc.

Environmental Science and Chemistry

PROJECT NO.: C23902-1
SCREENED BY: Chenett
REVIEWED BY: _____

SDG: E10-06728
DATE: 8.30.10
DATE: _____

DATA PACKAGE COMPLETENESS VOLATILE ORGANIC COMPOUNDS ANALYSIS

- 1 = MODULE A + B-1 (No calibration; summary forms only) (screening or data verification)
2 = MODULE A + B1 & B-2 (Sample, QC and calibration results; no raw data) (Level III, Level C)
3 = MODULE A + B1 & B-2 + C (Sample and QC results; raw data; trans/calc. Checks) (Level IV or V, Level D or E)

| Deliverable Requirement | Equivalent EPA Form | Required | Present | Comments |
|--|---------------------|----------|---------|---------------------------------|
| Copies of Shipping Documents (Fed-Ex Airbills) | | 1, 2, 3 | ✓ | |
| Case Narrative | | 1, 2, 3 | ✓ | Case narrative is minimal! |
| Table of Contents | | 3 | ✓ | |
| Cross reference of Field Sample No., Lab Sample No., and Analytical Batch | IV | 1, 2, 3 | ✓ | |
| Chain-of-Custody Form (including Sample Receipt Checklist) | | 1, 2, 3 | ✓ | |
| Sample Calculation (usually just a page copied from SOW) | | 3 | No | |
| Results Summary for Each Sample and Blank | I | 1, 2, 3 | ✓ | |
| Tentatively Identified Compounds in Each Sample and Blank | I, TIC | 3* | N/A | * Not required for all packages |
| Blank Spike Results | | 1, 2, 3 | ✓ | |
| Surrogates Recovery | II | 1, 2, 3 | ✓ | |
| Matrix Spike/Duplicate Matrix Spike Recoveries | III | 1, 2, 3 | ✓ | |
| Instrument Performance Check (Tuning) | V | 2, 3 | ✓ | |
| Initial Calibration Data | VI | 2, 3 | ✓ | |
| Continuing Calibration Data | VII | 2, 3 | ✓ | |
| Internal Standards Areas and Retention Times | VIII | 2, 3 | ✓ | |
| MDL Study | | 3 | No | |
| Reconstructed Ion Chromatograms for Each Sample, Blank, and Standard | | 3 | ✓ | |
| Quantitation List | | 3 | | |
| Raw and Background-Subtracted Mass Spectra for Each Reported Target Analyte (not for MS/MSD) | | 3 | ✓ | |
| Mass Spectra of TICs with Library Spectra of Three Best-Fit Matches (not for MS/MSD) | | 3 | N/A | |
| Copies of Sample Preparation Work Sheets | | 3 | N/A | |
| Copies of Run Logs | | 3 | ✓ | |

Client: Env Mgmt Ltd
 Project Name: Kings-Storage Deluxe IAQ
 Project No. 23902-1

Reviewer: CMM
 Date: 08/27/19
 SDG: E10-06728

HOLDING TIME CHECKLIST

VOC by TO-15

| Sample ID | Lab ID | Sample Type* | Matrix** | Date Collected | Prep Date | Last Date Analyzed | Holding Time (days) | | Qualifier | |
|-------------|-----------|--------------|----------|----------------|-----------|--------------------|---------------------|----------|-----------|----|
| | | | | | | | prep | analyzed | Positive | ND |
| FB(070810) | 06728-001 | WQ | FB | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| TB(070810) | 06728-002 | WQ | TB | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| PTW-2 | 06728-003 | N | Aqueous | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| MW-9S | 06728-004 | N | Aqueous | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| MW-9D | 06728-005 | N | Aqueous | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| MW-6S | 06728-006 | N | Aqueous | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| MW-13R | 06728-007 | N | Aqueous | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| DUP(070810) | 06728-008 | FD | Aqueous | 7/8/2010 | 7/13/2010 | 7/13/2010 | 5 | 0 | | |
| GP-104R | 06728-009 | N | Aqueous | 7/9/2010 | 7/13/2010 | 7/13/2010 | 4 | 0 | | |
| GP-103R | 06728-010 | N | Aqueous | 7/9/2010 | 7/13/2010 | 7/13/2010 | 4 | 0 | | |
| FB(070910) | 06728-011 | WQ | FB | 7/9/2010 | 7/13/2010 | 7/13/2010 | 4 | 0 | | |
| | | | | | | | | | | |

| | |
|--------------------------|------------|
| Hold Time | VOC |
| Criteria by Test: | |
| Aqueous | 14 Days |

* N = Sample; WQ = Water Quality; FD = Field Replicate; FB = Field Blank

** TB = Trip; Aqueous = Aqueous Sample

Client: Env Mgmt Ltd
 Project Name: Kings-Storage Deluxe IAQ
 Project No. 23902-1

Reviewer: CMM
 Date: 08/27/10
 SDG: E10-06728

INITIAL CALIBRATION CALCULATION CHECK

VOC by 8260B

ICAL Date: 07/02/10

Instrument: MSD_F

| Compound | Area of compound | Area of IS | Conc. of compound | Conc. of IS | Calc. RF | Reported RF | Reported %RSD | Calc. %RSD |
|----------------------------|------------------|------------|-------------------|-------------|----------|-------------|---------------|------------|
| I.S. = Bromochloromethane | | | | | | | | |
| 1,1,1-trichloroethane | 16650 | 205401 | 5.000 | 50 | 0.811 | 0.811 | | |
| | 58802 | 204581 | 20.000 | 50 | 0.719 | 0.719 | | |
| | 347533 | 234310 | 100.000 | 50 | 0.742 | 0.742 | | |
| | 716886 | 243375 | 200.000 | 50 | 0.736 | 0.736 | | |
| | 3509 | 192156 | 1.000 | 50 | 0.913 | 0.913 | | |
| | 6792 | 196973 | 2.000 | 50 | 0.862 | 0.862 | | |
| | | | 150* | | 0.704 | | | |
| Average RRF | | | | | 0.784 | 0.784 | 10.19% | 10.17% |
| I.S. = 1,4-Difluorobenzene | | | | | | | | |
| toluene | 23249 | 329128 | 5.000 | 50 | 0.706 | 0.706 | | |
| | 83506 | 318960 | 20.000 | 50 | 0.655 | 0.655 | | |
| | 483303 | 355151 | 100.000 | 50 | 0.680 | 0.680 | | |
| | 981881 | 372783 | 200.000 | 50 | 0.658 | 0.658 | | |
| | 4982 | 316031 | 1.000 | 50 | 0.788 | 0.788 | | |
| | 9292 | 319419 | 2.000 | 50 | 0.727 | 0.727 | | |
| | | | 150* | 50 | 0.644 | | | |
| Average RRF | | | | | 0.694 | 0.694 | 7.35% | 7.34% |
| I.S. = Chlorobenzene | | | | | | | | |
| bromobenzene | 12358 | 299217 | 5.000 | 50 | 0.413 | 0.413 | | |
| | 46539 | 300059 | 20.000 | 50 | 0.388 | 0.388 | | |
| | 277147 | 345830 | 100.000 | 50 | 0.401 | 0.401 | | |
| | 566496 | 361305 | 200.000 | 50 | 0.392 | 0.392 | | |
| | 2780 | 279638 | 1.000 | 50 | 0.497 | 0.497 | | |
| | 4872 | 290053 | 2.000 | 50 | 0.420 | 0.420 | | |
| | | | 150* | 50 | 0.384 | | | |
| Average RRF | | | | | 0.414 | 0.413 | 9.46% | 9.44% |

RF = (Area compound x Conc. IS) / (Area IS x Conc. compound)

%RSD = Std Deviation of RFs / Average RRF

* Raw Data for Calibration standard at 150 ug were not included in the data package. The RRF values for the calibration std at 150 is included to verify the reported average RRF.

CCAL CHECK

CCAL Date/Time: 07/13/09 10:25

| Compound | Area of compound | Area of IS | Average RF from ICAL | Reported CCAL RF | Reported %D (<25%) | Calc RF from CCV | Calc %D (<25%) | Int Std Conc. | CCAL Std Conc. |
|-----------------------|------------------|------------|----------------------|------------------|--------------------|------------------|----------------|---------------|----------------|
| 1,1,1-trichloroethane | 310,159 | 190,029 | 0.784 | 0.816 | 4.7% | 0.816 | -4.09% | 50 | 100.0 |
| toluene | 408,648 | 289,736 | 0.694 | 0.705 | 1.6% | 0.705 | -1.61% | 50 | 100.0 |
| bromobenzene | 242,809 | 307,100 | 0.413 | 0.395 | 4.4% | 0.395 | 4.28% | 50 | 100.0 |

Calc RF = (Area of Compound x IS Conc) / (Area of IS x CCAL Conc)

Calc %D = (Ave RF-Calc RF) / (Ave RF)

Reviewer: CMM
Date: 08/27/10
SDG: E10-06728

QC Sample: BLK-SPK

| | LCS Reported | LCS Spike | Reported LCS | Calculated LCS | %R Limits |
|--------------------|--------------|--------------|-----------------|-------------------|-----------|
| Compound | Amount | Added (ug/L) | % Recover | % Recovery | |
| 1,1-dichloroethene | 46.1 | 50 | 92.0% | 92.2% | 70-130 |
| benzene | 47.8 | 50 | 96.0% | 95.6% | 70-130 |
| trichloroethene | 48.2 | 50 | 96.0% | 96.4% | 70-130 |
| toluene | 50.6 | 50 | 101.0% | 101.2% | 70-130 |
| chlorobenzene | 45 | 50 | 90.0% | 90.0% | 70-130 |
| | | | | | |
| | | | | | |

LCS Calc. Recovery = Calc Amt * 100 / Spike Added

QC Sample: MW-9D

| Compound | Amount Found Parent Samp | MS Reported Amount | MS Report Amount | MS Spike Added (ug/k) | MSD Spike Added (ug/k) | Reported MS % Recovery | Reported DM % Recovery | Reported RPD (%) | Calculated MS % Recovery | Calculated DM % Recovery | Calculated RPD |
|--------------------|-----------------------------|-----------------------|---------------------|--------------------------|---------------------------|---------------------------|---------------------------|---------------------|-----------------------------|-----------------------------|-------------------|
| 1,1-dichloroethene | 0 | 65.2 | 64.8 | 50 | 50.0 | 130% | 130% | 0% | 130.4% | 129.6% | 0.6% |
| benzene | 0 | 52.4 | 51.9 | 50 | 50.0 | 105% | 104% | 1% | 104.8% | 103.8% | 1.0% |
| trichloroethene | 0 | 52.4 | 52.5 | 50 | 50.0 | 105% | 105% | 0% | 104.8% | 105.0% | 0.2% |
| toluene | 0 | 52.3 | 52 | 50 | 50.0 | 105% | 104% | 1% | 104.6% | 104.0% | 0.6% |
| chlorobenzene | 0 | 51.2 | 50.9 | 50 | 50.0 | 102% | 102% | 0% | 102.4% | 101.8% | 0.6% |

$$\% \text{ Recovery} = (\text{Calc. Amt} - \text{Parent Amount} / \text{Spike Added}) * 100$$

Sample ID: MW-13R 06728-007

[illegible]
$$\text{Conc.} = (\text{Area of Cmpd} \times \text{IS Conc}) / (\text{Area IS} \times \text{ICAL RRF}) \times (\text{Dil. Factor} \times \text{Extract ml}) / (\text{Sample Vol ml})$$

Surrogates: Calculated %Rec = (Calc. Conc.) / (Spike Conc.) Reported conc. is the 'final' conc. From quantitation page.

Field Duplicate Precision VOC by 8260B

Client: Env Mgmt Ltd
Project Name: Kings-Storage Deluxe IAQ
Project No. 23902-1

Reviewer: CMM
Date: 08/27/10
SDG: E10-06728

RPD Control Limit: 35%

| Compound | Sample Result ug/kg | | | Duplicate Result ug/kg | | | Calculated RPD | Calculated Difference | Suggested Qualifier |
|-----------------------------|------------------------|------|------|----------------------------|------|------|-------------------|--------------------------|------------------------|
| | MW-6S E10-06728 | | | DUP(07/08/10) E10-06728 | | | | | |
| | Result | RL | Flag | Result | RL | Flag | | | |
| | | | | | | | | | |
| chloromethane | | 1.00 | U | | 1.00 | U | | | None |
| vinyl chloride | | 1.00 | U | | 1.00 | U | | | None |
| bromomethane | | 1.00 | U | | 1.00 | U | | | None |
| chloroethane | | 1.00 | U | | 1.00 | U | | | None |
| trichlorfluoromethane | | 1.00 | U | | 1.00 | U | | | None |
| acrolein | | 20.0 | U | | 20.0 | U | | | None |
| 1,1-dichloroethene | | 1.00 | U | | 1.00 | U | | | None |
| methylene chloride | | 2.00 | U | | 2.00 | U | | | None |
| acrylonitrile | | 20.0 | U | | 20.0 | U | | | None |
| trans-1,2-dichloroethene | | 1.00 | U | | 1.00 | U | | | None |
| 1,1-dichloroethane | | 1.00 | U | | 1.00 | U | | | None |
| cis-1,2-dichloroethene | | 1.00 | U | | 1.00 | U | | | None |
| chloroform | | 1.00 | U | | 1.00 | U | | | None |
| 1,1,1-trichloroethane | 2.51 | 1.00 | | 2.93 | 1.00 | | 15.4% | 0.42 | None |
| carbon tetrachloride | | 1.00 | U | | 1.00 | U | | | None |
| 1,2-dichloroethane | | 1.00 | U | | 1.00 | U | | | None |
| benzene | | 1.00 | U | | 1.00 | U | | | None |
| trichloroethene | 16.3 | 1.00 | | 19 | 1.00 | | 15.3% | 2.7 | None |
| 1,2-dichloropropane | | 1.00 | U | | 1.00 | U | | | None |
| bromodichloromethane | | 1.00 | U | | 1.00 | U | | | None |
| 2-chloroethyl vinyl ether | | 1.00 | U | | 1.00 | U | | | None |
| cis-1,3-dichloropropene | | 1.00 | U | | 1.00 | U | | | None |
| toluene | | 1.00 | U | | 1.00 | U | | | None |
| trans-1,3-dichoropropene | | 1.00 | U | | 1.00 | U | | | None |
| 1,1,2-trichloroethane | | 1.00 | U | | 1.00 | U | | | None |
| tetrachloroethene | 2.46 | 1.00 | | 2.91 | 1.00 | | 16.8% | 0.45 | None |
| dibromochloromethane | | 1.00 | U | | 1.00 | U | | | None |
| chlorobenzene | | 1.00 | U | | 1.00 | U | | | None |
| ethylbenzene | | 1.00 | U | | 1.00 | U | | | None |
| total xylenes | | 2.00 | U | | 2.00 | U | | | None |
| bromoform | | 1.00 | U | | 1.00 | U | | | None |
| 1,1,2,2-tetrachchloroethane | | 1.00 | U | | 1.00 | U | | | None |
| 1,3-dichlorobenzene | | 1.00 | U | | 1.00 | U | | | None |
| 1,4-dichlorobenzene | | 1.00 | U | | 1.00 | U | | | None |
| 1,2-dichlorobenzene | | 1.00 | U | | 1.00 | U | | | None |

M1 = matrix interference due to co-elution with non-target compound, results may be biased high.

U = Not detected at the stated concentration.

The calculated difference control limit is equal to the reporting limit of the compound.

* Positive results less than 5 times the RL use the calculated difference control limit.

Appendix D

Well Inspection Forms

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:26

WELL ID.: IW-1R

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-1

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 20.15' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 12.39' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the middle of the driveway at storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:40

WELL ID.: IW-2

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-2

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 8.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 15.66' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 10.86' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the middle of the driveway at the storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

MONITORING WELL FIELD INSPECTION LOG

INSPECTOR: D. Kirschner/V. Myers

DATE/TIME: 7/7/2010 13:45

WELL ID.: IW-3

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-3

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.00' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 9.90' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the middle of the driveway at the storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:47

WELL ID.: IW-4

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-4

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.25' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 9.99' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in driveway next to office the first well at storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 8:25

WELL ID.: IW-5

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

None

| | | | |
|---|---|--|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | Not Measured | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | Steel Vault Box | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | Not Measured | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | Not Measured | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | Not Measured | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in injection box on injection line number 1 in the storage facility first driveway.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the steel box in pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 8:33

WELL ID.: IW-6

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-6

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 8.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.00' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.58' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the first driveway of the storage facility at injection line number 1.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive garage (off-site).

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:30

WELL ID.: IW-8

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: IW-8

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.70' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 10.92' | | |
| MEASURE WELL DIAMETER (Inches): | 5.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located inside the storage facility building.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the hallway on the other side of locker 1018.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:35

WELL ID.: IW-9

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-9

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.80' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.15' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located inside the storage facility in locker 1018.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located inside locker 1018

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:39

WELL ID.: IW-10

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: IW-10

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 17.04' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 10.40' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located inside the storage facility in locker 1040.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located inside locker 1040

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:42

WELL ID.: IW-11

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-11

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 22.34' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 14.23' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located inside the storage facility

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located inside the storage facility

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

MONITORING WELL FIELD INSPECTION LOG

INSPECTOR: D. Kirschner/V. Myers

DATE/TIME: 7/7/2010 13:55

WELL ID.: IW-13

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

IW-13

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAe 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 15.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 14.97' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 5.60' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the basement of the storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the concrete of the basement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 14:07

WELL ID.: IW-14

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: IW-14

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | NA | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.73' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 10.42' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located outside in the injection box on the road,

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the Pacasandra ground coverage.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 14:10

WELL ID.: IW-15R

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: IW-15R

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 2.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.68' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.67' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the front of the loading dock by the MW-7 cluster.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement of the storage facility.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 14:33

WELL ID.: IW-16

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: IW-16

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultierAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.63' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 10.50' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located on the sidewalk along the furthest parking lot by the loading dock.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 8:38

WELL ID.: MW-1

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

None

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 6.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.72' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.15' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located left of the first driveway near edge.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement near concrete edge.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive garage (off-site).

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:41

WELL ID.: MW-HP-1D

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-HP-1D

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultierAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 6" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 38.23' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.09' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in middle driveway towards the front on the side of the office.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:20

WELL ID.: MW-2

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-2

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.61' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 10.82' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the storage facility building.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located near locker number 1068 in the hallway of the storage facility.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:49

WELL ID.: MW-5S

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-5S

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultierAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 8" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 17.94' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.09' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located at the middle access of the storage building by access door.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 8:20

WELL ID.: MW-6S

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: 6S

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.30' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 12.27' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in first driveway of B Deluxe

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located along automotive garage in pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive garage (off-site).

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:53

WELL ID.: MW-6D

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-6D

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultierAE 1.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 37.18' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 12.37' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the first driveway of storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located along the automotive garage wall in pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive garage (off-site).

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 14:23

WELL ID.: MW-7S

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-7S

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 8.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.29' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.28' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the last driveway by the loading dock.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 14:28:00 PM

WELL ID.: MW-7D

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-7D

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultierAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 32.65' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 12.45' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the storage facility in far driveway by loading dock.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in front of above grade loading dock in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

MONITORING WELL FIELD INSPECTION LOG

INSPECTOR: D. Kirschner/V. Myers

DATE/TIME: 7/7/2010 8:35

WELL ID.: MW-HP-8S

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-HP-8S

| | | | |
|---|---|--|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 13.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 16.55' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.36' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the first driveway of the storage facility in the injection line number 1.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive garage (off-site).

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

DATE/TIME: 7/7/2010 8:58

WELL ID.: MW-HP-8D

MONITORING WELL FIELD INSPECTION LOG

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-HP-8D

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultirAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 57.08' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.65' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the first driveway of the storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in pavement in injection line 1.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive garage (off-site).

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 10:40

WELL ID.: MW-9S

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: None

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultieRae 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 18.65' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.21' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the middle building near elevator and ramp.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the floor of the storage facility.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 10:42

WELL ID.: MW-9D

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-9D

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 38.73' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.37' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the middle of the main building of the storage facility near the elevator and ramp.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the floor of the storage facility.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:02

WELL ID.: MW-11

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-11

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 22.34' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 14.23' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the sidewalk near the back office door.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the concrete pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:06

WELL ID.: MW-10

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-10

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 22.28' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 14.20' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in locker 1201.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located on the floor of the storage facility.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 11:13

WELL ID.: MW-12

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-12

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 12.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 22.10' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 13.96' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the storage locker 1188

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located on the floor of the locker in the concrete.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 14:20

WELL ID.: MW-13R

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

MW-13R

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.50' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.65' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the last driveway of the storage facility in the back right corner of the driveway with the back towards the loading dock.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

MONITORING WELL FIELD INSPECTION LOG

INSPECTOR: D. Kirschner/V. Myers

DATE/TIME: 7/7/2010 13:14

WELL ID.: GP-104R

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: GP-104R

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 14.41' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 5.90' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the basement in the electrical closet in building 2.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the basement on the floor in building 2 in electrical closet.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 13:10

WELL ID.: GP-103R

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: None

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 14.85' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 6.37' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in building two in the basement.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in locker 0045.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

MONITORING WELL FIELD INSPECTION LOG

INSPECTOR: D. Kirschner/V. Myers

DATE/TIME: 7/7/2010 13:20

WELL ID.: GP-106R

| | | |
|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | YES | NO |
| WELL I.D. VISIBLE? | YES | NO |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | YES | NO |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

GP-106

| | | |
|---|-----------------------|----|
| SURFACE SEAL PRESENT? | YES | NO |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | YES | NO |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | YES | NO |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 5.0" | |

| | | |
|---|--------|----|
| LOCK PRESENT? | YES | NO |
| LOCK FUNCTIONAL? | YES | NO |
| DID YOU REPLACE THE LOCK? | YES | NO |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | NO |
| WELL MEASURING POINT VISIBLE? | YES | NO |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 19.50' | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.70' | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | |
| WELL CASING MATERIAL: | PVC | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located in the middle of the driveway of the storage facility.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the pavement

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **Some of the flushmount well cover bolts are damaged.**

SITE NAME: Former Kings Electronics Co., Inc. Site

SITE ID.: NJ000423.0005.00001

INSPECTOR: D. Kirschner/V. Myers

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 7/7/2010 10:50

WELL ID.: PTW-2

| | | | |
|---|---|-----|----|
| WELL VISIBLE? (If not, provide directions below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL I.D. VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)..... | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

PTW-2

| | | | |
|---|---|-----|----|
| SURFACE SEAL PRESENT? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below) | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| HEADSPACE READING (ppm) AND INSTRUMENT USED..... | MultiRAE 0.0 ppm | | |
| TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) | NA | | |
| PROTECTIVE CASING MATERIAL TYPE: | Steel flushmount unit | | |
| MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): | 8.0" | | |

| | | | |
|---|---|--|----|
| LOCK PRESENT? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| LOCK FUNCTIONAL? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| DID YOU REPLACE THE LOCK? | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below) | YES | <table border="1"><tr><td>NO</td></tr></table> | NO |
| NO | | | |
| WELL MEASURING POINT VISIBLE? | <table border="1"><tr><td>YES</td></tr></table> | YES | NO |
| YES | | | |
| MEASURE WELL DEPTH FROM MEASURING POINT (Feet): | 16.50' | | |
| MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): | 11.51' | | |
| MEASURE WELL DIAMETER (Inches): | 2.0" | | |
| WELL CASING MATERIAL: | PVC | | |
| PHYSICAL CONDITION OF VISIBLE WELL CASING: | Good | | |
| ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE | NA | | |
| PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... | NA | | |

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Located just outside the office of the main building.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the floor of the storage facility.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

None observed

REMARKS: **None**