

# LEGGETTE, BRASHEARS & GRAHAM, INC.

## PROFESSIONAL GROUNDWATER AND ENVIRONMENTAL ENGINEERING SERVICES

110 CORPORATE PARK DRIVE, SUITE 112  
WHITE PLAINS, NY 10604  
914-694-5711  
FAX 914-694-5744  
www.lbgweb.com

November 4, 2009

Mr. Kevin Sarnowicz  
Division of Environmental Remediation  
New York State Department of  
Environmental Conservation  
625 Broadway  
Albany, NY 12233-7016

Dear Mr. Sarnowicz:

Attached are two (2) copies of the Leggette, Brashears & Graham, Inc. (LBG) titled: "Interim Remedial Measures Work Plan, Former Charlton Cleaners Facility, Forest Avenue Shoppers Town, Borough of Staten Island, City of New York", dated November 2009 for your files.

If you have any questions, or need any additional information please do not hesitate to contact me at (914) 694-5711.

Very truly yours,

LEGGETTE, BRASHEARS & GRAHAM, INC.



Paul Woodell  
Associate

PW:dmd

Attachments

cc: Bridget Callaghan  
Keith Rolick  
Scott Gerber  
Scott Furman, Esq.

f:\reponscharlton cleaners\2009\interim report cover 1tr 11-4-2009.doc

**INTERIM REMEDIAL MEASURES REPORT  
FORMER CHARLTON CLEANERS FACILITY  
FOREST AVENUE SHOPPERS TOWN  
BOROUGH OF STATEN ISLAND  
CITY OF NEW YORK**

Prepared For

KIOP Forest Avenue, L.P.

November 2009

**LEGGETTE, BRASHEARS & GRAHAM, INC.**  
Professional Groundwater and Environmental Engineering Services  
110 Corporate Park Drive, Suite 112  
White Plains, NY 10604  
(914) 694-5711

## TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION .....	1
2.0 SITE HISTORY AND BACKGROUND .....	2
3.0 LOCATION DESCRIPTION .....	3
4.0 IRM FIELD WORK AND SAMPLING .....	3
4.1 Soil Excavation and Sampling .....	3
4.2 Modifications to the Infrastrucre .....	5
4.3 Sump Pit Ventilation .....	6
5.0 ANALYSIS RESULTS .....	7
6.0 SUMMARY AND CONCLUSIONS .....	8
APPENDIX	

## LIST OF TABLES

### Table

- 1 Summary of Analysis Results for Preliminary Soil Samples, Volatile Organic Compounds by EPA Method 8260, Samples Collected September 11, 2009
- 2 Summary of Analysis Results for Preliminary Soil Samples, Total RCRA 8 Metals by EPA SW 846 (747 For Mercury), Samples Collected September 11, 2009
- 3 Summary of Analysis Results for Groundwater Samples, Volatile Organic Compounds by EPA Method 8260, Samples Collected September 11, 2009
- 4 Summary of Analysis Results for Excavation Endpoint Soil Samples, Volatile Organic Compounds by EPA Method 8260, Samples Collected September 17, 18 and 21, 2009

## LIST OF FIGURES

### Figures

- 1 Forest Avenue Shoppers Town Site Plan
- 2 Site Plan with Groundwater Monitor Well Locations
- 3 Michaels Store Basement Floor Plan
- 4 IRM: Preliminary Boring/Soil Sample Locations, Collected September 11, 2009
- 5 IRM: Excavation Limits and Endpoint Soil Sample Locations, Collected September 17, 18 and 21, 2009
- 6 IRM: Sump Water/Vapor Treatment and Flow Paths

**INTERIM REMEDIAL MEASURES REPORT  
FORMER CHARLTON CLEANERS FACILITY  
FOREST AVENUE SHOPPERS TOWN  
BOROUGH OF STATEN ISLAND  
CITY OF NEW YORK**

**1.0 INTRODUCTION**

The following Interim Remedial Measures (IRM) Report was completed on behalf of KIOP Forest Avenue, L.P. (KFA) by Leggette, Brashears & Graham, Inc. (LBG) in accordance with the New York State Department of Environmental Conservation (NYSDEC) and New York State Department of Health (NYSDOH) requirements for New York State's Inactive Hazardous Waste Disposal Site Remedial Program. KFA is an innocent owner volunteer entered into the NYSDEC Voluntary Cleanup Program (VCP), Index Number W3-0891-01-06. The IRM Work Plan was developed in response to the soil, groundwater and soil vapor contamination identified at the former Charlton Cleaners facility and was developed based upon agreements made during a meeting of involved parties at NYSDEC Region II offices on January 8, 2009. The Work Plan was submitted on March 20, 2008 and a response to NYSDEC comments was submitted on May 22, 2009. Approval to proceed with the IRM was received from the NYSDEC case manager via e-mail on June 10, 2009.

The purpose of the IRM was to:

1. identify whether soil beneath the north basement floor of the Michaels building is a source of groundwater contamination detected downgradient of the building and a source of contamination detected in the indoor air of the building. The Charlton Cleaners facility was located above this portion of the basement;
2. remove contaminated soil to the extent possible so as to reduce contaminant levels;
3. control soil vapor intrusion through the sump pits by the installation of a ventilation fan and activated carbon filter; and,
4. reduce the tendency of contaminated groundwater to accumulate near the basement stairwell.

## 2.0 SITE HISTORY AND BACKGROUND

The former Charlton Cleaners, a dry-cleaning facility, was located in the Rock-Landau Building in the southeast portion of the Forest Avenue Shoppers Town or FAST (the Site). The FAST shopping center is a shopping mall comprising 5 buildings and approximately 25 retail businesses. This area is illustrated on figure 1. Figure 2 illustrates the area surrounding the Michaels store. According to tax and Sanborn Maps, the location of the former Charlton Cleaners occupied the northeast corner of the Rock-Landau Building prior to 1994. The 2,040 ft<sup>2</sup> (square feet) building is currently occupied by one tenant (Michaels Crafts). No information was available regarding the initial occupancy date of the former Charlton Cleaners. In order to be consistent with prior reports, the Rock-Landau building will be referred to as the Michaels building in this document.

Environmental media at and beneath the Site including soil, groundwater, soil vapor and indoor air have been impacted by chlorinated volatile organic compounds (CVOCs) aka chlorinated solvents, including tetrachloroethene (aka perchloroethene, perc, or PCE) and its degradation byproducts: trichloroethene (TCE), cis-1,2-dichloroethene (DCE), vinyl chloride (VC), etc. Historical environmental data collected at the Site is summarized in an LBG Data Consolidation letter to the NYSDEC case manager dated April 15, 2008.

Prior Interim Remedial Measures were conducted in 2007 and 2008 to mitigate the elevated indoor air CVOC concentrations in the Michaels building. They include:

- installing a 40-mil high density polyethylene vapor barrier on the floor of the Michaels building basement with a new concrete floor poured above it;
- installing lids on 3 basement sump pits to reduce vapor infiltration into the basement; and,
- adjustment and repair of the rooftop HVAC system in order to increase the percentage of outdoor air mixed into the building air, thus diluting volatile organic compound (VOC) concentrations.

### **3.0 LOCATION DESCRIPTION**

The focus of this IRM was the north end of the partial basement beneath the Michaels building (figures 2 and 3). Based on limited Sanborn map data, the footprint of the former Charlton Cleaners occupied the northeast corner of the building and the north end of the basement was partially overlain by the cleaner.

The basement is approximately 35 feet by 115 feet, the long dimension runs north-south beneath the east side of the Michaels building. The remainder of the Michaels building is slab-on-grade construction. A masonry wall, running east-west, divides the basement into two zones: (1) the main basement used for Michaels product storage (south of the wall), and (2) two small rooms and the exterior basement entrance (north of the wall), shown on figure 3.

The 2009 IRM field work was performed within the two rooms to the north of the fire wall, herein referred to as the "equipment room" and the "west room" (figure 3). A large sump pit exists in the floor of the equipment room. The dimensions of the sump are approximately 4 feet in diameter and 3 feet deep. The sump appears to date to the building's construction and thus existed during the Charlton Cleaners operation. The walls of the sump are cast iron and the bottom is solid. Water enters the sump through two 2-inch pipes and through the backfill material surrounding the pipes. Water may also enter through a gap between the sump floor and wall. The Appendix contains photographs of the IRM.

The equipment room also contains electrical panels for the Michaels building and other Site electrical service. Water and natural gas supplies enter this room from Barrett Avenue. The west room has several electrical panels mounted on the north wall but is otherwise empty. Next to the west room is an exterior entrance to the basement through a stairwell from the sidewalk.

### **4.0 IRM FIELD WORK AND SAMPLING**

#### **4.1 Soil Excavation and Sampling**

The IRM field work was performed between September 8 and September 25, 2009 by Metro Environmental Contracting Corporation (Metro) of Lindenhurst, New York, under the supervision of LBG personnel. The first several days were spent saw cutting and breaking up



the concrete floor in the equipment room in the vicinity of the sump pit. In 2005, LBG supervised the installation of a polyethylene vapor barrier on top of the existing (original) floor slab throughout the entire basement. Following barrier installation, a 4-inch thick concrete slab was poured throughout the entire basement. Total thickness of the original floor plus the 2005 slab is approximately 12 inches.

On September 10, 2009, soil near the sump pit was hand dug, inspected and screened with a photoionization detector (PID). Based on the absence of any visual staining, odor or PID response, it was decided that a series of test borings would be excavated and soil samples would be collected for laboratory analysis with a 24-hour turn-around time. On September 11, 2009, a vacuum truck was used to excavate 4 test borings, two of which were beneath the floor of the west room (B-1 and B-2) and two of which were in the equipment room (B-3 and B-4). Locations are shown on figure 4. Two soil samples were collected with a hand auger from each of these borings, at depths of 2 and 6 feet below the floor slab. These samples were transported to York Analytical Laboratory (York) of Stratford, Connecticut for analysis of VOCs via EPA Method 8260.

On September 11, 2009, a total of 4 groundwater samples were collected for laboratory analysis. The purpose was to evaluate groundwater quality beneath the slab and in the sump pit. One groundwater sample was collected from both the B-2 and B-3 borings after the water level in each had equilibrated. A water sample was also collected from each of the two pipes which discharge water into equipment room sump pit. The two pipes (one plastic corrugated and one clay) enter on the south side of the sump and run at an angle under the floor to the southwest. As the pipes were only exposed within the excavation, their total length, purpose and origin is unknown. The floor drain at the bottom of the exterior stairwell drains through the corrugated pipe. Groundwater samples were transported to York for analysis of VOCs by EPA Method 8260.

Laboratory analysis of the 8 soil samples indicated that soil from B-2 and B-3 contained chlorinated VOCs at concentrations exceeding 6NYCRR Part 375 Soil Cleanup Standards. Details of the laboratory results are presented in Section 5.0. Based on these analyses, the

floor openings were expanded in both the equipment and west rooms in order to excavate soil at the locations of B-2 and B-3.

Between September 17 and 22, 2009, Metro excavated soil from beneath the floor of the equipment room and west room. The west room excavation was extended to the interior walls and outer foundation wall. Also, the west room excavation was extended halfway to the B-1 location which analyses had proven to meet Part 375 Cleanup Standards. Similarly, the equipment room excavation was extended to the interior wall and foundation wall, the base support for the electrical panels and to the location of B-4, soil from which met Part 375 Cleanup Standards.

The sub floor geology consisted of saturated sandy silt with many 4 to 8-inch cobbles. The static groundwater level was approximately 4 inches below the bottom of the floor slab. The excavations in both rooms were terminated at a depth between 5 and 6 feet below the floor which was the practical limit based on the excavation method, the rate of groundwater infiltration and safety of the workers.

The excavated soil was temporarily staged onsite within a 15-yard rolloff container, lined and covered with polyethylene. Disposal characterization samples were collected and analyzed by York. It was determined that the soil met standards necessary for use as landfill cover material. In October 9, 2009, Innovative Recycling Technologies, Inc. of Lindenhurst, New York transported 10.94 tons of soil to CWM Chemical Service, LLC of Model City, New York for disposal. Transportation and disposal manifests are attached.

On September 17, 18 and 21, 2009, 10 endpoint soil samples were collected to document the condition of the soil which remains beneath the floor. Sample locations and the limits of excavation are shown on figure 5. The excavations were backfilled with clean gravel. The vapor barrier was repaired and the concrete floor above the barrier was repoured.

#### **4.2 Modifications to the Infrastructure**

Prior to backfilling the equipment room excavation, the side of the large sump pit was modified to permit groundwater to enter the pit directly. A series of vertical slits were cut into the cast iron side of the sump. The purpose of this modification was to make the sump act as a

low-flow groundwater extraction system, gradually removing contaminated groundwater from beneath the floor. The extracted water is piped through a pair of activated carbon filters prior to discharge to the sanitary sewer. The installation of this filtration system is performed at the request of the NYSDEC case manager. The water discharged from a second small sump pit located in the northeast corner of the main basement was piped into the large sump. In this way, water from both sumps is treated prior to discharge (figure 6).

Also prior to backfill, a 4-inch diameter slotted PVC well screen was placed vertically in each excavation. The well screen extends above the floor grade after floor repair. The well screens can be used for future monitoring and remedial activities. Further, a length of 2-inch diameter slotted PVC well screen was laid horizontally directly beneath the floors in both rooms. The horizontal pipe was elbowed vertically and terminated just above the finished floor grade. The horizontal pipe can be used for future passive or active sub slab vapor venting.

The floor of the west room and the basement stairwell has been observed to periodically flood due to the shallow static groundwater level. This water, being contaminated with VOCs, is a potential source of indoor air contamination. The original Work Plan described the installation of a small sump at the bottom of the outside stairwell in order to mitigate the problem. During preparatory work however, a floor drain was discovered in the stairwell. The drain was cleared of debris and was determined to be functional. It drains into the large sump pit in the equipment room.

#### **4.3 Sump Pit Ventilation**

In order to prevent vapor infiltration from the sumps into the basement air, a ventilation system was added to both the large sump in the equipment room and a smaller sump in the northeast corner of the main basement (figure 6). Three-inch diameter PVC pipe was attached to the lids of both sumps and routed to an inline vent fan and vapor-phase activated carbon filter in the main basement. The treated air is ducted through 4-inch PVC pipe out the east basement wall and up to the roof of the Michaels building where it exhausts to the atmosphere (see photographs in the Appendix).

## 5.0 ANALYSIS RESULTS

The standards, criteria or guidances (SCGs) used to evaluate the results of soil analysis are those put forth in Title 6 of the New York Codes, Rules and Regulations (6NYCRR), Part 375 (Environmental Remediation Program), Subpart 375-6 (Soil Cleanup Objectives). Specifically, due to the Site use and proximity of this soil to the water table, the "Commercial Use, Protection of Groundwater" Standards were used. These Standards will be referred to as "Part 375 SCO" in this report. The SCGs used to evaluate the groundwater analysis results are those put forth in the NYSDEC Division of Water Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values, herein referred to as "AWQS & GVs". The endpoint soil samples analysis was performed with ASP Category B deliverables packages. The abbreviated laboratory reports for all IRM samples are included in the Appendix. The full deliverables package will be submitted with a Data Usability Summary Report (DUSR) under separate cover upon completion.

The results of VOC analysis of soil samples from the 4 preliminary test borings are shown on table 1. The chlorinated solvent PCE and its degradation products TCE, DCE and vinyl chloride were detected in the B-2 (6-foot) and B-3 (2-foot and 6-foot) soil samples at concentrations exceeding the Part 375 SCO. This was the basis for further excavation. PCE concentrations ranged between 12 ug/kg (micrograms per kilogram) in Boring B-4 to 2,600 ug/kg in Boring B-3.

In order to satisfy the NYSDEC requirements for a Class 2 inactive hazardous waste site, other chemical constituents and metal must be evaluated in order to ensure that they are not contaminants of concern. Soil from Borings B-2 and B-3 (both 6 feet below the floor) were analyzed for semivolatile organic compounds (SVOCs), pesticides, polychlorinated biphenols (PCBs) and the 8 Resources Conservation and Recovery Act (RCRA) metals. No SVOCs, PCBs or pesticides were detected above the laboratory reporting limits therefore the results have not been tabulated. The results of analysis for the 8 RCRA metals is presented on table 2. None of the detected metals were at concentrations exceeding the Part 375 SCO.

Results of analysis of the groundwater samples collected from Borings B-2 and B-3, and the water samples collected from the Clay Pipe and Plastic Pipe discharging into the large sump pit are summarized on table 3. The Site contaminants, PCE, TCE, DCE and vinyl chloride were detected in all 4 water samples at concentrations exceeding the AWQS RGVS. PCE was the most prevalent compound detected ranging between 230 ug/l (micrograms per liter) and 990 ug/l. Naphthalene, trans-1,2-dichloroethene and 1,1-dichloroethene were also detected at lesser concentrations. The concentrations of the primary contaminants detected in the B-3 and Clay Pipe samples were approximately 5 to 10 times greater than in the B-2 and Plastic Pipe samples.

The results of analysis of the 10 excavation endpoint soil samples are summarized on table 4. Although PCE and DCE were detected in all samples and TCE and vinyl chloride in some, none of the detected concentrations were greater than the Part 375 SCO. Ethylbenzene, xylenes and naphthalene were also detected at concentrations below or slightly above the reporting limit.

## 6.0 SUMMARY AND CONCLUSIONS

The following is a summary of the IRM activities completed in September 2009 and described previously in this report.


- Preliminary soil sampling indicated that soil beneath the basement floor contained PCE, DCE and vinyl chloride at concentrations exceeding the Part 375 "Protection of Groundwater" Soil Cleanup Standard.
- A total of 10.94 tons of soil was removed from two excavations in the equipment room and west room, to a depth of approximately 6 feet below the floor. Excavation endpoint soil samples analysis indicate that no compounds were detected above Part 375 Standards.
- The large sump pit was modified to receive groundwater from its vicinity. A pair of activated carbon filters were installed in order to remove contaminants from the sump water prior to discharge to the sewer.

- A ventilation fan and activated carbon filter were installed to extract vapor from within the two north sump pits, treat it and exhaust it to the atmosphere outside the building.

Although the large north sump was suspected of being a point of discharge of dry cleaning chemicals to the environment (a "source" area), the levels of contamination detected in the surrounding soils would not be considered high enough to be the sole source of the detected downgradient groundwater contamination. Of course, it is possible that a discrete source no longer exists. The released material may not have been pure PCE (free phase) but may have been in the form of dissolved PCE, with less partitioning into the adsorbed phase on soil. Also, the release point may have been near or below the static water level. This would also tend to reduce the portion of contaminants adsorbed to the soil.

The IRM activities should result in an improvement in indoor air quality within the Michaels building. The air sampling is currently on a semiannual schedule. The next sampling event will be in February 2010.

LEGGETTE, BRASHEARS & GRAHAM, INC.



Paul Woodell  
Associate

Reviewed By:



Dan C. Buzea, CPG  
Senior Vice President

dmd

November 4, 2009

f:\reports\charlton cleaners\2009\irm\irm report.doc

**TABLES**

**TABLE 1**  
**FORMER CHARLTON CLEANER FACILITY**  
**VOLUNTARY CLEANUP PROGRAM INDEX # W3-0891-01-06**  
**FOREST AVENUE SHOPPERS TOWN**  
**24 BARRETT AVENUE**  
**STATEN ISLAND, NEW YORK**

Summary of Analysis Results for Preliminary Soil Samples  
Volatile Organic Compounds by EPA Method 8260  
Samples Collected September 11, 2009

Sample Location	Depth below floor (feet)	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene	Vinyl chloride	Dichlorodifluoromethane	Chloromethane	Chloroethane	Trichlorofluoromethane	Acetone	1,1-Dichloroethene	Carbon disulfide	Methylene chloride	Methyl tert-butyl ether	trans-1,2-Dichloroethene	1,1-Dichloroethane	2-Butanone	Chloroform	1,1,1-Trichloroethane	Carbon tetrachloride	1,2-Dichloroethane	Benzene	Toluene	1,1,2-Trichloroethane	Chlorobenzene	Ethylbenzene	m,p-Xylene	o-Xylene	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	Naphthalene	
B-1	2	23	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	6	120	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
B-2	2	62	<5.0	11	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	6	370	23	440	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
B-3	2	300	110	310	42	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
	6	2,600	90	980	64	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0
B-4	2	240	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
	6	12	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Part 375, Restricted Use Commercial, Protection of Groundwater <sup>1)</sup>		1,300	470	250	20	NS <sup>2)</sup>	NS	NS	NS	50	330	NS	50	930	190	270	120	370	680	760	20	60	700	NS	1,100	1,000	260 (mixed)		8,400	3,600	12,000	

1) New York State Codes, Rules and Regulations, Chapter IV, Part 375: Environmental Remediation Programs, Subpart 375-6: Remedial Program Soil Cleanup Objectives, Dec. 14, 2006

2) No Standard

440 concentration exceeds Part 375 Cleanup Objective



TABLE 2

FORMER CHARLTON CLEANER FACILITY  
 VOLUNTARY CLEANUP PROGRAM INDEX # W3-0891-01-06  
 FOREST AVENUE SHOPPERS TOWN  
 24 BARRETT AVENUE  
 STATEN ISLAND, NEW YORK

Summary of Analysis Results for Preliminary Soil Samples  
 Total RCRA 8 Metals by EPA SW 846 (7471 for mercury)  
 Samples Collected September 11, 2009  
 (all concentrations in milligrams per kilogram)

Sample Location	Depth below floor (feet)	Arsenic	Barium	Cadmium	Chromium (total)	Lead	Selenium	Silver	Mercury
B-2	6	6.68	58.9	0.61	14.7	11.2	<1.2	<0.58	<0.115
B-3	6	6.5	62.4	<0.61	11.9	15.4	<1.2	<0.61	<0.121
Part 375, Restricted Use Commercial, Protection of Groundwater <sup>1)</sup>		16	820	7.5	19 <sup>2)</sup>	450	4	8.3	0.73

1) New York State Codes, Rules and Regulations, Chapter IV, Part 375: Environmental Remediation Programs, Subpart 375-6: Remedial Program Soil Cleanup Objectives, Dec. 14, 2006

2) Applies to hexavalent chromium

TABLE 3

FORMER CHARLTON CLEANER FACILITY  
 VOLUNTARY CLEANUP PROGRAM INDEX # W3-0891-01-06  
 FOREST AVENUE SHOPPERS TOWN  
 24 BARRETT AVENUE  
 STATEN ISLAND, NEW YORK

Summary of Analysis Results for Groundwater Samples  
 Volatile Organic Compounds by EPA Method 8260  
 Samples Collected September 11, 2009  
 (all concentrations in micrograms per liter)

Sample Identification	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Vinyl Chloride	Benzene	Ethylbenzene	Total Xylenes	Isopropylbenzene	Naphthalene	n-Propylbenzene	4-isopropyltoluene	Acetone	MTBE <sup>2)</sup>	sec-butylbenzene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrahydrofuran	n-Butylbenzene	1,1-Dichloroethene	Methylene Chloride	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Carbon Disulfide	2-Butanone (MEK)
B-2	230	28	<5.0	29	<5.0	<5.0	2 J	<5.0	11	<5.0	<5.0	<5.0	<5.0	<5.0	85	5	<5.0	<5.0	<5.0	7 JB	5	1 J	<5.0	<5.0
B-3	900	85	<5.0	140	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	930	3 J	<5.0	<5.0	3 J	6 JB	<5.0	<5.0	<5.0	<5.0
Clay Pipe	990	83	<5.0	130	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	1 J	<5.0	850	3 J	<5.0	<5.0	3 J	7 JB	<5.0	<5.0	<5.0	<5.0
Plastic Pipe	280	38	<5.0	1 J	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	180	2 J	<5.0	<5.0	<5.0	6 JB	<5.0	<5.0	<5.0	<5.0
TOGS GWQS <sup>1)</sup>	5	5	5	2	1	5	5	5	10	5	5	50	10	5	5	5	NS <sup>2)</sup>	5	0.07	5	5	5	NS	50

1) - Ambient Water Quality Standards & Guidance Values, Class GA Groundwater as per Division of Water Technical & Operational Guidance Series (1.1.1)

2) - No Standard


230 Exceeds AWQS for Class GA groundwater

TABLE 4  
 FORMER CHARLTON CLEANER FACILITY  
 VOLUNTARY CLEANUP PROGRAM INDEX # W3-0891-01-06  
 FOREST AVENUE SHOPPERS TOWN  
 24 BARRETT AVENUE  
 STATEN ISLAND, NEW YORK

Summary of Analysis Results for Excavation Endpoint Soil Samples  
 Volatile Organic Compounds by EPA Method 8260  
 Samples Collected September 17, 18 & 21, 2009

Sample Location	Depth below floor (feet)	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene	Vinyl chloride	Dichlorodifluoromethane	Chloromethane	Chloroethane	Trichlorofluoromethane	Acetone	1,1-Dichloroethene	Carbon disulfide	Methylene chloride	Methyl tert-butyl ether	trans-1,2-Dichloroethene	1,1-Dichloroethane	2-Butanone	Chloroform	1,1,1-Trichloroethane	Carbon tetrachloride	1,2-Dichloroethane	Benzene	Toluene	1,1,2-Trichloroethane	Chlorobenzene	Ethylbenzene	m,p-Xylene	o-Xylene	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	Naphthalene
S-1	3	220	27	140	9 J	<12	<12	<12	<12	<12	<12	<12	18 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	6 J	19	5 J	<12	<12	<12
S-2	3	47	<12	4 J	<12	<12	<12	<12	<12	<12	<12	<12	16 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
S-3	3	66	<12	8 J	<12	<12	<12	<12	<12	<12	<12	<12	18 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
S-4	3	450	9 J	90	<12	<12	<12	<12	<12	<12	<12	<12	15 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
S-5	3	42	<12	5 J	<12	<12	<12	<12	<12	<12	<12	<12	17 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
S-6	3	40	<12	26	<12	<12	<12	<12	<12	<12	<12	<12	17 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
S-7	3	170	10 J	20	<12	<12	<12	<12	<12	<12	<12	<12	16 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	8 J	21	6 J	<12	<12	3 JB	
Bottom-1	7	190	3 J	22	<12	<12	<12	<12	<12	<12	<12	<12	16 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
Bottom-2	6	420	25	240	<12	<12	<12	<12	<12	<12	<12	<12	16 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12
Bottom of Sump	6	240	13	87	9 J	<12	<12	<12	<12	<12	<12	<12	16 JB	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	<12	5 J	12	4 J	<12	<12	<12	
Part 375, Restricted Use Commercial, Protection of Groundwater		1,300	470	250	20	NS	NS	NS	NS	50	330	NS	50	930	190	270	120	370	680	760	20	60	700	NS	1,100	1,000	260 (mixed)	8,400	3,600	12,000	

**FIGURES**



**LEGEND**

1	VACANT	24	G.J.'S UNISEX
2	RAINBOW APPAREL	25	PLAZA DELI
3	VACANT	26	FYE
4	LOT STORES	27	MICHAEL'S STORES
5	PARTY CITY	28	NORTHFIELD BANK
6	VACANT	29	CVS
7	KID'S PLACE	30	FORMER PAUL MILLER DRY CLEANING FACILITY
8	ROCKAWAY BEDDING	31	BOSTON MARKET
9	EMPIRE SZECHUAN	32	KFC
10	TOP NAILS	33	LIQUOR STORE
11	PAY HALF	34	MISCELLANEOUS
12	DANICE \$10 STORES	35	WEST COAST VIDEO
13	D&G STORES	36	BANK
14	PAYLESS SHOES	37	RICKELS HOME CENTER
15	SNEAKER ZONE	38	FORMER HESS GASOLINE STATION
16	TJ MAXX	39	RESIDENTIAL
17-20	HOME TOWN BUFFET		<b>—</b> SITE BOUNDARY
21a	PIZZA STORE		
21b	PETLAND DISCOUNTS		
22	CHARLTON CLEANERS		
23	SPECS FOR LESS		

**FORMER CHARLTON CLEANERS FACILITY**  
**VCP # W3-0891-01-06**  
**FOREST AVENUE SHOPPERS TOWN**  
**24 BARRETT AVENUE**  
**STATEN ISLAND NEW YORK**

---


**FOREST AVENUE SHOPPERS TOWN SITE PLAN**

DATE	REVISED	PREPARED BY:
		LEGGETTE, BRASHEARS & GRAHAM, INC.
		Professional Ground-Water and Environmental Engineering Services
		110 Corporate Park Drive
		Suite 112
		White Plains, NY 10604
		(914) 694-5711






**DRAWN:** FCS    **CHECKED:** PW    **DATE:** 3/14/08    **FIGURE:** 1




NOT TO SCALE




**LEGEND**

-  MONITOR WELL LOCATION - Installed Prior to 2000
-  MW-2A  
MONITOR WELL LOCATION - Installed by LBG in 2000
-  MW-5A  
MONITOR WELL LOCATION - Installed by LBG in 2005
-  MW-9C  
MONITOR WELL LOCATION - Installed by LBG in 2008
-  MW-14 A-E  
MONITOR WELL LOCATION - Installed by CDM on behalf of NYSDEC in 2008

<b>FORMER CHARLTON CLEANERS FACILITY</b> VCP # W3-0891-01-06 <b>FOREST AVENUE SHOPPERS TOWN</b> 24 BARRITT AVENUE STATEN ISLAND NEW YORK			
SITE PLAN WITH GROUND-WATER MONITOR WELL LOCATIONS			
DATE	REVISED	PREPARED BY:	
		<b>LEGGETTE, BRASHEARS &amp; GRAHAM, INC.</b> <i>Professional Groundwater and Environmental Engineering Services</i> 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711	
			
DRAWN:	RAC	CHECKED:	PW
		DATE:	10/26/09
		FIGURE:	2



FOREST AVENUE



BARRETT AVENUE



- LEGEND**
- (M) MANHOLE
  - APPROXIMATE FORMER CHARLTON CLEANERS LOCATION
  - - - PROPERTY LINE

(THIS PORTION OF BUILDING SLAB-ON-GRADE CONSTRUCTION)



<p><b>FORMER CHARLTON CLEANERS FACILITY</b>  VCP #W3-0891-01-06  <b>FOREST AVENUE SHOPPERS TOWN</b>  24 BARRETT AVENUE  STATEN ISLAND, NEW YORK</p>	
<p><b>MICHAELS STORE BASEMENT FLOORPLAN</b></p>	
	<p><b>PREPARED BY:</b>  <b>LEGGETTE, BRASHEARS &amp; GRAHAM, INC.</b>  Professional Ground-Water and Environmental Services  110 Corporate Park Drive, Suite 112  White Plains, New York  (914) 694-5711</p>
<p>FILE: Charlton floorplan</p>	<p>DRAWN BY: JAM  CHECKED BY: SG  DATE: 8/28/08  FIGURE: 3</p>



○  
MH

EQUIPMENT ROOM

WEST ROOM

STAIRS →

B-1

B-2

B-3

B-4

○  
MH

APPROXIMATE  
FORMER CHARLTON  
CLEANERS FOOTPRINT

FIREWALL

MICHAELS BUILDING

SIDEWALK

STAIRS  
(BLOCKED OFF)

BASEMENT

**LEGEND**

--- PROPERTY BOUNDARY



APPROXIMATE LOCATION OF  
FORMER CHARLTON CLEANERS



SUMP PIT



PRELIMINARY BORING AND SOIL  
SAMPLE LOCATION



**FORMER CHARLTON CLEANERS FACILITY**

VCP # W3-0891-01-06

FOREST AVENUE SHOPPERS TOWN

24 BARRETT AVENUE

STATEN ISLAND NEW YORK

IRM: PRELIMINARY BORING/SOIL SAMPLE LOCATIONS,  
COLLECTED SEPTEMBER 11, 2009

DATE	REVISED

PREPARED BY:



**LEGGETTE, BRASHEARS & GRAHAM, INC.**

Professional Geotechnical and Environmental Engineering Services

110 Corporate Park Drive

Suite 112

White Plains, NY 10604

(914) 694-5711

DRAWN: RAC      CHECKED: PW      DATE: 10/26/09      FIGURE: 4






○  
MH

STAIRS →

BOTTOM OF SUMP



○  
MH

APPROXIMATE  
FORMER CHARLTON  
CLEANERS FOOTPRINT

MICHAELS BUILDING

SIDEWALK

STAIRS  
(BLOCKED OFF)

BASEMENT

**LEGEND**

- PROPERTY BOUNDARY
- [Dotted Box] APPROXIMATE LOCATION OF FORMER CHARLTON CLEANERS
- SUMP PIT
- [Red Dashed Box] LIMIT OF IRM EXCAVATION
- ▲ S-1 EXCAVATION ENDPOINT SOIL SAMPLE



FORMER CHARLTON CLEANERS FACILITY  
VCP # W3-0891-01-06  
FOREST AVENUE SHOPPERS TOWN  
24 BARRETT AVENUE  
STATEN ISLAND NEW YORK

IRM: EXCAVATION LIMITS AND ENDPOINT SOIL SAMPLE  
LOCATIONS, COLLECTED SEPTEMBER 17, 18 AND 21, 2009


DATE	REVISED
DRAWN:	RAC

PREPARED BY:









**LEGGETTE, BRASHEARS & GRAHAM, INC.**  
Professional Groundwater and Environmental Engineering Services  
110 Corporate Park Drive  
Suite 112  
White Plains, NY 10604  
(914) 694-5711


CHECKED:	PW	DATE:	10/26/09	FIGURE:	5
----------	----	-------	----------	---------	---



**LEGEND**

-  PROPERTY BOUNDARY
-  APPROXIMATE LOCATION OF FORMER CHARLTON CLEANERS
-  SUMP PIT
-  WATER PATH
-  VAPOR PATH
-  SANITARY LINE



<p><b>FORMER CHARLTON CLEANERS FACILITY</b>  VCP # W3-0891-01-06  <b>FOREST AVENUE SHOPPERS TOWN</b>  24 BARRETT AVENUE  STATEN ISLAND NEW YORK</p>			
<p><b>IRM: SUMP WATER/VAPOR TREATMENT AND FLOW PATHS</b></p>			
DATE	REVISED	PREPARED BY:	
		<p><b>LEGGETTE, BRASHEARS &amp; GRAHAM, INC.</b>  Professional Groundwater and Environmental Engineering Services  110 Corporate Park Drive  Suite 112  White Plains, NY 10604  (914) 694-5711</p>	
			
DRAWN:	RAC	CHECKED:	PW
		DATE:	10/26/09
		FIGURE:	6

D:\DWG\Charlton\2009\FE-Flow Paths.dwg, Layout1, 10/26/2009 1:55:36 PM, AcroPlot.pc3

**APPENDIX**



**LARGE NORTH SUMP PIT IN EQUIPMENT ROOM, PRIOR TO 2009 IRM**



**EQUIPMENT ROOM LOOKING EAST**



**WEST ROOM, PRIOR TO 2009 IRM**



**MAIN BASEMENT LOOKING NORTHWEST**



**EXCAVATING SOIL IN EQUIPMENT ROOM**



**CONTINUED EXCAVATION, NOTE COBBLES**



**SLOTS CUT IN SIDE OF LARGE SUMP PIT**



**EQUIPMENT ROOM BACKFILLED, NOTE VERTICAL PIPE**



**EXCAVATING WEST ROOM**



**EQUIPMENT ROOM RESTORED**





**LARGE SUMP PIT WITH NEW PLUMBING**



**TWO LIQUID-PHASE CARBON FILTERS IN SERIES**



**DUCT FAN, VAPOR PHASE CARBON FILTER, SMALL NORTH SUMP PIT**



**EXHAUST PIPING FROM CARBON FILTER**



690 No. Queens Avenue  
Lindenhurst, NY 11757  
Phone: (631) 225-3044  
Fax: (631) 225-3056

October 12, 2009

NYS Dept. of Environmental Conservation  
DSHM, Hazardous Waste Manifest Section  
625 Broadway, Floor 9  
Albany, NY 12233-7252

**Re: Generator Copies of Hazardous Waste Manifests.**

Dear Director:

Innovative Recycling Technologies, Inc., on behalf of Former Carlton Cleaners, has enclosed the generator's copies of the manifests for a shipment of waste. If you have any further questions regarding the manifests, please feel free to contact me at 631-225-3044.

The following manifests are enclosed:



**006325552JJK**

Very truly yours,

John Dull  
Vice President

CC: Paul Woodell, LBG  
w/enclosures

**RECEIVED**  
**OCT 15 2009**  
**LBG - NY**

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD081087004</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>516-816-4705</b>	4. Manifest Tracking Number <b>006325552 JJK</b>		
5. Generator's Name and Mailing Address <b>Former Carlton Cleaners 24 Barrett Avenue Staten Island, NY 10310</b>				Generator's Site Address (if different than mailing address)			
Generator's Phone: <b>814-894-5712</b>							
6. Transporter 1 Company Name <b>Freshhold Cartage, Inc.</b>				U.S. EPA ID Number <b>NJD084128184</b>			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <b>CWM Chemical Services LLC 1550 Balmer Road Model City, NY 14107</b>				U.S. EPA ID Number <b>NYD048638879</b>			
Facility's Phone: <b>716-288-0481</b>							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes	
		No.	Type				
<b>X</b>	<b>1. RQ, Hazardous Waste Solid, N.O.S., 0, NA3077, PGIII, (Tetrachloroethylene) (F002) ERG#171</b>	<b>01</b>	<b>CM</b>	<b>EST 12</b>	<b>Y</b>	<b>F002</b>	<b>L</b>
	2.						
	3.						
	4.						
14. Special Handling Instructions and Additional Information <b>6b. 1) NY300188</b>  <b>SR-916607-1 9:30AM</b> <span style="float:right"><b>Lic Plate AA893E NJ</b></span>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name <b>JOHN DULL former Carlton cleaner</b>				Signature 		Month Day Year <b>10 09 09</b>	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name <b>Bill Burns</b>				Signature 		Month Day Year <b>10 09 09</b>	
Transporter 2 Printed/Typed Name				Signature		Month Day Year	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
Manifest Reference Number: _____							
18b. Alternate Facility (or Generator)				U.S. EPA ID Number			
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator)						Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name				Signature		Month Day Year	

Generator Name: FORMER CARLTON CLEANERS  
 Profile Number: NY300155

Manifest Doc. No.: 006325552 JJK  
 State Manifest No: \_\_\_\_\_

1. Is this waste a non-wastewater or wastewater? (See 40 CFR 268.2) Check ONE: Nonwastewater  Wastewater
2. Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Spent solvent treatment standards are listed on the following page. If F039, multi-source leachate applies, those constituents must be listed and attached by the generator. If D001-D043 requires treatment of the characteristic and meet 268.48 standards, then the underlying hazardous constituent(s) present in the waste must be listed and attached.

REF #	3. US EPA HAZARDOUS WASTE CODE(S)	4. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION. IF NOT APPLICABLE, SIMPLY CHECK NONE		5. HOW MUST THE WASTE BE MANAGED? ENTER LETTER FROM BELOW
		DESCRIPTION	NONE	
1	P002		X	D
2				
3				
4				

To identify F039 or D001-D043, underlying hazardous constituent(s), use the "F039/Underlying Hazardous Constituent Form" provided (CWM-2004) and check here: \_\_\_\_\_  
 If no UHCs are present in the waste upon its initial generation check here:   
 To list additional USEPA waste code(s) and subcategory(ies), use the supplemental sheet provided (CWM-2005-D) and check here: \_\_\_\_\_  
 Disposal facility monitors for all UHCs check here: \_\_\_\_\_  
 If waste will be managed in a system regulated under the CWA, or a Class 1 injection well under the SDWA check here: \_\_\_\_\_

HOW MUST THE WASTE BE MANAGED? In column 5 above, enter the letter (A, B1, B3, B4, B5, B6, C, D or E) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 268.7). Please understand that if you enter the letter B1, B3, B4, B5, B6, or D you are making the appropriate certification as provided below. (States authorized by EPA to manage the LDR program may have regulatory citations different from the 40 CFR citations listed below. Where these regulatory citations differ, your certification will be deemed to refer to those state citations instead of the 40 CFR citations.)

- A. RESTRICTED WASTE REQUIRES TREATMENT  
 This waste must be treated to the applicable treatment standards set forth in 40 CFR 268.40.  
 For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45."
- B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS  
 "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the treatment standards specified in 40 CFR 268.40 without impermissible dilution of the prohibited waste. I am aware there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."
- B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS  
 "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by combustion in units as specified in 268.42 Table 1. I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."
- B.4 DECHARACTERIZED WASTE REQUIRES TREATMENT FOR UNDERLYING HAZARDOUS CONSTITUENTS  
 "I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 or 268.49, to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet treatment standards. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."
- B.6 RESTRICTED DEBRIS TREATED TO ALTERNATE PERFORMANCE STANDARDS  
 "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and believe that it has been maintained and operated properly so as to comply with treatment standards specified in 40 CFR 268.45 without impermissible dilution of the prohibited wastes. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."
- C. RESTRICTED WASTE SUBJECT TO A VARIANCE  
 This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 5 above.  
 For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CFR Part 268.45."
- D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT  
 "I certify under penalty of law I have personally examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D. I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."
- E. WASTE IS NOT CURRENTLY SUBJECT TO PART 268 RESTRICTIONS  
 This waste is a newly identified waste that is not currently subject to any 40 CFR Part 268 restrictions.

I hereby certify that all information submitted in this and all associated documents is complete and accurate, to the best of my knowledge and information.

Signature: [Handwritten Signature] Title: on Behalf of Former Carlton Cleaners Agent Date: 10/9/09  
 1990 Chemical Waste Management, Inc. - 08/99- Form CWM-2005-C

SOLVENT

If the waste identified on the first page of this form is described by any of the following USEPA hazardous waste codes: F001, F002, F003, F004, F005, and all solvent constituents will not be monitored by the treater, then each constituent MUST be identified below by checking the appropriate box, and this page must accompany the shipment, along with the previous page of this form. If the waste code F039 describes this waste, then the corresponding list of constituents must be attached. If D001-D043 require treatment to 268.48 standards, then the underlying hazardous constituent(s) must also be attached.

2 SOLVENT WASTE TREATMENT STANDARDS					
F001 through F005 spent solvent constituents and their associated USEPA hazardous waste code(s).	1 Treatment Standard		F001 through F005 spent solvent constituents and their associated USEPA hazardous waste code(s).	1 Treatment Standard	
	Wastewaters	Nonwastewaters		Wastewaters	Nonwastewaters
Tetrachloroethylene (F001, F002)	0.056	6.0			

<sup>1</sup> All spent solvent treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater units are mg/l, nonwastewater are mg/kg.

<sup>2</sup> For contaminated soils using the alternative soil treatment standards, the treatment standards for F001-F005 spent solvents must be a 90% reduction of constituents or less than 10 x the standards listed.

SUBCATEGORY REFERENCE

- D001:
- A. Ignitable characteristic wastes, except for the 40 CFR 261.21(a)(1) High TOC subcategory.
  - B. High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon.

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD981087604</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>516-816-4765</b>	4. Manifest Tracking Number <b>006325552 JJK</b>		
5. Generator's Name and Mailing Address <b>Former Carlton Cleaners 24 Barrett Avenue Staten Island, NY 10310</b>				Generator's Site Address (if different than mailing address)			
Generator's Phone: <b>914-884-5712</b>							
6. Transporter 1 Company Name <b>Freehold Cartage, Inc.</b>				U.S. EPA ID Number <b>NJD054128164</b>			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <b>CWM Chemical Services LLC 1650 Balmer Road Moral City, NY 14107</b>				U.S. EPA ID Number <b>NYD049836870</b>			
Facility's Phone: <b>716-286-0461</b>							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes	
		No.	Type				
X	1. <b>RG, Hazardous Waste Solid, N.O.S., 9, NA3077, PGIII, (Tetrachloroethylene) (F002) ERG#171</b>	01	CM	EST 12	Y	F002	L
	2.						
	3.						
	4.						
14. Special Handling Instructions and Additional Information <b>9b.1) NY300165</b> <b>wed 2,880 P</b> <b>81637465</b> <b>SR-916607-1 9:30 AM</b> <b>Lic plate AA393E NJ</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable International and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offereor's Printed/Typed Name: <b>on behalf of JOHN DULL former Carleton cleaners</b> Signature: <i>[Signature]</i> Month Day Year: <b>10 09 09</b>							
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.      Port of entry/exit: _____      Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name: <b>Bill Bucas</b> Signature: <i>[Signature]</i> Month Day Year: <b>10 09 09</b>							
Transporter 2 Printed/Typed Name: _____      Signature: _____      Month Day Year: _____							
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator)      Manifest Reference Number: _____      U.S. EPA ID Number: _____							
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator)      Month Day Year: _____							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. <b>H132</b> 2. _____      3. _____      4. _____							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name: <b>Roberta Kloda</b> Signature: <i>[Signature]</i> Month Day Year: <b>10 14 09</b>							

GENERATOR  
TRANSPORTER INT'L  
DESIGNATED FACILITY



**Transporter Log**  
**CWM Chemical Services, Inc.**  
 Model City, NY

175748

30  
 Cubic Yards

Receipt # 976607-1 Trailer License Plate # and State 1638131 ME NJ113  
 Service Reg. # 107 Profile # \_\_\_\_\_ Permit # 777/446/0810  
 Transporter Name SWYDER Tractor/Trailer/Roll-off # CAPTON CLEANER  
 Driver's Name \_\_\_\_\_ Generator \_\_\_\_\_

SCALE 2  
 21880 P

Scheduled Arrival: \_\_\_\_\_  
 Actual Arrival: \_\_\_\_\_  
 Date \_\_\_\_\_ Time \_\_\_\_\_  
 Date \_\_\_\_\_ Time In \_\_\_\_\_ Time Out \_\_\_\_\_

Arrived during Blackout? Y / N \_\_\_\_\_ Notified DEC? Y / N \_\_\_\_\_

- Leaker
- Permit Violation
- Placarding/Veh. ID Violation
- Other (specify) \_\_\_\_\_
- Bulk to Landfill
- No wet line
- Flatbed
- Stabilization
- Drums
- Tanker
- Transformers

Receiving: flc  
 Initials \_\_\_\_\_ Comments \_\_\_\_\_

Laboratory \_\_\_\_\_  
 Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Initials \_\_\_\_\_ Comments \_\_\_\_\_

Stabilization \_\_\_\_\_  
 Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Initials \_\_\_\_\_ Gross Wt. \_\_\_\_\_ Comments \_\_\_\_\_

Landfill \_\_\_\_\_  
 Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Initials \_\_\_\_\_ Comments \_\_\_\_\_

Other \_\_\_\_\_  
 Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Initials \_\_\_\_\_ Comments \_\_\_\_\_

Aqueous Treatment \_\_\_\_\_  
 Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Signature (NO Initials) \_\_\_\_\_ Comments \_\_\_\_\_

**Facility Personnel (please initial)**

- \_\_\_\_\_ Smoking or eating in prohibited areas
- \_\_\_\_\_ Leaving truck unattended
- \_\_\_\_\_ Failure to obey instructions of facility personnel
- \_\_\_\_\_ Failure to display overweight flag
- \_\_\_\_\_ Failure to wear appropriate PPE
- \_\_\_\_\_ Improper tarping or detsarpin
- \_\_\_\_\_ Unsafe driving practices
- \_\_\_\_\_ Overweight upon arrival
- \_\_\_\_\_ Other (specify) \_\_\_\_\_

Security Guard Initials: \_\_\_\_\_  
 (Indicating receipt of Wash Bay pass, if necessary)

Driver's Comments \_\_\_\_\_



B-3 → B-4  
Rocks (not in samples)

# Technical Report

prepared for:

**Leggette Brashears & Graham**  
110 Corporate Park Drive  
Suite 112  
White Plains, New York 10604  
Attention: Paul Woodell

Report Date: 9/15/2009  
*Re: Client Project ID: Charlton Cleaners*  
York Project No.: 09090481

**RECEIVED**  
**SEP 17 2009**  
**LBG - NY**

CT License No. PH-0723

New Jersey License No. CT-005

New York License No. 10854

PA Reg. 68-04440



**Leggette Brashears & Graham**  
 110 Corporate Park Drive  
 Suite 112  
 White Plains, New York 10604  
 Attention: Paul Woodell

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 09/14/09. The project was identified as your project "Charlton Cleaners".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			B-1 (2')		B-1 (6')	
York Sample ID			09090481-01		09090481-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List + MTBE	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0	Not detected	10
1,1,1-Trichloroethane			Not detected	5.0	Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	10
1,1,2-Trichloroethane			Not detected	5.0	Not detected	10
1,1-Dichloroethane			Not detected	5.0	Not detected	10
1,1-Dichloroethylene			Not detected	5.0	Not detected	10
1,1-Dichloropropylene			Not detected	5.0	Not detected	10
1,2,3-Trichlorobenzene			Not detected	5.0	Not detected	10
1,2,3-Trichloropropane			Not detected	5.0	Not detected	10
1,2,3-Trimethylbenzene			Not detected	5.0	Not detected	10
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	10
1,2,4-Trimethylbenzene			Not detected	5.0	Not detected	10
1,2-Dibromo-3-chloropropane			Not detected	5.0	Not detected	10
1,2-Dibromoethane			Not detected	5.0	Not detected	10
1,2-Dichlorobenzene			Not detected	5.0	Not detected	10
1,2-Dichloroethane			Not detected	5.0	Not detected	10

Client Sample ID			B-1 (2')		B-1 (6')	
York Sample ID			09090481-01		09090481-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dichloroethylene (Total)			12	5.0	120(cis-)	10
1,2-Dichloropropane			Not detected	5.0	Not detected	10
1,3,5-Trimethylbenzene			Not detected	5.0	Not detected	10
1,3-Dichlorobenzene			Not detected	5.0	Not detected	10
1,3-Dichloropropane			Not detected	5.0	Not detected	10
1,4-Dichlorobenzene			Not detected	5.0	Not detected	10
2,2-Dichloropropane			Not detected	5.0	Not detected	10
2-Chlorotoluene			Not detected	5.0	Not detected	10
4-Chlorotoluene			Not detected	5.0	Not detected	10
Benzene			Not detected	5.0	Not detected	10
Bromobenzene			Not detected	5.0	Not detected	10
Bromochloromethane			Not detected	5.0	Not detected	10
Bromodichloromethane			Not detected	5.0	Not detected	10
Bromoform			Not detected	5.0	Not detected	10
Bromomethane			Not detected	5.0	Not detected	10
Carbon tetrachloride			Not detected	5.0	Not detected	10
Chlorobenzene			Not detected	5.0	Not detected	10
Chloroethane			Not detected	5.0	Not detected	10
Chloroform			Not detected	5.0	Not detected	10
Chloromethane			Not detected	5.0	Not detected	10
cis-1,3-Dichloropropylene			Not detected	5.0	Not detected	10
Dibromochloromethane			Not detected	5.0	Not detected	10
Dibromomethane			Not detected	5.0	Not detected	10
Dichlorodifluoromethane			Not detected	5.0	Not detected	10
Ethylbenzene			Not detected	5.0	Not detected	10
Hexachlorobutadiene			Not detected	5.0	Not detected	10
Isopropylbenzene			Not detected	5.0	Not detected	10
Methyl tert-butyl ether (MTBE)			Not detected	5.0	Not detected	10
Methylene chloride			Not detected	5.0	Not detected	10
Naphthalene			Not detected	5.0	Not detected	10
n-Butylbenzene			Not detected	5.0	Not detected	10
n-Propylbenzene			Not detected	5.0	Not detected	10
o-Xylene			Not detected	5.0	Not detected	10
p- & m-Xylenes			Not detected	5.0	Not detected	10
p-Isopropyltoluene			Not detected	5.0	Not detected	10
sec-Butylbenzene			Not detected	5.0	Not detected	10
Styrene			Not detected	5.0	Not detected	10
tert-Butylbenzene			Not detected	5.0	Not detected	10
Tetrachloroethylene			23	5.0	120	10
Toluene			Not detected	5.0	Not detected	10
trans-1,3-Dichloropropylene			Not detected	5.0	Not detected	10
Trichloroethylene			Not detected	5.0	Not detected	10
Trichlorofluoromethane			Not detected	5.0	Not detected	10
Vinyl chloride			Not detected	5.0	Not detected	10

Client Sample ID			B-2 (2')		B-2 (6')	
York Sample ID			09090481-03		09090481-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List + MTBE	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0	Not detected	10
1,1,1-Trichloroethane			Not detected	5.0	Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	10
1,1,2-Trichloroethane			Not detected	5.0	Not detected	10
1,1-Dichloroethane			Not detected	5.0	Not detected	10
1,1-Dichloroethylene			Not detected	5.0	Not detected	10
1,1-Dichloropropylene			Not detected	5.0	Not detected	10
1,2,3-Trichlorobenzene			Not detected	5.0	Not detected	10
1,2,3-Trichloropropane			Not detected	5.0	Not detected	10
1,2,3-Trimethylbenzene			Not detected	5.0	Not detected	10
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	10
1,2,4-Trimethylbenzene			Not detected	5.0	Not detected	10
1,2-Dibromo-3-chloropropane			Not detected	5.0	Not detected	10
1,2-Dibromoethane			Not detected	5.0	Not detected	10
1,2-Dichlorobenzene			Not detected	5.0	Not detected	10
1,2-Dichloroethane			Not detected	5.0	Not detected	10
1,2-Dichloroethylene (Total)			11(cis-)	5.0	440(cis-)	10
1,2-Dichloropropane			Not detected	5.0	Not detected	10
1,3,5-Trimethylbenzene			Not detected	5.0	Not detected	10
1,3-Dichlorobenzene			Not detected	5.0	Not detected	10
1,3-Dichloropropane			Not detected	5.0	Not detected	10
1,4-Dichlorobenzene			Not detected	5.0	Not detected	10
2,2-Dichloropropane			Not detected	5.0	Not detected	10
2-Chlorotoluene			Not detected	5.0	Not detected	10
4-Chlorotoluene			Not detected	5.0	Not detected	10
Benzene			Not detected	5.0	Not detected	10
Bromobenzene			Not detected	5.0	Not detected	10
Bromochloromethane			Not detected	5.0	Not detected	10
Bromodichloromethane			Not detected	5.0	Not detected	10
Bromoform			Not detected	5.0	Not detected	10
Bromomethane			Not detected	5.0	Not detected	10
Carbon tetrachloride			Not detected	5.0	Not detected	10
Chlorobenzene			Not detected	5.0	Not detected	10
Chloroethane			Not detected	5.0	Not detected	10
Chloroform			Not detected	5.0	Not detected	10
Chloromethane			Not detected	5.0	Not detected	10
cis-1,3-Dichloropropylene			Not detected	5.0	Not detected	10
Dibromochloromethane			Not detected	5.0	Not detected	10
Dibromomethane			Not detected	5.0	Not detected	10
Dichlorodifluoromethane			Not detected	5.0	Not detected	10
Ethylbenzene			Not detected	5.0	Not detected	10
Hexachlorobutadiene			Not detected	5.0	Not detected	10
Isopropylbenzene			Not detected	5.0	Not detected	10
Methyl tert-butyl ether (MTBE)			Not detected	5.0	Not detected	10
Methylene chloride			Not detected	5.0	Not detected	10
Naphthalene			Not detected	5.0	Not detected	10
n-Butylbenzene			Not detected	5.0	Not detected	10
n-Propylbenzene			Not detected	5.0	Not detected	10
o-Xylene			Not detected	5.0	Not detected	10
p- & m-Xylenes			Not detected	5.0	Not detected	10

**YORK**

Client Sample ID			B-2 (2')		B-2 (6')	
York Sample ID			09090481-03		09090481-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
p-Isopropyltoluene			Not detected	5.0	Not detected	10
sec-Butylbenzene			Not detected	5.0	Not detected	10
Styrene			Not detected	5.0	Not detected	10
tert-Butylbenzene			Not detected	5.0	Not detected	10
Tetrachloroethylene			62	5.0	370	10
Toluene			Not detected	5.0	Not detected	10
trans-1,3-Dichloropropylene			Not detected	5.0	Not detected	10
Trichloroethylene			Not detected	5.0	23	10
Trichlorofluoromethane			Not detected	5.0	Not detected	10
Vinyl chloride			Not detected	5.0	Not detected	10

Client Sample ID			B-3 (2')		B-3 (6')	
York Sample ID			09090481-05		09090481-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List + MTBE	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	10	Not detected	50
1,1,1-Trichloroethane			Not detected	10	Not detected	50
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	50
1,1,2-Trichloroethane			Not detected	10	Not detected	50
1,1-Dichloroethane			Not detected	10	Not detected	50
1,1-Dichloroethylene			Not detected	10	Not detected	50
1,1-Dichloropropylene			Not detected	10	Not detected	50
1,2,3-Trichlorobenzene			Not detected	10	Not detected	50
1,2,3-Trichloropropane			Not detected	10	Not detected	50
1,2,3-Trimethylbenzene			Not detected	10	Not detected	50
1,2,4-Trichlorobenzene			Not detected	10	Not detected	50
1,2,4-Trimethylbenzene			Not detected	10	Not detected	50
1,2-Dibromo-3-chloropropane			Not detected	10	Not detected	50
1,2-Dibromoethane			Not detected	10	Not detected	50
1,2-Dichlorobenzene			Not detected	10	Not detected	50
1,2-Dichloroethane			Not detected	10	Not detected	50
1,2-Dichloroethylene (Total)			310(cis-)	10	980(cis-)	50
1,2-Dichloropropane			Not detected	10	Not detected	50
1,3,5-Trimethylbenzene			Not detected	10	Not detected	50
1,3-Dichlorobenzene			Not detected	10	Not detected	50
1,3-Dichloropropane			Not detected	10	Not detected	50
1,4-Dichlorobenzene			Not detected	10	Not detected	50
2,2-Dichloropropane			Not detected	10	Not detected	50
2-Chlorotoluene			Not detected	10	Not detected	50
4-Chlorotoluene			Not detected	10	Not detected	50
Benzene			Not detected	10	Not detected	50
Bromobenzene			Not detected	10	Not detected	50
Bromochloromethane			Not detected	10	Not detected	50
Bromodichloromethane			Not detected	10	Not detected	50
Bromoform			Not detected	10	Not detected	50
Bromomethane			Not detected	10	Not detected	50
Carbon tetrachloride			Not detected	10	Not detected	50
Chlorobenzene			Not detected	10	Not detected	50

**YORK**

Client Sample ID			B-3 (2')		B-3 (6')	
York Sample ID			09090481-05		09090481-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Chloroethane			Not detected	10	Not detected	50
Chloroform			Not detected	10	Not detected	50
Chloromethane			Not detected	10	Not detected	50
cis-1,3-Dichloropropylene			Not detected	10	Not detected	50
Dibromochloromethane			Not detected	10	Not detected	50
Dibromomethane			Not detected	10	Not detected	50
Dichlorodifluoromethane			Not detected	10	Not detected	50
Ethylbenzene			Not detected	10	Not detected	50
Hexachlorobutadiene			Not detected	10	Not detected	50
Isopropylbenzene			Not detected	10	Not detected	50
Methyl tert-butyl ether (MTBE)			Not detected	10	Not detected	50
Methylene chloride			Not detected	10	Not detected	50
Naphthalene			Not detected	10	Not detected	50
n-Butylbenzene			Not detected	10	Not detected	50
n-Propylbenzene			Not detected	10	Not detected	50
o-Xylene			Not detected	10	Not detected	50
p- & m-Xylenes			Not detected	10	Not detected	50
p-Isopropyltoluene			Not detected	10	Not detected	50
sec-Butylbenzene			Not detected	10	Not detected	50
Styrene			Not detected	10	Not detected	50
tert-Butylbenzene			Not detected	10	Not detected	50
Tetrachloroethylene			300	10	2600	50
Toluene			Not detected	10	Not detected	50
trans-1,3-Dichloropropylene			Not detected	10	Not detected	50
Trichloroethylene			110	10	90	50
Trichlorofluoromethane			Not detected	10	Not detected	50
Vinyl chloride			42	10	64	50

Client Sample ID			B-4 (2')		B-4 (6')	
York Sample ID			09090481-07		09090481-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List + MTBE	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	10	Not detected	5.0
1,1,1-Trichloroethane			Not detected	10	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	5.0
1,1,2-Trichloroethane			Not detected	10	Not detected	5.0
1,1-Dichloroethane			Not detected	10	Not detected	5.0
1,1-Dichloroethylene			Not detected	10	Not detected	5.0
1,1-Dichloropropylene			Not detected	10	Not detected	5.0
1,2,3-Trichlorobenzene			Not detected	10	Not detected	5.0
1,2,3-Trichloropropane			Not detected	10	Not detected	5.0
1,2,3-Trimethylbenzene			Not detected	10	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	10	Not detected	5.0
1,2,4-Trimethylbenzene			Not detected	10	Not detected	5.0
1,2-Dibromo-3-chloropropane			Not detected	10	Not detected	5.0
1,2-Dibromoethane			Not detected	10	Not detected	5.0
1,2-Dichlorobenzene			Not detected	10	Not detected	5.0
1,2-Dichloroethane			Not detected	10	Not detected	5.0

**YORK**

Client Sample ID			B-4 (2')		B-4 (6')	
York Sample ID			09090481-07		09090481-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dichloroethylene (Total)			18(cis-)	10	Not detected	5.0
1,2-Dichloropropane			Not detected	10	Not detected	5.0
1,3,5-Trimethylbenzene			Not detected	10	Not detected	5.0
1,3-Dichlorobenzene			Not detected	10	Not detected	5.0
1,3-Dichloropropane			Not detected	10	Not detected	5.0
1,4-Dichlorobenzene			Not detected	10	Not detected	5.0
2,2-Dichloropropane			Not detected	10	Not detected	5.0
2-Chlorotoluene			Not detected	10	Not detected	5.0
4-Chlorotoluene			Not detected	10	Not detected	5.0
Benzene			Not detected	10	Not detected	5.0
Bromobenzene			Not detected	10	Not detected	5.0
Bromochloromethane			Not detected	10	Not detected	5.0
Bromodichloromethane			Not detected	10	Not detected	5.0
Bromoform			Not detected	10	Not detected	5.0
Bromomethane			Not detected	10	Not detected	5.0
Carbon tetrachloride			Not detected	10	Not detected	5.0
Chlorobenzene			Not detected	10	Not detected	5.0
Chloroethane			Not detected	10	Not detected	5.0
Chloroform			Not detected	10	Not detected	5.0
Chloromethane			Not detected	10	Not detected	5.0
cis-1,3-Dichloropropylene			Not detected	10	Not detected	5.0
Dibromochloromethane			Not detected	10	Not detected	5.0
Dibromomethane			Not detected	10	Not detected	5.0
Dichlorodifluoromethane			Not detected	10	Not detected	5.0
Ethylbenzene			Not detected	10	Not detected	5.0
Hexachlorobutadiene			Not detected	10	Not detected	5.0
Isopropylbenzene			Not detected	10	Not detected	5.0
Methyl tert-butyl ether (MTBE)			Not detected	10	Not detected	5.0
Methylene chloride			Not detected	10	Not detected	5.0
Naphthalene			Not detected	10	Not detected	5.0
n-Butylbenzene			Not detected	10	Not detected	5.0
n-Propylbenzene			Not detected	10	Not detected	5.0
o-Xylene			Not detected	10	Not detected	5.0
p- & m-Xylenes			Not detected	10	Not detected	5.0
p-Isopropyltoluene			Not detected	10	Not detected	5.0
sec-Butylbenzene			Not detected	10	Not detected	5.0
Styrene			Not detected	10	Not detected	5.0
tert-Butylbenzene			Not detected	10	Not detected	5.0
Tetrachloroethylene			240	10	12	5.0
Toluene			Not detected	10	Not detected	5.0
trans-1,3-Dichloropropylene			Not detected	10	Not detected	5.0
Trichloroethylene			Not detected	10	Not detected	5.0
Trichlorofluoromethane			Not detected	10	Not detected	5.0
Vinyl chloride			Not detected	10	Not detected	5.0

**Units Key:**

For Waters/Liquids: mg/L = ppm ; ug/L = ppb


For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

**YORK**

**Notes for York Project No. 09090481**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By: \_\_\_\_\_

  
Robert Q. Bradley  
Managing Director

Date: 9/15/2009



# YORK

Analytical Laboratories, Inc.

## QA/QC Summary Report

---

Associated Samples: AE31405

15-Sep-09

Client: Leggette Brashears & Graham

Analysis Name: *VOA QC Soils*  
Unit of Measure: ug/kg

Batch Name: \$VOAS-35723

QA Sample #: AE31405  
York's Sample ID: 09090481-01

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery,%	Precision, RPD
Trichloroethylene	101	Not detected	Not detected	50	51	102.0	51	102.0	0.0
Toluene	103	Not detected	Not detected	50	52	104.0	52	104.0	0.0
Chlorobenzene	103	Not detected	Not detected	50	52	104.0	52	104.0	0.0
Benzene	101	Not detected	Not detected	50	51	102.0	52	104.0	1.9
1,1-Dichloroethylene	106	Not detected	Not detected	50	54	108.0	54	108.0	0.0

YORK

# YORK

ANALYTICAL LABORATORIES, INC.  
 130 RESEARCH DR. STRATFORD, CT 06613  
 (203) 325-1571 FAX (203) 357-0166

# Field Chain-of-Custody Record

Page 1 of 2  
 York Project No. 09090481

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

**Client Information**  
 Company: LBG  
 Address: Windsor Plains  
 Phone No.: \_\_\_\_\_  
 Contract Person: Paul Wooley  
 E-Mail Address: \_\_\_\_\_

**Report To:**  
 Company: LBG  
 Address: \_\_\_\_\_  
 Phone No.: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 E-Mail Address: \_\_\_\_\_

**Invoice To:**  
 Company: LBG  
 Address: \_\_\_\_\_  
 Phone No.: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 E-Mail Address: \_\_\_\_\_

**Client Project ID**  
CHARLTON CLEANERS

**Purchase Order No.**  
 \_\_\_\_\_

**Client Type/Deliverables**  
 Summary Results Only  QA/QC Summary Chart   
 RCP Package ASP B Pkg  
 ASP A Pkg \_\_\_\_\_ Excel format \_\_\_\_\_  
 EDD \_\_\_\_\_ OTHER \_\_\_\_\_

**Print Clearly and Legibly. All information must be entered in this clock will not begin until any questions in this form are resolved.**

*Paul Wooley*  
 Samples Collected/Authorized By (Signature)  
Paul Wooley  
 Name (printed)

**Matrix Codes**  
 S - soil  
 Other - specify (e.g., m.)  
 WW - wastewater  
 GW - groundwater  
 DW - drinking water  
 Air-A - ambient air  
 Air-SV - soil vapor

**Volatiles**  
 TICs  
 Site Spec.  
 Sulfur  
 STARS  
 BTEX  
 MTBE  
 TCE  
 TAGM  
 CT BCP  
 Arom.  
 Hubog  
 App. IX  
 M218 list  
 3015

**Special**  
 Instructions  
 Field Filtered   
 Lab to Filter

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Descriptors
B-1 (2')	9/10/09 0957	S	8260 Full	203
B-1 (6')	1015		8260 Full	403
B-2 (2')	1022		8260 Full	403
B-2 (6')	1254		8260 Full	403/803
B-3 (2')	1320		8260 Full	403
B-3 (6')	1341		8260 Full	403/803
B-4 (2')	1400		8260 Full	403
B-4 (6')	1431		8260 Full	403
SOLID WASTE CHAR	1605	✓	WILL ADVISE ON PARAMETERS	(2) 803

**Comments**  
 please call questions with the questions Summary Remarks on "Solid Waste" POSSIBLY ASP CAT B ON OTHERS DEPENDING ON RESULTS

**Temperature on Receipt**  
3.7 °C

**Preservation**  
 Check them Applicable:  Freeze  Dry Ice  In-ON

**Refrigeration**  
 4°C \_\_\_\_\_ 4°C \_\_\_\_\_ 4°C \_\_\_\_\_ 4°C \_\_\_\_\_  
 H<sub>2</sub>O \_\_\_\_\_ Other \_\_\_\_\_ H<sub>2</sub>O \_\_\_\_\_ H<sub>2</sub>O \_\_\_\_\_  
 MeOH \_\_\_\_\_ Acetone \_\_\_\_\_ Other \_\_\_\_\_

**Temperature on Receipt**  
3.7 °C

**Signature**  
Paul Wooley  
 Date/Time: 9/14/09 14:50  
 Samples Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Samples Received in LAB by: \_\_\_\_\_ Date/Time: \_\_\_\_\_

WILL REQUIRE BASED ON RESULTS (AS PER RIC#)

09090 481

JOHN NASO, JR  
 WILLIAM K. BECKMAN  
 DAN C. BUZEA  
 I. KEVIN POWERS  
 FRANK J. GETCHELL  
 CHARLES W. KREITLER  
 JEFFREY B. LENNOX  
 W. JOHN SEIFERT, JR  
 DAVID A. WILEY  
 ROBERT F. GOOD, JR.  
 TIMOTHY L. KENYON  
 THOMAS P. CUSACK  
 DAVID B. TERRY  
 MATTHEW P. PERAMAKI

# LEGGETTE, BRASHEARS & GRAHAM, INC.

## PROFESSIONAL GROUND-WATER AND ENVIRONMENTAL ENGINEERING SERVICES

110 CORPORATE PARK DRIVE, SUITE 112  
 WHITE PLAINS, NY 10604  
 914-694-5711  
 FAX 914-694-5744  
 www.lbgweb.com

JOHN M. BENVENGA  
 JOHN L. BOGNAR  
 KIMBERLY R. BLOMKER  
 JORMA WEBER  
 JOSEPH W. STANDEN, JR.  
 MICHAEL A. MANDLAKAS  
 JAMES A. BEACH  
 WILLIAM P. PREHODA  
 JEFFREY M. TROMMER  
 DAVID S. HUME

BRUCE K. DARLING  
 KAREN B. DESTEFANIS  
 JEFFREY T. SCHICK  
 KENNETH D. TAYLOR  
 ROBERT M. ROHLFS  
 WILLIAM G. STEIN  
 JOHN W. NELSON  
 WILLIAM H. AVERY  
 ROY SILBERSTEIN  
 PAUL M. JOBMANN  
 BRIAN C. KIMPEL  
 JOHN R. DIEGO  
 KEITH J. SHORTSLEEVE  
 MICHAEL J. SUSCA  
 BRAD L. CROSS  
 MITCHELL W. KANNENBERG

R. G. SLAYBACK  
 JOHN B. ASHWORTH

FAX COVER SHEET	
DATE:	9/14
PLEASE DELIVER TO:	Phil Murphy
COMPANY:	YORK
FAX NUMBER:	203 357 0166
FROM:	Paul Woodell
TOTAL NUMBER OF PAGES (INCLUDING THIS PAGE):	3
SUBJECT:	24 HOUR TAT
COMMENTS:	<del>PRIVATE AND CONFIDENTIAL**</del>
<p>THE INFORMATION CONTAINED IN THIS FAX TRANSMISSION IS INTENDED ONLY FOR THE PERSONAL AND CONFIDENTIAL USE OF THE DESIGNATED RECIPIENT NAMED ABOVE. THIS TRANSMISSION MAY BE AN ATTORNEY-CLIENT COMMUNICATION, AND AS SUCH IS PRIVILEGED AND CONFIDENTIAL.</p> <p>phil, your guy just left office. he has 8 soil samples for 8260 FUL with 24-hr TAT. Please call w/ questions</p> <p>Thanks, Paul</p>	
<p>If you do not receive all the correct number of pages, please call Darlene M. Day at (914) 694-5711, as soon as possible.</p> <p>A hard copy of this transmission will follow by: _____ regular mail, or _____ overnight service. Please join us in observing this FAX courtesy.</p>	

P-2 (6')  
B-2 (6')  
8270  
P-2  
P-2  
+ (2) pipes

P-2 water  
B-2 monitoring 8270  
+ (2) pipes

# Technical Report

prepared for:

RECEIVED  
SEP 23 2009  
LBG-NY

**Leggette Brashears & Graham**  
110 Corporate Park Drive  
Suite 112  
White Plains, New York 10604  
Attention: Paul Woodell

Report Date: 9/18/2009

*Re: Client Project ID: Charlton Cleaners*  
York Project No.: 09090482

CT License No. PH-0723

New Jersey License No. CT-005

New York License No. 10854

PA Reg. 68-04440



Report Date: 9/18/2009  
 Client Project ID: Charlton Cleaners  
 York Project No.: 09090482

**Leggette Brashears & Graham**  
 110 Corporate Park Drive  
 Suite 112  
 White Plains, New York 10604  
 Attention: Paul Woodell

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 09/14/09. The project was identified as your project "Charlton Cleaners".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

### Analysis Results

Client Sample ID			B-2 (6')		
York Sample ID			09090482-01		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Pesticides, 8081 List	SW846-3550B/8081	ug/Kg	---	---	---
4,4'-DDD			Not detected		1.84
4,4'-DDE			Not detected		1.84
4,4'-DDT			Not detected		1.84
Aldrin			Not detected		0.920
alpha Chlordane			Not detected		0.920
alpha-BHC			Not detected		0.920
beta-BHC			Not detected		0.920
delta-BHC			Not detected		0.920
Dieldrin			Not detected		0.380
Endosulfan I			Not detected		0.920
Endosulfan II			Not detected		1.84
Endosulfan sulfate			Not detected		1.84

Client Sample ID			B-2 (6')		
York Sample ID			09090482-01		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Endrin			Not detected		1.84
Endrin aldehyde			Not detected		1.84
gamma Chlordane			Not detected		0.920
gamma-BHC (Lindane)			Not detected		0.920
Heptachlor			Not detected		0.920
Heptachlor epoxide			Not detected		0.920
Methoxychlor			Not detected		9.20
Toxaphene			Not detected		11.5
BNA, 8270 List	SW846-8270C	ug/Kg	---	---	---
1,2,4-Trichlorobenzene			Not detected		290
1,2-Dichlorobenzene			Not detected		290
1,3-Dichlorobenzene			Not detected		290
1,4-Dichlorobenzene			Not detected		290
2,4,5-Trichlorophenol			Not detected		290
2,4,6-Trichlorophenol			Not detected		290
2,4-Dichlorophenol			Not detected		290
2,4-Dimethylphenol			Not detected		290
2,4-Dinitrophenol			Not detected		290
2,4-Dinitrotoluene			Not detected		290
2,6-Dinitrotoluene			Not detected		290
2-Chloronaphthalene			Not detected		290
2-Chlorophenol			Not detected		290
2-Methylnaphthalene			Not detected		290
2-Methylphenol			Not detected		290
2-Nitroaniline			Not detected		290
2-Nitrophenol			Not detected		290
3,3'-Dichlorobenzidine			Not detected		290
3-Methylphenol			Not detected		290
3-Nitroaniline			Not detected		290
4,6-Dinitro-2-methylphenol			Not detected		290
4-Bromophenyl phenyl ether			Not detected		290
4-Chloro-3-methyl phenol			Not detected		290
4-Chloroaniline			Not detected		290
4-Chlorophenyl phenyl ether			Not detected		290
4-Methylphenol			Not detected		290
4-Nitroaniline			Not detected		290
4-Nitrophenol			Not detected		290
Acenaphthene			Not detected		290
Acenaphthylene			Not detected		290
Aniline			Not detected		290
Anthracene			Not detected		290
Benzidine			Not detected		290
Benzo(a)anthracene			Not detected		290
Benzo(a)pyrene			Not detected		290
Benzo(b)fluoranthene			Not detected		290
Benzo(g,h,i)perylene			Not detected		290
Benzo(k)fluoranthene			Not detected		290
Benzyl alcohol			Not detected		290

Client Sample ID			B-2 (6')		
York Sample ID			09090482-01		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Bis(2-chloroethoxy)methane			Not detected		290
Bis(2-chloroethyl)ether			Not detected		290
Bis(2-chloroisopropyl)ether			Not detected		290
Bis(2-ethylhexyl)phthalate			Not detected		290
Butyl benzyl phthalate			Not detected		290
Chrysene			Not detected		290
Dibenz(a,h)anthracene			Not detected		290
Dibenzofuran			Not detected		290
Diethylphthalate			Not detected		290
Dimethylphthalate			Not detected		290
Di-n-butylphthalate			Not detected		290
Di-n-octylphthalate			Not detected		290
Fluoranthene			Not detected		290
Fluorene			Not detected		290
Hexachlorobenzene			Not detected		290
Hexachlorobutadiene			Not detected		290
Hexachlorocyclopentadiene			Not detected		290
Hexachloroethane			Not detected		290
Indeno(1,2,3-cd)pyrene			Not detected		290
Isophorone			Not detected		290
Naphthalene			Not detected		290
Nitrobenzene			Not detected		290
N-Nitrosodi-n-propylamine			Not detected		290
N-Nitrosodiphenylamine			Not detected		290
Pentachlorophenol			Not detected		290
Phenanthrene			Not detected		290
Phenol			Not detected		290
Pyrene			Not detected		290
Pyridine			Not detected		290
PCB	SW846-3550B/8082	mg/Kg	---	---	---
PCB 1016			Not detected		0.0195
PCB 1221			Not detected		0.0195
PCB 1232			Not detected		0.0195
PCB 1242			Not detected		0.0195
PCB 1248			Not detected		0.0195
PCB 1254			Not detected		0.0195
PCB 1260			Not detected		0.0195
Metals, Total RCRA List	SW846	mg/kG	---	---	---
Arsenic, total			6.68		1.2
Barium, total			58.9		0.58
Cadmium, total			0.61		0.58
Chromium, total			14.7		0.58
Lead, total			11.2		0.58
Selenium, total			Not detected		1.2
Silver, total			Not detected		0.58
Mercury	SW846-7471	mg/kG	Not detected	---	0.115
Total Solids	SM 2540B	%	86.8	---	1.0

Client Sample ID			B-3 (6')		
York Sample ID			09090482-02		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Pesticides, 8081 List	SW846-3550B/8081	ug/Kg	---	---	---
4,4'-DDD			Not detected		1.94
4,4'-DDE			Not detected		1.94
4,4'-DDT			Not detected		1.94
Aldrin			Not detected		0.968
alpha Chlordane			Not detected		0.968
alpha-BHC			Not detected		0.968
beta-BHC			Not detected		0.968
delta-BHC			Not detected		0.968
Dieldrin			Not detected		0.399
Endosulfan I			Not detected		0.968
Endosulfan II			Not detected		1.94
Endosulfan sulfate			Not detected		1.94
Endrin			Not detected		1.94
Endrin aldehyde			Not detected		1.94
gamma Chlordane			Not detected		0.968
gamma-BHC (Lindane)			Not detected		0.968
Heptachlor			Not detected		0.968
Heptachlor epoxide			Not detected		0.968
Methoxychlor			Not detected		9.68
Toxaphene			Not detected		12.1
BNA, 8270 List	SW846-8270C	ug/Kg	---	---	---
1,2,4-Trichlorobenzene			Not detected		300
1,2-Dichlorobenzene			Not detected		300
1,3-Dichlorobenzene			Not detected		300
1,4-Dichlorobenzene			Not detected		300
2,4,5-Trichlorophenol			Not detected		300
2,4,6-Trichlorophenol			Not detected		300
2,4-Dichlorophenol			Not detected		300
2,4-Dimethylphenol			Not detected		300
2,4-Dinitrophenol			Not detected		300
2,4-Dinitrotoluene			Not detected		300
2,6-Dinitrotoluene			Not detected		300
2-Chloronaphthalene			Not detected		300
2-Chlorophenol			Not detected		300
2-Methylnaphthalene			Not detected		300
2-Methylphenol			Not detected		300
2-Nitroaniline			Not detected		300
2-Nitrophenol			Not detected		300
3,3'-Dichlorobenzidine			Not detected		300
3-Methylphenol			Not detected		300
3-Nitroaniline			Not detected		300
4,6-Dinitro-2-methylphenol			Not detected		300
4-Bromophenyl phenyl ether			Not detected		300
4-Chloro-3-methyl phenol			Not detected		300
4-Chloroaniline			Not detected		300
4-Chlorophenyl phenyl ether			Not detected		300



Client Sample ID			B-3 (6')		
York Sample ID			09090482-02		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
4-Methylphenol			Not detected		300
4-Nitroaniline			Not detected		300
4-Nitrophenol			Not detected		300
Acenaphthene			Not detected		300
Acenaphthylene			Not detected		300
Aniline			Not detected		300
Anthracene			Not detected		300
Benzidine			Not detected		300
Benzo(a)anthracene			Not detected		300
Benzo(a)pyrene			Not detected		300
Benzo(b)fluoranthene			Not detected		300
Benzo(g,h,i)perylene			Not detected		300
Benzo(k)fluoranthene			Not detected		300
Benzyl alcohol			Not detected		300
Bis(2-chloroethoxy)methane			Not detected		300
Bis(2-chloroethyl)ether			Not detected		300
Bis(2-chloroisopropyl)ether			Not detected		300
Bis(2-ethylhexyl)phthalate			Not detected		300
Butyl benzyl phthalate			Not detected		300
Chrysene			Not detected		300
Dibenz(a,h)anthracene			Not detected		300
Dibenzofuran			Not detected		300
Diethylphthalate			Not detected		300
Dimethylphthalate			Not detected		300
Di-n-butylphthalate			Not detected		300
Di-n-octylphthalate			Not detected		300
Fluoranthene			Not detected		300
Fluorene			Not detected		300
Hexachlorobenzene			Not detected		300
Hexachlorobutadiene			Not detected		300
Hexachlorocyclopentadiene			Not detected		300
Hexachloroethane			Not detected		300
Indeno(1,2,3-cd)pyrene			Not detected		300
Isophorone			Not detected		300
Naphthalene			Not detected		300
Nitrobenzene			Not detected		300
N-Nitrosodi-n-propylamine			Not detected		300
N-Nitrosodiphenylamine			Not detected		300
Pentachlorophenol			Not detected		300
Phenanthrene			Not detected		300
Phenol			Not detected		300
Pyrene			Not detected		300
Pyridine			Not detected		300
PCB	SW846-3550B/8082	mg/Kg	---	---	---
PCB 1016			Not detected		0.0206
PCB 1221			Not detected		0.0206
PCB 1232			Not detected		0.0206
PCB 1242			Not detected		0.0206

Client Sample ID			B-3 (6')		
York Sample ID			09090482-02		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
PCB 1248			Not detected		0.0206
PCB 1254			Not detected		0.0206
PCB 1260			Not detected		0.0206
Metals, Total RCRA List	SW846	mg/kG	---	---	---
Arsenic, total			6.50		1.2
Barium, total			62.4		0.61
Cadmium, total			Not detected		0.61
Chromium, total			11.9		0.61
Lead, total			15.4		0.61
Selenium, total			Not detected		1.2
Silver, total			Not detected		0.61
Mercury	SW846-7471	mg/kG	Not detected	---	0.121
Total Solids	SM 2540B	%	82.6	---	1.0

Client Sample ID			Clay Pipe		
York Sample ID			09090482-03		
Matrix			WATER		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, 8260 List + MTBE	SW846-8260	ug/L	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		5.0
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethylene			3	J	5.0
1,1-Dichloropropylene			Not detected		5.0
1,2,3-Trichlorobenzene			Not detected		5.0
1,2,3-Trichloropropane			Not detected		5.0
1,2,4-Trichlorobenzene			Not detected		5.0
1,2,4-Trimethylbenzene			Not detected		5.0
1,2-Dibromo-3-chloropropane			Not detected		5.0
1,2-Dibromoethane			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0
1,2-Dichloropropane			Not detected		5.0
1,3,5-Trimethylbenzene			Not detected		5.0
1,3-Dichlorobenzene			Not detected		5.0
1,3-Dichloropropane			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2,2-Dichloropropane			Not detected		5.0
2-Chlorotoluene			Not detected		5.0
4-Chlorotoluene			Not detected		5.0
Benzene			Not detected		5.0
Bromobenzene			Not detected		5.0
Bromochloromethane			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0

<b>Client Sample ID</b>			<b>Clay Pipe</b>		
<b>York Sample ID</b>			<b>09090482-03</b>		
<b>Matrix</b>			<b>WATER</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
Bromomethane			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0
cis-1,2-Dichloroethylene			850		25.0
cis-1,3-Dichloropropylene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dibromomethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Hexachlorobutadiene			Not detected		5.0
Isopropylbenzene			Not detected		5.0
Methyl tert-butyl ether (MTBE)			1	J	5.0
Methylene chloride			7	JB	10.0
Naphthalene			Not detected		5.0
n-Butylbenzene			Not detected		5.0
n-Propylbenzene			Not detected		5.0
o-Xylene			Not detected		5.0
p- & m-Xylenes			Not detected		5.0
p-Isopropyltoluene			Not detected		5.0
sec-Butylbenzene			Not detected		5.0
Styrene			Not detected		5.0
tert-Butylbenzene			Not detected		5.0
Tetrachloroethylene			990		25.0
Toluene			Not detected		5.0
trans-1,2-Dichloroethylene			3	J	5.0
trans-1,3-Dichloropropylene			Not detected		5.0
Trichloroethylene			83		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			130		5.0

<b>Client Sample ID</b>			<b>Corrogated Pipe</b>		
<b>York Sample ID</b>			<b>09090482-04</b>		
<b>Matrix</b>			<b>WATER</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List + MTBE</b>	SW846-8260	ug/L	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		5.0
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethylene			Not detected		5.0
1,1-Dichloropropylene			Not detected		5.0
1,2,3-Trichlorobenzene			Not detected		5.0
1,2,3-Trichloropropane			Not detected		5.0

<b>Client Sample ID</b>			<b>Corrogated Pipe</b>		
<b>York Sample ID</b>			<b>09090482-04</b>		
<b>Matrix</b>			<b>WATER</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
1,2,4-Trichlorobenzene			Not detected		5.0
1,2,4-Trimethylbenzene			Not detected		5.0
1,2-Dibromo-3-chloropropane			Not detected		5.0
1,2-Dibromoethane			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0
1,2-Dichloropropane			Not detected		5.0
1,3,5-Trimethylbenzene			Not detected		5.0
1,3-Dichlorobenzene			Not detected		5.0
1,3-Dichloropropane			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2,2-Dichloropropane			Not detected		5.0
2-Chlorotoluene			Not detected		5.0
4-Chlorotoluene			Not detected		5.0
Benzene			Not detected		5.0
Bromobenzene			Not detected		5.0
Bromochloromethane			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0
Bromomethane			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0
cis-1,2-Dichloroethylene			180		5.0
cis-1,3-Dichloropropylene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dibromomethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Hexachlorobutadiene			Not detected		5.0
Isopropylbenzene			Not detected		5.0
Methyl tert-butyl ether (MTBE)			Not detected		5.0
Methylene chloride			6	JB	10.0
Naphthalene			Not detected		5.0
n-Butylbenzene			Not detected		5.0
n-Propylbenzene			Not detected		5.0
o-Xylene			Not detected		5.0
p- & m-Xylenes			Not detected		5.0
p-Isopropyltoluene			Not detected		5.0
sec-Butylbenzene			Not detected		5.0
Styrene			Not detected		5.0
tert-Butylbenzene			Not detected		5.0
Tetrachloroethylene			280		10.0

<b>Client Sample ID</b>			<b>Corrogated Pipe</b>		
<b>York Sample ID</b>			<b>09090482-04</b>		
<b>Matrix</b>			<b>WATER</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
Toluene			Not detected		5.0
trans-1,2-Dichloroethylene			2	J	5.0
trans-1,3-Dichloropropylene			Not detected		5.0
Trichloroethylene			38		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			1	J	5.0

<b>Client Sample ID</b>			<b>B-2</b>		
<b>York Sample ID</b>			<b>09090482-05</b>		
<b>Matrix</b>			<b>WATER</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List + MTBE</b>	SW846-8260	ug/L	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		5.0
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethylene			Not detected		5.0
1,1-Dichloropropylene			Not detected		5.0
1,2,3-Trichlorobenzene			Not detected		5.0
1,2,3-Trichloropropane			Not detected		5.0
1,2,4-Trichlorobenzene			Not detected		5.0
1,2,4-Trimethylbenzene			5		5.0
1,2-Dibromo-3-chloropropane			Not detected		5.0
1,2-Dibromoethane			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0
1,2-Dichloropropane			Not detected		5.0
1,3,5-Trimethylbenzene			1	J	5.0
1,3-Dichlorobenzene			Not detected		5.0
1,3-Dichloropropane			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2,2-Dichloropropane			Not detected		5.0
2-Chlorotoluene			Not detected		5.0
4-Chlorotoluene			Not detected		5.0
Benzene			Not detected		5.0
Bromobenzene			Not detected		5.0
Bromochloromethane			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0
Bromomethane			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0

Client Sample ID			B-2		
York Sample ID			09090482-05		
Matrix			WATER		
Parameter	Method	Units	Result	Qualifier	RL
cis-1,2-Dichloroethylene			85		5.0
cis-1,3-Dichloropropylene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dibromomethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Hexachlorobutadiene			Not detected		5.0
Isopropylbenzene			Not detected		5.0
Methyl tert-butyl ether (MTBE)			Not detected		5.0
Methylene chloride			7	JB	10.0
Naphthalene			11		5.0
n-Butylbenzene			Not detected		5.0
n-Propylbenzene			Not detected		5.0
o-Xylene			1	J	5.0
p- & m-Xylenes			1	J	5.0
p-Isopropyltoluene			Not detected		5.0
sec-Butylbenzene			Not detected		5.0
Styrene			Not detected		5.0
tert-Butylbenzene			Not detected		5.0
Tetrachloroethylene			230		25.0
Toluene			Not detected		5.0
trans-1,2-Dichloroethylene			5		5.0
trans-1,3-Dichloropropylene			Not detected		5.0
Trichloroethylene			28		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			29		5.0

Client Sample ID			B-3		
York Sample ID			09090482-06		
Matrix			WATER		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, 8260 List + MTBE	SW846-8260	ug/L	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		5.0
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethylene			3	J	5.0
1,1-Dichloropropylene			Not detected		5.0
1,2,3-Trichlorobenzene			Not detected		5.0
1,2,3-Trichloropropane			Not detected		5.0
1,2,4-Trichlorobenzene			Not detected		5.0
1,2,4-Trimethylbenzene			Not detected		5.0
1,2-Dibromo-3-chloropropane			Not detected		5.0
1,2-Dibromoethane			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0

Client Sample ID			B-3		
York Sample ID			09090482-06		
Matrix			WATER		
Parameter	Method	Units	Result	Qualifier	RL
1,2-Dichloropropane			Not detected		5.0
1,3,5-Trimethylbenzene			Not detected		5.0
1,3-Dichlorobenzene			Not detected		5.0
1,3-Dichloropropane			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2,2-Dichloropropane			Not detected		5.0
2-Chlorotoluene			Not detected		5.0
4-Chlorotoluene			Not detected		5.0
Benzene			Not detected		5.0
Bromobenzene			Not detected		5.0
Bromochloromethane			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0
Bromomethane			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0
cis-1,2-Dichloroethylene			930		25.0
cis-1,3-Dichloropropylene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dibromomethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Hexachlorobutadiene			Not detected		5.0
Isopropylbenzene			Not detected		5.0
Methyl tert-butyl ether (MTBE)			Not detected		5.0
Methylene chloride			6	JB	10.0
Naphthalene			Not detected		5.0
n-Butylbenzene			Not detected		5.0
n-Propylbenzene			Not detected		5.0
o-Xylene			Not detected		5.0
p- & m-Xylenes			Not detected		5.0
p-Isopropyltoluene			Not detected		5.0
sec-Butylbenzene			Not detected		5.0
Styrene			Not detected		5.0
tert-Butylbenzene			Not detected		5.0
Tetrachloroethylene			900		25.0
Toluene			Not detected		5.0
trans-1,2-Dichloroethylene			3	J	5.0
trans-1,3-Dichloropropylene			Not detected		5.0
Trichloroethylene			85		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			140		5.0

Units Key: For Waters/Liquids: mg/L = ppm ; ug/L = ppb


For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

Report Date: 9/18/2009  
Client Project ID: Charlton Cleaners  
York Project No.: 09090482

**Notes for York Project No. 09090482**

1. The "RL" is the REPORTING LIMIT and is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This REPORTING LIMIT is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.
8. Other attachments to this report, including Chain-of-custody documentation and Case narratives are hereby made a part of this report.

Approved By:

  
Robert Q. Bradley  
Managing Director

Date: 9/18/2009



# Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

Yorik Project No. 0909.0

**Client Information**  
 Company: LBG  
 Address: Whitcomb Lane  
 Phone No.: \_\_\_\_\_  
 Contact Person: Paul Woolley  
 E-Mail Address: \_\_\_\_\_

**Report To:**  
 Company: LBG  
 Address: \_\_\_\_\_  
 Phone No.: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 E-Mail Address: \_\_\_\_\_

**Invoice To:**  
 Company: LBG  
 Address: \_\_\_\_\_  
 Phone No.: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 E-Mail Address: \_\_\_\_\_

**Client Project ID:**  
CHARLTON CLEANERS

**Purchase Order No.:**  
 \_\_\_\_\_

**Report Type/Deliverables**  
 Summary Results Only  QALOC Summary Chart   
 RCP Package ASPB Pkg  
 ASP A Pkg \_\_\_\_\_ Excel format \_\_\_\_\_  
 EDD \_\_\_\_\_ OTHER \_\_\_\_\_

**Standard**  **Other** \_\_\_\_\_

**Microelement Parameters**  
 Cadmium \_\_\_\_\_ Chloride \_\_\_\_\_ Chromium \_\_\_\_\_ Cobalt \_\_\_\_\_ Copper \_\_\_\_\_ Fluoride \_\_\_\_\_ Lead \_\_\_\_\_ Manganese \_\_\_\_\_ Mercury \_\_\_\_\_ Nickel \_\_\_\_\_ Nitrate \_\_\_\_\_ Nitrite \_\_\_\_\_ Phosphate \_\_\_\_\_ Potassium \_\_\_\_\_ Selenium \_\_\_\_\_ Silver \_\_\_\_\_ Sulfate \_\_\_\_\_ Tantalum \_\_\_\_\_ Tellurium \_\_\_\_\_ Vanadium \_\_\_\_\_ Zinc \_\_\_\_\_

**Microelement Parameters**  
 Barium \_\_\_\_\_ Boron \_\_\_\_\_ Bromine \_\_\_\_\_ Calcium \_\_\_\_\_ Carbon \_\_\_\_\_ Chloride \_\_\_\_\_ Chromium \_\_\_\_\_ Cobalt \_\_\_\_\_ Copper \_\_\_\_\_ Fluoride \_\_\_\_\_ Gallium \_\_\_\_\_ Germanium \_\_\_\_\_ Iodine \_\_\_\_\_ Iron \_\_\_\_\_ Lead \_\_\_\_\_ Magnesium \_\_\_\_\_ Manganese \_\_\_\_\_ Mercury \_\_\_\_\_ Molybdenum \_\_\_\_\_ Nickel \_\_\_\_\_ Nitrate \_\_\_\_\_ Nitrite \_\_\_\_\_ Phosphate \_\_\_\_\_ Potassium \_\_\_\_\_ Selenium \_\_\_\_\_ Silver \_\_\_\_\_ Sulfate \_\_\_\_\_ Tantalum \_\_\_\_\_ Tellurium \_\_\_\_\_ Vanadium \_\_\_\_\_ Zinc \_\_\_\_\_

**Special Instructions**  
 Field Filtered   
 Lab to Filter

**Choose Analyses Needed from the Menu Above and Enter Below**

Sample Identification	Date Sampled	Sample Matrix	Analysis	Container Description (if)
B-1 (2')	9/1/09 0957	S	8260 Full	203
B-1 (6')	1015		8260 Full	403
B-2 (2')	1027		8260 Full	403
B-2 (6')	1254		8260 Full	403/803
B-3 (2')	1320		8260 Full	403
B-3 (6')	1341		8260 Full	403/803
B-4 (2')	1400		8260 Full	403
B-4 (6')	1431		8260 Full	403
SOLID WASTE CONT.	1605		WILL ADVISE ON PARAMETERS	(6) 803

**Comments**  
 Please call questions w/ the questions  
 Summary Results on "Solid Waste"  
 POSSIBLY ASPCAT AS ON OTHERS  
 DEPENDING ON RESULTS

**Preservation**  
 Check items Applicable: \_\_\_\_\_  
 PC \_\_\_\_\_ Fumes \_\_\_\_\_ I \_\_\_\_\_ PC \_\_\_\_\_ BINO \_\_\_\_\_ PC \_\_\_\_\_  
 Other \_\_\_\_\_

**Temperature on Receipt**  
3.7°C

**Signature**  
 Samples Relinquished By: Paul Woolley Date/Time: 9/14/09 4:50  
 Samples Received By: Chris C Date/Time: 9/14/09 11:50  
 Samples Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Samples Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

WILL REQUIRE BASIS ON RESULTS (AS PER RIC#)

182

ON SOLID WASTE QALOC Summary Chart



RECEIVED

OCT 13 2009

LBG - NY

# Technical Report

prepared for:

**Leggette Brashears & Graham**  
110 Corporate Park Drive  
Suite 112  
White Plains, New York 10604  
Attention: Paul Woodell

Report Date: 10/7/2009

*Re: Client Project ID: Charlton Cleaners*

York Project No.: 09100009

CT License No PH-0723

New Jersey License No. CT-005

New York License No. 10854

PA Reg. 68-04440



Report Date: 10/7/2009  
 Client Project ID: Charlton Cleaners  
 York Project No.: 09100009

**Leggette Brashears & Graham**  
 110 Corporate Park Drive  
 Suite 112  
 White Plains, New York 10604  
 Attention: Paul Woodell

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 09/30/09. The project was identified as your project "Charlton Cleaners".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

### Analysis Results

Client Sample ID			S-1		
York Sample ID			09100009-01		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, 8260 List	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12

<b>Client Sample ID</b>			<b>S-1</b>		
<b>York Sample ID</b>			<b>09100009-01</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			140		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			6	J	12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			18	JB	23
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			5	J	12
p- & m-Xylenes			19		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			220		12
Toluene			Not detected		12

<b>Client Sample ID</b>			<b>S-1</b>		
<b>York Sample ID</b>			<b>09100009-01</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			27		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			9	J	12
Total Solids	SM 2540B	%	86.6	---	1.0

<b>Client Sample ID</b>			<b>S-2</b>		
<b>York Sample ID</b>			<b>09100009-02</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12

<b>Client Sample ID</b>			<b>S-2</b>		
<b>York Sample ID</b>			<b>09100009-02</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
cis-1,2-Dichloroethylene			4	J	12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			16	JB	23
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			47		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			Not detected		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	86.9	---	1.0

<b>Client Sample ID</b>			<b>S-3</b>		
<b>York Sample ID</b>			<b>09100009-03</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12

<b>Client Sample ID</b>			<b>S-3</b>		
<b>York Sample ID</b>			<b>09100009-03</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			8	J	12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			18	JB	24
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			66		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			Not detected		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	84.3	---	1.0



<b>Client Sample ID</b>			<b>Bottom-1</b>		
<b>York Sample ID</b>			<b>09100009-04</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			22		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			16	JB	24
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12

<b>Client Sample ID</b>			<b>Bottom-1</b>		
<b>York Sample ID</b>			<b>09100009-04</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			190		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			3	J	12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	84.5	---	1.0

<b>Client Sample ID</b>			<b>Bottom of Sump</b>		
<b>York Sample ID</b>			<b>09100009-05</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12

<b>Client Sample ID</b>			<b>Bottom of Sump</b>		
<b>York Sample ID</b>			<b>09100009-05</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			87		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			5	J	12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			16	JB	24
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			4	J	12
p- & m-Xylenes			12		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			240		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			13		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			9	J	12
Total Solids	SM 2540B	%	82.2	---	1.0

<b>Client Sample ID</b>			<b>Bottom-2</b>		
<b>York Sample ID</b>			<b>09100009-06</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12

Client Sample ID			Bottom-2		
York Sample ID			09100009-06		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			240		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			16	JB	23
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12

<b>Client Sample ID</b>			<b>Bottom-2</b>		
<b>York Sample ID</b>			<b>09100009-06</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
Tetrachloroethylene			420		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			25		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	86.9	---	1.0

<b>Client Sample ID</b>			<b>S-4</b>		
<b>York Sample ID</b>			<b>09100009-07</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12

<b>Client Sample ID</b>			<b>S-4</b>		
<b>York Sample ID</b>			<b>09100009-07</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			90		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			15	JB	23
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			450		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			9	J	12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	86.9	---	1.0

<b>Client Sample ID</b>			<b>S-5</b>		
<b>York Sample ID</b>			<b>09100009-08</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12

Client Sample ID			S-5		
York Sample ID			09100009-08		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			5	J	12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			17	JB	23
MTBE			Not detected		12
Naphthalene			Not detected		12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			42		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			Not detected		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	86.8	---	1.0

<b>Client Sample ID</b>			<b>S-6</b>		
<b>York Sample ID</b>			<b>09100009-09</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			26		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			Not detected		12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			17	JB	23
MTBE			Not detected		12
Naphthalene			Not detected		12



<b>Client Sample ID</b>			<b>S-6</b>		
<b>York Sample ID</b>			<b>09100009-09</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			Not detected		12
p- & m-Xylenes			Not detected		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			40		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			Not detected		12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	86.5	---	1.0

<b>Client Sample ID</b>			<b>S-7</b>		
<b>York Sample ID</b>			<b>09100009-10</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		12
1,1,1-Trichloroethane			Not detected		12
1,1,2,2-Tetrachloroethane			Not detected		12
1,1,2-Trichloroethane			Not detected		12
1,1-Dichloroethane			Not detected		12
1,1-Dichloroethylene			Not detected		12
1,1-Dichloropropylene			Not detected		12
1,2,3-Trichlorobenzene			Not detected		12
1,2,3-Trichloropropane			Not detected		12
1,2,4-Trichlorobenzene			Not detected		12
1,2,4-Trimethylbenzene			Not detected		12
1,2-Dibromo-3-chloropropane			Not detected		12
1,2-Dibromoethane			Not detected		12
1,2-Dichlorobenzene			Not detected		12
1,2-Dichloroethane			Not detected		12
1,2-Dichloropropane			Not detected		12
1,3,5-Trimethylbenzene			Not detected		12
1,3-Dichlorobenzene			Not detected		12
1,3-Dichloropropane			Not detected		12
1,4-Dichlorobenzene			Not detected		12
2,2-Dichloropropane			Not detected		12
2-Chlorotoluene			Not detected		12
4-Chlorotoluene			Not detected		12
Benzene			Not detected		12
Bromobenzene			Not detected		12

<b>Client Sample ID</b>			<b>S-7</b>		
<b>York Sample ID</b>			<b>09100009-10</b>		
<b>Matrix</b>			<b>SOIL</b>		
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>	<b>RL</b>
Bromochloromethane			Not detected		12
Bromodichloromethane			Not detected		12
Bromoform			Not detected		12
Bromomethane			Not detected		12
Carbon tetrachloride			Not detected		12
Chlorobenzene			Not detected		12
Chloroethane			Not detected		12
Chloroform			Not detected		12
Chloromethane			Not detected		12
cis-1,2-Dichloroethylene			20		12
cis-1,3-Dichloropropylene			Not detected		12
Dibromochloromethane			Not detected		12
Dibromomethane			Not detected		12
Dichlorodifluoromethane			Not detected		12
Ethylbenzene			8	J	12
Hexachlorobutadiene			Not detected		12
Isopropylbenzene			Not detected		12
Methylene chloride			16	JB	23
MTBE			Not detected		12
Naphthalene			3	JB	12
n-Butylbenzene			Not detected		12
n-Propylbenzene			Not detected		12
o-Xylene			6	J	12
p- & m-Xylenes			21		12
p-Isopropyltoluene			Not detected		12
sec-Butylbenzene			Not detected		12
Styrene			Not detected		12
tert-Butylbenzene			Not detected		12
Tetrachloroethylene			170		12
Toluene			Not detected		12
trans-1,2-Dichloroethylene			Not detected		12
trans-1,3-Dichloropropylene			Not detected		12
Trichloroethylene			10	J	12
Trichlorofluoromethane			Not detected		12
Vinyl chloride			Not detected		12
Total Solids	SM 2540B	%	85.5	---	1.0

**Units Key:** For Waters/Liquids: mg/L = ppm ; ug/L = ppb


For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

Report Date: 10/7/2009  
Client Project ID: Charlton Cleaners  
York Project No.: 09100009

**Notes for York Project No. 09100009**

1. The "RL" is the REPORTING LIMIT and is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This REPORTING LIMIT is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.
8. Other attachments to this report, including Chain-of-custody documentation and Case narratives are hereby made a part of this report.

Approved By: \_\_\_\_\_

  
Robert Q. Bradley  
Managing Director

Date: 10/7/2009

