


William L. Going & Associates, Inc.

Environmental Site Investigation-Remediation

38 Chapel Field Court
Pine Bush, New York 12566
Tel. 845-744-3705
Fax. 845-744-5464
E-mail: budgoing@frontiernet.net

August 21, 2002

Mr. George Heitzman, P.E.
NYSDEC
Div. of Environmental Remediation
Bureau Eastern Remedial Action, Rm. 242
50 Wolf Road
Albany, New York 12233-7010



Re: Little Tor Road Voluntary Cleanup Project # V-00310-3

Dear Mr. Heitzman:

This letter report is to establish that the second and final phase of an Interim Remedial Measure (IRM) has been completed. The work has been performed pursuant to an approved IRM Work Plan [Komoroske, 28 June 2001]. As previously reported in *Status of IRM, March 2002*, dry wells were located and unearthed, thoroughly sampled, and retrofit with new metal risers and covers. This second phase of the IRM has involved the removal of 18,427 gallons of stagnant groundwater from the dry wells, sampling and analysis of the groundwater that refilled the dry wells, and re-sampling and analysis of groundwater from three (3) of the downgradient microwells onsite.

FIELD ACTIVITY ASSOCIATED WITH DRY WELLS

The objective of the IRM was to remove a suspected source of tetrachloroethene contamination from this site, thereby removing any immediate threat to human health or the environment. During Phase I of this IRM, eight (8) dry wells were discovered, unearthed and sampled [22-25 January 2002]. Catherine Quinn of the Rockland County Department of Health [RCDOH] and James Schreyer of the New York State Department of Environmental Conservation [NYSDEC] were present during IRM activity.

Phase II of this IRM began with the removal of 18,427 gallons of groundwater from these dry wells by Freehold Cartage on May 28, 2002. Once again James Schreyer of the NYSDEC was present to monitor the work. The groundwater was transported to LORCO Petroleum Services in Elizabeth, New Jersey for disposal [manifests attached]. Shallow groundwater that re-entered the dry wells was sampled again on July 12, 2002. Chemical

analysis indicates that dry wells 1 through 5 contained tetrachloroethene (1-65 ug/l), trichloroethene (1.8-11 ug/l) and cis 1-2 dichloroethene (4.4-26 ug/l) in de minimus concentrations. Dry wells 7 and 8 [which are connected to one another although not physically connected to any other dry well or to the building, and happen to be the two most downgradient structures] contained approximately the same concentrations of tetrachloroethene (270-470 ug/l), trichloroethene (16 ug/l) and cis 1-2 dichloroethene (20-21 ug/l) as was observed prior to evacuation [Appendix A].

SAMPLING-ANALYSIS OF MICROWELLS AND NEARBY BEDROCK WELLS

Onsite microwells, Nos. 5, 8 and 12, were sampled again on July 16, 2002. Analysis of the shallow groundwater from these microwells that are situated downgradient of the dry wells revealed concentrations of tetrachloroethene (170-48 ug/l), trichloroethene (8-1.7 ug/l) and cis 1-2 dichloroethene (35-4.1 ug/l) [Appendix B].

As previously reported, the bedrock well onsite that supplies non-contact heating-cooling water [Tor] and the two bedrock wells on Cropsey property that supply irrigation water [Cropsey 1 and Cropsey 2] were sampled on February 26, 2002, pursuant to the Work Plan. Mr. Bill Dzsauka of Barmore Pumps of Congers, New York, has provided the most reliable technical description of these wells. They are each believed to approach 180-190 feet in depth, and are installed in a red sandstone formation that is reportedly continuous to bottom of well. The samples were analyzed by Severn Trent [EPA Method 8260B]. "Tor" [beside plaza] contained only tetrachloroethene (3.6 ug/l); "Cropsey 1" [1000 ft. downgradient on west side Little Tor Road] contained only tetrachloroethene (9.2 ug/l), and "Cropsey 2" [1000 ft. downgradient on east side Little Tor Road] did not contain any contaminant. None of these wells supply potable water. There are evidently no potable water wells within 1 mile of the Little Tor Road site in a downgradient direction.

RECOMMENDATIONS

The standing water in dry well numbers 7 and 8 should be evacuated again. Once again, the groundwater that seeps back into these two dry wells should be analyzed via EPA Method 8260B when the water level in the dry wells approaches 4-5 feet. Also, the three micro wells onsite, Nos. 5, 8, and 12, and the Cropsey Irrigation wells Nos. 1 and 2, should be sampled and analyzed again in one year in order to monitor natural attenuation of the remaining chlorinated compounds. No further remedial action is required.

Sincerely,


William L. Going, CHMM

W/attachments

Cc: S. Milich

C. Quinn, RCDOH

G. Amalfitano, Esq.

FROM : SCOTT W MILICH



FAX NO. : 914 708 0586
FREEHOLD CARTAGE INC.
 P.O. BOX 5010 • FREEHOLD, NJ 07728-5010
 (732) 462-1001 • FAX (732) 308-0924

Aug. 22 2002 09:04AM P1

BILL OF LAL.
 FCI EPA ID NO. NJD05-

L 90319

124 Schulzground Rd.
 Branford, CT 06405
 Phone: (203) 483-5964
 Fax: (203) 483-5984

350 Pigeon Point Road
 New Castle, DE 19720
 Phone: (302) 658-2005
 Fax: (302) 658-6229

175 Bartow Man. Airport
 Bartow, FL 33830
 Phone: (863) 533-4999
 Fax: (863) 533-1613

5533 Dushan Road
 Maple Heights, OH 44137
 Phone: (330) 835-3473
 Fax: (330) 835-3732

108 Monahan Avenue
 Dunmore, PA 15212
 Phone: (724) 342-7232
 Fax: (724) 342-7367

156 Driftwood Drive
 Eastonville, SC 29048
 Phone: (803) 492-9595
 Fax: (803) 492-3350

SHIPPER NAME/ADDRESS <i>DR VALLEY INC 265 S. Littleton Rd New City, NY 10956</i>		PHONE <i>616 4523</i>		APPOINTMENT TIME	
FCI REP. LOADING (PRINT) <i>Jean</i>		PROCEDURE <i>UHC</i>	EQUIP. SPOTTED	EQUIP. REMOVED	TIME AT SHIPPER (MILITARY TIME ONLY) <i>12:30 13:45</i>
COMMENTS OR DELAYS AT SHIPPER				EQUIPMENT USED <i>2.5' hose with</i>	

BROKER	MANIFEST / DOCUMENT NO.
PO#	WO# <i>771773</i>

(X) HAZ	PROPER U.S. D.O.T. SHIPPING NAME	U.S. D.O.T. HAZARDOUS CLASS	HAZ/UN/NO.	PACKING GROUP	NO. CONT.	CONT. TYPE	NET QUANTITY	UNIT MEASURE	WASTE NO.	FORM
1	<i>WASTE WATER</i>	<i>W159</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>IT</i>	<i>65.00</i>	<i>G</i>	<i>-</i>	<i>L</i>
2										
3										

SPECIAL HANDLING INSTRUCTIONS INCLUDING CONTAINER EXEMPTION NUMBER.
PLATE # 0456660 *DECL # 8/16/70*

SHIPPER'S CERTIFICATION: This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation, U.S. EPA and the State. The materials described above were consigned to the Transporter named. The consignee can and will accept the shipment and has a valid permit to do so if required. I certify that the foregoing is true and correct to the best of my knowledge.

Payment to the contractor for waste removal does not constitute payment to the carrier and if the contractor does not pay the carrier, the shipper is obligated to pay the agreed rate offered to the contractor.

PLEASE PRINT NAME/TITLE <i>Scott W. Milich, President</i>	SHIPPER'S SIGNATURE <i>Scott W. Milich</i>	DATE LOADED <i>08/28/02</i>
I HAVE READ THE ABOVE AND UNDERSTAND AND AGREE TO ALL OF ITS CONTENT.		MO. DAY YR.

CONSIGNEE NAME/ADDRESS <i>1111 S. 1st St New York, NY</i>		PHONE		APPOINTMENT TIME	
FCI REP. UNLOADING (PRINT) <i>Jean</i>		PROCEDURE	EQUIP. SPOTTED	EQUIP. REMOVED	TIME AT CONSIGNEE (MILITARY TIME ONLY)
COMMENTS OR DELAYS AT CONSIGNEE				EQUIPMENT USED	

PLEASE PRINT NAME/TITLE	CONSIGNEE SIGNATURE <i>X</i>	DATE UNLOADED <i>08/28/02</i>
		MO. DAY YR.

AR H-0257	MD HW-167	MO H-1490	OH UPW-0190713-OH	TX 40705
CT CT-HW-307	2001-OPV-2335	ND WH-429	OK 3358	WI 11602
DE DE-HW-203	ME ME-HWT-47	NH THH-0047	ONTARIO, CANADA A 840843	WV UPW-0180713-OH
DE-SW-203	ME-WOT-47	NJ S-2286	PA PA-AH-0067	
L UPW-0190713-OH	MI UPW-0190713-OH	15939	QUEBEC, CANADA QC-6ML-047	
MA MA-294	MI UPW-0190713-OH	NY NJ-113	RI RI-535	

White - FCI Original
 Yellow - FCI Billing
 Blue - FCI New York
 Green - Retained by TSDF
 Gold - Retained by Generator

L 90319

FROM : SCOTT W MILICH

FAX NO. : 914 788 0586
FREEHOLD CARTAGE INC.
P.O. BOX 5010 • FREEHOLD, NJ 07728-5010
(732) 462-1001 • FAX (732) 308-0924

Aug. 22 2002 08:57AM P1
BILL OF LADING
FCI EPA ID NO. NJD054126164

L 90205



114 Schoolground Rd.
Branford, CT 06405
Phone: (203) 483-5964
Fax: (203) 483-5984

350 Pigeon Point Road
New Castle, DE 19720
Phone: (302) 658-2005
Fax: (302) 658-6222

175 Bartow Mtn. Airport
Bartow, FL 33830
Phone: (863) 533-6599
Fax: (863) 533-1613

5533 Dushan Road
Maple Heights, OH 44137
Phone: (330) 835-3473
Fax: (330) 835-3732

108 Monahan Avenue
Dunmore, PA 18012
Phone: (570) 342-7232
Fax: (570) 342-7367

156 Driftwood Drive
Estaville, SC 29048
Phone: (803) 892-9595
Fax: (803) 492-3390

SHIPPER NAME/ADDRESS TOR VALLEY, INC 265 S. L. TOR RD NEW CITY, N.Y. 10956		PHONE 914-282-3703		
AREA CODE		TRACTOR 6004	TRAILER 4584	APPOINTMENT TIME
FCI REP. LOADING (PRINT) Robert Clements	PROCEDURE YTC	EQUIP. SPOTTED N/A	EQUIP. REMOVED N/A	TIME AT SHIPPER (MILITARY TIME ONLY) 09:30 10:20 ARRIVAL TIME DEPARTURE TIME
COMMENTS OR DELAYS AT SHIPPER				EQUIPMENT USED 4'x3'-60' x 3" hose

BROKER		MANIFEST / DOCUMENT NO.								
PO#	WO#									
(X) HAZ	PROPER U.S. D.O.T. SHIPPING NAME	U.S. D.O.T. HAZARDOUS CLASS	NA/UN/NO.	PACKING GROUP	NO. CONT.	CONT. TYPE	NET QUANTITY	UNIT MEASURE	WASTE NO.	FORM
1	Non-Hazardous Waste Water	N/A	None	N/A	1	T.T.	6,521	G	N/A	L
2										
3										

SPECIAL HANDLING INSTRUCTIONS INCLUDING CONTAINER EXEMPTION NUMBER
ATAS 5025/Dec 01 089679 Lic. #1481324

SHIPPER'S CERTIFICATION: This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable Regulations of the Department of Transportation, U.S. EPA and the State. The materials described above were consigned to the Transporter named. The consignee can and will accept the shipment and has a valid permit to do so if required. I certify that the foregoing is true and correct to the best of my knowledge.

Payment to the contractor for waste removal does not constitute payment to the carrier and if the contractor does not pay the carrier, the shipper is obligated to pay the agreed rate offered to the contractor.

PLEASE PRINT NAME/TITLE SCOTT W. MILICH, PRESIDENT	SHIPPER'S SIGNATURE Scott W. Milich	DATE LOADED 08/28/02
I HAVE READ THE ABOVE AND UNDERSTAND AND AGREE TO ALL OF ITS CONTENT.		MO. DAY YR.

CONSIGNEE NAME/ADDRESS Lorco Petroleum 450 South Front St. Elizabeth, N.J.		PHONE		
AREA CODE		TRACTOR 6004	TRAILER 4584	APPOINTMENT TIME
FCI REP. UNLOADING (PRINT)	PROCEDURE	EQUIP. SPOTTED	EQUIP. REMOVED	TIME AT CONSIGNEE (MILITARY TIME ONLY)
COMMENTS OR DELAYS AT CONSIGNEE				EQUIPMENT USED
PLEASE PRINT NAME/TITLE	CONSIGNEE SIGNATURE X		DATE UNLOADED	
				MO. DAY YR.

AR H-0257	MD HW-167	MO H-1490	OH UPW-0190713-OH	TX 40706
CT CT-HW-307	2001-OPV-2335	ND WH-429	OK 3358	WI 11602
DE DE-HW-203	ME ME-HWT-47	NH TNH-0047	ONTARIO, CANADA A 840843	WV UPW-0190713-OH
DE-SW-203	ME-WOT-47	NJ S-2265	PA PA-AH-0057	
UPW-0190713-OH	MI UPW-0190713-OH	15809	QUEBEC, CANADA QC-6ML-047	
MA MA-294	MN UPW-0190713-OH	NY NJ-113	RI RI-535	

Atomer
TADF
generator

L 90205

FROM : SCOTT W MILICH



FAX NO. : 914 708 0586
FREEHOLD CARIAGE INC.
P.O. BOX 5010 - FREEHOLD, NJ 07728 5010
(732) 462-1001 • FAX (732) 308-0924

Aug. 22 2002 08:54AM P2
BILL OF LADING
FCI EPA ID NO. NJD054126164

L 90206

111 3rd Popponesset Rd.
Frankford, CT 06405
Phone: (203) 483-5964
Fax: (203) 483-5984

300 Popponesset Road
New Castle, DE 19720
Phone: (302) 658-2005
Fax: (302) 658-6229

195 Dunbar Mass Airport
Marlow, FL 32850
Phone: (863) 533-4999
Fax: (863) 533-3613

800 Dunham Road
Maple Heights, OH 44137
Phone: (330) 835-3673
Fax: (330) 835-3732

708 Wrenshaw Avenue
Dunmore, PA 15832
Phone: (870) 342-7232
Fax: (870) 342-7367

754 Driftwood Drive
C.L. ... IL, DC 20048
Phone: (803) 492-4595
Fax: (803) 492-3350

SHIPPER NAME/ADDRESS <i>TOR Valley, Inc.</i>		PHONE <i>914-282-3703</i>			
<i>265 S Linn Road New City, NY 10956</i>		TRACTOR <i>1004</i>		TRAILER <i>4584</i>	
FCI REP. LOADING (PRINT) <i>Robert Clementi</i>	PROCEDURE <i>VOC</i>	EQUIP. SPOTTED <i>N/A</i>	EQUIP. REMOVED <i>N/A</i>	TIME AT SHIPPER <i>14:00</i>	MILITARY TIME ONLY <i>15:25</i>
COMMENTS OR DELAYS AT SHIPPER <i>47° 3'</i>				EQUIPMENT USED <i>4" x 3" 600' x 3" hose</i>	

BROKER:		MANIFEST/DOCUMENT NO.								
PO#:	WO#:									
CO	INTEGRATED NOT SHIPPING NAME	U.S. DOT HAZARDOUS CLASS	HW/UNID.	PACKING GROUP	NO. CONT.	CONT. TYPE	NET QUANTITY	UNIT MEASURE	WASTE ID	FORM
1	<i>Non-Hazardous 1105th Water</i>	<i>N/A</i>	<i>None</i>	<i>N/A</i>	<i>1</i>	<i>T.T.</i>	<i>5406</i>	<i>G</i>	<i>N/A</i>	<i>L</i>
2										
3										

SPECIAL HANDLING INSTRUCTIONS INCLUDING CONTAINER EXEMPTION NUMBER.
HT00052265 (Lic # 089629 Lic Plate (M) 04 B1324

SHIPPER'S CERTIFICATION: This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation, U.S. EPA and the State. The materials described above were consigned to the Transporter named. The consignee can and will accept the shipment and has a valid permit to do so if required. I certify that the foregoing is true and correct to the best of my knowledge.

Payment to the contractor for waste removal does not constitute payment to the carrier and if the contractor does not pay the carrier, the shipper is obligated to pay the agreed rate offered to the contractor.

PLEASE PRINT NAME/TITLE <i>Scott W. Milich, President</i>	SHIPPER'S SIGNATURE <i>Scott W. Milich</i>	DATE LOADED <i>05/28/02</i>
I HAVE READ THE ABOVE AND UNDERSTAND AND AGREE TO ALL OF ITS CONTENTS.		MO. DAY YR.

CONSIGNEE NAME/ADDRESS <i>Lorco Petroleum Services</i>		PHONE <i>908-820-8800</i>			
<i>450 So. Front St. Elizabeth, NJ 07202</i>		TRACTOR		TRAILER <i>4584</i>	
FCI REP. UNLOADING (PRINT)	PROCEDURE	EQUIP. SPOTTED	EQUIP. REMOVED	TIME AT CONSIGNEE	MILITARY TIME ONLY
COMMENTS OR DELAYS AT CONSIGNEE				EQUIPMENT USED	
PLEASE PRINT NAME/TITLE		CONSIGNEE SIGNATURE <i>X</i>		DATE UNLOADED <i>05/28/02</i>	
				MO. DAY YR.	

APPENDIX A

ANALYTICAL REPORT

JOB NUMBER: 213797


Prepared For:

William L. Going & Associates
38 Chapel Field Ct.
Pine Bush, NY 12566

Attention: William Going

Date: 07/25/2002

Signature




Name: Douglas O. Tawse

Title: Project Manager

E-Mail: dtawse@stl-inc.com

Date



315 Fullerton Avenue
Newburgh, NY 12550

PHONE: (845) 562-0890

FAX..: (845) 562-0841

S A M P L E I N F O R M A T I O N

Date: 07/25/2002

Job Number.: 213797

Customer...: William L. Going & Associates

Attn.....: William Going

Project Number.....: 20000267

Customer Project ID.....:

Project Description.....: Miscellaneous

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
213797-1	DW1	Water	07/12/2002	00:00	07/12/2002	12:40
213797-2	DW3	Water	07/12/2002	00:00	07/12/2002	12:40
213797-3	DW4	Water	07/12/2002	00:00	07/12/2002	12:40
213797-4	DW5	Water	07/12/2002	00:00	07/12/2002	12:40
213797-5	DW7	Water	07/12/2002	00:00	07/12/2002	12:40
213797-6	DW8	Water	07/12/2002	00:00	07/12/2002	12:40

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW1
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-1
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	86			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	1.7			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	1.8			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	1.1			1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.

Page 2

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW1
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-1
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.



LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW3
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-2
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SWB46 82608	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	13			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	26			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	11			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	65			1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp	
1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp	
n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp	
1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp	
tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	

In Description = Dry Wgt.

Page 4

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW3
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-2
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.



LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW4
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-3
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	2.1	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	6.6	U		1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	2.4	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	7.3	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW4
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-3
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW5
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-4
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	56			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	4.4			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	7.4			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	7.8			1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.

Page 8

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW5
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-4
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0		U	1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0		U	1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0		U	1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0		U	1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0		U	1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0		U	1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.

Page 9

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW7
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-5
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 82608	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	12			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	21			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	0.67	J		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	16			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	270		D	1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp	
1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp	
n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp	
1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp	
tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	

In Description = Dry Wgt.

Page 10

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW7
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-5
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	2.0			1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.



LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DWB
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-6
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SWB46 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	15			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	20			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	16			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	470		D	1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp	
1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	
4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp	
tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW8
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-6
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

In Description = Dry Wgt.



APPENDIX B

ANALYTICAL REPORT

JOB NUMBER: 213960


Prepared For:

William L. Going & Associates
38 Chapel Field Ct.
Pine Bush, NY 12566

Attention: William Going

Date: 07/24/2002

Signature




Name: Douglas O. Tawse

Title: Project Manager

E-Mail: dtawse@stl-inc.com

Date



315 Fullerton Avenue
Newburgh, NY 12550

PHONE: (845) 562-0890

FAX...: (845) 562-0841

SAMPLE INFORMATION

Date: 07/24/2002

Job Number.: 213960
 Customer...: William L. Going & Associates
 Attn.....: William Going

Project Number.....: 20000267
 Customer Project ID....: TOR VALLEY
 Project Description....: Miscellaneous

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
213960-1	TOR 5	Water	07/16/2002	00:00	07/17/2002	14:10
213960-2	TOR 8	Water	07/16/2002	00:00	07/17/2002	14:10
213960-3	TOR 12	Water	07/16/2002	00:00	07/17/2002	14:10

LABORATORY TEST RESULTS

Job Number: 213960

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 5
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-1
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics							
	Benzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Ethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Toluene	1.0	U		1.0	ug/L	07/19/02	rmd
	o-Xylene	1.0	U		1.0	ug/L	07/19/02	rmd
	m&p-Xylenes	1.0	U		1.0	ug/L	07/19/02	rmd
	Naphthalene	1.0	U		1.0	ug/L	07/19/02	rmd
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	07/19/02	rmd
	Chlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Vinyl chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Methylene chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,2-Dichloroethene	35	U		1.0	ug/L	07/19/02	rmd
	Chloroform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromodichloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichloroethene	8.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromoform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Tetrachloroethene	78	U	D	5.0	ug/L	07/19/02	rmd
	Bromobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Isopropylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd

In Description = Dry Wgt.

Page 2



Job Number: 213960

LABORATORY TEST RESULTS

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 5
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-1
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Propylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd

In Description = Dry Wgt.



LABORATORY TEST RESULTS

Job Number: 213960

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 8
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-2
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics							
	Benzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Ethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Toluene	1.0	U		1.0	ug/L	07/19/02	rmd
	o-Xylene	1.0	U		1.0	ug/L	07/19/02	rmd
	m&p-Xylenes	1.0	U		1.0	ug/L	07/19/02	rmd
	Naphthalene	1.0	U		1.0	ug/L	07/19/02	rmd
	Methyl-tert-butyl-ether (MTBE)	0.93	J		1.0	ug/L	07/19/02	rmd
	Chlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Vinyl chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Methylene chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,2-Dichloroethene	12	U		1.0	ug/L	07/19/02	rmd
	Chloroform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromodichloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichloroethene	5.8	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromoform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Tetrachloroethene	170	U	D	5.0	ug/L	07/19/02	rmd
	Bromobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Isopropylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.



LABORATORY TEST RESULTS

Job Number: 213960

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 8
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-2
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Propylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.



LABORATORY TEST RESULTS

Job Number: 213960

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 12
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-3
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics							
	Benzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Ethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Toluene	1.0	U		1.0	ug/L	07/19/02	rmd
	o-Xylene	1.0	U		1.0	ug/L	07/19/02	rmd
	m&p-Xylenes	1.0	U		1.0	ug/L	07/19/02	rmd
	Naphthalene	1.0	U		1.0	ug/L	07/19/02	rmd
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	07/19/02	rmd
	Chlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Vinyl chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Methylene chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,2-Dichloroethene	4.1	U		1.0	ug/L	07/19/02	rmd
	Chloroform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromodichloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichloroethene	1.7	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromoform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Tetrachloroethene	48	U		1.0	ug/L	07/19/02	rmd
	Bromobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Isopropylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd

In Description = Dry Wgt.

Page 6



LABORATORY TEST RESULTS

Job Number: 213960

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 12
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-3
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Propylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd

In Description = Dry Wgt.

