

FINAL

**INTERIM REMEDIAL MEASURES
WORK PLAN**

Proposed for:

Little Tor Road Site
265 Little Tor Road
New City, New York
Voluntary Cleanup Program Site Code #V-00310-3

Prepared for:

The New York State Department of Environmental Conservation

February 2005

IMPACT ENVIRONMENTAL



TABLE OF CONTENTS

Section	Topic	Page
1.	INTRODUCTION.....	3
2.	SITE BACKGROUND AND SETTING	4
2.1	Site Location.....	4
2.2	Site History	4
2.3	Site Topography	4
2.4	Soil Component Identification.....	4
2.5	Site Geology	5
2.6	Site Hydrogeology	5
2.7	Bedrock Geology.....	7
3.	SITE CHARACTERISTICS AND CONCEPTUAL SITE MODEL	8
3.1	Source Characteristics	8
3.2	Nature and Extent of Contamination	9
4.	PROPOSED INTERIM REMEDIAL MEASURES	10
4.1	Accelerated Natural Attenuation Using Hydrogen Release Compound	10
4.1.1	Anaerobic Bioremediation.....	12
4.2	Feasibility Testing	13
4.2.1	Proposed Monitoring Wells.....	13
4.2.2	Surface Water Sampling.....	13
4.3	Application of HRC to Impacted Groundwater	13
4.3.1	Cesspool Application.....	14
4.3.2	Geoprobe Injection	14
4.4	Groundwater Monitoring.....	14
4.5	Work Schedule	15

TABLES:

Table 1:	Detected Chlorinated Analytes in Groundwater, <i>New City, New York</i>
Table 2:	HRC Design Calculations, <i>New City, New York</i>

PLATES:

Plate 1:	Site Location Map, <i>New City, New York</i>
Plate 2:	Sample Acquisition Plan, <i>New City, New York</i>
Plate 3:	Proposed HRC Application Design, <i>New City, New York</i>

1. INTRODUCTION

This Draft Interim Remedial Measures (IRM) Work Plan documents the tasks scoped to mitigate residual groundwater contamination that has been identified at the property located at 265 Little Tor Road, New City, New York, herein identified as the “site”. Activities occurring on the site have caused the release of hazardous waste to the environment. This document is divided into the following sections.

- ❖ **Site Background and Setting**
- ❖ **Site Characteristics and Conceptual Site Model**
- ❖ **Proposed Interim Remedial Measures**

Presented herein is the proposed IRM Work Plan to be implemented by Impact Environmental Consulting, Inc. on behalf of the Volunteer for the Little Tor Road VCP Site.

2. SITE BACKGROUND AND SETTING

This section presents site specific data provided by William L. Going & Associates, Inc. concerning the location, topography, geology, hydrogeology and bedrock conditions of the site.

2.1 Site Location

The site is situated at the corner of Little Tor Road and New Valley Road in New City, Town of Clarkstown, Rockland County, New York. The site is approximately 1.5 acres and improved with one two-story commercial building and one two-story restaurant building. The commercial building is occupied by several tenants, one of which is a dry cleaner.

2.2 Site History

The current owner of the site constructed the commercial building in 1964 on previously undeveloped land. The building was constructed with an on-site sanitary disposal system in 1964. The system consisted of a septic tank and cesspools. The sanitary system was abandoned in January 1979 during connection of the building with the public sewer.

2.3 Site Topography

The Tor Valley strip mall is located on the northwest corner of the intersection of Tor Valley Road and New Valley Road. The west bank of the Hudson River lies approximately eight miles to the west. Three large lakes, Lake de Forest, Congers, and Rockland Lakes, are located between the site and the river. The site is situated on a west-sloping hill or the east valley wall of a north flowing stream. The stream joins others and eventually flows into the north end of Lake de Forest, about three miles to the northeast. Topographic elevations at the site range from 270-292 feet above mean sea level according to a survey conducted by Atzl, Scatassa, & Zigler, PC on June 20, 1988.

2.4 Soil Component Identification

The Rockland County Soil Survey (USDA, 1990) shows the soils in this area mapped as WeB on the hillside and Ad in the stream valley to the west. The “WeB” is the Wethersfield gravelly silt loam described as reddish glacial till derived from Triassic sandstone, shale, and conglomerate. The “Ad” is the Alden silt loam found in the dissected till plain along streambeds. The majority of the borings penetrated the

Wethersfield soil substrata. In micro-monitoring well MW-9, some of the yellow brown fine-grain sediments from 3 to 4.5 feet may represent the fluvial Alden soil type above the till.

2.5 Site Geology

Driven by the Geoprobe on April 14 to 16, 1999, nine soil borings penetrated an average of 15 feet of Pleistocene glacial till immediately west and north of the strip mall building. The till has the characteristic red color of the Brunswick Formation from which it is derived and deposited on till plains. Frequently gravel size rock fragments of dark gray crystalline diabase remnants of the Palisades Sill encountered randomly in the overburden indicative of the proximity of the igneous intrusive rock beneath.

Quite different subsurface conditions were encountered in 10 additional geoprobe borings and four micro-monitoring wells driven and installed on May 17 and 18, 1999. Six borings reached refusal at a depth of 4 to 6 feet below the ground surface in the area to the northwest believed to be the direction of groundwater flow based on the interpretation of the data from the first field mobilization. Four micro-monitoring wells (MW-13) were installed, including two that were dry after heavy rainfall.

All of the borings reached refusal, often ending in dark gray to black fine crystalline rock fragments indicative of the diabase bedrock of the Palisades Sill directly beneath the red till. A contour map of the elevation of refusal in the 20 soil borings portrays a buried bedrock valley and bedrock ridge, given that refusal is evidence of the overburden-bedrock interface. After erosion of the bedrock valley, glacial till was deposited in the valley. The axis of the valley trends down gradient from the southeast to northwest.

2.6 Site Hydrogeology

The site hydrogeology is interpreted from 20 soil borings driven by Geoprobe and 13 micro-monitoring wells installed in selected borings during two Geoprobe field mobilizations (April and May 1999). The *New York Geologic Map* (NYSGS, 1970) and the *Soil Survey of Rockland County* (USDA, 1990) were referenced for background information.

This hydrogeologic interpretation is based on two sets of water levels measurements, first with 10 micro-monitoring wells (April 27, 1999) and second with 14 wells (May 25, 1999). The surface elevations of the monitoring wells and the water levels are relative to an arbitrary elevation of 100 feet on the ground surface at the corner at the northwest corner of the two-story Tor Valley shopping plaza.

During the drilling the water table was encountered deeper in the till than the equilibrium water levels recorded on April 27, 1999 in the micro-monitoring wells. The first potentiometric surface indicated that the horizontal groundwater flow direction was generally west down the valley wall and north along the valley axis at the foot of the parking lot.

The additional geoprobe borings and micro-monitoring wells enhanced the hydrogeologic interpretation and modified the interpreted groundwater flow direction in the area of MW-3, MW-8, and MW-9. Discovery of the east-west trending bedrock ridge requires a change in the direction of groundwater from northward to the northwestward flow farther down the hill and then to the north (parallel to the stream farther west) to skirt the west end of the bedrock ridge. Also the potentiometric surface on May 25, 1999 shows a high water table at MW-9, evidently due to rainfall recharging shallow groundwater after washing downhill on the macadam parking lot. Heavy rainfall events occurred on the two days prior to sampling and taking water level measurements on May 25.

The tills were observed to frequently have more than one water bearing zone within the screened interval in the same boring. The saturated zones are predominantly loose sand and gravel. In most borings, the zones of saturation were often separated by till that was dry, damp, or moist in contrast to saturation. These intervening aquitards are generally fine grain and compact silt and clay material. Often the base of the till was observed as a dry compact red silt directly above rock fragments presumably from the Palisades Sill beneath. Correlation of the zones of saturation lead to this hydrostratigraphic interpretation. The two zones of saturation lead to were found to merge and thin down-gradient of the shopping plaza.

The equilibrium water levels are mapped as the potentiometric surface because of the difference in water table and equilibrium elevations. This differential may reflect either confinement of the lower zone of saturation and/or an upward vertical component of groundwater flow, both within the 15 feet of glacial till. At MW-9, groundwater mounding from heavy rainfall suggests that semi-confined or unconfined conditions exist there.

The lack of groundwater in the MW-13 indicates that the bedrock ridge presents a barrier to subsurface flow. The base of the screened interval in MW-13 is at a relative elevation of 81.6 feet which is below the projection of the potentiometric surface.

The dominant groundwater flow direction in the overburden fill and natural sediments is controlled by sediment porosity and bedrock surface configuration. In the area of interest behind the shopping plaza, groundwater flow to the northwest is limited by scant recharge. Upgradient areas to the south, southeast, and east are paved providing very little vertical infiltration of precipitation into the subsurface overburden.

2.7 Bedrock Geology

The property is quite close to the northwest-southeast trending boundary between the Palisades diabase sill to the northeast that intruded into the Triassic Brunswick Formation consisting of arkose sandstone, mudstone, conglomerate, and siltstone characterized by the red color of the iron oxide.

3. SITE CHARACTERISTICS AND CONCEPTUAL SITE MODEL

Information on the waste sources, pathways, and receptors at a site is used to develop a conceptual understanding of the site to evaluate potential risks to human health and the environment. The conceptual site model typically includes known and suspected sources of contamination, types of contaminants and affected media, known and potential routes of migration, and known or potential human and environmental receptors. An understanding of these factors facilitates the identification of potential remedial technologies.

3.1 Source Characteristics

This section presents data obtained from remedial investigations conducted by William L. Going & Associates, Inc. for the purposes of defining the extent of contamination.

A subsurface investigation was conducted in 1999 at the site as part of a due diligence requirement for a lending transaction. The results of the investigation confirmed the presence of chlorinated solvent soil and groundwater contamination resulting from the historic operation of an on-site dry cleaner. It was concluded that the source of the contamination was an area where a former sanitary system was located on the western side of the existing commercial building.

Additional subsurface investigations previously performed at the site were designed to assess the suspected source and extent of the contamination resulting from the release of chlorinated solvents to cesspools associated with the former on-site disposal system from the dry cleaning facility.

The concentrations of tetrachloroethene within the soil samples secured from within the inverts, sidewalls and surrounding the former cesspools in January 2002 ranged from non-detect to 15.2 ppb. These results indicate that the primary source of the chlorinated solvents released to the former sanitary system is not present at concentrations significant to warrant further soil removal.

An IRM was conducted in May 2002 that included the removal and off-site disposal of 18,427 gallons of perched water contained within the former cesspools. This effort was conducted to reduce contaminant concentrations in groundwater at the site. The concentrations of tetrachloroethene within the perched water contained within the former cesspools in July 2002 subsequent to the pumping ranged from 1.1 to 470 ppb. These results suggest that residual concentrations of chlorinated solvents were still present with the groundwater beneath the former cesspools at levels warranting further action.

Additional sampling of the perched water contained within the former cesspools was conducted in July 2004 to assess natural attenuation based on the concentrations of contaminations present. The concentrations of tetrachloroethene within the perched water contained within the former cesspools in July 2004 ranged from 3.6 to 880 ppb. These results suggest that residual concentrations of chlorinated solvents were still present with the groundwater beneath the former cesspools at levels warranting further action.

3.2 Nature and Extent of Contamination

Based on a review of the data collected from groundwater samples secured from on-site, the solvent related groundwater contaminant plume emanating from the area of the former cesspools has migrated in a northwest direction with the flow of groundwater.

The centerline of the contaminant plume appears to be along groundwater wells MW-4 and MW-8. The length of the tetrachloroethene plume at concentrations exceeding 10 ppb is approximately two hundred and twenty feet down-gradient. The horizontal extent of the solvent related groundwater contaminant plume appears to be limited to within the locations of wells MW-2 and MW-6, and MW-9 and MW-11.

No up-gradient source of chlorinated solvent contamination was identified from the results of the remedial investigation.

Table 1: Detected Chlorinated Analytes presents a summary of the groundwater analytical data for the on-site monitoring wells that support the above interpretations.


4. PROPOSED INTERIM REMEDIAL MEASURES

Interim Remedial Measures (IRM) are proposed to mitigate residual groundwater contamination existing at the site resulting from the release of the chlorinated solvents used in the dry cleaning process. Specifically, the chemicals of concern that are intended to be treated include tetrachloroethene, trichloroethene and cis-1,2-dichloroethene. The IRM process of accelerated natural attenuation using hydrogen release compound will be implemented to mitigate and prevent further migration of contamination in groundwater from the former pollution source. All IRM activities will be performed in accordance with the approved Community Health and Safety Plan.


4.1 Accelerated Natural Attenuation Using Hydrogen Release Compound

Hydrogen Release Compound HRC is a polylactate ester used for the purpose of accelerating reductive bioremediation processes that effectively degrade chlorinated contaminants, nitroaromatics and oxyanions in groundwater and saturated soils. HRC offers a unique, built in, time-release feature that slowly releases hydrogen from the material for periods of 1 to 2 years or more. Thus, HRC purposefully allows for prolonged periods of enhanced biodegradation to occur. Research indicates that low concentrations of contaminants are optimally treated with low concentrations of hydrogen that can be slowly released over long periods of time. These characteristics are significant when comparing HRC to other soluble substrates in that its' slow-release profile avoids quick and uncontrolled releases that can be exhausted early on and cause unwanted buildup of potentially dangerous gases like methane in the subsurface.


Reductive dechlorination is the most prominent mechanism by which chlorinated aliphatic hydrocarbons (CAHs) are biologically degraded under anaerobic conditions. CAHs, commonly used as degreasing solvents, are hydrocarbons whose hydrogen atoms have been replaced, or substituted, with chlorine atoms. It is in this chlorinated state that these hydrocarbons are considered toxic in groundwater. In order to remedy this problem the chlorine atoms must be removed. Reductive dechlorination is the process by which anaerobic microorganisms substitute hydrogen (H⁺) for chlorine on CAHs. Hydrogen, resulting from the breakdown of HRC, acts as a source of electrons which provide the reducing conditions necessary for dechlorination of CAHs, as shown in the figure below.




Through this process, CAHs can be degraded to form vinyl chloride, and even ethene, as depicted in the figure below.



The use of organic substrates has been proven to enhance the bioremediation of Chlorinated Aliphatic Hydrocarbons (CAHs). In this process, the acids and alcohols are metabolized by one group of organisms to yield hydrogen which in turn is used by another group of organisms to effect reductive dechlorination. HRC, once deposited into the subsurface, slowly releases lactic acid. The resulting lactic acid acts as a nutrient source for anaerobic bacteria which metabolize the lactic acid as illustrated in the figure below.



During the process, in which hydrogen atoms are taken up by NAD⁺ to form NADH, lactic acid is first degraded to pyruvic acid, which is in turn degraded to acetic acid. The driving force for fermentation of lactic acid to acetic acid is the generation of ATP during glycolysis. To make this possible, the microbe must first regenerate NAD⁺ by releasing the hydrogen from NADH. This is facilitated through the use of an enzyme called hydrogenase via the following reaction:



Typically, in the conversion of lactic acid to acetic acid by acetogens, one mole of lactic acid produces two moles of hydrogen as H₂. The hydrogen is then available for conversion of CAHs to dechlorinated aliphatic hydrocarbons.

4.1.1 Anaerobic Bioremediation

An aquifer has to be driven anaerobic if it is not already in that condition. This has to be achieved to support the growth and development of anaerobic microorganisms. To achieve this state, all the oxygen and the other electron acceptors such as nitrate and sulfate have to be consumed. This condition can be achieved by providing substrates such as lactic acid to the aquifer. HRC is a source of this lactic acid and its metabolism by anaerobic microorganisms to carbon dioxide and water "burns up" all of the electron acceptors.

Once this preparation has been achieved, it is possible to remove chlorinated hydrocarbons. The redox potential goes from positive to negative as electron acceptors are consumed. As soon as electron acceptors are gone the dynamics of the microbial web shift; as redox potential shifts so do the dominant species of microorganisms in the aquifer. As low to moderate negative redox conditions form, certain kinds of fermentative microorganisms can thrive that will attack the HRC derived lactic acid and turn it first into pyruvic acid and then acetic acid. It is through this process that the hydrogen is formed; one mole of H₂ is derived in the conversion of lactic acid to pyruvic acid and another mole of H₂ is derived from the conversion of pyruvic acid to acetic acid.

The hydrogen formed by fermentative microorganisms is now available for reductive dechlorination - however, there are other competing microbial processes that also demand hydrogen. The most common of these is methanogenesis. As the name implies this is a methane generating reaction that involves the combination of CO₂ with hydrogen.

With an excess of hydrogen in the system the methanogens are favored and crowd out the reductive dehalogenators. The objective would then be to keep hydrogen concentrations low. This can be accomplished with the use of slow release organic acid materials such as HRC.

HRC provides a basis for designing a low-cost passive system for plume control. When designing a HRC remediation system one must consider all competing uses for the hydrogen generated. If in a given aquifer system the dynamics of hydrogen competition are present, and if HRC hydrogen generation is minimal enough given hydrogeological and microbial conditions, then there is a basis for expecting an additional benefit from using the HRC.

4.2 Feasibility Testing

Feasibility testing will be conducted to determine the appropriateness and effectiveness of the accelerated natural attenuation technology for the site. Testing parameters will include acquisition of such data, but not limited to, current volatile organic contaminant concentrations, organic carbon content, dissolved oxygen, nitrate and sulfate concentrations, iron and manganese concentrations and microbial populations.

4.2.1 Proposed Monitoring Wells

Five (5) monitoring wells are proposed to be installed on the site for the purpose of feasibility testing and future monitoring. Said monitoring wells will be sited to assess groundwater quality and characteristics on site. The locations of these wells are proposed in the proximity of the existing wells MW-4, MW-5, MW-7, MW-8 and MW-12 (see **Plate 2**). The monitoring wells will be installed using a Geoprobe. The wells will be constructed in accordance with NYSDEC requirements with two (2") inch diameter slotted (0.020 inch) schedule 40 PVC screen or one (1") inch pre-packed screens extending from approximately five to fifteen feet below grade and the balance consisting of riser. The outside of the well from its base to a point one foot above the highest screen section will be packed with clean filtration media (Morie sand). A two foot bentonite seal will be packed around the casing above the filtration media. Drill cutting media will be placed above the bentonite seal to a point six inches below grade. Cement will be used to fill the remaining six inches of open well casing in conjunction with the installation of a cast iron manhole with an access cover. The manhole will be positioned to allow for the installation and access of a locking cap secured onto the end of the riser.

4.2.2 Surface Water Sampling

Surface water down-gradient of the site shall be sampled in accordance with NYSDEC requirements. Two surface water samples shall be secured northwest of the site. Initial sampling of the surface water will be completed with the feasibility testing proposed in Section 4.4. Additional surface water testing will be conducted post HRC application to monitor contaminant trends in the stream.

4.3 Application of HRC to Impacted Groundwater

Based on the data generated from the remedial investigation conducted by William L. Going & Associates, Inc., a grid pattern of injection points will be established to encompass the effective area. The proposed grid injection points (number and spacing of points) and HRC injection volumes is a function of the extent

of groundwater contamination based on the plume dimensions as interpreted by William L. Going & Associates, Inc., concentrations of contaminants, calculations accomplished utilizing application software and physical access to the proposed locations. The proposed grid injection points are depicted on **Plate 3: Proposed HRC Application Design**. The volume of HRC proposed to be applied at each injection point and/or former cesspool location is presented in **Table 2: HRC Calculations**. Based on a current understanding of site conditions, a total of 39 injection points are proposed.

4.3.1 Cesspool Application

The injection of HRC into former cesspools C-4, C-7 and C-8 will be accomplished by directly placing the material into each structure (no pumping). A total of 30 lbs of HRC is proposed to be applied into each of the above referenced cesspools.

4.3.2 Geoprobe Injection

The injection of HRC into each injection point will be accomplished using a Geoprobe injection system in conjunction with a grout pump. The HRC will be injected using bottom up grouting techniques with Geoprobe 1.25 inch casing in accordance with manufacture recommendations (Regenesis®). Each probe will be installed to a depth reaching refusal, which is generally sixteen feet below grade in the treatment area, and retracted during the pumping of the HRC material. Pumping will be facilitated using a grout pump capable of delivering 500 lbs per square inch (psi). Approximately 24 lbs. of HRC will be injected into the saturated zone at each injection point based on hydrogeological data compiled by William L. Going & Associates, Inc and additional data generated during feasibility testing. In general, it is expected that approximately six feet of saturated formation will be encountered and treated with HRC, which would yield a treatment zone from approximately eight to fourteen feet below grade.

4.4 Groundwater Monitoring

Subsequent to the injection of HRC to the impacted groundwater, confirmatory testing will be conducted to assess indicators that verify the activation of the HCR product in the groundwater (reductive aquifer conditions). Testing parameters may include acquisition of such data, but not limited to oxygen and nitrate depletion, iron and manganese dissolved and the presence of methane. In addition to these tests, assessments of contaminant degradation will be conducted. Testing parameters may include acquisition of such data, but not limited to microbial degradation products including cis-DCE, vinyl chloride and ethane,

and total volatile organic compounds via USEPA Test Method 8260 from the proposed wells to be installed as part of the feasibility testing. The monitoring of said wells is proposed on a quarterly basis until it can be demonstrated that the remediation was effective and/or no further action is required by the New York State Department of Environmental Conservation.

4.5 Work Schedule

The following work schedule is relative to the approval date of the work plan by the NYSDEC.

Task	Estimated Completion Time
Implementation of HRC Work Plan	
<i>Feasibility Testing</i>	<i>60 business days</i>
Well Drilling	20 business days
Well Sampling	5 business days
Laboratory Analysis	15 business days
Feasibility Reporting	20 business days
<i>HRC Application</i>	<i>55 business days</i>
Order/Shipment of HRC Materials	10 business days
Establish HRC Grid onsite	5 business days
Application of HRC in grid	20 business days
Reporting	20 business days
Monitoring	<i>40 business days</i>
Well Sampling	5 business days
Laboratory Analysis	15 business days
Reporting	20 business days

TABLES

IRM Work Plan

Table 1: Detected Chlorinated Analytes
 Little Tor Road Site
 VCP # V-00310-3

Sample ID	Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	Vinyl Chloride
Unit		µg/l	µg/l	µg/l	µg/l
NYSDEC Ambient Water Quality Standards & Guidance Values (µg/l)		5	5	5	2
MW-UG	4/26/1999	ND	ND	ND	ND
MW-1	4/26/1999	3.6	4.1	4.1	0.5
MW-2	4/26/1999	ND	ND	1.4	ND
MW-3	4/26/1999	ND	1.1	22	1.6
MW-4	4/26/1999	450	210	210	12
MW-5	4/26/1999	320	5.3	24	ND
	7/17/2002	78	8	35	ND
MW-6	4/26/1999	0.7	ND	ND	ND
MW-7	4/26/1999	29	ND	ND	ND
MW-8	4/26/1999	210	8	24	1.4
	7/17/2002	170	6	12	ND
MW-9	4/26/1999	ND	ND	ND	ND
MW-10	4/26/1999	1.8	0.9	0.6	ND
MW-6	4/26/1999	ND	ND	ND	ND
MW-12	5/25/1999	24	1.7	2	ND
	7/17/2002	48	1.7	4.1	ND


ND: Not Detected

Bold values represent concentrations above guidance values.

PLATES

IRM Work Plan

Plate 1: Site Location Map
New City, New York



Scale 1:24000
CONTOUR INTERVAL 10 FEET
DASHED LINES REPRESENT 5 - FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS MEAN LOW WATER





IMPACT ENVIRONMENTAL
 a division of Impact Environmental Consulting Inc.
 170 KEYLAND COURT
 BOHEMIA, NEW YORK 11716
 631.269.8800 TELEPHONE
 631.269.1599 FACSIMILE

04-268

Plate 3: Proposed HRC

Application Design

New City, New York

Legend

- Monitoring Well
- HRC Point
- Cesspool

Scale: 1" = 60'


LABORATORY ANALYSIS

IRM Work Plan

ANALYTICAL REPORT

WILLIAM L. GOING & ASSOC., INC.
38 CHAPEL FIELD CT.
PINE BUSH NY 12566

Report Date: 05-MAY-99
Project: 265 LITTLE
TOR RD
Lab Number: 201949
Sample Number(s): 201949-01
to
201949-10


Louis J. Cercone
Laboratory Director

Volatile Organics Analysis Data Sheet
Form 1 VOA
8021

Client ID: UM	Date Collected: 26-APR-99
STL Sample Number: 201949-01	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 0.5ml	Lab File Id: B5253.D
Level: LOW	Dilution Factor: 10.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	10		U
74-83-9	Bromomethane	10		U
75-71-8	Dichlorodifluoromethane	10		U
75-01-4	Vinyl Chloride	10		U
75-00-3	Chloroethane	10		U
75-09-2	Methylene Chloride	10		U
75-69-4	Trichlorofluoromethane	10		U
75-35-4	1,1-Dichloroethene	10		U
74-97-5	Bromochloromethane	10		U
75-34-3	1,1-Dichloroethane	10		U
156-60-5	trans-1,2-Dichloroethene	10		U
156-59-2	cis-1,2-Dichloroethene	10		U
67-66-3	Chloroform	10		U
107-06-2	1,2-Dichloroethane	10		U
590-20-7	2,2-Dichloropropane	10		U
74-95-3	Dibromomethane	10		U
71-55-6	1,1,1-Trichloroethane	10		U
56-23-5	Carbon Tetrachloride	10		U
75-27-4	Bromodichloromethane	10		U
78-87-5	1,2-Dichloropropane	10		U
563-58-6	1,1-Dichloropropene	10		U
79-01-6	Trichloroethene	10		U
142-28-9	1,3-Dichloropropane	10		U
124-48-1	Dibromochloromethane	10		U
79-00-5	1,1,2-Trichloroethane	10		U
106-93-4	1,2-Dibromoethane	10		U
75-25-2	Bromoform	10		U
630-20-6	1,1,1,2-Tetrachloroethane	10		U
96-18-4	1,2,3-Trichloropropane	10		U
79-34-5	1,1,2,2-Tetrachloroethane	10		U
127-18-4	Tetrachloroethene	10		U
108-90-7	Chlorobenzene	10		U
108-86-1	Bromobenzene	10		U
95-49-8	2-Chlorotoluene	10		U
106-43-4	4-Chlorotoluene	10		U
541-73-1	1,3-Dichlorobenzene	10		U
95-50-1	1,2-Dichlorobenzene	10		U
106-46-7	1,4-Dichlorobenzene	10		U
10061-01-5	cis-1,3-Dichloropropene	10		U
10061-02-6	trans-1,3-Dichloropropene	10		U
96-12-8	1,2-Dibromo-3-Chloropropane	10		U
71-43-2	Benzene	10		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-01

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	10		U
100-41-4	Ethylbenzene	10		U
108-38-3/106-42-3	m,p-Xylene	10		U
95-47-6	o-Xylene	10		U
98-82-8	Isopropylbenzene	10		U
100-42-5	Styrene	10		U
103-65-1	n-Propylbenzene	10		U
98-06-6	tert-Butylbenzene	10		U
135-98-8	sec-Butylbenzene	10		U
108-67-8	1,3,5-Trimethylbenzene	10		U
99-87-6	4-Isopropyltoluene	10		U
95-63-6	1,2,4-Trimethylbenzene	10		U
104-51-8	n-Butylbenzene	10		U
87-68-3	Hexachlorobutadiene	10		U
120-82-1	1,2,4-Trichlorobenzene	10		U
91-20-3	Naphthalene	10		U
87-61-6	1,2,3-Trichlorobenzene	10		U
1634-04-4	MTBE	10	800	U



Volatile Organics Analysis Data Sheet
Form 1 VOA
8021

Client ID: MW1	Date Collected: 26-APR-99
STL Sample Number: 201949-02	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: B5255.D
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1	.5	J
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1	2.1	
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1	4.1	
67-66-3	Chloroform	1	.6	
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1	4.1	
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1	3.6	
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-02

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1	64	

Volatile Organics Analysis Data Sheet
Form I VOA
8021

Client ID: MW2	Date Collected: 26-APR-99
STL Sample Number: 201949-03	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 30-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: B5299.D
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1		U
67-66-3	Chloroform	1	1.4	U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-56-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1		U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1		U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-03

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1	38	



NYSDOH 10142

NYDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

315 Fullerton Avenue
Newburgh, NY 12550
Tel: (914) 562-0890
Fax: (914) 562-0841

Volatile Organics Analysis Data Sheet
Form 1 VOA
8021

Client ID: MW3	Date Collected: 26-APR-99
STL Sample Number: 201949-04	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 30-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/MW	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: B5301.D
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1	1.6	U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1	22	U
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1	1.1	U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1		U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-04

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-61-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1	59	



Volatile Organics Analysis Data Sheet
Form 1 VOA
8021

Client ID: MW4	Date Collected: 26-APR-99
STL Sample Number: 201949-05	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 1ml	Lab File Id: B5261.0
Level: LOW	Dilution Factor: 5.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	5		U
74-83-9	Bromomethane	5		U
75-71-8	Dichlorodifluoromethane	5		U
75-01-4	Vinyl Chloride	5	12	
75-00-3	Chloroethane	5		U
75-09-2	Methylene Chloride	5		U
75-69-4	Trichlorofluoromethane	5		U
75-35-4	1,1-Dichloroethene	5		U
74-97-5	Bromochloromethane	5		U
75-34-3	1,1-Dichloroethane	5		U
156-60-5	trans-1,2-Dichloroethene	5		U
156-59-2	cis-1,2-Dichloroethene	5	210	
67-66-3	Chloroform	5		U
107-06-2	1,2-Dichloroethane	5		U
590-20-7	2,2-Dichloropropane	5		U
74-95-3	Dibromomethane	5		U
71-55-6	1,1,1-Trichloroethane	5		U
56-23-5	Carbon Tetrachloride	5		U
75-27-4	Bromodichloromethane	5		U
78-87-5	1,2-Dichloropropane	5		U
563-58-6	1,1-Dichloropropene	5		U
79-01-6	Trichloroethene	5	210	
142-28-9	1,3-Dichloropropane	5		U
124-48-1	Dibromochloromethane	5		U
79-00-5	1,1,2-Trichloroethane	5		U
106-93-4	1,2-Dibromoethane	5		U
75-25-2	Bromoform	5		U
630-20-6	1,1,1,2-Tetrachloroethane	5		U
96-18-4	1,2,3-Trichloropropane	5		U
79-34-5	1,1,2,2-Tetrachloroethane	5		U
127-18-4	Tetrachloroethene	5	450	
108-90-7	Chlorobenzene	5		U
108-86-1	Bromobenzene	5		U
95-49-8	2-Chlorotoluene	5		U
106-43-4	4-Chlorotoluene	5		U
541-73-1	1,3-Dichlorobenzene	5		U
95-50-1	1,2-Dichlorobenzene	5		U
106-46-7	1,4-Dichlorobenzene	5		U
10061-01-5	cis-1,3-Dichloropropene	5		U
10061-02-6	trans-1,3-Dichloropropene	5		U
96-12-8	1,2-Dibromo-3-Chloropropane	5		U
71-43-2	Benzene	5		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-05

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	5		U
100-41-4	Ethylbenzene	5		U
108-38-3/106-42-3	m,p-Xylene	5		U
95-47-6	o-Xylene	5		U
98-82-8	Isopropylbenzene	5		U
100-42-5	Styrene	5		U
103-65-1	n-Propylbenzene	5		U
98-06-6	tert-Butylbenzene	5		U
135-98-8	sec-Butylbenzene	5		U
108-67-8	1,3,5-Trimethylbenzene	5		U
99-87-6	4-Isopropyltoluene	5		U
95-63-6	1,2,4-Trimethylbenzene	5		U
104-51-8	n-Butylbenzene	5		U
87-68-3	Hexachlorobutadiene	5		U
120-82-1	1,2,4-Trichlorobenzene	5		U
91-20-3	Naphthalene	5		U
87-61-6	1,2,3-Trichlorobenzene	5		U
1634-04-4	MTBE	5	110	U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Client ID: MW5	Date Collected: 26-APR-99
STL Sample Number: 201949-06	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WN	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: B5263.D
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1	.6	J
156-59-2	cis-1,2-Dichloroethene	1	24	
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1	5.3	
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1	320	U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-06

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Client ID: MW6	Date Collected: 26-APR-99
STL Sample Number: 201949-07	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: 85265.D
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1		U
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1		U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1		U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-07

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1	17	
100-41-4	Ethylbenzene	1	1	J
108-38-3/106-42-3	m,p-Xylene	1	4	
95-47-6	o-Xylene	1	2.8	
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1	.9	J
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1	1.4	
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1	1.6	



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Client ID: MW7

Date Collected: 26-APR-99

STL Sample Number: 201949-08

Date Received: 26-APR-99

Client Name: WILLIAM GOING

Date Extracted:

Project Name: 265 LITTLE TOR RD

Date Analyzed: 29-APR-99

% Solid: NA

Report Date: 05-MAY-99

Matrix: 2 GW/WW

Column: RTX-502.2

Sample Wt/Vol: 5ml

Lab File Id: B5267.D

Level: LOW

Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1		U
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1		U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1	29	U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-08

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1	2.6	U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1	1.6	U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1	2.3	U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1	1.5	U



Volatile Organics Analysis Data Sheet
Form 1 VOA
8021

Client ID: MW8	Date Collected: 26-APR-99
STL Sample Number: 201949-09	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: 85269.0
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1	1.4	U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1	24	U
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1	8	U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1	210	U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-09

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1	260	D
100-41-4	Ethylbenzene	1	5.7	
108-38-3/106-42-3	m,p-Xylene	1	25	
95-47-6	o-Xylene	1	16	
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1	2	
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1	4.6	
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1	1.4	
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1	6.6	



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Client ID: MW9	Date Collected: 26-APR-99
STL Sample Number: 201949-10	Date Received: 26-APR-99
Client Name: WILLIAM GOING	Date Extracted:
Project Name: 265 LITTLE TOR RD	Date Analyzed: 29-APR-99
% Solid: NA	Report Date: 05-MAY-99
Matrix: 2 GW/WW	Column: RTX-502.2
Sample Wt/Vol: 5ml	Lab File Id: B5271.D
Level: LOW	Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1		U
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1		U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1		U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021

Results are continued from the previous page for 201949-10

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1		U



ANALYTICAL REPORT

WILLIAM L. GOING & ASSOC., INC.
38 CHAPEL FIELD CT.
PINE BUSH NY 12566

Report Date: 09 JUN 99


Project: STANDARD

Lab. Number: 203146

Sample Number(s): 203146-01

to

203146-02


Louis J. Cercone
Laboratory Director



Volatile Organics Analysis Data Sheet
Form I VOA
8021B

Client ID: 265 LITTLE TOR RD. HW 10
STL Sample Number: 203146-01
Client Name: WILLIAM GOING
Project Name: STANDARD
% Solid: NA
Matrix: 2 GW/WW
Sample Wt/Vol: 5ml
Level: LOW

Date Collected: 25-MAY-99
Date Received: 25-MAY-99
Date Extracted:
Date Analyzed: 27-MAY-99
Report Date: 09-JUN-99
Column: RTX-502.2
Lab File Id: B1112.D
Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1	6	J
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1	9	J
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1	1.8	U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
105-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



NYSDOH 10142

NUDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

315 Fullerton Avenue
Newburgh, NY 12550
Tel: (914) 562-0890
Fax: (914) 562-0841

Volatile Organics Analysis Data Sheet
Form I VOA
8021B

Results are continued from the previous page for 203146-01

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U
1634-04-4	MTBE	1		U



NYSDOH 10142

NYDEP 73015

CTDOHS PH-0554

EPA NY049

PA 66-378

M-NY049

315 Fullerton Avenue
Newburgh, NY 12550
Tel: (914) 562-0890
Fax: (914) 562-0841

Volatile Organics Analysis Data Sheet
Form I VOA
8021B

Client ID: 265 LITTLE TOR RD. MW 12
STL Sample Number: 203146-02
Client Name: WILLIAM GOING
Project Name: STANDARD
% Solid: NA
Matrix: 2 GW/MW
Sample Wt/Vol: 5ml
Level: LOW

Date Collected: 27-MAY-99
Date Received: 27-MAY-99
Date Extracted:
Date Analyzed: 27-MAY-99
Report Date: 09-JUN-99
Column: RTX-502.2
Lab File Id: B1114.D
Dilution Factor: 1.00

CAS NO.	Compound	Detection Limit ug/l	Conc. ug/l	Data Qualifier
74-87-3	Chloromethane	1		U
74-83-9	Bromomethane	1		U
75-71-8	Dichlorodifluoromethane	1		U
75-01-4	Vinyl Chloride	1		U
75-00-3	Chloroethane	1		U
75-09-2	Methylene Chloride	1		U
75-69-4	Trichlorofluoromethane	1		U
75-35-4	1,1-Dichloroethene	1		U
74-97-5	Bromochloromethane	1		U
75-34-3	1,1-Dichloroethane	1		U
156-60-5	trans-1,2-Dichloroethene	1		U
156-59-2	cis-1,2-Dichloroethene	1	2	U
67-66-3	Chloroform	1		U
107-06-2	1,2-Dichloroethane	1		U
590-20-7	2,2-Dichloropropane	1		U
74-95-3	Dibromomethane	1		U
71-55-6	1,1,1-Trichloroethane	1		U
56-23-5	Carbon Tetrachloride	1		U
75-27-4	Bromodichloromethane	1		U
78-87-5	1,2-Dichloropropane	1		U
563-58-6	1,1-Dichloropropene	1		U
79-01-6	Trichloroethene	1	1.7	U
142-28-9	1,3-Dichloropropane	1		U
124-48-1	Dibromochloromethane	1		U
79-00-5	1,1,2-Trichloroethane	1		U
106-93-4	1,2-Dibromoethane	1		U
75-25-2	Bromoform	1		U
630-20-6	1,1,1,2-Tetrachloroethane	1		U
96-18-4	1,2,3-Trichloropropane	1		U
79-34-5	1,1,2,2-Tetrachloroethane	1		U
127-18-4	Tetrachloroethene	1	24	U
108-90-7	Chlorobenzene	1		U
108-86-1	Bromobenzene	1		U
95-49-8	2-Chlorotoluene	1		U
106-43-4	4-Chlorotoluene	1		U
541-73-1	1,3-Dichlorobenzene	1		U
95-50-1	1,2-Dichlorobenzene	1		U
106-46-7	1,4-Dichlorobenzene	1		U
10061-01-5	cis-1,3-Dichloropropene	1		U
10061-02-6	trans-1,3-Dichloropropene	1		U
96-12-8	1,2-Dibromo-3-Chloropropane	1		U
71-43-2	Benzene	1		U



Volatile Organics Analysis Data Sheet
Form I VOA
8021B

Results are continued from the previous page for 203146-02

CAS NO.	Compound	ug/l	ug/l	Qualifier
108-88-3	Toluene	1		U
100-41-4	Ethylbenzene	1		U
108-38-3/106-42-3	m,p-Xylene	1		U
95-47-6	o-Xylene	1		U
98-82-8	Isopropylbenzene	1		U
100-42-5	Styrene	1		U
103-65-1	n-Propylbenzene	1		U
98-06-6	tert-Butylbenzene	1		U
135-98-8	sec-Butylbenzene	1		U
108-67-8	1,3,5-Trimethylbenzene	1		U
99-87-6	4-Isopropyltoluene	1		U
95-63-6	1,2,4-Trimethylbenzene	1		U
104-51-8	n-Butylbenzene	1		U
87-68-3	Hexachlorobutadiene	1		U
120-82-1	1,2,4-Trichlorobenzene	1		U
91-20-3	Naphthalene	1		U
87-61-6	1,2,3-Trichlorobenzene	1		U



NYSDOH 10142

NYDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

315 Fullerton Avenue
Newburgh, NY 12550
Tel: (914) 562-0890
Fax: (914) 562-0841

ANALYTICAL REPORT

JOB NUMBER: 213797

Prepared For:

William L. Going & Associates
38 Chapel Field Ct.
Pine Bush, NY 12566

Attention: William Going

Date: 07/25/2002

Signature

Name: Douglas O. Tawse

Title: Project Manager

E-Mail: dtawse@stl-inc.com

Date

315 Fullerton Avenue
Newburgh, NY 12550

PHONE: (845) 562-0890
FAX...: (845) 562-0841

SAMPLE INFORMATION

Date: 07/25/2002

Job Number.: 213797
Customer...: William L. Going & Associates
Attn.....: William Going

Project Number.....: 20000267
Customer Project ID.....
Project Description.....: Miscellaneous

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
213797-1	DW1	Water	07/12/2002	00:00	07/12/2002	12:40
213797-2	DW3	Water	07/12/2002	00:00	07/12/2002	12:40
213797-3	DW4	Water	07/12/2002	00:00	07/12/2002	12:40
213797-4	DW5	Water	07/12/2002	00:00	07/12/2002	12:40
213797-5	DW7	Water	07/12/2002	00:00	07/12/2002	12:40
213797-6	DW8	Water	07/12/2002	00:00	07/12/2002	12:40
<p><i>perched gw in dry wells</i></p>						

LABORATORY TEST RESULTS								
Job Number: 213797	Date: 07/25/2002							
CUSTOMER: William L. Going & Associates	PROJECT:	ATTN: William Going						
Customer Sample ID: DW1 Date Sampled.....: 07/12/2002 Time Sampled.....: 00:00 Sample Matrix.....: Water	Laboratory Sample ID: 213797-1 Date Received.....: 07/12/2002 Time Received.....: 12:40							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	86			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	1.7			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	1.8			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	1.1			1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 2



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

0-0 494C-667-668

210109 we1111M

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW1

Date Sampled.....: 07/12/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213797-1

Date Received.....: 07/12/2002

Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.



STL Newburgh is a part of Severn Trent Laboratories, Inc

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW3

Date Sampled.....: 07/12/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213797-2

Date Received.....: 07/12/2002

Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	13			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	26			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	11			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	65			1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 4



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0880
Fax (845) 562-0841

LABORATORY TEST RESULTS								
Job Number: 213797		Date: 07/25/2002						
CUSTOMER: William L. Going & Associates		PROJECT:	ATTN: William Going					
Customer Sample ID: DW3 Date Sampled.....: 07/12/2002 Time Sampled.....: 00:00 Sample Matrix.....: Water		Laboratory Sample ID: 213797-2 Date Received.....: 07/12/2002 Time Received.....: 12:40						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.



STL Newburgh is a part of Severn Trent Laboratories, Inc

STL Newburgh
315 Fulton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW4
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-3
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	2.1	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethane	6.6	U		1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethane	2.4	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethane	7.3	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 6



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY048

PA 68-378

M-NY049

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW4

Date Sampled.....: 07/12/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213797-3

Date Received.....: 07/12/2002

Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 7



STL Newburgh is a part of Severn Trent Laboratories, Inc

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

2100 WELTIN

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DWS

Date Sampled.....: 07/12/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213797-4

Date Received.....: 07/12/2002

Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	56			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	4.4			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	7.4			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	7.8			1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m,p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 8



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

Auton wellim

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW5
Date Sampled.....: 07/12/2002
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 213797-4
Date Received.....: 07/12/2002
Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 9



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0641

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW7

Date Sampled.....: 07/12/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213797-5

Date Received.....: 07/12/2002

Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	12			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	21			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	0.67	J		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	16			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	270		D	1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m,p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 10



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

AUTON WETTING

LABORATORY TEST RESULTS

Job Number: 213797

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW7
Date Sampled.....: 07/12/2002
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 213797-5
Date Received.....: 07/12/2002
Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	2.0			1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 11



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL

4945-447-448

2002 07 25

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW8

Date Sampled.....: 07/12/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213797-6

Date Received.....: 07/12/2002

Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/21/02	pcp
	Methyl-tert-butyl-ether (MTBE)	15			1.0	ug/L	07/21/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,2-Dichloroethene	20			1.0	ug/L	07/21/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Chloroform	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/21/02	pcp
	Benzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Trichloroethene	15			1.0	ug/L	07/21/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	Toluene	1.0	U		1.0	ug/L	07/21/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Tetrachloroethene	470		D	1.0	ug/L	07/21/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/21/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	07/21/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	07/21/02	pcp
	Styrene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromoform	1.0	U		1.0	ug/L	07/21/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 12



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSOCH 10142

NJDEP 73016

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

Job Number: 213797

LABORATORY TEST RESULTS

Date: 07/25/2002

CUSTOMER: William L. Going & Associates

PROJECT:

ATTN: William Going

Customer Sample ID: DW8
 Date Sampled.....: 07/12/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213797-6
 Date Received.....: 07/12/2002
 Time Received.....: 12:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/21/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	07/21/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/21/02	pcp

* In Description = Dry Wgt.

Page 13



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 582-0890
 Fax (845) 582-0841

ANALYTICAL REPORT

JOB NUMBER: 213960

Prepared For:

William L. Going & Associates
38 Chapel Field Ct.
Pine Bush, NY 12566

Attention: William Going

Date: 07/24/2002

Signature

Name: Douglas O. Tawse

Title: Project Manager

E-Mail: dtawse@stl-inc.com

Date

315 Fullerton Avenue
Newburgh, NY 12550

PHONE: (845) 562-0890

FAX: (845) 562-0841



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

SAMPLE INFORMATION

Date: 07/24/2002

Job Number.: 213960
 Customer.... William L. Going & Associates
 Attn..... William Going

Project Number..... 20000267
 Customer Project ID..... TOR VALLEY
 Project Description..... Miscellaneous

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
213960-1	TOR 5	Water	07/16/2002	00:00	07/17/2002	14:10
213960-2	TOR 8	Water	07/16/2002	00:00	07/17/2002	14:10
213960-3	TOR 12	Water	07/16/2002	00:00	07/17/2002	14:10
<p align="center">gw Micro <u>wells</u></p>						

Job Number: 213960

LABORATORY TEST RESULTS

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 5
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-1
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics							
	Benzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Ethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Toluene	1.0	U		1.0	ug/L	07/19/02	rmd
	o-Xylene	1.0	U		1.0	ug/L	07/19/02	rmd
	m&p-Xylenes	1.0	U		1.0	ug/L	07/19/02	rmd
	Naphthalene	1.0	U		1.0	ug/L	07/19/02	rmd
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	07/19/02	rmd
	Chlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Vinyl chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Methylene chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,2-Dichloroethene	35	U		1.0	ug/L	07/19/02	rmd
	Chloroform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromodichloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichloroethene	8.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromoform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Tetrachloroethene	78	U	D	5.0	ug/L	07/19/02	rmd
	Bromobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Isopropylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.

Page 2



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

P.17

494-447-548

William Going

Job Number: 213960

LABORATORY TEST RESULTS

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 5
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-1
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0		U	1.0	ug/L	07/19/02	rmd
	n-Propylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	tert-Butylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	sec-Butylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,3,5-Trimethylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	p-Isopropyltoluene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2,4-Trimethylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	n-Butylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	Hexachlorobutadiene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2,4-Trichlorobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2,3-Trichlorobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1,2-Trichloroethane	1.0		U	1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.

Page 3



STL Newburgh is a part of Severn Trent Laboratories, Inc

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

P-1-d

445-744-5468

William Going

LABORATORY TEST RESULTS

Job Number: 213960

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 8
Date Sampled.....: 07/16/2002
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 213960-2
Date Received.....: 07/17/2002
Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics							
	Benzene	1.0		U	1.0	ug/L	07/19/02	rmd
	Ethylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	Toluene	1.0		U	1.0	ug/L	07/19/02	rmd
	o-Xylene	1.0		U	1.0	ug/L	07/19/02	rmd
	m&p-Xylenes	1.0		U	1.0	ug/L	07/19/02	rmd
	Naphthalene	1.0		U	1.0	ug/L	07/19/02	rmd
	Methyl-tert-butyl-ether (MTBE)	0.93		J	1.0	ug/L	07/19/02	rmd
	Chlorobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2-Dichlorobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,3-Dichlorobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,4-Dichlorobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	Chloromethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Bromomethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Dichlorodifluoromethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Vinyl chloride	1.0		U	1.0	ug/L	07/19/02	rmd
	Chloroethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Methylene chloride	1.0		U	1.0	ug/L	07/19/02	rmd
	Trichlorofluoromethane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethene	1.0		U	1.0	ug/L	07/19/02	rmd
	Bromochloromethane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethane	1.0		U	1.0	ug/L	07/19/02	rmd
	trans-1,2-Dichloroethene	1.0		U	1.0	ug/L	07/19/02	rmd
	cis-1,2-Dichloroethene	12		U	1.0	ug/L	07/19/02	rmd
	Chloroform	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2-Dichloroethane	1.0		U	1.0	ug/L	07/19/02	rmd
	2,2-Dichloropropane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2-Dibromoethane (EDB)	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1,1-Trichloroethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Carbon tetrachloride	1.0		U	1.0	ug/L	07/19/02	rmd
	Bromodichloromethane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2-Dichloropropane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1-Dichloropropene	1.0		U	1.0	ug/L	07/19/02	rmd
	Trichloroethene	5.8		U	1.0	ug/L	07/19/02	rmd
	1,3-Dichloropropane	1.0		U	1.0	ug/L	07/19/02	rmd
	Dibromochloromethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Dibromomethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Bromoform	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1,1,2-Tetrachloroethane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2,3-Trichloropropane	1.0		U	1.0	ug/L	07/19/02	rmd
	1,1,2,2-Tetrachloroethane	1.0		U	1.0	ug/L	07/19/02	rmd
	Tetrachloroethene	170		U	5.0	ug/L	07/19/02	rmd
	Bromobenzene	1.0		U	1.0	ug/L	07/19/02	rmd
	2-Chlorotoluene	1.0		U	1.0	ug/L	07/19/02	rmd
	4-Chlorotoluene	1.0		U	1.0	ug/L	07/19/02	rmd
	cis-1,3-Dichloropropene	1.0		U	1.0	ug/L	07/19/02	rmd
	trans-1,3-Dichloropropene	1.0		U	1.0	ug/L	07/19/02	rmd
	1,2-Dibromo-3-chloropropane	1.0		U	1.0	ug/L	07/19/02	rmd
	Isopropylbenzene	1.0		U	1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.

Page 4



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fulton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

Job Number: 213960

LABORATORY TEST RESULTS

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 8

Date Sampled.....: 07/16/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 213960-2

Date Received.....: 07/17/2002

Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Propylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.

Page 5



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

Job Number: 213960

LABORATORY TEST RESULTS

Date: 07/24/2002

CUSTOMER: William L. Going & Associates

PROJECT: TOR VALLEY

ATTN: William Going

Customer Sample ID: TOR 12
 Date Sampled.....: 07/16/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 213960-3
 Date Received.....: 07/17/2002
 Time Received.....: 14:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics							
	Benzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Ethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Toluene	1.0	U		1.0	ug/L	07/19/02	rmd
	o-Xylene	1.0	U		1.0	ug/L	07/19/02	rmd
	m&p-Xylenes	1.0	U		1.0	ug/L	07/19/02	rmd
	Naphthalene	1.0	U		1.0	ug/L	07/19/02	rmd
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	07/19/02	rmd
	Chlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Vinyl chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Chloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Methylene chloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichlorofluoromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,2-Dichloroethene	4.1	U		1.0	ug/L	07/19/02	rmd
	Chloroform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	2,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Carbon tetrachloride	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromodichloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	Trichloroethene	1.7	U		1.0	ug/L	07/19/02	rmd
	1,3-Dichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromochloromethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Dibromomethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Bromoform	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	07/19/02	rmd
	Tetrachloroethene	48	U		1.0	ug/L	07/19/02	rmd
	Bromobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	2-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	4-Chlorotoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	07/19/02	rmd
	Isopropylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.

Page 6



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

12.0 d

4945-447-948

Sewer Trent

LABORATORY TEST RESULTS								
Job Number: 213960		Date: 07/24/2002						
CUSTOMER: William L. Going & Associates		PROJECT: TOR VALLEY	ATTN: William Going					
Customer Sample ID: TOR 12 Date Sampled.....: 07/16/2002 Time Sampled.....: 00:00 Sample Matrix.....: Water		Laboratory Sample ID: 213960-3 Date Received.....: 07/17/2002 Time Received.....: 14:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Propylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	tert-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	sec-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	p-Isopropyltoluene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	n-Butylbenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	Hexachlorobutadiene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	07/19/02	rmd
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	07/19/02	rmd

* In Description = Dry Wgt.

Page 7



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

Severn Trent

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #7 Dark
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 238730-2
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q-FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	4-Chlorotoluene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	cis-1,3-Dichloropropene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	trans-1,3-Dichloropropene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2-Dibromo-3-chloropropane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Isopropylbenzene*	1.8	U	1.1	ug/Kg	08/03/04	dmd
	Styrene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	n-Propylbenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	tert-Butylbenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	sec-Butylbenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,3,5-Trimethylbenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	p-Isopropyltoluene*	0.95	J	1.1	ug/Kg	08/03/04	dmd
	1,2,4-Trimethylbenzene*	1.5	U	1.1	ug/Kg	08/03/04	dmd
	n-Butylbenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Hexachlorobutadiene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2,4-Trichlorobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2,3-Trichlorobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1,2-Trichloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd

* In Description = Dry Wgt.

Page 5

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #8
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 238730-3
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	10.2		0.10	%	07/30/04	ne
EPA 160.3	% Solids	89.8		0.10	%	07/30/04	ne
SW846 80218	Volatile Organics						
	Benzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Ethylbenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Toluene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	o-Xylene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	m&p-Xylenes*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Naphthalene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Methyl-tert-butyl-ether (MTBE)*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Chlorobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2-Dichlorobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,3-Dichlorobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,4-Dichlorobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Chloromethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Bromomethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Dichlorodifluoromethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Vinyl chloride*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Chloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Methylene chloride*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Trichlorofluoromethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1-Dichloroethene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Bromochloromethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1-Dichloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	trans-1,2-Dichloroethene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	cis-1,2-Dichloroethene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Chloroform*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2-Dichloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	2,2-Dichloropropane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2-Dibromoethane (EDB)*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1,1-Trichloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Carbon tetrachloride*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Bromodichloromethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2-Dichloropropane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1-Dichloropropene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Trichloroethene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,3-Dichloropropane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Dibromochloromethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Dibromomethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Bromoform*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1,1,2-Tetrachloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,2,3-Trichloropropane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	1,1,2,2-Tetrachloroethane*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	Tetrachloroethene*	0.69	U	1.1	ug/Kg	08/03/04	dmd
	Bromobenzene*	1.1	U	1.1	ug/Kg	08/03/04	dmd
	2-Chlorotoluene*	1.1	U	1.1	ug/Kg	08/03/04	dmd

* In Description = Dry Wgt.

Page 6

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fuller Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #8
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 238730-3
Data Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	Styrene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	08/03/04	dmd
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	08/03/04	dmd

Page 7

* In Description = Dry Wgt.

STL Newburgh is a part of Severn Trent Laboratories, Inc



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

STL Newburgh

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #5
Date Sampled..... 07/26/2004
Time Sampled..... 00:00
Sample Matrix..... Water

Laboratory Sample ID: 238730-4
Date Received..... 07/26/2004
Time Received..... 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 80218	Volatile Organics							
	Benzene	1.0	U		1.0	ug/L	08/07/04	ems
	Ethylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	Toluene	1.0	U		1.0	ug/L	08/07/04	ems
	o-Xylene	1.0	U		1.0	ug/L	08/07/04	ems
	m&p-Xylenes	1.0	U		1.0	ug/L	08/07/04	ems
	Naphthalene	1.0	U		1.0	ug/L	08/07/04	ems
	Methyl-tert-butyl-ether (MTBE)	32			1.0	ug/L	08/07/04	ems
	Chlorobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	Chloromethane	1.0	U		1.0	ug/L	08/07/04	ems
	Bromomethane	1.0	U		1.0	ug/L	08/07/04	ems
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	08/07/04	ems
	Vinyl chloride	0.59	U		1.0	ug/L	08/07/04	ems
	Chloroethane	1.0	U		1.0	ug/L	08/07/04	ems
	Methylene chloride	1.0	U		1.0	ug/L	08/07/04	ems
	Trichlorofluoromethane	1.0	U		1.0	ug/L	08/07/04	ems
	1,1-Dichloroethene	1.0	U		1.0	ug/L	08/07/04	ems
	Bromochloromethane	1.0	U		1.0	ug/L	08/07/04	ems
	1,1-Dichloroethane	1.0	U		1.0	ug/L	08/07/04	ems
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	08/07/04	ems
	cis-1,2-Dichloroethene	15			1.0	ug/L	08/07/04	ems
	Chloroform	1.0	U		1.0	ug/L	08/07/04	ems
	1,2-Dichloroethane	1.0	U		1.0	ug/L	08/07/04	ems
	2,2-Dichloropropane	1.0	U		1.0	ug/L	08/07/04	ems
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	08/07/04	ems
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	08/07/04	ems
	Carbon tetrachloride	1.0	U		1.0	ug/L	08/07/04	ems
	Bromodichloromethane	1.0	U		1.0	ug/L	08/07/04	ems
	1,2-Dichloropropane	1.0	U		1.0	ug/L	08/07/04	ems
	1,1-Dichloropropene	1.0	U		1.0	ug/L	08/07/04	ems
	Trichloroethene	3.0			1.0	ug/L	08/07/04	ems
	1,3-Dichloropropane	1.0	U		1.0	ug/L	08/07/04	ems
	Dibromochloromethane	1.0	U		1.0	ug/L	08/07/04	ems
	Dibromomethane	1.0	U		1.0	ug/L	08/07/04	ems
	Bromoform	1.0	U		1.0	ug/L	08/07/04	ems
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	08/07/04	ems
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	08/07/04	ems
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	08/07/04	ems
	Tetrachloroethene	3.6			1.0	ug/L	08/07/04	ems
	Bromobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	2-Chlorotoluene	1.0	U		1.0	ug/L	08/07/04	ems
	4-Chlorotoluene	1.0	U		1.0	ug/L	08/07/04	ems
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	08/07/04	ems
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	08/07/04	ems
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	08/07/04	ems
	Isopropylbenzene	1.0	U		1.0	ug/L	08/07/04	ems

* In Description = Dry Wgt.

Page 8

STL Newburgh is a part of Severn Trent Laboratories, Inc.

SEVERN
TRENT

NYSOEH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

2009 08/16/2004

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #5
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 238730-4
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	08/07/04	ems
	n-Propylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	tert-Butylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	sec-Butylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	p-Isopropyltoluene	1.0	U		1.0	ug/L	08/07/04	ems
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	n-Butylbenzene	1.0	U		1.0	ug/L	08/07/04	ems
	Hexachlorobutadiene	1.0	U		1.0	ug/L	08/07/04	ems
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	08/07/04	ems
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	08/07/04	ems

* In Description = Dry Wgt.

Page 9

STL Newburgh is a part of Severn Trent Laboratories, Inc.

SEVERN
TRENT

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

William Going

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #7
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 238730-5
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics	10	U		10	ug/L	08/04/04	ems
	Benzene	10	U		10	ug/L	08/04/04	ems
	Ethylbenzene	10	U		10	ug/L	08/04/04	ems
	Toluene	10	U		10	ug/L	08/04/04	ems
	o-Xylene	10	U		10	ug/L	08/04/04	ems
	m&p-Xylenes	10	U		10	ug/L	08/04/04	ems
	Naphthalene	10	U		10	ug/L	08/04/04	ems
	Methyl-tert-butyl-ether (MTBE)	10	U		10	ug/L	08/04/04	ems
	Chlorobenzene	10	U		10	ug/L	08/04/04	ems
	1,2-Dichlorobenzene	10	U		10	ug/L	08/04/04	ems
	1,3-Dichlorobenzene	10	U		10	ug/L	08/04/04	ems
	1,4-Dichlorobenzene	10	U		10	ug/L	08/04/04	ems
	Chloromethane	10	U		10	ug/L	08/04/04	ems
	Bromomethane	10	U		10	ug/L	08/04/04	ems
	Dichlorodifluoromethane	10	U		10	ug/L	08/04/04	ems
	Vinyl chloride	10	U		10	ug/L	08/04/04	ems
	Chloroethane	10	U		10	ug/L	08/04/04	ems
	Methylene chloride	10	U		10	ug/L	08/04/04	ems
	Trichlorofluoromethane	10	U		10	ug/L	08/04/04	ems
	1,1-Dichloroethene	10	U		10	ug/L	08/04/04	ems
	Bromochloromethane	10	U		10	ug/L	08/04/04	ems
	1,1-Dichloroethane	10	U		10	ug/L	08/04/04	ems
	trans-1,2-Dichloroethene	10	U		10	ug/L	08/04/04	ems
	cis-1,2-Dichloroethene	19	U		10	ug/L	08/04/04	ems
	Chloroform	10	U		10	ug/L	08/04/04	ems
	1,2-Dichloroethane	10	U		10	ug/L	08/04/04	ems
	2,2-Dichloropropane	10	U		10	ug/L	08/04/04	ems
	1,2-Dibromoethane (EDB)	10	U		10	ug/L	08/04/04	ems
	1,1,1-Trichloroethane	10	U		10	ug/L	08/04/04	ems
	Carbon tetrachloride	10	U		10	ug/L	08/04/04	ems
	Bromodichloromethane	10	U		10	ug/L	08/04/04	ems
	1,2-Dichloropropane	10	U		10	ug/L	08/04/04	ems
	1,1-Dichloropropene	10	U		10	ug/L	08/04/04	ems
	Trichloroethene	7-2	J		10	ug/L	08/04/04	ems
	1,3-Dichloropropane	10	U		10	ug/L	08/04/04	ems
	Dibromochloromethane	10	U		10	ug/L	08/04/04	ems
	Dibromomethane	10	U		10	ug/L	08/04/04	ems
	Bromoform	10	U		10	ug/L	08/04/04	ems
	1,1,1,2-Tetrachloroethane	10	U		10	ug/L	08/04/04	ems
	1,2,3-Trichloropropane	10	U		10	ug/L	08/04/04	ems
	1,1,2,2-Tetrachloroethane	10	U		10	ug/L	08/04/04	ems
	Tetrachloroethene	880	U	D	10	ug/L	08/04/04	ems
	Bromobenzene	10	U		10	ug/L	08/04/04	ems
	2-Chlorotoluene	10	U		10	ug/L	08/04/04	ems
	4-Chlorotoluene	10	U		10	ug/L	08/04/04	ems
	cis-1,3-Dichloropropene	10	U		10	ug/L	08/04/04	ems
	trans-1,3-Dichloropropene	10	U		10	ug/L	08/04/04	ems
	1,2-Dibromo-3-chloropropane	10	U		10	ug/L	08/04/04	ems
	Isopropylbenzene	10	U		10	ug/L	08/04/04	ems

Page 10

* In Description = Dry Wgt.

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY048

PA 68-378

M-NY049

STL Newburgh
315 Fuller Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

2010 08/16/04

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #7
Date Sampled: 07/26/2004
Time Sampled: 00:00
Sample Matrix: Water

Laboratory Sample ID: 238730-5
Date Received: 07/26/2004
Time Received: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	10	U		10	ug/L	08/04/04	ems
	n-Propylbenzene	10	U		10	ug/L	08/04/04	ems
	tert-Butylbenzene	10	U		10	ug/L	08/04/04	ems
	sec-Butylbenzene	10	U		10	ug/L	08/04/04	ems
	1,3,5-Trimethylbenzene	10	U		10	ug/L	08/04/04	ems
	p-Isopropyltoluene	10	U		10	ug/L	08/04/04	ems
	1,2,4-Trimethylbenzene	10	U		10	ug/L	08/04/04	ems
	n-Butylbenzene	10	U		10	ug/L	08/04/04	ems
	Hexachlorobutadiene	10	U		10	ug/L	08/04/04	ems
	1,2,4-Trichlorobenzene	10	U		10	ug/L	08/04/04	ems
	1,2,3-Trichlorobenzene	10	U		10	ug/L	08/04/04	ems
	1,1,2-Trichloroethane	10	U		10	ug/L	08/04/04	ems

* In Description = Dry Wgt.

Page 11

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

20109 we11111M

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #8
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 238730-6
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 80218	Volatile Organics	1.0	U		1.0	ug/L	08/04/04	ems
	Benzene	1.0	U		1.0	ug/L	08/04/04	ems
	Ethylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	Toluene	1.0	U		1.0	ug/L	08/04/04	ems
	o-Xylene	1.0	U		1.0	ug/L	08/04/04	ems
	m&p-Xylenes	1.0	U		1.0	ug/L	08/04/04	ems
	Naphthalene	1.0	U		1.0	ug/L	08/04/04	ems
	Methyl-tert-butyl-ether (MTBE)	1.4	U		1.0	ug/L	08/04/04	ems
	Chlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	Chloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	Bromomethane	1.0	U		1.0	ug/L	08/04/04	ems
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	08/04/04	ems
	Vinyl chloride	1.0	U		1.0	ug/L	08/04/04	ems
	Chloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	Methylene chloride	1.0	U		1.0	ug/L	08/04/04	ems
	Trichlorofluoromethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1-Dichloroethene	1.0	U		1.0	ug/L	08/04/04	ems
	Bromochloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1-Dichloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	08/04/04	ems
	cis-1,2-Dichloroethene	20	U		1.0	ug/L	08/04/04	ems
	Chloroform	0.57	U		1.0	ug/L	08/04/04	ems
	1,2-Dichloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	2,2-Dichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	Carbon tetrachloride	1.0	U		1.0	ug/L	08/04/04	ems
	Bromodichloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1-Dichloropropene	1.0	U		1.0	ug/L	08/04/04	ems
	Trichloroethene	5.6	U		1.0	ug/L	08/04/04	ems
	1,3-Dichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	Dibromochloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	Dibromomethane	1.0	U		1.0	ug/L	08/04/04	ems
	Bromoform	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	Tetrachloroethene	730	U	D	1.0	ug/L	08/04/04	ems
	Bromobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	2-Chlorotoluene	1.0	U		1.0	ug/L	08/04/04	ems
	4-Chlorotoluene	1.0	U		1.0	ug/L	08/04/04	ems
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	08/04/04	ems
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	Isopropylbenzene	1.0	U		1.0	ug/L	08/04/04	ems

* In Description = Dry Wgt.

Page 12

STL Newburgh is a part of Severn Trent Laboratories, Inc.

SEVERN
TRENT

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

Severn Trent

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: #8
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 238730-6
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	08/04/04	ems
	n-Propylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	tert-Butylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	sec-Butylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	p-Isopropyltoluene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	n-Butylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	Hexachlorobutadiene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	08/04/04	ems

* In Description = Dry Wgt.

Page 13

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: S. Pipe
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 238730-7
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8021B	Volatile Organics	1.0	U		1.0	ug/L	08/04/04	ems
	Benzene	1.0	U		1.0	ug/L	08/04/04	ems
	Ethylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	Toluene	1.0	U		1.0	ug/L	08/04/04	ems
	o-Xylene	1.0	U		1.0	ug/L	08/04/04	ems
	m&p-Xylenes	1.0	U		1.0	ug/L	08/04/04	ems
	Naphthalene	1.0	U		1.0	ug/L	08/04/04	ems
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	08/04/04	ems
	Chlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	Chloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	Bromomethane	1.0	U		1.0	ug/L	08/04/04	ems
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	08/04/04	ems
	Vinyl chloride	1.0	U		1.0	ug/L	08/04/04	ems
	Chloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	Methylene chloride	1.0	U		1.0	ug/L	08/04/04	ems
	Trichlorofluoromethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1-Dichloroethene	1.0	U		1.0	ug/L	08/04/04	ems
	Bromochloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1-Dichloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	08/04/04	ems
	cis-1,2-Dichloroethene	1.0	U		1.0	ug/L	08/04/04	ems
	Chloroform	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dichloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	2,2-Dichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	Carbon tetrachloride	1.0	U		1.0	ug/L	08/04/04	ems
	Bromodichloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1-Dichloropropene	1.0	U		1.0	ug/L	08/04/04	ems
	Trichloroethene	1.0	U		1.0	ug/L	08/04/04	ems
	1,3-Dichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	Dibromochloromethane	1.0	U		1.0	ug/L	08/04/04	ems
	Dibromomethane	1.0	U		1.0	ug/L	08/04/04	ems
	Bromoform	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	08/04/04	ems
	Tetrachloroethene	0.66	J		1.0	ug/L	08/04/04	ems
	Bromobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	2-Chlorotoluene	1.0	U		1.0	ug/L	08/04/04	ems
	4-Chlorotoluene	1.0	U		1.0	ug/L	08/04/04	ems
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	08/04/04	ems
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	08/04/04	ems
	Isopropylbenzene	1.0	U		1.0	ug/L	08/04/04	ems

* In Description = Dry Wgt.

Page 14

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 238730

Date: 08/16/2004

CUSTOMER: William L. Going & Associates

PROJECT: BUD GOING

ATTN: William Going

Customer Sample ID: S. Pipe
Date Sampled.....: 07/26/2004
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 238730-7
Date Received.....: 07/26/2004
Time Received.....: 15:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	Styrene	1.0	U		1.0	ug/L	08/04/04	ems
	n-Propylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	tert-Butylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	sec-Butylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	p-Isopropyltoluene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	n-Butylbenzene	1.0	U		1.0	ug/L	08/04/04	ems
	Hexachlorobutadiene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	08/04/04	ems
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	08/04/04	ems

* In Description = Dry Wgt.

Page 15

STL Newburgh is a part of Severn Trent Laboratories, Inc.



NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

William Going



CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

STL Newburgh

CUSTOMER NAME	Basil County
ADDRESS	38 Charles St.
CITY, STATE, ZIP	Newburgh NY 12550
NAME OF CONTACT	PHONE NO.
PROJECT LOCATION	
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD <input checked="" type="checkbox"/> ISRA <input type="checkbox"/>	<input type="checkbox"/> NORMAL
NJ REG <input type="checkbox"/>	<input type="checkbox"/> QUICK
NYASP A <input type="checkbox"/> B <input type="checkbox"/> CLP <input type="checkbox"/>	<input checked="" type="checkbox"/> VERBAL
OTHER	

REPORT # (Lab Use Only)	738739
SAMPLE TEMP.	1.6
SAMPLE REC'D ON ICE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
PH CHECK	Y <input type="checkbox"/> N <input type="checkbox"/>
CHLORINE (RESIDUAL)	Y <input type="checkbox"/> N <input type="checkbox"/>
REVIEWED BY	
NY PUBLIC WATER SUPPLIES	
SOURCE ID	
ELRP TYPE	
FEDERAL ID	

Matrix:
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

ANALYSIS REQUESTED

STL #	SAMPLING DATE	TIME	COMP	MATRIX	CLIENT I.D.	Total Number of Containers	40m Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic Sulfuric Acid	250ml Plastic Sterile	8 oz. Soil	2 oz. Compak	250ml Plastic MACH / ZN ACC
738739	7/28/14	PM	✓	✓	#7 RED	1											
	7/28/14	PM	✓	✓	#7 DARK	1											
	7/28/14	PM	✓	✓	#8	1											
	7/28/14	PM	✓	✓	#5	3											
	7/28/14	PM	✓	✓	#7	3											
	7/28/14	PM	✓	✓	#8	3											
	7/28/14	PM	✓	✓	#5	3											

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE STL TERMS AND CONDITIONS OF SALE (SHORT FORM) UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	COMPANY	DATE	TIME	COMPANY	DATE	TIME
SAMPLED BY	COMPANY	DATE	TIME	COMPANY	DATE	TIME
RELINQUISHED BY	COMPANY	DATE	TIME	COMPANY	DATE	TIME

COMMENTS

ANALYTICAL REPORT

JOB NUMBER: 208009

Prepared For:

William L. Going & Associates
38 Chapel Field Ct.
Pine Bush, NY 12566

Attention: William Going

Date: 02/04/2002

Signature

Name: Douglas O. Tawse

Title: Project Manager

E-Mail: dtawse@stl-inc.com

Date

2/4/02
315 Fullerton Avenue
Newburgh, NY 12550

PHONE: (845) 562-0890

FAX...: (845) 562-0841



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

SAMPLE INFORMATION

Date: 02/04/2002

Job Number.: 208009
 Customer...: William L. Going & Associates
 Attn.....: William Going

Project Number.....: 20000267
 Customer Project ID....: LITTLE TOR
 Project Description....: Miscellaneous

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
208009-1	SHALLOW TP	Soil	01/22/2002	00:00	01/25/2002	14:30
208009-2	#2 DW	Soil	01/22/2002	00:00	01/25/2002	14:30
208009-3	#3 DW	Soil	01/22/2002	00:00	01/25/2002	14:30
208009-4	#4 DW	Soil	01/22/2002	00:00	01/25/2002	14:30
208009-5	DEEP TP	Soil	01/22/2002	00:00	01/25/2002	14:30
208009-6	DEEP TP	Water	01/22/2002	00:00	01/25/2002	14:30
208009-7	#1	Soil	01/24/2002	00:00	01/25/2002	14:30
208009-8	DRY WELL	Water	01/24/2002	00:00	01/25/2002	14:30
208009-9	#5 DW	Soil	01/25/2002	00:00	01/25/2002	14:30
208009-10	#6 DW	Soil	01/25/2002	00:00	01/25/2002	14:30
208009-11	#7 DW	Soil	01/25/2002	00:00	01/25/2002	14:30
208009-12	#8 DW	Soil	01/25/2002	00:00	01/25/2002	14:30
208009-13	FB	Water	01/25/2002	00:00	01/25/2002	14:30
208009-14	TB	Water	01/25/2002	00:00	01/25/2002	14:30



LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: SHALLOW TP
 Date Sampled.....: 01/22/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-1
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	11.0			0.1	%	01/29/02	lla
EPA 160.3	% Solids	89.0			0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	67	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 2



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS								
Job Number: 208009		Date: 02/04/2002						
CUSTOMER: William L. Going & Associates		PROJECT: LITTLE TOR						
		ATTN: William Going						
Customer Sample ID: SHALLOW TP		Laboratory Sample ID: 208009-1						
Date Sampled.....: 01/22/2002		Date Received.....: 01/25/2002						
Time Sampled.....: 00:00		Time Received.....: 14:30						
Sample Matrix.....: Soil								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 3



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS				Date: 02/04/2002				
Job Number: 208009								
CUSTOMER: William L. Going & Associates		PROJECT: LITTLE TOR		ATTN: William Going				
Customer Sample ID: #2 DW Date Sampled.....: 01/22/2002 Time Sampled.....: 00:00 Sample Matrix.....: Soil				Laboratory Sample ID: 208009-2 Date Received.....: 01/25/2002 Time Received.....: 14:30				
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	10.3			0.1	%	01/29/02	lla
EPA 160.3	% Solids	89.7			0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.2	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 4



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0850
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #2 DW

Date Sampled.....: 01/22/2002

Time Sampled.....: 00:00

Sample Matrix.....: Soil

Laboratory Sample ID: 208009-2

Date Received.....: 01/25/2002

Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 5



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fulton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #3 DW
 Date Sampled.....: 01/22/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-3
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	9.0			0.1	%	01/29/02	lla
EPA 160.3	% Solids	91.0			0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.7	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 6



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYS DOH 10142

NJ DEP 73015

CT DOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #3 DW
 Date Sampled.....: 01/22/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-3
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 7



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE YOR

ATTN: William Going

Customer Sample ID: #4 DW
 Date Sampled.....: 01/22/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-4
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	8.5			0.1	%	01/29/02	lla
EPA 160.3	% Solids	91.5			0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	2.6	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 8



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS								
Job Number: 208009		Date: 02/04/2002						
CUSTOMER: William L. Going & Associates		PROJECT: LITTLE TOR						
		ATTN: William Going						
Customer Sample ID: #4 DW		Laboratory Sample ID: 208009-4						
Date Sampled.....: 01/22/2002		Date Received.....: 01/25/2002						
Time Sampled.....: 00:00		Time Received.....: 14:30						
Sample Matrix.....: Soil								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 9



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0880
Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: DEEP TP
 Date Sampled.....: 01/22/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-5
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	9.9		0.1	%	01/29/02	lla
EPA 160.3	% Solids	90.1		0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics						
	Dichlorodifluoromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 10



STL Newburgh is a part of Savert Trent Laboratories, Inc

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

LABORATORY TEST RESULTS								
Job Number: 208009		Date: 02/04/2002						
CUSTOMER: William L. Going & Associates		PROJECT: LITTLE TOR						
		ATTN: William Going						
Customer Sample ID: DEEP TP		Laboratory Sample ID: 208009-5						
Date Sampled.....: 01/22/2002		Date Received.....: 01/25/2002						
Time Sampled.....: 00:00		Time Received.....: 14:30						
Sample Matrix.....: Soil								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 11



STL Newburgh is a part of Savern Trent Laboratories, Inc

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-878

M-NY049

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: DEEP TP
 Date Sampled.....: 01/22/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 208009-6
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 82608	Volatile Organics	1.0	U		1.0	ug/L	01/31/02	pcp
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloromethane	3.4	U		1.0	ug/L	01/31/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,2-Dichloroethene	0.59	J		1.0	ug/L	01/31/02	pcp
	Methyl-tert-butyl-ether (MTBE)	25			1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,2-Dichloroethene	63			1.0	ug/L	01/31/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroform	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Benzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichloroethene	34			1.0	ug/L	01/31/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Toluene	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Tetrachloroethene	380			1.0	ug/L	01/31/02	pcp
	Tetrachloroethane	330		E D	10	ug/L	01/31/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	01/31/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	m&p-Xylenes	1.0	U		1.0	ug/L	01/31/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	01/31/02	pcp
	Styrene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromoform	1.0	U		1.0	ug/L	01/31/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 12



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0641

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

Job Number: 208009	LABORATORY TEST RESULTS	Date: 02/04/2002
CUSTOMER: William L. Going & Associates	PROJECT: LITTLE TOR	ATTN: William Going
Customer Sample ID: DEEP TP Date Sampled.....: 01/22/2002 Time Sampled.....: 00:00 Sample Matrix.....: Water		Laboratory Sample ID: 208009-6" Date Received.....: 01/25/2002 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	tert-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	01/31/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 13



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 69-378

M-NY049

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #1
 Date Sampled.....: 01/24/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-7
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	9.4		0.1	%	01/29/02	lla
EPA 160.3	% Solids	90.6		0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics						
	Dichlorodifluoromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 14



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 88-378

M-NY049

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #1
 Date Sampled.....: 01/24/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-7
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 15



STL Newburgh is a part of Severn Trent Laboratories, Inc

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0990
 Fax (845) 562-0841

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: DRY WELL
Date Sampled.....: 01/24/2002
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 208009-8
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SWB46 82608	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloromethane	0.84	U		1.0	ug/L	01/31/02	pcp
	Vinyl chloride	0.95	U		1.0	ug/L	01/31/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methyl-tert-butyl-ether (MTBE)	60	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,2-Dichloroethene	18	U		1.0	ug/L	01/31/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroform	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Benzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichloroethene	25	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Toluene	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Tetrachloroethene	470	U	E	1.0	ug/L	01/31/02	pcp
	Tetrachloroethane	440	U	D	10	ug/L	01/31/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromoethane (E08)	1.0	U		1.0	ug/L	01/31/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	m,p-Xylenes	1.0	U		1.0	ug/L	01/31/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	01/31/02	pcp
	Styrene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromoform	1.0	U		1.0	ug/L	01/31/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 16



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

2009 01/11/11

Date: 02/04/2002

ATTN: William Goings

Laboratory Sample ID: 208009-8
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	tert-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	01/31/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 17

SEVERN
TRENT
SERVICES

STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NYC49

SHUTON WEITTIM

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #5 DW
Date Sampled..... 01/25/2002
Time Sampled..... 00:00
Sample Matrix..... Soil

Laboratory Sample ID: 208009-9
Date Received..... 01/25/2002
Time Received..... 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	11.0			0.1	%	01/29/02	lla
EPA 160.3	% Solids	89.0			0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	3.6			1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 18



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #5 DW
Date Sampled..... 01/25/2002
Time Sampled..... 00:00
Sample Matrix..... Soil

Laboratory Sample ID: 208009-9
Date Received..... 01/25/2002
Time Received..... 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 19



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

201009 010

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #6 DW
Date Sampled.....: 01/25/2002
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 208009-10
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	12.4			0.1	%	01/29/02	lla
EPA 160.3	% Solids	87.6			0.100	%	01/29/02	lla
SW846 8260B	volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Tetrachloroethene*	2.0	U		1.1	ug/Kg	01/28/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 20



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

2000000000

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #6 DW
Date Sampled.....: 01/25/2002
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 208009-10
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	2-Chlorotoluene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	4-Chlorotoluene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	tert-Butylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	sec-Butylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,3-Dichlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	p-Isopropyltoluene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,4-Dichlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	n-Butylbenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dichlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Hexachlorobutadiene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	Naphthalene*	1.1	U	1.1	ug/Kg	01/28/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U	1.1	ug/Kg	01/28/02	pcp

* In Description = Dry Wgt.

Page 21



STL Newburgh is a part of Severn Trent Laboratories, Inc

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

20100 WETTTM

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #7 DW
Date Sampled.....: 01/25/2002
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 208009-11
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	14.1			0.1	%	01/29/02	lla
EPA 160.3	% Solids	85.9			0.100	%	01/29/02	lla
SW846 82608	Volatile Organics							
	Dichlorodifluoromethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Chloromethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Vinyl chloride*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Bromomethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Chloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Trichlorofluoromethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,1-Dichloroethene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Methylene chloride*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	trans-1,2-Dichloroethene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.0	J		1.2	ug/Kg	01/29/02	pcp
	1,1-Dichloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	2,2-Dichloropropane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	cis-1,2-Dichloroethene*	1.7	U		1.2	ug/Kg	01/29/02	pcp
	Bromochloromethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Chloroform*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,1,1-Trichloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,1-Dichloropropene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Carbon tetrachloride*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Benzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2-Dichloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Trichloroethene*	2.5	U		1.2	ug/Kg	01/29/02	pcp
	1,2-Dichloropropane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Dibromomethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Bromodichloromethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	cis-1,3-Dichloropropene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Toluene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	trans-1,3-Dichloropropene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,1,2-Trichloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Tetrachloroethene*	11	U		1.2	ug/Kg	01/29/02	pcp
	1,3-Dichloropropane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Dibromochloromethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2-Dibromoethane (EDB)*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Chlorobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,1,1,2-Tetrachloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Ethylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	m&p-Xylenes*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	o-Xylene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Styrene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Bromoform*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Isopropylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Bromobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,1,2,2-Tetrachloroethane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2,3-Trichloropropane*	1.2	U		1.2	ug/Kg	01/29/02	pcp

* In Description = Dry Wgt.

Page 22



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fuller Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

2009 01/11/01

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #7 DW
Date Sampled.....: 01/25/2002
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 208009-11
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	2-Chlorotoluene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,3,5-Trimethylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	4-Chlorotoluene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	tert-Butylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2,4-Trimethylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	sec-Butylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,3-Dichlorobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	p-Isopropyltoluene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,4-Dichlorobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	n-Butylbenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2-Dichlorobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2-Dibromo-3-chloropropane*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2,4-Trichlorobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Hexachlorobutadiene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	Naphthalene*	1.2	U		1.2	ug/Kg	01/29/02	pcp
	1,2,3-Trichlorobenzene*	1.2	U		1.2	ug/Kg	01/29/02	pcp

* In Description = Dry Wgt.

Page 23



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fulton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

2009 01/25/02

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #8 DW
Date Sampled.....: 01/25/2002
Time Sampled.....: 00:00
Sample Matrix.....: Soil

Laboratory Sample ID: 208009-12
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
EPA 160.3	% Moisture	11.6			0.1	%	01/29/02	lla
EPA 160.3	% Solids	88.4			0.100	%	01/29/02	lla
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Chloromethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Vinyl chloride*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Bromomethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Chloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Trichlorofluoromethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1-Dichloroethene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Methylene chloride*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	trans-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Methyl-tert-butyl-ether (MTBE)*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1-Dichloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	2,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	cis-1,2-Dichloroethene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Bromochloromethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Chloroform*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1,1-Trichloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1-Dichloropropene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Carbon tetrachloride*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Benzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2-Dichloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Trichloroethene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2-Dichloropropane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Dibromomethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Bromodichloromethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	cis-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Toluene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	trans-1,3-Dichloropropene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1,2-Trichloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Tetrachloroethene*	3.9	U		1.1	ug/Kg	01/29/02	pcp
	1,3-Dichloropropane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Dibromochloromethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2-Dibromoethane (EDB)*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Chlorobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1,1,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Ethylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	m&p-Xylenes*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	o-Xylene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Styrene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Bromoform*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Isopropylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Bromobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,1,2,2-Tetrachloroethane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2,3-Trichloropropane*	1.1	U		1.1	ug/Kg	01/29/02	pcp

* In Description = Dry Wgt.

Page 24



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0641

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

Auton welltim

Job Number: 208009

LABORATORY TEST RESULTS

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: #8 DW
 Date Sampled.....: 01/25/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 208009-12
 Date Received.....: 01/25/2002
 Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	n-Propylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	2-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,3,5-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	4-Chlorotoluene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	tert-Butylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2,4-Trimethylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	sec-Butylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,3-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	p-Isopropyltoluene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,4-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	n-Butylbenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2-Dichlorobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2-Dibromo-3-chloropropane*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2,4-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Hexachlorobutadiene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	Naphthalene*	1.1	U		1.1	ug/Kg	01/29/02	pcp
	1,2,3-Trichlorobenzene*	1.1	U		1.1	ug/Kg	01/29/02	pcp

* In Description = Dry Wgt.

Page 25



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY048

PA 68-378

M-NY049

STL Newburgh
 315 Fullerton Avenue
 Newburgh, NY 12550
 Tel (845) 562-0890
 Fax (845) 562-0841

2002 02/04/02

Job Number: 208009

LABORATORY TEST RESULTS

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: FB

Date Sampled.....: 01/25/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 208009-13

Date Received.....: 01/25/2002

Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics							
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloromethane	1.3	U		1.0	ug/L	01/31/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,2-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroform	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Benzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Toluene	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Tetrachloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	01/31/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	m,p-Xylenes	1.0	U		1.0	ug/L	01/31/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	01/31/02	pcp
	Styrene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromoform	1.0	U		1.0	ug/L	01/31/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 26



STL Newburgh is a part of Severn Trent Laboratories, Inc.

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

STL Newburgh
315 Fullerian Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

SUTON WILLIAM

Job Number: 208009

LABORATORY TEST RESULTS

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: FB

Date Sampled.....: 01/25/2002

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 208009-13

Date Received.....: 01/25/2002

Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
	1,2,4-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	sec-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	p-Isopropyltoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,4-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromo-3-chloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,4-Trichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Hexachlorobutadiene	1.0	U		1.0	ug/L	01/31/02	pcp
	Naphthalene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 27



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

GTDCHS PH-0554

EPA NY049

PA 68-378

M-NY049

20100 WRITING

LABORATORY TEST RESULTS

Job Number: 208009

Date: 02/04/2002

CUSTOMER: William L. Going & Associates

PROJECT: LITTLE TOR

ATTN: William Going

Customer Sample ID: T8
Date Sampled.....: 01/25/2002
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 208009-14
Date Received.....: 01/25/2002
Time Received.....: 14:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SW846 8260B	Volatile Organics	1.0	U		1.0	ug/L	01/31/02	pcp
	Dichlorodifluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Vinyl chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichlorofluoromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methylene chloride	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,2-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Methyl-tert-butyl-ether (MTBE)	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	2,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,2-Dichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Chloroform	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Carbon tetrachloride	1.0	U		1.0	ug/L	01/31/02	pcp
	Benzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Trichloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromomethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromodichloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	cis-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	Toluene	1.0	U		1.0	ug/L	01/31/02	pcp
	trans-1,3-Dichloropropene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2-Trichloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Tetrachloroethene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3-Dichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	Dibromochloromethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2-Dibromoethane (EDB)	1.0	U		1.0	ug/L	01/31/02	pcp
	Chlorobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,1,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	Ethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	m,p-Xylenes	1.0	U		1.0	ug/L	01/31/02	pcp
	o-Xylene	1.0	U		1.0	ug/L	01/31/02	pcp
	Styrene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromoform	1.0	U		1.0	ug/L	01/31/02	pcp
	Isopropylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	Bromobenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,1,2,2-Tetrachloroethane	1.0	U		1.0	ug/L	01/31/02	pcp
	1,2,3-Trichloropropane	1.0	U		1.0	ug/L	01/31/02	pcp
	n-Propylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	2-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	1,3,5-Trimethylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp
	4-Chlorotoluene	1.0	U		1.0	ug/L	01/31/02	pcp
	tert-Butylbenzene	1.0	U		1.0	ug/L	01/31/02	pcp

* In Description = Dry Wgt.

Page 28



STL Newburgh is a part of Severn Trent Laboratories, Inc.

STL Newburgh
315 Fullerton Avenue
Newburgh, NY 12550
Tel (845) 562-0890
Fax (845) 562-0841

NYSDOH 10142

NJDEP 73015

CTDOHS PH-0554

EPA NY049

PA 68-378

M-NY049

Severn Trent