



4400 Broadway  
Depew, New York 14043  
Office (716) 686-3710  
Fax (716) 686-3716

## **PERIODIC REVIEW REPORT**

**Former Pizza Hut  
2137 Seneca Street  
Buffalo, New York 14210**

**NYSDEC Site No. V00370-9**

**Project Number: 07.007684/001**

**Prepared For:**



**NEW YORK STATE DEPARTMENT  
OF ENVIRONMENTAL CONSERVATION**  
Division of Environmental Remediation  
625 Broadway  
Albany, New York 12233

and



**Creative Structures Services, Inc.**  
1659 Amherst Street  
Buffalo, New York 14214

**Report Date:** September 13, 2013

## TABLE OF CONTENTS

1.0	Executive Summary
2.0	Site Overview
2.1	Location
2.2	Site History and Remediation
2.3	Remaining Contamination
2.4	Existing Groundwater Monitoring System
2.5	Clean-up Goals
2.6	Institutional/Engineering Control Verification
2.6.1	Verification of Site Details
2.6.2	Institutional Controls Certification
2.6.3	Engineering Controls Certification
3.0	Media Monitoring Program
3.1	Groundwater Progress Monitoring
3.2	Sampling Protocol
3.2.1	Groundwater Wells
3.2.2	Disposal Drums
3.3	Monitoring Quality Assurance/Quality Control (QA/QC)
4.0	Summary of Results
4.1	Institutional/Engineering Control Verification
4.2	Engineering Controls Certification
4.3	Groundwater Monitoring Program
4.3.1	Groundwater Levels
4.3.1.1	Well Integrity
4.3.2	Analytical Results

5.0 Findings and Recommendations

5.1 IC/EC Certification

5.2 Groundwater Monitoring Program

6.0 Signature of Environmental Professional

Appendices

A – Figures

B - IC/EC Certifications

B-1 - Owner Certification

B-2 – Site Inspection Forms

C – Well Development Logs

D – Analytical Data

## 1.0 EXECUTIVE SUMMARY

As authorized by Mr. David Pawlik (Owner) on behalf of 2137 Seneca Street, LLC, Quality Inspection Services, Inc. - An Applus RTD Company (QISI) has completed a Periodic Review Report (PRR) of a parcel of land addressed at 2137 Seneca Street, Buffalo (Erie County), New York (Site). The PRR was completed in general conformance with the Site Management Plan (SMP) prepared by URS, Inc. and dated May 25, 2011 for New York State Department of Environmental Conservation (NYSDEC) Volunteer Clean-up Program Site #V00370-9.

Historical use of the Site indicated that previous uses of the Site include residential dwellings, a pharmacy, a retail tire establishment, automotive service building, offices, a dry cleaning establishment, and former restaurants (i.e., Pizza Hut and Wendy's). Dry cleaning chemicals (namely Tetrachloroethene or PCE) were presumably released to the environment from the aforementioned dry-cleaning establishment resulting in impacted soil and groundwater.

The Site has undergone several remediation activities between 2003 and 2009 with the approval of NYSDEC. Approximately 726-tons of excess overburden soil/fill was excavated and transported off-site for disposal as part of the remedial activities. The Site was restored post-remediation and was developed with a commercial-retail facility operated as a Dollar General store. The NYSDEC-approved Site Management Plan requires continued certification of the Site Institutional and Engineering Controls and implementation of a Groundwater Monitoring Program.

During the monitoring period commencing January 15, 2013, the following tasks of the SMP were completed:

- Institutional and Engineering (IC/EC) Controls were maintained as certified by the Owner;
- A Site-wide inspection was completed of the Cover System; and
- Groundwater Monitoring was completed.

No failures were noted associated with the Cover System; however, two shrubs were noted to be damaged, supposedly due to winter plowing activities, along the Kingston Place side of the asphalt parking lot (northwest corner). The shrubs were noted to have been completely displaced from the ground surface. No voids remained at the supposed locations of the two damaged shrubs (ground surface was level).

Recommendations: The shrubs should be replaced as necessary, if not already completed.

In addition, the results of the Groundwater Monitoring Program indicate that elevated levels of chlorinated volatile organic compounds (CVOCs) associated with PCE and its potential breakdown products (TCE, cis-1,2-DCE, trans-1,2-DCE, 1,1-DCE, 1,1-DCA, and Vinyl Chloride) were detected in monitoring well MW-4, at concentrations above the NYSDEC-mandated Standards, Criteria, and Guidelines (SCG) value of 1 milligram/liter (mg/L). Minor levels of CVOCs were also detected in the remaining four shallow overburden monitoring wells; no CVOCs were detected in deep monitoring well MW-4A.

Recommendation: Continued Groundwater Monitoring is required as stipulated in the VCP agreement until the NYSDEC-mandated SCG is attained. Once attained, three (3) (four total) additional Quarters of Groundwater Monitoring will be required.

## **2.0 Site Overview**

### **2.1 Location**

The Site is located in an urban area in the City of Buffalo, County of Erie, New York. The current Site address is 2137 Seneca Street, which is identified as Parcel Number 133.26-7-1.1 on the City of Buffalo Tax Map. The Site is an approximately 0.5-acre area bounded by Seneca Street to the northeast and Kingston Place to the northwest. Commercial properties are located adjacent to the Site along Seneca Street (northeast, northwest, and southeast) and residential properties border the rear of the Site along Kingston Avenue (southwest) (Figure 1 and 2).

The Site is currently occupied by an active, single-story commercial building that faces Seneca Street and an asphalt-paved parking lot that covers the remainder of the property around the building. The current building is built for use as a Dollar General (discount store) since 2013.

### **2.2 Site History and Remediation**

Historical use of the Site was summarized by Conestoga Rovers and Associates (CRA) in the associated Final Site Investigation Report and Feasibility Study (SI/FS Report), dated March 31, 2003. This report indicated that previous uses of the Site include residential dwellings, a pharmacy, a retail tire establishment, automotive service building, offices, a dry cleaning establishment, and former restaurants (i.e., Pizza Hut and Wendy's). According to historic business listings (CRA SI/FS Report), buildings facing Seneca Street included the dry cleaning establishment at 2141 Seneca Street (northeast corner of the property) from the 1950s until construction of the former Pizza Hut/Wendy's building in 1982. Dry cleaning chemicals (namely Tetrachloroethene or PCE) were presumably released to the environment from the aforementioned dry-cleaning establishment resulting in impacted soil and groundwater.

A Phase II environmental site investigation (ESI) performed by the Fourth River Company of Pittsburgh, Pennsylvania (FRC) in 1999, first identified the presence of PCE on site. Franchise Finance Corporation of America (FFCA – merged with GE Capital Franchise Finance Corporation (GEFF) in 2001), a former Owner, and the New York State Department of Environmental Conservation (NYSDEC) enrolled into the NYSDEC Voluntary Clean-up Program (VCP) in 2000 as the then-noted Volunteer, and the site was assigned the VCP number V00370-9. Several investigations and sampling events were conducted by between 1999 and 2002 before remedial action for the soil was conducted in 2003, and of the groundwater in April 2004 and November 2009. [The current Site Owner is 2137 Seneca Street LLC, which has developed the site as a Dollar General commercial-retail store.]

The Site has undergone several remediation activities between 2003 and 2009 with the approval of NYSDEC. The following is a summary of the Remedial Actions performed at the Site:

- Excavation of soil/fill in the northern portion of the Site that exceeded NYSDEC Technical Administrative Guidance Memorandum (TAGM) #4046 Standards, Criteria, and Guidelines (SCGs) to the extent practicable; advancing vertically to the top of the water table (approximately 10 feet bgs) and horizontally to the property boundary or structures whose integrity would be compromised;
- Construction and maintenance of a soil cover system consisting of vegetative soil or asphalt pavement overlying limestone aggregate backfill to prevent human exposure to remaining contaminated soil/fill remaining at depths below 6 feet under the Site;
- Execution and recording of the Declaration to restrict land use and prevent future risks of exposure, if any, to any residual contamination remaining at the Site;

- Installation of an in-situ groundwater treatment system in the northern portion of the Site comprising a series of injection wells and injection gallery piping connected to service boxes through a network of shallow subsurface feeding lines;
- Implementation of four In-Situ Chemical Oxidation (ISCO) applications to the shallow and deep groundwater utilizing the aforementioned treatment system under gravity flow conditions between April 2004 and May 2005;
- Implementation of three applications of both abiotic and biotic reductive dehalogenation remediation amendments within the shallow groundwater in the northern corner of the Site between September 2007 and November 2009. These full-scale events included the injection of zero-valent iron (ZVI) and either Hydrogen-releasing Compound (HRC)® or EHC® after pathway development within the subsurface using pneumatic and limited hydraulic fracturing;
- Development and implementation of a Soil Management Plan (SMP) for long-term management of Remaining Contamination as required by the Declaration, which includes plans for IC and EC Plans; monitoring, operation and maintenance (if needed); and reporting.
- Completion of a Construction Closeout Report (CCR), on behalf of 2137 Seneca, LLC, to summarize the post-remedial redevelopment activities at the Site. Post remedial activities included the following:
  - Demolition of former restaurant building, with off-site disposal and or recycling of waste streams. Approximately 726-tons of excess overburden soil/fill was excavated and transported off-site for disposal, including 627-tons at WM – Chaffee Landfill in Chaffee, New York and 99-tons at Modern Landfill in Model City, New York
  - Decommissioning of thirty-six (36) former monitoring wells and piezometers, in accordance with NYSDEC CP-43 guidelines;
  - Installation of a passive sub-slab vapor depressurization system within the newly constructed commercial building (i.e., Dollar General);
  - Placement and compaction of clean backfill material. Approximately 965.5-tons of approved backfill material was placed on-Site including, approximately 877.5 tons of 2" ROC from Buffalo Crushed Stone Wehrle, and approximately 88-tons of 2" recycled material from Buffalo Recycled Aggregate, LLC; and,
  - Construction of a new 9,100 square foot commercial building, parking areas, and landscaping.

### **2.3 Remaining Contamination**

Based on the analytical data collected to-date, contaminant concentrations have been significantly reduced; however, Remaining Contamination was still detected in the subsurface on Site by URS, Inc. as of May 2011. As previously reported to the NYSDEC, the results of the remedial investigations, as well as the confirmatory soil sampling and progress groundwater monitoring conducted after the remedial efforts were performed to evaluate the Remaining Contamination present on Site.

The groundwater contaminant data since January 2006, as previously reported by URS, Inc., confirm that the application of abiotic and biotic reductive dehalogenation remediation technologies has been successful in reducing the PCE concentration breakdown products (cis-1,2-dichloroethene [cis-1,2-DCE] and vinyl chloride, respectively) on Site. The chlorinated volatile organic compound (CVOC) contaminant mass on Site is reportedly dominated by the third-order breakdown product vinyl chloride, indicating that reductive dehalogenation pathway of PCE is nearly completed.

## **2.4 Existing Groundwater Monitoring System**

According to the URS SMP, groundwater monitoring results have demonstrated that residual groundwater concentrations are consistently below or near the NYSDEC-defined SCG and have demonstrated significant stability at low levels in the perimeter wells.

Groundwater monitoring of five shallow wells within the immediate vicinity of the remediated impact area will continue on a semi-annual basis until the reported total CVOC concentration at all monitored wells drops below the NYSDEC-defined SCG. The five shallow wells include MW-2, MW-4, MW-11, MW-13, and PZ-A. In addition, deep well MW-4A will also be monitored. The locations of the wells are presented on Figure 3.

Monitoring well MW-4 still contains groundwater at levels exceeding the NYSDEC-defined SCG, but the analytical results of downgradient perimeter wells MW-11 and PZ-A confirm that CVOC impact present at MW-4 is not migrating off Site (refer to the URS SMP report dated May 25, 2011).

## **2.5 Clean-up Goals**

According to the SMP report, the remedial goal of reducing groundwater CVOCs to the NYSDEC-mandated concentration of 1 milligram per liter (mg/L) or part per million (ppm) or less on Site has substantially been achieved. Isolated temporary spikes in CVOC concentrations have been reported specifically in monitoring well MW-4 (Figure 3); however, contaminant levels continue to reduce at a consistent and measurable rate in this well.

Once the monitoring objectives have been achieved, the current Owner (i.e., 2137 Seneca Street LLC) will perform at least three more groundwater monitoring events (four quarters total) to confirm that the monitoring results report a cumulative CVOC concentration (i.e., summation of PCE and its breakdown products TCE, 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride) of less than 1 mg/L in each on Site well. Once the quarterly monitoring has demonstrated that the total CVOC concentrations on Site are at 1 mg/L or below, the Owner will notify NYSDEC, discontinue groundwater monitoring, and initiate the decommissioning of the monitoring wells. The Owner will not initiate the well decommissioning activities without NYSDEC's consent. Well decommissioning will be in accordance with NYSDEC guidance.

## **2.6 Institutional/Engineering Control Verification**

### **2.6.1 Verification of Site Details**

As per the NYSDEC Site Management Periodic Review (PRR) Notice, Institutional Controls (IC) and Engineering Controls (EC) Certification process, the Owner (i.e., 2137 Seneca Street LLC) is required to verify Site details on an annual basis until closure of the VCP Agreement is satisfied.

### **2.6.2 Institutional Controls Certification**

As per the NYSDEC Site Management Periodic Review (PRR) Notice, Institutional Controls (IC) and Engineering Controls (EC) Certification process, the Owner (i.e., 2137 Seneca Street LLC) is required to verify that all existing site controls are still applicable. The following ICs are listed for the Site:

- Groundwater Use Restriction
- Land-use Restriction
- Monitoring Plan
- Site Management Plan (SMP)

The Declaration of Covenants and Restrictions prohibits the site from being used for anything other than industrial or commercial purposes, excluding day care, child care and medical care uses. The use of the groundwater underlying the site is also prohibited without proper treatment.

The Owner has certified that the IC/EC are applicable (refer to Appendix B - Institutional Controls (IC) and Engineering Controls (EC) Certification).

### **2.6.3 Engineering Controls Certification**

As per the NYSDEC Site Management Periodic Review (PRR) Notice, Institutional Controls (IC) and Engineering Controls (EC) Certification process, the Owner (i.e., 2137 Seneca Street LLC) is required to verify that all existing site controls are still applicable.

The following EC are listed for the Site:

- Cover System Inspection

The soil cover system is a permanent, passive control that includes clean soil cover/cap in landscaped areas, asphalt covered/paved parking, and throughways, and concrete covered sidewalks that is integrated into the current use of the property. The current cover system is expected to remain in-place in perpetuity with routine maintenance (i.e., landscaping maintenance, asphalt pavement sealing and repair, municipal inspection of sidewalks and associated repair) expected with Site use.

The cover system monitoring will be conducted annually in the spring or early summer season and will involve a visual walk-over inspection of the Site. Additional inspections will be required after any redevelopment of the property that involves removal and replacement of any section of the pavement, including excavations. Unscheduled inspections may take place when a suspected failure in the cover system has been reported or an emergency occurs that is deemed likely to affect the operation of the system.

The visual inspection will involve an evaluation of the integrity of the following features on Site:

- a) The sidewalk along Kingston Place and Seneca Street;
- b) The landscaped area between the northwestern edge of the parking lot and the sidewalk along Kingston Place;
- c) The asphalt pavement parking lot surrounding the current building;
- d) The landscaped area in front (northeast) of the current building.

A complete list of components to be checked is provided in the Inspection Checklist, presented in Appendix B-2. For landscaped areas, observations including areas of deterioration, water erosion, subsidence, or ponding will be documented on the inspection form and evaluated. For paved areas (i.e., asphalt, sidewalk), separation cracks or vertical off-sets that are greater than one-inch shall be documented and sealed or repaired.

If an emergency, such as a natural disaster or an unforeseen failure of any of the ECs occurs, an inspection of the Site will be conducted within 5 days of the event to verify the effectiveness of the EC/ICs implemented at the Site by a qualified environmental professional as determined by NYSDEC.

As a requirement of the EC Certification, a New York State Professional Engineer (NYSPE) is required to sign the appropriate Certification Form. Such is provided in Appendix B-1.



### **3.0 Media Monitoring Program**

SMP activities include monitoring of groundwater remediation progress and contingency monitoring of Soil Vapor Intrusion (SVI) potential. Groundwater monitoring includes well development and sampling activities at monitoring wells noted in Section 2.4.

The contingency SVI monitoring has not been completed as the requirements for such monitoring have not yet been developed by the Owner or approved by the NYSDEC. At present, a passive sub-slab vapor depressurization system has been installed within the newly constructed commercial building (i.e., Dollar General). An evaluation of the need for implementing an active system has not been implemented for the Site. If required based on available soil and/or groundwater monitoring data, the SVI will identify the SVI risk present for the building occupation and outline a program necessary for monitoring and/or mitigating the risk, if present.

#### **3.1 Groundwater Progress Monitoring**

Groundwater progress monitoring was conducted to assess the performance of the remedial activities as the groundwater concentrations approach the remedial goal of 1 part-per-million (ppm) in each of the on-site monitoring wells serving as the monitoring program wells (refer to Section 2.4).

In as much as there are no active potable water supply wells on Site or off Site that are withdrawing groundwater from the VOC-contaminated groundwater zone, there is no significant risk posed to public health due to the detection of part per- billion (ppb) concentrations of CVOCs in groundwater in the vicinity of the Site. In addition, there appears to be no significant future risk to human health given the unlikely potential for future potable use of the shallow aquifer underlying the Site.

To confirm that groundwater has achieved the site-specific remedial goal, monitoring wells have been established that include up-gradient well MW-2, down-gradient wells MW-4, MW- 13, MW-11, and PZ-A, and deep well MW-4A, as illustrated on Figure 3. These wells were previously selected based on the historic groundwater concentrations. Monitoring well MW-2 is also included to confirm up-gradient to cross-gradient concentrations.

Groundwater progress monitoring was conducted in April 2013 and will further be conducted on a semi-annual basis until the reported total CVOC concentration in each of the selected wells achieves the NYSDEC-defined SCG a level of 1 mg/L or below of total CVOCs.

#### **3.2 Sampling Protocol**

##### **3.2.1 Groundwater Wells**

Groundwater level measurements were collected from the designated monitoring well locations (i.e., MW-2, MW-4, MW-4A, MW-11, MW-13, PZ-A) prior to sampling. Each well was purged using low-flow pumping techniques while monitoring temperature, specific conductance, pH, and ORP for stability. Groundwater samples were collected after three well volumes were removed. Sampled groundwater was collected in laboratory-supplied bottles, placed in a cooler, chilled to approximately 4 degrees Celsius (°C), and transported to the analytical laboratory (i.e., Alpha Analytical) by field crew under chain-of-custody procedures.

Groundwater samples were tested for VOCs by SW-846 Method 8260. To monitor QA/QC for each groundwater sampling event, one duplicate sample and one trip blank were collected during the monitoring event.

##### **3.2.2 Disposal Drums**

All purged water was containerized within a 55-gallon drum that was stored on Site proximate the trash enclosure. A composite sample of the contents of the drum(s) will be tested when filled to evaluate whether the

waste is characterized as non-hazardous or hazardous for disposal purposes. As of December 2010, the criteria for evaluating the composite sample results to determine whether the waste is hazardous or nonhazardous is outlined in the New York State regulations in 6 NYCRR Part 371.3(e) and the Federal Regulations in 40 CFR Part 261.24. Historic waste characterization evaluations (by others) have found that the constituents most likely to impact the evaluation are the VOC constituents listed in the Table below (their respective criteria for determining the hazardous character of the waste is also included).

Constituent	6 NYCRR Part 371.3 (e) (as of December 2010)	40 CFR Part 261.24 (as of December 2010)
PCE	0.7 mg/L	0.7 mg/L
TCE	0.5 mg/L	0.5 mg/L
Vinyl Chloride	0.2 mg/L	0.2 mg/L

### 3.3 Monitoring Quality Assurance/Quality Control (QA/QC)

All sampling and analyses will be performed in accordance with the requirements of the Quality Assurance Project Plan (QAPP) prepared for the Site and presented in the SMP. Main components include:

- Sampling Program
  - Sample containers will be provided by the laboratory to certify that they are properly washed, decontaminated, and dosed with appropriate preservative (if applicable) prior to sample collection and analysis. Containers with preservative will be properly labeled as such.
  - Sample holding times will be in accordance with the NYSDEC Analytical Services Protocol (ASP) requirements.
  - Field QC samples (e.g., trip blanks and coded field duplicates) will be collected as necessary.
- Analytical Procedures.
- Preparation of a summary of sample preservation and chain-of-custody procedures.
- Calibration Procedures:
  - All field analytical equipment will be calibrated immediately prior to each day's use. Calibration procedures will conform to manufacturer's standard instructions.
  - The laboratory will follow all calibration procedures and schedules as specified in EPA SW-846 and subsequent updates that apply to the instruments used for the analytical methods.
- Preventative Maintenance Procedures and Schedules.
- Corrective Action Measures.

## **4.0 Summary of Results**

### **4.1 Institutional/Engineering Control Verification**

As per the NYSDEC Site Management Periodic Review (PRR) Notice, Institutional Controls (IC) and Engineering Controls (EC) Certification process, the Owner (i.e., 2137 Seneca Street LLC) is required to verify that all existing site controls are still applicable. The Owner has certified that the IC/EC are applicable (refer to Appendix B - Institutional Controls (IC) and Engineering Controls (EC) Certification).

### **4.2 Engineering Controls Certification**

As per the NYSDEC Site Management Periodic Review (PRR) Notice, Institutional Controls (IC) and Engineering Controls (EC) Certification process, the Owner (i.e., 2137 Seneca Street LLC) is required to verify that all existing site controls are still applicable.

The following EC are listed for the Site:

- Cover System Inspection

Based on the results of the Site inspection, the following was noted:

- Vegetative cover along Kingston Place – no concerns noted (refer to Appendix B-2)
- Sidewalk (Kingston Place), parking lot, building walkways, access roads – no concerns (refer to Appendix B-2)

Two shrubs were noted to be damaged, supposedly due to winter plowing activities, along the Kingston Place side of the asphalt parking lot (northwest corner). The shrubs were noted to have been completely displaced from the ground surface. No voids remained at the supposed locations of the two damaged shrubs (ground surface was level).

### **4.3 Groundwater Monitoring Program**

Six (6) groundwater monitoring wells were redeveloped on April 19, 2013, prior to sampling on April 26, 2013. Well redevelopment included the following tasks:

- Each well was redeveloped using a low-flow peristaltic pump, Model Geotech Geopump II, and appropriate-diameter polyethylene tubing. Prior to redevelopment, each well was gauged with an electronic water level indicator to determine the depth to the water table; such data is presented in Table No. 2. [Table No. 1 also presents historic water levels obtained by others] Well evacuation continued until groundwater parameters (see below) stabilized and at least three well volumes were removed. The evacuated waters were stored in a 55-gallon drum on-site. The Well Development Logs are presented in Appendix C-1.
- Monitoring well PZ-A was redeveloped using a 1-inch PVC bailer as a field meter failure had occurred; this was the last well of the day and rental equipment was returned. Well development continued via a PVC bailer and nine well volumes were evacuated.
- Groundwater parameters included pH (standard units), temperature (°C), specific conductivity (microSiemens per centimeter), and oxidation-reduction potential (millivolts). The recorded values are presented on the Well Development Logs in Appendix C-1. No groundwater parameters were obtained for monitoring well PZ-A.
- Groundwater samples were obtained via the low-flow peristaltic pump, utilizing the same polyethylene tubing used for well redevelopment.
- Groundwater samples were placed into pre-cleaned jars provided by the analytical laboratory, Alpha Analytical. One trip blank QA/QC sample was also submitted for analysis. One unmarked Duplicate

sample was also submitted for analysis. The eight (8) samples were submitted for volatile organic compound (VOC) analysis via USEPA Method 8260C.

#### **4.3.1 Groundwater Levels**

Groundwater elevations were plotted on a site location map which presents the existing Groundwater Monitoring System wells. Groundwater elevations are referenced to the top of the well casing at each well and are presented in Table 2 and shown graphically on Figure 3. The approximate shallow overburden groundwater flow direction is believed to be to the northwest direction and is consistent with historic data.

##### **4.3.1.1 Well Integrity**

All monitoring wells were checked for integrity of the steel road boxes and the surface cement-grout seals. All road boxes and the surface seals were determined to be intact. However, the road box hold-down bolts at well PZ-A were noted to be stripped. The bolts were replaced on extraction and the well was secured.

#### **4.3.2 Analytical Results**

Based on the analytical results of the groundwater sampling and testing, the detected parameters are presented in Table 2 and graphically on Figure 4. Total CVOC concentrations, which include a summation of PCE and its potential breakdown products (TCE, cis-1,2-DCE, trans-1,2-DCE, 1,1-DCE, 1,1-DCA, and Vinyl Chloride), are presented in milligrams per liter (mg/L).

In general, the CVOC concentrations were below the NYSDEC-mandated SCG concentration of 1 milligram per liter (mg/L), except at monitoring well MW-4 (5.4 mg/l). It should be noted that CVOCs were not detected in deep monitoring well MW-4.

## **5.0 Findings and Recommendations**

### **5.1 IC/EC Certification**

No concerns were identified during the Cover System inspection on February 2, 1013. Two shrubs were noted to be damaged, supposedly due to winter plowing activities, along the Kingston Place side of the asphalt parking lot (northwest corner). The shrubs were noted to have been completely displaced from the ground surface. No voids remained at the supposed locations of the two damaged shrubs (ground surface was level).

Recommendations: The shrubs should be replaced as necessary, if not already completed.

### **5.2 Groundwater Monitoring Program**

Reported CVOC concentrations were below the NYSDEC-mandated SCG concentration of 1 milligram per liter (mg/L), except at monitoring well MW-4 (5.4 mg/l).

Recommendations: Continued Groundwater Monitoring is required as stipulated in the VCP agreement until the NYSDEC-mandated SCG is attained. Once attained, four (4) additional Quarters of Groundwater Monitoring will be required.

## **6.0 Signature of Environmental Professional**

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in 40 CFR 312.10.

I have the specific qualifications based on education, training, and experience to undertake this Periodic Review Report of the property identified as Former Pizza Hut, 2137 Seneca Street, Buffalo, New York for the current Owner, 2137 Seneca Street, LLC.

A handwritten signature in black ink, appearing to read "Andrew J. Kueserik".


Andrew J. Kueserik, CPG, PG  
Environmental Manager

## **APPENDICES**

## **APPENDIX A – FIGURES AND TABLES**



78.8333333° W 78.8166666° W 78.8000000° W 78.7833333° W




Name: BUFFALO SE

Scale: 1 inch equals 2000 feet

Location: 042.8541398° N 078.8060336° W  
Caption: 2137 Seneca Street, Buffalo, NY (1965)






**KINGSTON PLACE**  
(40' WIDE)  
(ALSO KNOWN AS KINGSTON STREET)  
(← ONE WAY)

GRAPHIC SCALE



( IN FEET )  
1 inch = 20 ft.



STREET

(66' WIDE)

SENECA


LEGEND


- |                                      |                     |
|--------------------------------------|---------------------|
| Ø UTILITY / SERVICE POLE             | R.O.W. RIGHT OF WAY |
| ⊗ WATER LINE VALVE                   | CONC. CONCRETE      |
| ⊗ FIRE HYDRANT                       | INV. INVERT         |
| □ D.I. (DROP INLET - STORM)          | M.H. MANHOLE        |
| ⊙ MANHOLE (STORM)                    | —G— GAS LINE        |
| ⊙ MANHOLE (ELECTRIC)                 | —W— WATER LINE      |
| ⊙ MANHOLE (TRAFFIC)                  | —T— TELEPHONE LINE  |
| ⊙ MANHOLE (SANITARY)                 | —E— ELECTRIC LINE   |
| • LDR (LIGHT DUTY RECEIVER - STORM)  | —P— UTILITY LINES   |
| • BYD (BACKYARD DRAIN INLET - STORM) | —C— CABLE LINES     |
| ⊗ GAS LINE VALVE                     | D. DEED             |
| ⊗ LIGHT STANDARD                     | M. MEASURED         |
| —O— SIGN                             | L. LIBER            |
| H.C. HANDICAP                        | P. PAGE             |

NOTE:  
BUILDING OFFSETS & SETBACKS  
MEASURED TO FOUNDATIONS

INSTRUMENT(S) UTILIZED IN DETERMINING LOCATION OF BOUNDARY LINES: LIBER 9439 PAGE 654

THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A CURRENT ABSTRACT OF TITLE AND IS SUBJECT TO ANY STATE OF FACTS THAT MAY BE REVEALED IN SAID ABSTRACT.  
NOTE: PROPERTY CORNER MONUMENTS WERE NOT PLACED AS PART OF THIS SURVEY.

<p>THIS SURVEY MAP WAS PREPARED IN ACCORDANCE WITH THE CURRENT STANDARDS FOR LAND SURVEYS ADOPTED BY THE BAR ASSOCIATION OF ERIE COUNTY AT THE REQUEST OF Creative Structures Services</p> <p> FRANCIS C. DELLES</p> <p>NYSPLS No. 050477</p>	<p>©COPYRIGHT 2012 BY:</p> <p><b>Millard, MacKay &amp; Delles</b></p> <p>LAND SURVEYORS, LLP</p> <p>150 AERO DRIVE BUFFALO, NEW YORK 14225 PHONE (716) 631-5140 ~ FAX 631-3811</p>	<p>AMEND:</p> <p>SURVEY DATE: 3-14-12</p> <p>©DRAWING DATE: 3-16-12</p> <p>SCALE: 1" = 20'</p> <p>"ALL RIGHTS RESERVED"</p>
<p>FINAL AS-BUILT SURVEY</p> <p>PART OF LOT <u>52</u> SECTION <u>      </u> TOWNSHIP <u>10</u> RANGE <u>7</u> OF THE:</p> <p><u>Buffalo Creek Reservation</u> SURVEY - <u>Erie</u> COUNTY, N.Y.</p> <p>SURVEY OF: <u>2137 Seneca Street, City of Buffalo</u></p>		<p>THIS MAP VOID UNLESS EMBOSSED</p> <p>WITH NEW YORK STATE LICENSED LAND SURVEYOR'S SEAL. ALTERING ANY ITEM ON THIS MAP IS A VIOLATION OF THE LAW EXCEPT AS PROVIDED IN SECTION 7209, PART 2, OF THE NEW YORK STATE EDUCATION LAW.</p> <p>SBL No. <u>133.26-7-1.1</u></p>






TABLE 1  
GROUNDWATER ELEVATIONS  
2137 SENECA STREET  
BUFFALO, NEW YORK

		<u>1/10/2005</u>	<u>5/25/2005</u>	<u>1/6/2006</u>	<u>6/7/2006</u>	<u>3/20/2007</u>	<u>12/5/2007</u>	<u>7/1/2008</u>	<u>3/18/2009</u>	<u>6/4/2009</u>	<u>2/11/2010</u>	<u>6/23/2010</u>	<u>4/19/2013</u>
Well No.	Top of Casing (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)	Groundwater Elevation (feet)
<u>Shallow Wells</u>													
MW-2	590.24	583.41	581.82	583.30	581.79	582.91	582.82	583.25	583.26	582.30	581.93	582.53	583.12
MW-4	589.47	583.26	581.72	583.14	581.67	582.83	582.78	583.15	583.12	583.13	581.92	582.47	583.04
MW-11	589.48	583.07	581.60	582.89	581.58	582.60	582.72	583.09	582.95	582.06	581.82	582.43	582.96
MW-13	589.77	583.37	581.72	583.25	581.68	582.85	582.76	583.23	582.52	582.08	581.86	582.45	583.04
PZ-A	589.86	NA	NA	NA	581.66	582.81	582.49	582.01	582.78	581.85	581.55	582.38	582.98
<u>Deep Well</u>													
MW-4A	589.04	579.35	578.42	578.55	578.74	579.28	578.96	578.98	579.30	578.62	578.89	578.90	579.12

TABLE 2  
ANALYTICAL RESULTS SUMMARY  
2137 SENECA STREET  
BUFFALO, NEW YORK

Parameters (mg/L)	MW-2		MW-4		MW-11		MW-13		PZ-A		MW-4A	
	2006	4/26/2013	2006	4/26/2013	2006	4/26/2013	2006	4/26/2013	2006	4/26/2013	2006	4/26/2013
<b>TCL Volatile Organics</b>												
Acetone	-	0.00000	0.0029 J	0.0000	-	0.0000	-	0.0000		0.0014	-	0.0094
Benzene	-	0.00000	0.0023	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0000
2-Butanone	-	0.00000	-	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0015
1,1-Dichloroethene	-	0.00000	0.0017	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0000
Cyclohexane	-	NA	-	NA	-	NA	-	NA		NA	-	NA
1,1-Dichloroethane	-	0.00000	-	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0000
cis-1,2-Dichloroethene	0.027	0.16000	0.540 D	4.1000	0.016	0.24	0.017	0.080		0.0000	0.015	0.0000
trans-1, 2-Dichloroethene	-	0.00000	0.0042	0.0000	-	0.0000	-	0.0010		0.0000	-	0.0000
Methyl-t-Butyl Ether (MTBE)	-	0.00000	-	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0000
Methylcyclohexane	-	NA	-	NA	-	NA	-	NA		NA	-	NA
Tetrachloroethene	0.025	0.00083	12.0 D	0.0000	0.390 D	0.0000	0.470 D	0.00051		0.0000	0.00051 J	0.0000
Toluene	-	0.00000	-	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0000
1,1,1-Trichloroethane	-	0.00000	-	0.0000	-	0.0000	-	0.0000		0.0000	-	0.0000
Trichloroethene	0.018	0.00370	2.8 D	0.0000	0.038	0.0000	0.039	0.0014		0.0000	0.003	0.0000
Vinyl Chloride	-	0.02700	0.0082	1.300	-	0.330	-	0.0450		0.0017	0.019	0.0000
<b>Ethane, Ethene, and Methane</b>												
Ethane	-	NA	0.015	NA	-	NA	-	NA		NA	-	NA
Methane	0.017	NA	0.036	NA	0.035	NA	-	NA		NA	0.081	NA
<b>Cumulative CVOC Concentration</b>	0.070	0.192	<b>15.354</b>	<b>5.400</b>	0.444	0.570	0.526	0.128		0.002	0.038	0.000

Sample results collected in January 2006 were collected and analyzed by others

Samples collected on April 26, 2013 were analyzed by Alpha Analytical

NM= Not Measure; NA= Not Analyzed

J= Estimated concentration below reporting limit

D= Diluted sample

Note: CVOCs are the sum of PCE and its potential breakdown products (TCE, cis-1,2-DCE, trans-1,2-DCE, 1,1-DCE, 1,1-DCA, and Vinyl Chloride)

## **APPENDIX B – IC/EC CERTIFICATIONS**

## **APPENDIX B-1 – OWNER CERTIFICATION**





Enclosure 2  
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
Site Management Periodic Review Report Notice  
Institutional and Engineering Controls Certification Form




Site Details		Box 1
Site No.	V00370	
Site Name Former Pizza Hut		
Site Address: 2137 Seneca Street	Zip Code: 14210	
City/Town: Buffalo		
County: Erie		
Site Acreage: 0.7		
Reporting Period: June 13, 2011 to January 29, 2013		
		YES NO
1. Is the information above correct?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?	<input type="checkbox"/>	<input checked="" type="checkbox"/>


  

	Box 2
	YES NO
6. Is the current site use consistent with the use(s) listed below? Commercial and Industrial	<input checked="" type="checkbox"/> <input type="checkbox"/>
7. Are all ICs/ECs in place and functioning as designed?	<input checked="" type="checkbox"/> <input type="checkbox"/>

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

  
Signature of Owner, Remedial Party or Designated Representative

  
Date

**SITE NO. V00370**

**Box 3**

**Description of Institutional Controls**

Parcel

133.26-07-1.1

Owner

2137 Seneca Street, LLC

Institutional Control

Ground Water Use Restriction  
Landuse Restriction  
Monitoring Plan  
Site Management Plan

**Box 4**

**Description of Engineering Controls**

Parcel

133.26-07-1.1

Engineering Control

Cover System

**Engineering Control Details for Site No. V00370**

**Parcel: 133.26-07-1.1**

The Declaration of Covenants and Restrictions prohibits the site from being used for anything other than industrial or commercial purposes, excluding day care, child care and medical care uses. The use of the groundwater underlying the site is also prohibit without proper treatment.

The Site Management Plan includes provisions for continued groundwater monitoring, inspection of the existing site cover, disposition of excavated soils and evaluating the potential for intrusive soil vapors if the building on site is ever reoccupied or another building constructed in its place.

**Periodic Review Report (PRR) Certification Statements****1. I certify by checking "YES" below that:**

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐**2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:**

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

1/22/13  
\_\_\_\_\_  
Date

IC CERTIFICATIONS  
SITE NO. V00370

Box 6


**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1, 2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I, David Pawlik at 700 Parkside Ave - Ste 100, Buffalo, NY  
print name print business address

am certifying as Owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

1/22/13  
Date

IC/EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.46 of the Penal Law.

DONALD E. BORKOWSKI at APPLUS RTD  
4400 BROADWAY  
DEPEW, NY 14043  
print name print business address


am certifying as a Professional Engineer for the

*TO THE BEST OF MY KNOWLEDGE*

(Owner or Remedial Party)

*Donald E. Borkowski*

Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification



*13 Sep 13*

Stamp  
(Required for PE)

## **APPENDIX B-2 – SITE INSPECTION FORMS**

### SITE-WIDE INSPECTION FORM

Inspector's Name Andrew J. Kucserik / Applus RTD  
Date and Time of Inspection 2/1/2013 3:50 PM  
Date of Last Inspection N/A  
Purpose for Inspection: Annual/Periodic: ☒  
Changes to Site Use: \_\_\_\_\_  
Property Owner Transfer: \_\_\_\_\_  
Changes in Site Condition / Other: \_\_\_\_\_

### SITE OWNERSHIP AND USE

1. Site Owner: 2137 Seneca Street, LLC New Owner since last inspection? ☐ Yes ☐ No ☒ N/A
2. Name of Establishment: Dollar General (retail)
3. Current Site Use: ☒ Commercial ☐ Industrial ☐ Unoccupied ☐ Other: \_\_\_\_\_
4. Are there any tenants residing on Site? ☐ Yes\* ☒ No
5. Does the Site Use include a day care, child care, or medical Care facility? ☐ Yes\* ☒ No
6. Does the Site Use include a vegetable garden? ☐ Yes\* ☒ No
7. Does the Site utilize on Site groundwater for irrigation, potable use, or other use? ☐ Yes\* ☒ No
8. Has the soil cover been compromised such that contamination has been encountered? ☐ Yes\* ☒ No

"\*": Any conditions associated with an asterisk require review of the VCA and Declaration of Covenants and Restrictions (Appendix A and B of the SMP) and potential notification to NYSDEC to verify that this use is currently appropriate for the Site.

### MEDIA MONITORING STATUS

1. Has a soil cover inspection been conducted since the last site-wide inspection? ☐ Yes ☐ No ☒ N/A  
Inspection Date: \_\_\_\_\_ (Please attach copy(s) of inspection form)
2. Has groundwater monitoring performed since the past inspection? ☐ Yes ☒ No  
Monitoring Dates: \_\_\_\_\_  
\_\_\_\_\_
3. Remedial Action Required \_\_\_\_\_
4. Inspector's Signature Andrew J. Kucserik

RETURN COMPLETED FORM TO PROPERTY OWNER REPRESENTATIVE AND NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC)

# INSPECTION FORM COVER SYSTEM

Inspector's Name Andrew J. Kucsenik / Applus RTD  
 Date and Time of Inspection 2/1/2013 ; 3:50 PM  
 Date of Last Inspection N/A

Purpose for Inspection: Annual/Periodic: ☒  
 Post-excavation or surface repair: \_\_\_\_\_  
 After significant weather events: \_\_\_\_\_  
 Observed damage requiring inspection / Other: \_\_\_\_\_

## INSPECTION CHECKLIST

### 1. Vegetative cover along Kingston Place

Walk the length of the vegetative cover.

Comments

- Are there any bare spots in the vegetation cover? ☐ Yes ☒ No \_\_\_\_\_
- Are there any signs of damaged or diseased vegetation? ☐ Yes ☒ No \_\_\_\_\_
- Are there any signs of excessive erosion? ☐ Yes ☒ No \_\_\_\_\_
- Is there new root exposure or new woody plants established? ☐ Yes ☒ No \_\_\_\_\_
- Are there any signs of burrowing animals? ☐ Yes ☒ No \_\_\_\_\_
- Any other Observations? Light snow covering (< 1")

### 2. Sidewalk along Kingston Place and Seneca Street, walkways around building, Asphalt pavement associated with parking lot and access way to road

Walk the length of the sidewalks.

Comments

- Are there any cracks greater than 1/2-inch apart? ☐ Yes ☒ No \_\_\_\_\_
- Are there any signs of raised pavement associated with plant roots or subsurface subsidence? ☐ Yes ☒ No \_\_\_\_\_
- Are there any signs of extensive deterioration of pavement? ☐ Yes ☒ No \_\_\_\_\_
- Any other Observations? Two shrubs damaged by snow plow activities @ west p-lot.

3. Remedial Action Required Replace two damaged shrubs as needed.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

4. Inspector's Signature Andrew J. Kucsenik

**RETURN COMPLETED FORM TO PROPERTY OWNER REPRESENTATIVE**



## **APPENDIX C – WELL DEVELOPMENT LOGS**

Well Data Sheet

Job Name/Number: Parcel 2 – 2137 Seneca Street / VCA 00370-9 Location Buffalo, NY  
Monitoring Well Identification MW - 2 Sampling Order \_\_\_\_\_

WELL INSPECTION:

1. Reported Total Well Depth(ft.) 17.02
2. Measured Total Well Depth(ft.): 17.24
3. Sediment Thickness (ft.): 0.0 (if thickness is greater than 2 feet, redevelop well)
4. Is the flush-mounted well protector attached and properly sealed? Yes (if no, then repair/replace)
5. Is there water present in the well protector vault? No (if yes, then evaluate source of leak and repair)
6. Is well locking cap locked and sealed? Yes (if no, then correct accordingly).
7. Can downhole equipment be lowered to well bottom? Yes (if no, then evaluate whether well requires redevelopment, repair, or decommissioning).

LIQUID LEVEL DATA

Date/Time 4 / 19 / 2013  
Measured By AJ Kucserik

1. Reported Total Well Depth(ft.) 17.02
2. Depth to Water(ft.): - 7.12
3. Thickness of Liquid Column(ft.): 9.99
4. Conversion Coefficient from thickness to purge volume: x 0.50 gal/ft. (use 0.125 for 1-inch well)
5. Calculated Purge Volume (3 well volumes): 4.9

PURGE AND SAMPLE DATA

Date/Time 4 / 26 / 2013  
Sampled By AJ Kucserik

Photo Ionization Detector Reading NA  
Calibration of pH meter in Field Yes 4pH Yes 7pH \_\_\_\_\_ 10pH \_\_\_\_\_ not done  
Final volume of water purged (gal) 5± Did well go dry No Time to recover N/A  
Field pH measurements (units) 7.10; 7.08; 7.11  
Field Conductivity (umhos/cm) 2268; 2241; 2273  
Field Temperature meas (C) 12.5; 12.4; 12.5  
Field ORP measurements (mV) 258; 271; 243  
Sample Odor and Color: organic/gray-black  
Sample Sediment Content black  
Weather Conditions cloudy-rainy, 60-50F  
Were Sampling Splits or Duplicates collected at this well: No  
Samples Shipped To Alpha Analytical Date Samples were shipped 4/26/2013  
Method of Shipment- Fedex \_\_\_\_\_ Hand Delivered Yes Other \_\_\_\_\_

COMMENTS:

## Well Data Sheet

Job Name/Number: Parcel 2 - 2137 Seneca Street / VCA 00370-9 Location Buffalo, NYMonitoring Well Identification MW - 4 Sampling Order \_\_\_\_\_WELL INSPECTION:

1. Reported Total Well Depth(ft.) 16.85
2. Measured Total Well Depth(ft.): 16.88
3. Sediment Thickness (ft.): 0.0 (if thickness is greater than 2 feet, redevelop well)
4. Is the flush-mounted well protector attached and properly sealed? Yes (if no, then repair/replace)
5. Is there water present in the well protector vault? No (if yes, then evaluate source of leak and repair)
6. Is well locking cap locked and sealed? Yes (if no, then correct accordingly).
7. Can downhole equipment be lowered to well bottom? Yes (if no, then evaluate whether well requires redevelopment, repair, or decommissioning).

LIQUID LEVEL DATADate/Time 4 / 19 / 2013Measured By AJ Kucserik

1. Reported Total Well Depth(ft.) 16.85
2. Depth to Water(ft.): - 6.43
3. Thickness of Liquid Column(ft.): 10.42
4. Conversion Coefficient from thickness to purge volume: x 0.50 gal/ft. (use 0.125 for 1-inch well)
5. Calculated Purge Volume (3 well volumes): 5.21

PURGE AND SAMPLE DATADate/Time 4 / 26 / 2013Sampled By AJ KucserikPhoto Ionization Detector Reading NACalibration of pH meter in Field Yes 4pH Yes 7pH \_\_\_\_\_ 10pH \_\_\_\_\_ not doneFinal volume of water purged (gal) 5± Did well go dry No Time to recover N/AField pH measurements (units) 7.09; 7.09; 7.13Field Conductivity (umhos/cm) 2039; 2029; 2036Field Temperature meas (C) 11.7; 11.6; 11.7Field ORP measurements (mV) 265; 249; 253Sample Odor and Color: organic/gray-blackSample Sediment Content blackWeather Conditions cloudy-rainy, 60-50FWere Sampling Splits or Duplicates collected at this well: NoSamples Shipped To Alpha Analytical Date Samples were shipped 4/26/2013Method of Shipment- Fedex \_\_\_\_\_ Hand Delivered Yes Other \_\_\_\_\_COMMENTS:

## Well Data Sheet

Job Name/Number: Parcel 2 - 2137 Seneca Street / VCA 00370-9 Location Buffalo, NYMonitoring Well Identification MW - 4A Sampling Order \_\_\_\_\_WELL INSPECTION:

1. Reported Total Well Depth(ft.) 28.97
2. Measured Total Well Depth(ft.): 27.50
3. Sediment Thickness (ft.): 1.47 (if thickness is greater than 2 feet, redevelop well)
4. Is the flush-mounted well protector attached and properly sealed? Yes (if no, then repair/replace)
5. Is there water present in the well protector vault? No (if yes, then evaluate source of leak and repair)
6. Is well locking cap locked and sealed? Yes (if no, then correct accordingly).
7. Can downhole equipment be lowered to well bottom? Yes (if no, then evaluate whether well requires redevelopment, repair, or decommissioning).

LIQUID LEVEL DATADate/Time 4 / 19 / 2013Measured By AJ Kucserik

1. Reported Total Well Depth(ft.) 28.97
2. Depth to Water(ft.): - 9.92
3. Thickness of Liquid Column(ft.): 19.05
4. Conversion Coefficient from thickness to purge volume: x 0.50 gal/ft. (use 0.125 for 1-inch well)
5. Calculated Purge Volume (3 well volumes): 9.5

PURGE AND SAMPLE DATADate/Time 4 / 26 / 2013Sampled By AJ KucserikPhoto Ionization Detector Reading NACalibration of pH meter in Field Yes 4pH Yes 7pH \_\_\_\_\_ 10pH \_\_\_\_\_ not doneFinal volume of water purged (gal) 10± Did well go dry No Time to recover N/AField pH measurements (units) 7.06; 7.05; 7.00Field Conductivity (umhos/cm) 947; 944; 950Field Temperature meas (C) 14.3; 13.7; 13.7Field ORP measurements (mV) 247; 240; 247Sample Odor and Color: organic/gray-blackSample Sediment Content blackWeather Conditions cloudy-rainy, 60-50FWere Sampling Splits or Duplicates collected at this well: NoSamples Shipped To Alpha Analytical Date Samples were shipped 4/26/2013Method of Shipment- Fedex \_\_\_\_\_ Hand Delivered Yes Other \_\_\_\_\_COMMENTS:



Well Data Sheet

Job Name/Number: Parcel 2 - 2137 Seneca Street / VCA 00370-9 Location Buffalo, NY  
Monitoring Well Identification MW - 11 Sampling Order \_\_\_\_\_

WELL INSPECTION:

1. Reported Total Well Depth(ft.) 17.49
2. Measured Total Well Depth(ft.): -16.84
3. Sediment Thickness (ft.): 0.65 (if thickness is greater than 2 feet, redevelop well)
4. Is the flush-mounted well protector attached and properly sealed? Yes (if no, then repair/replace)
5. Is there water present in the well protector vault? No (if yes, then evaluate source of leak and repair)
6. Is well locking cap locked and sealed? Yes (if no, then correct accordingly).
7. Can downhole equipment be lowered to well bottom? Yes (if no, then evaluate whether well requires redevelopment, repair, or decommissioning).

LIQUID LEVEL DATA

Date/Time 4 / 19 / 2013  
Measured By AJ Kucserik

1. Reported Total Well Depth(ft.) 17.49
2. Depth to Water(ft.): - 6.52
3. Thickness of Liquid Column(ft.): 10.97
4. Conversion Coefficient from thickness to purge volume: x 0.50 gal/ft. (use 0.125 for 1-inch well)
5. Calculated Purge Volume (3 well volumes): 5.5

PURGE AND SAMPLE DATA

Date/Time 4 / 26 / 2013  
Sampled By AJ Kucserik

Photo Ionization Detector Reading NA  
Calibration of pH meter in Field Yes 4pH Yes 7pH \_\_\_\_\_ 10pH \_\_\_\_\_ not done  
Final volume of water purged (gal) 6± Did well go dry No Time to recover N/A  
Field pH measurements (units) 7.09; 7.00; 7.00  
Field Conductivity (umhos/cm) 1857; 1836; 1849  
Field Temperature meas (C) 11.8; 11.4; 11.7  
Field ORP measurements (mV) 262; 260; 259  
Sample Odor and Color: organic/gray-black  
Sample Sediment Content black  
Weather Conditions cloudy-rainy, 60-50F  
Were Sampling Splits or Duplicates collected at this well: No  
Samples Shipped To Alpha Analytical Date Samples were shipped 4/26/2013  
Method of Shipment- Fedex \_\_\_\_\_ Hand Delivered Yes Other \_\_\_\_\_

COMMENTS:

Well Data Sheet

Job Name/Number: Parcel 2 - 2137 Seneca Street / VCA 00370-9 Location Buffalo, NY  
Monitoring Well Identification MW - 13 Sampling Order \_\_\_\_\_

WELL INSPECTION:

1. Reported Total Well Depth(ft.) 18.00
2. Measured Total Well Depth(ft.): -17.42
3. Sediment Thickness (ft.): 0.58 (if thickness is greater than 2 feet, redevelop well)
4. Is the flush-mounted well protector attached and properly sealed? Yes (if no, then repair/replace)
5. Is there water present in the well protector vault? No (if yes, then evaluate source of leak and repair)
6. Is well locking cap locked and sealed? Yes (if no, then correct accordingly).
7. Can downhole equipment be lowered to well bottom? Yes (if no, then evaluate whether well requires redevelopment, repair, or decommissioning).

LIQUID LEVEL DATA

Date/Time 4 / 19 / 2013  
Measured By AJ Kucserik

1. Reported Total Well Depth(ft.) 18.00
2. Depth to Water(ft.): - 6.73
3. Thickness of Liquid Column(ft.): 11.27
4. Conversion Coefficient from thickness to purge volume: x 0.50 gal/ft. (use 0.125 for 1-inch well)
5. Calculated Purge Volume (3 well volumes): 5.6

PURGE AND SAMPLE DATA

Date/Time 4 / 26 / 2013  
Sampled By AJ Kucserik

Photo Ionization Detector Reading NA  
Calibration of pH meter in Field Yes 4pH Yes 7pH \_\_\_\_\_ 10pH \_\_\_\_\_ not done  
Final volume of water purged (gal) 6± Did well go dry No Time to recover N/A  
Field pH measurements (units) 7.07; 7.09; 7.07  
Field Conductivity (umhos/cm) 1391; 1284; 1353  
Field Temperature meas (C) 12.4; 11.4; 11.9  
Field ORP measurements (mV) 255; 240; 239  
Sample Odor and Color: organic/gray-black  
Sample Sediment Content black  
Weather Conditions cloudy-rainy, 60-50F  
Were Sampling Splits or Duplicates collected at this well: No  
Samples Shipped To Alpha Analytical Date Samples were shipped 4/26/2013  
Method of Shipment- Fedex \_\_\_\_\_ Hand Delivered Yes Other \_\_\_\_\_

COMMENTS:

Well Data Sheet

Job Name/Number: Parcel 2 – 2137 Seneca Street / VCA 00370-9 Location Buffalo, NY  
Monitoring Well Identification PZ-A Sampling Order \_\_\_\_\_

WELL INSPECTION:

1. Reported Total Well Depth(ft.) N/A
2. Measured Total Well Depth(ft.): -14.82
3. Sediment Thickness (ft.): N/A (if thickness is greater than 2 feet, redevelop well)
4. Is the flush-mounted well protector attached and properly sealed? Yes (if no, then repair/replace)
5. Is there water present in the well protector vault? No (if yes, then evaluate source of leak and repair)
6. Is well locking cap locked and sealed? Yes (if no, then correct accordingly).
7. Can downhole equipment be lowered to well bottom? Yes (if no, then evaluate whether well requires redevelopment, repair, or decommissioning).

LIQUID LEVEL DATA

Date/Time 4 / 19 / 2013  
Measured By AJ Kucserik

1. Reported Total Well Depth(ft.) 14.82
2. Depth to Water(ft.): - 6.88
3. Thickness of Liquid Column(ft.): 7.94
4. Conversion Coefficient from thickness to purge volume: x 0.50 gal/ft. (use 0.125 for 1-inch well)
5. Calculated Purge Volume (3 well volumes): 1±

PURGE AND SAMPLE DATA

Date/Time 4 / 26 / 2013  
Sampled By AJ Kucserik

Photo Ionization Detector Reading NA  
Calibration of pH meter in Field Yes 4pH Yes 7pH \_\_\_\_\_ 10pH \_\_\_\_\_ not done  
Final volume of water purged (gal) 3± Did well go dry No Time to recover N/A  
Field pH measurements (units) \_\_\_\_\_  
Field Conductivity (umhos/cm) \_\_\_\_\_  
Field Temperature meas (C) \_\_\_\_\_  
Field ORP measurements (mV) \_\_\_\_\_  
Sample Odor and Color: organic/gray-black  
Sample Sediment Content black  
Weather Conditions cloudy-rainy, 60-50F  
Were Sampling Splits or Duplicates collected at this well: No  
Samples Shipped To Alpha Analytical Date Samples were shipped 4/26/2013  
Method of Shipment- Fedex \_\_\_\_\_ Hand Delivered Yes Other \_\_\_\_\_

COMMENTS: 1-inch PVC well.

## **APPENDIX D – ANALYTICAL DATA**





## ANALYTICAL REPORT

Lab Number:	L1307531
Client:	Quality Inspection Services Inc. 37 Franklin Street Suite 400 Buffalo, NY 14202
ATTN:	Andrew Kucserik
Phone:	(716) 853-2611
Project Name:	DOLLAR GENERAL/VCP
Project Number:	Not Specified
Report Date:	05/06/13

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), USDA (Permit #P-330-11-00240), NC (666), TX (T104704476), DOD (L2217), US Army Corps of Engineers.

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** DOLLAR GENERAL/VCP  
**Project Number:** Not Specified

**Lab Number:** L1307531  
**Report Date:** 05/06/13

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>
L1307531-01	MW-2	2137 SENECA ST	04/26/13 15:21
L1307531-02	MW-4	2137 SENECA ST	04/26/13 14:34
L1307531-03	MW-4A	2137 SENECA ST	04/26/13 15:02
L1307531-04	MW-11	2137 SENECA ST	04/26/13 13:48
L1307531-05	MW-13	2137 SENECA ST	04/26/13 15:13
L1307531-06	PZ-A	2137 SENECA ST	04/26/13 14:00
L1307531-07	DUPLICATE	2137 SENECA ST	04/26/13 14:45
L1307531-08	TRIP BLANK	2137 SENECA ST	04/26/13 00:00

**Project Name:** DOLLAR GENERAL/VCP  
**Project Number:** Not Specified

**Lab Number:** L1307531  
**Report Date:** 05/06/13

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Performance criteria for CAM and RCP methods allow for some LCS compound failures to occur and still be within method compliance. In these instances, the specific failures are not narrated but are noted in the associated QC table. This information is also incorporated in the Data Usability format for our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples free of charge for 30 days from the date the project is completed. After 30 days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples.

Please contact Client Services at 800-624-9220 with any questions.

**Project Name:** DOLLAR GENERAL/VCP  
**Project Number:** Not Specified

**Lab Number:** L1307531  
**Report Date:** 05/06/13

**Case Narrative (continued)**

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Cynthia McQueen

Title: Technical Director/Representative

Date: 05/06/13

# ORGANICS

# **VOLATILES**

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-01      D  
**Client ID:** MW-2  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 15:40  
**Analyst:** PD

**Date Collected:** 04/26/13 15:21  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethane	ND		ug/l	6.2	1.8	2.5
Chloroform	ND		ug/l	6.2	1.8	2.5
Carbon tetrachloride	ND		ug/l	1.2	0.41	2.5
1,2-Dichloropropane	ND		ug/l	2.5	0.74	2.5
Dibromochloromethane	ND		ug/l	1.2	0.47	2.5
1,1,2-Trichloroethane	ND		ug/l	3.8	1.2	2.5
Tetrachloroethene	0.83	J	ug/l	1.2	0.45	2.5
Chlorobenzene	ND		ug/l	6.2	1.8	2.5
Trichlorofluoromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dichloroethane	ND		ug/l	1.2	0.40	2.5
1,1,1-Trichloroethane	ND		ug/l	6.2	1.8	2.5
Bromodichloromethane	ND		ug/l	1.2	0.48	2.5
trans-1,3-Dichloropropene	ND		ug/l	1.2	0.41	2.5
cis-1,3-Dichloropropene	ND		ug/l	1.2	0.36	2.5
1,1-Dichloropropene	ND		ug/l	6.2	1.8	2.5
Bromoform	ND		ug/l	5.0	1.6	2.5
1,1,2,2-Tetrachloroethane	ND		ug/l	1.2	0.48	2.5
Benzene	ND		ug/l	1.2	0.48	2.5
Toluene	ND		ug/l	6.2	1.8	2.5
Ethylbenzene	ND		ug/l	6.2	1.8	2.5
Chloromethane	ND		ug/l	6.2	1.8	2.5
Bromomethane	ND		ug/l	6.2	1.8	2.5
Vinyl chloride	27		ug/l	2.5	0.82	2.5
Chloroethane	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethene	ND		ug/l	1.2	0.45	2.5
trans-1,2-Dichloroethene	ND		ug/l	6.2	1.8	2.5
Trichloroethene	3.7		ug/l	1.2	0.44	2.5
1,2-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,3-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-01 D

Date Collected: 04/26/13 15:21

Client ID: MW-2

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	6.2	1.8	2.5
p/m-Xylene	ND		ug/l	6.2	1.8	2.5
o-Xylene	ND		ug/l	6.2	1.8	2.5
cis-1,2-Dichloroethene	160		ug/l	6.2	1.8	2.5
Dibromomethane	ND		ug/l	12	2.5	2.5
1,2,3-Trichloropropane	ND		ug/l	6.2	1.8	2.5
Acrylonitrile	ND		ug/l	12	3.8	2.5
Styrene	ND		ug/l	6.2	1.8	2.5
Dichlorodifluoromethane	ND		ug/l	12	2.5	2.5
Acetone	ND		ug/l	12	2.5	2.5
Carbon disulfide	ND		ug/l	12	2.5	2.5
2-Butanone	ND		ug/l	12	2.5	2.5
Vinyl acetate	ND		ug/l	12	2.5	2.5
4-Methyl-2-pentanone	ND		ug/l	12	2.5	2.5
2-Hexanone	ND		ug/l	12	2.5	2.5
Bromochloromethane	ND		ug/l	6.2	1.8	2.5
2,2-Dichloropropane	ND		ug/l	6.2	1.8	2.5
1,2-Dibromoethane	ND		ug/l	5.0	1.6	2.5
1,3-Dichloropropane	ND		ug/l	6.2	1.8	2.5
1,1,1,2-Tetrachloroethane	ND		ug/l	6.2	1.8	2.5
Bromobenzene	ND		ug/l	6.2	1.8	2.5
n-Butylbenzene	ND		ug/l	6.2	1.8	2.5
sec-Butylbenzene	ND		ug/l	6.2	1.8	2.5
tert-Butylbenzene	ND		ug/l	6.2	1.8	2.5
o-Chlorotoluene	ND		ug/l	6.2	1.8	2.5
p-Chlorotoluene	ND		ug/l	6.2	1.8	2.5
1,2-Dibromo-3-chloropropane	ND		ug/l	6.2	1.8	2.5
Hexachlorobutadiene	ND		ug/l	6.2	1.8	2.5
Isopropylbenzene	ND		ug/l	6.2	1.8	2.5
p-Isopropyltoluene	ND		ug/l	6.2	1.8	2.5
Naphthalene	ND		ug/l	6.2	1.8	2.5
n-Propylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,3-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,3,5-Trimethylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trimethylbenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dioxane	ND		ug/l	620	190	2.5
1,4-Diethylbenzene	ND		ug/l	5.0	1.8	2.5
4-Ethyltoluene	ND		ug/l	5.0	1.8	2.5



**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-01 D

Date Collected: 04/26/13 15:21

Client ID: MW-2

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	5.0	1.6	2.5
Ethyl ether	ND		ug/l	6.2	1.8	2.5
trans-1,4-Dichloro-2-butene	ND		ug/l	6.2	1.8	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	105		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-02      D  
**Client ID:** MW-4  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 16:05  
**Analyst:** PD

**Date Collected:** 04/26/13 14:34  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	250	70.	100
1,1-Dichloroethane	ND		ug/l	250	70.	100
Chloroform	ND		ug/l	250	70.	100
Carbon tetrachloride	ND		ug/l	50	16.	100
1,2-Dichloropropane	ND		ug/l	100	30.	100
Dibromochloromethane	ND		ug/l	50	19.	100
1,1,2-Trichloroethane	ND		ug/l	150	50.	100
Tetrachloroethene	ND		ug/l	50	18.	100
Chlorobenzene	ND		ug/l	250	70.	100
Trichlorofluoromethane	ND		ug/l	250	70.	100
1,2-Dichloroethane	ND		ug/l	50	16.	100
1,1,1-Trichloroethane	ND		ug/l	250	70.	100
Bromodichloromethane	ND		ug/l	50	19.	100
trans-1,3-Dichloropropene	ND		ug/l	50	16.	100
cis-1,3-Dichloropropene	ND		ug/l	50	14.	100
1,1-Dichloropropene	ND		ug/l	250	70.	100
Bromoform	ND		ug/l	200	65.	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	19.	100
Benzene	ND		ug/l	50	19.	100
Toluene	ND		ug/l	250	70.	100
Ethylbenzene	ND		ug/l	250	70.	100
Chloromethane	ND		ug/l	250	70.	100
Bromomethane	ND		ug/l	250	70.	100
Vinyl chloride	1300		ug/l	100	33.	100
Chloroethane	ND		ug/l	250	70.	100
1,1-Dichloroethene	ND		ug/l	50	18.	100
trans-1,2-Dichloroethene	ND		ug/l	250	70.	100
Trichloroethene	ND		ug/l	50	17.	100
1,2-Dichlorobenzene	ND		ug/l	250	70.	100
1,3-Dichlorobenzene	ND		ug/l	250	70.	100
1,4-Dichlorobenzene	ND		ug/l	250	70.	100

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-02 D

Date Collected: 04/26/13 14:34

Client ID: MW-4

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	250	70.	100
p/m-Xylene	ND		ug/l	250	70.	100
o-Xylene	ND		ug/l	250	70.	100
cis-1,2-Dichloroethene	4100		ug/l	250	70.	100
Dibromomethane	ND		ug/l	500	100	100
1,2,3-Trichloropropane	ND		ug/l	250	70.	100
Acrylonitrile	ND		ug/l	500	150	100
Styrene	ND		ug/l	250	70.	100
Dichlorodifluoromethane	ND		ug/l	500	100	100
Acetone	ND		ug/l	500	100	100
Carbon disulfide	ND		ug/l	500	100	100
2-Butanone	ND		ug/l	500	100	100
Vinyl acetate	ND		ug/l	500	100	100
4-Methyl-2-pentanone	ND		ug/l	500	100	100
2-Hexanone	ND		ug/l	500	100	100
Bromochloromethane	ND		ug/l	250	70.	100
2,2-Dichloropropane	ND		ug/l	250	70.	100
1,2-Dibromoethane	ND		ug/l	200	65.	100
1,3-Dichloropropane	ND		ug/l	250	70.	100
1,1,1,2-Tetrachloroethane	ND		ug/l	250	70.	100
Bromobenzene	ND		ug/l	250	70.	100
n-Butylbenzene	ND		ug/l	250	70.	100
sec-Butylbenzene	ND		ug/l	250	70.	100
tert-Butylbenzene	ND		ug/l	250	70.	100
o-Chlorotoluene	ND		ug/l	250	70.	100
p-Chlorotoluene	ND		ug/l	250	70.	100
1,2-Dibromo-3-chloropropane	ND		ug/l	250	70.	100
Hexachlorobutadiene	ND		ug/l	250	70.	100
Isopropylbenzene	ND		ug/l	250	70.	100
p-Isopropyltoluene	ND		ug/l	250	70.	100
Naphthalene	ND		ug/l	250	70.	100
n-Propylbenzene	ND		ug/l	250	70.	100
1,2,3-Trichlorobenzene	ND		ug/l	250	70.	100
1,2,4-Trichlorobenzene	ND		ug/l	250	70.	100
1,3,5-Trimethylbenzene	ND		ug/l	250	70.	100
1,2,4-Trimethylbenzene	ND		ug/l	250	70.	100
1,4-Dioxane	ND		ug/l	25000	7600	100
1,4-Diethylbenzene	ND		ug/l	200	70.	100
4-Ethyltoluene	ND		ug/l	200	70.	100

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-02 D

Date Collected: 04/26/13 14:34

Client ID: MW-4

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	200	65.	100
----------------------------	----	--	------	-----	-----	-----

Ethyl ether	ND		ug/l	250	70.	100
-------------	----	--	------	-----	-----	-----

trans-1,4-Dichloro-2-butene	ND		ug/l	250	70.	100
-----------------------------	----	--	------	-----	-----	-----

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	107		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-03  
**Client ID:** MW-4A  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 13:59  
**Analyst:** PD

**Date Collected:** 04/26/13 15:02  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.16	1
1,2-Dichloropropane	ND		ug/l	1.0	0.30	1
Dibromochloromethane	ND		ug/l	0.50	0.19	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.16	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.19	1
Benzene	ND		ug/l	0.50	0.19	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.18	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-03

Date Collected: 04/26/13 15:02

Client ID: MW-4A

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	9.4		ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	1.5	J	ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	76.	1
1,4-Diethylbenzene	ND		ug/l	2.0	0.70	1
4-Ethyltoluene	ND		ug/l	2.0	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-03

Date Collected: 04/26/13 15:02

Client ID: MW-4A

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	103		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-04      D  
**Client ID:** MW-11  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 16:30  
**Analyst:** PD

**Date Collected:** 04/26/13 13:48  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	12	3.5	5
1,1-Dichloroethane	ND		ug/l	12	3.5	5
Chloroform	ND		ug/l	12	3.5	5
Carbon tetrachloride	ND		ug/l	2.5	0.83	5
1,2-Dichloropropane	ND		ug/l	5.0	1.5	5
Dibromochloromethane	ND		ug/l	2.5	0.95	5
1,1,2-Trichloroethane	ND		ug/l	7.5	2.5	5
Tetrachloroethene	ND		ug/l	2.5	0.91	5
Chlorobenzene	ND		ug/l	12	3.5	5
Trichlorofluoromethane	ND		ug/l	12	3.5	5
1,2-Dichloroethane	ND		ug/l	2.5	0.80	5
1,1,1-Trichloroethane	ND		ug/l	12	3.5	5
Bromodichloromethane	ND		ug/l	2.5	0.96	5
trans-1,3-Dichloropropene	ND		ug/l	2.5	0.82	5
cis-1,3-Dichloropropene	ND		ug/l	2.5	0.72	5
1,1-Dichloropropene	ND		ug/l	12	3.5	5
Bromoform	ND		ug/l	10	3.2	5
1,1,2,2-Tetrachloroethane	ND		ug/l	2.5	0.96	5
Benzene	ND		ug/l	2.5	0.97	5
Toluene	ND		ug/l	12	3.5	5
Ethylbenzene	ND		ug/l	12	3.5	5
Chloromethane	ND		ug/l	12	3.5	5
Bromomethane	ND		ug/l	12	3.5	5
Vinyl chloride	330		ug/l	5.0	1.6	5
Chloroethane	ND		ug/l	12	3.5	5
1,1-Dichloroethene	ND		ug/l	2.5	0.90	5
trans-1,2-Dichloroethene	ND		ug/l	12	3.5	5
Trichloroethene	ND		ug/l	2.5	0.87	5
1,2-Dichlorobenzene	ND		ug/l	12	3.5	5
1,3-Dichlorobenzene	ND		ug/l	12	3.5	5
1,4-Dichlorobenzene	ND		ug/l	12	3.5	5



**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-04 D

Date Collected: 04/26/13 13:48

Client ID: MW-11

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	12	3.5	5
p/m-Xylene	ND		ug/l	12	3.5	5
o-Xylene	ND		ug/l	12	3.5	5
cis-1,2-Dichloroethene	240		ug/l	12	3.5	5
Dibromomethane	ND		ug/l	25	5.0	5
1,2,3-Trichloropropane	ND		ug/l	12	3.5	5
Acrylonitrile	ND		ug/l	25	7.5	5
Styrene	ND		ug/l	12	3.5	5
Dichlorodifluoromethane	ND		ug/l	25	5.0	5
Acetone	ND		ug/l	25	5.0	5
Carbon disulfide	ND		ug/l	25	5.0	5
2-Butanone	ND		ug/l	25	5.0	5
Vinyl acetate	ND		ug/l	25	5.0	5
4-Methyl-2-pentanone	ND		ug/l	25	5.0	5
2-Hexanone	ND		ug/l	25	5.0	5
Bromochloromethane	ND		ug/l	12	3.5	5
2,2-Dichloropropane	ND		ug/l	12	3.5	5
1,2-Dibromoethane	ND		ug/l	10	3.2	5
1,3-Dichloropropane	ND		ug/l	12	3.5	5
1,1,1,2-Tetrachloroethane	ND		ug/l	12	3.5	5
Bromobenzene	ND		ug/l	12	3.5	5
n-Butylbenzene	ND		ug/l	12	3.5	5
sec-Butylbenzene	ND		ug/l	12	3.5	5
tert-Butylbenzene	ND		ug/l	12	3.5	5
o-Chlorotoluene	ND		ug/l	12	3.5	5
p-Chlorotoluene	ND		ug/l	12	3.5	5
1,2-Dibromo-3-chloropropane	ND		ug/l	12	3.5	5
Hexachlorobutadiene	ND		ug/l	12	3.5	5
Isopropylbenzene	ND		ug/l	12	3.5	5
p-Isopropyltoluene	ND		ug/l	12	3.5	5
Naphthalene	ND		ug/l	12	3.5	5
n-Propylbenzene	ND		ug/l	12	3.5	5
1,2,3-Trichlorobenzene	ND		ug/l	12	3.5	5
1,2,4-Trichlorobenzene	ND		ug/l	12	3.5	5
1,3,5-Trimethylbenzene	ND		ug/l	12	3.5	5
1,2,4-Trimethylbenzene	ND		ug/l	12	3.5	5
1,4-Dioxane	ND		ug/l	1200	380	5
1,4-Diethylbenzene	ND		ug/l	10	3.5	5
4-Ethyltoluene	ND		ug/l	10	3.5	5

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-04 D

Date Collected: 04/26/13 13:48

Client ID: MW-11

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	10	3.2	5
Ethyl ether	ND		ug/l	12	3.5	5
trans-1,4-Dichloro-2-butene	ND		ug/l	12	3.5	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	106		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-05  
**Client ID:** MW-13  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 14:24  
**Analyst:** PD

**Date Collected:** 04/26/13 15:13  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.16	1
1,2-Dichloropropane	ND		ug/l	1.0	0.30	1
Dibromochloromethane	ND		ug/l	0.50	0.19	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.51		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.16	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.19	1
Benzene	ND		ug/l	0.50	0.19	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	45		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.18	1
trans-1,2-Dichloroethene	1.0	J	ug/l	2.5	0.70	1
Trichloroethene	1.4		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-05

Date Collected: 04/26/13 15:13

Client ID: MW-13

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	80		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.0	1
Carbon disulfide	1.6	J	ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	76.	1
1,4-Diethylbenzene	ND		ug/l	2.0	0.70	1
4-Ethyltoluene	ND		ug/l	2.0	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-05

Date Collected: 04/26/13 15:13

Client ID: MW-13

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	105		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-06  
**Client ID:** PZ-A  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 14:49  
**Analyst:** PD

**Date Collected:** 04/26/13 14:00  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.16	1
1,2-Dichloropropane	ND		ug/l	1.0	0.30	1
Dibromochloromethane	ND		ug/l	0.50	0.19	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.16	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.19	1
Benzene	ND		ug/l	0.50	0.19	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	1.7		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.18	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-06

Date Collected: 04/26/13 14:00

Client ID: PZ-A

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.2	J	ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.4	J	ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	76.	1
1,4-Diethylbenzene	ND		ug/l	2.0	0.70	1
4-Ethyltoluene	ND		ug/l	2.0	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-06

Date Collected: 04/26/13 14:00

Client ID: PZ-A

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	105		70-130



**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-07      D  
**Client ID:** DUPLICATE  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 16:56  
**Analyst:** PD

**Date Collected:** 04/26/13 14:45  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	250	70.	100
1,1-Dichloroethane	ND		ug/l	250	70.	100
Chloroform	ND		ug/l	250	70.	100
Carbon tetrachloride	ND		ug/l	50	16.	100
1,2-Dichloropropane	ND		ug/l	100	30.	100
Dibromochloromethane	ND		ug/l	50	19.	100
1,1,2-Trichloroethane	ND		ug/l	150	50.	100
Tetrachloroethene	ND		ug/l	50	18.	100
Chlorobenzene	ND		ug/l	250	70.	100
Trichlorofluoromethane	ND		ug/l	250	70.	100
1,2-Dichloroethane	ND		ug/l	50	16.	100
1,1,1-Trichloroethane	ND		ug/l	250	70.	100
Bromodichloromethane	ND		ug/l	50	19.	100
trans-1,3-Dichloropropene	ND		ug/l	50	16.	100
cis-1,3-Dichloropropene	ND		ug/l	50	14.	100
1,1-Dichloropropene	ND		ug/l	250	70.	100
Bromoform	ND		ug/l	200	65.	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	19.	100
Benzene	ND		ug/l	50	19.	100
Toluene	ND		ug/l	250	70.	100
Ethylbenzene	ND		ug/l	250	70.	100
Chloromethane	ND		ug/l	250	70.	100
Bromomethane	ND		ug/l	250	70.	100
Vinyl chloride	1300		ug/l	100	33.	100
Chloroethane	ND		ug/l	250	70.	100
1,1-Dichloroethene	ND		ug/l	50	18.	100
trans-1,2-Dichloroethene	ND		ug/l	250	70.	100
Trichloroethene	ND		ug/l	50	17.	100
1,2-Dichlorobenzene	ND		ug/l	250	70.	100
1,3-Dichlorobenzene	ND		ug/l	250	70.	100
1,4-Dichlorobenzene	ND		ug/l	250	70.	100

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-07 D

Date Collected: 04/26/13 14:45

Client ID: DUPLICATE

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	250	70.	100
p/m-Xylene	ND		ug/l	250	70.	100
o-Xylene	ND		ug/l	250	70.	100
cis-1,2-Dichloroethene	4200		ug/l	250	70.	100
Dibromomethane	ND		ug/l	500	100	100
1,2,3-Trichloropropane	ND		ug/l	250	70.	100
Acrylonitrile	ND		ug/l	500	150	100
Styrene	ND		ug/l	250	70.	100
Dichlorodifluoromethane	ND		ug/l	500	100	100
Acetone	ND		ug/l	500	100	100
Carbon disulfide	ND		ug/l	500	100	100
2-Butanone	ND		ug/l	500	100	100
Vinyl acetate	ND		ug/l	500	100	100
4-Methyl-2-pentanone	ND		ug/l	500	100	100
2-Hexanone	ND		ug/l	500	100	100
Bromochloromethane	ND		ug/l	250	70.	100
2,2-Dichloropropane	ND		ug/l	250	70.	100
1,2-Dibromoethane	ND		ug/l	200	65.	100
1,3-Dichloropropane	ND		ug/l	250	70.	100
1,1,1,2-Tetrachloroethane	ND		ug/l	250	70.	100
Bromobenzene	ND		ug/l	250	70.	100
n-Butylbenzene	ND		ug/l	250	70.	100
sec-Butylbenzene	ND		ug/l	250	70.	100
tert-Butylbenzene	ND		ug/l	250	70.	100
o-Chlorotoluene	ND		ug/l	250	70.	100
p-Chlorotoluene	ND		ug/l	250	70.	100
1,2-Dibromo-3-chloropropane	ND		ug/l	250	70.	100
Hexachlorobutadiene	ND		ug/l	250	70.	100
Isopropylbenzene	ND		ug/l	250	70.	100
p-Isopropyltoluene	ND		ug/l	250	70.	100
Naphthalene	ND		ug/l	250	70.	100
n-Propylbenzene	ND		ug/l	250	70.	100
1,2,3-Trichlorobenzene	ND		ug/l	250	70.	100
1,2,4-Trichlorobenzene	ND		ug/l	250	70.	100
1,3,5-Trimethylbenzene	ND		ug/l	250	70.	100
1,2,4-Trimethylbenzene	ND		ug/l	250	70.	100
1,4-Dioxane	ND		ug/l	25000	7600	100
1,4-Diethylbenzene	ND		ug/l	200	70.	100
4-Ethyltoluene	ND		ug/l	200	70.	100

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-07 D

Date Collected: 04/26/13 14:45

Client ID: DUPLICATE

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	200	65.	100
----------------------------	----	--	------	-----	-----	-----

Ethyl ether	ND		ug/l	250	70.	100
-------------	----	--	------	-----	-----	-----

trans-1,4-Dichloro-2-butene	ND		ug/l	250	70.	100
-----------------------------	----	--	------	-----	-----	-----

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	105		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

**Lab ID:** L1307531-08  
**Client ID:** TRIP BLANK  
**Sample Location:** 2137 SENECA ST  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/04/13 15:15  
**Analyst:** PD

**Date Collected:** 04/26/13 00:00  
**Date Received:** 04/26/13  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.16	1
1,2-Dichloropropane	ND		ug/l	1.0	0.30	1
Dibromochloromethane	ND		ug/l	0.50	0.19	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.16	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.19	1
Benzene	ND		ug/l	0.50	0.19	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.18	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-08

Date Collected: 04/26/13 00:00

Client ID: TRIP BLANK

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	76.	1
1,4-Diethylbenzene	ND		ug/l	2.0	0.70	1
4-Ethyltoluene	ND		ug/l	2.0	0.70	1

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**SAMPLE RESULTS**

Lab ID: L1307531-08

Date Collected: 04/26/13 00:00

Client ID: TRIP BLANK

Date Received: 04/26/13

Sample Location: 2137 SENECA ST

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	105		70-130

Project Name: DOLLAR GENERAL/VCP

Lab Number: L1307531

Project Number: Not Specified

Report Date: 05/06/13

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/04/13 13:09  
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG605917-3					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
2-Chloroethylvinyl ether	ND		ug/l	10	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.16
1,2-Dichloropropane	ND		ug/l	1.0	0.30
Dibromochloromethane	ND		ug/l	0.50	0.19
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.16
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.19
Benzene	ND		ug/l	0.50	0.19
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.33
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.18
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.17
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

Project Name: DOLLAR GENERAL/VCP

Lab Number: L1307531

Project Number: Not Specified

Report Date: 05/06/13

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/04/13 13:09  
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG605917-3					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Isopropyl Ether	ND		ug/l	2.0	0.65
tert-Butyl Alcohol	ND		ug/l	10	0.90
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.0
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.0
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70



Project Name: DOLLAR GENERAL/VCP

Lab Number: L1307531

Project Number: Not Specified

Report Date: 05/06/13

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/04/13 13:09  
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG605917-3					
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.38
Ethyl Acetate	ND		ug/l	10	0.70
Cyclohexane	ND		ug/l	10	0.54
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.5	0.70
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	0.38
1,4-Dioxane	ND		ug/l	250	76.
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	2.5	0.70
1,4-Diethylbenzene	ND		ug/l	2.0	0.70
4-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65
Tetrahydrofuran	ND		ug/l	5.0	1.5
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.63

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	103		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** DOLLAR GENERAL/VCP

**Project Number:** Not Specified

**Lab Number:** L1307531

**Report Date:** 05/06/13

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG605917-1 WG605917-2								
Methylene chloride	91		88		70-130	3		20
1,1-Dichloroethane	95		92		70-130	3		20
Chloroform	103		100		70-130	3		20
2-Chloroethylvinyl ether	72		58	Q	70-130	22	Q	20
Carbon tetrachloride	107		103		63-132	4		20
1,2-Dichloropropane	92		89		70-130	3		20
Dibromochloromethane	105		101		63-130	4		20
1,1,2-Trichloroethane	99		96		70-130	3		20
Tetrachloroethene	109		103		70-130	6		20
Chlorobenzene	104		100		75-130	4		20
Trichlorofluoromethane	105		99		62-150	6		20
1,2-Dichloroethane	101		99		70-130	2		20
1,1,1-Trichloroethane	104		100		67-130	4		20
Bromodichloromethane	101		98		67-130	3		20
trans-1,3-Dichloropropene	95		90		70-130	5		20
cis-1,3-Dichloropropene	97		93		70-130	4		20
1,1-Dichloropropene	98		93		70-130	5		20
Bromoform	97		96		54-136	1		20
1,1,2,2-Tetrachloroethane	98		92		67-130	6		20
Benzene	98		94		70-130	4		20
Toluene	100		97		70-130	3		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** DOLLAR GENERAL/VCP

**Project Number:** Not Specified

**Lab Number:** L1307531

**Report Date:** 05/06/13

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG605917-1 WG605917-2								
Ethylbenzene	101		99		70-130	2		20
Chloromethane	72		90		64-130	22	Q	20
Bromomethane	77		73		39-139	5		20
Vinyl chloride	88		84		55-140	5		20
Chloroethane	104		101		55-138	3		20
1,1-Dichloroethene	102		97		61-145	5		20
trans-1,2-Dichloroethene	100		96		70-130	4		20
Trichloroethene	98		95		70-130	3		20
1,2-Dichlorobenzene	102		99		70-130	3		20
1,3-Dichlorobenzene	103		100		70-130	3		20
1,4-Dichlorobenzene	103		99		70-130	4		20
Methyl tert butyl ether	93		91		63-130	2		20
p/m-Xylene	105		100		70-130	5		20
o-Xylene	105		102		70-130	3		20
cis-1,2-Dichloroethene	101		97		70-130	4		20
Dibromomethane	103		101		70-130	2		20
1,2,3-Trichloropropane	101		95		64-130	6		20
Acrylonitrile	88		84		70-130	5		20
Isopropyl Ether	86		84		70-130	2		20
tert-Butyl Alcohol	90		83		70-130	8		20
Styrene	105		102		70-130	3		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** DOLLAR GENERAL/VCP

**Project Number:** Not Specified

**Lab Number:** L1307531

**Report Date:** 05/06/13

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG605917-1 WG605917-2								
Dichlorodifluoromethane	92		86		36-147	7		20
Acetone	81		78		58-148	4		20
Carbon disulfide	92		86		51-130	7		20
2-Butanone	70		71		63-138	1		20
Vinyl acetate	85		81		70-130	5		20
4-Methyl-2-pentanone	90		87		59-130	3		20
2-Hexanone	79		77		57-130	3		20
Bromochloromethane	108		105		70-130	3		20
2,2-Dichloropropane	103		98		63-133	5		20
1,2-Dibromoethane	101		98		70-130	3		20
1,3-Dichloropropane	97		94		70-130	3		20
1,1,1,2-Tetrachloroethane	104		102		64-130	2		20
Bromobenzene	103		101		70-130	2		20
n-Butylbenzene	100		96		53-136	4		20
sec-Butylbenzene	101		97		70-130	4		20
tert-Butylbenzene	102		97		70-130	5		20
o-Chlorotoluene	99		97		70-130	2		20
p-Chlorotoluene	95		94		70-130	1		20
1,2-Dibromo-3-chloropropane	94		88		41-144	7		20
Hexachlorobutadiene	104		102		63-130	2		20
Isopropylbenzene	101		96		70-130	5		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** DOLLAR GENERAL/VCP

**Project Number:** Not Specified

**Lab Number:** L1307531

**Report Date:** 05/06/13

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG605917-1 WG605917-2								
p-Isopropyltoluene	102		98		70-130	4		20
Naphthalene	91		88		70-130	3		20
n-Propylbenzene	98		95		69-130	3		20
1,2,3-Trichlorobenzene	99		97		70-130	2		20
1,2,4-Trichlorobenzene	100		95		70-130	5		20
1,3,5-Trimethylbenzene	99		98		64-130	1		20
1,2,4-Trimethylbenzene	101		97		70-130	4		20
Methyl Acetate	86		82		70-130	5		20
Ethyl Acetate	80		76		70-130	5		20
Cyclohexane	89		85		70-130	5		20
Ethyl-Tert-Butyl-Ether	93		90		70-130	3		20
Tertiary-Amyl Methyl Ether	96		90		66-130	6		20
1,4-Dioxane	102		96		56-162	6		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	101		95		70-130	6		20
1,4-Diethylbenzene	100		96		70-130	4		20
4-Ethyltoluene	100		95		70-130	5		20
1,2,4,5-Tetramethylbenzene	98		94		70-130	4		20
Ethyl ether	92		90		59-134	2		20
trans-1,4-Dichloro-2-butene	68	Q	64	Q	70-130	6		20
Methyl cyclohexane	96		92		70-130	4		20

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG605917-1 WG605917-2

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	102		100		70-130
Toluene-d8	100		98		70-130
4-Bromofluorobenzene	94		94		70-130
Dibromofluoromethane	104		105		70-130

**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13**Sample Receipt and Container Information**

Were project specific reporting limits specified? YES

**Reagent H2O Preserved Vials Frozen on:** NA**Cooler Information Custody Seal****Cooler**

A Absent

**Container Information**

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1307531-01A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-01B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-02A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-02B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-02C	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-03A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-03B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-04A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-04B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-04C	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-05A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-05B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-06A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-06B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-06C	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-07A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-07B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-07C	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-08A	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)
L1307531-08B	Vial HCl preserved	A	N/A	2.7	Y	Absent	NYTCL-8260(14)

\*Values in parentheses indicate holding time in days

**Project Name:** DOLLAR GENERAL/VCP  
**Project Number:** Not Specified

**Lab Number:** L1307531  
**Report Date:** 05/06/13

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit.
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The RPD between the results for the two columns exceeds the method-specified criteria; however, the lower value has been reported

**Report Format:** DU Report with "J" Qualifiers





**Project Name:** DOLLAR GENERAL/VCP  
**Project Number:** Not Specified

**Lab Number:** L1307531  
**Report Date:** 05/06/13

**Data Qualifiers**

due to obvious interference.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with "J" Qualifiers



**Project Name:** DOLLAR GENERAL/VCP**Lab Number:** L1307531**Project Number:** Not Specified**Report Date:** 05/06/13

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certificate/Approval Program Summary

Last revised December 19, 2012 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.  
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

### Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

*Drinking Water* (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Nickel, Selenium, Silver, Sodium, Thallium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP) 504.1, Ethylene Dibromide (EDB) 504.1, 1,4-Dioxane (Mod 8270). Microbiology Parameters: Total Coliform-MF mEndo (SM9222B), Total Coliform – Colilert (SM9223, Enumeration and P/A), E. Coli. – Colilert (SM9223, Enumeration and P/A), HPC – Pour Plate (SM9215B), Fecal Coliform – MF m-FC (SM9222D), Fecal Coliform-EC Medium (SM 9221E).

*Wastewater/Non-Potable Water* (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, TPH (HEM/SGT), CT-Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH. Microbiology Parameters: Total Coliform – MF mEndo (SM9222B), Total Coliform – MTF (SM9221B), E. Coli – Colilert (SM9223 Enumeration), HPC – Pour Plate (SM9215B), Fecal Coliform – MF m-FC (SM9222D), Fecal Coliform – A-1 Broth (SM9221E), Enterococcus - Enterolert.

*Solid Waste/Soil* (Inorganic Parameters: pH, Sulfide, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), SPLP Leach (1312 metals only), Reactivity. Organic Parameters: PCBs, PCBs in Oil, Organochlorine Pesticides, Technical Chlordane, Toxaphene, CT-Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Dalapon, Volatile Organics (SW 8260), Acid Extractables (Phenols) (SW 8270), Benzidines (SW 8270), Phthalates (SW 8270), Nitrosamines (SW 8270), Nitroaromatics & Cyclic Ketones (SW 8270), PAHs (SW 8270), Haloethers (SW 8270), Chlorinated Hydrocarbons (SW 8270). )

### Maine Department of Human Services Certificate/Lab ID: 2009024.

*Drinking Water* (Inorganic Parameters: SM9215B, 9222D, 9223B, EPA 180.1, 353.2, SM2130B, 2320B, 2540C, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1, EPA 300.0. Organic Parameters: 504.1, 524.2.)

*Wastewater/Non-Potable Water* (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, SM2320B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NO3-F, 4500P-B, 4500P-E, 5210B, 5220D, 5310C, 9010B, 9040B, 9030B, 7470A, 7196A, 2340B, EPA 200.7, 6010B, 6010C, 200.8, 6020, 245.1, 1311, 1312, 3005A, Enterolert, 9223B, 9222D. Organic Parameters: 608, 624, 625, 8081A, 8081B, 8082, 8082A, 8330, 8151A, 8260B, 8260C, 8270C, 8270D, 3510C, 3630C, 5030B, ME-DRO, ME-GRO, MA-EPH, MA-VPH.)

*Solid Waste/Soil* (Inorganic Parameters: 9010B, 9012A, 9014, 9030B, 9040B, 9045C, 6010B, 6010C, 6020, 6020A, 7471A, 7471B, 7196A, 9050A, 1010, 1030, 9065, 1311, 1312, 3005A, 3050B. Organic Parameters: ME-DRO, ME-GRO, MA-EPH, MA-VPH, 8260B, 8270C, 8270D, 8330, 8151A, 8081A, 8081B, 8082, 8082A, 3540C, 3546, 3580A, 3630C, 5030B, 5035.)

### Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

*Drinking Water* (Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl) (EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate); (EPA 353.2 for: Nitrate-N, Nitrite-N); (SM4500NO3-F for: Nitrate-N and Nitrite-N); 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B. Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics); (504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), EPA 332. Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; Colilert/QT SM9223B; MF-SM9222D.)

*Non-Potable Water (Inorganic Parameters:*, (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn); (EPA 200.7 for: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn); 245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.

*Organic Parameters:* (EPA 624 for Volatile Halocarbons, Volatile Aromatics),(608 for: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT,Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs-Water), (EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables), 600/4-81-045-PCB-Oil. *Microbiology Parameters:* (ColilertQT SM9223B; Enterolert-QT: SM9222D-MF.)

**New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. *NELAP Accredited.***

*Drinking Water (Inorganic Parameters:* SM 9222B, 9223B, 9215B, EPA 200.7, 200.8, 300.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 332.0. *Organic Parameters:* 504.1, 524.2.)

*Non-Potable Water (Inorganic Parameters:* SM9222D, 9221B, 9222B, 9221E-EC, EPA 3005A, 200.7, 200.8, 245.1, SW-846 6010C, 6020A, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 350.2, 351.1, 353.2, 410.4, 420.1, 426C, 1664A, SW-846 9010B, 9010C, 9030, 9040B, 9040C, SM2120B, 2310B, 2320B, 2340B, 2540B, 2540D, 4500H+B, 4500CL-E, 4500CN-E, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500P-E, 4500-S2-D, 4500SO3-B, 5210B, 5220D, 2510B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D, 3060A. *Organic Parameters:* SW-846 3510C, 3630C, 5030B, 8260C, 8270D, 8330, EPA 624, 625, 608, SW-846 8082A, 8081B, 8015C, 8151A, 8330, 8270D-SIM.)

*Solid & Chemical Materials (Inorganic Parameters:* SW-846 6010C, 6020A, 7196A, 7471B, 1010, 1010A, 1030, 9010C, 9012B, 9014, 9030B, 9040C, 9045C, 9045D, 9050, 9065, 9251, 1311, 1312, 3005A, 3050B, 3060A. *Organic Parameters:* SW-846 3540C, 3546, 3050B, 3580A, 3620D, 3630C, 5030B, 5035, 8260C, 8270D, 8270D-SIM, 8330, 8151A, 8015B, 8015C, 8082A, 8081B.)

**New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. *NELAP Accredited.***

*Drinking Water (Inorganic Parameters:* SM9222B, 9221E, 9223B, 9215B, 4500CN-CE, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 200.8, 245.1, 2540C, SM2120B, 2320B, 2510B, 5310C, SM4500H-B. *Organic Parameters:* EPA 332, 504.1, 524.2.)

*Non-Potable Water (Inorganic Parameters:* SM5210B, EPA 410.4, SM5220D, 4500CI-E, EPA 300.0, SM2120B, 2340B, SM4500F-BC, EPA 200.7, 200.8, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM510ABC, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM2520B, SM15 426C, 9222D, 9221B, 9221C, 9221E, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, 350.2, SW-846 1312, 7470A, 5540C, SM4500H-B, 4500SO3-B, SM3500Cr-D, 4500CN-CE, EPA 245.1, SW-846 9040B, 9040C, 3005A, 3015, EPA 6010B, 6010C, 6020, 6020A, 7196A, 3060A, SW-846 9010C, 9030B. *Organic Parameters:* SW-846 8260B, 8260C, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 3510C, EPA 608, 624, 625, SW-846 3630C, 5030B, 8011, 8015C, 8081A, 8081B, 8082, 8082A, 8151A, 8330, 1,4-Dioxane by NJ Modified 8270, 8015B, NJ EPH.)

*Solid & Chemical Materials (Inorganic Parameters:* SW-846, 6010B, 6010C, 6020, 6020A, 7196A, 3060A, 9030B, 1010, 1010A, 1030, 1311, 1312, 3005A, 3050B, 7471A, 7471B, 9010C, 9012B, 9014, 9038, 9040B, 9040C, 9045C, 9045D, 9050A, 9065, 9251. *Organic Parameters:* SW-846 8015B, 8015C, 8081A, 8081B, 8082, 8082A, 8151A, 8330, 8260B, 8260C, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 3540C, 3546, 3580A, 3620C, 3630C, 5030B, 5035L, 5035H, NJ EPH.)

**New York Department of Health Certificate/Lab ID: 11148. *NELAP Accredited.***

*Drinking Water (Inorganic Parameters:* SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500NO3-F, 2540C, SM 2510B. *Organic Parameters:* EPA 524.2, 504.1.)

*Non-Potable Water (Inorganic Parameters:* SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, 5310C, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, SM4500CL-E, 4500F-C, SM15 426C, EPA 350.1, SM4500NH3-BH, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6010C, 6020, 6020A, EPA 7196A, SM3500Cr-D, EPA 245.1, 7470A, SM2120B, LACHAT 10-204-00-1-A, 4500CN-CE, EPA 1664A, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015, 9010C, 9030B. *Organic Parameters:* EPA 624, 8260B, 8260C, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 625, 608, 8081A, 8081B, 8151A, 8330, 8082, 8082A, EPA 3510C, 5030B.)

*Solid & Hazardous Waste (Inorganic Parameters:* EPA 1010A, 1030, EPA 6010B, 6010C, 7196A, 7471A, 7471B, 9012B, 9014, 9065, 9050A, EPA 1311, 1312, 3005A, 3050B, 9010C, 9030B, 9040C, 9045D. *Organic Parameters:* EPA 8260B, 8260C, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 8015B, 8015C, 8081A, 8081B, 8151A, 8330, 8082 8082A, 3540C,

3546, 3580A, 5030B, 5035A-H, 5035A-L.)

**North Carolina Department of the Environment and Natural Resources** Certificate/Lab ID : 666. (Inorganic Parameters: SM2310B, 2320B, 4500Cl-E, 4500Cn-E, 9014, Lachat 10-204-00-1-X, 1010A, 1030, 4500NO<sub>3</sub>-F, 353.2, 4500P-E, 4500SO<sub>4</sub>-E, 300.0, 4500S-D, 5310B, 5310C, 6010C, 6020A, 200.7, 200.8, 3500Cr-B, 7196A, 245.1, 7470A, 7471B, 1311, 1312. Organic Parameters: 608, 8081B, 8082A, 624, 8260B, 625, 8270D, 8151A, 8015C, 504.1, MA-EPH, MA-VPH.)

*Drinking Water Program* Certificate/Lab ID: 25700. (Inorganic Parameters: Chloride EPA 300.0. Organic Parameters: 524.2)

**Pennsylvania Department of Environmental Protection** Certificate/Lab ID : 68-03671. **NELAP Accredited.**

*Drinking Water* (Inorganic Parameters: 200.7, 200.8, 300.0, 332.0, 2120B, 2320B, 2510B, 2540C, 4500-CN-CE, 4500F-C, 4500H+-B, 4500NO<sub>3</sub>-F, 5310C. Organic Parameters: EPA 524.2, 504.1)

*Non-Potable Water* (Inorganic Parameters: EPA 120.1, 1312, 3005A, 3015, 3060A, 200.7, 200.8, 410.4, 1664A, SM2540D, 5210B, 5220D, 4500-P, BE, 245.1, 300.0, 350.1, 350.2, 351.1, 353.2, 420.1, 6010C, 6020A, 7196A, 7470A, 9030B, 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 3500Cr-D, 426C, 4500CN-CE, 4500Cl-E, 4500F-B, 4500F-C, 4500H+-B, 4500NH<sub>3</sub>-H, 4500NO<sub>2</sub>-B, 4500NO<sub>3</sub>-F, 4500S-D, 4500SO<sub>3</sub>-B, 5310BCD, 5540C, 9010C, 9040C. Organic Parameters: EPA 3510C, 3630C, 5030B, 625, 624, 608, 8081B, 8082A, 8151A, 8260C, 8270D, 8270D-SIM, 8330, 8015C, NJ-EPH.)

*Solid & Hazardous Waste* (Inorganic Parameters: EPA 350.1, 1010, 1030, 1311, 1312, 3005A, 3050B, 3060A, 6010C, 6020A, 7196A, 7471B, 9010C, 9012B, 9014, 9040B, 9045D, 9050A, 9065, SM 4500NH<sub>3</sub>-BH, 9030B, 9038, 9251. Organic Parameters: 3540C, 3546, 3580A, 3620C, 3630C, 5035, 8015C, 8081B, 8082A, 8151A, 8260C, 8270D, 8270D-SIM, 8330, NJ-EPH.)

**Rhode Island Department of Health** Certificate/Lab ID: LAO00065. **NELAP Accredited via NJ-DEP.**

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NJ-DEP Certificate for Potable and Non-Potable Water.

**Texas Commission on Environmental Quality** Certificate/Lab ID: T104704476. **NELAP Accredited.**

*Non-Potable Water* (Inorganic Parameters: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH<sub>3</sub>-H, 4500NO<sub>2</sub>B, 4500P-E, 4500 S<sup>2-</sup> D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)

*Solid & Hazardous Waste* (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)

**Virginia Division of Consolidated Laboratory Services** Certificate/Lab ID: 460195. **NELAP Accredited.**

*Drinking Water* (Inorganic Parameters: EPA 200.7, 200.8, 300.0, 2510B, 2120B, 2540C, 4500CN-CE, 245.2, 2320B, 4500F-C, 4500NO<sub>3</sub>-F, 5310C. Organic Parameters: EPA 504.1, 524.2.)

*Non-Potable Water* (Inorganic Parameters: EPA 120.1, 1664A, 200.7, 200.8, 245.1, 300.0, 3005A, 3015, 1312, 6010B, 6010C, 3060A, 353.2, 420.1, 6020, 6020A, SM4500S-D, SM4500-CN-CE, Lachat 10-204-00-1-X, 7196A, 7470A, 9010B, 9040B, 2310B, 2320B, 2510B, 2540B, 2540C, 3500Cr-D, 426C, 4500Cl-E, 4500F-B, 4500F-C, 4500PE, 510AC, 5210B, 5310B 5310C, 5540C. Organic Parameters: EPA 3510C, 3630C, 5030B, 8260B, 608, 624, 625, 8081A, 8081B, 8082, 8082A, 8151A, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 8330, )

*Solid & Hazardous Waste* (Inorganic Parameters: EPA 1010A, 1030, 3060A, 3050B, 1311, 1312, 6010B, 6010C, 6020, , 7196A, 7471A, 7471B, 6020A, 9030B, 9010B, 9012A, 9014 9040B, 9045C, 9050A, 9065. Organic Parameters: EPA 5030B, 5035, 3540C, 3546, 355B0, 3580A, 3630C, 6020A, 8260B, 8015B, 8015C, 8081A, 8081B, 8082, 8082A, 8151A, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 8330.)

**Department of Defense, L-A-B** Certificate/Lab ID: L2217.

*Drinking Water* (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)

*Non-Potable Water* (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6010C, 6020, 6020A, 245.1, 245.2, 7470A, 9040B, 9010B, 180.1. 300.0, 332.0, 6860, 353.2, 410.4, 9060, 1664A, SM 4500CN-E, 4500H-B, 4500NO<sub>3</sub>-F, 4500CL-D, 5220D, 5310C, 2130B, 2320B, 2540C, 3005A, 3015, 9010B, 9056, 7196A, 3500-Cr-D. Organic Parameters: EPA 8260B, 8260C, 8270C, 8270D, 8270C-SIM, 8270D-SIM, 8330A, 8082, 8082A, 8081A, 8081B, 3510C, 5030B, MassDEP EPH, MassDEP VPH.)

Page 45 of 47 *Solid & Hazardous Waste* (Inorganic Parameters: EPA 200.7, 6010B, 6010C, 7471A, 6860, 1311, 1312, 3050B, 7196A, 9010B, 9012A, 9040B, 9045C, 3500-CR-D, 4500CN-CE, 2540G, Organic Parameters: EPA 8260B, 8260C, 8270C,

8270D, 8270C-SIM, 8270D-SIM, 8330A/B-prep, 8082, 8082A, 8081A, 8081B, 3540C, 3546, 3580A, 5035A, MassDEP EPH, MassDEP VPH.)

**The following analytes are not included in our current NELAP/TNI Scope of Accreditation:**

**EPA 8260B:** Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A:** PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C:** Methyl naphthalene, Dimethyl naphthalene, Total Methyl naphthalenes, Total Dimethyl naphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625:** 4-Chloroaniline, 4-Methylphenol. Total Phosphorus in a soil matrix, Chloride in a soil matrix, TKN in a soil matrix, NO<sub>2</sub> in a soil matrix, NO<sub>3</sub> in a soil matrix. **EPA 9071:** Total Petroleum Hydrocarbons, Oil & Grease.

WESTBORO, MA  
TEL: 508-898-9220  
FAX: 508-898-9193

MANSFIELD, MA  
TEL: 508-822-9300  
FAX: 508-822-3288

## CHAIN OF CUSTODY

PAGE 1 OF 1

~~Serial No:05061311:45~~

ALPHA Job #: L 30753

Date Rec'd In Lab: 4/27/12

## Client Information

Client: QSS, Inc. (Q131)  
Address: 37 Franklin St., #300  
Buffalo, NY 14202  
Phone: 716-853-2611, ext. 127  
Fax: 716-853-2619  
Email: andrew.kucenik@qpsl-srtd.com  
☐ These samples have been previously analyzed by Alpha

## Project Information

Project Name: Dollar General / VCS

Project Location: 237 Seneca St.

Project #:

Project Manager: Andrew J. Kucsenik

ALPHA Quote #:

### Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: 5/2/12 Time:

Other Project Specific Requirements/Comments/Detection Limits:

## Report Information - Data Deliverables

☐ FAX ☐ EMAIL  
☐ ADEx ☐ Add'l Deliverables

### Billing Information

☐ Same as Client info      PO #:

## Regulatory Requirements/Report Limits

State /Fed Program	Criteria
--------------------	----------

ANALYSIS  
USEPA Method 8260

## SAMPLE HANDLING

*Filtration* \_\_\_\_\_  
☐ Done  
☐ Not needed  
☐ Lab to do  
*Preservation*  
☐ Lab to do  
 (Please specify below)

TOTAL  
 # OF  
 ECTS  
 CREDITS  
 120

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	(Please specify below)												
		Date	Time			Sample Specific Comments												
07531.1	MW-2	4/26/13	15:21	GW	D	✓											Container # 1028 / 1093	
12	MW-4	↓	14:34	↓	D	✓											# 1030, 1031, 1042	
13	MW-4A		15:02		D	✓												# 1096, 1092
14	MW-11		13:48		D	✓												# 1041, 1066, 1079
15	MW-13		15:13		D	✓												# 1025, 1026
16	PZ-A		14:00		D	✓												# 1032, 1090, 1091
17	DUPLICATE		14:45		D	✓												# 1078, 1094, 1095
18	TRIP BLANK		↓		-	↓	D	✓										

Container Type

Preservative

Relinquished By:

Date/Time

Received By:

Date/Time

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.