CornellCALS College of Agriculture and Life Sciences



January 7, 2020

Mr. David Szymanski Division of Environmental Remediation NYS Department of Environmental Conservation 270 Michigan Ave. Buffalo, NY 14203-2915

Re: Cornell University Vineyard Research lab #V00417 Voluntary Cleanup Agreement No.: B9-0587-00-11

Dear Mr. Szymanski:

With regard to the Cornell University Vineyard Research Lab Site #V00417, I am writing to certify that the institutional controls put in place pursuant to the executed voluntary agreement, are still in place, have not been altered and are still effective.

Please feel free to contact me at 607-255-0485 should you have any questions about this certification.

Eric Harrington

Smeerel

Director, Occupational and Environmental Health

Enc.

Dr. Terry Bates, CLEREL xc: A. Vail, CALS Facilities

A. Murphy, EH&S

P. Paradise, CALS

J. Remillard, CALS Facilities M. Wessel, University Counsel

K. Gutenberger, Cornell Real Estate



Enclosure 2 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Site Management Periodic Review Report Notice Institutional and Engineering Controls Certification Form



		V00417			
ite i	Name	Comeil University Vine	yard Recearch Lab		
ity/	Town: ity: Che	s: 412 East Main Street Fredonia utsuqua, o: 2.020	Zlp Code: 14083		
epo	otting P	eriod: December 10, 201	14 to December 10, 2019		
				YES	NO
l	the in	formation above correct?	•	×	0
lf	FNO, In	clude handwritten above	or on a separate sheet.		
te	Has some or all of the site property been sold, subdivided, mergeti, or undergone of tex map amendment during this Reporting Period? Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?			or undergone a	Ħ
				Period 🗆	ps.
	Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?		je) been lusued	麵	
			ons 2 thru 4, include documentat previously submitted with this ce		
l	the eli	e currently undergoing d	evelopment?	<u>.</u>	ď
				Box 2	
				YES	NO
	s the cu ndustric		with the use(s) listed below?	*	17)
A	kre all li	Cs/ECs in place and fund	tioning as designed?	220	11
	§F	THE ANSWER TO EITH DO NOT COMPLETE	ER QUESTION 6 OR 7 IS NO, eign o THE REST OF THIS FORM, Other	and date below and wise continue?	
Co	neotįvi	Messures Work Plan in	ust be submitted along with this fo	on each secretary of mrc	LIGHT ₀

SITE NO. V00417

Box 3.

Description of Institutional Controls

Parcel

Owner '

113.08-1-28

Cornell University C/O Real Estate Dept.

Institutional Control

Landuse Restriction Ground Water Use Restriction

Box 4

Description of Engineering Controls

None Required

Not Applicable/No EC's

Periodic Review Report (PRR) Certification Statements

- 1. I certify by checking "YES" below that:
 - a) the Periodic Review report and all stiachments were prepared under the direction of, and reviewed by, the party making the certification;
 - b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete.

YES NO

11

- if this site has an IC/EC Plan (or equivalent as required in the Decleton Document), for each inetitutional
 or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the
 following statements are true:
 - (a) the institutional Control and/or Engineering Control(a) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;
 - (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment:
 - (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;
 - (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and
 - (e) If a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

M

IF THE ANSWER TO QUESTION 2 IS NO, sign and data below and DO NOT COMPLETE THE REST OF THIS FORM, Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IG CERTIFICATIONS SITE NO. V00417

Hox 6

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false etatement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Terence Rates at 16592 W. Man Rd Portland Ny 14769 print name print business address (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Signature of Owner, Remedial Party, or Designated Representative Rendering Certification