


**ANNUAL CERTIFICATION
AND
SITE STATUS REPORT**



**Dalewood I Shopping Plaza
357 North Central Avenue
Hartsdale, NY**

VCP Site V00457-3


JANUARY 2007

Prepared for:

*Heritage SPE, L.L.C.
131 Dartmouth Street, Boston, MA 02116*

Prepared by:

*Kroll Associates
Environmental & Safety Risk Management
900 Third Avenue
New York, NY 10022*


Neal M. Drawas, LSP, CEP
Managing Director



Robert P. McCarthy
P.E.

TABLE OF CONTENTS

1.0 Introduction and Purpose	1
1.1 Overview and Objectives	1
1.2 General Site Description and Status	2
1.3 Site Topography	3
1.5 Site Geology and Hydrogeology	3
2.0 Institutional and Engineering Control Status	4
2.1 Institutional Controls	4
2.1.1 Institutional Control Status	4
2.2 Engineering Controls	5
2.2.1 Vapor Intrusion Mitigation – Passive Measures	5
2.2.2 Sub Slab Depressurization System	5
3.0 Monitoring Summary	7
3.1 Air Monitoring	7
3.1.1 Indoor Air Monitoring	7
3.1.2 Sub Slab Soil Vapor Monitoring	8
3.2 Groundwater Monitoring	8
3.2.1 Sample Method, Quality Assurance, and Quality Control	8
3.2.2 Groundwater Data Interpretation	9
4.0 Operation and Maintenance (O&M) Plan	12
4.1 Sub Slab Depressurization/ Soil Vapor Extraction System (SSDS/SVE)	12
4.2 Monitoring Well Maintenance	12
5.0 Annual Certification	13

TABLES

Table 1	SSDS/SVE Data
Table 2	Indoor Air and Soil Vapor Field Screening Summary
Table 3	Indoor Air Sample Laboratory Results Summary
Table 4	Sub Slab Vapor Sample Laboratory Results Summary
Table 5	Groundwater Elevation Data
Table 6	Groundwater Sample CVOC Laboratory Results Summary
Table 7	Groundwater BioGeoChemical Results Summary
Table 8	Groundwater Sample Aromatic VOC Results Summary

CHARTS

CVOC Results – Time vs. Concentration

FIGURES

Figure 1	Site Locus Map
Figure 2	Site Map w/ Sample Locations
Figure 3	Soil Management Area Map
Figure 4	SSDS Extraction Point Floor Plan
Figure 5	GW Elevation Contour Figures
Figure 6	PCE Summary Figures
Figure 7	TCE Summary Figures
Figure 8	cDCE Summary Figures
Figure 9	VC Summary Figures
Figure 10	TOTAL CVOC Summary Figures
Figure 11	Aging Score Figures
Figure 12	ORP Summary Figures

APPENDICES

Appendix A	Westchester County Department of Health Certificate to Operate (SSDS/SVE system permit)
Appendix B	Laboratory Reports

1.0 Introduction and Purpose

The subject Site is known as Dalewood I Shopping Plaza and consists of a retail shopping center located on the west side of North Central Avenue (Route 100) in the Village of Hartsdale, New York. The Site property consists of approximately 7 acres of land and is improved with two structures consisting of 57,700 square feet and 1,300 square feet. The two structures consist of a retail shopping center building and a former automobile service station which has been closed and will be demolished in 2006. Figure 1 is a site locus map showing local topographic features. Figure 2 is a site map showing structures and location of known utilities on the Site.

A Voluntary Cleanup Program (VCP) application was completed and submitted to the NYSDEC for the subject Site in March 2001. The VCP application was submitted based on information obtained in previous investigations completed at the Site. The Site has been characterized during a comprehensive investigation completed between February 2003 and February 2005. A "Final - Remedial Action Work Plan" (RAWP) was finalized by Kroll Associates, Inc. in November 2005 which documented the results of the investigation findings and recommended remedial alternatives for the Site. A "Site Management Plan" (SMP) was finalized by Kroll Associates, Inc. in October 2006 which described the future remedial activities, operations and maintenance for engineering and institutional controls, and monitoring plans for groundwater, indoor air, and sub slab vapor. The RAWP and the SMP approved by the New York State Department of Environmental Conservation (NYSDEC) and New York State Department of Health (NYSDOH).

The preliminary result of the investigation prompted two Interim Remedial Measures (IRM) to be completed at the Site in 2003. The first IRM (Indoor Soil) consisted of excavation and off-site disposal of 111.4 tons of soil from under the building floor in the area of the former dry cleaner (unit 357) in May 2003. The second IRM (Outdoor Soil) consisted of excavation and off site disposal of 225.56 tons of soil from the outdoor rear area of the Site in October 2003 (behind unit 357). The IRM projects each included excavation of impacted soil and the placement of SRC™ (Substrate Release Composition) product in the open excavation. SRC™ is a solid-chemical composition which provides for the sustained release of substrates, co-substrates, nutrients, and other proprietary amendments into contaminated aquifers and environmental media. Extraction piping and other components for a sub slab depressurization system were installed in the area of tenant units 355 and 357. The IRMs were effective in removing a continuing contaminant source and protecting the occupied building space from vapor intrusion. IRM completion reports were prepared and submitted to the NYSDEC in September 2003 and February 2004.

1.1 Overview and Objectives

This Annual Certification and Site Status Report (Annual Report) is provided pursuant to the "Voluntary Cleanup Program Guide - Draft" published May 2002 by the NYSDEC, "Draft DER-10 Technical Guidance for Site Investigation and Remediation" published December 2002 (12/25/02) by the NYSDEC, and additional Draft sections (Section 6: Site Management Plan & Site Closeout) of the DER-10 Guidance provided by the NYSDEC.

The objective of this Annual Report is to provide:

- Soil Management Certification
- Institutional and Engineering Controls (IC / EC) Summary and Certification
- Annual status of groundwater management
- Annual status of each engineering and institutional control

This Annual Report addresses the components described in the SMP approved by the NYSDEC and NYSDOH. Although the SMP was finalized and approved in October 2006, the time period covered by this Annual Report includes the 2006 calendar year. As a result of the limited time period since the SMP was approved, certain detailed inspections and implementation of institutional and engineering controls described within the SMP were not completed for inclusion in this Annual Report. It is anticipated that all institutional and engineering controls will be implemented during the upcoming year (2007).

Summaries of environmental data collected within the past year are provided in this Annual Report, where appropriate. The reader should refer to the previous investigation reports for more detail regarding past Site activities and history.

1.2 General Site Description and Status

The property area was reportedly occupied by residential structures prior to 1966. The surrounding properties are heavily developed with a mixed use of commercial and residential buildings.

The main Site building consists of a shopping center and is currently occupied by the following businesses, based on street address:

355 N. Central Avenue	Verizon Wireless Phone Store
357 N. Central Avenue	Quizno's Sub Shop
359 N. Central Avenue	Spectrum (Card and Novelty Store)
361 N. Central Avenue	Friendly's Restaurant
365 N. Central Avenue	Sally Beauty Supply (Retail Store)
371 N. Central Avenue	Path Mark (Grocery Store)

357 N. Central Avenue was previously occupied by a dry cleaning facility from 1966 until 1997. Huntington Learning Center vacated this space in March 2003 and Quizno's Sub began operating within this space in February 2005. 355 N. Central Avenue was previously occupied by Coconuts music and video store (through spring 2005) and is referenced as such in previous reports.

The chemical compound that is historically associated with the former dry cleaning operations is Tetrachloroethylene. Tetrachloroethylene is synonymous with Tetrachloroethene and Perchloroethene. Tetrachloroethylene is typically abbreviated with the letters PCE or is referred as "PERC". The degradation (breakdown) daughter products of PCE include Trichloroethylene (TCE), trans and cis 1,2-Dichloroethylene (DCE), and Vinyl chloride (VC).

A separate building was located in the southeast area of the property with an address of 353 N. Central Avenue. This building was occupied by Proper Service Center (a vehicle service center and retail gasoline (ExxonMobil) sales facility until December 31, 2005. The facility was vacated, underground petroleum storage systems were removed and the building was demolished in 2006. The 353 N. Central Avenue Site is the subject of a separate corrective action with the NYSDEC (NYSDEC Spill #00-09624).

The property located adjacent to and northeast of Dalewood I is known as Dalewood II Shopping Plaza. The next property to the northeast, adjacent to Dalewood II is known as Dalewood III Shopping Plaza. Dalewood II and Dalewood III each have a common ownership with Dalewood I. Therefore, property access agreements are not required for well sampling and other activities.

1.3 Site Topography

The ground surface topography at the Site is generally level and according to the USGS Topographic Map of this area the Site is located at an elevation of approximately 205 feet above mean sea level. A large asphalt parking area is located in the front of the shopping plaza and a driveway and service entrance is located in the rear of the plaza. A steep embankment is located immediately behind (west) the Plaza which rises approximately 110 feet in less than 500 linear feet. A moderate hill is present to the east of the Site, across North Central Avenue that rises approximately 100 feet in 900 linear feet. The Site is located in a local valley which runs in an approximate north-south orientation. The closest surface water body to the Site is the Bronx River that is located ½ mile to the east and ¾ mile to the northeast.

1.5 Site Geology and Hydrogeology

Soil encountered in the borings generally consisted of a medium size brown sand. The boring logs for intermediate and deep wells identified a greater silt content in soil samples collected from increased depths. Thin silt layers (2 to 4 inches thick) were present at varying depths between 10 and 24 feet below grade. The silt content gradually increased from 24 to 26 feet below grade and a layer of silt with fine sand was present from 26 to 30+ feet below grade. This silt layer was presumed to act as a confining unit for vertical migration of contaminants.

Groundwater is typically present throughout the Site between 3.5 and 5 feet below grade. Based on water table elevation data, shallow groundwater within the Site area has been determined to flow toward the east/northeast.

A drainage culvert is present in the front (eastern) parking area of the Site that runs in a north-south orientation. The size of the drainage culvert, based on field measurements, was five feet (5') in diameter. Based on surveyed elevation data for the culvert in the area of the Dalewood I driveway, the top of the culvert was at an elevation approximately 1.5 to 2 feet above the groundwater table and extended 3 to 3.5 feet into the groundwater table. Therefore, the culvert extended into the shallow groundwater table and appeared to act as a shallow barrier in this area of the Site. Historic topographic maps indicated that a stream was present in the front area of the Site in the approximate location of the culvert.

2.0 Institutional and Engineering Control Status

As the Site investigation identified residual contamination in soil and groundwater above unrestricted levels, certain Institutional and Engineering Controls were included in the SMP. The institutional control (IC) consists of a Soil Management Plan and engineering controls (EC) consist of passive vapor intrusion mitigation measures and the operation of a sub slab depressurization system (SSDS). The status of these measures is provided with further detail in the following sections of this report.

2.1 Institutional Controls

Institutional Controls (IC) are typically defined as any non-physical means of enforcing a restriction on the use of real property that limits human or environmental exposure, restricts the use of groundwater, provides notice to potential owners, operators, or members of the public, or prevents actions that would interfere with the effectiveness of a remedial program or with the effectiveness and/or integrity of operation, maintenance, or monitoring activities at or pertaining to a Site.

Based on data obtained from previous investigations and the historical remedial measures completed at the site, areas exhibiting residual concentrations of compounds of concern are under the building, asphalt pavement areas, and/or at a depth below the groundwater table. The area indicated on Figure 3 – Soil Management Area Map, includes areas of known impacted soil.

The Institutional Control that has been implemented at this Site includes a Soil Management Plan. The objective of the Soil Management Plan is to establish guidelines for management of impacted soil material during site activities which breach the cover system at the site and expose impacted soil. The cover system at the Site consists of the existing Site building (with concrete floor) and asphalt paved parking and driveway areas. The purpose of the surface cover system is to eliminate the potential for direct human contact with residual impacted soil, mitigate vapor intrusion and eliminate the potential for contaminated runoff from the property

The general use of the Site has remained unchanged. The retail shopping center is currently used by various businesses including restaurants, retail sales, and a grocery store.

2.1.1 Institutional Control Status

Excavation below the cover system did not occur during the period covered by this annual report. Therefore, soil was not removed from the Site and sampling, backfilling, and cover system repair were not required.

A detailed inspection of the cover system has not been completed since the SMP was finalized. The building and paved parking areas have been maintained by the property owner in good condition for continued Site use as a retail facility. A detailed inspection of the cover system will be completed and documented pursuant to the SMP prior to the next annual certification.

2.2 Engineering Controls

Engineering Controls (EC) include any physical barriers or methods employed to actively or passively contain, stabilize, or monitor hazardous waste or petroleum, restrict the movement of hazardous waste or petroleum to ensure the long-term effectiveness of a remedial program, and/or eliminate potential exposure pathways to hazardous waste or petroleum.

Engineering controls that have been employed at this Site are provided for protection of Site occupants from potential vapor intrusion into the building.

The most effective means of addressing the presence of and the potential for sub slab vapor migration into the occupied tenant space is the use of passive and active techniques. Source removal of soils beneath the former dry cleaner and in the upgradient end of the Site has been completed and it is anticipated that groundwater concentrations of CVOCs will decrease over time. This will in turn reduce the potential for volatilization from groundwater migration beneath the building.

2.2.1 Vapor Intrusion Mitigation – Passive Measures

The SMP includes passive mitigation measures that consist of thoroughly inspecting and monitoring each tenant space for potential vapor intrusion pathways, documenting operation and condition of heating, ventilating, and air conditioning (HVAC) equipment, and measuring indoor pressure differential readings.

A detailed inspection of the indoor areas and HVAC equipment has not been completed since the SMP was finalized. Although, indoor areas have been reviewed on a previous occasion and a summary of such areas is provided in Appendix A of the SMP.

Pressure differential readings were obtained from each building area on March 8, 2006. Additional readings of available sub slab points were obtained on December 19 and 29, 2006. The readings are summarized on Table 2 and will be compared with future monitoring data.

Detailed inspections and monitoring will be completed and documented pursuant to the SMP prior to the next annual certification.

2.2.2 Sub Slab Depressurization System

A Sub Slab Depressurization System (SSDS) is installed at the Site and a Westchester County Department of Health (WCDOH) Certificate to Operate a Source of Air Contamination was issued on September 29, 2006. An application for renewal of the certificate was completed on December 27, 2006 (see attachments).

January 2007

The system's extraction components are installed in the area of the former dry cleaning facility space (#357) and the adjacent "Verizon" space (#355). Figure 4 illustrates the systems extraction locations.

The system initiated operation on December 19, 2006 and operated continuously through the end of the year (final monitoring date on December 29, 2006). Granular activated carbon treatment units that are part of the SSDS were not replaced during the operational period.

Operation and maintenance of the SSDS was completed pursuant to the SMP. Table 1 provides a summary of the SSDS operational data. Additional vapor and sub slab monitoring data is provided in Table 2 and is further described as part of Section 3.0 of this Annual Report.

The system appears to be effective throughout an area extending to the Friendly's (#361) space, based on the sub slab screening data provided in Table 2. Specifically, the PID screening data indicates that 5.9 ppm was detected on 12/19/06 (prior to system startup) and was Not Detected (ND) on 12/29/06. The readings obtained at Sally's Beauty Supply (#365) do not indicate that the influence extends to that location.

3.0 Monitoring Summary

Environmental monitoring has been completed at the Site including field measurements, sampling, laboratory analyses, and documentation of groundwater, indoor air, and sub slab vapor conditions. The purpose of the continued monitoring is to determine the effectiveness of the previous and proposed remedial actions and protective measures, and to monitor trends of various chemical and biological parameters over time.

3.1 Air Monitoring

On-going air monitoring data consists of two components, sub-slab soil vapor and indoor ambient air. The sub-slab soil vapor data is utilized to periodically monitor the potential for vapor intrusion to the indoor building spaces. Indoor air sampling is completed (concurrently with the sub-slab vapor sampling) within the tenant spaces.

Sub slab vapor and indoor air samples are collected and analyzed by GCMS via Method TO-14A (Modified). The target compound list for each of the samples will include tetrachloroethylene (PCE), trichloroethylene (TCE), cis-1,2 dichloroethylene (c-DCE), trans-1,2 dichloroethylene (t-DCE), and vinyl chloride (VC). Six (6) Liter Summa type canisters were utilized for sub slab soil vapor and indoor air sample collection over a period of not less than 2 hours (flow rate of 50 cc/minute).

The New York State Department of Health (NYSDOH) document "Guidance for Evaluating Soil Vapor Intrusion in the State of New York", (Final Version October 2006) was utilized for screening evaluations completed as part of this monitoring plan. Data is compared to the decision matrices provided in the NYSDOH document. The United States Environmental Protection Agency (USEPA) Office of Solid Waste and Emergency Response (OSWER) document "Draft Guidance for Evaluation The Vapor Intrusion To Indoor Air Pathway From Groundwater And Soils" (dated November 2002) is also referenced, as needed for the monitoring plan.

3.1.1 Indoor Air Monitoring

Indoor ambient air samples have been collected within each of the tenant spaces on two occasions since completion of the RAWP. Sample dates were conducted on October 17, 2005 and March 8, 2006. A summary of the indoor air sample results is provided in Table 3. Results for PCE ranged from Not Detected (ND<3.4 micrograms per cubic meter (mcg/m³)) to 32 mcg/m³ during the October 17, 2005 sample event and from ND<3.4 mcg/m³ to 92 mcg/m³ in the March 8, 2006 sample event. One additional sample was collected from the Verizon (#355) space on September 29, 2006 and reported with a PCE result of 18 mcg/m³. Each of these sample events were conducted with the SSDS/SVE not functioning pending the issuance of the WCDOH Certificate to Operate. The applicable NYSDOH guideline for indoor air concentrations is 100 mcg/m³. All indoor air samples were reported to have VOC concentrations that were less than the NYSDOH indoor air guideline.

3.1.2 Sub Slab Soil Vapor Monitoring

Sub Slab Soil vapor samples were collected within each of the tenant spaces on one occasion during 2006 at a time that represented the most conservative exposure conditions. The sampling was conducted on March 8, 2006 and a summary of the sub slab sample results is provided in Table 4. Results for PCE concentration ranged from 140 to 170,000 mcg/m³ with the two highest readings obtained beneath the Sally Beauty Supply (#365) (170,000 mcg/m³) and the rear storage area of Pathmark (#371A) (160,000 mcg/m³). This sample event was conducted with the SSDS/SVE was not in operation.

Additional compounds (TCE and/or DCE) were detected in samples from Verizon, Quizno's, and the Pathmark rear storage area. These concentrations were significantly less than the PCE concentrations and are summarized in Table 4.

3.2 Groundwater Monitoring

Groundwater sampling was completed at the Site on four occasions in 2006 (February 7 & 8, June 28 & 29, September 19 & 20, and December 18 & 19). The sampling completed in February was considered the "Annual Event", and therefore included laboratory analysis of 23 wells. The remaining sample events each included laboratory analysis of 14 selected wells.

The purpose of the groundwater monitoring activities was to obtain additional Site data in support of the long term remedial strategy. The additional data will further establish baseline site conditions and apparent degradation rates.

3.2.1 Sample Method, Quality Assurance, and Quality Control

Groundwater samples were collected from select monitoring wells and analyzed utilizing laboratory and field methods prescribed in the SMP. Monitoring wells were sampled and analyzed from Site locations targeting the following general areas: background, source area, plume area, cross gradient, and a downgradient sentinel location.

Groundwater sampling was performed using the low-flow or low-stress method of groundwater monitoring well purging and sampling. The procedure generally follows the "Low Stress (Low Flow) Purging and Sampling Procedure" as published by the USEPA and described in Appendix B of the SMP. Prior to groundwater purging or sampling, the depth to static water in each well was recorded to the nearest 0.01 feet using a sonic water level indicator probe. Between wells the probe was decontaminated using standard procedures as described in Appendix B of the SMP.

Groundwater samples, the trip blank, and the equipment blank were placed into clean collection containers and maintained in an iced cooler. Chain-of-Custody documentation was established and the samples were transported to a New York ELAP certified laboratory for analysis.

A trip blank and equipment blank were collected and laboratory analyzed for Chlorinated VOCs by EPA Method 8021 in accordance with NYSDEC technical guidelines. Trip and field blank laboratory results are provided with the laboratory data packages in Appendix C.

3.2.2 Groundwater Data Interpretation

The groundwater sampling and analysis program for this Site was designed to provide data to support the implementation of a long term remediation strategy.

The constituent of concern (PCE) historically released at the Site was associated with a former dry cleaning operation. The groundwater sampling and analysis program therefore targets PCE, the applicable chlorinated volatile organic compound (CVOC) degradation products, breakdown by products, and indicator compounds.

A PCE plume was identified and is illustrated in the attached figures beginning in the rear of the building in the area of MW-4 and extending through the front parking area of the property (MW-214) to the northeast property line (MW-211). The Site figures, data tables, and target compound summaries were utilized for the data interpretations provided below.

CVOC catabolism generally occurs by one or more of three major microbial processes-- use of the CVOC as an electron acceptor (reductive dechlorination or dehalorespiration); use of the CVOC as an electron donor (anaerobic oxidation); and fortuitous co-metabolism of the CVOC along with one or more other carbon substrates. Whereas the relative importance of these major processes is site specific, reductive dechlorination is typically considered to be the most important process under natural conditions, particularly for the more highly chlorinated compounds such as PCE and TCE. Anaerobic oxidation may be the important process for the degradation of less chlorinated intermediates, such as DCE and VC, particularly under nitrate-, manganese- and iron-reducing conditions.

During the reductive dechlorination process of dehalorespiration, the CVOC is used as an electron acceptor for microbial respiration. A chlorine atom is reduced, removed and replaced with a hydrogen atom. Classical dehalorespiration involves sequential reductive dechlorination from PCE to TCE to DCE to VC to ethene. Dehalorespiration proceeds most rapidly under reducing conditions (negative ORP / Eh conditions) and in the presence of low partial pressures and concentrations of hydrogen, but may occur under a range of conditions where biogeochemical conditions are consistent with microbial reduction of nitrate, iron, and sulfate, as well as methanogenic conditions. These conditions are characterized by a variety of factors that are further described with respect to the subject Site.

PCE Degradation

A review of the summary Figures illustrates that the breakdown products (TCE, DCE, and VC) are present throughout the identified plume area. The concentration and distribution area for DCE appears greater than that for TCE. This situation is common as reductive dechlorination of TCE is typically more rapid than for DCE. However, the presence of VC indicates that dechlorination is proceeding past DCE and is not "stalled" per se. Moreover, the presence of VC

January 2007

suggests that complete dechlorination of PCE is occurring within the plume under the existing conditions as evidenced by the sampling results.

CVOC Aging

An analysis of the CVOC data was conducted to evaluate the state of PCE degradation in groundwater. This analysis involved the application of a simple mathematical transform to the CVOC data to compute a biodegradation / aging "score" for both the data set. The biodegradation / aging "score" system is based on the relationship of each of the target CVOCs to PCE relative to the anaerobic process of reductive dechlorination as follows:

Relationships: PCE → TCE → cDCE → Vinyl Chloride (VC)

The biodegradation / aging "score" is a weighted-average index computed as follows:

$$\text{Score} = [\% \text{PCE} \times 1] + [\% \text{TCE} \times 10] + [\% \text{cDCE} \times 100] + [\% \text{VC} \times 1,000]$$

The aging "score" is independent of the total CVOC levels in a given sample and reflects the relative degree of dechlorination of the suite of CVOCs present in the sample. For example, a CVOC composition that is pure PCE would yield an aging score of 1, whereas a composition comprised of 100% vinyl chloride would have a score of 1,000. Accordingly, the biodegradation / aging scoring index is essentially a log-scale transform of the CVOC data as a relative measure of the progress of reductive dechlorination of PCE.

CVOC aging contour plots are provided for each of the past comprehensive sample events that have been completed. The figures illustrate that an area of elevated aging scores is present in the rear portion of the property in the apparent source area location. Moderate aging scores follow the general plume area and provide further indication that dechlorination is occurring.

Redox Conditions

The oxidation reduction potential (ORP) of a groundwater system is influenced by microbially mediated biogeochemical processes. ORP measurements provide an indirect indication of the dominant electron-accepting processes. Some biological processes operate only within a prescribed range of ORP conditions and electron-accepting conditions. With respect to the biodegradation of CVOCs, reducing conditions (negative ORPs) are favorable to greater rates of dechlorination. The Figures Section of this report includes contour plots of the ORP and illustrates that an area generally coincident with the CVOC plume contains ORP readings less than 50 mV. Two areas were identified with readings below 0 mV. One area is located near to the apparent source area and a second location is within the CVOC plume (MW-214 and 206).

An area encompassing MW-20, 1S, 10, 200, and 204 has generally reduced ORP, reduced nitrate, reduced sulfate, and increased Iron II. Methane concentrations for wells sampled from this area also (MW-20, 200, 1S, and 10) appeared to be greater than other areas of the Site. These conditions are indicative of a highly reducing environment. This area also exhibited elevated scoring with the CVOC Aging calculations.

An area located in front of the Site building encompassing MW-205, 214, and 206, as shown on the Site figures, had moderate ORP and slightly increased Iron II. Methane was also present at moderate concentrations in two wells sampled (MW-214 and 206). This area contained the highest PCE, TCE, DCE, and VC concentrations at the Site. These conditions indicate that a reducing environment was present, and the presence of elevated DCE and VC was consistent with such an environment.

The downgradient portion of the CVOC plume located at MW-211 and 212 appeared to have inconsistent data. MW-211 is reported with elevated ORP and reduced Iron II. However, this well also contained reduced nitrate and sulfate. MW-212 was reported with highly reduced ORP, reduced Iron II, and elevated nitrate and sulfate.

4.0 Operation and Maintenance (O&M) Plan

4.1 Sub Slab Depressurization/ Soil Vapor Extraction System (SSDS/SVE)

A Sub Slab Depressurization and Soil Vapor Extraction System (SSDS/SVE) is installed at the Site and a Westchester County Department of Health (WCDOH) Certificate to Operate a Source of Air Contamination was issued on September 29, 2006. An application for renewal of the certificate was completed on December 27, 2006 (see attachments).

The system's extraction components are installed in the area of the former dry cleaning facility space (#357) and the adjacent "Verizon" space (#355). Figure 4 illustrates the systems extraction locations.

The system initiated operation on December 19, 2006 and operated continuously through the end of the year (final monitoring date on December 29, 2006). Granular activated carbon treatment units that are part of the SSDS were not replaced during the operational period.

Operation and maintenance of the SSDS was completed pursuant to the SMP. Table 1 provides a summary of the SSDS operational data. Additional vapor and sub slab monitoring data is provided in Table 2 and is further described as part of Section 3.0 of this Annual Report.

The system appears to be effective throughout an area extending to the Friendly's (#361) space, based on the sub slab screening data provided in Table 2. Specifically, the PID screening data indicates that 5.9 ppm was detected on 12/19/06 (prior to system startup) and was Not Detected (ND) on 12/29/06. The readings obtained at Sally's Beauty Supply (#365) do not indicate that the influence extends to that location.

4.2 Monitoring Well Maintenance


Monitoring well and sub slab vapor point conditions were recorded during regular sample events. Repairs were completed on certain wells throughout 2006 which included replacement of bolts, covers, and/or concrete pads. Three monitoring wells required the PVC to be cut in order to allow for replacement of the metal cover. Re-surveying of these wells is required to be completed in order to obtain accurate groundwater elevation data.

January 2007


5.0 Annual Certification

The following Site Certification is based upon the information provided in previous sections of this report in accordance with the Site Management Plan in October 2006. This report certifies the following:

- The institutional and engineering controls put in place pursuant to the Site Management Plan are still in place, have not been altered, and are still effective.
- The remedy and protective cover described in the Site Management Plan have been maintained.
- The soil cover system within the affected area illustrated in the Site Management Plan was not breached.
- The conditions at the Site have remained fully protective of public health and the environment.



Neal M. Drawas, LSP, CEP
Managing Director



Robert P. McCarthy
P.E.

Monitoring Data
Dalewood I Shopping Center
357 N. Central Avenue, Hartsdale, NY

* Influent 1 observation point is under vacuum and therefore can be difficult to obtain accurate PID readings

Table 2 - Indoor Air and Soil Vapor Field Screening Summary
Dalewood I Shopping Plaza
355 - 371 North Central Avenue, Hartsdale, NY
VPC Site V00457-3

INDOOR AIR SCREENING RESULTS

	units	Verizon Unit 355		Quizno's Unit 357		Spectrum Card / Novelty Unit 359	
Screening Date		2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006
PID - Ambient Air	ppbv	ND	40 - 90 (1)	ND	60 - 150 (1)	ND	0 - 20 (1)
Pressure - Indoor / Outdoor	" w.c.	NA	-0.010 - -0.015	NA	-0.007	NA	-0.011- +0.010

	units	Friendly's Unit 361		Sally Beauty Supply Unit 365		Pathmark Rear Storage Area Unit 371 (A)		Pathmark Front Cashier Area Unit 371 (B)	
Screening Date		2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006
PID - Ambient Air	ppbv	ND	0 - 50 (1)	ND	140 - 280 (1)	ND	100 - 135 (1)	80-300 (2)	ND
Pressure - Indoor / Outdoor	" w.c.	NA	-0.03	NA	-0.004 - +0.006	NA	NA (3)	NA	-0.001

(1) Sample collected on this date with Summa Canister; results provided in separate data table

(2) Readings fluctuated in general sampling area; no odor or visual source of readings was identified

(3) Loading dock doors are generally open to outdoors

SUB SLAB PID VAPOR SCREENING RESULTS

	units	Verizon Unit 355			Quizno's Unit 357		Pathmark Rear Storage Area Unit 371 (A)		Pathmark Front Cashier Area Unit 371 (B)	
Screening Date		2/17/2005	10/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006
PID Screening Data	ppmv	130	Var *	4.8 - 6.9	215	4.1	80	150 - 300	0.2	0.35
Pressure - Sub Slab / Indoor	" w.c.	NA	Var *	0.011	NA	+0.001 - 0.002	NA	-0.002 - -0.003	NA	0.001 - 0.002

	units	Spectrum Card / Novelty Unit 359					Friendly's Unit 361				
Screening Date		2/17/2005	3/8/2006	12/19/2006	12/19/2006	12/29/2006	2/17/2005	3/8/2006	12/19/2006	12/19/2006	12/29/2006
PID Screening Data	ppmv	1.5	NA	5	0	0	851	5	5.9	4	0
Pressure - Sub Slab / Indoor	" w.c.	NA	NA	NA	-0.001 - +0.001	-0.001 - -0.003	NA	0.001 - 0.003	-0.001 - +0.002	-0.001 - -0.002	-0.004 - -0.006

	units	Sally Beauty Supply Unit 365				
Screening Date		2/17/2005	3/8/2006	12/19/2006	12/19/2006	12/29/2006
PID Screening Data	ppmv	80	74	56.5	50.8	55.1
Pressure - Sub Slab / Indoor	" w.c.	NA	+0.006 - 0.019	+0.008 - 0.011	+0.007 - 0.013	-0.01 - 0.002

PID = Photionization Detector

ND = Less than instrument detection limit

NA = Not Analyzed

ppbv = parts per billion, volume

ppmv = parts per million, volume

mcg/m3 = microgram per cubic meter

PCE 1 mcg/m3 = 0.15 ppbv

TCE 1 mcg/m3 = 0.186 ppbv

" w.c. = Inches of water column, negative reading indicates vacuum

Var on 10/17/05 at Verizon = assorted testing completed with system temporarily on and off to determine influence

12/19/06 - First event w/ SSDS off; Second event with SSDS operating for approximately 0.5 hours

Unit 355 = Former Coconuts / current Verizon

Unit 357 = Quiznos

Unit 359 = Spectrum Card / Novelty

Unit 361 = Friendly's Restaurant

Unit 365 = Sally Beauty Supply

Unit 371 = Pathmark Supermarket

Table 3 - Indoor Air Sample Analysis Summary
Dalewood I Shopping Plaza
355 - 371 North Central Avenue, Hartsdale, NY
VPC Site V00457-3

INDOOR AIR SAMPLE RESULTS

Compound	units	Verizon Unit 355				Quizno's Unit 357			Spectrum / Hallmark Unit 359			Friendly's Unit 361			units	NYSDOH Guideline
Sample Date		2/17/2005	10/17/2005	3/8/2006	9/29/2006	2/17/2005	10/17/2005	3/8/2006	2/17/2005	10/17/2005	3/8/2006	2/17/2005	10/17/2005	3/8/2006		
Vinyl Chloride	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<1.3	ND<1.3	ND<1.3	ND<0.51	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	mcg/m3	
trans-1,2-Dichloroethylene	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<2.0	ND<2.0	ND<2.0	ND<0.79	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	mcg/m3	
cis-1,2-Dichloroethylene	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.20	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<2.0	ND<2.0	ND<2.0	ND<0.79	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	mcg/m3	
Trichloroethylene	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.20	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	1
	mcg/m3	ND<2.7	ND<2.7	ND<2.7	ND<1.1	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	mcg/m3	5
Tetrachloroethylene	ppbv	6.8	3.6	3.4	2.6	6.5	4.7	14	0.64	2	2.2	0.88	1.3	1.4	ppbv	15
	mcg/m3	46	24	23	18	44	32	92	4.3	13.6	15	6	8.8	9.8	mcg/m3	100

INDOOR AIR SAMPLE RESULTS

Compound	units	Sally Beauty Unit 365			Pathmark - Rear Storage Area Unit 371			Pathmark - Front Cashier Area Unit 371			units	NYSDOH Guideline
Sample Date		2/17/2005	10/17/2005	3/8/2006	2/17/2005	10/17/2005	3/8/2006	2/17/2005	10/17/2005	3/8/2006		
Vinyl Chloride	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	mcg/m3	
trans-1,2-Dichloroethylene	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	mcg/m3	
cis-1,2-Dichloroethylene	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	mcg/m3	
Trichloroethylene	ppbv	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	1
	mcg/m3	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	ND<2.7	mcg/m3	5
Tetrachloroethylene	ppbv	1	1.4	1.5	1.1	0.8	1.3	ND<0.5	ND<0.5	ND<0.5	ppbv	15
	mcg/m3	6.8	9.5	10	7.5	5.4	8.9	ND<3.4	ND<3.4	ND<3.4	mcg/m3	100

Analysis completed for Halogenated Volatile Organic Compounds via EPA Method TO-14A

ND = reported as less than (<) values between 1 to 3.4 mcg/m3 or less than 0.5 ppbv

NE = Not Established

ppbv = parts per billion, volume

mcg/m3 = microgram per cubic meter

PCE 1 mcg/m3 = 0.15 ppbv

TCE 1 mcg/m3 = 0.186 ppbv

Table 4 - Sub Slab Soil Vapor Sample Analysis Summary
Dalewood I Shopping Plaza
355 - 371 North Central Avenue, Hartsdale, NY
VPC Site V00457-3

SUB SLAB VAPOR SAMPLE RESULTS

Compound	units	Verizon SG-1-355		Quizno's SG-2-357		Spectrum / Hallmark SG-3-359		Friendly's SG-4-361		units	NYSDOH Guideline
		2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006		
Vinyl Chloride	ppbv	0.84	ND<10	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	2.1	ND<26	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	ND<1.3	mcg/m3	
trans-1,2-Dichloroethylene	ppbv	2.2	ND<10	ND<0.5	5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	8.7	ND<40	ND<2.0	20	ND<2.0	ND<2.0	ND<2.0	ND<2.0	mcg/m3	
cis-1,2-Dichloroethylene	ppbv	180	90	ND<0.5	27	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	710	360	ND<2.0	110	ND<2.0	ND<2.0	ND<2.0	ND<2.0	mcg/m3	
Trichloroethylene	ppbv	150	28	14	50	ND<0.5	ND<0.5	2.4	ND<200	ppbv	1
	mcg/m3	810	150	75	270	ND<2.7	ND<2.7	13	ND<110	mcg/m3	5
Tetrachloroethylene	ppbv	1,000	570	590	410	42	44	1,900	2,800	ppbv	15
	mcg/m3	6,800	3,900	4,000	2,800	280	300	13,000	19,000	mcg/m3	100

SUB SLAB VAPOR SAMPLE RESULTS

Compound	units	Sally Beauty SG-5-365		Pathmark - Rear Storage SG-6-371A		Pathmark - Cashier Area SG-7-371B		units	NYSDOH Guideline
		2/17/2005	3/8/2006	2/17/2005	3/8/2006	2/17/2005	3/8/2006		
Vinyl Chloride	ppbv	ND<100	ND<500	ND<300	ND<500	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<260	ND<1300	ND<770	ND<1300	ND<1.3	ND<1.3	mcg/m3	
trans-1,2-Dichloroethylene	ppbv	ND<100	ND<500	ND<300	ND<500	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<400	ND<2000	ND<1200	ND<2000	ND<2.0	ND<2.0	mcg/m3	
cis-1,2-Dichloroethylene	ppbv	ND<100	ND<500	850	ND<500	ND<0.5	ND<0.5	ppbv	NE
	mcg/m3	ND<400	ND<2000	3,400	ND<2000	ND<2.0	ND<2.0	mcg/m3	
Trichloroethylene	ppbv	170	ND<500	2,400	750	ND<0.5	ND<0.5	ppbv	1
	mcg/m3	910	ND<2700	13,000	4,000	ND<2.7	ND<2.7	mcg/m3	5
Tetrachloroethylene	ppbv	17,000	25,000	27,000	23,000	69	21	ppbv	15
	mcg/m3	120,000	170,000	180,000	160,000	470	140	mcg/m3	100

Analysis completed for Halogenated Volatile Organic Compounds via EPA Method TO-14A

ND = reported as less than (<) values between 1 to 12 mcg/m3 or less than 0.15 or 1.2 ppbv

NE = Not Established

ppbv = parts per billion, volume

mcg/m3 = microgram per cubic meter

PCE 1 mcg/m3 = 0.15 ppbv

TCE 1 mcg/m3 = 0.186 ppbv

Table 5 - Groundwater Elevation Data
Dalewood I Shopping Plaza
Hartsdale, New York
VCP Site V00457-3

Elevation		Elevation	Depth to	Screen	DTW	Groundwater	DTW	Groundwater	DTW	Groundwater	DTW	Groundwater	DTW	Groundwater
ID	Installed	TOC	Bottom	Length	12/8 or 12/9/04	Elevation	2/7 or 2/8/06	Elevation	6/28 or 6/29/06	Elevation	9/19 or 9/20/06	Elevation	12/18 or 12/19/06	Elevation
SHALLOW WELLS														
MW-1S	7/27/2000	99.3	10'	5'	5.62	93.68	4.73	94.57	NM	NM	5.62	93.68	5.7	93.6
MW-2S	7/27/2000	99.12	10'	5'	5.48	93.64	NM	NM	5.7	93.42	5.46	93.66	NM	NM
MW-3	7/27/2000	98.98	10'	5'	5.27	93.71	NM	NM	5.3	93.68	NM	NM	5.13	93.85
MW-4	7/27/2000	99.16	10'	5'	5.38	93.78	4.51	94.65	5.45	93.71	5.64	93.52	NM	NM
MW-6	11/1/2000	98.62	10'	5'	NM	NM	NM	NM	4.95	93.67	NM	NM	NM	NM
MW-7	11/1/2000	98.65	10'	5'	4.86	93.79	3.76	94.89	4.9	93.75	4.98	93.67	4.97	93.68
MW-8	11/1/2000	99.01	10'	5'	5.46	93.55	4.38	94.63	5.25	93.76	5.25	93.76	5.1	93.91
MW-9	3/8/2001	99.39	10'	5'	5.9	93.49	4.8	94.59	5.65	93.74	5.88	93.51	5.65	93.74
MW-10	3/9/2001	99.09	10'	5'	5.45	93.64	4.52	94.57	5.75	93.34	5.47	93.62	5.52	93.57
MW-20	2/9/2004	99.21	10'	5'	5.56	93.65	4.59	94.62	5.5	93.71	5.54	93.67	5.5	93.71
MW-200	3/8/2001	99.06	10'	5'	5.59	93.47	4.73	94.33	5.5	93.56	5.45	93.61	5.37	93.69
MW-201	3/8/2001	98.82	10'	5'	5.42	93.4	4.52	94.3	5.05	93.77	5.34	93.48	5.1	93.72
MW-202	3/8/2001	98.72	10'	5'	NM	NM	4.45	94.27	5	93.72	5.23	93.49	5.03	93.69
MW-203	3/8/2001	98.16	10'	5'	4.78	93.38	3.94	94.22	4.75	93.41	NM	NM	NM	NM
MW-204	3/9/2001	97.75	10'	5'	4.52	93.23	3.7	94.05	4.65	93.1	4.4	93.35	4.46	93.29
MW-205	2/19/2003	98.12	10'	5'	5.13	92.92	4.5	93.62	3.6	94.52	4.92	93.2	4.95	93.17
MW-206	2/19/2003	96.99	9'	5'	4.39	92.45	3.99	93	4.4	92.59	4.25	92.74	4.3	92.69
MW-207	2/19/2003	98.25	13'	5'	4.88	93.37	4.01	94.24	4.85	93.4	4.84	93.41	NM	NM
MW-208	2/19/2003	97.61	12.5'	5'	4.45	93.16	3.66	93.95	4.4	93.21	4.37	93.24	4.32	93.29
MW-209	2/19/2003	100.44	13'	5'	NM	NM	6.44	94	7.25	93.19	7.22	93.22	7.17	93.27
MW-210	4/8/2003	95.69	15'	10'	3.41	92.28	3.05	92.64	3.45	92.24	3.28	92.41	3.3	92.39
MW-211	4/8/2003	95.51	15'	10'	3.26	92.25	2.85	92.66	3.2	92.31	3.11	92.4	3.12	92.39
MW-212	4/8/2003	96.9	15'	10'	4.58	92.32	3.98	92.92	4.4	92.5	4.48	92.42	4.45	92.45
MW-214	4/8/2003	98.95	15'	10'	6.02	92.93	5.38	93.57	6	92.95	5.98	92.97	5.4	93.55
MW-216	2/19/2004	98.31	10'	5'	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-300	2/9/2004	94.23	10'	5'	3.92	90.31	3.38	90.85	3.7	90.53	NM	NM	NM	NM
MW-301	2/9/2004	94.01	10'	5'			NM	NM	NM	NM	NM	NM	NM	NM
MW-302	2/9/2004	94.8	10'	5'	3.49	91.31	NM	NM	4.35	90.45	NM	NM	NM	NM
MW-303	2/9/2004	94.46	10'	5'	2.52	91.94	2.25	92.21	2.65	91.81	2.52	91.94	2.35	92.11
MW-304	2/19/2004	93.83	10'	5'	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
INTERMEDIATE AND DEEP WELLS														
MW-1D (I)	7/27/2000	99.32	29'	5'	5.6	93.72	4.71	94.61	NM	NM	5.68	93.64	5.71	93.61
MW-2D (I)	7/27/2000	99.27	29'	5'	5.58	93.69	4.66	94.61	5.8	93.47	5.62	93.65	NM	NM
MW-5	10/24/2000	99.02	50'	10'	5.18	93.84	4.29	94.73	5.6	93.42	5.22	93.8	NM	NM
MW-215 (I)	2/9/2004	96.61	28'	5'	4.05	92.56	3.56	93.05	4.25	92.36	3.95	92.66	4.9	91.71
Mobil Station Wells														
Mob MW-1 (HW-1)		101.85					NM	NM	NM	NM	NM	NM	NM	NM
Mob MW-6 (HW-2)		100.8			7.19	93.61	NM	NM	NM	NM	NM	NM	NM	NM
Mob MW-5 (HW-3)		99.74					NM	NM	7.1	92.64	NM	NM	NM	NM
Mob MW-3 (HW-4)		101.89			8.21	93.68	7.32	94.57	8.3	93.59	8.26	93.63	NM	NM
Mob MW-2 (HW-5)		100.09			6.54	93.55	NM	NM	NM	NM	NM	NM	NM	NM

DTW = Depth to Water

TOC = Top of Casing (elevation)

NM = Not Measured

** = Well casing cut down March 2006, resurvey to be completed

Table 6 - Groundwater Sample CVOC Laboratory Results
 Daiswood Shopping Plaza
 Hartsdale, New York
 VCP Site V00457-3

Shallow Wells - On Site													
		MW-1S				MW-2S				MW-3			
Sample Date	NYSDEC	8/1/00	11/1/00	3/29/01	12/8/04	8/1/00	11/1/00	3/29/01	12/8/04	8/1/00	11/1/00	3/29/01	12/8/04
1,1-Dichloroethylene	5	1	ND	0.8	1.4	1	ND	1.8	ND	2.4	ND	3.2	ND
Chloroform	7	17	4.5	15.8	BDL	ND	ND	6.7	22	ND	43	38	1.7
Methylene Chloride	5	NA	NA	5.4	BDL	ND	ND	NA	NA	ND	NA	BDL	ND
MTBE	50	0.6	NA	NA	BDL	ND	ND	NA	117	NA	5.2	ND	BDL
trans-1,2-Dichloroethylene	5	11.6	4.9	3.3	3.1	ND	7.1	ND	9.5	ND	12.3	6	5.1
cis-1,2-Dichloroethylene	5	8130	1440	920	190	140	100	79	2810	4810	3080	2700	3900
Trichloroethylene	5	51	NA	10	440	700	380	380	180	NA	NA	430	840
Vinyl Chloride	2	308	153	44.3	210	330	310	190	140	121	170	30	44
Total CVOCs	NA	8,957.0	2,055.3	1,157.3	685.0	1,730.0	3,709.0	7,475.0	2,427.4	3,589.0	6,511.0	4,141.0	3,860.0
Aging Score	NA	36.0	8.9	42.5	310.5	257.6	413.3	490.2	232.3	2.6	3.7	17.5	22.8

MW-7													
		MW-7				MW-8				MW-9			
Sample Date	NYSDEC	11/1/00	12/8/04	8/28/06	9/19/06	11/1/00	12/8/04	2/7/06	2/7/06	3/29/01	12/8/04	2/7/06	2/7/06
1,1-Dichloroethylene	5	ND	BDL	BDL	ND	1	0.5	0.73	ND	ND	0.87	ND	ND
Chloroform	7	48	BDL	BDL	ND	11.7	24.2	0.56	ND	ND	BDL	ND	ND
Methylene Chloride	5	ND	BDL	BDL	ND	ND	ND	BDL	ND	ND	BDL	ND	ND
MTBE	50	0.7	BDL	BDL	ND	NA	NA	BDL	NA	2.1	ND	BDL	ND
trans-1,2-Dichloroethylene	5	0.7	BDL	BDL	ND	1.9	1.5	2.3	1.7	2.6	2.5	0.93	ND
cis-1,2-Dichloroethylene	5	310	24	71	15	40	713	673	280	210	0.8	1.2	27
Trichloroethylene	5	NA	14	7.7	9.3	37	34	7.8	280	290	79	1.6	18
Vinyl Chloride	2	378.6	3.4	6.7	4.5	13	253	75	63	2.1	1.6	2.5	2.5
Total CVOCs	NA	378.6	42.3	85.4	28.8	987.0	1,012.7	622.0	57.0	26.2	128.8	62.5	14
Aging Score	NA	4.2	54.6	10.8	34.4	24.6	54.6	130.2	70.8	890.1	489.3	255.2	71.8

MW-20													
		MW-20				MW-200				MW-201			
Sample Date	NYSDEC	2/19/04	12/8/04	6/29/06	9/19/06	3/29/01	2/27/03	12/8/04	2/7/06	3/29/01	2/27/03	12/8/04	2/7/06
1,1-Dichloroethylene	5	<0.6	BDL	ND	ND	3.9	3.6	1.6	1.3	ND	ND	ND	ND
Chloroform	7	<3.0	BDL	ND	ND	5	ND	BDL	ND	ND	ND	ND	ND
Methylene Chloride	5	<3.0	BDL	ND	ND	ND	ND	BDL	ND	ND	ND	ND	ND
MTBE	50	NA	BDL	ND	9	NA	2.8	15	17	2.9	6.4	ND	ND
trans-1,2-Dichloroethylene	5	<0.8	BDL	ND	ND	7.6	9.3	9.2	3.4	ND	ND	ND	ND
cis-1,2-Dichloroethylene	5	<0.4	1.8	ND	6.5	288	108	230	710	61	35	94	63.8
Trichloroethylene	5	<0.5	BDL	ND	4.4	NA	1760	1300	760	140	260	100	5.2
Vinyl Chloride	2	<0.3	BDL	ND	1.4	1250	530	25	210	23	6.7	11	2.6
Total CVOCs	NA	-	1.8	-	12.3	2,796.0	2,971.0	2,265.0	1,920.0	277.0	961.7	264.0	126.0
Aging Score	NA	0.0	1.0	0.0	37.4	2.9	336.4	371.1	166.0	228.2	432.7	262.1	67.2

MW-202													
		MW-202				MW-203				MW-204			
Sample Date	NYSDEC	3/29/01	2/27/03	2/7/06	6/29/06	3/29/01	2/27/03	3/29/01	2/27/03	3/29/01	2/7/06	6/29/06	2/7/06
1,1-Dichloroethylene	5	ND	ND	ND	ND	6.5	3.7	3.4	4.8	ND	0.58	ND	ND
Chloroform	7	ND	ND	ND	ND	12.8	ND	ND	ND	ND	BDL	ND	ND
Methylene Chloride	5	ND	ND	ND	ND	3.2	ND	3.7	ND	ND	BDL	ND	ND
MTBE	50	ND	ND	ND	ND	7.9	6.8	1.3	4.9	1	0.9	9.2	ND
trans-1,2-Dichloroethylene	5	4.7	8.1	54	9.3	2270	333	396	186	220	830	98	1.5
cis-1,2-Dichloroethylene	5	NA	2.5	3.1	1.1	NA	1310	NA	640	260	210	88	230
Trichloroethylene	5	ND	ND	1.6	0.68	6.2	5.9	11	11	27	63	7.4	8.9
Vinyl Chloride	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total CVOCs	NA	4.7	10.6	58.7	11.1	3,377.3	2,255.6	970.1	993.8	515.4	915.0	219.9	335.0
Aging Score	NA	1.0	24.3	6.5	11.4	3.1	5.7	26.6	99.9	65.8	39.6	82.2	51.6

MW-205													
		MW-205				MW-206				MW-207			
Sample Date	NYSDEC	3/29/01	2/27/03	2/7/06	6/29/06	3/29/01	2/27/03	3/29/01	2/27/03	3/29/01	2/7/06	6/29/06	2/7/06
1,1-Dichloroethylene	5	ND	ND	ND	ND	6.5	3.7	3.4	4.8	ND	0.58	ND	ND
Chloroform	7	ND	ND	ND	ND	12.8	ND	ND	ND	ND	BDL	ND	ND
Methylene Chloride	5	ND	ND	ND	ND	3.2	ND	3.7	ND	ND	BDL	ND	ND
MTBE	50	ND	ND	ND	ND	7.9	6.8	1.3	4.9	1	0.9	9.2	ND
trans-1,2-Dichloroethylene	5	4.7	8.1	54	9.3	2270	333	396	186	220	830	98	1.5
cis-1,2-Dichloroethylene	5	NA	2.5	3.1	1.1	NA	1310	NA	640	260	210	88	230
Trichloroethylene	5	ND	ND	1.6	0.68	6.2	5.9	11	11	27	63	7.4	8.9
Vinyl Chloride	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total CVOCs	NA	4.7	10.6	58.7	11.1	3,377.3	2,255.6	970.1	993.8	515.4	915.0	219.9	335.0
Aging Score	NA	1.0	24.3	6.5	11.4	3.1	5.7	26.6	99.9	65.8	39.6	82.2	51.6

MW-208													
		MW-208				MW-209				MW-210			
Sample Date	NYSDEC	3/29/01	2/27/03	2/7/06	6/29/06	3/29/01	2/27/03	3/29/01	2/27/03	3/29/01	2/7/06	6/29/06	2/7/06
1,1-Dichloroethylene	5	ND	ND	ND	ND	6.5	3.7	3.4	4.8	ND	0.58	ND	ND
Chloroform	7	ND	ND	ND	ND	12.8	ND	ND	ND	ND	BDL	ND	ND
Methylene Chloride	5	ND	ND	ND	ND	3.2	ND	3.7	ND	ND	BDL	ND	ND
MTBE	50	ND	ND	ND	ND	7.9	6.8	1.3	4.9	1	0.9	9.2	ND
trans-1,2-Dichloroethylene	5	4.7	8.1	54	9.3	2270	333	396	186	220	830	98	1.5
cis-1,2-Dichloroethylene	5	NA	2.5	3.1	1.1	NA	1310	NA	640	260	210	88	230
Trichloroethylene	5	ND	ND	1.6	0.68	6.2	5.9	11	11	27	63	7.4	8.9
Vinyl Chloride	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total CVOCs	NA	4.7	10.6	58.7	11.1	3,377.3	2,255.6	970.1	993.8	515.4	915.0	219.9	335.0
Aging Score	NA	1.0	24.3	6.5	11.4	3.1	5.7	26.6	99.9	65.8	39.6	82.2	51.6

MW-211													
		MW-211				MW-212				MW-213			
Sample Date	NYSDEC	3/29/01	2/27/03	2/7/06	6/29/06	3/29/01	2/27/03	3/29/01	2/27/03	3/29/01	2/7/06	6/29/06	2/7/06
1,1-Dichloroethylene	5	ND	ND	ND	ND	6.5	3.7	3.4	4.8	ND	0.58	ND	ND
Chloroform	7	ND	ND	ND	ND	12.8	ND	ND	ND	ND	BDL	ND	ND
Methylene Chloride	5	ND	ND	ND	ND	3.2	ND	3.7	ND	ND	BDL	ND	ND
MTBE	50	ND	ND	ND	ND	7.9	6.8	1.3	4.9	1	0.9	9.2	ND
trans-1,2-Dichloroethylene	5	4.7	8.1	54	9.3	2270	333	396	186	220	830	98	1.5
cis-1,2-Dichloroethylene	5	NA	2.5	3.1	1.1	NA	1310	NA	640	260	210	88	230
Trichloroethylene	5	ND	ND	1.6	0.68	6.2	5.9	11	11	27	63	7.4	8.9
Vinyl Chloride	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total CVOCs	NA	4.7	10.6	58.7	11.1	3,377.3	2,255.6	970.1	993.8	515.4	915.0	219.9	335.0
Aging Score	NA	1.0	24.3	6.5	11.4	3.1	5.7	26.6	99.9	65.8	39.6	82.2	51.6

		MW-202					MW-203					MW-204					MW-205					
Sample Date	NYSDEC	3/29/01	2/27/03	2/7/06	6/29/06	12/18/06	3/29/01	2/27/03	2/7/06	12/28/04	6/29/06	9/19/06	12/18/06	2/27/03	3/16/03	12/28/04	2/27/03	3/16/03	12/28/04	6/29/06	9/19/06	12/18/06
1,1-Dichloroethylene	5	ND	ND	ND	ND	ND	5	3.7	4.8	0.63	0.58	ND	1.1	ND	ND	3.2	ND	8.1	7	16	9.4	ND
Chloroform	7	ND	ND	ND	ND	ND	12.8	ND	ND	BDL	ND	ND	ND	ND	ND	BDL	ND	BDL	ND	ND	ND	ND
Methylene Chloride	5	ND	ND	ND	ND	ND	5.7	ND	ND	BDL	ND	12	ND	ND	ND	ND	ND	1.6	19	7	ND	ND
MTBE	50	NA	ND	ND	ND	ND	0.6	ND	1	13	27	9.2	9	ND	ND	1.6	ND	1.6	19	6.1	10	ND
trans-1,2-Dichloroethylene	5	ND	ND	ND	ND	ND	7.7	6.8	4.9	1	0.9	ND	2.9	ND	ND	0.9	11	44	40	50	ND	ND
Tetrachloroethylene	5	4.7	8.1	54	9.3	22	393	389	186	220	630	80	220	6750	9980	19000	16000	11000	28000	26000	26000	26000
cis-1,2-Dichloroethylene	5	NA	2.5	3.1	1.1	NA	1310	NA	640	260	210	88	250	270	480	299	2500	18000	8500	8300	4300	4300
Trichloroethylene	5	ND	1.6	0.68	5.2	ND	1030	480	584	28	63	63	59	635	371	1700	1400	1500	1100	1100	1100	1100
1,1,1-Trichloroethane	2	ND	ND	ND	ND	ND	7.3	22.8	39.8	28	4.9	4.9	22	61.9	84.2	164.2	2260.0	160.0	160.0	160.0	160.0	160.0
vinyl Chloride	NA	10	24	10.8	5.87	11.4	3.1	5.2	39.8	65.8	36.6	51.6	79.2	179.9	18.4	19.4	51.0	52.4	26.8	37.0	37.0	37.0

Table 6 - Groundwater Sample CVOC Laboratory Results
Dallwood Shopping Plaza
Lafayette, New York
VCP Site 100457-3

Shallow Wells - On Site											
Sample Date	2/27/03	3/11/03	12/9/04	2/7/06	8/19/06	12/18/06	MW-207	MW-209	MW-208	MW-210	MW-211
1,1-Dichloroethene	5	17.8	18.5	9.7	11	ND	ND	ND	ND	ND	ND
Chloroform	7	ND	2.5	9.7	3.4	ND	ND	ND	ND	ND	ND
Methylene Chloride	5	ND	ND	0.69	ND	ND	ND	ND	ND	ND	ND
MTBE	50	ND	ND	9.3	15	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	5	23.2	23	17	28	41	ND	ND	ND	ND	ND
Tetrachloroethene	5	11200	32400	16000	13000	13000	ND	1.3	30	47	ND
cis-1,2-Dichloroethene	5	1010	1600	3400	4700	2800	ND	<0.5	10	2.4	ND
Trichloroethene	5	1750	4400	1300	420	620	ND	ND	4.5	3.2	ND
Vinyl Chloride	2	464	359	210	310	850	ND	ND	ND	<0.3	ND
Total CVOCs	NA	14,434.0	38,959.0	20,910.0	15,130.0	18,840.0	17,580.0	1.3	27.5	35.6	52.9
Aging Score	NA	43.2	15.8	27.7	44.0	56.8	53.3	0.0	1.0	38.5	8.0

Shallow Wells - On Site											
Sample Date	4/16/03	12/8/04	2/8/06	6/28/06	9/20/06	12/18/06	4/16/03	12/9/04	2/7/06	8/19/06	12/18/06
1,1-Dichloroethene	5	<0.6	BDL	1.3	0.58	ND	2.4	1.7	2.8	1.1	4
Chloroform	7	4.2	BDL	ND	8.1	ND	10.8	27	10	4.5	10
Methylene Chloride	5	<3.0	BDL	ND	ND	ND	<3.0	0.5	0.57	ND	ND
MTBE	50	<0.8	3.9	60	24	16	<0.8	24	18	7.3	13
trans-1,2-Dichloroethene	5	<0.8	0.84	2.6	1.9	2.2	8.8	3.4	7.8	4.4	15
Tetrachloroethene	5	890	1700	1900	1200	2300	19100	3800	4100	2900	11000
cis-1,2-Dichloroethene	5	99.3	120	450	330	330	1340	600	1200	1000	2300
Trichloroethene	5	24	85	150	110	170	1140	640	620	350	870
Vinyl Chloride	2	<0.3	0.83	6.9	1.0	1.0	390	180	120	210	180
Total CVOCs	NA	90.3	872.8	2748.9	1933.0	2776.0	21080.0	5100.0	5940.0	3914.0	14380.0
Aging Score	NA	8.1	8.0	30.2	33.6	19.6	31.3	44.9	42.0	40.9	38.2

Shallow Downgradient / off site												
	NYSDEC	MW-216	GTW-604	MW-300	MW-301	MW-302	MW-303					
Sample Date		2/19/04	6/28/06	2/19/04	2/19/04	2/19/04	2/19/04	12/8/04	2/8/08	6/28/06	9/20/06	12/18/06
1,1-Dichloroethene	5	<0.6	ND	<0.6	<0.6	<0.6	<0.6	BDL	ND	ND	ND	ND
Chloroform	7	2.5	0.9	<0.8	<0.8	<0.8	<0.8	BDL	ND	ND	ND	ND
Methylene Chloride	5	<3.0	ND	<3.0	<3.0	<3.0	<3.0	BDL	ND	ND	ND	ND
MTBE	50	NA	ND	NA	NA	33.7	61.3	55	35	68	70	60
trans-1,2-Dichloroethene	5	<0.8	ND	<0.8	<0.8	<0.8	<0.8	BDL	ND	ND	ND	ND
Tetrachloroethene	5	10.2	910	<0.4	<0.4	<0.4	1.3	1.7	1.6	14	11	35
cis-1,2-Dichloroethene	5	1	47	2.2	<0.5	<0.5	4.8	3.2	1.8	5.7	7	1
Trichloroethene	5	<1.0	40	<1.0	<1.0	<1.0	<1.0	1.3	1.2	2.8	2.2	ND
Vinyl Chloride	2	<0.3	5.1	8.9	1.4	<0.3	<0.3	0.85	ND	ND	ND	<0.3
Total CVOCs	NA	11.2	602.1	11.1	1.4	-	6.1	7.1	4.6	22.5	20.2	35.0
Aging Score	NA	9.8	17.8	821.6	1000.0	0.0	78.9	168.0	42.1	27.2	36.3	100.0

Deep Wells - On Site											
Sample Date	8/1/00	11/1/01	12/8/04	2/8/06	8/1/00	11/1/01	12/8/04	2/7/06	11/1/00	3/29/01	MW-215
1,1-Dichloroethene	5	ND	BDL	ND	ND	ND	BDL	ND	ND	ND	ND
Chloroform	7	ND	ND	6.9	7.9	ND	ND	ND	ND	ND	ND
Methylene Chloride	5	ND	ND	BDL	ND	ND	BDL	ND	ND	ND	ND
MTBE	50	NA	NA	3.3	ND	ND	ND	ND	NA	NA	ND
trans-1,2-Dichloroethene	5	ND	ND	BDL	ND	ND	BDL	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	BDL	ND	ND	BDL	ND	ND	ND	ND
cis-1,2-Dichloroethene	5	ND	ND	BDL	ND	ND	BDL	ND	ND	ND	ND
Trichloroethene	5	ND	ND	BDL	ND	ND	BDL	ND	ND	ND	ND
Vinyl Chloride	2	ND	ND	BDL	ND	ND	BDL	ND	ND	ND	ND
Total CVOCs	NA	583.0	6.3	31.2	11.0	78.8	9.5	31.7	1.7	7.3	9.8
Aging Score	NA	1.0	1.0	4.0	1.0	1.0	1.0	1.2	1.0	0.0	2.1

Notes:
All values are shown in ug/l (parts per billion).
ND = Not Detected
Bold text indicate NYSDEC / NYSDOH Drinking / Groundwater Standard exceedances.
Shaded fields indicate exceedance greater than 10 times the Standard.
NYSDEC Drinking Water / Groundwater Standard per TAGM HW-94-4046
Aging Score = (PCE/Total CVOCs) * 10 + [(DCE/Total CVOCs) * 100] + [(VC/Total CVOCs) * 1000]
PCE = Tetrachloroethene
TCE = Trichloroethene
DCE = Dichloroethene
VC = Vinyl Chloride
Total CVOC = PCE + TCE + cDCE + VC

Table 7 - Groundwater BioGeoChemical Results -
Dalewood Shopping Plaza
Cincinnati, OH 45219
VCP Site 100467-3

	Units	MW-1S				MW-4				MW-7				MW-9				MW-10					
		12/07/04	02/08/06	08/19/06	12/19/06	12/07/04	02/07/06	08/19/06	12/19/06	12/07/04	02/07/06	08/19/06	12/19/06	12/07/04	02/07/06	08/19/06	12/19/06	12/07/04	02/07/06	08/19/06	12/19/06		
Chloride	mg/L	24	60	43	41	240	510	310	130	430	400	420	540	540	180	230	470	230	540	180	100	81	130
Iron	mg/L	6.3	8	6.09	7.66	NA	BDL	0.08	0.08	0.039	0.10	0.08	0.08	0.32	NA	2.4	0.79	0.28	3.2	1.08	0.286	1.08	0.286
Sulfate	mg/L	61	110	140	140	91	110	99	40	33	41	15.4	20	99	79	120	150	150	150	150	150	150	150
Total Inorganic Carbon	mg/L	130	110	97.3	61	71	99	40	33	41	15.4	20	99	77	120	97	130	130	130	130	96.1	88	130
Arsenic	mg/L	0.15	0.0077	0.007	0.008	NA	BDL	ND	ND	ND	<0.004	ND	NA	NA	BDL	ND	NA	BDL	ND	ND	<0.004	ND	<0.004
Manganese	mg/L	5.4	5.1	4.76	5.93	NA	NA	0.029	0.13	0.036	0.113	0.03	NA	NA	NA	4.2	4.6	4.6	4.6	4.6	3.83	4.36	4.36
Total Nitrogen	mg/L	2.1	2.1	2.17	NA	NA	NA	9.1	6.6	6.53	NA	NA	NA	NA	NA	5.7	3.7	3.7	3.7	3.7	1	1.28	NA
Total Organic Carbon	mg/L	3.1	3.3	3.90	3.5	NA	NA	2.2	2.1	1.90	2.6	NA	NA	NA	NA	4.5	4.6	4.6	4.6	4.6	3.60	3.5	3.5
Ethane	mg/L	0.0024	0.0024	0.0013	0.0024	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.00051	0.00072	0.00073	0.00073	0.00073	0.0023	0.0097	0.0097
Ethene	mg/L	0.063	0.037	0.034	0.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.015	0.023	0.023	0.023	0.023	0.0035	0.013	0.006
Methane	mg/L	1.9	2.2	1.2	1.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5	2.5	2.5	2.5	2.5	0.16	0.54	2.1
Ammonium	mg/L	0.9927	1.2248	1.9205		0.0680	0.1073	0.0906	0.1416	0.1071	0.1071	0.7412	1.1189	6.1897	2.6945	1.557	0.9155	1.2370	2.0700				
Nitrite	mg/L	0.0000	0.0013	0.0412		0.0485	0.0035	0.0093	0.0000	0.0116	0.0208	0.0053	0.0000	0.5489	0.0310	0.0000	0.0037	0.0000	0.0238				
Nitrate	mg/L	0.0419	0.1832	0.2376		3.6239	14.5956	0.9323	4.2126	2.9448	4.4730	3.4191	2.6172	3.2519	1.2486	0.1918	0.8820	0.0243	0.0541				
Total Nitrate+Nitrite	mg/L	0.0419	0.1845	0.2787		3.6724	14.5991	0.9416	4.2126	2.9564	4.4939	3.4244	2.6171	3.8008	1.2797	0.1918	0.8857	0.0243	0.0541				
Orthophosphate	mg/L	0.0157	0.0242	0.0031		0.0428	0.0212	0.0173	0.0124	0.0075	0.0008	0.0216	0.0126	0.0165	0.0100	0.0349	0.0120	0.0008	0.0006				
Hydroxylapatite Phosphate	mg/L	0.0243	0.0289	0.0051		0.0812	0.0351	0.0259	0.0155	0.0143	0.0009	0.0428	0.0235	0.0272	0.0170	0.0462	0.0192	0.0012	0.0010				
Total Phosphates	mg/L	0.0466	0.0511	0.0082		0.1623	0.0583	0.0259	0.0279	0.0015	0.0015	0.0852	0.0361	0.0544	0.0270	0.0923	0.0312	0.0020	0.0016				
Chart CO2 Spec	mg/L	0.23	0.05	0.22	0.07	0.28	1	0.72	0.76	0.77	0.75	0.46	0.57	0.65	0.3	0.28	0.23	0.2	0.13				
CO2 = Chart Spec x TIC	mg/L	29.9	5.5	21.4	4.27	19.88	99	28.6	31.37	11.55	14	41.4	43.89	78	25.1	36.4	25.9	26	12.49				
Alkalinity - Field Test	mg/L			600	NM				300	80								1300	340				
Bacterial Density		2.40E+06	5.02E+06															4.80E+06	6.15E+06				
Description		2																2					
Physical Field Parameters																							
Temp	C	13.17	9.06	19.20	12.41	13.86	9.02	14.81	8.89	21.68	24.44	14.13	9.37	14.51	10.62	14.57	10.15	16.92	19.71			14.44	
SpCond	uS/cm	1060	990	1104	1440	1363	2205	703	1828	1782	1503	881	1766	2029	1882	1161	2100	1464	1	963		1412	
DO Conc	mg/L	1.14	0.26	2.91	3.41	1.70	4.13	2.24	13.94	5.29	1.35	0.08	2.02	10.06	2.38	2.69	1.75	8.22	7.84		7.20	0.04	
pH		6.89	7.55	6.90	7.51	6.73	4.63	6.02	5.89	5.84	5.99	6.38	6.43	6.25	6.15	6.70	6.77	6.81	6.93		7.17		
ORP	mV	-90.86	-220.00	-115.00	-88.00	216.14	-194.00	208.19	217.00	386.00	116.00	193.00	225.43	156.00	22.86	-217.00	-12.76	10.00	-26.00		-80.00	-10.00	
Turbidity+	NTU	0.06	27.30	NM	NM	-1.77	8.10	-4.17	-2.20	2.20	NM	NM	0.40	-1.36	0.40	-0.09	-1.20	-0.57	23.30		-20.00	-10.00	
Iron II	mg/L	4.9	3	2.6	1.2	BDL	0	BDL	0.1	BDL	0.1	BDL	0	4.8	1.6	1.2	0.4	3.5	1.1		0.2		
Sulfide	mg/L	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	ND	BDL	BDL	BDL

Iron II results obtained utilizing field test kit - Hach Model IR-18C - detection range 0 - 10 mg/L

Bacterial Density Descriptions

- 1 = Normal, small rod and sphere-shaped (cocci) bacteria
- 2 = Mostly sphere-shaped (cocci) and vibrio bacteria
- 3 = Mostly sphere-shaped (cocci) and some vibrio bacteria
- 4 = Mostly vibrio and some sphere-shaped (cocci) bacteria

12/16/08 and 12/19/08 DO Conc for wells monitored with one instrument may be incorrect
STD under the Bacterial = standard deviation of 10 slides, ...

Table 7 - Groundwater BioGeoChemical Results -
Dalewood Shopping Plaza
Hartsdale, New York
VCP Site V00457-3

	Units	MW-20				MW-200				MW-201				MW-202				MW-204				
		12/07/04	02/08/06	09/19/06	12/19/06	12/07/04	02/07/06	09/19/06	12/19/06	02/07/06	05/29/06	09/19/06	12/19/06	02/07/06	05/29/06	09/19/06	12/19/06	12/07/04	C207/06	05/29/06	09/19/06	12/19/06
Chloride	mg/L	1200	1400	1400	470	740	440	430	370	660	160	160	2200	230	2200	4700	2200	460	400	370	470	560
Iron	mg/L	86	8.6	25.8	6.6	2.6	4.7	7.39	5.41	21	20	33	55.9	1.5	1.9	6.74	6.98	5.6	11	47	16.9	18.5
Sulfate	mg/L	BOL	110	ND	ND	34	27	17	33	42	ND	<3.0	84	99	82	84	83	18	34	ND	25	24
Total Inorganic Carbon	mg/L	120	110	110	52	110	97	100	69.0	57	130	120	105	76	67	57	50.5	53	99	110	66	62
Total Inorganic Nitrogen	mg/L	BOL	ND	ND	ND	ND	ND	ND	<0.004	ND	ND	<0.004	ND	ND	ND	<0.004	ND	BOL	ND	ND	<0.004	0.004
Manganese	mg/L	6.2	2.4	1.8	4.4	5.88	7.1	2.7	6.6	7.36	5.73	1.8	2.3	3.35	4.73	0.68	1.61	1.13	5.9	6.6	4.8	4.92
Total Nitrogen	mg/L	15	9.1	11	19.4	NA	3.5	4.32	NA	8.6	3	5.55	NA	14	7.1	6.7	NA	4.7	3.8	6.9	3.25	NA
Total Organic Carbon	mg/L	14	6.7	12	16.1	8.3	5.5	6.56	4.2	5.8	7.5	8.72	6	2.4	2.1	4.30	4.2	3.6	3.9	6.8	5.44	NA
Ethane	mg/L	0.0001	0.000332	0.000042	0.000026	0.000057	0.061	0.019	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethene	mg/L	0.000339	0.000072	0.0002	0.000048	0.000067	0.052	0.019	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methane	mg/L	2.4	0.36	0.37	0.038	0.61	3.2	2.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ammonium	mg/L	6.2612	3.1143	12.1956	13.6709		4.0755	5.2769		NA	NA	NA		NA	NA	NA	2.1785	4.3865	5.0524	3.7094		
Nitrite	mg/L	0.0079	0.0581	0.0020	0.0324		0.0157	0.0225		NA	NA	NA		NA	NA	NA	0.0000	0.0103	0.0000	0.0218		
Nitrate	mg/L	0.0887	3.3473	0.3961	0.1097		0.4263	0.1049		NA	NA	NA		NA	NA	NA	0.0422	0.8671	0.2055	0.0352		
Total Nitrate/Nitrite	mg/L	0.0966	3.4054	0.3980	0.1421		0.4419	0.1274		NA	NA	NA		NA	NA	NA	0.0422	0.8775	0.2055	0.0570		
Orthophosphate	mg/L	0.0104	0.0190	0.0025	0.0005		0.0131	0.0053		NA	NA	NA		NA	NA	NA	0.0120	0.0117	0.0059	0.0034		
Hydroxyl Phosphate	mg/L	0.0140	0.0270	0.0033	0.0007		0.0160	0.0055		NA	NA	NA		NA	NA	NA	0.0138	0.0167	0.0068	0.0067		
Total Phosphates	mg/L	0.0281	0.0460	0.0058	0.0012		0.0320	0.0153		NA	NA	NA		NA	NA	NA	0.0279	0.0284	0.0126	0.0101		
Chart CO2 Spec	mg/L	0.47	0	NA	0.22	0.17	0.44	0.5	0.5	0.41	0.28	0	0.29	0.22	0.15	0.65	0.5	0.32	0.37	0	0.5	0.37
CO2 = Chart Spec x TIC	mg/L	56.4	0	NA	17.4	8.44	46.4	28.29	14.82	0	34.8	23.1	11.4	43.55	20.5	11.11	16.96	33.3	0	55	24.42	11.78
Bacterial Density		1.10E+06	6.21E+06				2.55E+06	4.77E+06												980	300	NM
Physical Field Parameters		3					2															
Temp	C	17.16	11.98	NA	24.42	15.25	16.04	22.84	17.53	13.23	21.17	24.46	17.02	12.01	20.66	25.06	14.98	14.96	12.19	17.42	21.65	15.93
SpCond	uS/cm	4232	4515	NA	4882	6136	1643	1767	1770	2640	1258	1135	2150	7748	7933	7412	7611	1584	1640	2	1901	2481
DO Conc	mg/L	5.59	1.68	NA	9.59	6.90	2.36	0.13	0.03	1.01	6.78	7.26	3.61	7.13	7.33	4.67	3.58	1.98	0.38	0.78	0.11	0.11
pH		6.41	8.03	NA	6.88	7.04	6.46	6.49	6.76	6.73	6.71	6.89	7.13	6.09	6.37	6.88	6.65	6.52	6.17	6.42	6.56	6.59
ORP	mV	-54.95	-198.00	NA	-147.00	-15.00	-3.66	-79.00	-11.00	-143.00	-109.00	-158.00	-89.00	82.00	-13.00	-112.00	45.00	-10.81	-147.00	-88.00	-90.00	-27.00
Turbidity+	NTU	39.92	-7.10	NA	NA	NA	-1.65	NA	NA	-5.80	3.30	NA	NA	NA	4.40	18.80	NA	-1.31	-0.70	9.80	NM	NM
Iron II	mg/L	7.2	3	5	5	1.2	3.7	2.4	2.1	1.6	2.1	5.5	2.2	1.8	1.8	2	3	2.2	4.2	3.2	5.5	3
Sulfide	mg/L	BOL	na	ND	BOL	ND	ND	ND	ND	nd	ND	ND	BOL	nd	ND	ND	BOL	BOL	nd	ND	BOL	BOL

Iron II results obtained utilizing field test kit - Hach Model IR-18C - detection range 0 - 10 mg/L

Bacterial Density Descriptions

- 1 = Normal, small rod and sphere shaped (cocci) bacteria
- 2 = Mostly sphere-shaped (cocci) and vibrio bacteria
- 3 = Mostly sphere-shaped (cocci) and some vibrio bacteria
- 4 = Mostly vibrio and some sphere-shaped (cocci) bacteria

12/18/06 and 12/19/06 DO Conc for wells monitored with one instrument may be incorrect

STD under the Bacterial = standard deviation of 10 slides....

Table 7 - Groundwater BioGeoChemical Results -
Dalewood Shopping Plaza
Hartsdale, New York
VCP Site V00457-3

	Units	MW-205					MW-206					MW-208		MW-210		MW-211				
		12/07/04	02/07/06	06/28/06	09/19/06	12/18/06	12/07/04	02/07/06	09/19/06	12/18/06	12/07/04	02/07/06	12/07/04	02/08/06	12/07/04	02/08/06	06/28/06	09/20/06	12/18/06	
Chloride	mg/l	420	780	940	620	660	640	980	700	690	600	560	640	600	870	710	540	940	890	
Iron	mg/l	0.78	4.6	6.9	1.34	1.83	1.4	11	4.88	4.12	0.012	2.1	NA	27	BDL	0.13	0.051	0.015	0.006	
Sulfate	mg/l	47	65	36	47	55	49	73	55	62	27	23	BDL	58	17	120	ND	6.0	7.5	
Total Inorganic Carbon	mg/l	80	89	110	49.7	53	95	120	63.4	72	62	73	80	82	59	53	61	47.4	54	
Arsenic	mg/l	BDL	ND	ND	<0.004	ND	BDL	ND	<0.004	0.007	NA	NA	NA	NA	BDL	ND	ND	<0.004	ND	
Manganese	mg/l	2.9	4.3	3.8	3.85	3.85	2.6	3.8	2.21	2.58	NA	NA	NA	NA	0.67	1.1	1.3	1.5	1.91	
Total Nitrogen	mg/l	4.2	7.9	10	457	NA	4.3	11	518	NA	NA	NA	NA	NA	1	ND	ND	670	NA	
Total Organic Carbon	mg/l	3.5	5.1	9.3	5.05	4.3	4.5	7.9	6.42	5.2	NA	NA	NA	NA	1.6	1.6	1.5	1.98	2	
Ethane	mg/l	NA	NA	NA	NA	NA	0.12	0.24	0.068	0.099	NA	NA	NA	NA	0.0012	0.0024	0.000072	0.00047	0.00056	
Ethene	mg/l	NA	NA	NA	NA	NA	0.014	0.031	0.028	0.025	NA	NA	NA	NA	0.000017	0.00017	0.000089	0.000065	0.000052	
Methane	mg/l	NA	NA	NA	NA	NA	1.4	3.9	0.69	1.3	NA	NA	NA	NA	0.36	0.76	0.036	0.44	1.2	
Ammonium	mg/l	4.2018	4.3865	7.0560	5.7077		5.5440	2.6472	5.7197		0.3783	0.2963	0.2422	0.4652	0.0477	0.1448	0.0840	0.0694		
Nitrite	mg/l	0.0000	0.0571	0.0050	0.0610		0.0000	0.0005	0.0449		0.0000	0.2666	0.0000	0.0286	0.0040	0.0000	0.0000	0.0199		
Nitrate	mg/l	1.2092	2.4404	1.1592	0.4619		1.5783	0.5563	0.4946		1.1170	0.0000	0.0044	0.0030	0.0335	0.3145	0.3852	0.0277		
Total Nitrate/Nitrite	mg/l	1.2092	2.4975	1.1642	0.5229		1.5783	0.5568	0.5394		1.1170	0.2536	0.0044	0.0315	0.0375	0.3145	0.3852	0.0476		
Orthophosphate	mg/l	0.0128	0.0066	0.0042	0.0034		0.0108	0.0128	0.0065		0.0361	0.0150	0.0141	0.0123	0.0159	0.0145	0.0528	0.0068		
Hydrolyzable Phosphate	mg/l	0.0170	0.0093	0.0048	0.0042		0.0126	0.0147	0.0086		0.0712	0.0167	0.0210	0.0232	0.0263	0.0288	0.0875	0.0130		
Total Phosphates	mg/l	0.0339	0.0159	0.0090	0.0076		0.0252	0.0275	0.0151		0.1425	0.0317	0.0421	0.0355	0.0526	0.0433	0.1403	0.0198		
Chart CO2 Spec		0.47	0	0.5	0.48	0.35	0.35	0.39	0.26	0.1	0.28	0.27	0.25	0.22	0.15	0.51	0.16	0.12	0.03	
CO2 = Chart Spec x TIC	mg/l	37.6	0	55	23.86	18.55	33.25	46.8	16.48	7.2	17.36	19.71	20	18.04	8.85	27.03	9.76	5.69	1.62	
				860	260	540		360	840							780	220	680		
Bacterial Density							2.93E+06	5.99E+06							1.30E+06	5.77E+06				
Description							3	See Below							3					
Physical Field Parameters																				
Temp	C	14.84	11.62	17.19	21.58	16.09	14.77	11.07	22.77	16.09	14.57	11.00	15.61	12.83	15.12	13.16	14.74	19.47	16.00	
SpCond	uS/cm	1451	2981	4	2220	2775	2264	3492	2331	3018	2023	2158	2125	2148	2493	2424	3	1167	3422	
DO Conc	mg/L	1.87	0.58	1.19	1.07	1.21	1.97	8.27	1.11	1.73	1.43	9.73	1.68	8.69	1.78	0.29	0.48	0.01	1.70	
pH		6.41	8.01	6.38	6.41	6.62	6.59	6.56	6.82	7.31	6.78	6.75	6.84	6.88	7.03	6.42	7.02	7.15	7.65	
ORP	mV	126.24	-138.00	-7.00	-5.00	67.00	13.86	-65.00	-97.00	-35.00	82.76	-55.00	-114.38	-152.00	217.67	-168.00	86.00	-37.00	165.00	
Turbidity+	NTU	2.80	4.60	7.90	NM	NM	-0.40	1.10	NM	NM	-0.45	-3.20	-0.38	14.10	-0.80	-4.90	-3.40	NM	NM	
Iron II	mg/L	0.6	3.7	3	1.7	1.8	1.4	4.4	2.9	1.4	BDL	2	4.2	3.4	BDL	0	ND	BDL	BDL	
Sulfide	mg/l	BDL	nd	ND	BDL	BDL	BDL	nd	BDL	BDL	BDL	nd	BDL	nd	BDL	nd	ND	BDL	BDL	

Iron II results obtained utilizing field test kit - Hach Model IR-18C - detection range 0 - 10 mg/L

Bacterial Density Descriptions

- 1 = Normal, small rod and sphere-shaped (coccoid) bacteria
2 = Mostly sphere-shaped (coccoid) and vibrio bacteria
3 = Mostly sphere-shaped (coccoid) and some vibrio bacteria
4 = Mostly vibrio and some sphere-shaped (coccoid) bacteria

% of Dapi

% of Dapi

% of Dapi

1.02E+05 Dehalococcoides spp. (DHE)

1.7

3.05E+05 Delta-Proteobacteria

5.1

7.79E+04 Firmicutes (Low G+C gram+)

1.3

12/18/06 and 12/19/06 DO Conc for wells monitored with one instrument may be incorrect
STD under the Bacterial = standard deviation of 10 slides.....

Table 7 - Groundwater BioGeoChemical Results -
Daiswood Shopping Plaza
Hartsville, New York
VCP Site V00457-3

	Units	MW-212				MW-214				MW-303				GTW-604				MW-20				MW-5				MW-215			
		12/07/04	02/08/06	09/20/06	12/18/06	12/07/04	02/07/06	06/28/06	09/19/06	12/18/06	02/08/06	12/07/04	02/08/06	06/28/06	12/18/06	09/20/06	12/18/06	12/07/04	02/08/06	12/07/04	02/08/06	12/07/04	02/08/06	12/07/04	02/08/06	12/07/04	02/08/06		
Chloride	mg/l	230	360	270	280	300	1000	2000	180	690	240	340	290	68	310	240	520	570	500	540	200	170	270	180	180	180			
Iron	mg/l	0.14	3.1	2.1	1.84	0.249	2.7	2.1	48	18.7	12.2	2.6	6.2	1.88	1.91	44	520	44	65	43	120	40	46	32	45	48			
Sulfate	mg/l	43	ND	54	58	60	62	58	ND	49	55	27	ND	33	ND	110	44	65	43	120	40	46	32	45	48				
Total Inorganic Carbon	mg/l	60	62	64	47.8	58	39	80	120	57.5	52	70	79	53.9	44	110	62	61	62	58	44	42	46	45	51				
Arsenic	mg/l	BDL	0.058	ND	<0.004	ND	BDL	ND	<0.004	ND	0.14	ND	<0.004	ND	<0.004	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND			
Manganese	mg/l	0.11	0.16	0.2	0.091	0.068	0.8	1.6	2.2	1.46	1.7	2	1.3	2.01	1.59	0.78	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0063			
Total Nitrogen	mg/l	5	6.5	3.8	3.29	NA	3.5	4.7	5.96	NA	2	0.97	1.4	1.73	NA	2.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.4			
Total Organic Carbon	mg/l	BDL	1.2	1.2	1.92	1.2	2.6	3	6.2	4.52	NA	2	1.3	1.38	ND	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND			
Ethane	mg/l	NA	NA	NA	NA	NA	0.0039	0.0038	0.0051	0.0066	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000025			
Ethane	mg/l	NA	NA	NA	NA	NA	0.0321	0.021	0.013	0.013	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000025			
Methane	mg/l	NA	NA	NA	NA	NA	1.2	2.6									1.8	NA	NA	NA	NA	NA	NA	NA	NA	0.0001			
Ammonium	mg/l	0.2542	0.7175	0.3593	0.3655	1.5722	1.3738	2.6830	3.3205	1.2328	0.8478	1.9564	0.8478	0.0000	0.0000	0.0000	0.01758	0.0175	0.0139	0.0427	0.0519	0.0341	0.1306	0.2044	0.7162				
Nitrite	mg/l	0.0000	0.0000	0.0000	0.0216	0.0225	0.1025	0.0035	0.0038	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0106	0.0117	0.0000	0.0079	0.0341	0.0379	0.0090	0.0157	0.0000				
Nitrate	mg/l	3.3770	1.8414	3.0413	1.9514	1.6396	1.0016	1.7126	2.3062	0.4528	0.3585	0.3337	0.2994	2.7305	3.4281	5.9137	0.0773	0.9522	2.4567	1.1131	2.7471	1.1288	2.7471	1.1288	2.7471				
Total Nitrate/Nitrite	mg/l	0.0449	0.0459	0.0454	0.0235	1.892	1.7126	1.6396	0.4528	0.3585	0.4528	0.3337	0.2994	2.7411	3.3781	9.1757	0.1115	0.9901	2.4567	1.1288	2.7471	1.1288	2.7471	1.1288	2.7471				
Orthophosphate	mg/l	0.0523	0.0405	0.0405	0.0235	0.0389	0.0389	0.0389	0.0163	0.0086	0.0086	0.0086	0.0086	0.0059	0.0145	0.0239	0.0116	0.0228	0.0249	0.0116	0.0128	0.0079	0.0180	0.0089					
Hydroxylable Phosphate	mg/l	0.0523	0.0405	0.0405	0.0235	0.0389	0.0389	0.0389	0.0163	0.0086	0.0086	0.0086	0.0086	0.0059	0.0145	0.0239	0.0116	0.0228	0.0249	0.0116	0.0128	0.0079	0.0180	0.0089					
Total Phosphates	mg/l	0.1047	0.0714	0.1214	0.0551	0.0389	0.0565	0.0389	0.0245	0.0389	0.0249	0.0102	0.0067	0.0164	0.0231	0.0265	0.0346	0.0179	0.0180	0.0089	0.0089	0.0089	0.0164	0.0164					
Chart CO2 Spec		0.11	0.17	0.18	0.16	0.1	0.26	0.31	0.28	0.48	0.01	0.41	0.36	0.17	0.27	0.11	0.14	0.13	0.06	0.04	0.05	0.08	0.07	0.08	0.08				
CO2 = Chart Spec x TIC	mg/l	6.6	10.54	11.52	7.65	5.8	31.2	17.83	14.56	36	0.7	32.39	19.4	ND	35.1	6.82	8.54	8.00	3.68	3.15	3.68	3.15	3.68	3.15	3.68	3.15			
Bacterial Density																													
Description																													
Physical Field Parameters																													
Temp	C	15.94	13.43	16.77	16.28	16.93	15.22	13.78	20.54	16.68	15.91	10.57	18.74	22.63	15.63	18.41	14.82	12.76	14.84	12.88	14.35	11.71	14.43	11.21	14.69	14.69			
SpCond	µS/cm	1187	1845	1554	2962	1563	1406	4113	4592	2727	2874	1179	1460	1715	1146	1555	1716	2254	1772	2215	1001	1004	985	981	1	1			
DO Conc	mg/L	1.38	8.33	-0.40	0.08	0.09	1.34	0.70	8.14	1.68	0.07	0.21	2.68	9.60	1.79	9.09	1.47	2.03	0.63	6.97	2.33	6.97	2.33	6.97	2.33	2.33			
pH		7.20	7.06	6.99	7.07	7.33	6.57	10.30	6.80	6.68	6.75	6.40	7.98	6.77	7.20	7.09	7.15	7.03	7.61	7.56	7.43	7.45	7.43	7.45	7.45	7.45			
ORP	mV	-50.19	13.00	-30.00	111.00	107.00	6.05	-149.00	-98.00	-100.00	-15.00	-43.00	-60.00	28.00	54.00	26.62	-210.00	66.38	-86.00	202.29	190.00	190.00	190.00	190.00	190.00	190.00			
Turbidity*	NTU	-1.38	-3.90	20.10	ND	ND	0.80	-7.90	79.40	ND	ND	2.40	48.20	NA	NA	BDL	-1.21	2.00	-0.56	-0.90	1.08	5.10	1.43	7.00	7.00				
Iron II	mg/l	0.6	0	ND	BDL	BDL	2.4	1.4	2.2	1.8	1.6	1	2	BDL	0	BDL	0	BDL	0	BDL	0	BDL	0	BDL	0	BDL			
Sulfide	mg/l	nd	nd	ND	BDL	BDL	nd	nd	ND	BDL	na	ND	BDL	na	BDL	nd	BDL	na	BDL	nd	BDL	na	BDL	nd	BDL	ND			

Iron II results obtained utilizing field test kit - Hach Model IR-18C - detection range 0 - 10 mg/L

Bacteria Density Descriptions

- 1 = Normal, small rod and sphere-shaped (cocci) bacteria
- 2 = Mostly sphere-shaped (cocci) and vibrio bacteria
- 3 = Mostly sphere-shaped (cocci) and some rod-shaped bacteria
- 4 = Mostly vibrio and some sphere-shaped (cocci) bacteria

12/18/06 and 12/19/06 DO Conc for wells monitored with one instrument may be incorrect
STD under the Bacterial = standard deviation of 10 slides.....

Table 8 - Groundwater Sample Aromatic VOC Laboratory Results
Dalewood Shopping Plaza
Hartsdale, New York
VCP Site V00457-3

	NYSDEC	MW-207	MW-208			MW-209	MW-210		
Sample Date		2/27/2003	2/27/03	12/9/04	2/7/2006	2/27/2003	4/16/2003	12/8/2004	2/8/2006
MTBE	10	2430	2.5	1200	1800	ND	<16	BDL	BDL
Benzene	0.7	<6.0	<0.6	BDL	BDL	<0.6	175.	34	28
Chlorobenzene		<6.0	<0.6	BDL	BDL	<0.6	<12.0	BDL	BDL
Ethyl Benzene	5	<6.0	<0.6	BDL	BDL	<0.6	2610.	2300	2100
Isopropyl benzene	5	<4.0	<0.4	BDL	BDL	<0.4	94.6	130	130
Naphthalene	10	<10.0	<1.0	BDL	BDL	<1.0	302.	330	260
n-Propyl benzene	5	<8.0	<0.8	BDL	BDL	<0.8	164.	240	210
Toluene	5	<7.0	<0.7	BDL	BDL	<0.7	164.	44	22
1,2,4-Trimethylbenzene	5	<7.0	<0.7	BDL	BDL	<0.7	853.	280	480
1,3,5-Trimethylbenzene	5	<10.0	<1.0	BDL	BDL	<1.0	184.	49	180
m + p Xylene	5	<13.0	<1.3	BDL	BDL	<1.3	2810.	210	700
o-Xylene	5	<5.0	<0.5	BDL	BDL	<0.5	1080.	75	100

Notes:



All values are shown in ug/l (parts per billion).

ND = Not Detected



Shaded fields indicate NYSDEC Groundwater Standard exceedences.

NYSDEC Drinking Water / Groundwater Standard per TAGM HWR-94-4046



CVOC Graphs - Time vs VOC Concentrations
Dalewood I Shopping Plaza
Hartsdale, New York
VCP Site V00457-3





CVOC Graphs - Time vs VOC Concentrations
Dalewood I Shopping Plaza
Hartsdale, New York
VCP Site V00457-3



CVOC Graphs - Time vs VOC Concentrations
Dalewood I Shopping Plaza
Hartsdale, New York
VCP Site V00457-3



CVOC Graphs - Time vs VOC Concentrations
Dalewood I Shopping Plaza
Hartsdale, New York
VCP Site V00457-3



CVOC Graphs - Time vs VOC Concentrations
Dalewood I Shopping Plaza
Hartsdale, New York
VCP Site V00457-3






Figure 1 – Site Locus Map

Dalewood I Shopping Plaza
357 North Central Avenue
Hartsdale, NY
VCP Site V00457-3




FIGURE 3
SOIL MANAGEMENT PLAN AREA

DALEWOOD PLAZA
HARTSDALE, NEW YORK

LEGEND:

 = SOIL MANAGEMENT AREA

SCALE:
DATE: 1/12/2005
DRAWN BY: PMR
CHECKED BY: RPM

REVISIONS

PROJECT NO.:	
--------------	--

HT 1094

FILE NAME:	
------------	--

DALE 1-23 ... 032904

1 OF 1 SHEETS

 **KROLL ASSOCIATES, INC.**
900 THIRD AVENUE, NEW YORK, NEW YORK 10022

900 THIRD AVENUE, NEW YORK, NEW YORK 10022

TWO (2)
UNDERGROUND
HORIZONTAL
SVE LINES

SVE-1
4" SCREEN
SECTION
5' BELOW GRADE

SVE-2
2" SCREEN
SECTION
2' BELOW GRADE

SVE-11

SVE-4

SSDS/SVE
LOCATION
(SVE-01)

SVE-7

4" PVC ABOVE-
GROUND PIPING

SVE-8

SVE-6

SVE-5

SVE-10

SVE-9

QUIZNO'S

VERIZON STORE

SSDS / SVE
FLOOR PLAN
DALEWOOD PLAZA

357 N. CENTRAL AVE.
HARTSDALE, NEW YORK

SCALE: NTS
DATE: 9/9/05
DRAWN BY: RPM
CHECKED BY:

REVISIONS

PROJECT NO.:

41201.00

FILE NAME:



FLOOR PLAN.DWG

FIGURE 4





KROLL ASSOCIATES, INC.


900 THIRD AVENUE, NEW YORK, NEW YORK 10022





Groundwater Elevation Contour Summary Figures





Groundwater Elevation Contour Summary Figures




Dalewood Shopping Center PCE Summary Figures





Dalewood Shopping Center PCE Summary Figures





PCE Summary Figures





Dalewood Shopping Center TCE Summary Figures



TCE Summary Figures







TCE Summary Figures





Dalewood Shopping Center



cDCE Summary Figures











VC Summary Figures





VC Summary Figures





VC Summary Figures





Dalewood Shopping Center Total CVOC Summary Figures







Dalewood Shopping Center Total CVOC Summary Figures





Dalewood Shopping Center Total CVOC Summary Figures











Dalewood Shopping Center Aging Summary Figures




Dalewood Shopping Center

Other Figures 2006









Westchester County Department of Health

Andrew J. Spano
County Executive

Department of Health
Joshua Lipsman, M.D., M.P.H.
Commissioner

Bureau of Environmental Quality

Application for Certificate to Operate Sources of Air Contamination

Facility Information:

WCDH Facility Number: 0220

Emission Point Number: SVE01

Facility Name: DALEWOOD PLAZA

Facility Telephone:

Street Address: 357 North Central Avenue

Municipality: GREENBURGH

NY 10530

Facility Owner Information:

Owner's Name: Neal Drawas, Kroll Inc.

Owner Telephone:

Mailing Address: 900 Third Ave

Municipality: New York

NY 10022

Source Description:


To operate a vapor control system consisting of ten (10) perforated PVC pipes inserted below the buildings foundation, connected to single header equipped with one Regenair RMS200 moisture separator, 1 micron particulate filter, 2HP, 160 CFM Regenair Model R5125Q-50 blower and two 200 lbs. Calbon Crop. 8-1 GAC drums rated at 95% VOC removal efficiency and vented to atmosphere via 4" above roof stack.

OWNER STATEMENT:

Application is made pursuant to Chapter 873, Article XIII, Section 873.1306.1 of the Laws of Westchester County hereby for Certificates to Operate the above source(s) of air contamination. The source will be operated in accordance with the source description(s), approved plans, permissible emission rates and special conditions for this facility on file with the Department, and in compliance with the Westchester County Sanitary Code and Title 6 NYCRR.



Signature of Owner or Authorized Representative



Date Signed

Print Name and Title:

NEAL M. DRAWAS, Managing Director
For Heritage SPE, LLC

NOV-28-2006 01:04AM

FROM-HERITAGE PROPERTY INVESTMENT TRUST

+617-927-2155

T-184

P.002/005

F-828



Andrew J. Spanio
County Executive

Department of Health
Joshua Lipsman, M.D., M.P.H.
Commissioner

Westchester County Department of Health

Bureau of Environmental Quality

Certificate to Operate Sources of Air Contamination

Facility Information:

WCDH Facility Number: 0220

Emission Point Number: SVE01

Facility Name: DALEWOOD PLAZA

Facility Telephone:

Street Address: 357 North Central Avenue

Municipality: GREENBURGH

NY 10530

Facility Owner Information:

Owner's Name: Mark Bush, Heritage SPE, LLC

Owner Telephone:

Mailing Address 131 Dartmouth Street

Municipality: Boston

MA 02116

Description Process:

To operate a vapor control system consisting of ten (10) perforated PVC pipes inserted below the buildings foundation, connected to single header equipped with one Regenair RMS200 moisture separator, 1 micron particulate filter, 2HP, 160 CFM Regenair Model R5125Q-50 blower and two 200 lbs. Calbon Corp. 6-1 GAC drums rated at 95% VOC removal efficiency and vented to atmosphere via 4" above roof stack.

This Certificate supersedes any earlier Certificate to Operate issued for this source by the Department pursuant to Chapter 873, Article XIII, Section 873.1306.1 of the Laws of Westchester County.

That the operation of this source is in accordance with the source description, approved plans, and emission limits for this source on file with the Department.

This source of air contamination shall be operated in compliance with the provisions of Chapter 873, Article XIII of the Laws of Westchester County and 6NYCRR.

This certificate shall be suspended or revoked as provided by the Laws of Westchester County, if this source of air contamination is maintained or operated other than in compliance with the above.

Air contaminants collected by air cleaning devices shall be handled and disposed of in an approved manner.

FOR THE COMMISSIONER:

BY:

Joshua Lipsman, M.D., M.P.H., Commissioner of Health

BY:

P.E., Assistant Commissioner
Bureau of Environmental Quality

Certificate Issued: 09/29/2006

Certificate Expires: 12/31/2006

THIS CERTIFICATE MUST BE POSTED CONSPICUOUSLY

NOV-28-2006 01:05AM

FROM-HERITAGE PROPERTY INVESTMENT TRUST

+617-927-2155

T-164 P.004/005

F-929

004

WESTCHESTER COUNTY DEPARTMENT OF HEALTH
NEW ROCHELLE, NEW YORK
JOSHUA LIPSMAN, M.D., M.P.H.

EMISSION POINT SVE-01

PERMIT NUMBER 52-6786

CERTIFICATE TO OPERATE
A SOURCE OF AIR CONTAMINATION

Approval is hereby given for the installation of an air contamination source pursuant to the provisions of Chapter 873, Article XIII, Section 873.1306.1 of the Laws of Westchester County.

OWNER/OPERATOR: Mark Bush, Regional Manager
NAME: Heritage SPE, LLC
ADDRESS: 131 Dartmouth Street
Boston, MA 02116

INSTALLATION ADDRESS:
Dalewood Plaza
357 North Central Avenue
Hartsdale

DESCRIPTION: To operate a vapor control system to prevent migration of volatile organic carbon compound to interior of building at former dry cleaning facility. The ventilation system consists of ten (10) perforated PVC pipes inserted below the buildings foundation connected to single header equipped with one (1) 19 gallon Regenair RMS200 moisture separator, one (1) micron particulate filter, one (1) 2HP, 160 CFM Regenair Model R5125Q-50 regenerative blower and two (2) 200 lbs. Calgon Corp. 6-1 granular activated carbon drums rated at 95% volatile organic carbon removal efficiency. Emissions are vented to atmosphere, above roof, via 4" PVC stack.

CONDITIONS:

1. This source of contamination shall be operated in compliance with the provisions of Chapter 873, Article XIII, of the Laws of Westchester County and the air pollution control regulations contained in Title 6 (Environmental Conservation) of the Official compilation of Codes, Rules and Regulations of the State of New York.
2. This Certificate may be suspended or revoked, as provided by the Laws of Westchester County, if this source of air contamination is maintained or operated other than in compliance with provisions of Chapter 873, Article XIII of the Laws of Westchester County, or of the air pollution control regulations contained in Title 6 (Environmental Conservation) of the Official compilation of Codes, Rules and Regulations of the State of New York.
3. Air contaminants collected by air cleaning devices shall be handled and disposed of in a manner whereby they will not be introduced in the outer air.
4. That the construction or modification of this source of air contamination is in accordance with plan(s) sheets 1, 2, 3 and 4 dated 8/21/06 and marked "as built".
5. That the emission from this source of air contamination shall not exceed those set forth on the attached Appendix A.

FOR THE COMMISSIONER


Paul Kurylo, P.E.
Assistant Commissioner
Bureau of Environmental Quality

Certificate Issued: 9/29/06
Certificate Expires: 12/31/06

THIS CERTIFICATE IS NOT TRANSFERABLE
FRAME AND PERMANENTLY POST CONSPICUOUSLY NEAR EQUIPMENT INSTALLATION

Nov-27-2006 07:54 PM
06/01/2014 08:10 FAX

5/5

NOV-28-2006 01:05AM FROM-HERITAGE PROPERTY INVESTMENT TRUST

+617-927-2155

T-164 P.005/005

F-929 005

APPENDIX A

EMISSION POINT: SVE01

PERMIT NUMBER: 52-6786

CONTAMINANT CAS#	ACTUAL EMISSION RATE lb./hr.	PERMISSIBLE EMISSION RATE lb./hr.
Tetrachloroethylene (127-18-4)	7.18E-4	7.18E-4
Trichloroethylene (79-01-6)	7.54E-6	7.54E-6
Cis 1,2 Dichloroethylene (156-59-2)	9.19E-5	9.19E-5
Vinyl Chloride (75-01-4)	2.31E-5	2.31E-5

NOV-28-2006 01:04AM FROM:HERITAGE PROPERTY INVESTMENT TRUST

+617-927-2155

T-164 P.003/005 F-829



Andrew J. Spano
County Executive

September 29, 2006

Department of Health

Joshua Lipsman, M.D., J.D., M.P.H.
Commissioner

Kroll Associates, Inc.
200 Clarendon Street, 34th floor
Boston, MA 02116
Attn: Robert P. McCarthy, P.E.

RE: Certificate to Operate
Emission Point: SVE01
Dalewood Plaza
357 North Central Avenue
Hartsdale (T)


Dear Mr. McCarthy:

Forwarded herewith, please find a Certificate to Operate a Source of Air Contamination issued for the above premise by the Westchester County Department of Health pursuant to Chapter 873, Article XIII, Section 873.1306.1 of the Laws of Westchester County under Permit Number 52-6786.

Your attention is directed to the installation description, expiration date and conditions of approval.

Please be advised that the applicant is responsible for the proper maintenance and operation of the above-referenced installation in such a manner that it will not exceed the emission limits or contravene the provisions of applicable State and County Air Pollution Control Regulations. Proper training of personnel in the operation of this equipment should be arranged for with the manufacturer or supplier of the equipment.

Very truly yours,


Paul Kutzy, P.E.
Assistant Commissioner
Bureau of Environmental Quality

PK:DT:jm

cc: Mark Bush, Regional Manager - Heritage SPE, LLC
Neal Drawas - Kroll Associates, Inc.
Maria Antoniou, NYSDEC/WP
John Lucido, Bldg. Insp. ✓
File



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

REPORT DATE 3/22/2006

SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-6
EAST HARTFORD, CT 06108
ATTN: ROB MCARTHY

CONTRACT NUMBER:
PURCHASE ORDER NUMBER: XHT 532

PROJECT NUMBER: HT 1094

ANALYTICAL SUMMARY

LIMS BAT #: LIMS-95920

JOB NUMBER: HT 1094

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: DALEWOOD-KROLL

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST
AMBIENT AIR	06B08642	AIR	NOT SPECIFIED	air special test
IND-1-355	06B08629	AIR	NOT SPECIFIED	air special test
IND-2-357	06B08631	AIR	NOT SPECIFIED	air special test
IND-3-359	06B08633	AIR	NOT SPECIFIED	air special test
IND-4-361	06B08635	AIR	NOT SPECIFIED	air special test
IND-5-365	06B08637	AIR	NOT SPECIFIED	air special test
IND-6-371A	06B08639	AIR	NOT SPECIFIED	air special test
IND-7-371B	06B08641	AIR	NOT SPECIFIED	air special test
SG-1-355	06B08628	AIR	NOT SPECIFIED	air special test
SG-2-357	06B08630	AIR	NOT SPECIFIED	air special test
SG-3-359	06B08632	AIR	NOT SPECIFIED	air special test
SG-4-361	06B08634	AIR	NOT SPECIFIED	air special test
SG-5-365	06B08636	AIR	NOT SPECIFIED	air special test
SG-6-371A	06B08638	AIR	NOT SPECIFIED	air special test
SG-7-371B	06B08640	AIR	NOT SPECIFIED	air special test
TRIP	06B08643	AIR	NOT SPECIFIED	air special test



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

REPORT DATE 3/22/2006

SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-6
EAST HARTFORD, CT 06108
ATTN: ROB MCARTHY

CONTRACT NUMBER:
PURCHASE ORDER NUMBER: XHT 532

PROJECT NUMBER: HT 1094

ANALYTICAL SUMMARY

LIMS BAT #: LIMS-95920

JOB NUMBER: HT 1094

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

Comments :


LIMS BATCH NO. : LIMS-95920

REVISED REPORT

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations :

AIHA 100033	AIHA ELLAP (LEAD) 100033	
MASSACHUSETTS MAD100	NEW HAMPSHIRE NELAP 2516	NEW JERSEY NELAP NJ MA007 (AIR)
CONNECTICUT PH-0567	VERMONT DOH (LEAD) No. LL015036	
NEW YORK ELAP/NELAP 10899	RHODE ISLAND (LIC. No. 112)	

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

 3/22/06
SIGNATURE DATE

Tod Kopycinski
Director of Operations

Sondra L. Slesinski
Quality Assurance Officer

Edward Denson
Technical Director

* See end of data tabulation for notes and comments pertaining to this sample

415
3/06



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ROB MCARTHY
SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-8
EAST HARTFORD, CT 06108

3/22/2006

Page 1 of 5

Purchase Order No.: XHT 532

Project Number: HT 1094

LIMS-BAT #: LIMS-95920

Job Number: HT 1094

Project Location: DALEWOOD-KROLL

Date Received: 3/10/2006

Field Sample #: AMBIENT AIR

Sample ID: 06B08642

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

Field Sample #: IND-1-355

Sample ID: 06B08629

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

Field Sample #: IND-2-357

Sample ID: 06B08631

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

Field Sample #: IND-3-359

Sample ID: 06B08633

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ROB MCARTHY
SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-6
EAST HARTFORD, CT 06108

3/22/2006

Page 2 of 5

Purchase Order No.: XHT 532

Project Number: HT 1094

LIMS-BAT #: LIMS-95920

Job Number: HT 1094

Project Location: DALEWOOD-KROLL

Date Received: 3/10/2006

Field Sample #: IND-4-361

Sample ID: 06B08635

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

Field Sample #: IND-5-365

Sample ID: 06B08637

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

Field Sample #: IND-6-371A

Sample ID: 06B08639

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

Field Sample #: IND-7-371B

Sample ID: 06B08641

Sampled: 3/8/2006

NOT SPECIFIED

Sample Matrix: AIR

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	------------------	------

SPECIAL TEST

SEE RESULTS PAGE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ROB MCARTHY
SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-6
EAST HARTFORD, CT 06108
Project Location: DALEWOOD-KROLL
Date Received: 3/10/2008
Field Sample #: SG-1-355
Sample ID: 06B06628
Sample Matrix: AIR

3/22/2006
Page 3 of 5
Project Number: HT 1094
LIMS-BAT #: LIMS-95920
Job Number: HT 1094

Purchase Order No.: XHT 532

Sampled: 3/8/2006
NOT SPECIFIED

SPECIAL TEST
SEE RESULTS PAGE.
Field Sample #: SG-2-357
Sample ID: 06B06630
Sample Matrix: AIR

Date Analyzed: 03/17/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

SPECIAL TEST
SEE RESULTS PAGE.
Field Sample #: SG-3-359
Sample ID: 06B06632
Sample Matrix: AIR

Date Analyzed: 03/15/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

SPECIAL TEST
SEE RESULTS PAGE.
Field Sample #: SG-4-361
Sample ID: 06B06634
Sample Matrix: AIR

Date Analyzed: 03/17/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

SPECIAL TEST
SEE RESULTS PAGE.

Date Analyzed: 03/14/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

RL = Reporting Limit
ND = Not Detected at or above the Reporting Limit
NM = Not Measured
* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ROB MCARTHY
SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-6
EAST HARTFORD, CT 06108
Project Location: DALEWOOD-KROLL
Date Received: 3/10/2008
Field Sample #: SG-5-365
Sample ID: 06B06636
Sample Matrix: AIR

3/22/2006
Page 4 of 5
Project Number: HT 1094
LIMS-BAT #: LIMS-95920
Job Number: HT 1094

Purchase Order No.: XHT 532

Sampled: 3/8/2006
NOT SPECIFIED

SPECIAL TEST
SEE RESULTS PAGE.
Field Sample #: SG-6-371A
Sample ID: 06B06638
Sample Matrix: AIR

Date Analyzed: 03/16/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

SPECIAL TEST
SEE RESULTS PAGE.
Field Sample #: SG-7-371B
Sample ID: 06B06640
Sample Matrix: AIR

Date Analyzed: 03/16/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

SPECIAL TEST
SEE RESULTS PAGE.
Field Sample #: TRIP
Sample ID: 06B06643
Sample Matrix: AIR

Date Analyzed: 03/17/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

SPECIAL TEST
SEE RESULTS PAGE.

Date Analyzed: 03/14/06 WSD

Results

Units

Analyst

RL

SPEC Limit
Lo HI

P/F

RL = Reporting Limit
ND = Not Detected at or above the Reporting Limit
NM = Not Measured
* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ROB MCARTHY
SUPERIOR ENVIRONMENTAL
135 BURNSIDE AVE., SUITE C-6
EAST HARTFORD, CT 06108
Project Location: DALEWOOD-KROLL
Date Received: 3/10/2006

Purchase Order No.: XHT 532

3/22/2006
Page 5 of 5

Project Number: HT 1094
LIMS-BAT #: LIMS-95920
Job Number: HT 1094

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or
regulatory level for comparison with data to
determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08628
Client ID Number: SG-1-355

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u> <u>Results</u> <u>PPBv</u>	<u>Sample</u> <u>Results</u> <u>UG/M3</u>	<u>MDL</u> <u>PPBv</u>	<u>MDL</u> <u>UG/M3</u>
Vinyl Chloride	ND	ND	10	26
1,2-Dichloroethene (trans)	ND	ND	10	40
1,2-Dichloroethene (cis)	90	360	10	40
Trichloroethene	28	150	10	54
Tetrachloroethene	570	3900	10	68

Surrogate Recovery (BFB) 89%

MDL = Minimum Detectable Limit

ND = Not Detected

PPBv = Parts Per Billion By Volume

Method: TO-14A (Modified)

Sampled into a Summa Canister. Analyzed by GCMS.

08628.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08629
Client ID Number: IND-1-355

LIMS Number: 95920
Date Analyzed: 3/15/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	3.4	23	0.50	3.4

Surrogate Recovery (BFB) 84%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08629.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08630
Client ID Number: SG-2-357

LIMS Number: 95920
Date Analyzed: 3/15/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	5.0	20	0.50	2.0
1,2-Dichloroethene (cis)	27	110	0.50	2.0
Trichloroethene	50	270	0.50	2.7
Tetrachloroethene	410	2800	0.50	3.4

Surrogate Recovery (BFB) 82%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08630.xls



con-test®
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.0405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08631
Client ID Number: IND-2-357

LIMS Number: 95920
Date Analyzed: 3/15/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	14	92	0.50	3.4

Surrogate Recovery (BFB) 93%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08631.xls



con-test®
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.0405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08631 DUP
Client ID Number: IND-2-357

LIMS Number: 95920
Date Analyzed: 3/15/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	14	92	0.50	3.4

Surrogate Recovery (BFB) 93%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08631DUP.xls



con-test
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08632
Client ID Number: SG-3-359

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	44	300	0.50	3.4

Surrogate Recovery (BFB) 89%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08632.xls



con-test
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08633
Client ID Number: IND-3-359

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	2.2	15	0.50	3.4

Surrogate Recovery (BFB) 85%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08633.xls



con-test®
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08634
Client ID Number: SG-4-361

LIMS Number: 95920
Date Analyzed: 3/14/06
Analyst: WSD

Analyte:

Sample Results	Sample Results	MDL	MDL
PPBv	UG/M3	PPBv	UG/M3
ND	ND	200	510
ND	ND	200	800
ND	ND	200	800
ND	ND	200	1100
2800	19000	200	1400

Surrogate Recovery (BFB) 85%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08634.xls



con-test®
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08635
Client ID Number: IND-4-361

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

Analyte:

Sample Results	Sample Results	MDL	MDL
PPBv	UG/M3	PPBv	UG/M3
ND	ND	0.50	1.3
ND	ND	0.50	2.0
ND	ND	0.50	2.0
ND	ND	0.50	2.7
1.4	9.8	0.50	3.4

Surrogate Recovery (BFB) 92%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08635.xls



con-test®
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08636
Client ID Number: SG-5-365

LIMS Number: 95920
Date Analyzed: 3/18/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	500	1300
1,2-Dichloroethene (trans)	ND	ND	500	2000
1,2-Dichloroethene (cis)	ND	ND	500	2000
Trichloroethene	ND	ND	500	2700
Tetrachloroethene	25000	170000	500	3400

Surrogate Recovery (BFB) 89%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08636.xls



con-test®
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08637
Client ID Number: IND-5-365

LIMS Number: 95920
Date Analyzed: 3/18/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	1.5	10	0.50	3.4

Surrogate Recovery (BFB) 87%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08637.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08638
Client ID Number: SG-6-371A

LIMS Number: 95920
Date Analyzed: 3/18/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	500	1300
1,2-Dichloroethene (trans)	ND	ND	500	2000
1,2-Dichloroethene (cis)	ND	ND	500	2000
Trichloroethene	750	4000	500	2700
Tetrachloroethene	23000	160000	500	3400

Surrogate Recovery (BFB) 84%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08638.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08639
Client ID Number: IND-6-371A

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

<u>Analyte:</u>	<u>Sample</u>	<u>Sample</u>	MDL	MDL
	<u>Results</u>	<u>Results</u>		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	1.3	8.9	0.50	3.4

Surrogate Recovery (BFB) 85%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08639.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08640
Client ID Number: SG-7-371B

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

<u>Analyte:</u>	Sample	Sample	MDL	MDL
	Results	Results	PPBv	UG/M3
	PPBv	UG/M3		
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	20	140	0.50	3.4

Surrogate Recovery (BFB) 91%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08640.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08640 DUP
Client ID Number: SG-7-371B

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

<u>Analyte:</u>	Sample	Sample	MDL	MDL
	Results	Results	PPBv	UG/M3
	PPBv	UG/M3		
Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	21	140	0.50	3.4

Surrogate Recovery (BFB) 88%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08640DUP.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08641
Client ID Number: IND-7-371B

LIMS Number: 95920
Date Analyzed: 3/17/06
Analyst: WSD

Analyte:

Sample Results	Sample Results	MDL	MDL
PPBv	UG/M3	PPBv	UG/M3

Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	ND	ND	0.50	3.4

Surrogate Recovery (BFB) 93%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08640.xls



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08642
Client ID Number: AMBIENT

LIMS Number: 95920
Date Analyzed: 3/14/06
Analyst: WSD

Analyte:

Sample Results	Sample Results	MDL	MDL
PPBv	UG/M3	PPBv	UG/M3

Vinyl Chloride	ND	ND	0.50	1.3
1,2-Dichloroethene (trans)	ND	ND	0.50	2.0
1,2-Dichloroethene (cis)	ND	ND	0.50	2.0
Trichloroethene	ND	ND	0.50	2.7
Tetrachloroethene	ND	ND	0.50	3.4

Surrogate Recovery (BFB) 99%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

08642.xls

Company Name: Superior Environmental
Address: 135 Riverside Ave
Eastford CT 06035
Attention: Rob McCarthy
Project Location: Delewood - K011
Sampled By: Rob McCarthy

Telephone: (860) 291-9708
Project # HT1094
Client PO # XHT 532

DATA DELIVERY (check one):
CFAX ☒ EMAIL ☒ WEBSITE CLIENT
Fax #:
Email: mickey@superiorenv.com
Form: ☒ EXCEL ☒ PDF ☐ GIS KEY

Proposal Provided? (for Billing purposes) ☐ yes ☐ no
State Form Required? ☐ yes ☐ no

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. cost	Grab	Matrix Code	Client
SG-1-355		06B08028	3/9/06 10:10	12:10	X		A	Some SG
IND-1-355		06B08029	3/9/06 10:09	12:09	X		A	SG
SG-2-357		06B08030	3/9/06 4:56	11:46	X		A	SG
IND-2-357		06B08031	3/9/06 4:55	11:45	X		A	SG
SG-3-359		06B08032	3/9/06 8:58	10:58	X		A	SG
IND-3-359		06B08033	3/9/06 8:59	10:59	X		A	SG
SG-4-361		06B08034	3/9/06 7:42	9:42	X		A	SG
IND-4-361		06B08035	3/9/06 7:43	9:43	X		A	SG

Laboratory Comments:

Relinquished by: [Signature] Date/Time: 3/9/06 5:00 PM
Received by: [Signature] Date/Time: 3/9/06 8:00
Relinquished by: [Signature] Date/Time: 3/9/06 11:15
Received by: [Signature] Date/Time: 3/10/06 11:30

Turnaround **
☒ 7-Day
☐ 10-Day
☐ Other: RUSH!

Detection Limit Requirements
Regulations?
Data Enhancement Project/CP? ☐ Y ☒ N
Special Requirements or DL's:

Matrix Code:
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

Con-Test Laboratory is the ONLY independent laboratory in all of New England with both prestigious AHA and NELAP Certifications and WBE/DBE Certified!



39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B08643
Client ID Number: TRIP

LIMS Number: 95920
Date Analyzed: 3/14/06
Analyst: WSD

Analyte:

Vinyl Chloride
1,2-Dichloroethene (trans)
1,2-Dichloroethene (cis)
Trichloroethene
Tetrachloroethene

Sample Results	Sample Results	MDL	MDL
PPBv	UG/M3	PPBv	UG/M3
ND	ND	0.50	1.3
ND	ND	0.50	2.0
ND	ND	0.50	2.0
ND	ND	0.50	2.7
ND	ND	0.50	3.4

Surrogate Recovery (BFB)

99%

MDL = Minimum Detectable Limit
ND = Not Detected
PPBv = Parts Per Billion By Volume
Method: TO-14A (Modified)
Sampled into a Summa Canister. Analyzed by GCMS.

39 Spruce Street
East Longmeadow, MA
Phone: 413-525-2332
Fax: 413-525-6405

www.contestlabs.com



SAMPLE RECEIPT CHECKLIST

CLIENT NAME: Superior Environmental

RECEIVED BY: KWM DATE: 3/10/06

1. Was chain of custody relinquished and signed? YES NO

2. Does Chain agree with samples? YES NO

If not, explain:

3. All Samples in good condition? YES NO

If not, explain:

Degrees: NA

4. Were samples received in compliance with Temperature 0-6 degrees C? YES NO

5. Are there any on hold samples? YES NO

6. Laboratory analysts notified? YES NO

Who BILL D Time 11:30 Date 3/10/06

7. Location where samples are stored:

CONTAINERS SENT IN TO CON-TEST	# of containers	CONTAINERS SENT TO CON-TEST	# of containers
1 liter amber		Air Cassettes	
500 ml amber		8 oz clear jar	
250 ml amber (8oz. Amber)		4 oz clear jar	
1 liter plastic		2 oz clear jar	
500 ml plastic		Plastic bag	
250 ml plastic		Encore	
40 ml vial		Brass Sleeves	
Collure bottle		Tubes	
Dissolved oxygen bottle		Summa cans	<u>16</u>
Flashpoint bottle		Other	<u>keys</u>
Laboratory comments:			



con-test
ANALYTICAL LABORATORY

Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST
EAST LONGMEADOW, MA 01028

Page 2 of 2

Company Name: Superior Environmental
Address: 135 Burnside Ave
E. Hartford CT 06108
Attention: Rob McCarthy
Project Location: Dalewood Knoll
Sampled By: Rob McCarthy

Telephone: (860) 291-9708
Project # HT 1094
Client PO # XHT 532

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☒ WEBSITE CLIENT
Fax #:
Email: mcCarthy@SuperiorEnvironmental.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes)
☐ yes ☐ no proposal date
State Form Required?
☐ yes ☐ no

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Compos	Grab	Matrix Code	PCE	TCE	VCL	GIS	TRANS	DCE	ANALYSIS REQUESTED	# of containers	**Preservation	-Cont. Code	-Cont. Code:	Client Comments:
SG-5-365		06B08636	3/8/06 9:10	11:24		X	A	X	X									A=amber glass	
IND-5-365		06B08637	3/8/06 9:11	11:25		X	A	X	X									G=glass	
SG-6-371A		06B08638	3/8/06 8:14	11:12		X	A	X	X									P=plastic	
IND-6-371A		06B08639	3/8/06 8:13	10:15		X	A	X	X									ST=sterile	
SG-7-371B		06B08640	3/8/06 9:03	11:05		X	A	X	X									V=vial	
IND-7-371B		06B08641	3/8/06 9:02	11:06		X	A	X	X									S=summa can	
Ambient Air		06B08642	3/8/06 10:03	12:03		X	A	X	X									T=tetlar bag	
Trip		06B08643	3/8/06			X	A	X	X									O=Other	

Laboratory Comments

Relinquished by (signature): [Signature]

Date/Time: 3/9/06 5:00 pm

Turnaround **
☒ 7-Day
☐ 10-Day
☐ Other

Detection Limit Requirements
Regulations? _____
Data Enhancement Project/RCP? ☐ Y ☐ N

*Matrix Code:

**Preservation Codes:

Received by (signature): [Signature]

Date/Time: 3/9/06 8:40

☐ 24-Hr ☐ 48-Hr ☐ 72-Hr ☐ 4-Day

Special Requirements or DL's: _____

GW= groundwater

I = Iced X = Na hydroxide

Relinquished by (signature): [Signature]

Date/Time: 3/9/06 11:15

☐ Require lab approval

WW= wastewater

H = HCL T = Na thiosulfate

Received by (signature): [Signature]

Date/Time: 3/10/06 11:30

DW= drinking water

M = Methanol

Received by (signature): [Signature]

Date/Time: 3/10/06 11:30

A = air

N = Nitric Acid

Received by (signature): [Signature]

Date/Time: 3/10/06 11:30

S = soil/solid

B = Sulfuric Acid

Received by (signature): [Signature]

Date/Time: 3/10/06 11:30

SL = sludge

S = Sodium bisulfate

Received by (signature): [Signature]

Date/Time: 3/10/06 11:30

O = other

O = Other

Con-Test Laboratory is the ONLY independent laboratory in all of New England with both prestigious AIHA and NELAP Certifications and WBE/DBE Certified!



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 10/6/2006

VANASSE HANGEN BRUSTLIN, INC. - CT
54 TUTTLE PLACE
MIDDLETOWN, CT 06457
ATTN: ROB MCCARTHY

CONTRACT NUMBER:
PURCHASE ORDER NUMBER:

PROJECT NUMBER: 81769.06

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-00606
JOB NUMBER: 81769.06

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: DALEWOOD-VERIZON

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST
INDOOR	06B31459	AIR	NOT SPECIFIED	air special test
OUTDOOR	06B31460	AIR	NOT SPECIFIED	air special test

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations :

AIHA 100033	AIHA ELLAP (LEAD) 100033	
MASSACHUSETTS MA0100	NEW HAMPSHIRE NELAP 2516	NEW JERSEY NELAP NJ MA007 (AIR)
CONNECTICUT PH-0567	VERMONT DOH (LEAD) No. LL015036	
NEW YORK ELAP/NELAP 10899	RHODE ISLAND (LIC. No. 112)	

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Sondra L. Slesinski 10/09/06
SIGNATURE DATE

Tod Kopyscinski
Director of Operations

Sondra L. Slesinski
Quality Assurance Officer

Edward Denson
Technical Director

ROB MCCARTHY
 VANASSE HANGEN BRUSTLIN, INC. - CT
 54 TUTTLE PLACE
 MIDDLETOWN, CT 06457

10/6/2006

Page 1 of 2

Purchase Order No.:

Project Number: 81769.06

Project Location: DALEWOOD-VERIZON

LIMS-BAT #: LIMIT-00606

Date Received: 9/29/2006

Job Number: 81769.06

Field Sample #: INDOOR

Sample ID : 06B31459

Sampled : 9/29/2006

NOT SPECIFIED

Sample Matrix: AIR

Sample Medium : SUMMA

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	---------------------	------

SPECIAL TEST

10/02/06 TPH

SEE RESULTS PAGE FOR MORE INFORMATION.

Field Sample #: OUTDOOR

Sample ID : 06B31460

Sampled : 9/29/2006

NOT SPECIFIED

Sample Matrix: AIR

Sample Medium : SUMMA

Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
-------	---------	---------------	---------	----	---------------------	------

SPECIAL TEST

10/02/06 TPH

SEE RESULTS PAGE FOR MORE INFORMATION.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

ROB MCCARTHY
VANASSE HANGEN BRUSTLIN, INC. - CT
54 TUTTLE PLACE
MIDDLETOWN, CT 06457

Project Location: DALEWOOD-VERIZON
Date Received: 9/29/2006

Purchase Order No.:

10/6/2006
Page 2 of 2
Project Number: 81769.06
LIMS-BAT #: LIMIT-00606
Job Number: 81769.06

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

SPEC LIMIT = a client specified recommended or
regulatory level for comparison with data to
determine PASS (P) or FAIL (F) condition of results.



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B31459
Client ID Number: INDOOR

LIMIT Number: 00606
Date Analyzed: 10/2/06
Analyst: TPH

<u>Analyte:</u>	Sample	Sample	MDL	MDL
	Results	Results		
	PPBv	UG/M3	PPBv	UG/M3
Vinyl Chloride	ND	ND	0.20	0.51
1,2-Dichloroethene (trans)	ND	ND	0.20	0.79
1,2-Dichloroethene (cis)	ND	ND	0.20	0.79
1,1-Dichloroethene	ND	ND	0.20	0.78
1,1-Dichloroethane	ND	ND	0.20	0.80
Trichloroethene	ND	ND	0.20	1.1
Tetrachloroethene	2.6	18	0.20	1.4

Surrogate Recovery (BFB) 115%

MDL = Minimum Detectable Limit

ND = Not Detected

PPBv = Parts Per Billion By Volume

Method: TO-14A (Modified)

Sampled into a Summa Canister. Analyzed by GCMS.



con-test[®]
ANALYTICAL LABORATORY

39 Spruce Street, 2nd Floor
East Longmeadow, MA 01028
413.525.2332
413.525.6405 (fax)

RESULTS FOR TO-14A

Lab ID Number: 06B31460
Client ID Number: OUTDOOR

LIMT Number: 00606
Date Analyzed: 10/2/06
Analyst: TPH

<u>Analyte:</u>	Sample Results PPBv	Sample Results UG/M3	MDL PPBv	MDL UG/M3
Vinyl Chloride	ND	ND	0.20	0.51
1,2-Dichloroethene (trans)	ND	ND	0.20	0.79
1,2-Dichloroethene (cis)	ND	ND	0.20	0.79
1,1-Dichloroethene	ND	ND	0.20	0.78
1,1-Dichloroethane	ND	ND	0.20	0.80
Trichloroethene	ND	ND	0.20	1.1
Tetrachloroethene	ND	ND	0.20	1.4
Surrogate Recovery (BFB)	109%			

MDL = Minimum Detectable Limit

ND = Not Detected

PPBv = Parts Per Billion By Volume

Method: TO-14A (Modified)

Sampled into a Summa Canister. Analyzed by GCMS.



www.contestlabs.com

LIMT-00606

Page 1 of 1

Date Sampled☐ OTHER

--	--	--

* Require lab approval

Client PO #

ANALYSIS REQUESTED

0=Other

Summary:

H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Require lab approval

0 = Other	
1 = Other	

 0 = Other

AIHA, NELAC & WBE/DBE Certified



39 Spruce Street
East Longmeadow, MA
Phone: 1-413-525-2332
Fax: 1-413-525-6405

SAMPLE RECEIPT CHECKLIST

CLIENT NAME: VHB

RECEIVED BY: TPH DATE: 9-29-06

1. Was chain of custody relinquished and signed? ☒ YES ☐ NO

2. Does Chain agree with samples? ☒ YES ☐ NO

If not, explain:

3. All Samples in good condition? ☒ YES ☐ NO

If not, explain:

4. Were samples received in compliance with Temperature 0-6 degrees C? YES ☐ NO ☐

Degrees:

N/A

5. Are all soil vph & voc samples covered with preservation? YES NA NO ☐

6. Are there any on hold samples? YES ☐ NO ☒

7. Laboratory analysts notified? ☒ YES ☐ NO
Who _____ Time _____ Date _____

8. Location where samples are stored: AIR LAB

CONTAINERS SENT IN TO CON-TEST	# of containers	CONTAINERS SENT TO CON-TEST	# of containers
1 liter amber		Air Cassettes	
500 ml amber		8 oz clear jar	
250 ml amber (8oz. Amber)		4 oz clear jar	
1 liter plastic		2 oz clear jar	
500 ml plastic		Plastic bag	
250 ml plastic		Encore	
40 ml vial		Brass Sleeves	
Colisure bottle		Tubes	
Dissolved oxygen bottle		Summa cans	<u>6L</u> <u>2</u>
Flashpoint bottle		Other	<u>Reys</u> <u>2</u>

Laboratory comments:

Do all the samples have the correct pH levels? YES ☐ NO ☐ If no, please explain below:

RESULTS OF FISH / MICROSCOPY ANALYSES OF GROUND-WATER SAMPLES

Superior Environmental - Dalewood
Analyzed By: Geovation Consultants, Inc.

Sample ID	MW-1 S	MW-10	MW-20	MW-200	MW-206	MW-211	MW-214	
Sample Date	2/8/2006	2/7/2006	2/8/2006	2/7/2006	2/7/2006	2/8/2006	2/7/2006	
Date Received	2/9/2006	2/9/2006	2/9/2006	2/9/2006	2/9/2006	2/9/2006	2/9/2006	
Slide Filtered	2/10/2006	2/10/2006	2/10/2006	2/10/2006	2/10/2006	2/10/2006	2/10/2006	
Slide Preparation	2/10/2006	2/15/2006	2/10/2006	2/10/2006	2/15/2006	2/10/2006	2/10/2006	
Date Analyzed	2/13/2006	2/17/2006	2/13/2006	2/13/2006	2/17/2006	2/13/2006	2/13/2006	
Hybridization/Wash/Slide Prep.		2/15/2006			2/15/2006			
Microscopy/Imaging	2/13/2006	2/17/2006	2/13/2006	2/13/2006	2/17/2006	2/13/2006	2/13/2006	
Parameter	cells/ml	cells/ml	cells/ml	cells/ml	cells/ml	cells/ml	cells/ml	Analytical Method
Total Cells (DAPI)	5.02E+06	6.15E+06	6.21E+06	4.77E+06	5.99E+06	5.77E+06	7.49E+06	*DAPI-count
STD	1.41E+06	1.80E+06	7.50E+05	1.24E+06	2.09E+06	1.04E+06	1.28E+06	
FISH / mFISH Assay: MP5b - Dechlorinating consortia (DHE, Deltaproteobacteria, Firmicutes)								
Dehalococcoides spp. (DHE)	NA	1.85E+05	NA	NA	1.02E+05	NA	NA	*Cy3-labelled DHE1259ct
% DAPI Count	NA	3.0%	NA	NA	1.7%	NA	NA	
Qualifiers	NA		NA	NA		NA	NA	
Delta-Proteobacteria	NA	6.27E+05	NA	NA	3.05E+05	NA	NA	*Oregon Green-labelled DELTA495abc
% DAPI Count	NA	10.2%	NA	NA	5.1%	NA	NA	
Qualifiers	NA		NA	NA		NA	NA	
Firmicutes (Low G+C gram+)	NA	8.00E+04	NA	NA	7.79E+04	NA	NA	*Cy5-labelled LGC354abc
% DAPI Count	NA	1.3%	NA	NA	1.3%	NA	NA	
Qualifiers	NA		NA	NA		NA	NA	
Method Notes	1 , 2	1 , 2	1 , 2	1 , 2	1 , 2	1 , 2	1 , 2	

NOTES: Description

1	Epi-fluorescent light microscopy (1,000X) and image capture using Nikon 90i automated microscope, VC Planapo 100X objective, Roper Coolsnap ES CCD camera	*Method Description: (1) Visualization of DAPI-stained or oligonucleotide-probe-hybridized cells via epi-fluorescent light microscopy (Nikon 90i) coupled with (2) semi-automated CCD imaging, image processing and cell counting with "Microbe Counter VB" (Matthew T. Cottrell, University of Delaware) or (3) semi-automated CCD imaging, image processing and cell counting with Image Pro Plus, MetaVue software (ECH journals after M.T. Cottrell)
2	Semi-automated CCD imaging, image processing and cell counting with "Microbe Counter VB" (Matthew T. Cottrell, University of Delaware)	
3	Semi-automated CCD imaging, image processing and cell counting with Image Pro Plus, MetaVue software (ECH journals after M.T. Cottrell)	
"J"	Positively detected in sample albeit at very low levels considered to be below the accurate range of the method (4×10^{-4} cells/mL)	
"E"	STD exceeds reported value -- indication of high intra-sample variance and/or poor sample-image quality	
U	Undetermined - Significant autofluorescence from particles in sample filtrate	
ND	Not Detected = < Detection limit = 4×10^{-3} cells/mL; J = < Accurate Reporting Limit = 4×10^{-4} cells/mL	
NA	Parameter / Assay Not Analyzed	
Other:		

RESULTS OF BIOGEOCHEMICAL ANALYSES OF GROUND-WATER SAMPLES

Client: Kroll Associates Site: Dalewood
Sample Date: February 7, 2006

Analyses Conducted by Dr. Chris Gobler (SUNY Stony Brook, MSRC) for Geovation Consultants, Inc. and Superior Environmental

Sample ID	MW-10	MW-1S	MW-2D	MW-4	MW-5	MW-7	MW-8	MW-9	MW-10	MW-20	MW-200	MW-204	MW-205	MW-206	MW-208	MW-210	MW-211	MW-212	MW-214	MW-215	MW-303
Date sampled	2/8/2006	2/8/2006	2/7/2006	2/7/2006	2/7/2006	2/7/2006	2/7/2006	2/7/2006	2/8/2006	2/8/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/8/2006
Date Analyzed	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006	2/20/2006
Biogeochemical parameter																					
Ammonium	0.0585	1.2248	0.0427	0.1073	0.1361	0.0906	1.1189	2.6945	0.9155	3.1143	1.6600	4.3865	4.3865	2.6472	0.2963	0.4552	0.1448	0.1175	1.3738	0.2044	0.3655
Nitrite	0.0117	0.0013	0.0079	0.0035	0.0379	0.0009	0.0000	0.0310	0.0037	0.0581	0.0381	0.0103	0.0571	0.0005	0.2866	0.0286	0.0000	0.0000	0.1025	0.0157	0.0000
Total Nitrate+Nitrite	0.1932	0.1932	0.0157	0.1012	0.0758	0.0915	1.1189	2.7255	0.9192	3.1724	1.6981	4.3968	4.3968	2.6477	0.2971	0.4552	0.1448	0.1175	1.3738	0.2044	0.3655
Orthophosphate	0.0239	0.0243	0.0216	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341
Hydrolyzable Phosphate	0.0283	0.0286	0.0231	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341	0.0341
Total Phosphates	0.0522	0.0531	0.0447	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682	0.0682
Calculated sum																					





Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 1 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

Laboratory Results

Total pages in data package: 9

<u>Lab Sample #</u>	<u>Client Sample ID</u>
P0602146-01	MW-1S
P0602146-02	MW-10
P0602146-03	MW-20
P0602146-04	MW-200
P0602146-05	MW-206
P0602146-06	MW-211
P0602146-07	MW-214

Microseeps test results meet all the requirements of the NELAC standards.

Approved By:

The analytical results reported here are reliable and usable to the precision expressed in this report. As required by some regulating authorities, a full discussion of the uncertainty in our analytical results can be obtained at our web site or through customer service. Unless otherwise specified, all results are reported on a wet weight basis.

*As a valued client we would appreciate your comments on our service.
Please call customer service at (412)826-5245 or email customerservice@microseeps.com.*

Case Narrative:

Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 2 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-1S	Water	P0602146-01	08 Feb. 06 11:00	09 Feb. 06 14:03		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
Ethane	2.400	0.025	ug/L	AM20GAX	2/17/06	rw
Ethene	37.000	0.025	ug/L	AM20GAX	2/17/06	rw
Methane	2200.000	0.100	ug/L	AM20GAX	2/17/06	rw



Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 3 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-10	Water	P0602146-02	07 Feb. 06 13:55	09 Feb. 06 14:03		
Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
<u>RiskAnalysis</u>						
Ethane	7.200	0.025	ug/L	AM20GAX	2/17/06	rw
Ethene	23.000	0.025	ug/L	AM20GAX	2/17/06	rw
Methane	2500.000	0.100	ug/L	AM20GAX	2/17/06	rw



Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 4 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-20	Water	P0602146-03	08 Feb. 06 10:20	09 Feb. 06 14:03		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>Risk Analysis</u>						
Ethane	0.032	0.025	ug/L	AM20GAX	2/17/06	rw
Ethene	0.072	0.025	ug/L	AM20GAX	2/17/06	rw
Methane	360.000	0.100	ug/L	AM20GAX	2/17/06	rw



N - NELAC certified analysis

Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 5 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-200	Water	P0602146-04	07 Feb. 06 12:00	09 Feb. 06 14:03		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
Ethane	32.000	0.025	ug/L	AM20GAX	2/17/06	rw
Ethene	140.000	0.025	ug/L	AM20GAX	2/17/06	rw
Methane	1500.000	0.100	ug/L	AM20GAX	2/17/06	rw



N - NELAC certified analysis

Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 6 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-206	Water	P0602146-05	07 Feb. 06 9:25	09 Feb. 06 14:03		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
Ethane	240.000	0.025	ug/L	AM20GAX	2/17/06	rw
Ethene	31.000	0.025	ug/L	AM20GAX	2/17/06	rw
Methane	3900.000	0.100	ug/L	AM20GAX	2/17/06	rw



Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 7 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-211	Water	P0602146-06	08 Feb. 06 8:45	09 Feb. 06 14:03		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
Ethane	2.400	0.025	ug/L	AM20GAX	2/17/06	rw
Ethene	0.170	0.025	ug/L	AM20GAX	2/17/06	rw
Methane	760.000	0.100	ug/L	AM20GAX	2/17/06	rw



Client Name: Superior Environmental Corp
Contact: Robert McCarthy
Address: 135 Burnside Ave, Suite C-6
East Hartford, CT 06108

Page: Page 8 of 8
Lab Proj #: P0602146
Report Date: 02/21/06
Client Proj Name: Dalewood
Client Proj #: HT1094.01

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-214	Water	P0602146-07	07 Feb. 06 11:00	09 Feb. 06 14:03		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
Ethane	3.800	0.025	ug/L	AM20GAX	2/20/06	sl
Ethene	21.000	0.025	ug/L	AM20GAX	2/20/06	sl
Methane	2600.000	0.100	ug/L	AM20GAX	2/20/06	sl





Microseeps
Lab. Proj. #

PO602146

CHAIN - OF - CUSTODY RECORD

Microseeps
COC cont. #

193 A

Phone: (412) 826-5245

Microseeps, Inc. - 220 William Pitt Way - Pittsburgh, PA 15238

Fax No. : (412) 826-3433

Company : Superior Environmental
Co. Address : 135 Burnside Ave. Suite C6, East Hartford, CT 06108
Phone # : 860-291-9708 Fax # : 860-291-9827
Proj. Manager : Robert McCarthy
Proj. Name/Number : Dalewood Plaza, HT 1094 01
Sampler's signature : [Signature]

Cooler Temp.

Parameters Requested

Results to :

Rob McCarthy
Superior Environmental
East Hartford, CT 06108

Invoice to :

Kroll Associates
Sudbury MA 01776
Attn: Neal Deming

Sample ID	Sample Description	Sample Type			Date	Time	# bottles	Methane	Ethane	Propane	i-Butane	n-Butane	Pentane	Hexane	Heptane	Octane	Nonane	Decane	Remarks :
		Water	Vapor	Solid															
MW-13		X			2/8/06	11:00	2	X	X	X									
MW-10		X			2/7/06	13:55	2	X	X	X									
MW-20		X			2/8/06	10:20	2	X	X	X									
MW-200		X			2/7/06	12:00	2	X	X	X									
MW-206		X			2/7/06	9:25	2	X	X	X									
MW-211		X			2/8/06	8:45	2	X	X	X									
MW-214		X			2/7/06	11:00	2	X	X	X									

Relinquished by : <u>[Signature]</u>	Company : <u>Superior Environmental</u>	Date : <u>2/8/06</u>	Time : <u>14:00</u>	Received by : <u>[Signature]</u>	Company : <u>Kroll</u>	Date : <u>2/8/06</u>	Time : <u>1403</u>
Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :
Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :

WHITE COPY : Accompany Samples

YELLOW COPY : Laboratory File

PINK COPY : Submitter

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-4

EAS Sample Number: 06020088-01

LIMS ID Number: AH01424

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis	Method	Analyst
-----------	------	-----------------	-------	----------	--------	---------

Chloride	520	1.0	mg/L	0208/06	SM 4500 Cl	JAA
Sulfate	110	20	mg/L	0220/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	99	10	mg/L	0210/06	SM 5310	HLM
Iron, Total	0.12	0.01	mg/L	02/14/06	MCVWW 200.7	JAA

Volatile Organic Compounds - 8021 List

Dichlorodifluoroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	4.4	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	1.7	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethane	840	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	1.5	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Benzene	0.51	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichloroethene	620	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-4

EAS Sample Number: 06020088-01

LIMS ID Number: AH01424

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis	Method	Analyst
-----------	------	-----------------	-------	----------	--------	---------

1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	3600	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoclorom	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-4
 EAS Sample Number: 06020088-01
 LIMS ID Number: AH01424
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-7
 EAS Sample Number: 06020088-02
 LIMS ID Number: AH01425
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	510	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	66	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	33	10	mg/L	02/10/06	SM 5310	HLM
Total Nitrogen	9.1	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	2.2	1.0	mg/L	02/10/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	0.48	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	0.13	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/13/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	7.7	0.50	ug/L	02/13/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Trichloroethene	6.7	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-7
EAS Sample Number: 06020088-02
LIMS ID Number: AH01425
Date Sample Received: 02/07/06
Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Tetrachloroethylene	71	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/13/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Bromoforn	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2,3-Trichloropropene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-7
EAS Sample Number: 06020088-02
LIMS ID Number: AH01425
Date Sample Received: 02/07/06
Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/13/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/13/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-8

EAS Sample Number: 06020088-03

LIMS ID Number: AH01426

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis	Method	Analyst
-----------	------	-----------------	-------	----------	--------	---------

Chloride	540	1.0	mg/L	0208/06	SM 4500 Cl	JAA
Sulfate	86	20	mg/L	0220/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	77	10	mg/L	0210/06	SM 5310	HLM
Iron, Total	0.32	0.01	mg/L	0214/06	MCAW 200.7	JAA

Volatile Organic Compounds - 8021 List

Dichlorodifluoromethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Vinyl Chloride	11	0.50	ug/L	0214/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,1,2-Tetrachloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	1.7	0.50	ug/L	0214/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	0214/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	290	0.50	ug/L	0214/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,1-Dichloropropane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Trichloroethene	66	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-8

EAS Sample Number: 06020088-03

LIMS ID Number: AH01426

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis	Method	Analyst
-----------	------	-----------------	-------	----------	--------	---------

1,1,2-Trichloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Tetrachloroethylene	210	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2-Dibromomethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,1,2-Tetrachloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
m,p-Xylene	ND	1.0	ug/L	0214/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Bromoforn	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	0214/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	0214/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-8
 EAS Sample Number: 06020088-03
 LIMS ID Number: AH01426
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-9
 EAS Sample Number: 06020088-04
 LIMS ID Number: AH01427
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	230	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	35	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	97	10	mg/L	02/10/06	SM 5310	HLM
Iron, Total	2.4	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						SW-846 8260 CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	14	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	0.93	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	19	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	2.5	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-9

EAS Sample Number: 06020088-04

LIMS ID Number: AH01427

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	27	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-9

EAS Sample Number: 06020088-04

LIMS ID Number: AH01427

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-10
 EAS Sample Number: 06020088-05
 LIMS ID Number: AH01428
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	180	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	150	40	mg/L	02/20/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	130	10	mg/L	02/10/06	SM 5310	HLM
Total Nitrogen	3.7	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	4.6	1.0	mg/L	02/10/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	0.28	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	4.6	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	190	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	4.5	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	7.9	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	1100	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Benzene	1.3	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichloroethene	410	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-10
 EAS Sample Number: 06020088-05
 LIMS ID Number: AH01428
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	1100	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-10

EAS Sample Number: 06020088-05

LIMS ID Number: AH01428

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-200

EAS Sample Number: 06020088-06

LIMS ID Number: AH01429

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	740	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	34	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	92	10	mg/L	02/10/06	SM 5310	HLM
Total Nitrogen	4.4	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	4.1	1.0	mg/L	02/10/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	2.6	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	2.7	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	240	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	1.3	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	3.4	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	17	2.0	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	760	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichloroethene	210	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-200
 EAS Sample Number: 06020088-06
 LIMS ID Number: AH01429
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	710	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-200
 EAS Sample Number: 06020088-06
 LIMS ID Number: AH01429
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-201

EAS Sample Number: 06020088-07

LIMS ID Number: AH01430

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	660	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	42	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	130	10	mg/L	02/10/06	SM 5310	HLM
Total Nitrogen	8.6	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	5.8	1.0	mg/L	02/10/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	21	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	1.8	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	13	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	49	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	4.2	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	2.6	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-201

EAS Sample Number: 06020088-07

LIMS ID Number: AH01430

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	5.2	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.60	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-201
 EAS Sample Number: 06020088-07
 LIMS ID Number: AH01430
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-202
 EAS Sample Number: 06020088-08
 LIMS ID Number: AH01431
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	230	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	99	20	mg/L	02/20/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	67	10	mg/L	02/10/06	SM 5310	HLM
Total Nitrogen	14	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	2.4	1.0	mg/L	02/10/06	SM 5310	HLM
Arsenic-Low Level, Total	0.0043	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	1.5	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	0.68	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						SW-846 8260 CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	3.1	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichloroethene	1.6	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-202
 EAS Sample Number: 06020088-08
 LIMS ID Number: AH01431
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis		Analyst
				Date	Method	
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	54	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-202
 EAS Sample Number: 06020088-08
 LIMS ID Number: AH01431
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis		Analyst
				Date	Method	
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-204
EAS Sample Number: 06020088-09
LIMS ID Number: AH01432
Date Sample Received: 02/07/06
Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	400	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	34	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	99	10	mg/L	02/10/06	SM 5310	HLM
Total Nitrogen	3.8	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	3.9	1.0	mg/L	02/10/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAPW 206.2	JAA
Iron, Total	11	0.01	mg/L	02/14/06	MCAPW 200.7	JAA
Manganese, Total	6.6	0.005	mg/L	02/14/06	MCAPW 200.7	JAA
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	14	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	0.58	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	0.90	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	27	2.0	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	210	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-204
EAS Sample Number: 06020088-09
LIMS ID Number: AH01432
Date Sample Received: 02/07/06
Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	630	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-204

EAS Sample Number: 06020088-09

LIMS ID Number: AH01432

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Unit	Analys	Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD	
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-206

EAS Sample Number: 06020088-10

LIMS ID Number: AH01433

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Unit	Analys	Date	Method	Analyst
Chloride	980	1.0	mg/L	02/08/06	SM 4500 Cl	JAA	
Sulfate	73	20	mg/L	02/20/06	SM 4500-SO ₄	WAB	
Total Inorganic Carbon	120	10	mg/L	02/10/06	SM 6310	HLM	
Total Nitrogen	11	0.50	mg/L	02/21/06	SM 4500-N	JAA	
Total Organic Carbon	7.9	1.0	mg/L	02/10/06	SM 5310	HLM	
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA	
Iron, Total	11	0.01	mg/L	02/14/06	MCAWW 200.7	JAA	
Manganese, Total	3.8	0.005	mg/L	02/14/06	MCAWW 200.7	JAA	
Volatile Organic Compounds - 8021 List							
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
1,1-Dichloroethene	9.7	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Methylene Chloride	0.69	0.50	ug/L	02/14/06	SW-846 8260	CAD	
trans-1,2-Dichloroethene	25	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Methyl-tert-butyl-ether	15	2.0	ug/L	02/14/06	SW-846 8260	CAD	
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
cis-1,2-Dichloroethene	3400	0.50	ug/L	02/14/06	SW-846 8260	CAD	
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Chloroform	2.9	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
1,1-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Benzene	0.95	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Trichloroethene	420	0.50	ug/L	02/14/06	SW-846 8260	CAD	
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD	

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-206
 EAS Sample Number: 06020088-10
 LIMS ID Number: AH01433
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	0.54	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	11000	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.60	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-206
 EAS Sample Number: 06020088-10
 LIMS ID Number: AH01433
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-208

EAS Sample Number: 06020088-11

LIMS ID Number: AH01434

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	560	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	23	20	mg/L	02/20/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	73	10	mg/L	02/13/06	SM 5310	HLM
Iron, Total	2.1	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	1800	2.0	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	3.5	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichloroethene	2.4	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-208

EAS Sample Number: 06020088-11

LIMS ID Number: AH01434

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	47	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-208
 EAS Sample Number: 06020088-11
 LIMS ID Number: AH01434
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-214
 EAS Sample Number: 06020088-12
 LIMS ID Number: AH01435
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	1000	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	58	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	80	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	3.5	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	3.0	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	2.1	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	1.6	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List				SW-846 8260		CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Vinyl Chloride	120	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroethane	18	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethene	2.8	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methylene Chloride	0.57	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	7.8	0.50	ug/L	02/14/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	18	2.0	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	1200	0.50	ug/L	02/14/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chloroform	10	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Trichloroethene	520	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-214
 EAS Sample Number: 06020088-12
 LIMS ID Number: AH01435
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Tetrachloroethylene	4100	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-214
 EAS Sample Number: 06020088-12
 LIMS ID Number: AH01435
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/14/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/14/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-205
 EAS Sample Number: 06020088-13
 LIMS ID Number: AH01436
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	780	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	65	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	89	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	7.9	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	5.1	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	4.6	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	4.3	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Vinyl Chloride	210	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloroethane	12	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloroethene	16	0.50	ug/L	02/17/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	44	0.50	ug/L	02/17/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	9.7	2.0	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	18000	0.50	ug/L	02/17/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloroform	7.0	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichloroethene	1400	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-205
 EAS Sample Number: 06020088-13
 LIMS ID Number: AH01436
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Tetrachloroethylene	16000	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/17/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-205

EAS Sample Number: 06020088-13

LIMS ID Number: AH01436

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/17/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/07/06

Sample Description: MW-2-D

EAS Sample Number: 06020088-14

LIMS ID Number: AH01437

Date Sample Received: 02/07/06

Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	540	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	120	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	58	10	mg/L	02/13/06	SM 5310	HLM
Iron, Total	0.063	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	16	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	0.70	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-2-D
EAS Sample Number: 06020088-14
LIMS ID Number: AH01437
Date Sample Received: 02/07/06
Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	31	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoforn	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/07/06
Sample Description: MW-2-D
EAS Sample Number: 06020088-14
LIMS ID Number: AH01437
Date Sample Received: 02/07/06
Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-215
 EAS Sample Number: 06020088-15
 LIMS ID Number: AH01438
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	190	1.0	mg/L	02/08/06	SM 4500 Cl	JAA
Sulfate	45	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	45	10	mg/L	02/13/06	SM 5310	HLM
Iron, Total	0.17	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						SW-846 8260 CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-215
 EAS Sample Number: 06020088-15
 LIMS ID Number: AH01438
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/07/06
 Sample Description: MW-215
 EAS Sample Number: 06020088-15
 LIMS ID Number: AH01438
 Date Sample Received: 02/07/06
 Client Project Number: HT1094.01

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-1S
 EAS Sample Number: 06020088-16
 LIMS ID Number: AH01477
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	60	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	110	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	110	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	2.1	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	3.3	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	0.0077	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	8.0	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	5.1	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Vinyl Chloride	230	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloroethene	3.0	0.50	ug/L	02/17/06	SW-846 8260	CAD
Methylene Chloride	0.65	0.50	ug/L	02/17/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	9.3	0.50	ug/L	02/17/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	700	0.50	ug/L	02/17/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Benzene	1.4	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichloroethene	99	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPRIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: MW-1S
EAS Sample Number: 06020088-16
LIMS ID Number: AH01477
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Tetrachloroethylene	140	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Ethylbenzene	3.1	0.50	ug/L	02/17/06	SW-846 8260	CAD
m/p-Xylene	1.2	1.0	ug/L	02/17/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromoforn	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Iaopropylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,3-Trichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	0.51	0.50	ug/L	02/17/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPRIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: MW-1S
EAS Sample Number: 06020088-16
LIMS ID Number: AH01477
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/17/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-20
 EAS Sample Number: 06020088-17
 LIMS ID Number: AH01478
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	1400	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	110	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	110	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	9.1	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	6.7	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	8.6	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	2.4	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-20
 EAS Sample Number: 06020088-17
 LIMS ID Number: AH01478
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: MW-20
EAS Sample Number: 06020088-17
LIMS ID Number: AH01478
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: MW-210
EAS Sample Number: 06020088-18
LIMS ID Number: AH01479
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	600	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	58	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	82	10	mg/L	02/13/06	SM 5310	HLM
Iron, Total	27	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Benzene	28	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Toluene	22	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: MW-210
EAS Sample Number: 06020088-18
LIMS ID Number: AH01479
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Tetrachloroethylene	1.8	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dibromochloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Ethylbenzene	2100	0.50	ug/L	02/16/06	SW-846 8260	CAD
m/p-Xylene	700	1.0	ug/L	02/16/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
o-Xylene	100	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromoforn	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Isopropylbenzene	130	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Propylbenzene	210	0.50	ug/L	02/16/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	180	0.50	ug/L	02/16/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	480	0.50	ug/L	02/16/06	SW-846 8260	CAD
sec-Butylbenzene	14	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
p-Isopropyltoluene	8.0	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Butylbenzene	23	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Naphthalene	260	0.50	ug/L	02/16/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: MW-210
EAS Sample Number: 06020088-18
LIMS ID Number: AH01479
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: MW-211

EAS Sample Number: 06020088-19

LIMS ID Number: AH01480

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	710	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	120	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	53	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	ND	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	1.6	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	0.13	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	1.1	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Vinyl Chloride	3.8	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Methylene Chloride	0.64	0.50	ug/L	02/17/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	0.96	0.50	ug/L	02/17/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	5.1	2.0	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	120	0.50	ug/L	02/17/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichloroethene	10	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Trichloroethene	10	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: MW-211

EAS Sample Number: 06020088-19

LIMS ID Number: AH01480

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Tetrachloroethylene	1400	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dibromooethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Ethylbenzene	0.69	0.50	ug/L	02/17/06	SW-846 8260	CAD
m,p-Xylene	ND	1.0	ug/L	02/17/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
o-Xylene	0.64	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromoforn	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Isopropylbenzene	8.9	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
n-Propylbenzene	2.1	0.50	ug/L	02/17/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3,5-Trimeethylbenzene	1.8	0.50	ug/L	02/17/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,4-Trimeethylbenzene	1.0	0.50	ug/L	02/17/06	SW-846 8260	CAD
sec-Butylbenzene	2.2	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-211
 EAS Sample Number: 06020088-19
 LIMS ID Number: AH01480
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/17/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/17/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-212
 EAS Sample Number: 06020088-20
 LIMS ID Number: AH01481
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	360	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	ND	20	mg/L	02/20/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	62	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	6.5	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	1.2	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	0.058	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	3.1	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	0.16	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Vinyl Chloride	8.9	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethene	1.3	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	2.6	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	60	2.0	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	710	0.50	ug/L	02/16/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichloroethene	130	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: MW-212

EAS Sample Number: 06020088-20

LIMS ID Number: AH01481

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Tetrachloroethylene	1900	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: MW-212

EAS Sample Number: 06020088-20

LIMS ID Number: AH01481

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-303
 EAS Sample Number: 06020088-21
 LIMS ID Number: AH01482
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	340	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	ND	20	mg/L	02/20/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	70	10	mg/L	02/13/06	SM 5310	HLM
Total Nitrogen	0.97	0.50	mg/L	02/21/06	SM 4500-N	JAA
Total Organic Carbon	1.1	1.0	mg/L	02/13/06	SM 5310	HLM
Arsenic-Low Level, Total	ND	0.004	mg/L	02/14/06	MCAWW 206.2	JAA
Iron, Total	9.8	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Manganese, Total	1.2	0.005	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	35	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	1.8	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	1.2	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-303
 EAS Sample Number: 06020088-21
 LIMS ID Number: AH01482
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	1.6	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-303
 EAS Sample Number: 06020088-21
 LIMS ID Number: AH01482
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-1D
 EAS Sample Number: 06020088-22
 LIMS ID Number: AH01483
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	570	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	85	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	61	10	mg/L	02/13/06	SM 5310	HLM
Iron, Total	0.11	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	2.0	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	7.9	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-1D
 EAS Sample Number: 06020088-22
 LIMS ID Number: AH01483
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	11	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-1D
 EAS Sample Number: 06020088-22
 LIMS ID Number: AH01483
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: MW-5

EAS Sample Number: 06020088-23

LIMS ID Number: AH01484

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	170	1.0	mg/L	02/17/06	SM 4500 Cl	JAA
Sulfate	46	20	mg/L	02/20/06	SM 4500-SO4	WAB
Total Inorganic Carbon	42	10	mg/L	02/13/06	SM 5310	HLM
Iron, Total	0.53	0.01	mg/L	02/14/06	MCAWW 200.7	JAA
Volatile Organic Compounds - 8021 List					SW-846 8260	CAD
Dichlorodifluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	3.2	2.0	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Trichloroethene	1.2	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: MW-5

EAS Sample Number: 06020088-23

LIMS ID Number: AH01484

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,1,2-Trichloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Tetrachloroethylene	8.7	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromoethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/15/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: MW-5
 EAS Sample Number: 06020088-23
 LIMS ID Number: AH01484
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/15/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 02/08/06
 Sample Description: Trip Blank
 EAS Sample Number: 06020088-24
 LIMS ID Number: AH01485
 Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Tetrachloroethylene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: Trip Blank
EAS Sample Number: 06020088-24
LIMS ID Number: AH01485
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromoethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 02/08/06
Sample Description: Equipment Blank
EAS Sample Number: 06020088-25
LIMS ID Number: AH01486
Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Vinyl Chloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichlorofluoromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methylene Chloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,2-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Methyl-tert-butyl-ether	ND	2.0	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,2-Dichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
2,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chloroform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Carbon Tetrachloride	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Benzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Trichloroethene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromomethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromodichloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
cis-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Toluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
trans-1,3-Dichloropropene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2-Trichloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Dibromochloromethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Tetrachloroethylene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

SUPERIOR ENVIRONMENTAL CORP.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 02/08/06

Sample Description: Equipment Blank

EAS Sample Number: 06020088-25

LIMS ID Number: AH01486

Date Sample Received: 02/08/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromoethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Chlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Ethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
m/p-Xylene	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
Styrene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
o-Xylene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromoform	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Isopropylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichloropropane	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Bromobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Propylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
2-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
4-Chlorotoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3,5-Trimethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
tert-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trimethylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
sec-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,3-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,4-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
p-Isopropyltoluene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
n-Butylbenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	02/16/06	SW-846 8260	CAD
1,2,4-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Naphthalene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
Hexachlorobutadiene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD
1,2,3-Trichlorobenzene	ND	0.50	ug/L	02/16/06	SW-846 8260	CAD

ND = Not Detected

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

EAS Laboratories, 105 Commercial Street, Watertown, CT 06795 Phone (860) 274-5461 Fax (860) 945-0449

Company Name: <u>Superior Environmental</u>				Analyses Requested										Sample Preservation									
Project Manager: <u>Rob McCarthy</u>		Invoice To: <u>Superior Env</u>		No. of Containers	(S) Solid, (L) Liquid, (O) Oil	Nitrogen	Iron - Total	Sulfate	TOC	TIC	Chloride	Manganese	VOCs - 2021	VOCs - 2021	VOCs - 2021	Cooler Temp (C°)							
Reports To: <u>Rob McCarthy</u>		P.O. Number:														Received Ice							
Project Location: <u>Dartwood Shopping Center</u>																Received Ambient							
Project Number: <u>HT1094.01</u>																Preserved (Yes) (No)							
Samplers Signature: <u>[Signature]</u>																EAS ID Number							
Date/Time Sample Collected	Comp.	Grab	Sample Description																				
2/8/06 11:00		X	MW-1S	6	L	X	X	X	X	X	X	X	X										
2/8/06 11:20		X	MW-20	6	L	X	X	X	X	X	X	X	X										
2/8/06 8:55		X	MW-210	5	L		X	X		X	X		X										
2/8/06 8:45		X	MW-211	6	L	X	X	X	X	X	X	X	X										
2/8/06 8:25		X	MW-212	6	L	X	X	X	X	X	X	X	X										
2/8/06 9:20		X	MW-303	6	L	X	X	X	X	X	X	X	X										
2/8/06 11:20		X	MW-1D	5	L		X	X		X	X		X										
2/8/06 10:45	45	X	MW-5	5	L		X	X		X	X		X										
2/8/06 10:45		X	Trip	2	L								X										
2/8/06 10:30		X	EB	2	L								X										
Relinquished By: (Signature) <u>[Signature]</u>		Date/Time <u>2/8/06 13:50</u>		Received By: (Signature) <u>[Signature]</u>		Comments/Remarks																	
Relinquished By: (Signature)		Date/Time		Received By: (Signature)																			
Relinquished By: (Signature)		Date/Time		Received By: (Signature)																			
												Turnaround Time Requested:						Project Complete:					

Company Name: Superior Env.		Analyses Requested		Sample Preservation	
Project Manager: Rob McElhenny		Invoice To: Superior		Cooler Temp (C°)	
Reports To: Rob McElhenny		P.O. Number:		Received Ice	
Project Location: Danawood Shopping Center				Received Ambient	
Project Number: HT1044.01		Samplers Signature: <i>[Signature]</i>		Preserved (Yes) (No)	
Date/Time Sample Collected		Sample Description		EAS ID Number	
2/7/06 13:40	X	MW-4	No. of Containers	(S) Solid, (L) Liquid, (O) Oil	
2/7/06 13:40	X	MW-7	5		
2/7/06 13:40	X	MW-8	6		
2/7/06 13:40	X	MW-9	5		
2/7/06 13:40	X	MW-10	6		
2/7/06 13:40	X	MW-200	6		
2/7/06 13:40	X	MW-201	6		
2/7/06 13:40	X	MW-202	6		
2/7/06 13:40	X	MW-204	6		
2/7/06 13:40	X	MW-206	6		
2/7/06 13:40	X	MW-208	6		
2/7/06 13:40	X	MW-214	6		
2/7/06 13:40	X	MW-205	6		
2/7/06 13:40	X	MW-2-D	5		
Relinquished By: (Signature) <i>[Signature]</i>		Date/Time <i>2/7/06</i>		Received By: (Signature) <i>[Signature]</i>	
Relinquished By: (Signature) <i>[Signature]</i>		Date/Time <i>2/7/06</i>		Received By: (Signature) <i>[Signature]</i>	
Relinquished By: (Signature) <i>[Signature]</i>		Date/Time <i>2/7/06</i>		Received By: (Signature) <i>[Signature]</i>	
Comments/Remarks: * elevated VOC's likely		Turnaround Time Requested: 1 wk		Project Complete:	

Page 2 of 2Page 2 of 2

Anaerobic Bioremediation Treatment site: **Dalewood**
Prepared by Chris Gobler for Geovation

* originally mislabeled as MW-206




Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 1 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

Laboratory Results

Total pages in data package: 9

<u>Lab Sample #</u>	<u>Client Sample ID</u>
P0606524-01	GTW 604
P0606524-02	MW-10
P0606524-03	MW-20
P0606524-04	MW-200
P0606524-05	MW-206
P0606524-06	MW-211
P0606524-07	MW-214



Microseeps test results meet all the requirements of the NELAC standards.

Approved By: *Robert McCarthy*

The analytical results reported here are reliable and usable to the precision expressed in this report. As required by some regulating authorities, a full discussion of the uncertainty in our analytical results can be obtained at our web site or through customer service. Unless otherwise specified, all results are reported on a wet weight basis.

As a valued client we would appreciate your comments on our service.

Please call customer service at (412)826-5245 or email customerservice@microseeps.com.

Case Narrative:

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 2 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
GTW 604	Water	P0606524-01	28 Jun. 06 2:46	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	1.800	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	2.400	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	1800.000	0.100	ug/L	AM20GAX	7/11/06	rw



N - NELAC certified analysis

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 3 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-10	Water	P0606524-02	28 Jun. 06 2:03	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.730	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	3.500	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	160.000	0.100	ug/L	AM20GAX	7/11/06	rw



N - NELAC certified analysis

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 4 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-20	Water	P0606524-03	29 Jun. 06 11:00	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.042	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	0.200	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	370.000	0.100	ug/L	AM20GAX	7/11/06	rw



N - NELAC certified analysis

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 5 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-200	Water	P0606524-04	29 Jun. 06 9:25	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	59.000	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	60.000	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	2500.000	0.100	ug/L	AM20GAX	7/11/06	rw



N - NELAC certified analysis

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 6 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

215 - (RPM)

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-206	Water	P0606524-05	28 Jun. 06 9:10	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>Risk Analysis</u>						
N Ethane	0.200	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	0.230	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	6.600	0.100	ug/L	AM20GAX	7/11/06	rw

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 7 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-211	Water	P0606524-06	28 Jun. 06 10:02	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.072	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	0.089	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	36.000	0.100	ug/L	AM20GAX	7/11/06	rw



N - NELAC certified analysis

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 8 of 8
Lab Proj #: P0606524
Report Date: 07/12/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-214	Water	P0606524-07	28 Jun. 06 7:56	30 Jun. 06 13:35		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.550	0.025	ug/L	AM20GAX	7/11/06	rw
N Ethene	3.200	0.025	ug/L	AM20GAX	7/11/06	rw
N Methane	350.000	0.100	ug/L	AM20GAX	7/11/06	rw





Microseeps
Lab. Proj. #

CHAIN - OF - CUSTODY RECORD

Microseeps
COC cont. #

1172

Phone: (412) 826-5245

Microseeps, Inc. - 220 William Pitt Way - Pittsburgh, PA 15238

Fax No.: (412) 826-3433

Company :

VHB

Co. Address :

54 Tottle Place, Middletown, CT

Phone # :

860-632-1500 Fax #: 860-632-7879

Proj. Manager :

Bob McCaskey

Proj. Name/Number :

Lab and Shipping Cakes / 8076906

Sampler's signature :

Cooler Temp.

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Time

Date

Sample Type
Water Vapor Solid

Sample Description

Sample ID

Boles

Parameters Requested

Results to: Rob McCaskey

VHB

54 Tottle Place

Middletown CT 06457

RMCCaskey@v4b.com

Invoice to: Kroll Inc.

Attn: Dennis

978-443-1833

Remarks :

Time :

Date :

Company :

Company :

Received by :

Time :

Date :

Company :

Company :

Received by :

Time :

Date :

Company :

Company :

WHITE COPY : Accompany Samples

YELLOW COPY : Laboratory File


PINK COPY : Submitter

July 27, 2006

VANASSE HANGEN BRUSTLIN, INC.
54 Tuttle Place
Middletown, CT 06457

Attention: Mr. Robert McCarthy

EAS Project Number: 06070002
Location Collected: Dalewood Shopping Center



Copies of this report and the supporting computer stored data are retained in our files in the event they are required for future reference.

Any sample submitted to our laboratory will be retained for a maximum of thirty (30) days from receipt of the report.

All analytical data, unless otherwise specified, is reported on a wet weight (as received) basis.

Our laboratory is a multi-state Certified Public Health Laboratory, offering a full range of analytical services that include:

Water and Wastewater Analysis
Hazardous Waste Analysis (RCRA)
Full Priority Pollutant Analysis
Drinking Water Analysis

A handwritten signature in black ink, appearing to read "Gregory C. Lawrence".

Gregory C. Lawrence
Laboratory Director

encl.

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: GTW-604

EAS Sample Number: 06070002-01

LIMS ID Number: AH07975

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	68	1.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	110	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	130	5.0	mg/L	07/07/06	SM 5310	RSL
Total Nitrogen	2.9	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	2.2	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	0.24	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	0.78	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	5.1	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	47	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	0.90	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichloroethene	40	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: GTW-604

EAS Sample Number: 06070002-01

LIMS ID Number: AH07975

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	9.9	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	510e	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: GTW-604

EAS Sample Number: 06070002-01

LIMS ID Number: AH07975

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-7

EAS Sample Number: 06070002-02

LIMS ID Number: AH07976

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	420	5.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	51	20	mg/L	07/25/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	41	5.0	mg/L	07/07/06	SM 5310	RSL
Total Nitrogen	6.6	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	2.1	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	0.039	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	0.036	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	9.3	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichloroethene	4.5	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-7
EAS Sample Number: 06070002-02
LIMS ID Number: AH07976
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	15	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromochloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoforn	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-7
EAS Sample Number: 06070002-02
LIMS ID Number: AH07976
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-10
EAS Sample Number: 06070002-03
LIMS ID Number: AH07977
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	100	1.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	180	50	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	130	5.0	mg/L	07/07/06	SM 5310	RSL
Total Nitrogen	1.0	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	4.8	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	3.2	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	5.6	0.005	mg/L	07/25/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	70	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	18	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	3.4	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	4.5	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	610e	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Benzene	0.51	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichloroethene	410e	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-10
EAS Sample Number: 06070002-03
LIMS ID Number: AH07977
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	420e	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 06/28/06
 Sample Description: MW-10
 EAS Sample Number: 06070002-03
 LIMS ID Number: AH07977
 Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 06/29/06
 Sample Description: MW-20
 EAS Sample Number: 06070002-04
 LIMS ID Number: AH07978
 Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	1500	20	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	ND	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	110	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	11	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	12	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	46	0.01	mg/L	07/25/06	MCAWW 200.7	HLM
Manganese, Total	1.8	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	4.4	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	1.4	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-20

EAS Sample Number: 06070002-04

LIMS ID Number: AH07978

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Tetrachloroethylene	6.5	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-20

EAS Sample Number: 06070002-04

LIMS ID Number: AH07978

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-200

EAS Sample Number: 06070002-05

LIMS ID Number: AH07979

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	440	20	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	27	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	100	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	3.5	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	5.0	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	4.7	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	6.6	0.005	mg/L	07/25/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	47	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	2.9	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	140	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichloroethene	23	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-200

EAS Sample Number: 06070002-05

LIMS ID Number: AH07979

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	61	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-200

EAS Sample Number: 06070002-05

LIMS ID Number: AH07979

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-201

EAS Sample Number: 06070002-06

LIMS ID Number: AH07980

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	160	2.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	ND	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	120	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	3.0	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	7.5	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	20	0.01	mg/L	07/25/06	MCAWW 200.7	HLM
Manganese, Total	2.3	0.005	mg/L	07/25/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	0.81	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	2.1	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	3.0	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	0.52	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/29/06
Sample Description: MW-201
EAS Sample Number: 06070002-06
LIMS ID Number: AH07980
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Tetrachloroethylene	0.62	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/29/06
Sample Description: MW-201
EAS Sample Number: 06070002-06
LIMS ID Number: AH07980
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/29/06
Sample Description: MW-202
EAS Sample Number: 06070002-07
LIMS ID Number: AH07981
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	2200	20	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	82	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	57	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	7.1	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	2.1	1.0	mg/L	07/07/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	1.9	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	0.62	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-Tert-butyl-ether	ND	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	1.1	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	0.68	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/29/06
Sample Description: MW-202
EAS Sample Number: 06070002-07
LIMS ID Number: AH07981
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Tetrachloroethylene	9.3	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.60	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
ter-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.60	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 06/29/06
 Sample Description: MW-202
 EAS Sample Number: 06070002-07
 LIMS ID Number: AH07981
 Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 06/29/06
 Sample Description: MW-204
 EAS Sample Number: 06070002-08
 LIMS ID Number: AH07982
 Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	370	4.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	ND	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	110	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	6.9	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	6.8	1.0	mg/L	07/07/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	47	0.01	mg/L	07/25/06	MCAWW 200.7	HLM
Manganese, Total	4.8	0.005	mg/L	07/25/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	8.9	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	9.2	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	88	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	27	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-204

EAS Sample Number: 06070002-08

LIMS ID Number: AH07982

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Tetrachloroethylene	96	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoforn	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.60	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: MW-204

EAS Sample Number: 06070002-08

LIMS ID Number: AH07982

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-205
EAS Sample Number: 06070002-09
LIMS ID Number: AH07983
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	940	10	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	36	20	mg/L	07/25/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	110	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	10	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	9.3	1.0	mg/L	07/06/06	SM 5310	RSL
Arsenic: Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	6.9	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	3.8	0.005	mg/L	07/25/06	MCAWW 200.7	HLM
Volatle Organic Compounds - 8021 List	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	520	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	7.1	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	9.4	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	40	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	6.1	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	6600	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimechylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimechylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-205
EAS Sample Number: 06070002-09
LIMS ID Number: AH07983
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	11000	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m,p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoforn	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimechylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimechylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-205

EAS Sample Number: 06070002-09

LIMS ID Number: AH07983

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-206

EAS Sample Number: 06070002-10

LIMS ID Number: AH07984

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	190	2.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	46	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	51	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	2.4	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	ND	1.0	mg/L	07/07/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	0.25	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	0.0063	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	0.71	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	8.5	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	4.0	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-206
EAS Sample Number: 06070002-10
LIMS ID Number: AH07984
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Tetrachloroethylene	58	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-206
EAS Sample Number: 06070002-10
LIMS ID Number: AH07984
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-211

EAS Sample Number: 06070002-11

LIMS ID Number: AH07985

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	540	5.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	ND	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	61	5.0	mg/L	07/07/06	SM 5310	RSL
Total Nitrogen	ND	0.50	mg/L	07/28/06	SM 4500-N	WAB
Total Organic Carbon	1.5	1.0	mg/L	07/07/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	0.051	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	1.3	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	10	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	21	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichloroethene	13	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-211

EAS Sample Number: 06070002-11

LIMS ID Number: AH07985

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	1400	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-211

EAS Sample Number: 06070002-11

LIMS ID Number: AH07985

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-212

EAS Sample Number: 06070002-12

LIMS ID Number: AH07986

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	270	5.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	54	20	mg/L	07/25/06	SM 4500-SO4	WAB
Total Inorganic Carbon	64	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	3.8	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	1.2	1.0	mg/L	07/07/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAWW 206.2	HLM
Iron, Total	2.1	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Manganese, Total	0.20	0.005	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Vinyl Chloride	13	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroethane	1.3	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethene	0.58	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	1.9	0.50	ug/L	07/10/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	24	2.0	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	450	0.50	ug/L	07/10/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chloroform	8.1	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Trichloroethene	140	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-212

EAS Sample Number: 06070002-12

LIMS ID Number: AH07986

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Tetrachloroethylene	1200	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-212

EAS Sample Number: 06070002-12

LIMS ID Number: AH07986

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-214
EAS Sample Number: 06070002-13
LIMS ID Number: AH07987
Date Sample Received: 06/29/06

Parameter	Date	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	2000	20	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	ND	20	mg/L	07/25/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	120	5.0	mg/L	07/10/06	SM 6310	RSL
Total Nitrogen	4.7	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	6.2	1.0	mg/L	07/07/06	SM 5310	RSL
Arsenic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCWW 206.2	HLM
Iron, Total	48	0.01	mg/L	07/25/06	MCWW 200.7	HLM
Manganese, Total	2.2	0.005	mg/L	07/25/06	SW 846 8260	DRP
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Chloromethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Vinyl Chloride	54	0.50	ug/L	07/10/06	SW 846 8260	DRP
Bromomethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Chloroethane	6.0	0.50	ug/L	07/10/06	SW 846 8260	DRP
Trichlorofluoromethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,1-Dichloroethene	1.1	0.50	ug/L	07/10/06	SW 846 8260	DRP
Methylene Chloride	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
trans-1,2-Dichloroethene	4.4	0.50	ug/L	07/10/06	SW 846 8260	DRP
Methyl tert-butyl-ether	7.3	2.0	ug/L	07/10/06	SW 846 8260	DRP
1,1-Dichloroethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
cis-1,2-Dichloroethene	1000	0.50	ug/L	07/10/06	SW 846 8260	DRP
2,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Chloroform	4.5	0.50	ug/L	07/10/06	SW 846 8260	DRP
Bromochloromethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,1,1-Trichloroethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,1-Dichloropropene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,2-Dichloroethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Carbon Tetrachloride	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Benzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Trichloroethene	360	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,2-Dichloropropane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Dibromomethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-214
EAS Sample Number: 06070002-13
LIMS ID Number: AH07987
Date Sample Received: 06/29/06

Parameter	Date	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Toluene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,1,2-Trichloroethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,3-Dichloropropane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Dibromochloromethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Tetrachloroethylene	2500	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,2-Dibromoethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Chlorobenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Ethylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
m/p-Xylene	ND	1.0	ug/L	07/10/06	SW 846 8260	DRP
Styrene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
o-Xylene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Bromochloroform	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Isopropylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,2,3-Trichloropropane	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
Bromobenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
n-Propylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
2-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
4-Chlorotoluene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
tert-Butylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
sec-Butylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,3-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,4-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
p-Isopropyltoluene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
1,2-Dichlorobenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP
n-Butylbenzene	ND	0.50	ug/L	07/10/06	SW 846 8260	DRP

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-214
EAS Sample Number: 06070002-13
LIMS ID Number: AH07987
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/10/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/10/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
Date Sample Collected: 06/28/06
Sample Description: MW-303
EAS Sample Number: 06070002-14
LIMS ID Number: AH07988
Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Chloride	290	1.0	mg/L	07/24/06	SM 4500 Cl	WAB
Sulfate	29	20	mg/L	07/25/06	SM 4500-SO ₄	WAB
Total Inorganic Carbon	79	5.0	mg/L	07/10/06	SM 5310	RSL
Total Nitrogen	1.4	0.50	mg/L	07/26/06	SM 4500-N	WAB
Total Organic Carbon	1.3	1.0	mg/L	07/07/06	SM 5310	RSL
Aromatic-Low Level, Total	ND	0.004	mg/L	07/24/06	MCAPWW 206.2	HLM
Iron, Total	6.2	0.01	mg/L	07/24/06	MCAPWW 200.7	HLM
Manganese, Total	1.3	0.005	mg/L	07/24/06	MCAPWW 200.7	HLM
Volatile Organic Compounds - 8021 List						
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	68	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	5.7	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	2.8	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-303

EAS Sample Number: 06070002-14

LIMS ID Number: AH07988

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Tetrachloroethylene	14	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/28/06

Sample Description: MW-303

EAS Sample Number: 06070002-14

LIMS ID Number: AH07988

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: Equipment Blank

EAS Sample Number: 06070002-15

LIMS ID Number: AH07989

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Iron, (Total)	0.044	0.01	mg/L	07/24/06	MC4AW 200.7	HTLM
Volatile Organic Compounds - 8021 List	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	2.4	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	0.61	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center

Date Sample Collected: 06/29/06

Sample Description: Equipment Blank

EAS Sample Number: 06070002-15

LIMS ID Number: AH07989

Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Tetrachloroethylene	3.0	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromochloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 06/29/06
 Sample Description: Trip Blank
 EAS Sample Number: 06070002-16
 LIMS ID Number: AH07990
 Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Iron, Total	ND	0.01	mg/L	07/24/06	MCAWW 200.7	HLM
Volatile Organic Compounds - 8021 List					SW-846 8260	DRF
Dichlorodifluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Vinyl Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichlorofluoromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methylene Chloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Methyl-tert-butyl-ether	ND	2.0	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,2-Dichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chloroform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Carbon Tetrachloride	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Benzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Trichloroethene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromomethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromodichloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
cis-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Toluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
trans-1,3-Dichloropropene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2-Trichloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Dibromochloromethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

VANASSE HANGEN BRUSTLIN, INC.

Location Collected: Dalewood Shopping Center
 Date Sample Collected: 06/29/06
 Sample Description: Trip Blank
 EAS Sample Number: 06070002-16
 LIMS ID Number: AH07990
 Date Sample Received: 06/29/06

Parameter	Data	Detection Limit	Units	Analysis Date	Method	Analyst
Tetrachloroethylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromoethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Chlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Ethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
m/p-Xylene	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
Styrene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
o-Xylene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromoform	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Isopropylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichloropropane	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Bromobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Propylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
2-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
4-Chlorotoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3,5-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
tert-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trimethylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
sec-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,3-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,4-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
p-Isopropyltoluene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
n-Butylbenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2-Dibromo-3-Chloropropane	ND	1.0	ug/L	07/11/06	SW-846 8260	DRF
1,2,4-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Naphthalene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
Hexachlorobutadiene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF
1,2,3-Trichlorobenzene	ND	0.50	ug/L	07/11/06	SW-846 8260	DRF

ND = Not Detected

EAS Project Number: 06070002
Location Collected: Dalewood Shopping Center

EAS Certifications:

Connecticut Certified Laboratory Number: PH 0558

Massachusetts Certified Laboratory Number: M-CT020

Maine Certified Laboratory Number: CT 020

New York Certified Laboratory Number: 10916

Rhode Island Certified Number: 139

The enclosed analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 18th Edition, 1992
2. Clean Water Act, List of Approved Test Procedures, 40 CFR
3. EPA Test Methods for the Evaluation of solid Waste, SW-846, 3rd Edition, January 1998

EAS LABORATORIES

CHAIN OF CUSTODY

105 Commercial Street, Watertown, CT 06795 Phone (860) 274-5461 Fax (860) 945-0449

Analysis Requested

Company Name: <u>Vanasse Hangen Brustlin (VHB)</u>		Report Contact: <u>Rob McElCarthy</u>		Invoice Contact: <u>Rob McElCarthy</u>	
Project Number: <u>1001</u>		P.O. Number: <u>1001</u>		Project Location: <u>Dalewood Shopping Center</u>	
Samplers Name/Signature: <u>Amber M. Munka / J. J. Munka</u>					
Date/Time of Collection:	Sample Identification	Comp.	Grab	Matrix	Number of Containers
6/24/06	CTW-604				
6/28/06	MW-7				
6/28/06	MW-10				
6/28/06	MW-20				
6/28/06	MW-200				
6/28/06	MW-201				
6/28/06	MW-202				
6/28/06	MW-204				
6/28/06	MW-205				
6/28/06	MW-206				
6/28/06	MW-211				
6/28/06	MW-212				
Sample Receipt		EAS Use Only		Matrix Code: A-Air S-Soil SD-Solid DW-Drinking Water SW-Surface Water GW-Ground Water WW-Waste Water O-Oil	
Cooler Present: <u>(Yes) No</u>	Seals Intact: <u>(Yes) No</u>	Preservation Code: 1-Non Preserved 2-Hydrochloric Acid 3-Sulfuric Acid 4-Nitric Acid 5-Sodium Hydroxide 6-Sodium Hydroxide + Zinc Acetate 7-Methanol 8-Sodium Bisulfate			
Sample Receipt: <u>Ambient</u>	Sample Temp: <u>1001</u>				
Relinquished by (Signature): <u>[Signature]</u>	Date/Time: <u>6/24/06</u>	Received by (Signature): <u>[Signature]</u>	Date/Time: <u>6/24/06</u>		
Relinquished by (Signature): <u>[Signature]</u>	Date/Time: <u>6/24/06</u>	Received by (Signature): <u>[Signature]</u>	Date/Time: <u>6/24/06</u>		
Relinquished by (Signature): <u>[Signature]</u>	Date/Time: <u>6/24/06</u>	Received by (Signature): <u>[Signature]</u>	Date/Time: <u>6/24/06</u>		
Comments/Data Format:		Quality Control Requirements: CT-RCP MA-MCP Other: <u>Project Complete Date:</u>			
Turnaround Time Requested:					

White: Lab, Canary: File, Pink: Customer

EAS Laboratory

Sample Preparation Guide

These holding times begin at the time of sample collection

Analysis	Solid Samples			Liquid Samples		
	Hold Time (Days)	Sample Volume	Preservation	Hold Time (Days)	Sample Volume	Preservation
Inorganic Analyses						
Acidity	NA	NA	NA	14	1 X 250 ml G,P	NP
Alkalinity	NA	NA	NA	14	1 X 250 ml G,P	NP
Ammonia	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	H2SO4
Bacteria	NA	NA	NA	Immediate	1 X Bacteria Cup	NP
Biological Oxygen Demand (BOD)	NA	NA	NA	2	1 X 250 ml G,P	NP
Chemical Oxygen Demand (COD)	NA	NA	NA	28	1 X 250 ml G,P	H2SO4
Chloride	NA	NA	NA	28	1 X 125 ml G,P	NP
Chlorine, Total Residual	NA	NA	NA	Immediate	1 X 250 ml G,P	NP
Chromium, Hexavalent (Cr6+)	1	1 X 4 oz G	NP	1	1 X 125 ml G,P	NP
Cyanide, Total & Amenable	14	1 X 4 oz G	NP	14	1 X 250 ml G,P	NaOH
Dissolved Oxygen	NA	NA	NA	Immediate	1 X 250 ml G,BOD	NP
Flashpoint (Ignitibility)	7	1 X 4 oz G	NP	7	1 X 250 ml G,P	NP
Fluoride	28	1 X 4 oz G	NP	28	1 X 125 ml G,P	NP
Hardness	NA	NA	NA	180	1 X 250 ml G,P	HNO3
Hydrogen Ion (pH)	Immediate	1 X 4 oz G	NP	Immediate	1 X 125 ml G,P	NP
Mercury (Hg)	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	HNO3
Metals, Dissolved (FF) (Except Cr6+ & Hg)	NA	NA	NA	180	1 X 250 ml G,P	HNO3
Metals, Dissolved (Not FF) (Except Cr6+ & Hg)	NA	NA	NA	180	1 X 500 ml G,P	NP
Metals, Total (Except Hex Chrome & Mercury)	180	1 X 4 oz G	NP	180	1 X 250 ml G,P	HNO3
Nitrate	2	1 X 4 oz G	NP	2	1 X 125 ml G,P	NP
Nitrate-Nitrite	28	1 X 4 oz G	NP	28	1 X 125 ml G,P	H2SO4
Nitrite	NA	NA	NA	2	1 X 125 ml G,P	NP
Nitrogen, Kjeldahl & Organic	28	1 X 4 oz G	NP	28	1 X 500 ml G,P	H2SO4
Paint Filter	28	1 X 4 oz G	NP	28	1 X 250 ml G	NP
Phenols, Total	NA	NA	NA	28	1 X 500 ml AG	H2SO4
Phosphate, ortho	NA	NA	NA	2	1 X 250 ml G, P	NP
Phosphate, Total	NA	NA	NA	28	1 X 250 ml G,P	H2SO4
Settleable Solids, Total	NA	NA	NA	2	1 X 250 ml G,P	NP
Specific Conductance	28	1 X 8 oz G	NP	28	1 X 250 ml G,P	NP
Sulfate	28	1 X 4 oz G	NP	28	1 X 125 ml G,P	NP
Sulfide	7	1 X 8 oz G	NP	7	1 X 500 ml G,P	ZnAc + NaOH
Sulfite	NA	NA	NA	Immediate	1 X 125 ml G,P	NP
Surfactants	NA	NA	NA	2	1 X 250 ml G,P	NP
Suspended Solids	NA	NA	NA	7	1 X 250 ml G,P	NP
Synthetic Precipitation Leaching Procedure (SPLP)	14	1 X 8 oz G	NP	NA	NA	NA
Toxicity Characteristic Leaching Procedure (TCLP)	14	1 X 8 oz G	NP	NA	NA	NA
Organic Analyses						
Base Neutral & Acid Extractable (BNAs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Connecticut ETPH	14	1 X 4 oz G	NP	7	1 X 1 L AG	HCl
Formaldehyde	14	1 X 4 oz G	NP	3	1 X 500 ml AG	NP
Herbicides	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Oil & Grease	28	1 X 4 oz G	NP	28	1 X 1 L AG	HCL
Polychlorinated Biphenyls (PCBs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Polychlorinated Biphenyls (PCBs) in Oil	14	1 X 40 ml G Vial	NP	NA	NA	NA
Polynuclear Aromatic Hydrocarbons (PAHs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Semi-Volatile Organic Compounds (SVOCs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Total Halides (TX), (TOX) & (EOX)	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	H2SO4
Total Organic Carbon (TOC)	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	H2SO4
Total Petroleum Hydrocarbons (TPH)	28	1 X 4 oz G	NP	28	1 X 1 L AG	HCL
Volatile Organic Compounds (VOCs) **	14	1 X 40 ml AG Vial 2 X 40 ml AG Vial	MeOH NaHSO4	14	2 X 40 ml AG Vial	HCL

Notes: All Samples should be cooled below 6.0 degrees C.

** Please add 5 grams of solid to the MeOH vial and 5 grams to each of the NaHSO4 vials

THESE ARE ONLY GUIDELINES, PLEASE CONSULT WITH LABORATORY PERSONNEL PRIOR TO SAMPLE COLLECTION

Key	
AG - Amber Glass	MeOH - Methanol
Cr6+ - Hexavalent Chromium	ml - milliliter
FF - Field Filtered	NA - Not Applicable
G - Glass Jar	NaHSO4 - Sodium Bio Sulfate
H2SO4 - Sulfuric Acid	NaOH - Sodium Hydroxide
HCL - Hydrochloric Acid	NP - Non-preserved
Hg - Mercury	P - Poly (HDPE)
HNO3 - Nitric Acid	ZnAc - Zinc Acetate
L - Liter	

EAS Laboratory

Sample Preparation Guide

These holding times begin at the time of sample collection

Analysis	Solid Samples			Liquid Samples		
	Hold Time (Days)	Sample Volume	Preservation	Hold Time (Days)	Sample Volume	Preservation
Inorganic Analyses						
Acidity	NA	NA	NA	14	1 X 250 ml G,P	NP
Alkalinity	NA	NA	NA	14	1 X 250 ml G,P	NP
Ammonia	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	H2SO4
Bacteria	NA	NA	NA	Immediate	1 X Bacteria Cup	NP
Biological Oxygen Demand (BOD)	NA	NA	NA	2	1 X 250 ml G,P	NP
Chemical Oxygen Demand (COD)	NA	NA	NA	28	1 X 250 ml G,P	H2SO4
Chloride	NA	NA	NA	28	1 X 125 ml G,P	NP
Chlorine, Total Residual	NA	NA	NA	Immediate	1 X 250 ml G,P	NP
Chromium, Hexavalent (Cr6+)	1	1 X 4 oz G	NP	1	1 X 125 ml G,P	NP
Cyanide, Total & Amenable	14	1 X 4 oz G	NP	14	1 X 250 ml G,P	NaOH
Dissolved Oxygen	NA	NA	NA	Immediate	1 X 250 ml G,BOD	NP
Flashpoint (Ignitibility)	7	1 X 4 oz G	NP	7	1 X 250 ml G,P	NP
Fluoride	28	1 X 4 oz G	NP	28	1 X 125 ml G,P	NP
Hardness	NA	NA	NA	180	1 X 250 ml G,P	HNO3
Hydrogen Ion (pH)	Immediate	1 X 4 oz G	NP	Immediate	1 X 125 ml G,P	NP
Mercury (Hg)	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	HNO3
Metals, Dissolved (FF) (Except Cr6+ & Hg)	NA	NA	NA	180	1 X 250 ml G,P	HNO3
Metals, Dissolved (Not FF)(Except Cr6+ & Hg)	NA	NA	NA	180	1 X 500 ml G,P	NP
Metals, Total (Except Hex Chrome & Mercury)	180	1 X 4 oz G	NP	180	1 X 250 ml G,P	HNO3
Nitrate	2	1 X 4 oz G	NP	2	1 X 125 ml G,P	NP
Nitrate-Nitrite	28	1 X 4 oz G	NP	28	1 X 125 ml G,P	H2SO4
Nitrite	NA	NA	NA	2	1 X 125 ml G,P	NP
Nitrogen, Kjeldahl & Organic	28	1 X 4 oz G	NP	28	1 X 500 ml G,P	H2SO4
Paint Filter	28	1 X 4 oz G	NP	28	1 X 250 ml G	NP
Phenols, Total	NA	NA	NA	28	1 X 500 ml AG	H2SO4
Phosphate, ortho	NA	NA	NA	2	1 X 250 ml G, P	NP
Phosphate, Total	NA	NA	NA	28	1 X 250 ml G,P	H2SO4
Settleable Solids, Total	NA	NA	NA	2	1 X 250 ml G,P	NP
Specific Conductance	28	1 X 8 oz G	NP	28	1 X 250 ml G,P	NP
Sulfate	28	1 X 4 oz G	NP	28	1 X 125 ml G,P	NP
Sulfide	7	1 X 8 oz G	NP	7	1 X 500 ml G,P	ZnAc + NaOH
Sulfite	NA	NA	NA	Immediate	1 X 125 ml G,P	NP
Surfactants	NA	NA	NA	2	1 X 250 ml G,P	NP
Suspended Solids	NA	NA	NA	7	1 X 250 ml G,P	NP
Synthetic Precipitation Leaching Procedure (SPLP)	14	1 X 8 oz G	NP	NA	NA	NA
Toxicity Characteristic Leaching Procedure (TCLP)	14	1 X 8 oz G	NP	NA	NA	NA
Organic Analyses						
Base Neutral & Acid Extractable (BNAs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Connecticut ETPH	14	1 X 4 oz G	NP	7	1 X 1 L AG	HCl
Formaldehyde	14	1 X 4 oz G	NP	3	1 X 500 ml AG	NP
Herbicides	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Oil & Grease	28	1 X 4 oz G	NP	28	1 X 1 L AG	HCL
Polychlorinated Biphenyls (PCBs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Polychlorinated Biphenyls (PCBs) in Oil	14	1 X 40 ml G Vial	NP	NA	NA	NA
Polynuclear Aromatic Hydrocarbons (PAHs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Semi-Volatile Organic Compounds (SVOCs)	14	1 X 4 oz G	NP	7	1 X 1 L AG	NP
Total Halides (TX), (TOX) & (EOX)	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	H2SO4
Total Organic Carbon (TOC)	28	1 X 4 oz G	NP	28	1 X 250 ml G,P	H2SO4
Total Petroleum Hydrocarbons (TPH)	28	1 X 4 oz G	NP	28	1 X 1 L AG	HCL
Volatile Organic Compounds (VOCs) **	14	1 X 40 ml AG Vial 2 X 40 ml AG Vial	MeOH NaHSO4	14	2 X 40 ml AG Vial	HCL

Notes: All Samples should be cooled below 6.0 degrees C.

** Please add 5 grams of solid to the MeOH vial and 5 grams to each of the NaHSO4 vials

THESE ARE ONLY GUIDELINES, PLEASE CONSULT WITH LABORATORY PERSONNEL PRIOR TO SAMPLE COLLECTION

Key	
AG - Amber Glass	MeOH - Methanol
Cr6+ - Hexavalent Chromium	ml - milliliter
FF - Field Filtered	NA - Not Applicable
G - Glass Jar	NaHSO4 - Sodium Bio Sulfate
H2SO4 - Sulfuric Acid	NaOH - Sodium Hydroxide
HCL - Hydrochloric Acid	NP - Non-preserved
Hg - Mercury	P - Poly (HDPE)
HNO3 - Nitric Acid	ZnAc - Zinc Acetate
L - Liter	

RESULTS OF BIOGEOCHEMICAL ANALYSES OF GROUND-WATER SAMPLES

Client: Kroll Associates Site: Dalewood

Sample Date: 19-20 September 2006

Analyses Conducted by Dr.Chris Gobler (SUNY Stony Brook, MSRC) for Geovation Consultants, Inc.

Sample ID	MW-1S	MW-10	MW-20	MW-200	MW-204	MW-205	MW-206	MW-214	MW-7	MW-212	MW-211	MW-303	Analytical Method
Date sampled	9/19/2006	9/19/2006	9/19/2006	9/19/2006	9/19/2006	9/19/2006	9/19/2006	9/19/2006	9/19/2006	9/20/2006	9/20/2006	9/20/2006	
Date Received	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	10/2/2006	
Date Analyzed	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	10/5/2006	
Biogeochemical parameter	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
Ammonium	1.9205	2.0700	13.6709	5.2769	3.7094	5.7077	5.7197	3.3205	0.1071	0.3655	0.0694	1.9564	EPA colorimetric
Nitrite	0.0412	0.0238	0.0324	0.0225	0.0218	0.0610	0.0449	0.0308	0.0208	0.0218	0.0199	0.0227	EPA colorimetric
Nitrate	0.2376	0.0541	0.1097	0.1049	0.0352	0.4619	0.4946	2.3053	4.4730	1.9517	0.0277	0.2094	difference
Total Nitrate/Nitrite	0.2787	0.0780	0.1421	0.1274	0.0570	0.5229	0.5394	2.3360	4.4939	1.9734	0.0476	0.2321	spongy cadmium
Orthophosphate	0.0031	0.0006	0.0005	0.0053	0.0034	0.0034	0.0065	0.0096	0.0006	0.0205	0.0068	0.0096	EPA colorimetric
Hydrolyzable Phosphate	0.0051	0.0010	0.0007	0.0100	0.0067	0.0042	0.0086	0.0149	0.0009	0.0387	0.0130	0.0102	sulfuric acid digest
Total Phosphates	0.0082	0.0016	0.0012	0.0153	0.0101	0.0076	0.0151	0.0245	0.0015	0.0591	0.0198	0.0198	Calculated sum



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 1 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

Laboratory Results

Total pages in data package: 9

<u>Lab Sample #</u>	<u>Client Sample ID</u>
P0609300-01	MW-1S
P0609300-02	MW-10
P0609300-03	MW-20
P0609300-04	MW-200
P0609300-05	MW-206
P0609300-06	MW-211
P0609300-07	MW-214

Microseeps test results meet all the requirements of the NELAC standards.

Approved By: Char Wasplaski

The analytical results reported here are reliable and usable to the precision expressed in this report. As required by some regulating authorities, a full discussion of the uncertainty in our analytical results can be obtained at our web site or through customer service. Unless otherwise specified, all results are reported on a wet weight basis.

*As a valued client we would appreciate your comments on our service.
Please call customer service at (412)826-5245 or email customerservice@microseeps.com.*

Case Narrative:

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 2 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-1S	Water	P0609300-01	19 Sep. 06 13:45	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	1.300	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	34.000	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	1200.000	0.100	ug/L	AM20GAX	9/29/06	rw



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 3 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-10	Water	P0609300-02	19 Sep. 06 13:30	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>Risk Analysis</u>						
N Ethane	2.300	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	1.300	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	540.000	0.100	ug/L	AM20GAX	9/29/06	rw



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 4 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-20	Water	P0609300-03	19 Sep. 06 12:30	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>Risk Analysis</u>						
N Ethane	0.026	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	0.048	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	38.000	0.100	ug/L	AM20GAX	9/29/06	rw



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 5 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-200	Water	P0609300-04	19 Sep. 06 11:45	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>Risk Analysis</u>						
N Ethane	61.000	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	19.000	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	2300.000	0.100	ug/L	AM20GAX	9/29/06	rw



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 6 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-206	Water	P0609300-05	19 Sep. 06 9:30	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	68.000	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	28.000	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	690.000	0.100	ug/L	AM20GAX	9/29/06	rw



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 7 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-211	Water	P0609300-06	20 Sep. 06 9:40	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.470	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	0.065	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	440.000	0.100	ug/L	AM20GAX	9/29/06	rw



N - NELAC certified analysis

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 8 of 8
Lab Proj #: P0609300
Report Date: 10/02/06
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-214	Water	P0609300-07	19 Sep. 06 10:20	21 Sep. 06 10:58		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	6.100	0.025	ug/L	AM20GAX	9/29/06	rw
N Ethene	13.000	0.025	ug/L	AM20GAX	9/29/06	rw
N Methane	2000.000	0.100	ug/L	AM20GAX	9/29/06	rw





Microseeps
Lab. Proj. #

CHAIN - OF - CUSTODY RECORD

Microseeps
COC cont. #

1643

Phone: (412) 826-5245

Microseeps, Inc. - 220 William Pitt Way - Pittsburgh, PA 15238

Fax No. : (412) 826-3433

Company :

Co. Address :

Phone # :

Fax # :

Proj. Manager :

Proj. Name/Number :

Sampler's signature :

Cooler Temp.

Parameters Requested

Results to : Rob Kennedy

VHP

54 Talle Place

Bridgton, CT 06407

203-445-1111

Invoice to :

Kent, Inc.

New Bedford

978-445-1111

Sample ID	Sample Description	Sample Type			Date	Time	# bottles											Remarks :
		Water	Vapor	Solid														
MB-15		x			9/9	1:15	2	x	x	x								
MB-10		x			9/9	1:30	2	x	x	x								
MB-20		x			9/9	2:15	2	x	x	x								
MB-200		x			9/9	4:15	2	x	x	x								
MB-200		x			9/9	9:10	2	x	x	x								
MB-200		x			9/9	9:50	2	x	x	x								
MB-204		x			9/9	10:10	2	x	x	x								

Relinquished by : [Signature]	Company : VHP	Date : 9/10	Time : 1:15	Received by : [Signature]	Company : VHP	Date : 9/10	Time : 1:15
Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :
Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :

WHITE COPY : Accompany Samples

YELLOW COPY : Laboratory File

PINK COPY : Submitter



Tuesday, October 03, 2006

EAS Laboratories
105 Commercial Street
Watertown CT 06795

Attention: Mr Peter Malloy
Sample ID#: AH53171-53186

This laboratory is in compliance with the QA/QC procedure outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, and SW846 QA/QC requirements of procedures used.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller
Laboratory Director

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date Time

09/19/06 13:45
09/21/06 14:30

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53171

Client ID: DALEWOOD-KROLL MW-IS

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	2.17	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	0.007	0.004	mg/L	09/25/06		EKT	200.7/8010
Iron	6.09	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	4.76	0.01	mg/L	09/26/06		EK	200.7/8010
Chloride	43	3.0	mg/L	09/22/06		J/E	300.0
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	2:01	J/E	300.0
Nitrate as Nitrogen	0.77	0.05	mg/L	09/22/06	2:01	J/E	300.0
Sulfate	140	3.0	mg/L	09/22/06	2:01	J/E	300.0
Tot.Inorg.Carbon	97.3	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	1.4	0.1	mg/L	09/25/06		WM	E351.1
Tot.Org.Carbon	3.90	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	

Volatiles

1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethene	1.2	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260



Environmental Laboratories, Inc.
687 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date Time

09/19/06 13:00
09/21/06 14:30

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53172

Client ID: DALEWOOD-KROLL MW-7

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	6.53	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	0.01	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	0.113	0.001	mg/L	09/25/06		EKT	200.7/6010
Chloride	400	30	mg/L	09/25/06		J/E	300.0
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	3:02	J/E	300.0
Nitrate as Nitrogen	6.2	0.05	mg/L	09/22/06	3:02	J/E	300.0
Sulfate	74	3.0	mg/L	09/22/06	3:02	J/E	300.0
Tot. Inorg. Carbon	15.4	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	0.33	0.1	mg/L	09/25/06		WM	E351.1
Tot. Org. Carbon	1.90	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	

Volatiles

1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/21/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloroethene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-7

Phoenix I.D.: AH53172

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dibromoethane (EDB)	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/21/06		RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/21/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
Acetone	ND	5.0	ug/L	09/21/06		RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/21/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/21/06		RM	SW8260
Bromoform	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/21/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/21/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloroform	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
cis-1,2-Dichloroethene	37	1.0	ug/L	09/21/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/21/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	09/21/06		RM	SW8260
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/21/06		RM	SW8260
Methyl tert-butyl ether (MTBE)	3.0	2.0	ug/L	09/21/06		RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/21/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/21/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/21/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-7

Phoenix I.D.: AH53172

Parameter	Result	RL	Units	Date	Time	By	Reference
p&m-Xylene	ND	1.0	ug/L	09/21/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/21/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Tetrachloroethene	50	1.0	ug/L	09/21/06		RM	SW8260
Tetrahydrofuran	ND	5.0	ug/L	09/21/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/21/06		RM	SW8260
Total Xylenes	ND	1	ug/L	09/21/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/21/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	09/21/06		RM	SW8260
Trichloroethene	13	1.0	ug/L	09/21/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/21/06		RM	SW8260
Vinyl chloride	5.0	1.0	ug/L	09/21/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	113		%	09/21/06		RM	SW8260
% Bromofluorobenzene	84		%	09/21/06		RM	SW8260
% Dibromofluoromethane	118		%	09/21/06		RM	SW8260
% Toluene-d8	91		%	09/21/06		RM	SW8260

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


Phyllis Shiller, Laboratory Director
October 04, 2006

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 570, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date Time

09/19/06 13:30
09/21/06 14:30

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53173

Client ID: DALEWOOD-KROLL MW-10

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	1.28	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	1.08	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	3.83	0.01	mg/L	09/26/06		EK	200.7/6010
Chloride	81	3.0	mg/L	09/22/06		J/E	300.0
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	3:12	J/E	300.0
Nitrate as Nitrogen	0.18	0.05	mg/L	09/22/06	3:12	J/E	300.0
Sulfate	130	3.0	mg/L	09/22/06	3:12	J/E	300.0
Tot.Inorg.Carbon	98.1	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	1.1	0.1	mg/L	09/25/06		WM	E351.1
Tot.Org.Carbon	3.60	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethene	2.8	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-10							Phoenix LD: AH53173						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
1,2-Dibromo-3-chloropropane	ND	1.0	u/L	09/22/06		RM SW8260	p&m-Xylene	ND	1.0	u/L	09/22/06		RM SW8260
1,2-Dichlorobenzene	ND	1.0	u/L	09/22/06		RM SW8260	Styrene	ND	1.0	u/L	09/22/06		RM SW8260
1,3-Dichlorobenzene	ND	1.0	u/L	09/22/06		RM SW8260	sec-Butylbenzene	ND	1.0	u/L	09/22/06		RM SW8260
1,3,5-Trimeethylbenzene	ND	1.0	u/L	09/22/06		RM SW8260	tert-Butylbenzene	ND	1.0	u/L	09/22/06		RM SW8260
1,4-Dichlorobenzene	ND	1.0	u/L	09/22/06		RM SW8260	Tetrahydrofuran	ND	5.0	u/L	09/22/06		RM SW8260
1,4-Dichloropropene	ND	1.0	u/L	09/22/06		RM SW8260	Toluene	ND	1.0	u/L	09/22/06		RM SW8260
2-Chlorobutene	ND	1.0	u/L	09/22/06		RM SW8260	trans-1,2-Dichloroethene	6.7	u/L	1.0	09/22/06		RM SW8260
2-Hexanone	ND	6.0	u/L	09/22/06		RM SW8260	trans-1,3-Dichloropropene	ND	0.5	u/L	09/22/06		RM SW8260
2-Isopropyltoluene	ND	5.0	u/L	09/22/06		RM SW8260	trans-1,4-Dichloro-2-butene	ND	5.0	u/L	09/22/06		RM SW8260
4-Chlorobutene	ND	1.0	u/L	09/22/06		RM SW8260	Trichloroethene	120	u/L	20	09/22/06		RM SW8260
Acetone	ND	5.0	u/L	09/22/06		RM SW8260	Trichlorotrifluoromethane	ND	5.0	u/L	09/22/06		RM SW8260
Acrylonitrile	ND	5.0	u/L	09/22/06		RM SW8260	Vinyl chloride	160	u/L	20	09/22/06		RM SW8260
Benzene	ND	1.0	u/L	09/22/06		RM SW8260	QA/QC Surrogates						
Bromobenzene	ND	1.0	u/L	09/22/06		RM SW8260	% 1,2-dichlorobenzene-d4	111	%		09/22/06		RM SW8260
Bromochloromethane	ND	1.0	u/L	09/22/06		RM SW8260	% Bromofluorobenzene	86	%		09/22/06		RM SW8260
Bromodichloromethane	ND	0.5	u/L	09/22/06		RM SW8260	% Dibromofluoromethane	112	%		09/22/06		RM SW8260
Bromofuran	ND	1.0	u/L	09/22/06		RM SW8260	% Toluene-d8	93	%		09/22/06		RM SW8260
Bromobutane	ND	1.0	u/L	09/22/06		RM SW8260	Comments:						
Carbon Disulfide	ND	5.0	u/L	09/22/06		RM SW8260	ND=Not detected BDL = Below Detection Limit RL=Reporting Limit						
Carbon tetrachloride	ND	1.0	u/L	09/22/06		RM SW8260							
Chlorobenzene	ND	1.0	u/L	09/22/06		RM SW8260							
Chloroethane	39	1.0	u/L	09/22/06		RM SW8260							
Chloroform	ND	1.0	u/L	09/22/06		RM SW8260							
Chloromethane	ND	1.0	u/L	09/22/06		RM SW8260							
cis-1,2-Dichloroethene	600	20	u/L	09/22/06		RM SW8260							
cis-1,3-Dichloropropene	ND	0.5	u/L	09/22/06		RM SW8260							
Dibromomethane	ND	1.0	u/L	09/22/06		RM SW8260							
Dichlorodifluoromethane	ND	1.0	u/L	09/22/06		RM SW8260							
Ethylbenzene	ND	1.0	u/L	09/22/06		RM SW8260							
Hexachlorobutadiene	ND	0.4	u/L	09/22/06		RM SW8260							
Isopropylbenzene	ND	1.0	u/L	09/22/06		RM SW8260							
Methyl Ethyl Ketone	ND	5.0	u/L	09/22/06		RM SW8260							
Methyl Isobutyl Ketone	ND	5.0	u/L	09/22/06		RM SW8260							
Methyl tert-butyl ether (MTBE)	ND	2.0	u/L	09/22/06		RM SW8260							
Methylene chloride	ND	1.0	u/L	09/22/06		RM SW8260							
n-Butylbenzene	ND	1.0	u/L	09/22/06		RM SW8260							
n-Propylbenzene	ND	1.0	u/L	09/22/06		RM SW8260							
Naphthalene	ND	1.0	u/L	09/22/06		RM SW8260							
o-Xylene	ND	1.0	u/L	09/22/06		RM SW8260							

Page 8 of 48

Client ID: DALEWOOD-KROLL MW-10							Phoenix LD: AH53173						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
p&m-Xylene	ND	1.0	u/L	09/22/06		RM SW8260							
Styrene	ND	1.0	u/L	09/22/06		RM SW8260							
sec-Butylbenzene	ND	1.0	u/L	09/22/06		RM SW8260							
tert-Butylbenzene	ND	1.0	u/L	09/22/06		RM SW8260							
Tetrahydrofuran	ND	5.0	u/L	09/22/06		RM SW8260							
Tetrachloroethene	280	20	u/L	09/22/06		RM SW8260							
Toluene	ND	1.0	u/L	09/22/06		RM SW8260							
trans-1,2-Dichloroethene	6.7	u/L	1.0	09/22/06		RM SW8260							
trans-1,3-Dichloropropene	ND	0.5	u/L	09/22/06		RM SW8260							
trans-1,4-Dichloro-2-butene	ND	5.0	u/L	09/22/06		RM SW8260							
Trichloroethene	120	u/L	20	09/22/06		RM SW8260							
Trichlorotrifluoromethane	ND	1.0	u/L	09/22/06		RM SW8260							
Vinyl chloride	ND	5.0	u/L	09/22/06		RM SW8260							
% 1,2-dichlorobenzene-d4	111	%		09/22/06		RM SW8260							
% Bromofluorobenzene	86	%		09/22/06		RM SW8260							
% Dibromofluoromethane	112	%		09/22/06		RM SW8260							
% Toluene-d8	93	%		09/22/06		RM SW8260							

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Schiller, Laboratory Director
October 04, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date Time

09/19/06 12:30
09/21/06 14:30

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53174

Client ID: DALEWOOD-KROLL MW-20

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	19.4	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	44.6	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	4.49	0.01	mg/L	09/26/06		EK	200.7/6010
Chloride	3400	150	mg/L	09/25/06		J/E	300.0
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	3:22	J/E	300.0
Nitrate as Nitrogen	0.35	0.05	mg/L	09/22/06	3:22	J/E	300.0
Sulfate	< 3.0	3.0	mg/L	09/22/06	3:22	J/E	300.0
Tot.Inorg.Carbon	79.1	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	19	0.5	mg/L	09/25/06		WM	E351.1
Tot.Org.Carbon	16.1	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	

Volatiles

1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/21/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloroethene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,3-Trichloropropene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-20

Phoenix I.D.: AH53174

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dibromoethane(EDB)	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/21/06		RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/21/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
Acetone	ND	5.0	ug/L	09/21/06		RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/21/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/21/06		RM	SW8260
Bromoform	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/21/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/21/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloroform	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
cis-1,2-Dichloroethene	1.1	1.0	ug/L	09/21/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/21/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	09/21/06		RM	SW8260
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/21/06		RM	SW8260
Methyl tert-butyl ether (MTBE)	9.0	2.0	ug/L	09/21/06		RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/21/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/21/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/21/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-20				Phoenix I.D.: AH53174			
Parameter	Result	RL	Units	Date	Time	By	Reference
p&m-Xylene	ND	1.0	ug/L	09/21/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/21/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Tetrachloroethene	60	5.0	ug/L	09/21/06		RM	SW8260
Tetrahydrofuran	ND	5.0	ug/L	09/21/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/21/06		RM	SW8260
Total Xylenes	ND	1	ug/L	09/21/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/21/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	09/21/06		RM	SW8260
Trichloroethene	1.2	1.0	ug/L	09/21/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/21/06		RM	SW8260
Vinyl chloride	ND	1.0	ug/L	09/21/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	123		%	09/21/06		RM	SW8260
% Bromofluorobenzene	80		%	09/21/06		RM	SW8260
% Dibromofluoromethane	109		%	09/21/06		RM	SW8260
% Toluene-d8	97		%	09/21/06		RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller
Phyllis Shiller, Laboratory Director
October 04, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date Time

09/19/06 11:45
09/21/06 14:30

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53175

Client ID: DALEWOOD-KROLL MW-200

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	4.32	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	7.39	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	7.36	0.01	mg/L	09/25/06		EK	200.7/6010
Chloride	430	30	mg/L	09/25/06		J/E	300.0
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	3:32	J/E	300.0
Nitrate as Nitrogen	0.12	0.05	mg/L	09/22/06	3:32	J/E	300.0
Sulfate	17	3.0	mg/L	09/22/06	3:32	J/E	300.0
Tot.Inorg.Carbon	69.0	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	4.2	0.1	mg/L	09/25/06		WM	E351.1
Tot.Org.Carbon	6.56	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethene	1.0	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-200

Phoenix I.D.: AH53175

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dibromoethane(EDB)	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Hexanone	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Isopropyltoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
Acetone	ND	1.0	ug/L	09/22/06		RM	SW8260
Acrylonitrile	ND	1.0	ug/L	09/22/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/22/06		RM	SW8260
Bromoform	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Carbon Disulfide	ND	1.0	ug/L	09/22/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/22/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloroform	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
cis-1,2-Dichloroethene	860	20	ug/L	09/22/06		RM	SW8260
cis-1,3-Dichloropropane	ND	0.5	ug/L	09/22/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/22/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Methyl ethyl ketone	ND	6.0	ug/L	09/22/06		RM	SW8260
Methyl Isobutyl Ketone	ND	6.0	ug/L	09/22/06		RM	SW8260
Methyl t-butyl ether (MTBE)	8.0	2	ug/L	09/22/06		RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/22/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260

Page 14 of 48

Client ID: DALEWOOD-KROLL MW-200

Phoenix I.D.: AH53175

Parameter	Result	RL	Units	Date	Time	By	Reference
p-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/22/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Tetrachloroethene	36	1.0	ug/L	09/22/06		RM	SW8260
Tetrahydrofuran	ND	5.0	ug/L	09/22/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/22/06		RM	SW8260
Total Xylenes	ND	1	ug/L	09/22/06		RM	SW8260
trans-1,2-Dichloroethene	6.4	1.0	ug/L	09/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	6.0	ug/L	09/22/06		RM	SW8260
Trichloroethene	6.7	1.0	ug/L	09/22/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/22/06		RM	SW8260
Vinyl chloride	360	20	ug/L	09/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	112		%	09/22/06		RM	SW8260
% Bromofluorobenzene	83		%	09/22/06		RM	SW8260
% Dibromofluoromethane	116		%	09/22/06		RM	SW8260
% Toluene-d8	90		%	09/22/06		RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller
Phyllis Shiller, Laboratory Director
October 04, 2006

Page 15 of 48

Client ID: DALEWOOD-KROLL MW-201
Phoenix I.D.: AH5176

Parameter	Result	RL	Units	Date	Time	By Reference
p&m-Xylene	ND	1.0	ug/L	09/21/06		RM SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/21/06		RM SW8260
Styrene	ND	1.0	ug/L	09/21/06		RM SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Tetrahydrofuran	ND	1.0	ug/L	09/21/06		RM SW8260
Toluene	ND	1.0	ug/L	09/21/06		RM SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/21/06		RM SW8260
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	09/21/06		RM SW8260
Trichloroethene	2.5	1.0	ug/L	09/21/06		RM SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/21/06		RM SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/21/06		RM SW8260
Vinyl chloride	2.7	1.0	ug/L	09/21/06		RM SW8260
QA/QC Surrogates	105		%	09/21/06		RM SW8260
% 1,2-dichlorobenzene-d4	83		%	09/21/06		RM SW8260
% Bromofluorobenzene	127		%	09/21/06		RM SW8260
% Dibromodifluoromethane	95		%	09/21/06		RM SW8260
% Toluene-d8						

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit
If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller, Laboratory Director
October 04, 2006

Page 18 of 48

Sample Information

Matrix: WATER
Location Code: EASTLABS

Rush Request: RUSH

P.O.#:

Custody Information

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
106 Commercial Street
Watertown, CT 06795

Environmental Laboratories, Inc.
687 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel: (860) 645-1102 Fax: (860) 645-0823



Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53177

Collected by: RM
Received by: LB
Analyzed by: see "By" below
Date: 09/19/06 10:50
Time: 14:30

Parameter

Client ID: DALEWOOD-KROLL MW-202

Reference

Volatiles

Total Nitrogen	6.7	0.10	mg/L	09/25/06		RM SW8260
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT 200.7/6010
Iron	6.74	0.002	mg/L	09/25/06		EKT 6010/E200.7
Manganese	1.61	0.001	mg/L	09/25/06		EKT 200.7/6010
Chloride	4700	150	mg/L	09/25/06		J/E 300.0
Nitrate as Nitrogen	< 0.01	0.01	mg/L	09/25/06	3:52	J/E 300.0
Nitrate as Nitrogen	5.1	0.05	mg/L	09/25/06	3:52	J/E 300.0
Sulfate	84	3.0	mg/L	09/25/06	3:52	J/E 300.0
Total Inorg Carbon	50.5	1.0	mg/L	09/25/06		OL 415.1
Nitrogen Tot Kjeldahl	1.6	0.1	mg/L	09/25/06		WM E351.1
Total Org Carbon	4.30	1.0	mg/L	09/25/06		OL SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG

Page 19 of 48

Client ID: DALEWOOD-KROLL MW-202

Phoenix I.D.: AH53177

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dibromoethane(EDB)	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/22/06		RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/22/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
Acetone	ND	5.0	ug/L	09/22/06		RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/22/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/22/06		RM	SW8260
Bromoform	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/22/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/22/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloroform	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
cis-1,2-Dichloroethene	5.9	1.0	ug/L	09/22/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/22/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/22/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Methyl Ethyl Ketone	ND	5.0	ug/L	09/22/06		RM	SW8260
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/22/06		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	09/22/06		RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/22/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-202

Phoenix I.D.: AH53177

Parameter	Result	RL	Units	Date	Time	By	Reference
p&m-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/22/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Tetrachloroethene	290	10	ug/L	09/22/06		RM	SW8260
Tetrahydrofuran	ND	5.0	ug/L	09/22/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/22/06		RM	SW8260
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	09/22/06		RM	SW8260
Trichloroethene	8.2	1.0	ug/L	09/22/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/22/06		RM	SW8260
Vinyl chloride	ND	1.0	ug/L	09/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	111		%	09/22/06		RM	SW8260
% Bromofluorobenzene	87		%	09/22/06		RM	SW8260
% Dibromofluoromethane	120		%	09/22/06		RM	SW8260
% Toluene-d8	94		%	09/22/06		RM	SW8260

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller
 Phyllis Shiller, Laboratory Director
 October 04, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 845-1102 Fax (860) 645-0823

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Analysis Report

October 04, 2006

Sample Information
Matrix: WATER
Location Code: EASLABS

Rush Request: RUSH

P.O.#:

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53178

Custody Information
Collected by: RM
Received by: LB
Analyzed by: see "By" below
Date
Time

09/19/06 10:00
09/21/06 14:30

Client ID: DALEWOOD-KROLL MW-204
Reference

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	3.25	0.10	mg/L	09/25/06	JL	S4500NH3/300.0	
Arsenic	< 0.004	0.004	mg/L	09/25/06	EKT	200.7/6010	
Iron	16.9	0.002	mg/L	09/25/06	EKT	6010/E200.7	
Manganese	4.92	0.01	mg/L	09/26/06	EK	200.7/6010	
Chloride	470	30	mg/L	09/26/06	J/E	300.0	
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	4:03 J/E	300.0	
Nitrate as Nitrogen	0.25	0.05	mg/L	09/22/06	4:03 J/E	300.0	
Sulfate	25	3.0	mg/L	09/22/06	4:03 J/E	300.0	
Total Organic Carbon	66	1.0	mg/L	09/29/06	OL	415.1	
Nitrogen Tot Kjeldahl	3	0.1	mg/L	09/25/06	WM	E351.1	
Total Organic Carbon	5.44	1.0	mg/L	09/29/06	OL	SMS10C/415.1	
Total Metals Digestion	Completed			09/21/06	AG		

Page 22 of 48

1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,1,1-Trichloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,1,2-Trichloroethane	ND	0.5	ug/L	09/21/06	RM	SW8260	
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,1-Dichloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,1-Dichloroethene	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2-Dichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2,3-Trichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	

Page 23 of 48

1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2-Dibromomethane(EDB)	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2-Dichloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,2-Dichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
2,2-Dichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260	
2-Chlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
2-Hexanone	ND	5.0	ug/L	09/21/06	RM	SW8260	
2-Isopropyltoluene	ND	5.0	ug/L	09/21/06	RM	SW8260	
4-Chlorotoluene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Acetone	ND	5.0	ug/L	09/21/06	RM	SW8260	
Acrylonitrile	ND	5.0	ug/L	09/21/06	RM	SW8260	
Benzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Bromobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Bromochloromethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
Bromodichloromethane	ND	0.5	ug/L	09/21/06	RM	SW8260	
Bromoform	ND	1.0	ug/L	09/21/06	RM	SW8260	
Bromomethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
Carbon Disulfide	ND	5.0	ug/L	09/21/06	RM	SW8260	
Carbon tetrachloride	ND	1.0	ug/L	09/21/06	RM	SW8260	
Chlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Chloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
Chloroform	ND	1.0	ug/L	09/21/06	RM	SW8260	
Chloromethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
cis-1,2-Dichloroethene	260	50	ug/L	09/21/06	RM	SW8260	
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06	RM	SW8260	
Dibromomethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
Dibromodifluoromethane	ND	1.0	ug/L	09/21/06	RM	SW8260	
Ethylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Hexachlorobutadiene	ND	0.4	ug/L	09/21/06	RM	SW8260	
Isopropylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Methyl Ethyl Ketone	ND	5.0	ug/L	09/21/06	RM	SW8260	
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/21/06	RM	SW8260	
Methyl tert-butyl ether (MTBE)	12	2.0	ug/L	09/21/06	RM	SW8260	
Methylene chloride	ND	1.0	ug/L	09/21/06	RM	SW8260	
n-Butylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
n-Propylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260	
Naphthalene	ND	1.0	ug/L	09/21/06	RM	SW8260	
o-Xylene	ND	1.0	ug/L	09/21/06	RM	SW8260	

Phoenix I.D.: AH53178

Client ID: DALEWOOD-KROLL MW-204

Client ID: DALEWOOD-KROLL MW-204
Phoenix I.D.: AH53178

Parameter	Result	RL	Units	Units	Date	Time	By Reference
p&m-Xylene	ND	1.0	ug/L	RM	09/21/06		
p-isopropyltoluene	ND	1.0	ug/L	RM	09/21/06		
sec-Butylbenzene	ND	1.0	ug/L	RM	09/21/06		
Styrene	ND	1.0	ug/L	RM	09/21/06		
tert-Butylbenzene	ND	1.0	ug/L	RM	09/21/06		
Toluene	ND	1.0	ug/L	RM	09/21/06		
Tetrahydrofuran	ND	5.0	ug/L	RM	09/21/06		
Tetrachloroethene	ND	5.0	ug/L	RM	09/21/06		
trans-1,2-Dichloroethene	ND	1.0	ug/L	RM	09/21/06		
trans-1,3-Dichloropropene	ND	0.5	ug/L	RM	09/21/06		
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	RM	09/21/06		
Trichloroethene	ND	1.0	ug/L	RM	09/21/06		
Trichlorofluoromethane	ND	1.0	ug/L	RM	09/21/06		
Vinyl chloride	22	1.0	ug/L	RM	09/21/06		
QA/QC Surrogate	115		%	RM	09/21/06		
% 1,2-dichlorobenzene-d4	81		%	RM	09/21/06		
% Bromochlorobenzene	100		%	RM	09/21/06		
% Dibromofluoromethane	78		%	RM	09/21/06		
% Toluene-d8				RM	09/21/06		

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Schiller, Laboratory Director
October 04, 2006

Page 24 of 48

Analysis Report

October 04, 2006

Environmental Laboratories, Inc.
687 East Middle Turnpike, P.O. Box 870, Manchester, CT 06040
Tel: (860) 646-1102 Fax: (860) 646-0823



FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information
Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:
Custody Information
Collected by: RM
Received by: LB
Analyzed by: see "By" below

Laboratory Data

Client ID: DALEWOOD-KROLL MW-205
Parameter Result RL Units Date Time By Reference

Total Nitrogen	457	0.10	mg/L	JL	09/25/06			
Arsenic	< 0.004	0.004	mg/L	EKT	09/26/06			
Iron	1.34	0.002	mg/L	EKT	09/26/06			
Manganese	3.85	0.01	mg/L	EK	09/26/06			
Chloride	620	30	mg/L	J/E	09/26/06			
Nitrate as Nitrogen	450	0.01	mg/L	J/E	09/26/06			
Nitrate as Nitrogen	2.2	0.05	mg/L	J/E	09/26/06			
Sulfate	47	3.0	mg/L	J/E	09/26/06			
Total Inorg. Carbon	49.7	1.0	mg/L	OL	09/29/06			
Nitrogen Tot Kjeldahl	45	0.1	mg/L	WM	09/26/06			
Total Org. Carbon	5.05	1.0	mg/L	OL	09/29/06			
Total Metals Digestion	Completed			AG	09/21/06			

Volatiles

1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	RM	09/21/06			
1,1,1-Tri-chloroethane	ND	1.0	ug/L	RM	09/21/06			
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	RM	09/21/06			
1,1,2-Trichloroethane	ND	1.0	ug/L	RM	09/21/06			
1,1-Dichloroethane	ND	1.0	ug/L	RM	09/21/06			
1,1-Dichlorobenzene	14	1.0	ug/L	RM	09/21/06			
1,1-Dichloropropene	ND	1.0	ug/L	RM	09/21/06			
1,2,3-Trichlorobenzene	ND	1.0	ug/L	RM	09/21/06			
1,2,3-Trichloropropene	ND	1.0	ug/L	RM	09/21/06			
1,2,4-Trichlorobenzene	ND	1.0	ug/L	RM	09/21/06			
1,2,4-Trimethylbenzene	ND	1.0	ug/L	RM	09/21/06			

Page 25 of 48

Client ID: DALEWOOD-KROLL MW-205

Phoenix ID.: AH53179

Parameter	Result	RL	Units	Date	Time By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260
1,2-Dibromoethane(EDB)	ND	1.0	ug/L	09/21/06	RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/21/06	RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/21/06	RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/21/06	RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/21/06	RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/21/06	RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/21/06	RM	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	09/21/06	RM	SW8260
Acetone	ND	5.0	ug/L	09/21/06	RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/21/06	RM	SW8260
Benzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/21/06	RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/21/06	RM	SW8260
Bromoform	ND	1.0	ug/L	09/21/06	RM	SW8260
Bromomethane	ND	1.0	ug/L	09/21/06	RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/21/06	RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/21/06	RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Chloroethane	8.6	1.0	ug/L	09/21/06	RM	SW8260
Chloroform	4.9	1.0	ug/L	09/21/06	RM	SW8260
Chloromethane	ND	1.0	ug/L	09/21/06	RM	SW8260
cis-1,2-Dichloroethene	6300	1000	ug/L	09/21/06	RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06	RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/21/06	RM	SW8260
Dibromomethane	ND	1	ug/L	09/21/06	RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/21/06	RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/21/06	RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/21/06	RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
m&p-Xylene	ND	1	ug/L	09/21/06	RM	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	09/21/06	RM	SW8260
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/21/06	RM	SW8260
Methyl t-butyl ether (MTBE)	ND	2	ug/L	09/21/06	RM	SW8260
Methyl tert-butyl ether (MTBE)	10	2.0	ug/L	09/21/06	RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/21/06	RM	SW8260

Page 28 of 48

Client ID: DALEWOOD-KROLL MW-205

Phoenix ID.: AH53179

Parameter	Result	RL	Units	Date	Time By	Reference
n-Butylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Naphthalene	ND	1.0	ug/L	09/21/06	RM	SW8260
o-Xylene	ND	1.0	ug/L	09/21/06	RM	SW8260
p&m-Xylene	ND	1.0	ug/L	09/21/06	RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/21/06	RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Styrene	ND	1.0	ug/L	09/21/06	RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/21/06	RM	SW8260
Tetrachloroethene	28000	1000	ug/L	09/21/06	RM	SW8260
Tetrahydrofuran (THF)	ND	5.0	ug/L	09/21/06	RM	SW8260
Toluene	ND	1	ug/L	09/21/06	RM	SW8260
Total Xylenes	ND	1.0	ug/L	09/21/06	RM	SW8260
trans-1,2-Dichloroethane	50	1.0	ug/L	09/21/06	RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06	RM	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	09/21/06	RM	SW8260
Trichloroethene	1600	100	ug/L	09/21/06	RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/21/06	RM	SW8260
Trichlorotrifluoroethane	ND	1	ug/L	09/21/06	RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/21/06	RM	SW8260
Vinyl chloride	400	100	ug/L	09/21/06	RM	SW8260
QA/QC Surrogates						
% 1,2-dichlorobenzene-d4	101		%	09/21/06	RM	SW8260
% Bromofluorobenzene	102		%	09/21/06	RM	SW8260
% Dibromofluoromethane	106		%	09/21/06	RM	SW8260
% Toluene-d8	98		%	09/21/06	RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller
Phyllis Shiller, Laboratory Director
October 04, 2006

Page 27 of 48

Client ID: DALEWOOD-KROLL MW-206
Phoenix I.D.: AH53180

Parameter	Result	RL	Units	Date	Time	By	Reference
n-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/22/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260
p&m-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/22/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Tetralin	13000	1000	ug/L	09/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	5.0	ug/L	09/22/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,3-Dichlorobenzene	41	1.0	ug/L	09/22/06		RM	SW8260
trans-1,4-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	09/22/06		RM	SW8260
Trichlorobenzene	620	100	ug/L	09/22/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Trichlorotrifluoromethane	ND	1	ug/L	09/22/06		RM	SW8260
Vinyl chloride	620	100	ug/L	09/22/06		RM	SW8260
o,p,p'-Dichlorobenzene-d4	104		%	09/22/06		RM	SW8260
% Bromofluorobenzene	94		%	09/22/06		RM	SW8260
% Dibromofluoromethane	99		%	09/22/06		RM	SW8260
% Toluene-d8	81		%	09/22/06		RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller, Laboratory Director
October 04, 2006

Page 30 of 48

Analysis Report

October 04, 2006

Environmental Laboratories, Inc.
687 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel: (860) 646-1102 Fax: (860) 646-0823



FOR: Attn: Mr. Peter Malloy
EAS Laboratories
106 Commercial Street
Watertown, CT 06795

Sample Information
Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information
Collected by: RM
Received by: LB
Analyzed by: see "By" below

Laboratory Data
SDG I.D.: GAH53171
Phoenix I.D.: AH53181

Client ID: DALEWOOD-KROLL MW-211

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	670	0.10	mg/L	09/25/06		JL	84500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	0.015	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	1.5	0.001	mg/L	09/25/06		EKT	200.7/6010
Chloride	940	30	mg/L	09/25/06		J/E	300.0
Nitrite as Nitrogen	670	0.01	mg/L	09/22/06	4:33	J/E	300.0
Nitrate as Nitrogen	0.06	0.05	mg/L	09/22/06	4:33	J/E	300.0
Sulfate	6.0	3.0	mg/L	09/22/06	4:33	J/E	300.0
Total Inorg. Carbon	47.4	1.0	mg/L	09/28/06		OL	416.1
Nitrogen Tot Kjeldahl	0.16	0.1	mg/L	09/25/06		WM	E261.1
Total Org. Carbon	1.98	1.0	mg/L	09/28/06		OL	SM6310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	

Page 31 of 48

Client ID: DALEWOOD-KROLL MW-211							Phoenix I.D.: AH53181						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06		RM SW8260	1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06		RM SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/21/06		RM SW8260	1,2-Dichloroethane	ND	1.0	ug/L	09/21/06		RM SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM SW8260	1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
2-Chlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	2-Chlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
2-Chlorobutene	ND	1.0	ug/L	09/21/06		RM SW8260	2-Chlorobutene	ND	1.0	ug/L	09/21/06		RM SW8260
2-Hexanone	ND	5.0	ug/L	09/21/06		RM SW8260	2-Hexanone	ND	5.0	ug/L	09/21/06		RM SW8260
3-Isopropyltoluene	ND	5.0	ug/L	09/21/06		RM SW8260	3-Isopropyltoluene	ND	5.0	ug/L	09/21/06		RM SW8260
4-Chlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	4-Chlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Acetone	ND	6.0	ug/L	09/21/06		RM SW8260	Acetone	ND	6.0	ug/L	09/21/06		RM SW8260
Acrylonitrile	ND	6.0	ug/L	09/21/06		RM SW8260	Acrylonitrile	ND	6.0	ug/L	09/21/06		RM SW8260
Benzene	ND	1.0	ug/L	09/21/06		RM SW8260	Benzene	ND	1.0	ug/L	09/21/06		RM SW8260
Bromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Bromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Bromochloromethane	ND	1.0	ug/L	09/21/06		RM SW8260	Bromochloromethane	ND	1.0	ug/L	09/21/06		RM SW8260
Bromodichloromethane	ND	0.5	ug/L	09/21/06		RM SW8260	Bromodichloromethane	ND	0.5	ug/L	09/21/06		RM SW8260
Bromoforn	ND	1.0	ug/L	09/21/06		RM SW8260	Bromoforn	ND	1.0	ug/L	09/21/06		RM SW8260
Bromomethane	ND	1.0	ug/L	09/21/06		RM SW8260	Bromomethane	ND	1.0	ug/L	09/21/06		RM SW8260
Carbon Disulfide	ND	6.0	ug/L	09/21/06		RM SW8260	Carbon Disulfide	ND	6.0	ug/L	09/21/06		RM SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/21/06		RM SW8260	Carbon tetrachloride	ND	1.0	ug/L	09/21/06		RM SW8260
Chlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Chlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Chloroform	ND	1.0	ug/L	09/21/06		RM SW8260	Chloroform	ND	1.0	ug/L	09/21/06		RM SW8260
Chloromethane	ND	1.0	ug/L	09/21/06		RM SW8260	Chloromethane	ND	1.0	ug/L	09/21/06		RM SW8260
Cis-1,2-Dichloroethane	8.1	1.0	ug/L	09/21/06		RM SW8260	Cis-1,2-Dichloroethane	8.1	1.0	ug/L	09/21/06		RM SW8260
Cis-1,3-Dichloropropene	0.5	1.0	ug/L	09/21/06		RM SW8260	Cis-1,3-Dichloropropene	0.5	1.0	ug/L	09/21/06		RM SW8260
Dibromochloromethane	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochloromethane	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodifluoromethane	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodifluoromethane	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromomethane	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromomethane	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromochlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromodichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromotrichlorobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260	Dibromobenzene	ND	1.0	ug/L	09/21/06		RM SW8260
Dibromochlorobenzene	ND	1.0	ug/L	09/21/06									



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 646-1102 Fax (860) 646-0823

Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date: 09/19/06
Time: 9:20

Date: 09/21/06
Time: 14:30

SDG ID: GAH53171

Phoenix I.D.: AH53182

Laboratory Data

Client ID: DALEWOOD-KROLL MW-212

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	3.28	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	1.84	0.002	mg/L	09/25/06		EKT	6010/F200.7
Manganese	0.091	0.001	mg/L	09/25/06		EKT	200.7/6010
Chloride	280	15	mg/L	09/25/06		J/E	300.0
Nitrite as Nitrogen	< 0.01	0.01	mg/L	09/22/06	4:53	J/E	300.0
Nitrate as Nitrogen	2.9	0.05	mg/L	09/22/06	4:53	J/E	300.0
Sulfate	58	3.0	mg/L	09/22/06	4:53	J/E	300.0
Tot Inorg Carbon	47.8	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	0.39	0.1	mg/L	09/25/06		WM	E351.1
Tot Org Carbon	1.92	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,1-Dichloroethene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260

Page 34 of 48

Client ID: DALEWOOD-KROLL MW-212

Phoenix I.D.: AH53182

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dibromobenzene(EDB)	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/22/06		RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/22/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
Acetone	ND	5.0	ug/L	09/22/06		RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/22/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/22/06		RM	SW8260
Bromoforn	ND	1.0	ug/L	09/22/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/22/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/22/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloroethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Chloroform	5.4	1.0	ug/L	09/22/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
cis-1,2-Dichloroethene	360	50	ug/L	09/22/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/22/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/22/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Methyl Ethyl Ketone	ND	5.0	ug/L	09/22/06		RM	SW8260
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/22/06		RM	SW8260
Methyl tert-butyl ether (MTBE)	16	2.0	ug/L	09/22/06		RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/22/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260

Page 35 of 48

Client ID: DALEWOOD-KROLL MW-212				Phoenix I.D.: AH53182			
Parameter	Result	RL	Units	Date	Time	By	Reference
p&m-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/22/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Tetrachloroethene	2300	100	ug/L	09/22/06		RM	SW8260
Tetrahydrofuran	ND	5.0	ug/L	09/22/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,2-Dichloroethene	2.2	1.0	ug/L	09/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/22/06		RM	SW8260
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	09/22/06		RM	SW8260
Trichloroethene	110	50	ug/L	09/22/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/22/06		RM	SW8260
Vinyl chloride	16	1.0	ug/L	09/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	107		%	09/22/06		RM	SW8260
% Bromofluorobenzene	88		%	09/22/06		RM	SW8260
% Dibromofluoromethane	106		%	09/22/06		RM	SW8260
% Toluene-d8	95		%	09/22/06		RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Schiller
Phyllis Schiller, Laboratory Director
October 04, 2006

PHOENIX 
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 04, 2006

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH
P.O.#:

Custody Information

Collected by: RM
Received by: LB
Analyzed by: see "By" below

Date Time

09/19/06 10:20
09/21/06 14:30

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53183

Client ID: DALEWOOD-KROLL MW-214

Parameter	Result	RL	Units	Date	Time	By	Reference
Total Nitrogen	596	0.10	mg/L	09/25/06		JL	S4500NH3/300.0
Arsenic	< 0.004	0.004	mg/L	09/25/06		EKT	200.7/6010
Iron	18.7	0.002	mg/L	09/25/06		EKT	6010/E200.7
Manganese	1.46	0.001	mg/L	09/25/06		EKT	200.7/6010
Chloride	780	30	mg/L	09/25/06		J/E	300.0
Nitrite as Nitrogen	590	0.01	mg/L	09/22/06	5:03	J/E	300.0
Nitrate as Nitrogen	3.6	0.05	mg/L	09/22/06	5:03	J/E	300.0
Sulfate	49	3.0	mg/L	09/22/06	5:03	J/E	300.0
Tot. Inorg. Carbon	57.5	1.0	mg/L	09/29/06		OL	415.1
Nitrogen Tot Kjeldahl	2.7	0.1	mg/L	09/25/06		WM	E361.1
Tot. Org. Carbon	4.52	1.0	mg/L	09/29/06		OL	SM5310C/415.1
Total Metals Digestion	Completed			09/21/06		AG	

Volatiles

1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/21/06		RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloroethene	4.0	1.0	ug/L	09/21/06		RM	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260

Client ID: DALEWOOD-KROLL MW-214

Phoenix I.D.: AH53183

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dibromoethane(EDB)	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3,5-Trimeethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/21/06		RM	SW8260
2-Chlorotoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/21/06		RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/21/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/21/06		RM	SW8260
Acetone	ND	5.0	ug/L	09/21/06		RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/21/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/21/06		RM	SW8260
Bromoform	ND	1.0	ug/L	09/21/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/21/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/21/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Chloroethane	14	1.0	ug/L	09/21/06		RM	SW8260
Chloroform	10	1.0	ug/L	09/21/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
cis-1,2-Dichloroethene	2300	100	ug/L	09/21/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/21/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
m,p-Xylene	ND	1	ug/L	09/21/06		RM	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	09/21/06		RM	SW8260
Methyl isobutyl ketone	ND	5.0	ug/L	09/21/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	2	ug/L	09/21/06		RM	SW8260
Methyl tert-butyl ether (MTBE)	13	2.0	ug/L	09/21/06		RM	SW8260
Methylene chloride	ND	2.0	ug/L	09/21/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260

Page 38 of 48

Client ID: DALEWOOD-KROLL MW-214

Phoenix I.D.: AH53183

Parameter	Result	RL	Units	Date	Time	By	Reference
Naphthalene	ND	1.0	ug/L	09/21/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/21/06		RM	SW8260
p,m-Xylene	ND	1.0	ug/L	09/21/06		RM	SW8260
p-Isopropylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/21/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/21/06		RM	SW8260
Tetrahydrofuran	11000	500	ug/L	09/21/06		RM	SW8260
Toluene	ND	5.0	ug/L	09/21/06		RM	SW8260
Total Xylenes	ND	1.0	ug/L	09/21/06		RM	SW8260
trans-1,2-Dichloroethene	15	1.0	ug/L	09/21/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/21/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	09/21/06		RM	SW8260
Trichloroethene	870	100	ug/L	09/21/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/21/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/21/06		RM	SW8260
Vinyl chloride	210	100	ug/L	09/21/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	107		%	09/21/06		RM	SW8260
% Bromofluorobenzene	90		%	09/21/06		RM	SW8260
% Dibromofluoromethane	103		%	09/21/06		RM	SW8260
% Toluene-d8	92		%	09/21/06		RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller
Phyllis Shiller, Laboratory Director
October 04, 2006

Page 39 of 48

Client ID: DALEWOOD-KROLL MW-303
Phoenix I.D.: AH53184

Parameter	Result	RL	Units	Date	Time	By	Reference
p&m-Xylene	ND	1.0	ug/L	09/22/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/22/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/22/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/22/06		RM	SW8260
Tetrahydrofuran	ND	1.0	ug/L	09/22/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/22/06		RM	SW8260
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	09/22/06		RM	SW8260
Trichloroethene	2.2	1.0	ug/L	09/22/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/22/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/22/06		RM	SW8260
Vinyl chloride	ND	1.0	ug/L	09/22/06		RM	SW8260
9A/9C Surrogates	108	%		09/22/06		RM	SW8260
% 1,2-dichlorobenzene-d4	87	%		09/22/06		RM	SW8260
% Bromofluorobenzene	103	%		09/22/06		RM	SW8260
% Dibromofluoromethane	97	%		09/22/06		RM	SW8260
% Toluene-d8							

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Schiller, Laboratory Director
October 04, 2006

Page 42 of 48

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
106 Commercial Street
Watertown, CT 06795

Sample Information

Matrix: WATER
Location Code: EASLABS
Collected by: RM
Date: 09/19/06
Time: 12:00

Analyzed by: see "By" below

Laboratory Data

SDG I.D.: GAH53171
Phoenix I.D.: AH53185

Client ID: DALEWOOD-KROLL TRIP BLANK

Parameter

Result

Units

Date

Time

By Reference

Volatiles

1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	09/23/06	RM	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2,4-Trichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2-Dibromochloroethane(BDB)	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,3-Trichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260

Page 43 of 48



Client ID: DALEWOOD-KROLL TRIP BLANK

Phoenix I.D.: AH53185

Parameter	Result	RL	Units	Date	Time	By	Reference
2-Chlorotoluene	ND	1.0	ug/L	09/23/06		RM	SW8260
2-Hexanone	ND	5.0	ug/L	09/23/06		RM	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	09/23/06		RM	SW8260
4-Chlorotoluene	ND	1.0	ug/L	09/23/06		RM	SW8260
Acetone	ND	5.0	ug/L	09/23/06		RM	SW8260
Acrylonitrile	ND	5.0	ug/L	09/23/06		RM	SW8260
Benzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Bromobenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Bromochloromethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	09/23/06		RM	SW8260
Bromoform	ND	1.0	ug/L	09/23/06		RM	SW8260
Bromomethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Carbon Disulfide	ND	5.0	ug/L	09/23/06		RM	SW8260
Carbon tetrachloride	ND	1.0	ug/L	09/23/06		RM	SW8260
Chlorobenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Chloroethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Chloroform	ND	1.0	ug/L	09/23/06		RM	SW8260
Chloromethane	ND	1.0	ug/L	09/23/06		RM	SW8260
cis-1,2-Dichloroethene	ND	1.0	ug/L	09/23/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/23/06		RM	SW8260
Dibromochloromethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Dibromomethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Ethylbenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	09/23/06		RM	SW8260
Isopropylbenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Methyl Ethyl Ketone	ND	5.0	ug/L	09/23/06		RM	SW8260
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/23/06		RM	SW8260
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	09/23/06		RM	SW8260
Methylene chloride	ND	1.0	ug/L	09/23/06		RM	SW8260
n-Butylbenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
n-Propylbenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Naphthalene	ND	1.0	ug/L	09/23/06		RM	SW8260
o-Xylene	ND	1.0	ug/L	09/23/06		RM	SW8260
p&m-Xylene	ND	1.0	ug/L	09/23/06		RM	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	09/23/06		RM	SW8260
sec-Butylbenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Styrene	ND	1.0	ug/L	09/23/06		RM	SW8260
tert-Butylbenzene	ND	1.0	ug/L	09/23/06		RM	SW8260
Tetrachloroethene	ND	1.0	ug/L	09/23/06		RM	SW8260
Tetrahydrofuran	ND	5.0	ug/L	09/23/06		RM	SW8260
Toluene	ND	1.0	ug/L	09/23/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/23/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/23/06		RM	SW8260

Client ID: DALEWOOD-KROLL TRIP BLANK

Phoenix I.D.: AH53185

Parameter	Result	RL	Units	Date	Time	By	Reference
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	09/23/06		RM	SW8260
Trichloroethene	ND	1.0	ug/L	09/23/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	09/23/06		RM	SW8260
Trichlorotrifluoromethane	ND	5.0	ug/L	09/23/06		RM	SW8260
Vinyl chloride	ND	1.0	ug/L	09/23/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	107		%	09/23/06		RM	SW8260
% Bromofluorobenzene	89		%	09/23/06		RM	SW8260
% Dibromofluoromethane	109		%	09/23/06		RM	SW8260
% Toluene-d8	98		%	09/23/06		RM	SW8260

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

TRIP BLANK INCLUDED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller
 Phyllis Shiller, Laboratory Director
 October 04, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0833

FOR: Attn: Mr. Peter Malloy
EAS Laboratories
105 Commercial Street
Watertown, CT 06795

Analysis Report

October 04, 2006

Sample Information

Matrix: WATER
Location Code: EASLABS
Rush Request: RUSH

P.O.#:

Laboratory Data

SDC ID: GAH53171
Phoenix I.D.: AH53186

Client ID: DALEWOOD-KROLL EQUIPMENT BLANK

Parameter Result RL Units Date Time By Reference

Iron	0.009	0.002	mg/L	09/23/06	EKT	6010/E200.7	AG
Total Metals Digestion							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,1,1-Trichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,1,2-Trichloroethane	ND	0.5	ug/L	09/23/06	RM	SW8260	RM
1,1-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,1-Dichloroethene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2,3-Trichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2,4-Trichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2,4-Trimethylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2-Dibromomethane (EDB)	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,2-Dichloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,3,5-Trimethylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,3-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,3-Dichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
1,4-Dichlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
2,2-Dichloropropane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM

Page 48 of 48

Client ID: DALEWOOD-KROLL EQUIPMENT BLANK
Phoenix I.D.: AH53186

Parameter	Result	RL	Units	Date	Time	By	Reference
2-Chlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
2-Hexanone	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
2-Isopropyltoluene	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
4-Chlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Acetone	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
Acrylonitrile	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
Benzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Bromobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Bromochloromethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Bromodichloromethane	ND	0.5	ug/L	09/23/06	RM	SW8260	RM
Bromotoluene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Bromomethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Carbon Disulfide	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
Carbon tetrachloride	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Chlorobenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Chloroethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Chloroform	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Chloromethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
cis-1,2-Dichloroethene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
cis-1,3-Dichloropropene	ND	0.5	ug/L	09/23/06	RM	SW8260	RM
Dibromomethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Dibromochloromethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Dibromomethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Dichlorodifluoromethane	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Ethylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Hexachlorobutadiene	ND	0.4	ug/L	09/23/06	RM	SW8260	RM
Isopropylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Methyl Ethyl Ketone	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
Methyl Isobutyl Ketone	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
Methyl tert-butyl ether (MTBE)	ND	2.0	ug/L	09/23/06	RM	SW8260	RM
Methylene chloride	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
n-Butylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
n-Propylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Naphthalene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
o-Xylene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
p-Xylene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
p-Toluenesulfonamide	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
sec-Butylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Styrene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
tert-Butylbenzene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Tetrachloroethene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
Tetrahydrofuran	ND	5.0	ug/L	09/23/06	RM	SW8260	RM
Toluene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
trans-1,2-Dichloroethene	ND	1.0	ug/L	09/23/06	RM	SW8260	RM
trans-1,3-Dichloropropene	ND	0.5	ug/L	09/23/06	RM	SW8260	RM


Page 47 of 48

Client ID: DALEWOOD-KROLL EQUIPMENT BLANK
Phoenix I.D.: AH53186

Parameter	Result	RL	Units	Date	Time	By	Reference
trans-1,4-Dichloro-2-butene	ND	5.0	ug/L	08/23/06		RM	SW8260
Trichloroethene	ND	1.0	ug/L	09/23/06		RM	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	08/23/06		RM	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	09/23/06		RM	SW8260
Vinyl chloride	ND	1.0	ug/L	08/23/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	109		%	09/23/06		RM	SW8260
% Bromofluorobenzene	91		%	09/23/06		RM	SW8260
% Dibromofluoromethane	107		%	09/23/06		RM	SW8260
% Toluene-d8	97		%	09/23/06		RM	SW8260

Comments: ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

EQUIPMENT BLANK INCLUDED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

Phyllis Shiller, Laboratory Director
October 04, 2006

QA/QC Report

October 04, 2006

QA/QC Data

Parameter	Blank	RPD	%	LCS	Dup	LCS	%	RPD	LCS	MS	MS Dup	Rec	%	Rec	%	RPD
-----------	-------	-----	---	-----	-----	-----	---	-----	-----	----	--------	-----	---	-----	---	-----

SDG I.D.: GAH53171

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel: (860) 646-1102 Fax: (860) 646-0823



ICP Metals - Aqueous

QA/QC Batch 64458, Sample No: AH52976 (AH53171, AH53172, AH53173, AH53174, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181)

Aluminum	BDL	10.3	100	100	0.0	94.0	93.0	1.1
Antimony	BDL	NC	97.5	98.6	2.1	98.5	98.7	0.2
Arsenic	BDL	NC	101	102	1.0	103	102	1.0
Barium	BDL	1.50	100	101	1.0	92.9	92.3	0.6
Beryllium	BDL	NC	102	102	0.0	103	102	1.0
Boron	BDL	NC	NC	NC	NC	NC	NC	NC
Cadmium	BDL	NC	99.9	101	1.2	101	101	0.0
Calcium	0.008	NC	NC	NC	NC	NC	NC	NC
Chromium	BDL	NC	103	104	1.0	104	104	0.0
Cobalt	BDL	NC	101	102	1.0	102	101	1.0
Copper	BDL	NC	102	103	1.0	104	103	1.0
Iron	BDL	12.2	103	102	1.0	86.9	86.3	0.7
Lead	BDL	NC	103	104	1.0	102	104	1.8
Magnesium	BDL	NC	NC	NC	NC	NC	NC	NC
Manganese	BDL	2.20	103	104	1.0	101	101	0.0
Molybdenum	BDL	NC	NC	NC	NC	NC	NC	NC
Nickel	BDL	NC	103	103	0.0	104	103	1.0
Phosphorus	BDL	NC	NC	NC	NC	NC	NC	NC
Potassium	BDL	NC	NC	NC	NC	NC	NC	NC
Selenium	BDL	96.4	97.3	97.6	0.9	97.6	96.8	0.8
Silver	BDL	NC	104	103	1.0	104	104	0.0
Sodium	BDL	NC	NC	NC	NC	NC	NC	NC
Thallium	BDL	NC	102	102	0.0	102	103	1.0
Tin	BDL	NC	NC	NC	NC	NC	NC	NC
Vanadium	BDL	NC	103	104	1.0	104	104	0.0
Zinc	BDL	14.3	101	100	1.0	99.1	98.9	0.2

QA/QC Batch 64460, Sample No: AH53183 (AH53182, AH53183, AH53184, AH53185, AH53186)

ICP Metals - Aqueous

Aluminum	BDL	NC	102	101	1.0	117	118	0.9
Antimony	BDL	NC	101	101	0.0	100	100	0.0
Arsenic	BDL	NC	104	103	1.0	105	106	0.8

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Barium	BDL	3.20	103	102	1.0	104	105	1.0
Beryllium	BDL	NC	104	103	1.0	101	100	1.0
Boron	BDL	---	---	---	NC	---	---	NC
Cadmium	BDL	NC	102	102	0.0	98.0	98.2	0.2
Calcium	0.004	---	---	---	NC	---	---	NC
Chromium	BDL	NC	104	105	1.0	98.9	99.5	0.6
Cobalt	BDL	NC	103	102	1.0	97.5	98.6	1.1
Copper	BDL	NC	105	103	1.9	109	111	1.8
Iron	BDL	5.40	103	103	0.0	93.0	NC	NC
Lead	BDL	NC	105	105	0.0	99.5	100	0.5
Magnesium	BDL	---	---	---	NC	---	---	NC
Manganese	BDL	4.80	105	104	1.0	104	105	1.0
Molybdenum	BDL	---	---	---	NC	---	---	NC
Nickel	BDL	NC	104	104	0.0	99.1	99.7	0.6
Phosphorus	BDL	---	---	---	NC	---	---	NC
Potassium	BDL	---	---	---	NC	---	---	NC
Selenium	BDL	NC	99.5	99.3	0.2	101	102	1.0
Silver	BDL	NC	105	104	1.0	107	108	0.9
Sodium	BDL	---	---	---	NC	---	---	NC
Thallium	BDL	NC	104	103	1.0	97.7	98.2	0.5
Tin	BDL	---	---	---	NC	---	---	NC
Vanadium	BDL	NC	105	105	0.0	102	102	0.0
Zinc	BDL	NC	102	101	1.0	101	101	0.0

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference


LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria


Phyllis Shiller, Laboratory Director
October 04, 2006

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

**QA/QC Report**

October 04, 2006

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 64500, Sample No: AH52638 (AH53171, AH53172, AH53173, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184)								
Nitrogen Tot Kjeldahl	BDL	0.79	96.60			100.00		
QA/QC Batch 64484, Sample No: AH53171 (AH53171)								
Chloride	BDL	2.4	93.3			96.1		
QA/QC Batch 64486, Sample No: AH53171 (AH53171)								
Nitrate as Nitrogen	BDL	0.0	98.9			100		
QA/QC Batch 64485, Sample No: AH53171 (AH53171)								
Nitrite as Nitrogen	BDL	NC	105.0			101		
QA/QC Batch 64487, Sample No: AH53171 (AH53171)								
Sulfate	BDL	0.0	96.6			103		
QA/QC Batch 64488, Sample No: AH53288 (AH53172, AH53173, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184)								
Chloride	BDL	NC	94.1			103		
QA/QC Batch 64490, Sample No: AH53288 (AH53172, AH53173, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184)								
Nitrate as Nitrogen	BDL	1.4	99.4			90.4		
QA/QC Batch 64489, Sample No: AH53288 (AH53172, AH53173, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184)								
Nitrite as Nitrogen	BDL	NC	95.9			102		
QA/QC Batch 64491, Sample No: AH53288 (AH53172, AH53173, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184)								
Sulfate	BDL	NC	100.2			102		
QA/QC Batch 64632, Sample No: AH53683 (AH53172, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184)								
Chloride	BDL	NC	93.8			90.4		

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria


Phyllis Shiller, Laboratory Director
October 04, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

October 04, 2006

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	----------	-----------	------------	-------------	-----------------	-----

QA/QC Batch 64590, Sample No: AH53103 (ah53173, ah53177, ah53178, ah53179, ah53183, ah53186, ah53186)

Volatiles Organics

1,1,1,2-Tetrachloroethane	ND	104	106	1.9	105	104	1.0
1,1,1-Trichloroethane	ND	105	100	4.9	112	102	9.3
1,1,2,2-Tetrachloroethane	ND	92	100	8.3	89	105	16.6
1,1,2-Trichloroethane	ND	102	103	1.0	99	102	3.0
1,1-Dichloroethane	ND	101	98	3.0	108	103	4.7
1,1-Dichloroethene	ND	121	115	5.1	118	110	7.0
1,1-Dichloropropene	ND	103	98	5.0	112	105	6.5
1,2,3-Trichlorobenzene	ND	<70	81	NC	77	86	11.0
1,2,3-Trichloropropane	ND	<70	89	NC	<70	84	NC
1,2,4-Trichlorobenzene	ND	78	85	8.8	87	86	1.2
1,2,4-Trimethylbenzene	ND	103	98	5.0	105	102	2.9
1,2-Dibromo-3-chloropropane	ND	96	97	1.0	93	88	5.5
1,2-Dichlorobenzene	ND	99	96	3.1	97	99	2.0
1,2-Dichloroethane	ND	106	100	5.8	100	98	2.0
1,2-Dichloropropane	ND	104	97	7.0	101	102	1.0
1,3,5-Trimethylbenzene	ND	105	102	2.9	107	107	0.0
1,3-Dichlorobenzene	ND	100	98	2.0	101	102	1.0
1,3-Dichloropropane	ND	99	105	5.9	96	106	9.9
1,4-Dichlorobenzene	ND	98	98	0.0	97	98	1.0
2,2-Dichloropropane	ND	<70	48	NC	<70	<70	NC
2-Chlorotoluene	ND	101	101	0.0	106	107	0.9
4-Chlorotoluene	ND	100	101	1.0	102	105	2.9
Benzene	ND	106	102	3.8	106	101	4.8
Bromobenzene	ND	97	101	4.0	100	106	5.8
Bromochloromethane	ND	104	94	10.1	105	99	5.9
Bromodichloromethane	ND	106	102	3.8	104	104	0.0
Bromoform	ND	99	102	3.0	96	103	7.0
Bromomethane	ND	132	49	91.7	>130	<70	NC
Carbon tetrachloride	ND	109	101	7.6	107	101	5.8
Chlorobenzene	ND	105	104	1.0	105	99	5.9
Chloroethane	ND	123	84	37.7	114	119	4.3
Chloroform	ND	106	101	4.8	106	102	3.8

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Chloromethane	ND	123	131	6.3	127	126	0.8
cis-1,2-Dichloroethene	ND	96	103	7.0	101	101	0.0
cis-1,3-Dichloropropene	ND	77	80	3.8	84	92	9.1
Dibromochloromethane	ND	98	99	1.0	96	102	6.1
Dibromoethane	ND	97	100	3.0	92	103	11.3
Dibromomethane	ND	98	97	1.0	97	100	3.0
Dichlorodifluoromethane	ND	>130	93	NC	>130	85	NC
Ethylbenzene	ND	110	110	0.0	110	107	2.8
Hexachlorobutadiene	ND	92	84	9.1	94	81	14.9
Isopropylbenzene	ND	112	111	0.9	111	110	0.9
m&p-Xylene	ND	111	108	2.7	110	107	2.8
Methyl t-butyl ether (MTBE)	ND	97	102	5.0	90	100	10.5
Methylene chloride	ND	114	109	4.5	110	106	3.7
n-Butylbenzene	ND	100	94	6.2	104	93	11.2
n-Propylbenzene	ND	103	102	1.0	108	107	0.9
Naphthalene	ND	<70	77	NC	75	86	13.7
o-Xylene	ND	107	107	0.0	108	106	1.9
p-Isopropyltoluene	ND	108	103	4.7	107	99	7.8
sec-Butylbenzene	ND	97	94	3.1	107	103	3.8
Styrene	ND	101	104	2.9	104	105	1.0
tert-Butylbenzene	ND	104	102	1.9	108	106	1.9
Tetrachloroethene	ND	109	107	1.9	113	106	6.4
Toluene	ND	108	105	2.8	108	106	1.9
trans-1,2-Dichloroethene	ND	117	109	7.1	109	108	0.9
trans-1,3-Dichloropropene	ND	82	89	8.2	87	95	8.8
Trichloroethene	ND	102	99	3.0	107	103	3.8
Trichlorofluoromethane	ND	128	117	9.0	117	109	7.1
Vinyl chloride	ND	>130	124	NC	125	94	28.3
% 1,2-dichlorobenzene-d4	110	101	99	2.0	97	101	4.0
% Bromofluorobenzene	91	103	104	1.0	98	104	5.9
% Dibromofluoromethane	111	100	97	3.0	102	95	7.1
% Toluene-d8	98	101	101	0.0	100	101	1.0

QA/QC Batch 64591, Sample No: AH53104 (ah53171, ah53174, ah53180, ah53182, ah53183)

Volatiles Organics

1,1,1,2-Tetrachloroethane	ND	105	103	1.9	106	103	2.9
1,1,1-Trichloroethane	ND	104	101	2.9	107	103	3.8
1,1,2,2-Tetrachloroethane	ND	95	100	5.1	97	105	7.9
1,1,2-Trichloroethane	ND	102	102	0.0	104	109	4.7
1,1-Dichloroethane	ND	101	100	1.0	105	102	2.9
1,1-Dichloroethene	ND	111	104	6.5	116	113	2.6
1,1-Dichloropropene	ND	107	104	2.8	104	106	1.9

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	LCS %	LCS D %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2,3-Trichlorobenzene	ND	82	89	8.2	111	99	11.4
1,2,3-Trichloropropane	ND	<70	87	NC	<70	85	NC
1,2,4-Trichlorobenzene	ND	96	97	1.0	104	95	9.0
1,2,4-Trichlorobenzene	ND	103	98	5.0	101	102	1.0
1,2-Dibromo-3-chloropropane	ND	103	98	5.0	96	95	1.0
1,2-Dichlorobenzene	ND	97	93	4.2	98	97	1.0
1,2-Dichloroethane	ND	102	98	6.1	108	104	1.9
1,2-Dichloropropane	ND	102	99	3.0	103	101	2.0
1,3,5-Trimethylbenzene	ND	105	102	2.9	101	105	3.9
1,3-Dichlorobenzene	ND	98	94	4.2	98	98	0.0
1,3-Dichloropropane	ND	104	106	1.9	103	104	1.0
1,4-Dichlorobenzene	ND	96	92	4.3	99	99	0.0
2,2-Dichloropropane	ND	99	95	4.1	82	82	0.0
2-Chlorotoluene	ND	103	99	4.0	100	105	4.8
4-Chlorotoluene	ND	100	100	0.0	98	103	4.0
Benzene	ND	104	99	4.9	108	103	2.9
Bromobenzene	ND	100	102	2.0	99	103	4.0
Bromochloromethane	ND	103	98	5.0	109	102	6.8
Bromodichloromethane	ND	104	102	1.9	106	104	1.0
Bromoforn	ND	104	106	1.9	99	109	9.8
Bromonethane	ND	128	<70	NC	>130	70	NC
Carbon tetrachloride	ND	107	104	2.8	110	104	5.6
Chlorobenzene	ND	102	101	1.0	102	102	0.0
Chloroethane	ND	117	120	2.5	112	80	33.3
Chloroform	ND	102	104	1.9	108	102	5.7
Chloromethane	ND	100	106	5.8	113	118	4.3
cis-1,2-Dichloroethene	ND	102	99	3.0	104	99	4.9
cis-1,3-Dichloropropene	ND	101	103	2.0	97	101	4.0
Dibromochloromethane	ND	104	106	1.9	101	102	1.0
Dibromomethane	ND	103	101	2.0	103	109	5.7
Dichlorodifluoromethane	ND	102	93	9.2	103	106	2.9
Ethylbenzene	ND	100	<70	NC	127	117	8.2
Hexachlorobutadiene	ND	106	102	3.8	108	105	2.8
Isopropylbenzene	ND	98	93	6.2	101	92	9.3
m&p-Xylene	ND	114	114	0.0	105	107	1.9
Methyl t-butyl ether (MTBE)	ND	103	102	1.0	108	106	2.8
Methylene chloride	ND	103	106	2.9	100	106	5.8
n-Butylbenzene	ND	106	99	6.8	113	106	7.3
n-Propylbenzene	ND	102	96	6.1	101	97	4.0
Naphthalene	ND	105	103	1.9	104	107	2.8
o-Xylene	ND	89	100	11.6	111	102	8.5
	ND	104	105	1.0	108	106	1.9

Page 6 of 10

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	LCS %	LCS D %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
p-Isopropyltoluene	ND	110	103	6.6	103	101	2.0
sec-Butylbenzene	ND	97	94	3.1	102	102	0.0
Styrene	ND	103	101	2.0	104	103	1.0
tert-Butylbenzene	ND	107	105	1.9	102	106	3.8
Tetrachloroethene	ND	106	104	1.9	111	105	5.8
Toluene	ND	102	99	3.0	109	104	4.7
trans-1,2-Dichloroethene	ND	106	102	8.8	114	110	3.8
trans-1,3-Dichloropropene	ND	100	107	6.8	99	103	4.0
Trichloroethene	ND	104	102	1.9	103	103	0.0
Trichlorofluoromethane	ND	112	106	5.5	118	110	7.0
Vinyl chloride	ND	118	86	32.5	124	113	9.3
% 1,2-dichlorobenzene-d4	107	100	99	1.0	97	99	2.0
% Bromofluorobenzene	90	101	106	3.9	99	103	4.0
% Dibromofluoromethane	113	97	98	1.0	96	100	6.1
% Toluene-d8	108	100	101	1.0	101	100	1.0
QA/QC Batch 64524, Sample No: AH53136 (ah53171, ah53172, ah53173, ah53174, ah53175, ah53176, ah53177, ah53178, ah53179, ah53180, ah53181, ah53182, ah53183, ah53184, ah53185, ah53186)							
Volatiles Organics							
1,1,1,2-Tetrachloroethane	ND	102	101	1.0	106	100	5.8
1,1,1-Trichloroethane	ND	102	101	1.0	109	100	8.8
1,1,2,2-Tetrachloroethane	ND	97	99	2.0	103	104	1.0
1,1,2-Trichloroethane	ND	100	104	3.9	109	106	2.8
1,1-Dichloroethane	ND	99	102	3.0	110	99	10.5
1,1-Dichloroethane	ND	106	106	0.0	120	109	9.6
1,1-Dichloropropene	ND	97	99	2.0	106	99	6.8
1,2,3-Trichlorobenzene	ND	88	87	1.1	91	84	8.0
1,2,3-Trichloropropene	ND	<70	87	NC	<70	81	NC
1,2,4-Trichlorobenzene	ND	90	87	3.4	97	88	9.7
1,2,4-Trimethylbenzene	ND	98	97	1.0	104	100	3.9
1,2-Dibromo-3-chloropropane	ND	97	100	3.0	98	89	9.6
1,2-Dichlorobenzene	ND	98	96	2.1	103	95	6.1
1,2-Dichloroethane	ND	98	100	2.0	108	100	7.7
1,2-Dichloropropane	ND	101	101	0.0	106	100	6.8
1,3,5-Trimethylbenzene	ND	101	101	0.0	106	102	3.8
1,3-Dichlorobenzene	ND	100	98	4.1	102	98	4.0
1,3-Dichloropropene	ND	98	103	5.0	103	103	0.0
1,4-Dichlorobenzene	ND	96	96	1.0	102	98	4.0
2,2-Dichloropropane	ND	106	92	14.1	87	83	4.7
2-Chlorotoluene	ND	101	99	2.0	106	100	6.8
4-Chlorotoluene	ND	98	101	3.0	103	99	4.0
Benzene	ND	101	101	0.0	108	102	5.7
Bromobenzene	ND	97	101	4.0	103	100	3.0

Page 7 of 10

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	LCS %	LCS D %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Bromochloromethane	ND	104	101	2.9	110	95	14.6
Bromodichloromethane	ND	99	103	4.0	108	101	6.7
Bromoform	ND	100	104	3.9	102	101	1.0
Bromomethane	ND	130	80	47.6	130	<70	NC
Carbon tetrachloride	ND	99	99	0.0	102	98	4.0
Chlorobenzene	ND	99	98	1.0	105	100	4.9
Chloroethane	ND	119	112	6.1	114	128	11.6
Chloroform	ND	103	104	1.0	105	101	3.9
Chloromethane	ND	115	102	12.0	113	>130	NC
cis-1,2-Dichloroethene	ND	99	101	2.0	104	98	5.9
cis-1,3-Dichloropropene	ND	92	94	2.2	98	96	2.1
Dibromochloromethane	ND	97	103	6.0	102	97	5.0
Dibromoethane	ND	98	102	4.0	106	107	0.9
Dibromomethane	ND	97	98	1.0	109	102	6.6
Dichlorodifluoromethane	ND	125	98	24.2	140	125	11.3
Ethylbenzene	ND	104	102	1.9	110	105	4.7
Hexachlorobutadiene	ND	94	86	8.9	100	85	16.2
Isopropylbenzene	ND	111	113	1.8	107	105	1.9
m&p-Xylene	ND	104	102	1.9	108	103	4.7
Methyl t-butyl ether (MTBE)	ND	91	100	9.4	104	100	3.9
Methylene chloride	ND	111	108	2.7	115	108	6.3
n-Butylbenzene	ND	97	92	5.3	101	94	7.2
n-Propylbenzene	ND	101	102	1.0	108	103	4.7
Naphthalene	ND	85	89	4.6	92	86	6.7
o-Xylene	ND	101	100	1.0	107	104	2.8
p-Isopropyltoluene	ND	104	101	2.9	106	99	6.8
sec-Butylbenzene	ND	93	92	1.1	106	101	4.8
Styrene	ND	100	98	2.0	106	103	2.9
tert-Butylbenzene	ND	99	100	1.0	106	105	0.9
Tetrachloroethene	ND	100	99	1.0	106	100	5.8
Toluene	ND	102	100	2.0	110	104	5.6
trans-1,2-Dichloroethene	ND	102	102	0.0	116	108	7.1
trans-1,3-Dichloropropene	ND	96	101	5.1	105	103	1.9
Trichloroethene	ND	97	97	0.0	107	99	7.8
Trichlorofluoromethane	ND	111	107	3.7	123	110	11.2
Vinyl chloride	ND	124	116	6.7	128	113	12.4
% 1,2-dichlorobenzene-d4	102	100	98	2.0	100	98	2.0
% Bromofluorobenzene	90	100	100	0.0	99	98	1.0
% Dibromofluoromethane	110	101	103	2.0	101	100	1.0
% Toluene-d8	101	102	99	3.0	102	101	1.0

QA/QC Batch 64654, Sample No: AH53680 (ah53175, ah53179, ah53180)

QA/QC Data

SDG I.D.: GAH53171

Parameter	Blank	LCS %	LCS D %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Volatiles Organics							
1,1,1,2-Tetrachloroethane	ND	105	94	11.1	105	105	0.0
1,1,1-Trichloroethane	ND	110	89	21.1	109	106	0.9
1,1,2,2-Tetrachloroethane	ND	102	98	4.0	108	104	3.8
1,1,2-Trichloroethane	ND	108	98	9.7	107	105	1.9
1,1-Dichloroethane	ND	111	95	15.5	110	108	1.8
1,1-Dichloroethene	ND	112	89	22.9	110	109	0.9
1,1-Dichloropropene	ND	105	83	23.4	110	108	1.8
1,2,3-Trichlorobenzene	ND	89	71	22.5	90	94	4.3
1,2,3-Trichloropropene	ND	88	80	9.5	82	81	1.2
1,2,4-Trichlorobenzene	ND	87	73	17.5	91	91	0.0
1,2,4-Trimethylbenzene	ND	89	87	12.9	102	102	0.0
1,2-Dibromo-3-chloropropane	ND	92	88	3.3	93	93	0.0
1,2-Dichlorobenzene	ND	95	87	8.8	97	97	0.0
1,2-Dichloroethane	ND	103	83	10.2	108	107	0.9
1,2-Dichloropropene	ND	104	96	8.0	107	106	0.9
1,3,5-Trimethylbenzene	ND	104	94	10.1	105	105	0.0
1,3-Dichlorobenzene	ND	98	87	11.9	98	98	0.0
1,3-Dichloropropane	ND	106	100	5.8	104	105	1.0
1,4-Dichlorobenzene	ND	96	87	9.8	98	99	1.0
2,2-Dichloropropane	ND	89	67	28.2	80	78	2.5
2-Chlorotoluene	ND	103	90	13.5	105	102	2.9
4-Chlorotoluene	ND	103	91	12.4	103	102	1.0
Benzene	ND	106	88	18.6	105	104	1.0
Bromobenzene	ND	104	97	7.0	105	102	2.9
Bromochloromethane	ND	108	98	9.7	106	108	1.9
Bromodichloromethane	ND	106	97	8.9	109	107	1.9
Bromoform	ND	107	100	6.8	108	107	0.9
Bromomethane	ND	78	<70	NC	<70	<70	NC
Carbon tetrachloride	ND	119	85	33.3	109	108	0.9
Chlorobenzene	ND	100	91	9.4	103	101	2.0
Chloroethane	ND	130	91	35.3	96	104	18.9
Chloroform	ND	112	95	16.4	108	107	0.9
Chloromethane	ND	117	98	17.7	115	112	2.6
cis-1,2-Dichloroethene	ND	109	91	18.0	108	105	2.8
cis-1,3-Dichloropropene	ND	95	83	13.5	102	104	1.9
Dibromochloromethane	ND	105	96	9.0	104	105	1.0
Dibromoethane	ND	105	98	6.9	111	108	2.7
Dibromomethane	ND	103	97	6.0	108	103	4.7
Dichlorodifluoromethane	ND	87	74	16.1	80	86	7.2
Ethylbenzene	ND	105	92	13.2	105	104	1.0
Hexachlorobutadiene	ND	87	70	21.7	88	88	0.0

QA/QC Data

SDG ID: GAH53171

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Isopropylbenzene	ND	117	98	17.7	108	108	0.0
m&p-Xylene	ND	105	92	13.2	104	105	1.0
Methyl t-butyl ether (MTBE)	ND	105	93	12.1	108	108	0.0
Methylene chloride	ND	103	99	4.0	108	104	3.8
n-Butylbenzene	ND	91	78	15.4	98	98	0.0
n-Propylbenzene	ND	106	92	14.1	108	108	0.0
Naphthalene	ND	88	71	21.4	92	95	3.2
o-Xylene	ND	102	90	12.5	105	108	0.9
p-Isopropyltoluene	ND	104	87	17.8	102	103	1.0
sec-Butylbenzene	ND	94	80	16.1	103	102	1.0
Styrene	ND	102	92	10.3	103	103	0.0
tert-Butylbenzene	ND	108	90	18.3	107	107	0.0
Tetrachloroethene	ND	108	89	17.4	108	106	0.0
Toluene	ND	105	92	13.2	106	106	0.0
trans-1,2-Dichloroethene	ND	108	87	21.5	108	107	0.9
trans-1,3-Dichloropropene	ND	102	91	11.4	108	105	0.9
Trichloroethene	ND	107	87	20.6	107	105	1.9
Trichlorofluoromethane	ND	114	98	17.1	111	111	0.0
Vinyl chloride	ND	122	78	44.0	113	90	22.7
% 1,2-dichlorobenzene-d4	108	100	98	2.0	98	98	0.0
% Bromofluorobenzene	90	102	103	1.0	101	103	2.0
% Dibromofluoromethane	120	102	101	1.0	102	103	1.0
% Toluene-d8	98	100	100	0.0	100	100	0.0

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller
Phyllis Shiller, Laboratory Director
October 04, 2006

State of Connecticut
Department of Environmental Protection
Laboratory Quality Control and Quality Assurance Form

Laboratory Name: Phoenix Environmental Labs, Inc. Client: EASLABS

Project Location: DALEWOOD-KROLL Project Number:

Sampling Date(s): 9/19/2006

Laboratory Sample ID(s): AH53171, AH53172, AH53173, AH53174, AH53175, AH53176, AH53177, AH53178, AH53179, AH53180, AH53181, AH53182, AH53183, AH53184, AH53185, AH53188

1.	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed (including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence	☐ Yes ☐ No
2.	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody document(s)?	☐ Yes ☐ No
3.	Were samples received at an appropriate temperature (4 C +/- 2)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐ Yes ☐ No
4.	Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?	☐ Yes ☐ No
5.	Were reporting limits specified on the chain-of-custody met?	☐ Yes ☐ No
6.	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	☐ Yes ☐ No
7.	Are project-specific QC samples included in the data set?	☐ Yes ☐ No ☐ NA

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence"

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized
Signature:*Phyllis Shiller*

Date: Wednesday, October 04, 2006

Printed Name: Phyllis Shiller

Position: Laboratory Director



Environmental Laboratories, Inc.
87 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 845-1108 Fax (860) 845-0823

Certification Report

October 04, 2006

SDG I.D.: GAH53171

CT RCP 8260 Aqueous Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?

Yes

8260 Narration:

Initial Calibration Verification:

Initial Causation Verification:
All SPCCs, CCCs and >80% of target compounds met criteria.

The following compounds had %RSDs >30%:

The following compounds had %RSDs > 30%:

Continuing Calibration Verification:

Consuming Calibration verification:
All SPOCs, CCCs and >80% of target compounds met criteria. Internal standards were within the 50%-200% deviation from the initial calibration.

The following compounds had % Deviations >30%: 1,2,3 Trichloropropane, Dichlorodifluoromethane, trans-1,4-dichloro-2-butene

The following compounds had % Deviations $\geq 30\%$: 1,2,3 Trichloropropane, Dichlorodimethane, trans-1,4-dichloro-2-butene

All LCS recoveries were within 70-130 with the following exceptions:

The following compounds from the RCP analyze list were not reported: Acetone, Acrylonitrile, Carbon Disulfide, trans-1,4-Dichlorobutene, 2-Butene, 2-Hexanone, 2-Isopropyltoluene, 4-Isopropyltoluene, 4-Isopropyltoluene, 4-Methyl-2-pentanone (MIBK), Tetrahydrofuran (THF), and Trichlorotrifluoroethane (freon-113).

The RPDs for some of the compounds may be greater than acceptance criteria. A dual concentrator with a robotic autograder was used in this case. One MS is analyzed on one concentrator and the MSD is analyzed on the other concentrator. The high RPDs can be attributed to possible differences between the two concentrators. Note that the majority of recoveries met criteria.

Printed Name Raman Makol

Position:	Chemist
United Name	Chemist

Position: Clientelist
Date: 9/22/2006 5:16:31 PM

CT RCP ICP Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?

Yes

CP (6010) Narration:

CF (0010) Narration:
soils, aqueous digesta, and TCLP extracts are run in the same analytical run. The method blank and laboratory control sample are run with the standards and calibration blanks may not exactly have the same acid concentration as the samples.

Printed Name Emily Kolominskaya

Position: Chemist

Position: Chef/Head Cook
Date: 9/27/2006 2:17:56 PM

Page 1 of 1

EAS LABORATORIES

105 Commercial Street, Watertown, CT 06795 Phone (860) 274-5461 Fax (860) 945-0449

CHAIN OF CUSTODY

Company Name: VHB		Invoice Contact: R. McCarthy		Report Number: 51707ce	
Project Location: Dabroad - Knoll		P.O. Number			

Sample Name/Signature: R. McCarthy		Date/Time of Collection	
Sample Identification		Container Volume	

Comp	Grab	Malix	Number of Containers
			Type of Containers: (A) Air Bag (S) Class (P) Plastic (O) Other

Container Preservation Code	Container Volume

Analysis Requested	Sample Number

Analysis Requested	Sample Number

Analysis Requested	Sample Number

Comments/Data Format:	Quality Control Requirements: CT-RCH MA-MCP Other
Nitrite-N received past hold	

Analysis Requested	Sample Number	53171	53172	53173	53174	53175	53176	53177	53178	53179	53180

EAS LABORATORIES

CHAIN OF CUSTODY

105 Commercial Street, Watertown, CT 06795 Phone (860) 274-5461 Fax (860) 945-0449

Company Name: VHB Vanasse Hangen Brustlin				Analysis Requested										EAS Laboratories Sample Number	
Report Contact: R. McCarthy		Invoice Contact: R. McCarthy													
Project Number: 81769.06		P.O. Number:													
Project Location: Dabwood - K211															
Samplers Name/Signature: R. McCarthy / R. McCarthy															
Date/Time of Collection	Sample Identification	Comp	Grab	Matrix	Number of Containers	Type of Container: (A) Air Bag (G) Glass (P) Plastic (O) Other	Container Preservation Code	Container Volume	Nitrogen	Total Free Amine	Sulfate	TIC, TOC	Chloride	8021 Vol's w/ Chloride	Total Iron
7/20 11:40	MW-211	X	GW	5	2 G	2	40		X	X	X	X	X		53181
7/20 11:40	MW-212	X	GW	5	2 G	2	40		X	X	X	X	X		53182
7/20 10:20	MW-214	X	GW	5	2 G	2	40		X	X	X	X	X		53183
7/20 10:25	MW-303	X	GW	5	2 G	2	40		X	X	X	X	X		53184
7/20 12:00	Trip Blank	X		3	2 G	2	40						X	X	TD-WIC 53185
	Equip Blank	X		3	2 G	2	40						X	X	EB-WIC 53186

Sample Receipt: Cooler Present: Yes No
Sample Receipt: Ambient: Iced
EAS Use Only: Seals Intact: Yes No NA
Sample Temp: 9.2°C
Matrix Code: A-Air S-Soil SD-Solid DW-Drinking Water SW-Surface Water GW-Ground Water WW-Waste Water O-Oil
Preservation Code: 1-Non Preserved 2-Hydrochloric Acid 3-Sulfuric Acid 4-Nitric Acid 5-Sodium Hydroxide 6-Sodium Hydroxide + Zinc Acetate 7-Methanol 8-Sodium Bisulfate
Comments/Data Format: Nitrite-N received past hold.
Quality Control Requirements: CT-RCP MA-MCP Other:
Turnaround Time Requested: 5d Project Complete Date:

White: Lab, Canary: File, Pink: Customer

Page 2 of 2

EAS LABORATORIES

CHAIN OF CUSTODY

105 Commercial Street, Watertown, CT 06795 Phone (860) 274-5461 Fax (860) 945-0449

Company Name: VHB				Analysis Requested										EAS Laboratories Sample Number	
Report Contact: R. McCarthy		Invoice Contact: R. McCarthy													
Project Number: 81769.06		P.O. Number:													
Project Location: Dabwood - K211															
Samplers Name/Signature: R. McCarthy / R. McCarthy															
Date/Time of Collection	Sample Identification	Comp	Grab	Matrix	Number of Containers	Type of Container: (A) Air Bag (G) Glass (P) Plastic (O) Other	Container Preservation Code	Container Volume	Nitrogen	Total Free Amine	Sulfate	TIC, TOC	Chloride	8021 Vol's w/ Chloride	Total Iron
7/20 11:40	MW-211	X	GW	5	2 G	2	40		X	X	X	X	X		53181
7/20 11:40	MW-212	X	GW	5	2 G	2	40		X	X	X	X	X		53182
7/20 10:20	MW-214	X	GW	5	2 G	2	40		X	X	X	X	X		53183
7/20 10:25	MW-303	X	GW	5	2 G	2	40		X	X	X	X	X		53184
7/20 12:00	Trip Blank	X		3	2 G	2	40						X	X	TD-WIC 53185
	Equip Blank	X		3	2 G	2	40						X	X	EB-WIC 53186

Sample Receipt: Cooler Present: Yes No
Sample Receipt: Ambient: Iced
EAS Use Only: Seals Intact: Yes No NA
Sample Temp: 9.2°C
Matrix Code: A-Air S-Soil SD-Solid DW-Drinking Water SW-Surface Water GW-Ground Water WW-Waste Water O-Oil
Preservation Code: 1-Non Preserved 2-Hydrochloric Acid 3-Sulfuric Acid 4-Nitric Acid 5-Sodium Hydroxide 6-Sodium Hydroxide + Zinc Acetate 7-Methanol 8-Sodium Bisulfate
Comments/Data Format: Nitrite-N received past hold.
Quality Control Requirements: CT-RCP MA-MCP Other:
Turnaround Time Requested: 5d Project Complete Date:

White: Lab, Canary: File, Pink: Customer

Page 1 of 2

EAS LABORATORIES

CHAIN OF CUSTODY

105 Commercial Street, Watertown, CT 06795 Phone (860) 274-5461 Fax (860) 945-0449

Company Name: <u>State of Connecticut</u>		Report Contact: <u>State of Connecticut</u>		Invoice Contact: <u>State of Connecticut</u>		Project Number: <u>170706</u>		P.O. Number:		Project Location: <u>State of Connecticut</u>		Samplers Name/Signature: <u>[Signature]</u>		Analysis Requested		EAS Laboratories Sample Number	
Date/Time of Collection	Sample Identification	Comp	Grab	Matrix	Number of Containers	Type of Containers: (A) Air Bag (G) Glass (P) Plastic (O) Other	Container Preservation Code	Container Volume									
			X	GW	5												060100040-11
			X	GW	5												-12
			X	GW	5												-13
			X	GW	5												-14
			X		3												-15
			X		3												-16
Sample Receipt: Cooler Present: Yes No		EAS Use Only: Seals Intact: Yes No		Sample Temp:		Matrix Code: A-Air S-Soil SD-Solid DW-Drinking Water SW-Surface Water GW-Ground Water WW-Waste Water O-Oil											
Sample Receipt: Ambient: Ind:		Sample Temp:		Preservation Code: 1-None Preserved 2-Hydrochloric Acid 3-Sulfuric Acid 4-Nitric Acid 5-Sodium Hydroxide 6-Sodium Hydroxide + Zinc Acetate													
Requested by (Signature)	Time	Received by (Signature)	Time	Comments/Data Format:													
Requested by (Signature)	Time	Received by (Signature)	Time	Quality Control Requirements: CT-RCP MA-MCP Other:													
Requested by (Signature)	Time	Received by (Signature)	Time	Turnaround Time Requested: Project Complete Date:													

White: Lab, Canary: File, Pink: Customer

Page 2 of 2




Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 1 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

Laboratory Results

Total pages in data package: 8

<u>Lab Sample #</u>	<u>Client Sample ID</u>
P0612358-01	MW-1S
P0612358-02	MW-10
P0612358-03	MW-20
P0612358-04	MW-206
P0612358-05	MW-211
P0612358-06	MW-214



Microseeps test results meet all the requirements of the NELAC standards.

Approved By:

Char Washlaski

The analytical results reported here are reliable and usable to the precision expressed in this report. As required by some regulating authorities, a full discussion of the uncertainty in our analytical results can be obtained at our web site or through customer service. Unless otherwise specified, all results are reported on a wet weight basis.

As a valued client we would appreciate your comments on our service.

Please call customer service at (412)826-5245 or email customerservice@microseeps.com.

Case Narrative:

Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 2 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-1S	Water	P0612358-01	19 Dec. 06 10:06	20 Dec. 06 11:40		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	2.400	0.025	ug/L	AM20GAX	12/30/06	sl
N Ethene	30.000	0.025	ug/L	AM20GAX	12/30/06	sl
N Methane	1800.000	0.100	ug/L	AM20GAX	12/30/06	sl



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 3 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-10	Water	P0612358-02	19 Dec. 06 9:36	20 Dec. 06 11:40		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>Risk Analysis</u>						
N Ethane	9.700	0.025	ug/L	AM20GAX	12/30/06	sl
N Ethene	5.000	0.025	ug/L	AM20GAX	12/30/06	sl
N Methane	2100.000	0.100	ug/L	AM20GAX	12/30/06	sl



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 4 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-20	Water	P0612358-03	19 Dec. 06 8:45	20 Dec. 06 11:40		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.057	0.025	ug/L	AM20GAX	12/30/06	sl
N Ethene	0.067	0.025	ug/L	AM20GAX	12/30/06	sl
N Methane	610.000	0.100	ug/L	AM20GAX	12/30/06	sl



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 5 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-206	Water	P0612358-04	19 Dec. 06 9:05	20 Dec. 06 11:40		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	99.000	0.025	ug/L	AM20GAX	12/30/06	sl
N Ethene	25.000	0.025	ug/L	AM20GAX	12/30/06	sl
N Methane	1300.000	0.100	ug/L	AM20GAX	12/30/06	sl



Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 6 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-211	Water	P0612358-05	19 Dec. 06 10:05	20 Dec. 06 11:40		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	0.560	0.025	ug/L	AM20GAX	12/30/06	sl
N Ethene	0.052	0.025	ug/L	AM20GAX	12/30/06	sl
N Methane	1200.000	0.100	ug/L	AM20GAX	12/30/06	sl




Client Name: Vanasse Hangen Brustlin, Inc
Contact: Robert McCarthy
Address: 54 Tuttle Place
Middletown, CT 06457-1847

Page: Page 7 of 7
Lab Proj #: P0612358
Report Date: 01/02/07
Client Proj Name: Dalewood I
Client Proj #: 8176906

<u>Sample Description</u>	<u>Matrix</u>	<u>Lab Sample #</u>	<u>Sampled Date/Time</u>	<u>Received</u>		
MW-214	Water	P0612358-06	19 Dec. 06 10:45	20 Dec. 06 11:40		
<u>Analyte(s)</u>	<u>Result</u>	<u>PQL</u>	<u>Units</u>	<u>Method #</u>	<u>Analysis Date</u>	<u>By</u>
<u>RiskAnalysis</u>						
N Ethane	6.600	0.025	ug/L	AM20GAX	12/30/06	sl
N Ethene	13.000	0.025	ug/L	AM20GAX	12/30/06	sl
N Methane	2200.000	0.100	ug/L	AM20GAX	12/30/06	sl



PHOENIX
Environmental Laboratories, Inc.



Friday, December 29, 2006

Attn: Mr. Rob McCarthy
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Client ID: KROLL DALEWOOD
Sample ID#s: AH78567 - AH78582

This laboratory is in compliance with the QA/QC procedure outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, and SW846 QA/QC requirements of procedures used.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in cursive script that reads "Phyllis Shiller".

Phyllis Shiller
Laboratory Director

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

FOR: Attn: Mr. Rob McCarthy
Vannasse Hangen Brustlin, Inc.
54 Tuille Place
Middletown, CT 06457-1847

Analysis Report

Sample Information
Matrix: WATE
Location Code: VHB
Rush Request:
P.O.#: 41201

Custody Information		Laboratory Data	
Collected by:	SW	SDG I.D.:	GAH78566
Received by:	see "By" below	Phoenix I.D.:	AH78566
12/18/06	12/19/06		
12:35	16:00		
Date	Time		

Client ID:	Result	Units	Date	Time	By	Reference
KIROLL DALEWOOD MW-200						

Volatiles		Completed		Total Metals Digestion	
Asenitic	< 0.004	0.004	mg/L	12/22/06	EKT 6010/200.7
Iron	5.41	0.002	mg/L	12/22/06	EKT 6010/200.7
Manganese	5.73	0.01	mg/L	12/22/06	EKT 6010/200.7
Chloride	370	30	mg/L	12/20/06	EKT 6010/200.7
Sulfate	33	3.0	mg/L	12/19/06	EKT 300.0
Total Inorg Carbon	57	1.0	mg/L	12/22/06	EKT 415.1
Total Org Carbon	4.2	1.0	mg/L	12/22/06	EKT 415.1
				12/19/06	AG
ND	5	5	mg/L	12/22/06	RM SW8260
1,1,1,2-Tetrachloroethane	ND	5	mg/L	12/22/06	RM SW8260
1,1,1-Trichloroethane	ND	5	mg/L	12/22/06	RM SW8260
1,1,2,2-Tetrachloroethane	ND	5	mg/L	12/22/06	RM SW8260
1,1,2-Trichloroethane	ND	5	mg/L	12/22/06	RM SW8260
1,1-Dichloroethane	ND	5	mg/L	12/22/06	RM SW8260
1,1-Dichloroethene	ND	5	mg/L	12/22/06	RM SW8260
1,1-Dichloropropene	ND	5	mg/L	12/22/06	RM SW8260
1,2,3-Trichlorobenzene	ND	5	mg/L	12/22/06	RM SW8260
1,2,3-Trichloropropene	ND	5	mg/L	12/22/06	RM SW8260
1,2,4-Trichlorobenzene	ND	5	mg/L	12/22/06	RM SW8260
1,2,4-Trimethylbenzene	ND	5	mg/L	12/22/06	RM SW8260
1,2-Dibromo-3-chloropropane	ND	5	mg/L	12/22/06	RM SW8260
1,2-Dichlorobenzene	ND	5	mg/L	12/22/06	RM SW8260
1,2-Dichloroethane	ND	5	mg/L	12/22/06	RM SW8260

Page 1 of 48

Client ID: KROLL DALEWOOD MW-200	Phoenix I.D.: AH78567	Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	5	u g/L	12/22/06	RM	SW8260			
1,3-Dichlorobenzene	ND	5	u g/L	12/22/06	RM	SW8260			
1,3-Dichloropropene	ND	5	u g/L	12/22/06	RM	SW8260			
1,4-Dichlorobenzene	ND	5	u g/L	12/22/06	RM	SW8260			
2-Chlorotoluene	ND	5	u g/L	12/22/06	RM	SW8260			
2,2-Dichloropropene	ND	5	u g/L	12/22/06	RM	SW8260			
2,4-Dichloropropene	ND	5	u g/L	12/22/06	RM	SW8260			
2-Hexanone	ND	25	u g/L	12/22/06	RM	SW8260			
2-Isopropyltoluene	ND	5	u g/L	12/22/06	RM	SW8260			
4-Chlorotoluene	ND	5	u g/L	12/22/06	RM	SW8260			
4-Methyl-2-pentanone	ND	130	u g/L	12/22/06	RM	SW8260			
Acetone	ND	50	u g/L	12/22/06	RM	SW8260			
Acrylonitrile	ND	50	u g/L	12/22/06	RM	SW8260			
Benzene	ND	5	u g/L	12/22/06	RM	SW8260			
Bromobenzene	ND	5	u g/L	12/22/06	RM	SW8260			
Bromochloromethane	ND	5	u g/L	12/22/06	RM	SW8260			
Bromodichloromethane	ND	5	u g/L	12/22/06	RM	SW8260			
Bromoforn	ND	5	u g/L	12/22/06	RM	SW8260			
Bromomethane	ND	5	u g/L	12/22/06	RM	SW8260			
Carbon Disulfide	ND	5	u g/L	12/22/06	RM	SW8260			
Carbon tetrachloride	ND	5	u g/L	12/22/06	RM	SW8260			
Chlorobenzene	ND	5	u g/L	12/22/06	RM	SW8260			
Chloroethane	ND	5	u g/L	12/22/06	RM	SW8260			
Chloroform	ND	5	u g/L	12/22/06	RM	SW8260			
Chloromethane	ND	5	u g/L	12/22/06	RM	SW8260			
cis-1,2-Dichloroethene	100	5	u g/L	12/22/06	RM	SW8260			
cis-1,3-Dichloropropene	ND	5	u g/L	12/22/06	RM	SW8260			
Dibromomethane	ND	5	u g/L	12/22/06	RM	SW8260			
Dibromochloromethane	ND	5	u g/L	12/22/06	RM	SW8260			
Dibromomethane	ND	5	u g/L	12/22/06	RM	SW8260			
Dichlorodifluoromethane	ND	5	u g/L	12/22/06	RM	SW8260			
Eclyibenzene	ND	5	u g/L	12/22/06	RM	SW8260			
Hexachlorobutadiene	ND	5	u g/L	12/22/06	RM	SW8260			
Isopropylbenzene	ND	5	u g/L	12/22/06	RM	SW8260			
m&p-Xylene	ND	5	u g/L	12/22/06	RM	SW8260			
Methyl ethyl ketone	ND	130	u g/L	12/22/06	RM	SW8260			
Methyl t-butyl ether (MTBE)	ND	10	u g/L	12/22/06	RM	SW8260			
Methylene chloride	ND	5	u g/L	12/22/06	RM	SW8260			
n-Butylbenzene	ND	5	u g/L	12/22/06	RM	SW8260			
n-Propylbenzene	ND	5	u g/L	12/22/06	RM	SW8260			
Naphthalene	ND	5	u g/L	12/22/06	RM	SW8260			
o-Xylene	ND	5	u g/L	12/22/06	RM	SW8260			
p-Isopropyltoluene	ND	5	u g/L	12/22/06	RM	SW8260			
sec-Butylbenzene	ND	5	u g/L	12/22/06	RM	SW8260			
Styrene	ND	5	u g/L	12/22/06	RM	SW8260			

Page 2 of 48

Client ID: KROLL DALEWOOD MW-200

Phoenix I.D.: AH78567

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
Tetrachloroethene	94	5	ug/L	12/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	5	ug/L	12/22/06		RM	SW8260
Toluene	ND	5	ug/L	12/22/06		RM	SW8260
Total Xylenes	ND	5	ug/L	12/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	12/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	12/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	5	ug/L	12/22/06		RM	SW8260
Trichloroethene	11	5	ug/L	12/22/06		RM	SW8260
Trichlorofluoromethane	ND	5	ug/L	12/22/06		RM	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	12/22/06		RM	SW8260
Vinyl chloride	59	5	ug/L	12/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	117		%	12/22/06		RM	SW8260
% Bromofluorobenzene	76		%	12/22/06		RM	SW8260
% Dibromofluoromethane	104		%	12/22/06		RM	SW8260
% Toluene-d8	94		%	12/22/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit



Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/18/06 12:15
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

Date Time**Laboratory Data**

SDG I.D.: GAH78567
 Phoenix I.D.: AH78568

Client ID: KROLL DALEWOOD MW-201

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	55.9	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	4.73	0.01	mg/L	12/22/06		EK	6010/200.7
Chloride	430	30	mg/L	12/20/06		EG	300.0
Sulfate	7.4	3.0	mg/L	12/19/06	23:21	J/E	300.0
Tot.Inorg.Carbon	76	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	6.0	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloroethene	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-201

Phoenix I.D.: AH78568

Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,3-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
2,2-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
2-Chlorotoluene	ND	1	ug/L	12/21/06		RM	SW8260
2-Hexanone	ND	5	ug/L	12/21/06		RM	SW8260
2-Isopropyltoluene	ND	1	ug/L	12/21/06		RM	SW8260
4-Chlorotoluene	ND	1	ug/L	12/21/06		RM	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/21/06		RM	SW8260
Acetone	ND	10	ug/L	12/21/06		RM	SW8260
Acrylonitrile	ND	10	ug/L	12/21/06		RM	SW8260
Benzene	ND	1	ug/L	12/21/06		RM	SW8260
Bromobenzene	ND	1	ug/L	12/21/06		RM	SW8260
Bromochloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Bromodichloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Bromoform	ND	1	ug/L	12/21/06		RM	SW8260
Bromomethane	ND	1	ug/L	12/21/06		RM	SW8260
Carbon Disulfide	ND	1	ug/L	12/21/06		RM	SW8260
Carbon tetrachloride	ND	1	ug/L	12/21/06		RM	SW8260
Chlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
Chloroethane	ND	1	ug/L	12/21/06		RM	SW8260
Chloroform	ND	1	ug/L	12/21/06		RM	SW8260
Chloromethane	ND	1	ug/L	12/21/06		RM	SW8260
cis-1,2-Dichloroethene	40	1	ug/L	12/21/06		RM	SW8260
cis-1,3-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
Dibromochloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Dibromoethane	ND	1	ug/L	12/21/06		RM	SW8260
Dibromomethane	ND	1	ug/L	12/21/06		RM	SW8260
Dichlorodifluoromethane	ND	1	ug/L	12/21/06		RM	SW8260
Ethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Hexachlorobutadiene	ND	1	ug/L	12/21/06		RM	SW8260
Isopropylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
m&p-Xylene	ND	1	ug/L	12/21/06		RM	SW8260
Methyl ethyl ketone	ND	25	ug/L	12/21/06		RM	SW8260
Methyl t-butyl ether (MTBE)	3.3	2	ug/L	12/21/06		RM	SW8260
Methylene chloride	ND	1	ug/L	12/21/06		RM	SW8260
n-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
n-Propylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Naphthalene	ND	1	ug/L	12/21/06		RM	SW8260
o-Xylene	ND	1	ug/L	12/21/06		RM	SW8260
p-Isopropyltoluene	ND	1	ug/L	12/21/06		RM	SW8260
sec-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Styrene	ND	1	ug/L	12/21/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-201

Phoenix I.D.: AH78568

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Tetrachloroethene	7.3	1	ug/L	12/21/06		RM	SW8260
Tetrahydrofuran (THF)	ND	1	ug/L	12/21/06		RM	SW8260
Toluene	ND	1	ug/L	12/21/06		RM	SW8260
Total Xylenes	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,3-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	1	ug/L	12/21/06		RM	SW8260
Trichloroethene	4	1	ug/L	12/21/06		RM	SW8260
Trichlorofluoromethane	ND	1	ug/L	12/21/06		RM	SW8260
Trichlorotrifluoroethane	ND	1	ug/L	12/21/06		RM	SW8260
Vinyl chloride	18	1	ug/L	12/21/06		RM	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	116		%	12/21/06		RM	SW8260
% Bromofluorobenzene	88		%	12/21/06		RM	SW8260
% Dibromofluoromethane	125		%	12/21/06		RM	SW8260
% Toluene-d8	97		%	12/21/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit


 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 646-1102 Fax (860) 646-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Sample Information

Matrix: WATER
Location Code: VHB
Rush Request:
P.O.#: 41201

Custody Information

Collected by: 12/18/06 11:25
Received by: SW 12/19/06 16:00
Analyzed by: see "By" below

Date Time

SDG I.D.: GAH78567
Phoenix I.D.: AH78569

Laboratory Data

Client ID: KROLL DALEWOOD MW-202

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	< 0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	6.98	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	1.13	0.001	mg/L	12/22/06		EKT	6010/200.7
Chloride	2200	150	mg/L	12/20/06		EG	300.0
Sulfate	83	3.0	mg/L	12/19/06	23:42	J/E	300.0
Tot.Inorg.Carbon	53	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	4.2	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloroethene	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-202

Phoenix I.D.: AH78569

Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,3-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
2,2-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
2-Chlorotoluene	ND	1	ug/L	12/21/06		RM	SW8260
2-Hexanone	ND	5	ug/L	12/21/06		RM	SW8260
2-Isopropyltoluene	ND	1	ug/L	12/21/06		RM	SW8260
4-Chlorotoluene	ND	1	ug/L	12/21/06		RM	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/21/06		RM	SW8260
Acetone	ND	10	ug/L	12/21/06		RM	SW8260
Acrylonitrile	ND	10	ug/L	12/21/06		RM	SW8260
Benzene	ND	1	ug/L	12/21/06		RM	SW8260
Bromobenzene	ND	1	ug/L	12/21/06		RM	SW8260
Bromochloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Bromodichloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Bromoform	ND	1	ug/L	12/21/06		RM	SW8260
Bromomethane	ND	1	ug/L	12/21/06		RM	SW8260
Carbon Disulfide	ND	1	ug/L	12/21/06		RM	SW8260
Carbon tetrachloride	ND	1	ug/L	12/21/06		RM	SW8260
Chlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
Chloroethane	ND	1	ug/L	12/21/06		RM	SW8260
Chloroform	ND	1	ug/L	12/21/06		RM	SW8260
Chloromethane	ND	1	ug/L	12/21/06		RM	SW8260
cis-1,2-Dichloroethene	1.1	1	ug/L	12/21/06		RM	SW8260
cis-1,3-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
Dibromochloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Dibromoethane	ND	1	ug/L	12/21/06		RM	SW8260
Dibromomethane	ND	1	ug/L	12/21/06		RM	SW8260
Dichlorodifluoromethane	ND	1	ug/L	12/21/06		RM	SW8260
Ethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Hexachlorobutadiene	ND	1	ug/L	12/21/06		RM	SW8260
Isopropylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
m&p-Xylene	ND	1	ug/L	12/21/06		RM	SW8260
Methyl ethyl ketone	ND	25	ug/L	12/21/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	2	ug/L	12/21/06		RM	SW8260
Methylene chloride	ND	1	ug/L	12/21/06		RM	SW8260
n-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
n-Propylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Naphthalene	ND	1	ug/L	12/21/06		RM	SW8260
o-Xylene	ND	1	ug/L	12/21/06		RM	SW8260
p-Isopropyltoluene	ND	1	ug/L	12/21/06		RM	SW8260
sec-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Styrene	ND	1	ug/L	12/21/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-202

Phoenix I.D.: AH78569

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Tetrachloroethene	22	1	ug/L	12/21/06		RM	SW8260
Tetrahydrofuran (THF)	ND	1	ug/L	12/21/06		RM	SW8260
Toluene	ND	1	ug/L	12/21/06		RM	SW8260
Total Xylenes	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,3-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	1	ug/L	12/21/06		RM	SW8260
Trichloroethene	ND	1	ug/L	12/21/06		RM	SW8260
Trichlorofluoromethane	ND	1	ug/L	12/21/06		RM	SW8260
Trichlorotrifluoroethane	ND	1	ug/L	12/21/06		RM	SW8260
Vinyl chloride	ND	1	ug/L	12/21/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	124		%	12/21/06		RM	SW8260
% Bromofluorobenzene	72		%	12/21/06		RM	SW8260
% Dibromofluoromethane	70		%	12/21/06		RM	SW8260
% Toluene-d8	95		%	12/21/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller
 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/18/06 12:55
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

SDG I.D.: GAH78567

Phoenix I.D.: AH78570

Laboratory Data

Client ID: KROLL DALEWOOD MW-204


Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	18.5	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	7.29	0.01	mg/L	12/22/06		EK	6010/200.7
Chloride	560	30	mg/L	12/20/06		EG	300.0
Sulfate	24	3.0	mg/L	12/19/06	23:52	J/E	300.0
Tot.Inorg.Carbon	62	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	3.4	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloroethene	1.1	1	ug/L	12/21/06		RM	SW8260
1,1-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichloroethane	ND	1	ug/L	12/21/06		RM	SW8260
1,2-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-204				Phoenix I.D.: AH78570			
Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
1,3-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
2,2-Dichloropropane	ND	1	ug/L	12/21/06		RM	SW8260
2-Chlorotoluene	ND	1	ug/L	12/21/06		RM	SW8260
2-Hexanone	ND	5	ug/L	12/21/06		RM	SW8260
2-Isopropyltoluene	ND	1	ug/L	12/21/06		RM	SW8260
4-Chlorotoluene	ND	1	ug/L	12/21/06		RM	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/21/06		RM	SW8260
Acetone	ND	10	ug/L	12/21/06		RM	SW8260
Acrylonitrile	ND	10	ug/L	12/21/06		RM	SW8260
Benzene	ND	1	ug/L	12/21/06		RM	SW8260
Bromobenzene	ND	1	ug/L	12/21/06		RM	SW8260
Bromochloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Bromodichloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Bromoform	ND	1	ug/L	12/21/06		RM	SW8260
Bromomethane	ND	1	ug/L	12/21/06		RM	SW8260
Carbon Disulfide	ND	1	ug/L	12/21/06		RM	SW8260
Carbon tetrachloride	ND	1	ug/L	12/21/06		RM	SW8260
Chlorobenzene	ND	1	ug/L	12/21/06		RM	SW8260
Chloroethane	ND	1	ug/L	12/21/06		RM	SW8260
Chloroform	ND	1	ug/L	12/21/06		RM	SW8260
Chloromethane	ND	1	ug/L	12/21/06		RM	SW8260
cis-1,2-Dichloroethene	270	100	ug/L	12/21/06		RM	SW8260
cis-1,3-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
Dibromochloromethane	ND	1	ug/L	12/21/06		RM	SW8260
Dibromoethane	ND	1	ug/L	12/21/06		RM	SW8260
Dibromomethane	ND	1	ug/L	12/21/06		RM	SW8260
Dichlorodifluoromethane	ND	1	ug/L	12/21/06		RM	SW8260
Ethylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Hexachlorobutadiene	ND	1	ug/L	12/21/06		RM	SW8260
Isopropylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
m&p-Xylene	ND	1	ug/L	12/21/06		RM	SW8260
Methyl ethyl ketone	ND	25	ug/L	12/21/06		RM	SW8260
Methyl t-butyl ether (MTBE)	9	2	ug/L	12/21/06		RM	SW8260
Methylene chloride	ND	1	ug/L	12/21/06		RM	SW8260
n-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
n-Propylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Naphthalene	ND	1	ug/L	12/21/06		RM	SW8260
o-Xylene	ND	1	ug/L	12/21/06		RM	SW8260
p-Isopropyltoluene	ND	1	ug/L	12/21/06		RM	SW8260
sec-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Styrene	ND	1	ug/L	12/21/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-204				Phoenix I.D.: AH78570			
Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	1	ug/L	12/21/06		RM	SW8260
Tetrachloroethene	220	10	ug/L	12/21/06		RM	SW8260
Tetrahydrofuran (THF)	ND	1	ug/L	12/21/06		RM	SW8260
Toluene	ND	1	ug/L	12/21/06		RM	SW8260
Total Xylenes	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,2-Dichloroethene	2.9	1	ug/L	12/21/06		RM	SW8260
trans-1,3-Dichloropropene	ND	1	ug/L	12/21/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	1	ug/L	12/21/06		RM	SW8260
Trichloroethene	59	10	ug/L	12/21/06		RM	SW8260
Trichlorofluoromethane	ND	1	ug/L	12/21/06		RM	SW8260
Trichlorotrifluoroethane	ND	1	ug/L	12/21/06		RM	SW8260
Vinyl chloride	17	1	ug/L	12/21/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	119		%	12/21/06		RM	SW8260
% Bromofluorobenzene	85		%	12/21/06		RM	SW8260
% Dibromofluoromethane	119		%	12/21/06		RM	SW8260
% Toluene-d8	94		%	12/21/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit


 Phyllis Shiller, Laboratory Director
 December 29, 2006

Page 13 of 48

Client ID: KROLL DALEWOOD MW-205

Phoenix I.D.: AH78571

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	100	ug/L	12/22/06		RM	SW8260
Tetrachloroethene	26000	500	ug/L	12/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	100	ug/L	12/22/06		RM	SW8260
Toluene	ND	100	ug/L	12/22/06		RM	SW8260
Total Xylenes	ND	100	ug/L	12/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	100	ug/L	12/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	100	ug/L	12/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	100	ug/L	12/22/06		RM	SW8260
Trichloroethene	1100	100	ug/L	12/22/06		RM	SW8260
Trichlorofluoromethane	ND	100	ug/L	12/22/06		RM	SW8260
Trichlorotrifluoroethane	ND	100	ug/L	12/22/06		RM	SW8260
Vinyl chloride	390	100	ug/L	12/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	114		%	12/22/06		RM	SW8260
% Bromofluorobenzene	89		%	12/22/06		RM	SW8260
% Dibromofluoromethane	120		%	12/22/06		RM	SW8260
% Toluene-d8	95		%	12/22/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit



Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/18/06 9:05
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

Date

Time

Laboratory Data

SDG I.D.: GAH78567
 Phoenix I.D.: AH78572

Client ID: KROLL DALEWOOD MW-206

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	0.007	0.004	mg/L	12/22/06		ERT	6010/200.7
Iron	4.12	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	2.58	0.01	mg/L	12/22/06		EK	6010/200.7
Chloride	690	75	mg/L	12/20/06		EG	300.0
Sulfate	62	3.0	mg/L	12/20/06	0:12	J/E	300.0
Tot.Inorg.Carbon	72	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	5.2	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethene	ND	50	ug/L	12/22/06		RM	SW8260
1,1-Dichloropropene	ND	50	ug/L	12/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	50	ug/L	12/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dichloropropane	ND	50	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-206
Phoenix I.D.: AH78572

Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	50	u/L	12/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	50	u/L	12/22/06		RM	SW8260
1,3-Dichloropropane	ND	50	u/L	12/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	50	u/L	12/22/06		RM	SW8260
2,2-Dichloropropane	ND	50	u/L	12/22/06		RM	SW8260
2-Chlorotoluene	ND	50	u/L	12/22/06		RM	SW8260
2-Hexanone	ND	250	u/L	12/22/06		RM	SW8260
2-Isopropyltoluene	ND	50	u/L	12/22/06		RM	SW8260
4-Chlorotoluene	ND	50	u/L	12/22/06		RM	SW8260
4-Methyl-2-pentanone	ND	1300	u/L	12/22/06		RM	SW8260
Acetone	ND	500	u/L	12/22/06		RM	SW8260
Acrylonitrile	ND	500	u/L	12/22/06		RM	SW8260
Benzene	ND	50	u/L	12/22/06		RM	SW8260
Bromobenzene	ND	50	u/L	12/22/06		RM	SW8260
Bromochloromethane	ND	50	u/L	12/22/06		RM	SW8260
Bromodichloromethane	ND	50	u/L	12/22/06		RM	SW8260
Bromoform	ND	50	u/L	12/22/06		RM	SW8260
Bromomethane	ND	50	u/L	12/22/06		RM	SW8260
Carbon Disulfide	ND	50	u/L	12/22/06		RM	SW8260
Carbon tetrachloride	ND	50	u/L	12/22/06		RM	SW8260
Chlorobenzene	ND	50	u/L	12/22/06		RM	SW8260
Chloroethane	ND	50	u/L	12/22/06		RM	SW8260
Chloroform	ND	50	u/L	12/22/06		RM	SW8260
Chloromethane	ND	50	u/L	12/22/06		RM	SW8260
cis-1,2-Dichloroethane	3600	100	u/L	12/22/06		RM	SW8260
cis-1,3-Dichloropropene	ND	50	u/L	12/22/06		RM	SW8260
Dibromochloromethane	ND	50	u/L	12/22/06		RM	SW8260
Dibromoethane	ND	50	u/L	12/22/06		RM	SW8260
Dibromomethane	ND	50	u/L	12/22/06		RM	SW8260
Dichlorodifluoromethane	ND	50	u/L	12/22/06		RM	SW8260
Ethylbenzene	ND	50	u/L	12/22/06		RM	SW8260
Hexachlorobutadiene	ND	50	u/L	12/22/06		RM	SW8260
Isopropylbenzene	ND	50	u/L	12/22/06		RM	SW8260
m&p-Xylene	ND	50	u/L	12/22/06		RM	SW8260
Methyl ethyl ketone	ND	1300	u/L	12/22/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	100	u/L	12/22/06		RM	SW8260
Methylene chloride	ND	50	u/L	12/22/06		RM	SW8260
n-Butylbenzene	ND	50	u/L	12/22/06		RM	SW8260
n-Propylbenzene	ND	50	u/L	12/22/06		RM	SW8260
Naphthalene	ND	50	u/L	12/22/06		RM	SW8260
o-Xylene	ND	50	u/L	12/22/06		RM	SW8260
p-Isopropyltoluene	ND	50	u/L	12/22/06		RM	SW8260
sec-Butylbenzene	ND	50	u/L	12/22/06		RM	SW8260
Styrene	ND	50	u/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-206
Phoenix I.D.: AH78572

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	50	u/L	12/22/06		RM	SW8260
Tetrachloroethene	13000	500	u/L	12/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	50	u/L	12/22/06		RM	SW8260
Toluene	ND	50	u/L	12/22/06		RM	SW8260
Total Xylenes	ND	50	u/L	12/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	50	u/L	12/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	50	u/L	12/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	50	u/L	12/22/06		RM	SW8260
Trichloroethene	420	50	u/L	12/22/06		RM	SW8260
Trichlorofluoromethane	ND	50	u/L	12/22/06		RM	SW8260
Trichlorotrifluoroethane	ND	50	u/L	12/22/06		RM	SW8260
Vinyl chloride	560	50	u/L	12/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	119	%		12/22/06		RM	SW8260
% Bromofluorobenzene	90	%		12/22/06		RM	SW8260
% Dibromofluoromethane	114	%		12/22/06		RM	SW8260
% Toluene-d8	96	%		12/22/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller, Laboratory Director
December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Sample Information

Matrix: WATER
Location Code: VHB
Rush Request:
P.O.#: 41201

Custody Information

Collected by: 12/18/06 10:05
Received by: SW 12/19/06 16:00
Analyzed by: see "By" below

Date Time

SDG I.D.: GAH78567

Phoenix I.D.: AH78573

Laboratory Data

Client ID: KROLL DALEWOOD MW-211

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	< 0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	0.006	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	1.91	0.001	mg/L	12/22/06		EKT	6010/200.7
Chloride	890	75	mg/L	12/20/06		EG	300.0
Sulfate	7.5	3.0	mg/L	12/20/06	0:22	J/E	300.0
Tot.Inorg.Carbon	54	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	2.0	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	12/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	12/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	12/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethane	ND	5	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethene	ND	5	ug/L	12/22/06		RM	SW8260
1,1-Dichloropropene	ND	5	ug/L	12/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	12/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	12/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	12/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	12/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	12/22/06		RM	SW8260
1,2-Dichloroethane	ND	5	ug/L	12/22/06		RM	SW8260
1,2-Dichloropropane	ND	5	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-211

Phoenix I.D.: AH78573

Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	12/22/06		RM	SW8260
1,3-Dichloropropane	ND	5	ug/L	12/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	12/22/06		RM	SW8260
2,2-Dichloropropane	ND	5	ug/L	12/22/06		RM	SW8260
2-Chlorotoluene	ND	5	ug/L	12/22/06		RM	SW8260
2-Hexanone	ND	25	ug/L	12/22/06		RM	SW8260
2-Isopropyltoluene	ND	5	ug/L	12/22/06		RM	SW8260
4-Chlorotoluene	ND	5	ug/L	12/22/06		RM	SW8260
4-Methyl-2-pentanone	ND	130	ug/L	12/22/06		RM	SW8260
Acetone	ND	50	ug/L	12/22/06		RM	SW8260
Acrylonitrile	ND	50	ug/L	12/22/06		RM	SW8260
Benzene	ND	5	ug/L	12/22/06		RM	SW8260
Bromobenzene	ND	5	ug/L	12/22/06		RM	SW8260
Bromochloromethane	ND	5	ug/L	12/22/06		RM	SW8260
Bromodichloromethane	ND	5	ug/L	12/22/06		RM	SW8260
Bromoform	ND	5	ug/L	12/22/06		RM	SW8260
Bromomethane	ND	5	ug/L	12/22/06		RM	SW8260
Carbon Disulfide	ND	5	ug/L	12/22/06		RM	SW8260
Carbon tetrachloride	ND	5	ug/L	12/22/06		RM	SW8260
Chlorobenzene	ND	5	ug/L	12/22/06		RM	SW8260
Chloroethane	ND	5	ug/L	12/22/06		RM	SW8260
Chloroform	ND	5	ug/L	12/22/06		RM	SW8260
Chloromethane	ND	5	ug/L	12/22/06		RM	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	12/22/06		RM	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	12/22/06		RM	SW8260
Dibromochloromethane	ND	5	ug/L	12/22/06		RM	SW8260
Dibromoethane	ND	5	ug/L	12/22/06		RM	SW8260
Dibromomethane	ND	5	ug/L	12/22/06		RM	SW8260
Dichlorodifluoromethane	ND	5	ug/L	12/22/06		RM	SW8260
Ethylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
Hexachlorobutadiene	ND	5	ug/L	12/22/06		RM	SW8260
Isopropylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
m&p-Xylene	ND	5	ug/L	12/22/06		RM	SW8260
Methyl ethyl ketone	ND	130	ug/L	12/22/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/22/06		RM	SW8260
Methylene chloride	ND	5	ug/L	12/22/06		RM	SW8260
n-Butylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
n-Propylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
Naphthalene	ND	5	ug/L	12/22/06		RM	SW8260
o-Xylene	ND	5	ug/L	12/22/06		RM	SW8260
p-Isopropyltoluene	ND	5	ug/L	12/22/06		RM	SW8260
sec-Butylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
Styrene	ND	5	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-211

Phoenix I.D.: AH78573

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	5	ug/L	12/22/06		RM	SW8260
Tetrachloroethene	110	5	ug/L	12/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	5	ug/L	12/22/06		RM	SW8260
Toluene	ND	5	ug/L	12/22/06		RM	SW8260
Total Xylenes	ND	5	ug/L	12/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	12/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	12/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	5	ug/L	12/22/06		RM	SW8260
Trichloroethene	ND	5	ug/L	12/22/06		RM	SW8260
Trichlorofluoromethane	ND	5	ug/L	12/22/06		RM	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	12/22/06		RM	SW8260
Vinyl chloride	ND	5	ug/L	12/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	115		%	12/22/06		RM	SW8260
% Bromofluorobenzene	98		%	12/22/06		RM	SW8260
% Dibromofluoromethane	105		%	12/22/06		RM	SW8260
% Toluene-d8	102		%	12/22/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller
 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

**Analysis Report**

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/18/06 9:40
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

Laboratory Data

SDG I.D.: GAH78567
 Phoenix I.D.: AH78574

Client ID: KROLL DALEWOOD MW-212

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	< 0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	0.249	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	0.068	0.001	mg/L	12/22/06		EKT	6010/200.7
Chloride	300	30	mg/L	12/20/06		EG	300.0
Sulfate	60	3.0	mg/L	12/20/06	0:32	J/E	300.0
Tot.Inorg.Carbon	58	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	1.2	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethene	ND	50	ug/L	12/22/06		RM	SW8260
1,1-Dichloropropene	ND	50	ug/L	12/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	50	ug/L	12/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dichloroethane	ND	50	ug/L	12/22/06		RM	SW8260
1,2-Dichloropropane	ND	50	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-212							Client ID: KROLL DALEWOOD MW-212						
Phoenix I.D.: AH78574							Phoenix I.D.: AH78574						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
1,3,5-Trimethylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
1,3-Dichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
1,3-Dichloropropane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
1,4-Dichlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
2,2-Dichloropropane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
2-Chlorotoluene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
2-Hexanone	ND	250	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
2-Isopropyltoluene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
4-Chlorotoluene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
4-Methyl-2-pentanone	ND	1300	ug/L	12/22/06		RM	SW8260	12/22/06	500	ug/L	12/22/06		RM
Acetone	ND	500	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Acrylonitrile	ND	500	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Benzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Bromobenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Bromochloromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Bromodichloromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Bromoform	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Bromomethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Bromotoluene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Carbon Disulfide	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Carbon tetrachloride	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Chlorobenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Chloroethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Chloroform	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Chloromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
cis-1,2-Dichloroethene	330	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
cis-1,3-Dichloropropene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Dibromomethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Dibromochloromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Dibromodichloromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Dibromomethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Dichlorodifluoromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Ethylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Hexachlorocyclopentadiene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Isopropylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
m&p-Xylene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Methyl ethyl ketone	ND	1300	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Methyl t-butyl ether (MTBE)	ND	100	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Methylene chloride	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
n-Butylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
n-Propylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Naphthalene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
o-Xylene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
p-Isopropyltoluene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
sec-Butylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Styrene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM

Client ID: KROLL DALEWOOD MW-212							Client ID: KROLL DALEWOOD MW-212						
Phoenix I.D.: AH78574							Phoenix I.D.: AH78574						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
tert-Butylbenzene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Tetrachloroethene	2300	100	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Tetrahydrofuran (THF)	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Toluene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Tolyl Xylenes	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
trans-1,2-Dichloroethene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
trans-1,3-Dichloropropene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
trans-1,4-dichloro-2-butene	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Trichloroethene	110	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Trichlorofluoromethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Trichlorotrifluoroethane	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
Vinyl chloride	ND	50	ug/L	12/22/06		RM	SW8260	12/22/06	50	ug/L	12/22/06		RM
QA/QC Surrogates							QA/QC Surrogates						
% 1,2-dichlorobenzene-d4	114	%		12/22/06		RM	SW8260	12/22/06	%		12/22/06		RM
% Bromofluorobenzene	78	%		12/22/06		RM	SW8260	12/22/06	%		12/22/06		RM
% Dibromofluoromethane	101	%		12/22/06		RM	SW8260	12/22/06	%		12/22/06		RM
% Toluene-d8	95	%		12/22/06		RM	SW8260	12/22/06	%		12/22/06		RM

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Schiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR:

Attn: Mr. Rob McCarthy
Vassse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Custody Information

Date Time

Sample Information

Matrix:

Location Code: VHB

Rush Request:

P.O.#: 41201

Laboratory Data

SDG I.D.: GAH78567
Phoenix I.D.: AH78575

Client ID: KROLL DALEWOOD MW-214

Parameter Result RL Units Date Time By Reference

Arsenic	< 0.004	0.004	mg/L	12/22/06	EKT	6010/200.7	12/22/06	mg/L	EKT	6010/200.7
Iron	12.2	0.002	mg/L	12/22/06	EKT	6010/200.7	12/22/06	mg/L	EKT	6010/200.7
Manganese	1.7	0.001	mg/L	12/22/06	EKT	6010/200.7	12/22/06	mg/L	EKT	6010/200.7
Chloride	690	75	mg/L	12/20/06	EC	300.0	12/20/06	mg/L	EC	300.0
Sulfate	55	3.0	mg/L	12/20/06	J/E	300.0	12/20/06	mg/L	J/E	300.0
Total Inorg. Carbon	52	1.0	mg/L	12/22/06	JL	415.1	12/22/06	mg/L	JL	415.1
Total Org. Carbon	3.0	1.0	mg/L	12/22/06	JL	SM5310C/415.1	12/22/06	mg/L	JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06	AC		12/19/06			
1,1,1,2-Tetrachloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,1,1-Trichloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,1,2,2-Tetrachloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,1,2-Trichloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,1-Dichloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2-Dichloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2,3-Trichloropropene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2,4-Trichlorobenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2,4-Trimethylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2-Dibromo-3-chloropropane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2-Dichlorobenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,2-Dichloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
sec-Butylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Styrene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260

Page 25 of 48

Client ID: KROLL DALEWOOD MW-214

Parameter Result RL Units Date Time By Reference

1,3,5-Trimethylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,3-Dichlorobenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,3-Dichloropropane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
1,4-Dichlorobenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
2,2-Dichloropropane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
2-Chlorotoluene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
2-Hexanone	ND	500	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
2-Isopropyltoluene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
4-Chlorotoluene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
4-Methyl-2-pentanone	ND	2500	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Acetone	ND	1000	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Acrylonitrile	ND	1000	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Benzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Bromobenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Bromochloromethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Bromodichloromethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Bromofuran	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Bromomethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Carbon Disulfide	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Carbon tetrachloride	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Chlorobenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Chloroethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Chloroform	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Chloromethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
cis-1,2-Dichloroethene	ND	2100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
cis-1,3-Dichloropropene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Dibromomethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Dichlorodifluoromethane	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Ethylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Hexachlorobutadiene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Isopropylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
m&p-Xylene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Methyl ethyl ketone	ND	2500	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Methyl t-butyl ether (MTBE)	ND	200	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Methylene chloride	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
n-Butylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
n-Propylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Naphthalene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
o-Xylene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
p-Isopropyltoluene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
sec-Butylbenzene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260
Styrene	ND	100	ug/L	12/23/06	RM	SW8260	12/23/06	ug/L	RM	SW8260

Page 26 of 48

Client ID: KROLL DALEWOOD MW-214
Phoenix I.D.: AH78575

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	100	ug/L	12/23/06		RM	SW8260
Tetrachloroethene	7500	500	ug/L	12/23/06		RM	SW8260
Tetrahydrofuran (THF)	ND	100	ug/L	12/23/06		RM	SW8260
Toluene	ND	100	ug/L	12/23/06		RM	SW8260
Total Xylenes	ND	100	ug/L	12/23/06		RM	SW8260
trans-1,2-Dichloroethene	ND	100	ug/L	12/23/06		RM	SW8260
trans-1,3-Dichloropropene	ND	100	ug/L	12/23/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	100	ug/L	12/23/06		RM	SW8260
Trichloroethene	860	100	ug/L	12/23/06		RM	SW8260
Trichlorofluoromethane	ND	100	ug/L	12/23/06		RM	SW8260
Trichlorotrifluoroethane	ND	100	ug/L	12/23/06		RM	SW8260
Vinyl chloride	180	100	ug/L	12/23/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	119		%	12/23/06		RM	SW8260
% Bromofluorobenzene	78		%	12/23/06		RM	SW8260
% Dibromofluoromethane	103		%	12/23/06		RM	SW8260
% Toluene-d8	93		%	12/23/06		RM	SW8260

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller, Laboratory Director
December 29, 2006

Page 27 of 48

Analysis Report
December 29, 2006

FOR: Attn: Mr. Rob McCarthy
Vannase Hansen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Sample Information
Matrix: WATER
Location Code: VHB
Rush Request: 41201
P.O.#:

Custody Information
Collected by: SW
Received by: see "By" below
Date: 12/18/06 11:05
Time: 12/19/06 16:00

Laboratory Data
SDG I.D.: GAH78567
Phoenix I.D.: AH78576

Client ID: KROLL DALEWOOD MW-303
Parameter Result RL Units Date Time By Reference

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 646-1102 Fax (860) 646-0623



Arsenic	< 0.004	0.004	mg/L	12/22/06	EKT	6010/200.7
Iron	1.91	0.002	mg/L	12/22/06	EKT	6010/200.7
Manganese	1.59	0.001	mg/L	12/22/06	EKT	6010/200.7
Chloride	310	30	mg/L	12/20/06	EG	300.0
Sulfate	44	3.0	mg/L	12/20/06	J/E	300.0
Tot. Inorg. Carbon	< 1.0	1.0	mg/L	12/22/06	JL	415.1
Tot. Org. Carbon	< 1.0	1.0	mg/L	12/22/06	JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06	AG	

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	u g/L	12/22/06	R/J	SW8260
1,1,1-Trichloroethane	ND	5	u g/L	12/22/06	R/J	SW8260
1,1,2-Trichloroethane	ND	5	u g/L	12/22/06	R/J	SW8260
1,1-Dichloroethane	ND	5	u g/L	12/22/06	R/J	SW8260
1,1-Dichloroethane	ND	5	u g/L	12/22/06	R/J	SW8260
1,2-Dichloropropene	ND	5	u g/L	12/22/06	R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	u g/L	12/22/06	R/J	SW8260
1,2,3-Trichloropropene	ND	5	u g/L	12/22/06	R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	u g/L	12/22/06	R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	u g/L	12/22/06	R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	u g/L	12/22/06	R/J	SW8260
1,2-Dichlorobenzene	ND	5	u g/L	12/22/06	R/J	SW8260
1,2-Dichloroethane	ND	5	u g/L	12/22/06	R/J	SW8260


Page 28 of 48

Client ID: KROLL DALEWOOD MW-303				Phoenix I.D.: AH78576			
Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	12/22/06		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	12/22/06		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	12/22/06		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/22/06		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	12/22/06		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	12/22/06		R/J	SW8260
4-Methyl-2-pentanone	ND	130	ug/L	12/22/06		R/J	SW8260
Acetone	ND	50	ug/L	12/22/06		R/J	SW8260
Acrylonitrile	ND	50	ug/L	12/22/06		R/J	SW8260
Benzene	ND	5	ug/L	12/22/06		R/J	SW8260
Bromobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
Bromochloromethane	ND	5	ug/L	12/22/06		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	12/22/06		R/J	SW8260
Bromoform	ND	5	ug/L	12/22/06		R/J	SW8260
Bromomethane	ND	5	ug/L	12/22/06		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	12/22/06		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	12/22/06		R/J	SW8260
Chlorobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
Chloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
Chloroform	ND	5	ug/L	12/22/06		R/J	SW8260
Chloromethane	ND	5	ug/L	12/22/06		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	12/22/06		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	12/22/06		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	12/22/06		R/J	SW8260
Dibromoethane	ND	5	ug/L	12/22/06		R/J	SW8260
Dibromomethane	ND	5	ug/L	12/22/06		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	12/22/06		R/J	SW8260
Ethylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	12/22/06		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
m&p-Xylene	ND	5	ug/L	12/22/06		R/J	SW8260
Methyl ethyl ketone	ND	130	ug/L	12/22/06		R/J	SW8260
Methyl t-butyl ether (MTBE)	60	10	ug/L	12/22/06		R/J	SW8260
Methylene chloride	ND	5	ug/L	12/22/06		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
Naphthalene	ND	5	ug/L	12/22/06		R/J	SW8260
o-Xylene	ND	5	ug/L	12/22/06		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	12/22/06		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
Styrene	ND	5	ug/L	12/22/06		R/J	SW8260

Client ID: KROLL DALEWOOD MW-303				Phoenix I.D.: AH78576			
Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
Tetrachloroethene	35	5	ug/L	12/22/06		R/J	SW8260
Tetrahydrofuran (THF)	ND	5	ug/L	12/22/06		R/J	SW8260
Toluene	ND	5	ug/L	12/22/06		R/J	SW8260
Total Xylenes	ND	5	ug/L	12/22/06		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	12/22/06		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	12/22/06		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	5	ug/L	12/22/06		R/J	SW8260
Trichloroethene	ND	5	ug/L	12/22/06		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	12/22/06		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	12/22/06		R/J	SW8260
Vinyl chloride	ND	5	ug/L	12/22/06		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	115		%	12/22/06		R/J	SW8260
% Bromofluorobenzene	94		%	12/22/06		R/J	SW8260
% Dibromofluoromethane	117		%	12/22/06		R/J	SW8260
% Toluene-d8	100		%	12/22/06		R/J	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit


 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Sample Information

Matrix: WATER
Location Code: VHB
Rush Request:
P.O.#: 41201

Custody Information

Collected by: 12/18/06 10:06
Received by: SW 12/19/06 16:00
Analyzed by: see "By" below

Date Time

12/18/06 10:06
12/19/06 16:00

Laboratory Data

SDG I.D.: GAH78567
Phoenix I.D.: AH78577

Client ID: KROLL DALEWOOD MW-1S

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	0.008	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	7.66	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	5.93	0.01	mg/L	12/22/06		EK	6010/200.7
Chloride	41	3.0	mg/L	12/20/06		J/E	300.0
Sulfate	140	15	mg/L	12/20/06	13:59	EG	300.0
Tot.Inorg.Carbon	61	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	3.5	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethene	ND	20	ug/L	12/22/06		RM	SW8260
1,1-Dichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,3-Trichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dibromo-3-chloropropene	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dichloropropane	ND	20	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-1S

Phoenix I.D.: AH78577

Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,3-Dichloropropane	ND	20	ug/L	12/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
2,2-Dichloropropane	ND	20	ug/L	12/22/06		RM	SW8260
2-Chlorotoluene	ND	20	ug/L	12/22/06		RM	SW8260
2-Hexanone	ND	100	ug/L	12/22/06		RM	SW8260
2-Isopropyltoluene	ND	20	ug/L	12/22/06		RM	SW8260
4-Chlorotoluene	ND	20	ug/L	12/22/06		RM	SW8260
4-Methyl-2-pentanone	ND	500	ug/L	12/22/06		RM	SW8260
Acetone	ND	200	ug/L	12/22/06		RM	SW8260
Acrylonitrile	ND	200	ug/L	12/22/06		RM	SW8260
Benzene	ND	20	ug/L	12/22/06		RM	SW8260
Bromobenzene	ND	20	ug/L	12/22/06		RM	SW8260
Bromochloromethane	ND	20	ug/L	12/22/06		RM	SW8260
Bromodichloromethane	ND	20	ug/L	12/22/06		RM	SW8260
Bromoform	ND	20	ug/L	12/22/06		RM	SW8260
Bromomethane	ND	20	ug/L	12/22/06		RM	SW8260
Carbon Disulfide	ND	20	ug/L	12/22/06		RM	SW8260
Carbon tetrachloride	ND	20	ug/L	12/22/06		RM	SW8260
Chlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
Chloroethane	21	20	ug/L	12/22/06		RM	SW8260
Chloroform	ND	20	ug/L	12/22/06		RM	SW8260
Chloromethane	ND	20	ug/L	12/22/06		RM	SW8260
cis-1,2-Dichloroethene	320	20	ug/L	12/22/06		RM	SW8260
cis-1,3-Dichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
Dibromochloromethane	ND	20	ug/L	12/22/06		RM	SW8260
Dibromoethane	ND	20	ug/L	12/22/06		RM	SW8260
Dibromomethane	ND	20	ug/L	12/22/06		RM	SW8260
Dichlorodifluoromethane	ND	20	ug/L	12/22/06		RM	SW8260
Ethylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Hexachlorobutadiene	ND	20	ug/L	12/22/06		RM	SW8260
Isopropylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
m&p-Xylene	ND	20	ug/L	12/22/06		RM	SW8260
Methyl ethyl ketone	ND	500	ug/L	12/22/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	40	ug/L	12/22/06		RM	SW8260
Methylene chloride	ND	20	ug/L	12/22/06		RM	SW8260
n-Butylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
n-Propylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Naphthalene	ND	20	ug/L	12/22/06		RM	SW8260
o-Xylene	ND	20	ug/L	12/22/06		RM	SW8260
p-Isopropyltoluene	ND	20	ug/L	12/22/06		RM	SW8260
sec-Butylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Styrene	ND	20	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-1S

Phoenix I.D.: AH78577

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Tetrachloroethene	79	20	ug/L	12/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	20	ug/L	12/22/06		RM	SW8260
Toluene	ND	20	ug/L	12/22/06		RM	SW8260
Total Xylenes	ND	20	ug/L	12/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	20	ug/L	12/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	20	ug/L	12/22/06		RM	SW8260
Trichloroethene	31	20	ug/L	12/22/06		RM	SW8260
Trichlorofluoromethane	ND	20	ug/L	12/22/06		RM	SW8260
Trichlorotrifluoroethane	ND	20	ug/L	12/22/06		RM	SW8260
Vinyl chloride	350	20	ug/L	12/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	116		%	12/22/06		RM	SW8260
% Bromofluorobenzene	80		%	12/22/06		RM	SW8260
% Dibromofluoromethane	103		%	12/22/06		RM	SW8260
% Toluene-d8	95		%	12/22/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller
 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 646-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/19/06 10:36
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

SDG I.D.: GAH78567

Phoenix I.D.: AH78578

Laboratory Data

Client ID: KROLL DALEWOOD MW-7

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	< 0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	0.008	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	0.03	0.001	mg/L	12/22/06		EKT	6010/200.7
Chloride	170	3.0	mg/L	12/20/06		J/E	300.0
Sulfate	54	3.0	mg/L	12/20/06	1:13	J/E	300.0
Tot. Inorg. Carbon	28	1.0	mg/L	12/22/06		JL	415.1
Tot. Org. Carbon	2.6	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	12/22/06		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	12/22/06		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	12/22/06		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	12/22/06		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	12/22/06		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	12/22/06		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	12/22/06		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	12/22/06		R/J	SW8260



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Sample Information

Matrix: WATER
Location Code: VHB
Rush Request:
P.O.#: 41201

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

12/19/06 9:36
12/19/06 16:00

Laboratory Data

SDG I.D.: GAH78567
Phoenix I.D.: AH78579

Client ID: KROLL DALEWOOD MW-10

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	< 0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	0.266	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	4.36	0.01	mg/L	12/22/06		EK	6010/200.7
Chloride	130	3.0	mg/L	12/20/06		J/E	300.0
Sulfate	160	3.0	mg/L	12/20/06	2:13	J/E	300.0
Tot.Inorg.Carbon	86	1.0	mg/L	12/22/06		JL	415.1
Tot.Org.Carbon	3.5	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1,1-Trichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1,2-Trichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,1-Dichloroethene	ND	20	ug/L	12/22/06		RM	SW8260
1,1-Dichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,3-Trichloropropane	ND	20	ug/L	12/22/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dichloroethane	ND	20	ug/L	12/22/06		RM	SW8260
1,2-Dichloropropane	ND	20	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-10


Phoenix I.D.: AH78579

Parameter	Result	RL	Units	Date	Time	By	Reference
1,3,5-Trimethylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,3-Dichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
1,3-Dichloropropane	ND	20	ug/L	12/22/06		RM	SW8260
1,4-Dichlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
2,2-Dichloropropane	ND	20	ug/L	12/22/06		RM	SW8260
2-Chlorotoluene	ND	20	ug/L	12/22/06		RM	SW8260
2-Hexanone	ND	100	ug/L	12/22/06		RM	SW8260
2-Isopropyltoluene	ND	20	ug/L	12/22/06		RM	SW8260
4-Chlorotoluene	ND	20	ug/L	12/22/06		RM	SW8260
4-Methyl-2-pentanone	ND	500	ug/L	12/22/06		RM	SW8260
Acetone	ND	200	ug/L	12/22/06		RM	SW8260
Acrylonitrile	ND	200	ug/L	12/22/06		RM	SW8260
Benzene	ND	20	ug/L	12/22/06		RM	SW8260
Bromobenzene	ND	20	ug/L	12/22/06		RM	SW8260
Bromochloromethane	ND	20	ug/L	12/22/06		RM	SW8260
Bromodichloromethane	ND	20	ug/L	12/22/06		RM	SW8260
Bromoform	ND	20	ug/L	12/22/06		RM	SW8260
Bromomethane	ND	20	ug/L	12/22/06		RM	SW8260
Carbon Disulfide	ND	20	ug/L	12/22/06		RM	SW8260
Carbon tetrachloride	ND	20	ug/L	12/22/06		RM	SW8260
Chlorobenzene	ND	20	ug/L	12/22/06		RM	SW8260
Chloroethane	62	20	ug/L	12/22/06		RM	SW8260
Chloroform	ND	20	ug/L	12/22/06		RM	SW8260
Chloromethane	ND	20	ug/L	12/22/06		RM	SW8260
cis-1,2-Dichloroethene	630	20	ug/L	12/22/06		RM	SW8260
cis-1,3-Dichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
Dibromochloromethane	ND	20	ug/L	12/22/06		RM	SW8260
Dibromoethane	ND	20	ug/L	12/22/06		RM	SW8260
Dibromomethane	ND	20	ug/L	12/22/06		RM	SW8260
Dichlorodifluoromethane	ND	20	ug/L	12/22/06		RM	SW8260
Ethylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Hexachlorobutadiene	ND	20	ug/L	12/22/06		RM	SW8260
Isopropylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
m&p-Xylene	ND	20	ug/L	12/22/06		RM	SW8260
Methyl ethyl ketone	ND	500	ug/L	12/22/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	40	ug/L	12/22/06		RM	SW8260
Methylene chloride	ND	20	ug/L	12/22/06		RM	SW8260
n-Butylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
n-Propylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Naphthalene	ND	20	ug/L	12/22/06		RM	SW8260
o-Xylene	ND	20	ug/L	12/22/06		RM	SW8260
p-Isopropyltoluene	ND	20	ug/L	12/22/06		RM	SW8260
sec-Butylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Styrene	ND	20	ug/L	12/22/06		RM	SW8260

Client ID: KROLL DALEWOOD MW-10				Phoenix I.D.: AH78579			
Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	20	ug/L	12/22/06		RM	SW8260
Tetrachloroethene	350	20	ug/L	12/22/06		RM	SW8260
Tetrahydrofuran (THF)	ND	20	ug/L	12/22/06		RM	SW8260
Toluene	ND	20	ug/L	12/22/06		RM	SW8260
Total Xylenes	ND	20	ug/L	12/22/06		RM	SW8260
trans-1,2-Dichloroethene	ND	20	ug/L	12/22/06		RM	SW8260
trans-1,3-Dichloropropene	ND	20	ug/L	12/22/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	20	ug/L	12/22/06		RM	SW8260
Trichloroethene	130	20	ug/L	12/22/06		RM	SW8260
Trichlorofluoromethane	ND	20	ug/L	12/22/06		RM	SW8260
Trichlorotrifluoroethane	ND	20	ug/L	12/22/06		RM	SW8260
Vinyl chloride	290	20	ug/L	12/22/06		RM	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	118		%	12/22/06		RM	SW8260
% Bromofluorobenzene	90		%	12/22/06		RM	SW8260
% Dibromofluoromethane	120		%	12/22/06		RM	SW8260
% Toluene-d8	94		%	12/22/06		RM	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit



Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/19/06 8:46
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

SDG I.D.: GAH78567
 Phoenix I.D.: AH78580

Laboratory Data

Client ID: KROLL DALEWOOD MW-20

Parameter	Result	RL	Units	Date	Time	By	Reference
Arsenic	< 0.004	0.004	mg/L	12/22/06		EKT	6010/200.7
Iron	25.8	0.002	mg/L	12/22/06		EKT	6010/200.7
Manganese	5.88	0.01	mg/L	12/22/06		EK	6010/200.7
Chloride	1400	150	mg/L	12/20/06		EG	300.0
Sulfate	< 3.0	3.0	mg/L	12/20/06	2:23	J/E	300.0
Tot. Inorg Carbon	52	1.0	mg/L	12/22/06		JL	415.1
Tot. Org Carbon	8.3	1.0	mg/L	12/22/06		JL	SM5310C/415.1
Total Metals Digestion	Completed			12/19/06		AG	
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1-Dichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1-Dichloroethene	ND	1	ug/L	12/22/06		R/J	SW8260
1,1-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dichloropropane	ND	1	ug/L	12/22/06		R/J	SW8260

Client ID: KROLL DALEWOOD MW-20							Phoenix I.D.: AH78580						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
1,3,5-Trimethylbenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
1,3-Dichlorobenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
1,4-Dichlorobenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
2,2-Dichloropropane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
2-Chlorotoluene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
2-Hexanone	ND	5	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
2-Isopropyltoluene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
4-Chlorotoluene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
4-Methyl-2-pentanone	ND	25	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Acetone	ND	10	u g/L	12/22/06		R/J	SW8260	ND	10	u g/L	12/22/06		R/J
Acrylonitrile	ND	10	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Benzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Bromobenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Bromochloromethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Bromodichloromethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Bromoform	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Bromomethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Carbon Disulfide	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Carbon tetrachloride	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Chlorobenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Chloroethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Chloroform	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Chloromethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
cis-1,2-Dichloroethene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
cis-1,3-Dichloropropene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Dibromochloromethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Dibromomethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Dichlorodifluoromethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Ethylbenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Hexachlorobutadiene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Isopropylbenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
n-Propylbenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Naphthalene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
o-Xylene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
p-Isopropyltoluene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
sec-Butylbenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Styrene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J

Client ID: KROLL DALEWOOD MW-20							Phoenix I.D.: AH78580						
Parameter	Result	RL	Units	Date	Time	By Reference	Parameter	Result	RL	Units	Date	Time	By Reference
tert-Butylbenzene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Tetrachloroethene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Toluene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Tolyl Xylenes	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
trans-1,2-Dichloroethene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
trans-1,3-Dichloropropene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
trans-1,4-dichloro-2-butene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Trichloroethene	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Trichlorofluoromethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Trichlorotrifluoroethane	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
Vinyl chloride	ND	1	u g/L	12/22/06		R/J	SW8260	ND	1	u g/L	12/22/06		R/J
QA/QC Surrogates													
% 1,2-dichlorobenzene-d4	120		%	12/22/06		R/J	SW8260						
% Bromofluorobenzene	78		%	12/22/06		R/J	SW8260						
% Dibromofluoromethane	80		%	12/22/06		R/J	SW8260						
% Toluene-d8	118		%	12/22/06		R/J	SW8260						

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller, Laboratory Director
December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 646-1102 Fax (860) 646-0823



FOR: Attn: Mr. Rob McCarthy
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

Analysis Report

December 29, 2006

Sample Information

Matrix: WATER
Location Code: VHB
Rush Request:
P.O.#: 41201

Custody Information

Collected by: Date: 12/19/06 Time: 9:50
Received by: SW Date: 12/19/06 Time: 16:00
Analyzed by: see "By" below

SDG ID.: GAH78567
Phoenix ID.: AH78581

Laboratory Data

Client ID: KROLL DALEWOOD EB

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1-Dichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,1-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,3-Trichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dichloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
1,2-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
1,3,5-Triethylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
1,3-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
2,2-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
2-Chlorotoluene	ND	1	ug/L	12/22/06		R/J	SW8260
2-Hexanone	ND	5	ug/L	12/22/06		R/J	SW8260
2-Isopropyltoluene	ND	1	ug/L	12/22/06		R/J	SW8260

Client ID: KROLL DALEWOOD EB

Phoenix ID.: AH78581

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Chlorotoluene	ND	1	ug/L	12/22/06		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/22/06		R/J	SW8260
Acetone	ND	10	ug/L	12/22/06		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/22/06		R/J	SW8260
Benzene	ND	1	ug/L	12/22/06		R/J	SW8260
Bromobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
Bromochloromethane	ND	1	ug/L	12/22/06		R/J	SW8260
Bromodichloromethane	ND	1	ug/L	12/22/06		R/J	SW8260
Bromoform	ND	1	ug/L	12/22/06		R/J	SW8260
Bromomethane	ND	1	ug/L	12/22/06		R/J	SW8260
Carbon Disulfide	ND	1	ug/L	12/22/06		R/J	SW8260
Carbon tetrachloride	ND	1	ug/L	12/22/06		R/J	SW8260
Chlorobenzene	ND	1	ug/L	12/22/06		R/J	SW8260
Chloroethane	ND	1	ug/L	12/22/06		R/J	SW8260
Chloroform	ND	1	ug/L	12/22/06		R/J	SW8260
Chloromethane	ND	1	ug/L	12/22/06		R/J	SW8260
cis-1,2-Dichloroethene	3.6	1	ug/L	12/22/06		R/J	SW8260
cis-1,3-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
Dibromochloromethane	ND	1	ug/L	12/22/06		R/J	SW8260
Dibromoethane	ND	1	ug/L	12/22/06		R/J	SW8260
Dibromomethane	ND	1	ug/L	12/22/06		R/J	SW8260
Dichlorodifluoromethane	ND	1	ug/L	12/22/06		R/J	SW8260
Ethylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
Hexachlorobutadiene	ND	1	ug/L	12/22/06		R/J	SW8260
Isopropylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
m&p-Xylene	ND	1	ug/L	12/22/06		R/J	SW8260
Methyl ethyl ketone	ND	25	ug/L	12/22/06		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	2	ug/L	12/22/06		R/J	SW8260
Methylene chloride	ND	1	ug/L	12/22/06		R/J	SW8260
n-Butylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
n-Propylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
Naphthalene	ND	1	ug/L	12/22/06		R/J	SW8260
o-Xylene	ND	1	ug/L	12/22/06		R/J	SW8260
p-Isopropyltoluene	ND	1	ug/L	12/22/06		R/J	SW8260
sec-Butylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
Styrene	ND	1	ug/L	12/22/06		R/J	SW8260
tert-Butylbenzene	ND	1	ug/L	12/22/06		R/J	SW8260
Tetrachloroethene	5.6	1	ug/L	12/22/06		R/J	SW8260
Tetrahydrofuran (THF)	ND	1	ug/L	12/22/06		R/J	SW8260
Toluene	ND	1	ug/L	12/22/06		R/J	SW8260
Total Xylenes	ND	1	ug/L	12/22/06		R/J	SW8260
trans-1,2-Dichloroethene	ND	1	ug/L	12/22/06		R/J	SW8260
trans-1,3-Dichloropropene	ND	1	ug/L	12/22/06		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	1	ug/L	12/22/06		R/J	SW8260

Client ID: KROLL DALEWOOD EB				Phoenix I.D.: AH78581			
Parameter	Result	RL	Units	Date	Time	By	Reference
Trichloroethene	2.6	1	ug/L	12/22/06		R/J	SW8260
Trichlorofluoromethane	ND	1	ug/L	12/22/06		R/J	SW8260
Trichlorotrifluoroethane	ND	1	ug/L	12/22/06		R/J	SW8260
Vinyl chloride	1.6	1	ug/L	12/22/06		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	117		%	12/22/06		R/J	SW8260
% Bromofluorobenzene	89		%	12/22/06		R/J	SW8260
% Dibromofluoromethane	120		%	12/22/06		R/J	SW8260
% Toluene-d8	98		%	12/22/06		R/J	SW8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
 ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

Phyllis Shiller
 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Tel. (880) 645-1102 Fax (860) 645-0823



Analysis Report

December 29, 2006

FOR: Attn: Mr. Rob McCarthy
 Vanasse Hangen Brustlin, Inc.
 54 Tuttle Place
 Middletown, CT 06457-1847

Sample Information

Matrix: WATER
 Location Code: VHB
 Rush Request:
 P.O.#: 41201

Custody Information

Collected by: 12/18/06 0:00
 Received by: SW 12/19/06 16:00
 Analyzed by: see "By" below

Laboratory Data

SDG I.D.: GAH78567
 Phoenix I.D.: AH78582

Client ID: KROLL DALEWOOD TRIP BLANK

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	12/20/06		RM	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	12/20/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	1	ug/L	12/20/06		RM	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	12/20/06		RM	SW8260
1,1-Dichloroethane	ND	1	ug/L	12/20/06		RM	SW8260
1,1-Dichloroethene	ND	1	ug/L	12/20/06		RM	SW8260
1,1-Dichloropropene	ND	1	ug/L	12/20/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	12/20/06		RM	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	12/20/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	12/20/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
1,2-Dibromo-3-chloropropane	ND	1	ug/L	12/20/06		RM	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	12/20/06		RM	SW8260
1,2-Dichloroethane	ND	1	ug/L	12/20/06		RM	SW8260
1,2-Dichloropropane	ND	1	ug/L	12/20/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	12/20/06		RM	SW8260
1,3-Dichloropropane	ND	1	ug/L	12/20/06		RM	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	12/20/06		RM	SW8260
2,2-Dichloropropane	ND	1	ug/L	12/20/06		RM	SW8260
2-Chlorotoluene	ND	1	ug/L	12/20/06		RM	SW8260
2-Hexanone	ND	5	ug/L	12/20/06		RM	SW8260
2-Isopropyltoluene	ND	1	ug/L	12/20/06		RM	SW8260

Client ID: KROLL DALEWOOD TRIP BLANK				Phoenix I.D.: AH78582			
Parameter	Result	RL	Units	Date	Time	By	Reference
4-Chlorotoluene	ND	1	ug/L	12/20/06		RM	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/20/06		RM	SW8260
Acetone	ND	10	ug/L	12/20/06		RM	SW8260
Acrylonitrile	ND	10	ug/L	12/20/06		RM	SW8260
Benzene	ND	1	ug/L	12/20/06		RM	SW8260
Bromobenzene	ND	1	ug/L	12/20/06		RM	SW8260
Bromochloromethane	ND	1	ug/L	12/20/06		RM	SW8260
Bromodichloromethane	ND	1	ug/L	12/20/06		RM	SW8260
Bromoform	ND	1	ug/L	12/20/06		RM	SW8260
Bromomethane	ND	1	ug/L	12/20/06		RM	SW8260
Carbon Disulfide	ND	1	ug/L	12/20/06		RM	SW8260
Carbon tetrachloride	ND	1	ug/L	12/20/06		RM	SW8260
Chlorobenzene	ND	1	ug/L	12/20/06		RM	SW8260
Chloroethane	ND	1	ug/L	12/20/06		RM	SW8260
Chloroform	ND	1	ug/L	12/20/06		RM	SW8260
Chloromethane	ND	1	ug/L	12/20/06		RM	SW8260
cis-1,2-Dichloroethene	ND	1	ug/L	12/20/06		RM	SW8260
cis-1,3-Dichloropropene	ND	1	ug/L	12/20/06		RM	SW8260
Dibromochloromethane	ND	1	ug/L	12/20/06		RM	SW8260
Dibromoethane	ND	1	ug/L	12/20/06		RM	SW8260
Dibromomethane	ND	1	ug/L	12/20/06		RM	SW8260
Dichlorodifluoromethane	ND	1	ug/L	12/20/06		RM	SW8260
Ethylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
Hexachlorobutadiene	ND	1	ug/L	12/20/06		RM	SW8260
Isopropylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
m&p-Xylene	ND	1	ug/L	12/20/06		RM	SW8260
Methyl ethyl ketone	ND	25	ug/L	12/20/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	2	ug/L	12/20/06		RM	SW8260
Methylene chloride	ND	1	ug/L	12/20/06		RM	SW8260
n-Butylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
n-Propylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
Naphthalene	ND	1	ug/L	12/20/06		RM	SW8260
o-Xylene	ND	1	ug/L	12/20/06		RM	SW8260
p-Isopropyltoluene	ND	1	ug/L	12/20/06		RM	SW8260
sec-Butylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
Styrene	ND	1	ug/L	12/20/06		RM	SW8260
tert-Butylbenzene	ND	1	ug/L	12/20/06		RM	SW8260
Tetrachloroethene	ND	1	ug/L	12/20/06		RM	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/20/06		RM	SW8260
Toluene	ND	1	ug/L	12/20/06		RM	SW8260
Total Xylenes	ND	1	ug/L	12/20/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1	ug/L	12/20/06		RM	SW8260
trans-1,3-Dichloropropene	ND	1	ug/L	12/20/06		RM	SW8260
trans-1,4-dichloro-2-butene	ND	1	ug/L	12/20/06		RM	SW8260


Client ID: KROLL DALEWOOD TRIP BLANK				Phoenix I.D.: AH78582			
Parameter	Result	RL	Units	Date	Time	By	Reference
Trichloroethene	ND	1	ug/L	12/20/06		RM	SW8260
Trichlorofluoromethane	ND	1	ug/L	12/20/06		RM	SW8260
Trichlorotrifluoroethane	ND	1	ug/L	12/20/06		RM	SW8260
Vinyl chloride	ND	1	ug/L	12/20/06		RM	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	116		%	12/20/06		RM	SW8260
% Bromofluorobenzene	78		%	12/20/06		RM	SW8260
% Dibromofluoromethane	102		%	12/20/06		RM	SW8260
% Toluene-d8	97		%	12/20/06		RM	SW8260

Comments:

TRIP BLANK INCLUDED.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit


 Phyllis Shiller, Laboratory Director
 December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

December 29, 2006

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	---------	-------	--------	---------	----------	--------------	-----

QA/QC Batch 69304, Sample No: AH78429 (AH78567)

ICP Metals - Aqueous

Aluminum	BDL	3.00	95.5	92.5	3.2	93.5	96.1	2.7
Antimony	BDL	NC	92.0	90.5	1.6	90.6	93.1	2.7
Arsenic	BDL	NC	92.5	91.0	1.6	91.6	93.8	2.4
Barium	BDL	2.10	99.3	96.9	2.4	96.6	98.8	2.3
Beryllium	BDL	NC	96.2	95.0	1.3	95.4	97.6	2.3
Boron	BDL	---	---	---	NC	---	---	NC
Cadmium	BDL	NC	90.6	89.6	1.1	89.8	92.4	2.9
Calcium	0.003	---	---	---	NC	---	---	NC
Chromium	BDL	NC	98.9	98.8	0.1	98.2	101	2.8
Cobalt	BDL	NC	95.1	93.8	1.4	93.5	96.1	2.7
Copper	BDL	NC	103	97.2	5.8	97.9	103	5.1
Iron	BDL	2.80	98.9	97.2	1.7	96.4	100	3.7
Lead	BDL	NC	91.8	93.2	1.5	91.9	93.3	1.5
Magnesium	BDL	---	---	---	NC	---	---	NC
Manganese	BDL	2.90	97.5	95.5	2.1	95.0	97.8	2.9
Molybdenum	BDL	---	---	---	NC	---	---	NC
Nickel	BDL	1.10	97.7	95.9	1.9	95.4	97.8	2.5
Phosphorus	BDL	---	---	---	NC	---	---	NC
Potassium	BDL	---	---	---	NC	---	---	NC
Selenium	BDL	NC	88.1	87.0	1.3	87.0	89.0	2.3
Silver	BDL	NC	95.0	92.0	3.2	90.4	95.4	5.4
Sodium	BDL	---	---	---	NC	---	---	NC
Thallium	BDL	NC	95.6	94.2	1.5	93.4	96.0	2.7
Tin	BDL	---	---	---	NC	---	---	NC
Vanadium	BDL	NC	99.3	96.5	2.9	95.2	99.8	4.7
Zinc	BDL	3.50	94.5	92.7	1.9	92.5	95.5	3.2

QA/QC Batch 69305, Sample No: AH78574 (AH78568, AH78569, AH78570, AH78571, AH78572, AH78573, AH78574, AH78575, AH78576, AH78577, AH78578, AH78579, AH78580)

ICP Metals - Aqueous

Aluminum	BDL	20.4	93.0	91.6	1.5	97.4	94.2	3.3
Antimony	BDL	NC	91.5	90.1	1.5	92.8	92.0	0.9
Arsenic	BDL	NC	93.8	92.6	1.3	98.8	96.0	2.9

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Barium	BDL	1.10	97.4	95.4	2.1	97.6	95.5	2.2
Beryllium	BDL	NC	97.2	96.0	1.2	99.2	96.2	3.1
Boron	BDL	---	---	---	NC	---	---	NC
Cadmium	BDL	NC	93.4	92.0	1.5	93.2	91.2	2.2
Calcium	0.008	---	---	---	NC	---	---	NC
Chromium	BDL	NC	99.8	99.2	0.6	102	99.4	2.6
Cobalt	BDL	NC	95.8	95.1	0.7	96.4	94.1	2.4
Copper	BDL	NC	97.8	98.2	0.4	104	101	2.9
Iron	BDL	26.6	99.0	98.1	0.9	112	110	1.8
Lead	BDL	NC	93.7	93.2	0.5	96.1	94.6	1.6
Magnesium	BDL	---	---	---	NC	---	---	NC
Manganese	BDL	2.20	97.4	96.0	1.4	99.0	97.0	2.0
Molybdenum	BDL	---	---	---	NC	---	---	NC
Nickel	BDL	NC	98.5	97.4	1.1	98.4	95.5	3.0
Phosphorus	BDL	---	---	---	NC	---	---	NC
Potassium	BDL	---	---	---	NC	---	---	NC
Selenium	BDL	NC	88.9	87.8	1.2	94.1	93.1	1.1
Silver	BDL	NC	92.4	91.0	1.5	97.6	93.0	4.8
Sodium	BDL	---	---	---	NC	---	---	NC
Thallium	BDL	NC	95.5	94.6	0.9	98.0	94.5	3.6
Tin	BDL	---	---	---	NC	---	---	NC
Vanadium	BDL	NC	98.9	98.2	0.7	101	98.5	2.5
Zinc	0.002	NC	94.8	94.4	0.4	97.7	96.0	1.8

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller
Phyllis Shiller, Laboratory Director
December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

December 29, 2006

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 69331, Sample No: AH78578 (AH78567, AH78568, AH78569, AH78570, AH78571, AH78572, AH78573, AH78574, AH78575, AH78576, AH78577, AH78578)								
Chloride	BDL	0.0	97.4			96.9		
QA/QC Batch 69333, Sample No: AH78578 (AH78567, AH78568, AH78569, AH78570, AH78571, AH78572, AH78573, AH78574, AH78575, AH78576, AH78577, AH78578)								
Nitrate as Nitrogen	BDL	0.0	99.1			104		
QA/QC Batch 69332, Sample No: AH78578 (AH78567, AH78568, AH78569, AH78570, AH78571, AH78572, AH78573, AH78574, AH78575, AH78576, AH78577, AH78578)								
Nitrite as Nitrogen	BDL	NC	104.2			104		
QA/QC Batch 69334, Sample No: AH78578 (AH78567, AH78568, AH78569, AH78570, AH78571, AH78572, AH78573, AH78574, AH78575, AH78576, AH78577, AH78578)								
Sulfate	BDL	1.9	101.8			108		
QA/QC Batch 69335, Sample No: AH78591 (AH78579, AH78580)								
Chloride	BDL	6.1	94.6			97.5		
QA/QC Batch 69337, Sample No: AH78591 (AH78579, AH78580)								
Nitrate as Nitrogen	BDL	0.0	96.4			94.2		
QA/QC Batch 69336, Sample No: AH78591 (AH78579, AH78580)								
Nitrite as Nitrogen	BDL	NC	91.9			105		
QA/QC Batch 69338, Sample No: AH78591 (AH78579, AH78580)								
Sulfate	BDL	NC	102.0			104		

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
December 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

December 29, 2006

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 69500, Sample No: AH79455 (ah78576, ah78581)							
Volatiles Organics							
1,1,1,2-Tetrachloroethane	ND	101	106	4.8	90	88	2.2
1,1,1-Trichloroethane	ND	109	110	0.9	94	92	2.2
1,1,2,2-Tetrachloroethane	ND	93	94	1.1	84	84	0.0
1,1,2-Trichloroethane	ND	108	110	1.8	99	95	4.1
1,1-Dichloroethane	ND	121	123	1.6	107	105	1.9
1,1-Dichloroethene	ND	123	130	5.5	106	102	3.8
1,1-Dichloropropene	ND	105	103	1.9	88	85	3.5
1,2,3-Trichlorobenzene	ND	106	104	1.9	90	89	1.1
1,2,3-Trichloropropane	ND	62	61	1.6	50	52	3.9
1,2,4-Trichlorobenzene	ND	112	106	6.5	94	92	2.2
1,2,4-Trimethylbenzene	ND	103	101	2.0	89	89	0.0
1,2-Dibromo-3-chloropropane	ND	109	105	3.7	92	89	3.3
1,2-Dichlorobenzene	ND	98	98	0.0	87	86	1.2
1,2-Dichloroethane	ND	120	121	0.8	106	102	3.8
1,2-Dichloropropane	ND	98	100	2.0	90	86	4.5
1,3,5-Trimethylbenzene	ND	105	102	2.9	89	89	0.0
1,3-Dichlorobenzene	ND	97	96	1.0	84	85	1.2
1,3-Dichloropropane	ND	106	107	0.9	92	90	2.2
1,4-Dichlorobenzene	ND	96	96	0.0	86	87	1.2
2,2-Dichloropropane	ND	107	100	6.8	94	81	14.9
2-Chlorotoluene	ND	98	95	3.1	85	84	1.2
4-Chlorotoluene	ND	96	95	1.0	85	84	1.2
Benzene	ND	99	102	3.0	89	86	3.4
Bromobenzene	ND	99	98	1.0	85	86	1.2
Bromochloromethane	ND	100	98	2.0	86	90	4.5
Bromodichloromethane	ND	116	119	2.6	102	100	2.0
Bromoform	ND	103	110	6.6	89	91	2.2
Bromomethane	ND	66	71	7.3	65	69	6.0
Carbon tetrachloride	ND	96	106	9.9	89	84	5.8
Chlorobenzene	ND	98	100	2.0	86	85	1.2
Chloroethane	ND	130	141	8.1	108	109	0.9
Chloroform	ND	109	112	2.7	95	95	0.0

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Chloromethane	ND	145	158	8.6	130	127	2.3
cis-1,2-Dichloroethene	ND	99	96	3.1	84	82	2.4
cis-1,3-Dichloropropene	ND	116	106	9.0	97	91	6.4
Dibromochloromethane	ND	102	107	4.8	91	87	4.5
Dibromoethane	ND	111	114	2.7	98	93	5.2
Dibromomethane	ND	113	111	1.8	99	98	1.0
Dichlorodifluoromethane	ND	135	145	7.1	114	107	6.3
Ethylbenzene	ND	101	101	0.0	88	87	1.1
Hexachlorobutadiene	ND	108	102	5.7	96	91	5.3
Isopropylbenzene	ND	108	107	0.9	83	85	2.4
m&p-Xylene	ND	103	104	1.0	89	88	1.1
Methyl t-butyl ether (MTBE)	ND	134	133	0.7	122	116	5.0
Methylene chloride	ND	112	115	2.6	97	97	0.0
n-Butylbenzene	ND	101	99	2.0	85	83	2.4
n-Propylbenzene	ND	100	98	2.0	85	82	3.6
Naphthalene	ND	101	91	10.4	79	78	1.3
o-Xylene	ND	109	108	0.9	94	92	2.2
p-Isopropyltoluene	ND	108	106	1.9	89	87	2.3
sec-Butylbenzene	ND	94	92	2.2	84	84	0.0
Styrene	ND	108	110	1.8	94	92	2.2
tert-Butylbenzene	ND	104	101	2.9	87	86	1.2
Tetrachloroethene	ND	101	101	0.0	87	83	4.7
Toluene	ND	103	106	2.9	91	88	3.4
trans-1,2-Dichloroethene	ND	115	120	4.3	104	101	2.9
trans-1,3-Dichloropropene	ND	109	106	2.8	100	93	7.3
Trichloroethene	ND	104	102	1.9	86	86	0.0
Trichlorofluoromethane	ND	129	134	3.8	105	100	4.9
Vinyl chloride	ND	127	134	5.4	115	114	0.9
% 1,2-dichlorobenzene-d4	110	102	101	1.0	102	102	0.0
% Bromofluorobenzene	93	109	110	0.9	108	108	0.0
% Dibromofluoromethane	113	106	104	1.9	106	104	1.9
% Toluene-d8	99	105	103	1.9	102	102	0.0

QA/QC Batch 69499, Sample No: AH79458 (ah78575, ah78578, ah78580)

Volatiles Organics

1,1,1,2-Tetrachloroethane	ND	95	107	11.9	91	107	16.2
1,1,1-Trichloroethane	ND	97	112	14.4	84	92	9.1
1,1,2,2-Tetrachloroethane	ND	78	85	8.6	74	83	11.5
1,1,2-Trichloroethane	ND	83	94	12.4	78	90	14.3
1,1-Dichloroethane	ND	106	78	30.4	64	75	15.8
1,1-Dichloroethene	ND	105	127	19.0	99	122	20.8
1,1-Dichloropropene	ND	98	106	7.8	92	96	4.3

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2,3-Trichlorobenzene	ND	86	79	8.5	74	76	2.7
1,2,3-Trichloropropane	ND	57	58	1.7	45	56	21.8
1,2,4-Trichlorobenzene	ND	91	82	10.4	76	84	10.0
1,2,4-Trimethylbenzene	ND	101	107	5.8	92	103	11.3
1,2-Dibromo-3-chloropropane	ND	95	105	10.0	74	96	25.9
1,2-Dichlorobenzene	ND	89	93	4.4	81	91	11.6
1,2-Dichloroethane	ND	97	109	11.7	91	105	14.3
1,2-Dichloropropane	ND	82	91	10.4	76	88	14.6
1,3,5-Trimethylbenzene	ND	105	111	5.6	93	110	16.7
1,3-Dichlorobenzene	ND	90	96	6.5	84	95	12.3
1,3-Dichloropropane	ND	92	95	3.2	78	92	16.5
1,4-Dichlorobenzene	ND	88	94	6.6	81	93	13.8
2,2-Dichloropropane	ND	95	99	4.1	59	72	19.8
2-Chlorotoluene	ND	96	99	3.1	87	98	11.9
4-Chlorotoluene	ND	90	99	9.5	84	96	13.3
Benzene	ND	90	99	9.5	83	98	16.6
Bromobenzene	ND	90	95	5.4	82	94	13.6
Bromochloromethane	ND	90	103	13.5	58	67	14.4
Bromodichloromethane	ND	93	103	10.2	84	101	18.4
Bromoform	ND	97	101	4.0	83	99	17.6
Bromomethane	ND	87	96	9.8	87	91	4.5
Carbon tetrachloride	ND	116	122	5.0	86	107	21.8
Chlorobenzene	ND	90	102	12.5	85	99	15.2
Chloroethane	ND	102	137	29.3	100	123	20.6
Chloroform	ND	93	109	15.8	62	74	17.6
Chloromethane	ND	85	107	22.9	79	101	24.4
cis-1,2-Dichloroethene	ND	82	93	12.6	53	61	14.0
cis-1,3-Dichloropropene	ND	89	79	11.9	72	79	9.3
Dibromochloromethane	ND	94	100	6.2	85	101	17.2
Dibromoethane	ND	85	91	6.8	76	87	13.5
Dibromomethane	ND	85	97	13.2	82	93	12.6
Dichlorodifluoromethane	ND	97	122	22.8	84	114	30.3
Ethylbenzene	ND	101	117	14.7	94	114	19.2
Hexachlorobutadiene	ND	95	90	5.4	84	90	6.9
Isopropylbenzene	ND	112	119	6.1	90	116	25.2
m&p-Xylene	ND	102	116	12.8	95	114	18.2
Methyl t-butyl ether (MTBE)	ND	108	108	0.0	98	110	11.5
Methylene chloride	ND	87	100	13.9	83	94	12.4
n-Butylbenzene	ND	99	104	4.9	86	103	18.0
n-Propylbenzene	ND	101	112	10.3	90	105	15.4
Naphthalene	ND	63	51	21.1	50	52	3.9
o-Xylene	ND	102	111	8.5	95	106	10.9

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
p-Isopropyltoluene	ND	108	116	7.1	93	112	18.5
sec-Butylbenzene	ND	96	102	6.1	92	101	9.3
Styrene	ND	97	112	14.4	94	106	12.0
tert-Butylbenzene	ND	107	112	4.6	94	110	15.7
Tetrachloroethene	ND	109	119	8.8	97	115	17.0
Toluene	ND	93	105	12.1	86	103	18.0
trans-1,2-Dichloroethene	ND	100	120	18.2	96	112	15.4
trans-1,3-Dichloropropene	ND	87	83	4.7	78	82	5.0
Trichloroethene	ND	97	101	4.0	86	101	16.0
Trichlorofluoromethane	ND	117	137	15.7	98	132	29.6
Vinyl chloride	ND	111	134	18.8	103	121	16.1
% 1,2-dichlorobenzene-d4	112	97	98	1.0	103	98	5.0
% Bromofluorobenzene	83	106	107	0.9	103	108	4.7
% Dibromofluoromethane	95	83	91	9.2	72	69	4.3
% Toluene-d8	97	101	101	0.0	99	100	1.0

QA/QC Batch 69603, Sample No: AH79810 (AH78575)

Volatiles Organics

1,1,1,2-Tetrachloroethane	ND	100	107	6.8	104	102	1.9
1,1,1-Trichloroethane	ND	102	107	4.8	107	105	1.9
1,1,2,2-Tetrachloroethane	ND	85	99	15.2	91	102	11.4
1,1,2-Trichloroethane	ND	83	106	24.3	92	112	19.6
1,1-Dichloroethane	ND	108	>130	NC	112	120	6.9
1,1-Dichloroethene	ND	114	124	8.4	123	119	3.3
1,1-Dichloropropene	ND	102	102	0.0	102	97	5.0
1,2,3-Trichlorobenzene	ND	87	114	26.9	91	112	20.7
1,2,3-Trichloropropane	ND	<70	<70	NC	<70	<70	NC
1,2,4-Trichlorobenzene	ND	91	116	24.2	96	117	19.7
1,2,4-Trimethylbenzene	ND	108	107	0.9	109	104	4.7
1,2-Dibromo-3-chloropropane	ND	97	116	17.8	95	106	10.9
1,2-Dichlorobenzene	ND	93	102	9.2	96	101	5.1
1,2-Dichloroethane	ND	99	121	20.0	101	119	16.4
1,2-Dichloropropane	ND	84	100	17.4	88	97	9.7
1,3,5-Trimethylbenzene	ND	114	108	5.4	115	103	11.0
1,3-Dichlorobenzene	ND	97	100	3.0	96	99	3.1
1,3-Dichloropropane	ND	91	111	19.8	96	105	9.0
1,4-Dichlorobenzene	ND	94	102	8.2	95	99	4.1
2,2-Dichloropropane	ND	103	110	6.6	102	100	2.0
2-Chlorotoluene	ND	102	102	0.0	104	96	8.0
4-Chlorotoluene	ND	99	101	2.0	99	95	4.1
Benzene	ND	94	101	7.2	94	96	2.1
Bromobenzene	ND	96	104	8.0	100	99	1.0

QA/QC Data

SDG I.D.: GAH78567

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Bromochloromethane	ND	92	100	8.3	96	100	4.1
Bromodichloromethane	ND	95	115	19.0	97	114	16.1
Bromoform	ND	99	113	13.2	96	110	13.6
Bromomethane	ND	97	80	19.2	111	83	28.9
Carbon tetrachloride	ND	112	100	11.3	117	99	16.7
Chlorobenzene	ND	98	101	3.0	95	95	0.0
Chloroethane	ND	119	132	10.4	120	129	7.2
Chloroform	ND	97	108	10.7	100	104	3.9
Chloromethane	ND	90	>130	NC	93	>130	NC
cis-1,2-Dichloroethene	ND	82	96	15.7	83	91	9.2
cis-1,3-Dichloropropene	ND	89	113	23.8	90	111	20.9
Dibromochloromethane	ND	96	109	12.7	99	108	8.7
Dibromoethane	ND	86	113	27.1	87	110	23.4
Dibromomethane	ND	90	113	22.7	92	114	21.4
Dichlorodifluoromethane	ND	94	117	21.8	108	124	13.8
Ethylbenzene	ND	108	106	1.9	107	97	9.8
Hexachlorobutadiene	ND	100	111	10.4	104	115	10.0
Isopropylbenzene	ND	124	111	11.1	116	98	16.8
m&p-Xylene	ND	110	107	2.8	108	98	9.7
Methyl t-butyl ether (MTBE)	ND	110	>130	NC	118	>130	NC
Methylene chloride	ND	91	113	21.6	98	112	13.3
n-Butylbenzene	ND	108	107	0.9	108	99	8.7
n-Propylbenzene	ND	111	104	6.5	112	97	14.4
Naphthalene	ND	<70	103	NC	<70	106	NC
o-Xylene	ND	106	113	6.4	109	104	4.7
p-Isopropyltoluene	ND	119	113	5.2	114	103	10.1
sec-Butylbenzene	ND	106	98	7.8	113	98	14.2
Styrene	ND	101	113	11.2	103	105	1.9
tert-Butylbenzene	ND	116	107	8.1	118	102	14.5
Tetrachloroethene	ND	112	104	7.4	112	94	17.5
Toluene	ND	96	102	6.1	99	98	1.0
trans-1,2-Dichloroethene	ND	108	119	9.7	113	112	0.9
trans-1,3-Dichloropropene	ND	90	111	20.9	93	113	19.4
Trichloroethene	ND	99	100	1.0	99	96	3.1
Trichlorofluoromethane	ND	124	127	2.4	127	119	6.5
Vinyl chloride	ND	125	125	0.0	137	125	9.2
% 1,2-dichlorobenzene-d4	118	97	101	4.0	99	104	4.9
% Bromofluorobenzene	82	105	110	4.7	100	107	6.8
% Dibromofluoromethane	97	92	103	11.3	90	111	20.9
% Toluene-d8	101	101	104	2.9	103	105	1.9

Comment: LFB was analyzed with this batch instead of MS/MSD

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference


LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



Phyllis Shiller, Laboratory Director

December 29, 2006

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040

Email: service@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Temp 6.00 Pg 1 of 2

Data Delivery (check one):

☐ Fax #:
☒ Email: RPMCCARTHY VHB
 Format: ☒ Excel ☒ Pdf ☐ Gis Key

Customer: VHB
 Address: 54 Tuttle Pl
 Middletown CT 06457

Project: Kroll Dalewood
 Report to: Rob McCarthy
 Invoice to: VHB

Project P.O.: 41201
 Phone #: 860-632-1500
 Fax #:

Client Sample - Information - Identification

Sampler's Signature: [Signature] Date: 12/18/06

Matrix Code:

DW=drinking water WW=wastewater S=soil/solid O=Oil
 GW=groundwater SL=sludge A=air X=Other

Item #	Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Total Iron	Sulfate	As	TOC	TIC	Chloride	3021	VOCs	w/V.C.	Soil (VOA Vial)	Soil container () oz	GL Soil container () oz	40 ml VOA Vial	GL Amber 1000ml	PL As is	PL H2SO4	PL HNO3	PL NaOH	Bacteria Bottle
	78567	MW-200	GW	12/18/06	12:35	X	X	X	X	X					1			2	1					
	78568	MW-201	GW	12/18	12:15	X	X	X	X	X					1			2	1					
	78569	MW-202	GW	12/18	11:25	X	X	X	X	X					1			2	1					
	78570	MW-204	GW	12/18	12:55	X	X	X	X	X					1			2	1					
	78571	MW-205	GW	12/18	8:55	X	X	X	X	X					1			2	1					
	78572	MW-206	GW	12/18	9:05	X	X	X	X	X					1			2	1					
	78573	MW-211	GW	12/18	10:05	X	X	X	X	X					1			2	1					
	78574	MW-212	GW	12/18	9:40	X	X	X	X	X					1			2	1					
	78575	MW-214	GW	12/18	10:45	X	X	X	X	X					1			2	1					
	78576	MW-303	GW	12/18	11:05	X	X	X	X	X					1			2	1					
			C																					

Relinquished by:	Accepted by:	Date:	Time:
[Signature]	[Signature]	12/19/06	4:00
	[Signature]	12-19-06	17:00

Comments, Special Requirements or Regulations:
 NYSDEC site
 * one vial broken - possibly MW-202

Turnaround:

☐ 1 Day*
☐ 2 Days*
☐ 3 Days*
☒ Standard
☐ Other

* Surcharge Applies

Requirements for CT/RI

☐ Res. Criteria
☐ GW Protection
☐ GA Mobility
☐ GB Mobility
☐ SW Protection
☐ Res. Vol.
☐ Ind. Vol.
☐ RCP Certification

Requirements for MA

☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MCP Certification
☐ Other

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: service@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Temp Pg 2 of 2

Data Delivery (check one):

☐ Fax #
☒ Email: RMCCARTY@VHB.COM
Format: ☒ Excel ☐ Pdf ☐ GIS Key

Project P.O.: 41201
Phone #: 860-632-1500
Fax #:

Project: WAB
Report to: Rob McCarthy
Invoice to: VHB

Customer: VHB
Address: 54 Tuttle Pl
Middle town, CT 06457

Client Sample - Information - Identification

Sampler's Signature _____ Date _____

Matrix Code:
DW=drinking water
GW=groundwater
WW=wastewater
SL=sludge
S=soil/solid
A=air
O=Oil
X=Other

Item #	Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
	78577	MW-15	GW	12/19/06	10:06
	78578	MW-7	GW	12/19	10:36
	78579	MW-10	GW	12/19	9:36
	78580	MW-20	GW	12/19	8:46
	78581	EB		12/19	9:50
	78582	Tru Blank			

Analysis Request

Soil VOA Vial () methanol () Sod Bisulfate	GL Soil container ()	40 ml VOA Vial () As is () HCl	GL Soil container ()	GL Amber 100ml () As is () HCl	PL As is () 1250ml () 1500ml () 1000ml	PL H2SO4 () 1250ml () 1500ml () 1000ml	PL HNO3 250ml	Bacteria Bottle
1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50

Turnaround:
☐ 1 Day*
☐ 2 Days*
☐ 3 Days*
☒ Standard
☐ Other

* Surcharge Applies

Requirements for CT/RI:
☐ Res. Criteria
☐ GW Protection
☐ GA Mobility
☐ GB Mobility
☐ SW Protection
☐ Res. Vol.
☐ Ind. Vol.
☐ RCP Certification

Requirements for MA:
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MCP Certification
☐ Other

Relinquished by:	Accepted by:	Date:	Time:
<u>[Signature]</u>	<u>[Signature]</u>	<u>12/19/06</u>	<u>17:00</u>

Comments, Special Requirements or Regulations:
NYSDDEC