

February 12, 2021

Mr. Scott Deyette
Chief, Inspection Unit
New York State Department of Environmental Conservation
MGP Remedial Section, Division of Environmental Remediation
Bureau of Western Remedial Action, 11th Floor
625 Broadway
Albany, New York 12233-7012

**Re: Liberty Street Non-Owned Former Manufactured Gas Plant (MGP) Site
Troy, NY
Annual Groundwater Monitoring Report
NYSDEC Site # V000482**

Dear Mr. Deyette:

Attached for your information is the annual Groundwater Monitoring Report detailing the groundwater monitoring activities conducted in 2020 at the National Grid Troy (Liberty Street) Site. Site activities were conducted in accordance with the NYSDEC-approved Site Management Plan dated April 2015.

Groundwater and Environmental Services, Inc., (GES), the OM&M contractor for National Grid, conducts all long-term OM&M activities at the site. Quarterly site inspections were conducted in March, June, September, and December of 2020. The site is generally in good shape and in compliance.

Annual groundwater sampling was completed on September 3, 2020. During the September 2020 site inspection and groundwater sampling event, it was observed that monitoring well B/MW-202(06) had been destroyed, presumably during municipal construction activities.

Please contact me at 315-428-5652 if you have any questions.

Sincerely,



for SPS

Steven P. Stucker, C.P.G.
Lead Engineer
Environmental Department

National Grid

2020 Groundwater Monitoring Report



National Grid Troy Liberty Street Site
Liberty Street
Troy, NY

February 2021

Version 1





2020 Groundwater Monitoring Report

National Grid -Troy
Liberty Street
Troy, NY

Prepared for:
National Grid
300 Erie Boulevard West, C-1
Syracuse, NY 13202

Prepared by:
Groundwater & Environmental Services, Inc.
5 Technology Place, Suite 4
East Syracuse, NY 13057
TEL: 800-220-3069
www.gesonline.com

GES Project:
0603200.121801.221

Date:
February 12, 2021

Devin T. Shay, PG
Program Manager / Principal Hydrogeologist



Table of Contents

1	Introduction	1
1.1	Overview	1
1.2	Site Description	1
2	Quarterly Site Inspections and Groundwater Monitoring Activities	2
2.1	Quarterly Site Inspections	2
2.2	Groundwater Well Gauging	2
2.3	Groundwater Well Sampling and Analysis	2
2.4	Waste Disposal	3
3	Conclusions and Recommendations	3
3.1	Conclusions	3
3.2	Recommendations	3



Figures

Figure 1 – Site Location Map

Figure 2 – Site Map

Figure 3 – Groundwater Monitoring Map

Figure 4 – Groundwater Analytical Map

Tables

Table 1 – Monitoring Well Construction Details

Table 2 – Final Groundwater Discharge Parameters

Table 3 – Groundwater Elevations

Table 4 – Historical Groundwater Data

Appendices

Appendix A – Quarterly Site Inspections

Appendix B – Well Sampling Sheets

Appendix B – Data Usability Summary Report and Analytical Data



Acronyms

AWQS	Ambient Water Quality Standards	OM&M	Operation, Maintenance, and Monitoring
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes	OU	Operable Unit
DNAPL	Dense Non-Aqueous Phase Liquid	Pace	Pace Analytical Services, LLC
DUSR	Data Usability Summary Report	PAH	Polycyclic Aromatic Hydrocarbons
GES	Groundwater & Environmental Services, Inc.	POTW	Publically Owned Treatment Works
gpm	Gallons per Minute	QA/QC	Quality Assurance / Quality Control
IRM	Interim Remedial Measures	ROD	Record of Decision
LNAPL	Light Non-Aqueous Phase Liquid	SMP	Site Management Plan
MGP	Manufactured Gas Plant	USEPA	United States Environmental Protection Agency
NYSDEC	New York State Department of Environmental Conservation	WPCF	Water Pollution Control Facility



1 Introduction

1.1 Overview

Groundwater & Environmental Services, Inc. (GES) has prepared this 2020 Groundwater Monitoring Report (covering January 1, 2020 – December 31, 2020) for the Troy (Liberty Street) Site, Troy, New York. The groundwater monitoring activities described in this letter were completed as part of the annual inspection and groundwater sampling/monitoring event, in accordance to the Site Management Plan (SMP) dated April 2015.

The following activities conducted during this reporting period are summarized below:

- Quarterly site inspections.
- Annual groundwater elevation data.
- Annual groundwater sampling, analysis and data validation. Water samples are submitted to Pace Analytical Services, LLC (Pace) for laboratory analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) via United States Environmental Protection Agency (EPA) Method 8260C, and polycyclic aromatic hydrocarbons (PAHs) via EPA Method 8270D.
- Any site maintenance that comes about as a result of the quarterly inspections.

1.2 Site Description

The Troy-Liberty Street former MGP Site is located in an urban residential/light commercial area in Troy's "Little Italy" neighborhood, and is approximately 1.016 acres. The Site is bordered to the east by Fifth Avenue, to the south of Washington Street, to the west by Hill Street, and to the north by Liberty Street. The Site Location is presented on **Figure 1**, and the current Site Map is presented on **Figure 2**. The Site is mainly comprised of an asphalt parking lot, with two (2) small bocce courts at the south end. The courts are constructed on top of the existing asphalt surface. It is bordered by a metal fence with brick pillars on the western side and a chain link fence on the northern side. The Site has gates which can be locked but it is common to find them unlocked.

2 Quarterly Site Inspections and Groundwater Monitoring Activities

2.1 Quarterly Site Inspections

GES conducted quarterly site inspections during this reporting period on March 5, June 18, September 3, and 16, 2020.

In general, the Site is in good condition and in compliance. The exterior cover system is intact. No visible saw cutting, holes from burrowing animals, or evidence of any other intrusive activities were noted in 2020. The groundwater monitoring wells are secured and operable, with the exception of B/MW-202(06) which was discovered to have been destroyed by the City of Troy during the September 2020 site inspection.

Attachment A includes the Quarterly Site Inspection Forms.

2.2 Groundwater Well Gauging

Groundwater level measurements are collected at the Site to accomplish the following:

- To determine the general groundwater flow direction on site.

Annual gauging field data is presented in **Table 3**. In general, site groundwater flows from east to west/northwest, consistent with past groundwater elevation data.

2.3 Groundwater Well Sampling and Analysis

Groundwater samples were collected from five (5) monitoring wells {B/MW-101(05), B/MW-102(05), B/MW-104(05), B/MW-203(06), and B/MW-404(11)}, on September 3, 2020. The wells were purged using a peristaltic pump. Field Measurements of pH, conductivity, turbidity, dissolved oxygen, temperature, total dissolved solids and oxidation-reduction potential were recorded using a Horiba U-52 water quality meter during sample collection. Samples were collected once field parameters stabilized. Field monitoring data and the chain-of-custody record are included in **Appendix B**.

Five (5) aqueous field samples, a field duplicate, and trip blank were analyzed for TCL VOCs, and TCL SVOCs. The samples were analyzed by Pace in accordance with the NYSDEC Analytical Services Protocol. Analytical results are summarized in **Table 4**. The Analytical Lab Report and Data Usability Summary Report are presented in **Appendix C**.

B/MW-101(05) had detections of naphthalene below the AWQS. B/MW-203(06) had exceedances of BTEX, acenaphthene, benzo(a)anthracene, chrysene, and naphthalene. Monitoring well B/MW-203(06) also had detections below the standards in acenaphthylene, anthracene, fluoranthene, fluorene, phenanthrene, and pyrene. There were no detections of TCL VOCs or TCL SVOCs observed in the groundwater samples of B/MW-102(05), B/MW-104(05), and B/MW-404(11).



2.4 Waste Disposal

Purged groundwater and decontamination fluids were containerized in a 55-gallon steel drum and were properly disposed of by Capitol Environmental on behalf of National Grid.

3 Conclusions and Recommendations

3.1 Conclusions

Based on the results of the past year's activities, the following conclusions were made:


- Quarterly site inspections demonstrate that the site is in good condition and in compliance.
- Groundwater beneath the Site appears to flow in a general east to west/northwest direction.
- The groundwater samples collected in September 2020 had exceedances of BTEX, acenaphthene, benzo(a)anthracene, chrysene, and naphthalene. There were no detections of TCL VOCs or TCL SVOCs observed in three of the five groundwater samples.

3.2 Recommendations


It is recommended that all groundwater monitoring activities continue, with the next report due in January 2022.



Figures



Source:
 USGS 7.5 Minute Series
 Topographic Quadrangle, 1980
 Troy South, New York
 Contour Interval = 10'



Site Location Map

National Grid
 Liberty Street
 Troy, New York

Drawn
 W.G.S.
 Designed

Approved




Scale In Feet



Groundwater & Environmental Services, Inc.

Date
 1-15-18
 Figure
 1


M:\Graphics\0600-Syracuse\Misc\National Grid\Troy (Liberty Street)\Troy (Liberty Street) SM.dwg, B50 sm, WShea



- LEGEND**
- PROPERTY BOUNDARY
 - ⊙ FIRE HYDRANT
 - ☀ LIGHT POLE
 - UTILITY POLE
 - ⊕ MONITORING WELL
 - ⊕ DESTROYED MONITORING WELL
 - W — UNDERGROUND WATER LINE
 - OHU — OVERHEAD UTILITIES

Site Map	
National Grid Liberty Street Troy, New York	
Drawn W.G.S. Designed Approved	Date 11/2/20 Figure 2
<p>Scale In Feet</p>	
<p>Groundwater & Environmental Services, Inc.</p>	

M:\Graphics\0600-Syracuse\Misc\National Grid\Troy (Liberty Street)\Troy (Liberty Street) SM.dwg, B50 sm, WShea



LEGEND

- PROPERTY BOUNDARY
- FIRE HYDRANT
- LIGHT POLE
- UTILITY POLE
- MONITORING WELL
- DESTROYED MONITORING WELL
- (14.20) GROUNDWATER ELEVATION (feet)
- GROUNDWATER CONTOUR
DASHED WHERE INFERRED

Groundwater Contour Map September 3, 2020	
National Grid Liberty Street Troy, New York	
Drawn W.G.S. Designed	Date 11/2/20 Figure 3
Approved	 Scale In Feet Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Troy (Liberty Street)\Troy (Liberty Street) SM.dwg, B50 sm, WShea

LEGEND

- PROPERTY BOUNDARY
 - FIRE HYDRANT
 - LIGHT POLE
 - UTILITY POLE
 - MONITORING WELL
 - DESTROYED MONITORING WELL
- | | |
|---------------------|---------------------------|
| B/MW-101(05) | WELL IDENTIFICATION |
| 9-3-20 | SAMPLE DATE |
| ND | BTEX CONCENTRATION (ug/L) |
| 0.098 | PAHs CONCENTRATION (ug/L) |
- ug/L MICROGRAMS PER LITER
 - BTEX BENZENE, TOLUENE, ETHYLBENZENE, XYLENES
 - PAHs POLYCYCLIC AROMATIC HYDROCARBONS
 - ND NOT DETECTED


B/MW-203(06)
9-3-20
210.4
85.0

B/MW-102(05)
9-3-20
ND
ND

B/MW-104(05)
9-3-20
ND
ND

B/MW-404(11)
9-3-20
ND
ND

B/MW-101(05)
9-3-20
ND
0.098



Groundwater Monitoring Map
September 3, 2020

National Grid
Liberty Street
Troy, New York

Drawn W.G.S.	Date 11/2/20
Designed	Figure 4
Approved	

Scale In Feet

Groundwater & Environmental Services, Inc.



Tables



Table 1
Monitoring Well Construction Details

Well ID	Date Installed	Ground Surface Elevation (ft, NAVD88)	Top of PVC Casing Elevation (ft, NAVD88)	Total Boring Depth (ft, bgs)	Top of Screen (ft, bgs)	Bottom of Screen (ft, bgs)	Well Bottom (ft, bgs)	Screen Midpoint (ft, bgs)	Top of Sand Pack (ft, bgs)	Well Screen Material	Unit Screened
B/MW-101(05)	12/5/2005	32.15	31.99	30	17	27	27	23	14	2-in ID Sch 40 PVC factory slotted	f sand, silt, gravel
B/MW-102(05)	12/7/2005	28.05	27.60	17.5	7	17	17	12	5	2-in ID Sch 40 PVC factory slotted	f-m sand, silt
B/MW-103(05)	12/5/2005	33.38	33.13	30	18	28	28	23	16	2-in ID Sch 40 PVC factory slotted	f-m sand, silt, clay, gravel
B/MW-104(05)	12/6/2005	29.42	29.14	24	12	22	22	17	11	2-in ID Sch 40 PVC factory slotted	f-m sand, gravel
B/MW-201(06)	12/14/2006	35.01	34.62	25	14	24	24	19	12	2-in ID Sch 40 PVC 0.010" slot	clay, silt, sand
B/MW-202(06)	12/12/2006	28.68	28.10	20	9.5	19.5	19.5	14.5	8	2-in ID Sch 40 PVC 0.010" slot	clay, silt, sand, gravel
B/MW-203(06)	12/12/2006	26.06	25.32	20	9.5	19.5	19.5	14.5	8	2-in ID Sch 40 PVC 0.010" slot	f-c sand, silt
B/MW-301(10)	11/1/2010	31.14	30.81	35	15	25	25	20	13	2-in ID Sch 40 PVC 0.010" slot	f-c sand, silty sand, gravel, silt, clay
B/MW-302(10)	11/1/2010	33.02	32.60	35	15	25	25	20	13	2-in ID Sch 40 PVC 0.010" slot	f-c sand, gravel, silt
B/MW-303(10)	10/29/2010	33.35	32.97	45	14	24	24	19	12	2-in ID Sch 40 PVC 0.010" slot	clay, f-c sand
B/MW-324(10)	10/29/2010	33.09	32.63	45	14	24	26	19	12	2-in ID Sch 40 PVC 0.010" slot	silty f-c sand, gravel, clay
B/MW-404(11)	4/14/2011	33.33	32.95	30	14	24	24	19	12	2-in ID Sch 40 PVC 0.010" slot	f-c sand, gravel, silt
B/PZ-407(11)	4/12/2011	29.81	29.26	30	14	24	24	19	10	1-in ID Sch 40 PVC 0.010" slot	f-c sand, gravel, clay
B/PZ-408(11)	4/12/2011	31.87	31.53	30	14	24	24	19	12	1-in ID Sch 40 PVC 0.010" slot	f-c sand, gravel
B/PZ-409(11)	4/12/2011	33.33	32.79	30	15	25	25	20	13	1-in ID Sch 40 PVC 0.010" slot	silty f-c sand, gravel
B/PZ-410(11)	4/12/2011	31.65	31.17	30	14	24	24	19	12	1-in ID Sch 40 PVC 0.010" slot	f-c sand, gravel, clay
B/PZ-411(11)	4/13/2011	30.61	30.21	30	14	24	24	19	12	1-in ID Sch 40 PVC 0.010" slot	f-c sand, gravel, clay

Notes:

ft, NAVD88 - feet above North American Vertical Datum of 1988

ft, bgs - feet below ground surface

B/MW-103(05) - Well decommissioned

B/PZ-407(11) - Piezometer decommissioned

Table 2

Final Groundwater Discharge Parameters



Well ID	Date Sampled	Temperature (°C)	Conductivity (mS/cm)	Dissolved Oxygen (mg/L)	pH (S.U.)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)
B/MW-101(05)	11/18/2010	15.22	1548*	14.26	6.78	137.4	3.1
B/MW-102(05)	11/19/2010	24.63	935*	0.16	6.86	176.1	6.7
B/MW-103(05)	11/19/2010	13.84	1265*	22.16	6.69	-151.0	10.6
B/MW-104(05)	11/18/2010	16.01	1052*	20.72	6.53	79.0	6.2
B/MW-201(06)	11/18/2010	14.66	1224*	19.55	6.6	130.9	0.3
B/MW-202(06)	11/18/2010	16.56	1644*	26.80	6.38	128.9	8.3
B/MW-203(06)	11/18/2010	14.55	1473*	1.86	7.06	316.4	5.8
B/MW-301(10)	11/18/2010	18.59	1876*	0.97	6.96	121.0	9.8
B/MW-302(10)	11/18/2010	15.40	1013*	0.67	7.30	357.1	2.6
B/MW-303(10)	11/18/2010	19.33	188*	1.98	7.8	310.1	4.6
B/MW-324(10)	11/19/2010	17.00	2203*	0.07	6.87	-47.2	-1.0
B/MW-101(05)	5/5/2011	12.77	1986*	6.49	6.75	157	18.8
B/MW-102(05)	5/5/2011	11.50	1884*	0.44	6.67	202.8	3.2
B/MW-103(05)	5/6/2011	14.06	1612*	6.60	6.66	-165.7	5.3
B/MW-104(05)	5/5/2011	12.93	2078*	2.03	6.55	151	2.7
B/MW-201(06)	5/5/2011	11.64	3299*	7.18	6.67	150.3	5.0
B/MW-202(06)	5/6/2011	14.03	2228*	6.99	6.45	45.7	1.3
B/MW-203(06)	5/5/2011	11.88	4767*	2.42	6.91	111.1	0.0
B/MW-301(10)	5/5/2011	13.34	2883*	12.00	6.67	-103.3	5.5
B/MW-302(10)	5/5/2011	12.53	1388*	12.03	7.02	181	0.0
B/MW-303(10)	5/5/2011	9.02	352*	27.29	8.02	80.8	0.2
B/MW-324(10)	5/6/2011	14.08	4558*	0.51	5.43	-213.5	-10.7
B/MW-404(11)	5/6/2011	9.95	522*	46.70	5.55	205.2	-5.6
B/MW-101(05)	8/19/2014	17.50	1260*	1.40	6.76	-13.8	1.4
B/MW-102(05)	8/19/2014	18.60	956*	0.01	6.45	39.9	1.0
B/MW-104(05)	8/19/2014	17.00	1597*	0.02	6.21	-4.0	0.1
B/MW-202(06)	8/19/2014	16.80	2152*	0.06	6.17	-27.2	2.6
B/MW-203(06)	8/19/2014	17.30	3135*	0.02	6.36	-33.9	8.2
B/MW-404(11)	8/19/2014	19.90	339*	2.09	6.69	41.0	0.2
B/MW-101(05)	10/7/2015	17.01	1368*	2.00	7.13	128.3	1.01
B/MW-102(05)	10/7/2015	19.34	1416*	0.26	6.80	258.3	4.10
B/MW-104(05)	10/7/2015	17.60	1589*	0.32	6.72	135.3	5.13
B/MW-202(06)	10/7/2015	17.54	2410*	0.31	6.58	137.5	4.91
B/MW-203(06)	10/7/2015	19.01	2806*	0.77	6.97	182.5	5.53
B/MW-404(11)	10/7/2015	17.18	1315*	0.35	6.50	146.5	3.15
B/MW-101(05)	11/9/2016	15.12	1907*	1.49	7.15	206.1	4.18
B/MW-104(05)	11/9/2016	16.88	1209*	0.29	6.86	203.1	4.87
B/MW-101(05)	10/12/2017	16.55	2.39	0.00	6.88	43.0	18.50
B/MW-102(05)	10/12/2017	16.10	1.50	0.00	6.71	179.0	1.80
B/MW-104(05)	10/12/2017	15.57	1.79	0.00	6.60	60.0	22.60
B/MW-202(06)	10/12/2017	14.41	2.13	1.64	5.81	64.0	5.80
B/MW-203(06)	10/12/2017	14.67	1.90	0.94	5.78	-169.0	7.40
B/MW-404(11)	10/12/2017	19.42	0.311	3.87	5.96	51.0	2.70
B/MW-101(05)	10/13/2018	15.97	1.740	0.00	6.97	153.0	6.00
B/MW-102(05)	10/13/2018	19.07	0.987	0.00	6.97	240.0	2.30
B/MW-104(05)	10/13/2018	17.17	1.350	0.01	6.73	130.0	2.00
B/MW-202(06)	10/13/2018	15.75	2.490	4.91	6.47	51.0	8.30
B/MW-203(06)	10/13/2018	15.12	2.270	0.92	6.62	-77.0	17.30
B/MW-404(11)	10/13/2018	16.65	1.500	0.29	6.20	105.0	7.00
B/MW-101(05)	10/31/2019	16.39	1.610	0.22	7.16	178.0	131.00
B/MW-102(05)	10/31/2019	19.27	0.873	0.00	7.08	-33.0	16.50
B/MW-104(05)	10/31/2019	17.97	1.150	1.34	6.95	88.0	79.60
B/MW-202(06)	10/31/2019	17.60	3.110	0.00	6.76	132.0	47.80
B/MW-203(06)	10/31/2019	18.38	1.310	0.00	6.97	-99.0	16.70
B/MW-404(11)	10/31/2019	16.97	1.650	0.00	6.59	117.0	1.40
B/MW-101(05)	9/3/2020	17.22	1.810	0.94	7.20	-79.0	74.80
B/MW-102(05)	9/3/2020	22.21	0.731	0.43	7.01	87.0	0.00
B/MW-104(05)	9/3/2020	20.22	1.230	0.53	6.95	-107.0	1.40
B/MW-203(06)	9/3/2020	15.51	1.770	4.62	5.79	-134.0	1.12
B/MW-404(11)	9/3/2020	14.27	1.810	6.23	5.91	29.0	0.00

Notes:

- °C = degrees Celsius
- mS/cm = milliSiemens per centimeter
- mg/L = milligrams per liter
- S.U. = Standard units
- mV = millivolts
- NTU = Nephelometric Turbidity Units
- * = value is in µS/cm (data collected by GEI)
- µS/cm = microSiemens per centimeter

Table 3
Groundwater Elevations



Well ID	Northing	Easting	Ground Surface Elevation (ft, NAVD88)	Top of PVC Casing Elevation (ft, NAVD88)	Top of Screen (ft, bgs)	Bottom of Screen (ft, bgs)	Well Bottom (ft, bgs)	Screen Midpoint (ft, bgs)
B/MW-101(05)	1418713.7909	709904.0096	32.15	31.99	17	27	27	23
B/MW-102(05)	1418829.6033	709787.6836	28.05	27.60	7	17	17	12
B/MW-103(05)	1418570.6710	709822.8544	33.38	33.13	18	28	28	23
B/MW-104(05)	1418760.6340	709802.7049	29.42	29.14	12	22	22	17
B/MW-201(06)	1418475.6220	709829.4970	35.01	34.62	14	24	24	19
B/MW-202(06)	1418742.2620	709740.6720	28.68	28.10	9.5	19.5	19.5	14.5
B/MW-203(06)	1418857.9290	709719.8990	26.06	25.32	9.5	19.5	19.5	14.5
B/MW-301(10)	1418812.6260	709911.3770	31.14	30.81	15	25	25	20
B/MW-302(10)	1418625.7960	709886.5990	33.02	32.60	15	25	25	20
B/MW-303(10)	1418539.6000	709753.7880	33.35	32.97	14	24	24	19
B/MW-324(10)	1418570.3330	709807.5630	33.09	32.63	14	24	26	19
B/MW-404(11)	1418558.6354	709772.8932	33.33	32.95	14	24	24	19
B/PZ-407(11)	1418816.8233	709849.1786	29.81	29.26	14	24	24	19
B/PZ-408(11)	1418758.7155	709932.5038	31.87	31.53	14	24	24	19
B/PZ-409(11)	1418656.4867	709931.7253	33.33	32.79	15	25	25	20
B/PZ-410(11)	1418668.8797	709837.9031	31.65	31.17	14	24	24	19
B/PZ-411(11)	1418687.3890	709791.6188	30.61	30.21	14	24	24	19

Table 3
Groundwater Elevations



Well ID	Depth to Water (12/2005) (ft, bgs)	Groundwater Elevation (12/2005) (ft, NAVD88)	Depth to Water (12/2006) (ft, bgs)	Groundwater Elevation (12/2006) (ft, NAVD88)	Depth to Water (11/18/10) (ft, bgs)	Groundwater Elevation (11/18/10) (ft, NAVD88)	Depth to Water (3/1/11) (ft, bgs)	Groundwater Elevation (3/1/11) (ft, NAVD88)
B/MW-101(05)	NA	15.12	NA	14.43	17.57	14.42	NM	NM
B/MW-102(05)	NA	14.84	NA	14.15	13.65	13.95	13.43	14.17
B/MW-103(05)	NA	14.68	NA	13.95	19.25	13.88	19.06	14.07
B/MW-104(05)	NA	14.67	NA	13.95	15.21	13.93	15.00	14.14
B/MW-201(06)	--	--	NA	14.00	20.80	13.82	20.62	14.00
B/MW-202(06)	--	--	NA	14.18	14.20	13.90	NM	NM
B/MW-203(06)	--	--	NA	14.50	11.70	13.62	NM	NM
B/MW-301(10)	--	--	--	--	16.85	13.96	16.64	14.17
B/MW-302(10)	--	--	--	--	18.73	13.87	NM	NM
B/MW-303(10)	--	--	--	--	16.65	16.32	13.94	19.03
B/MW-324(10)	--	--	--	--	18.73	13.9	18.55	14.08
B/MW-404(11)	--	--	--	--	--	--	--	--
B/PZ-407(11)	--	--	--	--	--	--	--	--
B/PZ-408(11)	--	--	--	--	--	--	--	--
B/PZ-409(11)	--	--	--	--	--	--	--	--
B/PZ-410(11)	--	--	--	--	--	--	--	--
B/PZ-411(11)	--	--	--	--	--	--	--	--

Table 3
Groundwater Elevations



Well ID	Depth to Water (4/13/11) (ft, bgs)	Groundwater Elevation (4/13/11) (ft, NAVD88)	Depth to Water (5/4/11) (ft, bgs)	Groundwater Elevation (5/4/11) (ft, NAVD88)	Depth to Water (8/19/2014) (ft, bgs)	Groundwater Elevation (8/19/2014) (ft, NAVD88)	Depth to Water (10/07/2015) (ft, bgs)	Groundwater Elevation (10/07/2015) (ft, NAVD88)
B/MW-101(05)	16.00	15.99	16.06	15.93	17.24	14.75	17.82	14.17
B/MW-102(05)	12.10	15.50	12.15	15.45	13.17	14.43	13.8	13.8
B/MW-103(05)	17.62	15.51	17.66	15.47	NM	NM	NM	NM
B/MW-104(05)	13.64	15.50	13.64	15.50	14.75	14.39	15.32	13.82
B/MW-201(06)	19.15	15.47	19.2	15.42	NM	NM	NM	NM
B/MW-202(06)	12.70	15.40	NM	NM	13.76	14.34	14.31	13.79
B/MW-203(06)	10.18	15.14	10.25	15.07	11.33	13.99	11.89	13.43
B/MW-301(10)	15.30	15.51	15.35	15.46	NM	NM	NM	NM
B/MW-302(10)	17.09	15.51	17.15	15.45	NM	NM	NM	NM
B/MW-303(10)	15.85	17.12	16	16.97	NM	NM	NM	NM
B/MW-324(10)	17.17	15.46	17.21	15.42	NM	NM	NM	NM
B/MW-404(11)	17.51	15.44	17.51	15.44	18.61	14.34	19.23	13.72
B/PZ-407(11)	13.80	15.46	13.81	15.45	NM	NM	NM	NM
B/PZ-408(11)	15.98	15.55	16.01	15.52	NM	NM	NM	NM
B/PZ-409(11)	17.31	15.48	17.36	15.43	NM	NM	NM	NM
B/PZ-410(11)	15.70	15.47	15.74	15.43	NM	NM	NM	NM
B/PZ-411(11)	14.75	15.46	14.84	15.37	NM	NM	NM	NM

Table 3
Groundwater Elevations



Well ID	Depth to Water (11/09/2016) (ft, bgs)	Groundwater Elevation (11/09/2016) (ft, NAVD88)	Depth to Water (10/12/2017) (ft, bgs)	Groundwater Elevation (10/12/2017) (ft, NAVD88)	Depth to Water (10/18/2018) (ft, bgs)	Groundwater Elevation (10/18/2018) (ft, NAVD88)	Depth to Water (10/31/2019) (ft, bgs)	Groundwater Elevation (10/31/2019) (ft, NAVD88)
B/MW-101(05)	18.7	13.29	17.77	14.22	16.60	15.39	16.31	15.68
B/MW-102(05)	14.7	12.90	13.80	13.80	12.65	14.95	12.83	14.77
B/MW-103(05)	NM	NM	NM	NM	NM	NM	NM	NM
B/MW-104(05)	16.23	12.91	15.38	13.76	14.15	14.99	13.81	15.33
B/MW-201(06)	NM	NM	NM	NM	NM	NM	NM	NM
B/MW-202(06)	15.22	12.88	14.41	13.69	13.20	14.90	12.80	15.30
B/MW-203(06)	12.8	12.52	12.60	12.72	11.51	13.81	11.14	14.18
B/MW-301(10)	NM	NM	NM	NM	NM	NM	NM	NM
B/MW-302(10)	NM	NM	NM	NM	NM	NM	NM	NM
B/MW-303(10)	NM	NM	NM	NM	NM	NM	NM	NM
B/MW-324(10)	NM	NM	NM	NM	NM	NM	NM	NM
B/MW-404(11)	20.14	12.81	19.30	13.65	18.15	14.80	17.84	15.11
B/PZ-407(11)	NM	NM	NM	NM	NM	NM	NM	NM
B/PZ-408(11)	NM	NM	NM	NM	NM	NM	NM	NM
B/PZ-409(11)	NM	NM	NM	NM	NM	NM	NM	NM
B/PZ-410(11)	NM	NM	NM	NM	NM	NM	NM	NM
B/PZ-411(11)	NM	NM	NM	NM	NM	NM	NM	NM

Notes:

- ft, NAVD88 = feet above North American Vertical Datum of 1988
- ft, bgs = feet below ground surface
- NA = Not Available
- NM = Not Measured

Table 3
Groundwater Elevations



Well ID	Depth to Water (09/03/20) (ft, bgs)	Groundwater Elevation (09/03/20) (ft, NAVD88)
B/MW-101(05)	17.79	14.20
B/MW-102(05)	13.80	13.80
B/MW-103(05)	NM	NM
B/MW-104(05)	15.36	13.78
B/MW-201(06)	NM	NM
B/MW-202(06)	NM	NM
B/MW-203(06)	12.78	12.54
B/MW-301(10)	NM	NM
B/MW-302(10)	NM	NM
B/MW-303(10)	NM	NM
B/MW-324(10)	NM	NM
B/MW-404(11)	19.35	13.60
B/PZ-407(11)	NM	NM
B/PZ-408(11)	NM	NM
B/PZ-409(11)	NM	NM
B/PZ-410(11)	NM	NM
B/PZ-411(11)	NM	NM

Notes:

- ft, NAVD88 = feet above North American Vertical C
- ft, bgs = feet below ground surface
- NA = Not Available
- NM = Not Measured

Table 4
Historical Groundwater Data
B/MW-101(05)

Parameter	NYSDEC AWQS (µg/L)	12/31/05	12/31/06	11/18/10	05/05/11	08/19/14	10/07/15	11/09/16	10/12/17	10/18/18	10/31/19	09/03/20
BTEX												
Benzene	1	ND (<0.39)	ND (<0.39)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<0.45)	ND (<0.45)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<0.36)	ND (<0.36)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
m&p-Xylene	5	ND (<0.12)	ND (<1.2)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
o-Xylene	5	ND (<0.46)	ND (<0.46)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (Total)	5	NR	NR	ND (<5.0)	ND (<5.0)	ND (<2.0)	ND (<2.5)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
Total BTEX	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PAHs												
Acenaphthene	20	ND (<2.7)	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Acenaphthylene	NA	ND (<2.6)	ND (<1.3)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Anthracene	50	ND (<2.8)	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Benzo(a)anthracene	0.002	ND (<2.2)	ND (<1.1)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Benzo(a)pyrene	NA	ND (<1.5)	ND (<1.2)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Benzo(b)fluoranthene	0.002	ND (<2.2)	ND (<0.76)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Benzo(g,h,i)perylene	NA	ND (<2.3)	ND (<1.1)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Benzo(k)fluoranthene	0.002	ND (<2.6)	ND (<1.9)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Chrysene	0.002	ND (<3.3)	ND (<1.7)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Dibenz(a,h)anthracene	NA	NR	ND (<0.87)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Fluoranthene	50	ND (<2.4)	ND (<1.2)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Fluorene	50	ND (<2.8)	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Indeno(1,2,3-cd)pyrene	0.002	ND (<1.7)	ND (<0.84)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
2-Methylnaphthalene	NA	ND (<2.2)	NR	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Naphthalene	10	ND (<2.8)	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	0.098
Phenanthrene	50	ND (<2.8)	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.097)
Pyrene	50	ND (<2.9)	ND (<1.5)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.099)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Total PAHs	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.098

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 ND (<#) = Not Detected (# is laboratory reporting limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
B/MW-102(05)

Parameter	NYSDEC AWQS (µg/L)	12/20/05	12/31/06	11/19/10	05/05/11	08/19/14	10/07/15	11/09/16	10/12/17	10/18/18	10/31/19	09/03/20
BTEX												
Benzene	1	ND (<0.39)	ND (<0.39)	ND (<5.0)	ND (<5.0)	0.086 J	ND (<0.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<0.45)	ND (<0.45)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<0.36)	ND (<0.36)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
m&p-Xylene	5	ND (<0.12)	ND (<1.2)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
o-Xylene	5	0.72 J	ND (<0.46)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (Total)	5	NR	NR	ND (<5.0)	ND (<5.0)	ND (<2.0)	ND (<2.5)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
Total BTEX	NA	0.72	ND	ND	ND	0.086	ND	ND	ND	ND	ND	ND
PAHs												
Acenaphthene	20	42	15 J	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Acenaphthylene	NA	1.8 J	9.4 J	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Anthracene	50	6.9 J	23 J	ND (<4.4)	ND (<4.0)	1.3 J	ND (<0.2)	0.03 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Benzo(a)anthracene	0.002	2.7 J	39 J	ND (<4.4)	ND (<4.0)	1.8	ND (<0.2)	0.056 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Benzo(a)pyrene	NA	2.9 J	46 J	ND (<4.4)	ND (<4.0)	1.8 J	ND (<0.2)	0.046 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Benzo(b)fluoranthene	0.002	3 J	40 J	ND (<4.4)	ND (<4.0)	1.9	ND (<0.2)	0.075 J	ND (<0.10)	0.16	ND (<0.099)	ND (<0.098)
Benzo(g,h,i)perylene	NA	2.5 J	50 J	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	0.066 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Benzo(k)fluoranthene	0.002	NR	25 J	ND (<4.4)	ND (<4.0)	0.82 J	ND (<0.2)	0.063 J	ND (<0.10)	0.14	ND (<0.099)	ND (<0.098)
Chrysene	0.002	3 J	36 J	ND (<4.4)	ND (<4.0)	2.2 J	ND (<0.2)	0.045 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Dibenz(a,h)anthracene	NA	NR	ND (<4.5)	ND (<4.4)	ND (<4.0)	ND (<1.0)	ND (<0.2)	0.033 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Fluoranthene	50	12	76	ND (<4.4)	ND (<4.0)	3.4 J	ND (<0.2)	0.086 J	ND (<0.10)	ND (<0.11)	0.17	ND (<0.098)
Fluorene	50	24	ND (<7.2)	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Indeno(1,2,3-cd)pyrene	0.002	2.7 J	33 J	ND (<4.4)	ND (<4.0)	0.89 J	ND (<0.2)	0.055 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
2-Methylnaphthalene	NA	8.9 J	NR	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Naphthalene	10	ND (<1.4)	ND (<7.1)	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Phenanthrene	50	40	27 J	ND (<4.4)	ND (<4.0)	ND (<10)	ND (<0.2)	0.046 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.098)
Pyrene	50	10 J	190	ND (<4.4)	ND (<4.0)	3.9 J	ND (<0.2)	0.078 J	ND (<0.10)	0.15	0.19	ND (<0.098)
Total PAHs	NA	162.4	609.4	ND	ND	18.01	ND	0.679	ND	0.45	0.36	ND

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 ND (<#) = Not Detected (# is laboratory reporting limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
B/MW-104(05)

Parameter	NYSDEC AWQS (µg/L)	12/20/05	12/28/06	11/18/10	05/05/11	08/19/14	10/07/15	11/09/16	10/12/17	10/18/18	10/31/19	09/03/20
BTEX												
Benzene	1	2.7 J	1.9 J	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	1.3 J	ND (<0.45)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<0.36)	ND (<0.36)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
m&p-Xylene	5	6.2 J	ND (<1.2)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
o-Xylene	5	3.2 J	ND (<0.46)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (Total)	5	NR	NR	ND (<5.0)	ND (<5.0)	ND (<2.0)	ND (<2.5)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
Total BTEX	NA	13.4	1.9	ND	ND	ND	ND	ND	ND	ND	ND	ND
PAHs												
Acenaphthene	20	14	22 J	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Acenaphthylene	NA	3.6 J	25 J	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Anthracene	50	7.2 J	32 J	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.029 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Benzo(a)anthracene	0.002	2.2 J	56	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	0.12	ND (<0.099)
Benzo(a)pyrene	NA	1.6 J	10 J	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	0.13	ND (<0.099)
Benzo(b)fluoranthene	0.002	1.6 J	47 J	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	0.15	ND (<0.099)
Benzo(g,h,i)perylene	NA	ND (<1.1)	ND (<36)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Benzo(k)fluoranthene	0.002	NR	31 J	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Chrysene	0.002	2 J	50 J	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	0.11	ND (<0.099)
Dibenz(a,h)anthracene	NA	NR	ND (<4.4)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Fluoranthene	50	9.3 J	73	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.046 J	ND (<0.10)	ND (<0.11)	0.19	ND (<0.099)
Fluorene	50	17	21 J	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Indeno(1,2,3-cd)pyrene	0.002	1 J	28 J	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
2-Methylnaphthalene	NA	ND (<1.1)	NR	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Naphthalene	10	ND (<1.4)	7.6 J	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Phenanthrene	50	24	89	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.064 J	ND (<0.10)	ND (<0.11)	ND (<0.099)	ND (<0.099)
Pyrene	50	6.2 J	160	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.04 J	ND (<0.10)	ND (<0.11)	0.16	ND (<0.099)
Total PAHs	NA	89.7	651.6	ND	ND	ND	ND	0.179	ND	ND	0.86	ND

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 ND (<#) = Not Detected (# is laboratory reporting limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-202(06)

Parameter	NYSDEC AWQS (µg/L)	12/31/06	11/18/10	05/06/11	08/19/14	10/07/15	11/09/16	10/12/17	10/18/18	10/31/19
BTEX										
Benzene	1	1.6 J	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<0.45)	ND (<5.0)	1 J	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<0.36)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
m&p-Xylene	5	ND (<1.2)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
o-Xylene	5	ND (<0.46)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (Total)	5	NR	ND (<5.0)	ND (<5.0)	ND (<2.0)	ND (<2.5)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
Total BTEX	NA	1.6	ND	1	ND	ND	ND	ND	ND	ND
PAHs										
Acenaphthene	20	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Acenaphthylene	NA	ND (<1.3)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Anthracene	50	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Benzo(a)anthracene	0.002	ND (<1.1)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Benzo(a)pyrene	NA	ND (<1.2)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Benzo(b)fluoranthene	0.002	ND (<0.76)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Benzo(g,h,i)perylene	NA	ND (<1.1)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Benzo(k)fluoranthene	0.002	ND (<1.9)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Chrysene	0.002	ND (<1.7)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Dibenz(a,h)anthracene	NA	ND (<0.87)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Fluoranthene	50	ND (<1.2)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.035 J	ND (<0.097)	ND (<0.097)	ND (<0.098)
Fluorene	50	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Indeno(1,2,3-cd)pyrene	0.002	ND (<0.84)	ND (<4.3)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
2-Methylnaphthalene	NA	NR	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Naphthalene	10	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.097)	ND (<0.097)	ND (<0.098)
Phenanthrene	50	ND (<1.4)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.12 J	ND (<0.097)	ND (<0.097)	ND (<0.098)
Pyrene	50	ND (<1.5)	ND (<4.3)	ND (<4.0)	ND (<10)	ND (<0.2)	0.03 J	ND (<0.097)	ND (<0.097)	ND (<0.098)
Total PAHs	NA	ND	ND	ND	ND	ND	0.185	ND	ND	ND

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 ND (<#) = Not Detected (# is laboratory reporting limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-203(06)

Parameter	NYSDEC AWQS (µg/L)	12/31/06	11/18/10	05/06/11	08/19/14	10/07/15	11/09/16	10/12/17	10/18/18	10/31/19	09/03/20
BTEX											
Benzene	1	ND (<0.39)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<1.0)	8.2	ND (<1.0)	ND (<1.0)	131
Ethylbenzene	5	ND (<0.45)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	2.6	ND (<1.0)	25.0	45.0
Toluene	5	ND (<0.36)	ND (<5.0)	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	9.6
m&p-Xylene	5	ND (<1.2)	NR	NR	NR	ND (<2.5)	ND (<1.0)	ND (<2.0)	ND (<2.0)	7.6	5.0
o-Xylene	5	ND (<0.46)	NR	NR	NR	ND (<2.5)	ND (<1.0)	2.0	ND (<1.0)	ND (<1.0)	19.8
Xylene (Total)	5	NR	ND (<5.0)	ND (<5.0)	ND (<2.0)	ND (<2.5)	ND (<2.0)	3.1	ND (<3.0)	7.6	24.9
Total BTEX	NA	ND	ND	ND	ND	ND	ND	13.9	ND	32.6	210.4
PAHs											
Acenaphthene	20	ND (<1.4)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	48.3	4.9	2.3	40.4
Acenaphthylene	NA	ND (<1.3)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	0.45	ND (<0.098)	ND (<0.097)	0.54
Anthracene	50	ND (<1.4)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	0.93	0.3	0.17	0.54
Benzo(a)anthracene	0.002	ND (<1.1)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	0.26	0.19	0.10	0.25
Benzo(a)pyrene	NA	ND (<1.2)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
Benzo(b)fluoranthene	0.002	ND (<0.76)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
Benzo(g,h,i)perylene	NA	ND (<1.1)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
Benzo(k)fluoranthene	0.002	ND (<1.9)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
Chrysene	0.002	ND (<1.7)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	0.16	0.13	ND (<0.097)	0.15
Dibenz(a,h)anthracene	NA	ND (<0.88)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
Fluoranthene	50	ND (<1.2)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	9.5	6.0	2.7	7.0
Fluorene	50	ND (<1.4)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	5.4	0.63	0.41	6.1
Indeno(1,2,3-cd)pyrene	0.002	ND (<0.84)	ND (<4.2)	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
2-Methylnaphthalene	NA	NR	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.098)	ND (<0.097)	ND (<0.99)
Naphthalene	10	ND (<1.4)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	0.95	ND (<0.098)	0.28	23.2
Phenanthrene	50	ND (<1.4)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	1.7	0.31	0.29	1.3
Pyrene	50	ND (<1.5)	ND (<4.2)	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	7.0	5.1	2.3	5.5
Total PAHs	NA	ND	ND	ND	ND	ND	ND	74.7	17.6	8.6	85.0

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 ND (<#) = Not Detected (# is laboratory reporting limit)
Bolded = values indicate exceedance of the NYSDEC AWQS



Table 4
Historical Groundwater Data
 B/MW-404(11)

Parameter	NYSDEC AWQS (µg/L)	05/06/11	08/19/14	10/07/15	11/09/16	10/12/17	10/18/18	10/31/19	09/03/20
BTEX									
Benzene	1	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	5	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	5	ND (<5.0)	ND (<1.0)	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
m&p-Xylene	5	NR	NR	ND (<2.5)	ND (<1.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
o-Xylene	5	NR	NR	ND (<2.5)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylene (Total)	5	ND (<5.0)	ND (<2.0)	ND (<2.5)	ND (<2.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
Total BTEX	NA	ND	ND	ND	ND	ND	ND	ND	ND
PAHs									
Acenaphthene	20	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Acenaphthylene	NA	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Anthracene	50	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Benzo(a)anthracene	0.002	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Benzo(a)pyrene	NA	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Benzo(b)fluoranthene	0.002	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Benzo(g,h,i)perylene	NA	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Benzo(k)fluoranthene	0.002	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Chrysene	0.002	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Dibenz(a,h)anthracene	NA	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Fluoranthene	50	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Fluorene	50	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.0)	ND (<1.0)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
2-Methylnaphthalene	NA	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Naphthalene	10	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Phenanthrene	50	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Pyrene	50	ND (<4.0)	ND (<10)	ND (<0.2)	ND (<0.18)	ND (<0.098)	ND (<0.13)	ND (<0.098)	ND (<0.099)
Total PAHs	NA	ND	ND	ND	ND	ND	ND	ND	ND

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 ND (<#) = Not Detected (# is laboratory reporting limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-103(05)

Parameter	NYSDEC AWQS (µg/L)	12/20/2005	12/31/2006	11/19/2010	5/6/2011
BTEX					
Benzene	1	100	82	8	150
Ethylbenzene	5	120	53	ND (<5.0)	10
Toluene	5	130	6.6	ND (<5.0)	8.1
m&p-Xylene	5	220	35	NR	NR
o-Xylene	5	96	28	NR	NR
Xylene (Total)	5	316	63	ND (<5.0)	31
Total BTEX	NA	666	205	8	199
PAHs					
Acenaphthene	20	84	67 J	27	25
Acenaphthylene	NA	100	60 J	4.6	2.5 J
Anthracene	50	19	33 J	0.55 J	0.4 J
Benzo(a)anthracene	0.002	3.3 J	21 J	0.46 J	0.45 J
Benzo(a)pyrene	NA	2.1 J	18 J	ND (<4.5)	ND (<4.0)
Benzo(b)fluoranthene	0.002	2.2 J	17 J	ND (<4.5)	1.2 J
Benzo(g,h,i)perylene	NA	1.3 J	ND (<11)	ND (<4.5)	ND (<4.0)
Benzo(k)fluoranthene	0.002	NR	ND (<20)	ND (<4.5)	0.99 J
Chrysene	0.002	1.7 J	ND (<17)	ND (<4.5)	0.27 J
Dibenz(a,h)anthracene	NA	NR	ND (<9)	ND (<4.5)	ND (<4.0)
Fluoranthene	50	27 J	76 J	8	7.9
Fluorene	50	71	67 J	13	9.4
Indeno(1,2,3-cd)pyrene	0.002	1.5 J	ND (<8.6)	ND (<4.5)	ND (<4.0)
2-Methylnaphthalene	NA	160	NR	ND (<4.5)	ND (<4.0)
Naphthalene	10	2000	470	ND (<4.5)	7.6
Phenanthrene	50	130	170	7.7	2.8 J
Pyrene	50	17	60 J	5.2	5.2
Total PAHs	NA	2620.1	1059	66.51	63.71

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 U = Not Detected (# is method detection limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
B/MW-201(06)

Parameter	NYSDEC AWQS (µg/L)	12/31/2006	11/18/2010	5/5/2011
BTEX				
Benzene	1	ND (<0.39)	ND (<5.0)	ND (<5.0)
Ethylbenzene	5	ND (<0.45)	ND (<5.0)	ND (<5.0)
Toluene	5	ND (<0.36)	ND (<5.0)	ND (<5.0)
m&p-Xylene	5	ND (<1.2)	NR	NR
o-Xylene	5	ND (<0.46)	NR	NR
Xylene (Total)	5	ND (<1.2)	ND (<5.0)	ND (<5.0)
Total BTEX	NA	ND	ND	ND
PAHs				
Acenaphthene	20	ND (<1.4)	ND (<4.3)	ND (<4.0)
Acenaphthylene	NA	ND (<1.3)	ND (<4.3)	ND (<4.0)
Anthracene	50	ND (<1.4)	ND (<4.3)	ND (<4.0)
Benzo(a)anthracene	0.002	ND (<1.1)	ND (<4.3)	ND (<4.0)
Benzo(a)pyrene	NA	ND (<1.2)	ND (<4.3)	ND (<4.0)
Benzo(b)fluoranthene	0.002	ND (<0.76)	ND (<4.3)	ND (<4.0)
Benzo(g,h,i)perylene	NA	ND (<1.1)	ND (<4.3)	ND (<4.0)
Benzo(k)fluoranthene	0.002	ND (<1.9)	ND (<4.3)	ND (<4.0)
Chrysene	0.002	ND (<1.7)	ND (<4.3)	ND (<4.0)
Dibenz(a,h)anthracene	NA	ND (<0.87)	ND (<4.3)	ND (<4.0)
Fluoranthene	50	ND (<1.2)	ND (<4.3)	ND (<4.0)
Fluorene	50	ND (<1.4)	ND (<4.3)	ND (<4.0)
Indeno(1,2,3-cd)pyrene	0.002	ND (<0.84)	ND (<4.3)	ND (<4.0)
2-Methylnaphthalene	NA	NR	ND (<4.3)	ND (<4.0)
Naphthalene	10	ND (<1.4)	ND (<4.3)	ND (<4.0)
Phenanthrene	50	ND (<1.4)	ND (<4.3)	ND (<4.0)
Pyrene	50	ND (<1.5)	ND (<4.3)	ND (<4.0)
Total PAHs	NA	ND	ND	ND

NYSDEC = New York State Department of Environmental Conservation
AWQS = Ambient Water Quality Standards
µg/L = Micrograms per Liter
BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
PAH = Polycyclic Aromatic Hydrocarbons
J = Estimated Concentration
NA = Not Applicable
NR = Not Recorded
U = Not Detected (# is method detection limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-301(10)

Parameter	NYSDEC AWQS (µg/L)	11/18/2010	5/5/2011
BTEX			
Benzene	1	ND (<5.0)	ND (<5.0)
Ethylbenzene	5	ND (<5.0)	ND (<5.0)
Toluene	5	ND (<5.0)	ND (<5.0)
m&p-Xylene	5	NR	NR
o-Xylene	5	NR	NR
Xylene (Total)	5	ND (<5.0)	ND (<5.0)
Total BTEX	NA	ND	ND
PAHs			
Acenaphthene	20	ND (<4.4)	ND (<4.0)
Acenaphthylene	NA	ND (<4.4)	ND (<4.0)
Anthracene	50	ND (<4.4)	ND (<4.0)
Benzo(a)anthracene	0.002	ND (<4.4)	ND (<4.0)
Benzo(a)pyrene	NA	ND (<4.4)	ND (<4.0)
Benzo(b)fluoranthene	0.002	ND (<4.4)	ND (<4.0)
Benzo(g,h,i)perylene	NA	ND (<4.4)	ND (<4.0)
Benzo(k)fluoranthene	0.002	ND (<4.4)	ND (<4.0)
Chrysene	0.002	ND (<4.4)	ND (<4.0)
Dibenz(a,h)anthracene	NA	ND (<4.4)	ND (<4.0)
Fluoranthene	50	ND (<4.4)	ND (<4.0)
Fluorene	50	ND (<4.4)	0.33 J
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.4)	ND (<4.0)
2-Methylnaphthalene	NA	ND (<4.4)	ND (<4.0)
Naphthalene	10	ND (<4.4)	ND (<4.0)
Phenanthrene	50	ND (<4.4)	ND (<4.0)
Pyrene	50	ND (<4.4)	ND (<4.0)
Total PAHs	NA	ND	0.33

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 U = Not Detected (# is method detection limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-302(10)

Parameter	NYSDEC AWQS (µg/L)	11/18/2010	5/5/2011
BTEX			
Benzene	1	ND (<5.0)	ND (<5.0)
Ethylbenzene	5	ND (<5.0)	ND (<5.0)
Toluene	5	ND (<5.0)	ND (<5.0)
m&p-Xylene	5	NR	NR
o-Xylene	5	NR	NR
Xylene (Total)	5	ND (<5.0)	ND (<5.0)
Total BTEX	NA	ND	ND
PAHs			
Acenaphthene	20	ND (<4.3)	ND (<4.0)
Acenaphthylene	NA	ND (<4.3)	ND (<4.0)
Anthracene	50	ND (<4.3)	ND (<4.0)
Benzo(a)anthracene	0.002	ND (<4.3)	ND (<4.0)
Benzo(a)pyrene	NA	ND (<4.3)	ND (<4.0)
Benzo(b)fluoranthene	0.002	ND (<4.3)	ND (<4.0)
Benzo(g,h,i)perylene	NA	ND (<4.3)	ND (<4.0)
Benzo(k)fluoranthene	0.002	ND (<4.3)	ND (<4.0)
Chrysene	0.002	ND (<4.3)	ND (<4.0)
Dibenz(a,h)anthracene	NA	ND (<4.3)	ND (<4.0)
Fluoranthene	50	ND (<4.3)	ND (<4.0)
Fluorene	50	ND (<4.3)	ND (<4.0)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.3)	ND (<4.0)
2-Methylnaphthalene	NA	ND (<4.3)	ND (<4.0)
Naphthalene	10	ND (<4.3)	ND (<4.0)
Phenanthrene	50	ND (<4.3)	ND (<4.0)
Pyrene	50	ND (<4.3)	ND (<4.0)
Total PAHs	NA	ND	ND

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 U = Not Detected (# is method detection limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-303(10)

Parameter	NYSDEC AWQS (µg/L)	11/18/2010	5/5/2011
BTEX			
Benzene	1	ND (<5.0)	ND (<5.0)
Ethylbenzene	5	ND (<5.0)	ND (<5.0)
Toluene	5	ND (<5.0)	ND (<5.0)
m&p-Xylene	5	NR	NR
o-Xylene	5	NR	NR
Xylene (Total)	5	ND (<5.0)	ND (<5.0)
Total BTEX	NA	ND	ND
PAHs			
Acenaphthene	20	ND (<4.3)	ND (<4.0)
Acenaphthylene	NA	ND (<4.3)	ND (<4.0)
Anthracene	50	ND (<4.3)	ND (<4.0)
Benzo(a)anthracene	0.002	ND (<4.3)	ND (<4.0)
Benzo(a)pyrene	NA	ND (<4.3)	ND (<4.0)
Benzo(b)fluoranthene	0.002	ND (<4.3)	ND (<4.0)
Benzo(g,h,i)perylene	NA	ND (<4.3)	ND (<4.0)
Benzo(k)fluoranthene	0.002	ND (<4.3)	ND (<4.0)
Chrysene	0.002	ND (<4.3)	ND (<4.0)
Dibenz(a,h)anthracene	NA	ND (<4.3)	ND (<4.0)
Fluoranthene	50	ND (<4.3)	ND (<4.0)
Fluorene	50	ND (<4.3)	ND (<4.0)
Indeno(1,2,3-cd)pyrene	0.002	ND (<4.3)	ND (<4.0)
2-Methylnaphthalene	NA	ND (<4.3)	ND (<4.0)
Naphthalene	10	ND (<4.3)	ND (<4.0)
Phenanthrene	50	ND (<4.3)	ND (<4.0)
Pyrene	50	ND (<4.3)	ND (<4.0)
Total PAHs	NA	ND	ND

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 U = Not Detected (# is method detection limit)
Bolded = values indicate exceedance of the NYSDEC AWQS

Table 4
Historical Groundwater Data
 B/MW-324(10)

Parameter	NYSDEC AWQS (µg/L)	11/19/2010	5/6/2011
BTEX			
Benzene	1	1900	700
Ethylbenzene	5	380	480
Toluene	5	ND (<77)	130
m&p-Xylene	5	NR	NR
o-Xylene	5	NR	NR
Xylene (Total)	5	610	480
Total BTEX	NA	2967	1790
PAHs			
Acenaphthene	20	170 J	210 J
Acenaphthylene	NA	24 J	79 J
Anthracene	50	ND (<200)	ND (<400)
Benzo(a)anthracene	0.002	ND (<200)	ND (<400)
Benzo(a)pyrene	NA	ND (<200)	ND (<400)
Benzo(b)fluoranthene	0.002	ND (<200)	ND (<400)
Benzo(g,h,i)perylene	NA	ND (<200)	ND (<400)
Benzo(k)fluoranthene	0.002	ND (<200)	ND (<400)
Chrysene	0.002	ND (<200)	ND (<400)
Dibenz(a,h)anthracene	NA	ND (<200)	ND (<400)
Fluoranthene	50	ND (<200)	ND (<400)
Fluorene	50	78 J	100 J
Indeno(1,2,3-cd)pyrene	0.002	ND (<200)	ND (<400)
2-Methylnaphthalene	NA	150 J	230 J
Naphthalene	10	3800	5000
Phenanthrene	50	72 J	99 J
Pyrene	50	ND (<200)	ND (<400)
Total PAHs	NA	4294	5718

NYSDEC = New York State Department of Environmental Conservation
 AWQS = Ambient Water Quality Standards
 µg/L = Micrograms per Liter
 BTEX = Benzene, Toluene, Ethylbenzene, & Xylenes
 PAH = Polycyclic Aromatic Hydrocarbons
 J = Estimated Concentration
 NA = Not Applicable
 NR = Not Recorded
 U = Not Detected (# is method detection limit)
Bolded = values indicate exceedance of the NYSDEC AWQS



Appendix A – Quarterly Inspection Forms

**Troy Liberty St
Non-Owned Former MGP Site
Site Wide Inspection**

Date: 12/16/2020
Technician: KL

Time: 10:30
Weather: Cloudy 18

Cover System			
Soil intrusion activities being performed?	YES	NO	COMMENTS:
Signs of soil intrusive activities?	YES	NO	COMMENTS:
Evidence of saw cutting?	YES	NO	COMMENTS:
Evidence of excavation or trenching?	YES	NO	COMMENTS:
Burrowing animals?	YES	NO	COMMENTS:

Site Monitoring Wells		
<i>Well ID.</i>	<i>Location Secure</i>	
B/MW-101(05)	YES	NO
B/MW-102(05)	YES	NO
B/MW-104(05)	YES	NO
B/MW-202(06)	YES	NO
B/MW-203(06)	YES	NO
B/MW-404(11)	YES	NO

Well Destroyed by the City of Troy doing construction.

General Comments/Suggested Action Items:

The destroyed well is across the street from the SMP AOC.

**Troy Liberty St
Non-Owned Former MGP Site
Site Wide Inspection**

Date: 9/3/2020
Technician: KL/AJ

Time: 8:30
Weather: Sunny 70

Cover System			
Soil intrusion activities being performed?	YES	NO	COMMENTS:
Signs of soil intrusive activities?	YES	NO	COMMENTS:
Evidence of saw cutting?	YES	NO	COMMENTS:
Evidence of excavation or trenching?	YES	NO	COMMENTS:
Burrowing animals?	YES	NO	COMMENTS:

Site Monitoring Wells		
<i>Well ID.</i>	<i>Location Secure</i>	
B/MW-101(05)	YES	NO
B/MW-102(05)	YES	NO
B/MW-104(05)	YES	NO
B/MW-202(06)	YES	NO
B/MW-203(06)	YES	NO
B/MW-404(11)	YES	NO

Well Destroyed by the City of Troy doing construction.

General Comments/Suggested Action Items:

The destroyed well is across the street from the SMP AOC.

**Troy Liberty St
Non-Owned Former MGP Site
Site Wide Inspection**

Date: 6/18/2020
Technician: KL

Time: 10:30
Weather: Sunny 73

Cover System			
Soil intrusion activities being performed?	YES	NO	COMMENTS:
Signs of soil intrusive activities?	YES	NO	COMMENTS:
Evidence of saw cutting?	YES	NO	COMMENTS:
Evidence of excavation or trenching?	YES	NO	COMMENTS:
Burrowing animals?	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B/MW-101(05)	YES	NO
B/MW-102(05)	YES	NO
B/MW-104(05)	YES	NO
B/MW-202(06)	YES	NO
B/MW-203(06)	YES	NO
B/MW-404(11)	YES	NO

General Comments/Suggested Action Items:

Well Manholes need replacement. All secure.

**Troy Liberty St
Non-Owned Former MGP Site
Site Wide Inspection**

Date: 3/5/2020
Technician: KL/PD

Time: 11:00
Weather: Sunny 45

Cover System			
Soil intrusion activities being performed?	YES	NO	COMMENTS:
Signs of soil intrusive activities?	YES	NO	COMMENTS:
Evidence of saw cutting?	YES	NO	COMMENTS:
Evidence of excavation or trenching?	YES	NO	COMMENTS:
Burrowing animals?	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B/MW-101(05)	YES	NO
B/MW-102(05)	YES	NO
B/MW-104(05)	YES	NO
B/MW-202(06)	YES	NO
B/MW-203(06)	YES	NO
B/MW-404(11)	YES	NO

General Comments/Suggested Action Items:



Appendix B – Well Sampling Field Data

Sampling Personnel: AJ
 Job Number: 0603200-121801-221
 Well Id. **B/MW-101(05)**

Date: 9/3/20
 Weather: 70°F, partly sunny
 Time In: 0910 Time Out: 1000

Well Information			TOC	Other
Depth to Water:	(feet)	<u>17.79</u>		
Depth to Product:	(feet)	<u>NP</u>		
Depth to Bottom:	(feet)	<u>26.90</u>		
Length of Water Column:	(feet)	<u>8.21</u>		
Volume of Water in Well:	(gal)	<u>1.31</u>		
Three Well Volumes:	(gal)	<u>3.94</u>		

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____	
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/> Other: _____	
Comments:	_____	

Purging Information			Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Average Pumping Rate:	<u>250</u> (ml/min)					
Duration of Pumping:	<u>30</u> (min)					
Total Volume Removed:	<u>25</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0920</u>	<u>17.82</u>	<u>18.49</u>	<u>7.77</u>	<u>-93</u>	<u>1.78</u>	<u>146</u>	<u>2.72</u>	<u>1.22</u>
<u>0925</u>	<u>17.81</u>	<u>17.53</u>	<u>7.38</u>	<u>-80</u>	<u>1.91</u>	<u>128</u>	<u>1.14</u>	<u>1.22</u>
<u>0930</u>	<u>17.83</u>	<u>17.43</u>	<u>7.31</u>	<u>-74</u>	<u>1.91</u>	<u>113</u>	<u>0.99</u>	<u>1.22</u>
<u>0935</u>	<u>17.81</u>	<u>17.23</u>	<u>7.23</u>	<u>-68</u>	<u>1.90</u>	<u>93.8</u>	<u>0.84</u>	<u>1.22</u>
<u>0940</u>	<u>17.82</u>	<u>17.16</u>	<u>7.21</u>	<u>-69</u>	<u>1.88</u>	<u>85.5</u>	<u>0.85</u>	<u>1.21</u>
<u>0945</u>	<u>17.81</u>	<u>17.19</u>	<u>7.20</u>	<u>-75</u>	<u>1.85</u>	<u>78.3</u>	<u>0.90</u>	<u>1.18</u>
<u>0950</u>	<u>17.82</u>	<u>17.22</u>	<u>7.20</u>	<u>-79</u>	<u>1.81</u>	<u>74.8</u>	<u>0.94</u>	<u>1.16</u>

Sampling Information:					
Quantity	Size	Material	Preservative	Compounds analyzed	Method
3	40 mL	Glass	HCl	BTEX	EPA Method 8260B
2	1 L	Glass	Unpreserved	PAH's	EPA Method 8270C

Sample ID: B/MW-101(05)-0920 Duplicate? Yes No
 Sample Time: 0955 MS/MSD? Yes No

Shipped: Drop-off Albany Service Center
 Pace Courier

Comments/Notes: _____

Laboratory: PACE Analytical
 Greensburg, PA

Sampling Personnel: AS
 Job Number: 0603200-121801-221
 Well Id. **B/MW-102(05)**

Date: 9/3/20
 Weather: 75°F, partly cloudy
 Time In: 1055 Time Out: _____

Well Information			Well Type:
	TOC	Other	
Depth to Water: (feet)	<u>13.80</u>		Flushmount <input checked="" type="checkbox"/> Yes
Depth to Product: (feet)	<u>NP</u>		Stick-Up <input type="checkbox"/> No
Depth to Bottom: (feet)	<u>16.40</u>		Well Locked: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Length of Water Column: (feet)	<u>2.60</u>		Measuring Point Marked: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Volume of Water in Well: (gal)	<u>D.416</u>		Well Material: PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____
Three Well Volumes: (gal)	<u>1.24</u>		Well Diameter: 1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/> Other: _____
			Comments: _____

Purging Information			Conversion Factors					
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	0.04	0.16	0.66	1.47	
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	1 gallon=3.785L=3785mL=133.7cu. feet				
Average Pumping Rate: <u>250</u> (ml/min)								
Duration of Pumping: <u>30</u> (min)								
Total Volume Removed: _____ (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>							
Horiba U-52 Water Quality Meter Used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1100</u>	<u>14.09</u>	<u>21.13</u>	<u>6.98</u>	<u>-75</u>	<u>1.03</u>	<u>12.4</u>	<u>0.63</u>	<u>0.673</u>
<u>1105</u>	<u>14.18</u>	<u>22.36</u>	<u>7.06</u>	<u>-16</u>	<u>0.741</u>	<u>21.4</u>	<u>0.63</u>	<u>0.479</u>
<u>1110</u>	<u>14.31</u>	<u>22.36</u>	<u>7.01</u>	<u>40</u>	<u>0.701</u>	<u>8.0</u>	<u>0.52</u>	<u>0.448</u>
<u>1115</u>	<u>14.41</u>	<u>22.28</u>	<u>6.97</u>	<u>75</u>	<u>0.712</u>	<u>0.0</u>	<u>0.49</u>	<u>0.455</u>
<u>1120</u>	<u>14.48</u>	<u>22.22</u>	<u>6.99</u>	<u>82</u>	<u>0.718</u>	<u>0.0</u>	<u>0.45</u>	<u>0.460</u>
<u>1125</u>	<u>14.54</u>	<u>22.18</u>	<u>7.00</u>	<u>86</u>	<u>0.725</u>	<u>0.0</u>	<u>0.43</u>	<u>0.464</u>
<u>1130</u>	<u>14.59</u>	<u>22.21</u>	<u>7.01</u>	<u>87</u>	<u>0.731</u>	<u>0.0</u>	<u>0.43</u>	<u>0.468</u>

Sampling Information:						
Quantity	Size	Material	Preservative	Compounds analyzed	Method	
3	40 mL	Glass	HCl	BTEX	EPA Method 8260B	
2	1 L	Glass	Unpreserved	PAH's	EPA Method 8270C	

Sample ID: B/MW-102(05)-1019 Duplicate? Yes No
 Sample Time: 1135 MS/MSD? Yes No Shipped: Drop-off Albany Service Center
 Pace Courier
 Laboratory: PACE Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: AS
Job Number: 0603200-121801-221
Well Id. **B/MW-104(05)**

Date: 9/3/20
Weather: 70°F partly sunny
Time In: 1005 Time Out: 1850

Well Information			TOC	Other
Depth to Water:	(feet)	<u>15.36</u>		
Depth to Product:	(feet)	<u>NP</u>		
Depth to Bottom:	(feet)	<u>21.15</u>		
Length of Water Column:	(feet)	<u>5.79</u>		
Volume of Water in Well:	(gal)	<u>0.92</u>		
Three Well Volumes:	(gal)	<u>2.77</u>		

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/>	Other: _____
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/>	Other: _____
Comments:	_____	

Purging Information			Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Average Pumping Rate:	<u>250</u> (ml/min)					
Duration of Pumping:	<u>30</u> (min)					
Total Volume Removed:	<u>2.5</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?		Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>				

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1010	15.52	21.56	7.12	-125	1.21	105	0.63	0.775
1015	15.48	21.04	7.07	-133	1.20	84.8	0.62	0.766
1020	15.48	20.56	7.03	-133	1.23	51.6	0.60	0.783
1025	15.49	20.64	7.02	-128	1.24	30.2	0.57	0.793
1030	15.49	20.62	7.01	-124	1.24	15.3	0.55	0.791
1035	15.49	20.44	6.97	-115	1.23	7.1	0.54	0.789
1040	15.49	20.22	6.95	-107	1.23	1.4	0.53	0.789

Sampling Information:						
Quantity	Size	Material	Preservative	Compounds analyzed	Method	
9	40 mL	Glass	HCl	BTEX	EPA Method 8260B	
6	1 L	Glass	Unpreserved	PAH's	EPA Method 8270C	

B/MW-104(05)-MS-1019 and B/MW-1040(05)-MSD-1019

Sample ID: B/MW-104(05)-1019 Duplicate? Yes No

Sample Time: 1045 MS/MSD? Yes No

Shipped: Drop-off Albany Service Center
Pace Courier

Laboratory: PACE Analytical
Greensburg, PA

Comments/Notes: _____

Sampling Personnel: K
 Job Number: 0603200-121801-221
 Well Id. **B/MW-404(11)**

Date: 9/3/20
 Weather: Sunny 80
 Time In: 10:15 Time Out: 11:00

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>19.35</u>	
Depth to Product: (feet)		
Depth to Bottom: (feet)	23.85	
Length of Water Column: (feet)	<u>4.5</u>	
Volume of Water in Well: (gal)	<u>9.14</u>	
Three Well Volumes: (gal)	<u>2.14</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>30</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>10:20</u>	<u>19.39</u>	<u>16.17</u>	<u>6.12</u>	<u>-4</u>	<u>1.81</u>	<u>0.0</u>	<u>1.35</u>	<u>1.14</u>
<u>10:25</u>	<u>19.39</u>	<u>15.03</u>	<u>6.04</u>	<u>4</u>	<u>1.81</u>	<u>1.3</u>	<u>1.22</u>	<u>1.16</u>
<u>10:30</u>	<u>19.38</u>	<u>14.84</u>	<u>5.92</u>	<u>15</u>	<u>1.80</u>	<u>0.0</u>	<u>2.90</u>	<u>1.15</u>
<u>10:35</u>	<u>19.38</u>	<u>14.74</u>	<u>5.91</u>	<u>21</u>	<u>1.80</u>	<u>0.0</u>	<u>3.76</u>	<u>1.15</u>
<u>10:40</u>	<u>19.38</u>	<u>14.49</u>	<u>5.90</u>	<u>24</u>	<u>1.91</u>	<u>0.0</u>	<u>5.17</u>	<u>1.16</u>
<u>10:45</u>	<u>19.39</u>	<u>14.36</u>	<u>5.89</u>	<u>27</u>	<u>1.81</u>	<u>0.0</u>	<u>6.33</u>	<u>1.16</u>
<u>10:50</u>	<u>19.39</u>	<u>14.27</u>	<u>5.91</u>	<u>29</u>	<u>1.81</u>	<u>0.0</u>	<u>6.23</u>	<u>1.16</u>

Sampling Information:						
Quantity	Size	Material	Preservative	Compounds analyzed	Method	
3	40 mL	Glass	HCl	BTEX	EPA Method 8260B	
2	1 L	Glass	Unpreserved	PAH's	EPA Method 8270C	

Sample ID: B/MW-404(11)-1019 Duplicate? Yes No
 Sample Time: 10:00 MS/MSD? Yes No
 Shipped: Drop-off Albany Service Center
 Pace Courier
 Laboratory: PACE Analytical
 Greensburg, PA

Comments/Notes: _____

COVID-19 Daily Symptom Check - Visitors

Name Allison Jordan Date: 9/3/20

Company name: GES

Contact phone number: 716-912-4604

National Grid location visited: Troy Liberty St

Please reply NO to any symptoms that you believe to be related to seasonal allergies, chronic health conditions or other known causes.

Any NEW ONSET of the following symptoms within the past 14 days? Yes No

Have you been experiencing any cough, shortness of breath, or difficulty breathing?

Have you been experiencing any chills, felt feverish, or had a fever of 100.3 or greater?

Have you been experiencing any (generalized) muscle pain/aches, fatigue, or headaches?

Have you been experiencing any sore throat, runny/stuffy nose, or recent loss of taste or smell?

Have you been experiencing nausea, vomiting, or diarrhea?

In the past 14 days, have you: Yes No

Tested positive for COVID-19?

Been in close or proximate contact (less than 6 feet for more than 15 minutes) with anyone who has tested positive for COVID-19 or who has or had symptoms of COVID-19?

Been directed to quarantine or isolate by the any Department of Health or a healthcare provider?

For those entering Rhode Island today (check no if not applicable):

Have you traveled (for Non-Work Related purposes) from a location that is currently under a government mandated stay at home order in the past 14 days?

If you answer "Yes" to any of the questions, please leave the work location, contact your employer and notify National Grid's Employee Services at (888) 483-2123 (to trigger contact tracing for National Grid employees you were in contact with). If you feel that you have symptoms related to COVID-19 please contact your healthcare provider.

Thank you for completing the National Grid COVID-19 Symptom Check for visitors.



Appendix C – Data Usability Summary Report and Analytical Data



November 10, 2020

Devin Shay

Groundwater & Environmental Services, Syracuse

5 Technology Place, Suite 4

East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid- Troy Liberty Street St- Site Data Package: 30380911

Groundwater & Environmental Services, Inc. (GES) reviewed one data package (Laboratory Project No.: 30380911) from Pace Analytical Services, LLC in Greensburg PA., for the analysis of samples collected on September 3, 2020 from monitoring wells located at the National Grid: Troy Liberty Street Site. Six aqueous samples and a field duplicate were analyzed for BTEX and PAHs. Methodologies utilized are those of USEPA SW846 methods 8260C and 8270D with additional QC requirements of the NYSDEC ASP.

The data packages submitted contain full deliverables for validation, but this usability report is generated from review of the summary form information, with full validation review of sample raw data, and limited review of associated QC raw data. The reported summary forms have been reviewed for application of validation qualifiers, using guidance from the National Grid generic QAPP, USEPA Region 2 validation SOPs, the USEPA National Functional Guidelines for Data Review, and professional judgment, as affects the usability of the data. The following items were reviewed:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Instrument MDLs
- Sample Quantitation and Identification

The items listed above which show deficiencies are discussed within the text of this narrative.

All of the other items are determined to be acceptable for the DUSR level review.



Groundwater & Environmental Services, Inc.
708 North Main Street, Suite 201
Blacksburg, VA 24060
T. 800.662.5067

Table 1. Laboratory – Field Cross Reference

Lab Sample ID	Client Sample ID	Matrix	Collected
30380911001	B/MW-101 (05)-0920	Water	09/03/20 09:55
30380911002	B/MW-102 (05)-0920	Water	09/03/20 11:35
30380911003	B/MW-104 (05)-0920	Water	09/03/20 10:45
30380911004	B/MW-203 (06)-0920	Water	09/03/20 10:10
30380911005	B/MW-203 (06)-MS-0920	Water	09/03/20 10:10
30380911006	B/MW-203(06)-MSD-0920	Water	09/03/20 10:10
30380911007	B/MW-404 (11)-0920	Water	09/03/20 10:50
30380911008	FIELD DUP-0920	Water	09/03/20 00:01
30380911009	TRIP BLANK	Water	09/03/20 11:50

In summary, sample results are usable as reported.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

BTEX and TCL Volatiles by EPA 8260C/NYSDEC ASP

Sample holding times are met. Surrogate and recoveries are within required limits. Laboratory control sample recoveries are within laboratory-provided criteria. The MS/MSD recoveries and relative percent differenced (RPD) reported within laboratory-provided criteria. The blind field duplicate correlations associated with M/MW-101(5)-0920 were not calculated, as only naphthalene reported above RL in the original sample, and there were no other detections. Per EPA guidance, precision can only be calculated using concentrations that are at least 2 times the RL. No analyte reported concentrations that were above these guidelines.

PAHs by EPA8270D/NYSDEC ASP

Sample holding times are met. Surrogate and recoveries are within required limits. Laboratory control sample recoveries are within laboratory-provided criteria. The MS/MSD recoveries and relative percent differenced (RPD) reported within laboratory-provided criteria. The blind field



duplicate correlations associated with M/MW-101(5)-0920 were not calculated as there were no detections.

Data Package Completeness

The NYSDEC Category B deliverables was included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.

A handwritten signature in blue ink that reads 'B Janowiak' with a long, sweeping flourish at the end.

Bonnie Janowiak, Ph.D.

Senior Chemist

701 N Main, Suite 201

Blacksburg, VA 24060



Data Package Completeness

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.

Sincerely,

A handwritten signature in blue ink that reads 'B Janowiak' with a long, sweeping flourish at the end.

Bonnie Janowiak, Ph.D.
Senior Chemist

SAMPLE SUMMARY

Project: National Grid Troy Liberty Str
Pace Project No.: 30380911

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30380911001	B/MW-101 (05)-0920	Water	09/03/20 09:55	09/04/20 10:10
30380911002	B/MW-102 (05)-0920	Water	09/03/20 11:35	09/04/20 10:10
30380911003	B/MW-104 (05)-0920	Water	09/03/20 10:45	09/04/20 10:10
30380911004	B/MW-203 (06)-0920	Water	09/03/20 10:10	09/04/20 10:10
30380911005	B/MW-203 (06)-MS-0920	Water	09/03/20 10:10	09/04/20 10:10
30380911006	B/MW-203 (06)-MSD-0920	Water	09/03/20 10:10	09/04/20 10:10
30380911007	B/MW-404 (11)-0920	Water	09/03/20 10:50	09/04/20 10:10
30380911008	FIELD DUP-0920	Water	09/03/20 00:01	09/04/20 10:10
30380911009	TRIP BLANK	Water	09/03/20 11:50	09/04/20 10:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid Troy Liberty Str

Pace Project No.: 30380911

Method: EPA 8270D by SIM

Description: 8270D PAH SIM Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: September 14, 2020

General Information:

8 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid Troy Liberty Str

Pace Project No.: 30380911

Method: EPA 8260C

Description: 8260C MSV

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: September 14, 2020

General Information:

9 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.