ASSOCIATES INC.

104 East 25th Street
Tenth Floor
New York, NY 10010
Telephone: 212.353.8280
Facsimile: 212.979.8447

IN EDOCS

March 9, 2006

Mr. Nathan E. Putnam
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

RE: Indoor Air and Soil Vapor Investigation Activities
Safeguard Storage Properties LLC
1170 Atlantic Avenue
Baldwin, New York 11510

Dear Mr. Putnam:

As requested, ATC Associates Inc. (ATC) on behalf of Safeguard Storage Properties LLC (Safeguard) has prepared this letter report to document the indoor air and soil vapor investigation activities performed at the Safeguard property located at 1170 Atlantic Avenue in Baldwin, New York (the "Site"). As you know, these activities were performed as part of the remedial investigation activities performed at the Site. The follow provides a summary of these activities:

Soil Vapor Sampling Activities

In order to evaluate if volatile organic compounds (VOCs) were present in the soil gas beneath the slab of the Site building, a soil vapor investigation was performed. On February 23, 2005, ATC advanced four (4) soil borings through the concrete slab within the Site building using a hydraulic jack hammer. Specifically, the borings were advanced in the former production area, former spray booth area, former warehouse area, and adjacent to the current office area. The borings were advanced to a depth of 4-feet below the slab to the water table and a 1-inch temporary vapor monitoring point was installed into each boring. The vapor monitoring points were constructed of 1-inch inside diameter PVC screen and set just above grade. The annular space was backfilled with native material. The top of the PVC was fitted with a rubber stopper and any visible screen slots were sealed with bentonite hole-plug. A hole was advanced through the rubber stopper and the poly tubing and was inserted into the temporary monitoring point. These temporary monitoring points were left in the ground for approximately 24-hours.

On February 24, 2005, ATC collected a total of four (4) soil vapor samples (SV-1 through SV-4) including one (1) blank (SV-5). Refer to Figure 1 for a site plan illustrating the soil vapor sampling locations. ATC utilized a low volume personal air-monitoring pump, manifold to dedicated HDPE tubing to draw air from each monitoring point. The pump ran for 100 minutes at a rate of approximately 0.2 liters per minute. Five (5) well volumes of air were purged from each monitoring point. The soil vapors were screened with a photo ionization detector (PID) for the presence of VOCs. No elevated PID readings were detected. The soil vapor samples were collected using charcoal tubes and submitted to Analytics Corporation a New York State Department of Health Environmental Laboratories Accreditation Program (NYSDOH ELAP# 11386) and American Industrial Hygiene Association (AIHA# 100531) accredited laboratory for an organic vapor scan in accordance with OSHA 7 Modified.

Refer to Attachment 2 for a copy of the analytical results. As the analytical results indicate, with the exception of 1,1,1 Trichloroethane (1,1,1 TCE) and total hydrocarbons as hexane (THCH) detected in SV-3, no VOCs were detected in excess of their method detection limits in any of the soil vapor samples

collected. With respect the 1,1,1 TCE and THCH concentrations, these concentrations were detected at 1.89 parts per million (ppm) and 17.3 milligrams per cubic meter of air.

Indoor Air Sampling Activities

On February 24, 2005, ATC performed a limited indoor air quality assessment to evaluate if VOCs were detected in the ambient air within the Site building. The limited indoor air quality assessment included the collection of five (5) air samples (VOC-1 through VOC-5) from within the Site building and the collection of one (1) exterior air sample (VOC-6). Specifically, air samples were collected near the following locations: former warehouse area, former production area, former maintenance area, former office area and current office area. Refer to Figure 1 for a site plan illustrating the indoor air quality sampling locations. As requested by the NYSDEC, the air quality samples were placed approximately 3-feet above the floor surface. ATC utilized a low volume personal air-monitoring pump which operated for 100 minutes at a rate of approximately 0.2 liters per minute. The indoor air was also screened with a PID for the presence of VOCs. No elevated PID readings were detected. The air samples were collected using charcoal tubes and submitted to Analytics Corporation for an organic vapor scan in accordance with OSHA 7 Modified.

Refer to Attachment 3 for a copy of the analytical results. As the analytical results indicate, no VOCs were detected in excess of their method detection limits in any of the indoor air samples collected.

Findings and Conclusion

Impacted soil vapor was detected beneath slab of the Site building. The impacted vapors appear to be slightly impacted with 1,1,1 TCE and THCH as a result of the impacted shallow groundwater and limited to the area of the former warehouse area. Indoor air samples collected near the former warehouse area as well as throughout the Site building did not detect the presence of any VOCs including 1,1,1 TCE and THCH greater than their method detection limits or the air sample collected along the exterior of the Site building. Therefore, based on these findings, indoor air quality within the Site building has not been impacted as a result of the impacted groundwater beneath the Site and no further investigation and/or remedial activities are warranted with respect to the indoor air quality.

If you have any questions please do not hesitate to contact the undersigned.

Sincerely
ATC Associates Inc.

Michael J Morris, PG
Senior Project Manager


Michael Donovan, CIH
Senior Project Manager

Cc: James Goonan, Safeguard Storage Properties

Attachment 1: Figure 1
Attachment 2: Analytical Results – Soil Vapor Samples
Attachment 3: Analytical Results – Indoor Air Quality Samples

ATTACHMENT 1:

FIGURE 1



LEGEND:

- ⊗ MONITORING WELL
- ⬡ DRY WELL
- ● INDOOR AIR QUALITY SAMPLE (VOC)
- ⊜ CATCH BASIN
- ✱ SOIL VAPOR SAMPLE

NG TITLE:

DOOR AIR QUALITY AND SOIL VAPOR SURVEY LOCATIONS

DRAWING NO.
FIGURE 1
SHT. OF
DATE: MARCH 2006
REVISION No.

NO.	DESCRIPTION	DATE	AP

1" = 48'

ATC PROJECT #15.75181.023

FILE-M:\M:\CAD2000\75181\0023\MARCH, 2006

ATTACHMENT 2:

ANALYTICAL RESULTS – SOIL VAPOR SAMPLES

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
ATC ASSOCIATES

14 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

**** FINAL REPORT ****

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	SV-1 Samp Date: 02/24/05		PRODUCTION	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-002	SV-2 Samp Date: 02/24/05		SPRAY BOOTH	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
-	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
-	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
-	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
-	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
-	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
-	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
-	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
-	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
-	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
-	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
-	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
-	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
-	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
-	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
APC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
03	SV-3 Samp Date:	02/24/05	WAREHOUSE	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		103 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	103 ug	40 ug	1.89 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	CHXONE-Front		< 20 ug	20 ug		03/01/05
-	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
-	Decane-Front		< 40 ug	40 ug		03/01/05
-	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
-	ETAC-Rear		< 80 ug	80 ug		03/01/05
-	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
-	ETBZ-Rear		< 20 ug	20 ug		03/01/05
-	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
-	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
-	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
-	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
-	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
-	MEK-Front		< 20 ug	20 ug		03/01/05
-	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
-	MIBK-Front		< 20 ug	20 ug		03/01/05
-	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
-	DCM-Rear		< 40 ug	40 ug		03/01/05
-	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		173 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	173 ug	80 ug	17.3 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-004	SV-4 Samp Date: 02/24/05		CURRENT OFFICE	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
A C ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
05	SV-5 Samp Date: 02/24/05		BLANK	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	0	< 40 ug	40 ug		03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	0	< 40 ug	40 ug		03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	0	< 80 ug	80 ug		03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	0	< 80 ug	80 ug		03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	0	< 80 ug	80 ug		03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	0	< 20 ug	20 ug		03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	BUAC-Total	0	< 80 ug	80 ug		03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	0	< 80 ug	80 ug		03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	0	< 20 ug	20 ug		03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	0	< 40 ug	40 ug		03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	0	< 80 ug	80 ug		03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	0	< 20 ug	20 ug		03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	0	< 40 ug	40 ug		03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	0	< 40 ug	40 ug		03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	0	< 40 ug	40 ug		03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	0	< 20 ug	20 ug		03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
A C ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	MIBK-Total	0	< 20 ug	20 ug		03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	0	< 40 ug	40 ug		03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	0	< 40 ug	40 ug		03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	0	< 40 ug	40 ug		03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	0	< 40 ug	40 ug		03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	0	< 160 ug	160 ug		03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	0	< 40 ug	40 ug		03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	0	< 80 ug	80 ug		03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	0	< 20 ug	20 ug		03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		259 ug	80 ug		03/01/05
	THCH-Total	0	259 ug	80 ug		03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
A C ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	TCE-Total	0	< 40 ug	40 ug		03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	0	< 20 ug	20 ug		03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	0	< 20 ug	20 ug		03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	0	< 20 ug	20 ug		03/01/05

Sample 003 had traces of low BP HC.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, = liters, all Volumes given in liters, ppm = parts per million, pb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given. NAG = No Area Given, LOQ = Limit of Quantitation.

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
A C ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
1,1,1-Trichloroethane	OSHA 7M	1,1,1-TCE
1,2 Dichloroethane	OSHA 7M	1,2-DCE
1,2,4-Trimethylbenzene	OSHA 7M	TMBZ
1,4 Dioxane	OSHA 7M	DIOXA
Acetone	OSHA 7M	----
Benzene	OSHA 7M	----
Butyl Acetate	OSHA 7M	BUAC
Chlorobenzene	OSHA 7M	CLBZ
Cyclohexanone	OSHA 7M	CHXONE
Decane	OSHA 7M	----
Ethyl Acetate	OSHA 7M	ETAC
Ethyl Benzene	OSHA 7M	ETBZ
Heptane	OSHA 7M	----
Hexane	OSHA 7M	----
Isooctane	OSHA 7M	----
Methyl Ethyl Ketone	OSHA 7M	MEK
Methyl Isobutyl Ketone	OSHA 7M	MIBK
Methylene Chloride	OSHA 7M	DCM
Octane	OSHA 7M	----
Pentane	OSHA 7M	----
Propyl Acetate	OSHA 7M	NPRAC
Styrene	OSHA 7M	----
Tetrachloroethylene	OSHA 7M	PCE
Tetrahydrofuran	OSHA 7M	THF
Toluene	OSHA 7M	----
Total Hydrocarbons as Hexane	OSHA 7M	THCH
Trichloroethylene	OSHA 7M	TCE
m-Xylene	OSHA 7M	----
o Xylene	OSHA 7M	----
p-Xylene	OSHA 7M	----

Group No. J056-098
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
A C ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 5 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).

James A. Calpin, CIH
Laboratory Director

End of Report

ATTACHMENT 3:

ANALYTICAL RESULTS – INDOOR AIR QUALITY SAMPLES

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
ATC ASSOCIATES

14 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

**** FINAL REPORT ****

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	VOC-1 Samp Date: 02/24/05		PRODUCTION	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
TTC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
ATC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-002	VOC-2 Samp Date: 02/24/05		SPRAYBOOTH	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
TTC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
TTC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
003	VOC-3 Samp Date: 02/24/05		WAREHOUSE	Charcoal Tube 200/400mg		
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
TC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	CHXONE-Front		< 20 ug	20 ug		03/01/05
-	CHXONE-Rear		< 20 ug	20 ug		03/01/05
-	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
-	Decane-Front		< 40 ug	40 ug		03/01/05
-	Decane-Rear		< 40 ug	40 ug		03/01/05
-	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
-	ETAC-Front		< 80 ug	80 ug		03/01/05
-	ETAC-Rear		< 80 ug	80 ug		03/01/05
-	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
-	ETBZ-Front		< 20 ug	20 ug		03/01/05
-	ETBZ-Rear		< 20 ug	20 ug		03/01/05
-	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-	Heptane-Front		< 40 ug	40 ug		03/01/05
-	Heptane-Rear		< 40 ug	40 ug		03/01/05
-	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
-	Hexane-Front		< 40 ug	40 ug		03/01/05
-	Hexane-Rear		< 40 ug	40 ug		03/01/05
-	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
-	Isooctane-Front		< 40 ug	40 ug		03/01/05
-	Isooctane-Rear		< 40 ug	40 ug		03/01/05
-	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
-	MEK-Front		< 20 ug	20 ug		03/01/05
-	MEK-Rear		< 20 ug	20 ug		03/01/05
-	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
-	MIBK-Front		< 20 ug	20 ug		03/01/05
-	MIBK-Rear		< 20 ug	20 ug		03/01/05
-	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
-	DCM-Front		< 40 ug	40 ug		03/01/05
-	DCM-Rear		< 40 ug	40 ug		03/01/05
-	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
TTC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
ATC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
-004	VOC-4 Samp Date: 02/24/05		FARMER OFFICE		Charcoal Tube 200/400mg	
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
ATC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
05	VOC-5 Samp Date: 02/24/05		CURRENT OFFICE		Charcoal Tube 200/400mg	
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
-	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
-	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
-	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
-	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
-	NPRAC-Front		< 40 ug	40 ug		03/01/05
-	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
-	Styrene-Front		< 160 ug	160 ug		03/01/05
-	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
-	PCE-Rear		< 40 ug	40 ug		03/01/05
-	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
-	THF-Rear		< 80 ug	80 ug		03/01/05
-	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
-	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
-	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
-	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05
-	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
006	VOC-6 Samp Date: 02/24/05		OUTDOORS UPWIND		Charcoal Tube 200/400mg	
	1,1,1-TCE-Front		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Rear		< 40 ug	40 ug		03/01/05
	1,1,1-TCE-Total	10	< 40 ug	40 ug	< 0.73 ppm	03/01/05
	1,2-DCE-Front		< 40 ug	40 ug		03/01/05
	1,2-DCE-Rear		< 40 ug	40 ug		03/01/05
	1,2-DCE-Total	10	< 40 ug	40 ug	< 0.99 ppm	03/01/05
	TMBZ-Front		< 80 ug	80 ug		03/01/05
	TMBZ-Rear		< 80 ug	80 ug		03/01/05
	TMBZ-Total	10	< 80 ug	80 ug	< 1.63 ppm	03/01/05
	DIOXA-Front		< 80 ug	80 ug		03/01/05
	DIOXA-Rear		< 80 ug	80 ug		03/01/05
	DIOXA-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	Acetone-Front		< 80 ug	80 ug		03/01/05
	Acetone-Rear		< 80 ug	80 ug		03/01/05
	Acetone-Total	10	< 80 ug	80 ug	< 3.37 ppm	03/01/05
	Benzene-Front		< 20 ug	20 ug		03/01/05
	Benzene-Rear		< 20 ug	20 ug		03/01/05
	Benzene-Total	10	< 20 ug	20 ug	< 0.63 ppm	03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	BUAC-Front		< 80 ug	80 ug		03/01/05
	BUAC-Rear		< 80 ug	80 ug		03/01/05
	BUAC-Total	10	< 80 ug	80 ug	< 1.68 ppm	03/01/05
	CLBZ-Front		< 80 ug	80 ug		03/01/05
	CLBZ-Rear		< 80 ug	80 ug		03/01/05
	CLBZ-Total	10	< 80 ug	80 ug	< 1.74 ppm	03/01/05
	CHXONE-Front		< 20 ug	20 ug		03/01/05
	CHXONE-Rear		< 20 ug	20 ug		03/01/05
	CHXONE-Total	10	< 20 ug	20 ug	< 0.5 ppm	03/01/05
	Decane-Front		< 40 ug	40 ug		03/01/05
	Decane-Rear		< 40 ug	40 ug		03/01/05
	Decane-Total	10	< 40 ug	40 ug	< 0.69 ppm	03/01/05
	ETAC-Front		< 80 ug	80 ug		03/01/05
	ETAC-Rear		< 80 ug	80 ug		03/01/05
	ETAC-Total	10	< 80 ug	80 ug	< 2.22 ppm	03/01/05
	ETBZ-Front		< 20 ug	20 ug		03/01/05
	ETBZ-Rear		< 20 ug	20 ug		03/01/05
	ETBZ-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	Heptane-Front		< 40 ug	40 ug		03/01/05
	Heptane-Rear		< 40 ug	40 ug		03/01/05
	Heptane-Total	10	< 40 ug	40 ug	< 0.98 ppm	03/01/05
	Hexane-Front		< 40 ug	40 ug		03/01/05
	Hexane-Rear		< 40 ug	40 ug		03/01/05
	Hexane-Total	10	< 40 ug	40 ug	< 1.13 ppm	03/01/05
	Isooctane-Front		< 40 ug	40 ug		03/01/05
	Isooctane-Rear		< 40 ug	40 ug		03/01/05
	Isooctane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	MEK-Front		< 20 ug	20 ug		03/01/05
	MEK-Rear		< 20 ug	20 ug		03/01/05
	MEK-Total	10	< 20 ug	20 ug	< 0.68 ppm	03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	MIBK-Front		< 20 ug	20 ug		03/01/05
	MIBK-Rear		< 20 ug	20 ug		03/01/05
	MIBK-Total	10	< 20 ug	20 ug	< 0.49 ppm	03/01/05
	DCM-Front		< 40 ug	40 ug		03/01/05
	DCM-Rear		< 40 ug	40 ug		03/01/05
	DCM-Total	10	< 40 ug	40 ug	< 1.15 ppm	03/01/05
	Octane-Front		< 40 ug	40 ug		03/01/05
	Octane-Rear		< 40 ug	40 ug		03/01/05
	Octane-Total	10	< 40 ug	40 ug	< 0.86 ppm	03/01/05
	Pentane-Front		< 40 ug	40 ug		03/01/05
	Pentane-Rear		< 40 ug	40 ug		03/01/05
	Pentane-Total	10	< 40 ug	40 ug	< 1.36 ppm	03/01/05
	NPRAC-Front		< 40 ug	40 ug		03/01/05
	NPRAC-Rear		< 40 ug	40 ug		03/01/05
	NPRAC-Total	10	< 40 ug	40 ug	< 0.96 ppm	03/01/05
	Styrene-Front		< 160 ug	160 ug		03/01/05
	Styrene-Rear		< 160 ug	160 ug		03/01/05
	Styrene-Total	10	< 160 ug	160 ug	< 3.76 ppm	03/01/05
	PCE-Front		< 40 ug	40 ug		03/01/05
	PCE-Rear		< 40 ug	40 ug		03/01/05
	PCE-Total	10	< 40 ug	40 ug	< 0.59 ppm	03/01/05
	THF-Front		< 80 ug	80 ug		03/01/05
	THF-Rear		< 80 ug	80 ug		03/01/05
	THF-Total	10	< 80 ug	80 ug	< 2.71 ppm	03/01/05
	Toluene-Front		< 20 ug	20 ug		03/01/05
	Toluene-Rear		< 20 ug	20 ug		03/01/05
	Toluene-Total	10	< 20 ug	20 ug	< 0.53 ppm	03/01/05
	THCH-Front		< 80 ug	80 ug		03/01/05
	THCH-Rear		< 80 ug	80 ug		03/01/05
	THCH-Total	10	< 80 ug	80 ug	< 8 mg/M3	03/01/05

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
AEC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
	TCE-Front		< 40 ug	40 ug		03/01/05
	TCE-Rear		< 40 ug	40 ug		03/01/05
	TCE-Total	10	< 40 ug	40 ug	< 0.74 ppm	03/01/05
	m-Xylene-Front		< 20 ug	20 ug		03/01/05
	m-Xylene-Rear		< 20 ug	20 ug		03/01/05
	m-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	o-Xylene-Front		< 20 ug	20 ug		03/01/05
	o-Xylene-Rear		< 20 ug	20 ug		03/01/05
	o-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05
	p-Xylene-Front		< 20 ug	20 ug		03/01/05
	p-Xylene-Rear		< 20 ug	20 ug		03/01/05
	p-Xylene-Total	10	< 20 ug	20 ug	< 0.46 ppm	03/01/05

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given. NAG = No Area Given, LOQ = Limit of Quantitation.

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
PSC ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
1,1,1-Trichloroethane	OSHA 7M	1,1,1-TCE
1,2 Dichloroethane	OSHA 7M	1,2-DCE
1,2,4-Trimethylbenzene	OSHA 7M	TMBZ
1 4 Dioxane	OSHA 7M	DIOXA
Acetone	OSHA 7M	----
Benzene	OSHA 7M	----
Butyl Acetate	OSHA 7M	BUAC
Chlorobenzene	OSHA 7M	CLBZ
Cyclohexanone	OSHA 7M	CHXONE
Decane	OSHA 7M	----
Ethyl Acetate	OSHA 7M	ETAC
Ethyl Benzene	OSHA 7M	ETBZ
Heptane	OSHA 7M	----
Hexane	OSHA 7M	----
Isooctane	OSHA 7M	----
Methyl Ethyl Ketone	OSHA 7M	MEK
Methyl Isobutyl Ketone	OSHA 7M	MIBK
Methylene Chloride	OSHA 7M	DCM
Octane	OSHA 7M	----
Pentane	OSHA 7M	----
Propyl Acetate	OSHA 7M	NPRAC
Styrene	OSHA 7M	----
Tetrachloroethylene	OSHA 7M	PCE
Tetrahydrofuran	OSHA 7M	THF
Toluene	OSHA 7M	----
Total Hydrocarbons as Hexane	OSHA 7M	THCH
Trichloroethylene	OSHA 7M	TCE
m-Xylene	OSHA 7M	----
o Xylene	OSHA 7M	----
p-Xylene	OSHA 7M	----

Group No. J056-097
Account No. PSC00080
Report Date: 03/03/05

JAMES COHN
P C ASSOCIATES

104 EAST 25TH STREET 10TH FLOOR
NEW YORK, NY 10010-2917

Final Report

Date Received: 02/25/05
Sample Type: 6 - Air Sample(s)
Project: SAFE GUARD WAREHOUSE PO Number:

Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).

James A. Calpin, CIH
Laboratory Director

End of Report