

## 2022 Periodic Review Report

Location:

Former Alumax Extrusions Site  
440 and 320 South Roberts Road, Dunkirk, New York  
VCP Site No. V00589-9

Prepared for:

Chautauqua County Department of Public Facilities  
454 North Work Street  
Falconer, New York

LaBella Project No. 2200014

February 14, 2023



## Table of Contents

|       |  |    |
|-------|--|----|
| 1.0   | EXECUTIVE SUMMARY .....  | 1  |
| 1.1   | Site Summary .....   | 1  |
| 1.2   | Effectiveness of Remedial Program.....                                 | 1  |
| 1.3   | Compliance.....  | 1  |
| 1.4   | Recommendations.....   | 2  |
| 2.0   | SITE OVERVIEW .....  | 2  |
| 2.1   | Site Background.....   | 2  |
| 2.2   | Remedial Program Overview .....  | 2  |
| 3.0   | EFFECTIVENESS OF THE REMEDIAL PROGRAM.....                             | 3  |
| 4.0   | INSTITUTIONAL/ENGINEERING CONTROL (IC/EC) PLAN COMPLIANCE REPORT ..... | 4  |
| 4.1   | Institutional Controls.....  | 4  |
| 4.1.1 | Site Use Restrictions.....   | 4  |
| 4.1.2 | Groundwater Use Restrictions .....                                     | 4  |
| 4.1.3 | Excavation Work Plan .....   | 5  |
| 4.1.4 | Groundwater Monitoring .....   | 5  |
| 4.2   | Engineering Controls.....  | 5  |
| 4.2.1 | Surface Cover System.....  | 5  |
| 4.2.2 | Sub-Slab Vapor Mitigation.....   | 6  |
| 4.3   | IC/EC Certification.....   | 6  |
| 5.0   | MONITORING PLAN COMPLIANCE REPORT .....                                | 7  |
| 5.1   | Requirements.....  | 7  |
| 5.2   | Groundwater Monitoring.....  | 7  |
| 5.2.1 | Sampling Procedure .....   | 7  |
| 5.2.2 | Sample Preservation and Handling.....                                  | 7  |
| 5.2.3 | Quality Assurance/Quality Control.....                                 | 7  |
| 5.2.4 | Analytical Results.....  | 8  |
| 5.3   | Comparisons with Remedial Objectives .....                             | 8  |
| 5.4   | Monitoring Deficiencies.....   | 9  |
| 5.5   | Conclusions and Recommendations .....                                  | 9  |
| 6.0   | CONCLUSIONS AND RECOMMENDATIONS.....                                   | 9  |
| 7.0   | LIMITATIONS.....   | 9  |
| 8.0   | REFERENCES.....  | 10 |



## **TABLE OF CONTENTS**

*Continued*

|                   |  |
|-------------------|--|
| <b>Figures</b>    | Figure 1 – Site Location Map<br>Figure 2 – Site Plan   |
| <b>Table</b>      | Table 1 – Summary of Analytical Results - Groundwater Samples  |
| <b>Appendix 1</b> | November 2004 Deed Restrictions/Property Information   |
| <b>Appendix 2</b> | Photographs  |
| <b>Appendix 3</b> | Site Management Periodic Review Report Notice –<br>Institutional and Engineering Controls Certification Form |
| <b>Appendix 4</b> | Groundwater Sampling Logs  |
| <b>Appendix 5</b> | Laboratory Analytical Results  |



## 1.0 EXECUTIVE SUMMARY

---

### 1.1 Site Summary

The former Alumax Extrusions, Inc. Facility (hereinafter referred to as the “Site”) consists of two adjoining tax parcels located at 440 and 320 South Roberts Road, Parcels A and B respectively, City of Dunkirk, New York (Figure 1). According to Chautauqua County and City of Dunkirk online assessment records, the Site is comprised of approximately 12 acres of land situated on the north side of South Roberts Road (see Appendix 1). Progress Drive, constructed in 2014, transects both parcels associated with the Site in a northeast-southwest general direction. Parcel A, located at 440 South Roberts Road and owned by 440 Roberts Road, LLC, contains an approximately 7,200 square-foot office building while the remainder of the parcel consists of a parking area. Parcel B, located at 320 South Roberts Road and owned by Chautauqua County, formerly contained a 140,000 square-foot building that was demolished in early 2009. It should be noted that the concrete floor slabs were left-in-place at that time.

An environmental investigation conducted at the Site revealed that contamination, likely associated with historical operations, had impacted the Site, necessitating remedial activities. Subsequent remedial activities conducted at the Site included in-situ chemical treatment using zero valent iron (ZVI) in the residual source area (December 2004), removal and off-site disposal of sediments within two catch basins at the Site (mid-2000) and installation of a sub-slab vapor (SSV) mitigation system (December 2003). The remedial efforts also included the development of deed restrictions and the June 2004 Combined Institution Control Plan and Operations and Maintenance Plan (CICP/OMP), which provides initial guidance concerning the surface cover, soil/fill excavation and management, groundwater use and routine monitoring for the groundwater within the residual source area. Such guidance has since been updated in the agency-approved November 2021 LaBella Associates, D.P.C. (LaBella) Site Management Plan (SMP).

### 1.2 Effectiveness of Remedial Program

Based on a recent inspection of the Site, the cover system elements that are currently present on the Site are intact and functioning as intended on the Site. The anticipated construction of the new driveway through the 440 South Roberts Road parcel should be completed in compliance with the SMP's Excavation Work Plan (EWP).

Overall, the remedial program is viewed to be effective in achieving the remedial objectives of the Site. The Site will continue to be monitored in accordance with the SMP. Based upon current analytical results, total chlorinated VOC concentrations in two of the three groundwater wells (AL-2 and AL-7) that comprise the Site's monitoring network were below the SMP threshold of 100 micrograms per liter (ug/L). Analytical results dating back to post remediation suggest that natural attenuation is occurring at the Site. However, the total VOC concentrations at AL-1 were in exceedance of the 100 ug/L threshold. As such and in accordance with the SMP, annual groundwater monitoring will continue until total concentrations of chlorinated VOCs fall below 100 ug/L in all three wells.

### 1.3 Compliance

No areas of non-compliance regarding the major elements of the SMP were identified during the preparation of this Periodic Review Report (PRR).



## **1.4 Recommendations**

No recommended changes to SMP were identified during this PRR.

## **2.0 SITE OVERVIEW**

---

### **2.1 Site Background**

Industrial development of the project Site was initiated around 1920, when the American Locomotive Company expanded its Dunkirk operations onto the project Site. The Site use has varied over time and uses have included a foundry, coal storage, locomotive manufacturing and finned heat exchanger fabrication. In 1976, the facility was acquired by Alumax, Inc. (Alumax), which operated an aluminum extrusion business at the Site until 1993, operating as Alumax Extrusions, Inc. Alcoa's acquisition of Alumax in 1998 included the idle Dunkirk facility.

The project Site consists of two adjoining parcels located at 440 and 320 South Roberts Road, Parcels A and B respectively, within the City of Dunkirk, New York (Figure 1). According to Chautauqua County and City of Dunkirk online assessment records, the Site is comprised of approximately 12 acres of land situated on the north side of South Roberts Road (see Appendix 1). Progress Drive, constructed in 2014, transects both parcels associated with the Site in a northeast-southwest general direction. Parcel A, located at 440 South Roberts Road and owned by 440 Roberts Road, LLC, contains an approximately 7,200 square-foot office building while the remainder of the parcel consists of parking areas. Parcel B, located at 320 South Roberts Road and owned by Chautauqua County, formerly contained a 140,000 square-foot building that was demolished in early 2009. It should be noted that the concrete floor slabs were left-in-place at that time. Parcel B has remained vacant and undeveloped with the exception of the construction of a segment of Progress Drive that transects the Site. The plans for the construction of this roadway were developed and carried out in accordance with the CICP/OMP. During construction of the roadway, select portions of the former building concrete slabs were crushed and spread out on the surface of the Site outside of the new roadway limits. Construction of the roadway was completed in Fall 2014. Parcels A and B are identified in the November 2004 Deed Restriction (Appendix 1) and are depicted on Figure 2.

A Notice of Intrusive Activities (NIA) was submitted for the 440 South Roberts Road parcel only, to the NYSDEC, on November 11, 2022 (Revised December 1, 2022). 440 Roberts Road, LLC recently took ownership of this parcel from Chautauqua County. The intent of the NIA was to inform the NYSDEC of the proposed construction of a new driveway through the parcel, connecting the north adjacent Edgewood Warehouse property to the south abutting thoroughfare (Progress Drive). On January 3, 2023, a Change-of-Use (COU) form was submitted by 440 Roberts Road, LLC, for the construction of this new driveway to take place. As of the date of this PRR, construction of the new driveway has not commenced. A copy of the COU form is included in Appendix 3.

### **2.2 Remedial Program Overview**

An environmental investigation conducted at the Site revealed that contamination, likely associated with the historical operations, had impacted the Site, necessitating remedial activities. Constituents of potential concern (COPCs) identified within soil/fill at the Site consisted primarily of chlorinated hydrocarbons (specifically trichloroethene (TCE) and its degradation products), polycyclic aromatic hydrocarbons, polychlorinated biphenyls and metals. A residual source area containing concentrations of TCE and its degradation products was identified in the subsurface on the north-central portion of the Site.



With the exception of the chlorinated hydrocarbons, groundwater has not shown impacts from the COCPs identified in the soil/fill.

Subsequent remedial activities conducted at the Site included in-situ chemical treatment of groundwater using ZVI in the residual source area (December 2004), removal and off-site disposal of sediments within two catch basins at the Site (mid-2000s) and installation of a SSV mitigation system (December 2003). The remedial efforts also included the development of deed restrictions and the June 2004 CICP/OMP, which provides initial guidance concerning the surface cover, soil/fill excavation and management, groundwater use, and routine monitoring for the groundwater within the residual source area.

Such guidance has since been updated in the agency-approved November 2021 LaBella SMP.

Additionally, as indicated previously, the 140,000 square-foot building formerly located on Parcel B was demolished in early 2009. Prior to the demolition, the asbestos-containing materials within the former Site building were abated in accordance with the requirements outlined in 12 NYCRR Part 56 of New York State Department of Labor Industrial Code Rule 56 (ICR 56). The abatement work was completed between November and December of 2008. Demolition of the building occurred in January and February of 2009. Operation of the SSV mitigation system associated with the building ceased in conjunction with the demolition project and this system no longer exists.

### 3.0 EFFECTIVENESS OF THE REMEDIAL PROGRAM

---

Remedial goals for the Site were accomplished through in-situ chemical treatment of groundwater using ZVI in the residual source area; the removal and off-site disposal of sediments within the two catch basins at the Site; the installation of a sub-slab venting system; and the development of deed restrictions and the June 2004 CICP/OMP.

As indicated in the December 15, 2014 Corrective Measures Summary Report, cover system requirements were satisfied within the Progress Drive corridor that transects the Site. Such included at a minimum, six inches of material (asphalt and sub-base) for the roadway and 12 inches of clean New York State Department of Environmental Conservation (NYSDEC) Division of Environmental Remediation (DER)-10 approved soil underlain by a demarcation layer (orange fencing) beneath road shoulders and parallel storm water ditches associated with the roadway. Review of construction as-builts confirmed that all applicable minimum cover system thicknesses were met within the road corridor.

Based on the comparison of the pre-remedial and the post-remedial groundwater analytical results, the enhanced natural attenuation appears to be achieving the goal of reducing the concentrations of chlorinated hydrocarbons in the groundwater. However, the total VOC concentrations at AL-1 and AL-2 were in exceedance of the 100 ug/L threshold. As such and in accordance with the SMP, annual groundwater monitoring will continue until total concentrations of chlorinated VOCs fall below 100 ug/L in all three wells.



## 4.0 INSTITUTIONAL/ENGINEERING CONTROL (IC/EC) PLAN COMPLIANCE REPORT

---

### 4.1 *Institutional Controls*

#### 4.1.1 *Site Use Restrictions*

In accordance with the deed restrictions and the SMP, the Site is to be used for restricted commercial or restricted industrial uses only. The SMP presents the following definitions for these use categories:

- Restricted Commercial-Residential uses are not allowed under this category. Commercial uses are allowed but require engineering controls and/or institutional controls. Some types of “commercial” uses that could create “residential” types of exposures are excluded, such as day-care and health-care facilities. Retail stores, warehouse/distribution centers, service facilities and offices would be included in the commercial definition.
- Restricted Industrial-Residential and commercial uses are not allowed. Industrial uses are allowed but they require engineering controls and/or institutional controls. Metal working, manufacturing and other industrial uses are included in this category.

The office building on Parcel A is currently vacant, but was formerly used for commercial office purposes, while the remainder of the Site was used for office-related parking. The use of Parcel A meets the definition of Restricted Commercial use. Parcel B is vacant and undeveloped. Both parcels are now transected by a segment of Progress Drive, which was constructed in late 2014.

#### 4.1.2 *Groundwater Use Restrictions*

Previous investigations conducted at the Site and adjacent properties have determined that groundwater resources are limited, particularly within the uppermost groundwater-bearing zone at the Site. Groundwater is not generally used in the vicinity of the Site, nor would it be expected to be used in the future, given the industrial character of the area, the availability of a municipal water supply in the area and the construction of the roadway. The clayey soils and shale bedrock have low hydraulic conductivities and produce limited quantities of water. The most productive zone is the top five feet of the shale bedrock, which is fractured and weathered. This zone is also considered to be perched and may be laterally limited. Groundwater in the north-central portion of the Site (i.e. residual source area) is impacted with chlorinated hydrocarbons. Low concentrations of petroleum-related constituents were encountered in other wells. The residual source area was addressed via in-situ treatment technology; however, low-level impacts to groundwater may linger due to the low conductivity and the potential dissolution of chlorinated constituents adsorbed to the clayey soils. Therefore, groundwater use restrictions were implemented at the Site to limit potential exposure to impacted groundwater and are identified in the deed restrictions recorded with the Site deed.

Although groundwater use is not prohibited, it is restricted. Should a future owner or operator determine that groundwater use is beneficial to their operations, permission from the NYSDEC must be obtained. Additionally, the owner or operator must conduct an evaluation of the suitability for the potential use of the groundwater and define the ultimate point of discharge (e.g. sanitary sewer, surface water, or reinjection) for any once-through water or blowdown from any recirculation system(s). Use of groundwater may require appropriate treatment to meet water quality requirements for use and discharge. Groundwater extracted for testing, monitoring and remediation, while excluded from the provisions of this groundwater use restriction, must meet local, state and federal disposal requirements.



#### 4.1.3 Excavation Work Plan

The EWP was prepared to identify environmental guidelines for the management of subsurface soil/fill and long-term maintenance of the cover system. The EWP includes requirements that address the following key components:

- Any breach of the cover system;
- Surface erosion and storm water runoff control;
- Management of excavated soil/fill;
- Allowable reuse of excavated soil/fill;
- Requirements for off-site fill and grading materials;
- Notification requirements; and,
- Annual reporting and certification results.

#### 4.1.4 Groundwater Monitoring

Groundwater monitoring is required for evaluating the effectiveness of ZVI application in the residual source area that was completed in December 2004. This monitoring consists of sampling and analysis of groundwater collected from Monitoring wells AL-1, AL-2 and AL-7 (see Figure 2). The samples are analyzed for United States Environmental Protection Agency (USEPA) Target Compound List (TCL) VOCs. Annual groundwater monitoring is performed in conjunction with the annual review of the institutional and engineering controls. In accordance with the SMP, this annual monitoring will occur until total concentrations of chlorinated VOCs fall below 100 ug/L in all three monitoring wells. Groundwater monitoring conducted in 2021 revealed that total VOC concentrations in well AL-1 exceeded the 100 ug/L concentration threshold. Therefore, groundwater samples were collected from all three wells during the current reporting period and the results, which are compared with the aforementioned threshold for total VOCs and the pre-remedial analytical results, are summarized in Section 5.2 of this report.

### 4.2 Engineering Controls

#### 4.2.1 Surface Cover System

The long history of industrial use of the Site has resulted in widespread, low-level impacts of Site-wide soils. To limit casual exposure to the Site soils, a surface soil cover system consisting of clean soil, pavement, and/or concrete will be constructed as the Site is developed. The purpose of the surface cover system will be to eliminate the potential for human contact with fill material and eliminate the potential for contaminated runoff from the Site. The cover system will consist of one or more of the following types of clean material:

- Soil: 12 inches of vegetated soil cover underlain by a demarcation layer in outdoor vegetated areas.
- Asphalt: A minimum of six inches of material (asphalt and sub-base material) in areas that will become roads, sidewalks and parking lots.
- Concrete: A minimum of six inches of material (concrete and sub-base material) in areas that will become slab-on-grade structures or for roads, sidewalks, and parking lots in lieu of asphalt.



In the Summer/Fall of 2014, a new public roadway and associated storm water drainage ditches were constructed across a portion of the Site. Construction details implemented for the roadway included a 12-inch sub-base followed by a 6-inch base course, 2-inch binder course and 1.5-inch top course of asphalt. Between 2-3 feet of clean, NYSDEC DER-10 approved soil, underlain by a demarcation layer (orange fencing), was placed along the margins of the roadway. The drainage ditches were then constructed within the clean soil to depths of a minimum of 12-inches above the demarcation layer.

On December 13, 2022, Mr. Andrew Koons of LaBella conducted the annual inspection, which included traversing the Site on foot to observe the current conditions. Parcel A contained an approximately 7,200 square-foot building and related parking areas, as well as a portion of Progress Drive. Parcel B was vacant and undeveloped with the exception of Progress Drive, which transects the parcel in a northeast-southwest direction.

At the time of the Site inspection, the asphalt cover occurring within the Progress Drive corridor was in good condition and no areas of exposed sub-base were observed. The floor and walls of the roadside ditches were covered with coarse, low-lying vegetation. No evidence of erosion or exposed synthetic erosion control fabric was observed within the storm water ditches. The remainder of Parcel B consisted of portions of intact concrete building slabs that remain following demolition of the former on-site buildings and rubblized concrete.

Given the current extent of cover, the limited area that currently lacks cover and the vacant nature of the Site, as it's currently unused, no current sources of surface soil contamination are present at this time.

Appendix 2 includes photographs taken during the Site inspection.

#### **4.2.2 Sub-Slab Vapor Mitigation**

The former building that occupied the Site contained a sub-slab venting system that was located over the residual source area. The building and sub slab venting system were demolished in early 2009. Therefore, the continued maintenance and operation of this system is no longer required.

For slab-on-grade structures, an 8-millimeter polyethylene barrier will be placed beneath the concrete for new structures built in the portion of the Site identified as the residual source area. The vapor barrier is not required in areas other than the residual source area because VOCs were not found in significant quantities on any other portion of the Site. A soil vapor intrusion assessment will be completed for any new construction near the residual source area.

#### **4.3 IC/EC Certification**

The IC/EC Certification Form was completed in its entirety as all ICs/ECs are in place for the Site per the SMP. Appendix 3 includes the NYSDEC "Site Management Periodic Review Report Notice-Institutional and Engineering Controls Certification Form."



## 5.0 MONITORING PLAN COMPLIANCE REPORT

---

### 5.1 Requirements

Sections 4.0 and 7.0 of the SMP include groundwater monitoring requirements associated with the performance monitoring of the in-situ remedial measures for the chlorinated hydrocarbons and the annual certification of the implementation of the Institutional Control Plan, respectively.

### 5.2 Groundwater Monitoring

Groundwater Monitoring is required for evaluating the effectiveness of the ZVI application in the residual source area that was completed in December 2004. In accordance with the SMP, this annual monitoring will occur at three well locations (AL-1, AL-2 and AL-7) until total concentrations of chlorinated VOCs fall below 100 ug/L in all three wells.

#### 5.2.1 Sampling Procedure

The three groundwater monitoring wells were purged and sampled in general accordance with the procedures detailed in the SMP. All monitoring well sampling activities were recorded on groundwater sampling logs, which are included in Appendix 4.

Other observations (e.g., well integrity, etc.) were also noted on the well sampling logs. Prior to the initiation of groundwater sampling, groundwater levels were measured with an electronic water level indicator to determine the static water level below the ground surface elevation. The groundwater levels were used to determine the volume of standing water in the wells.

Per Section 4.3.1 of the SMP, if a well was purged dry then the well was sampled once sufficient volume recovered in the well. Well purging consisted of the evacuation of select well volumes from AL-1, AL-2 and AL-7 using NYSDEC-approved low-flow purging procedures via a Geotech Geopump II Pump. The samples were then collected within three hours of completion of well purging using the low-flow method previously identified. Sample volumes were collected into clean sample bottles containing hydrochloric acid preservative provided by the laboratory. The groundwater samples were submitted for analysis of TCL VOCs via USEPA Method 8260.

#### 5.2.2 Sample Preservation and Handling

Immediately after collection, all samples were placed in a cooler and chilled with ice. To ensure sample integrity, a Chain-of-Custody (COC) sample record was established and kept with the samples to document each person that handled the samples. The samples were transported to Test America Laboratories, Inc., a New York State Department of Health, Environmental Laboratory Accreditation Program certified laboratory for analysis. The COC records established for the collected samples were maintained throughout the laboratory handling. Copies of the COC and the complete analytical laboratory report are included in Appendix 5.

#### 5.2.3 Quality Assurance/Quality Control

In addition to field samples, QA/QC samples were collected to evaluate the effectiveness of the QA/QC procedures implemented during the field and laboratory activities associated with the project. The QA/QC samples included a blind field duplicate and a trip blank that were also analyzed for TCL VOCs.



Well sampling at the Site and adjoining former Roblin Steel Site were conducted in conjunction with one another on December 13, 2022, and the samples from both sites were submitted to the laboratory together in one batch and recorded on one COC. As such, the blind field duplicate collected from the former Roblin Steel Site (collected from MW-02R) and trip blank associated with the samples from both sites were utilized to evaluate the effectiveness of the QA/QC procedures for the Site.

#### 5.2.4 Analytical Results

The following section summarizes and discusses the analytical results generated during the aforementioned monitoring event. For discussion purposes, this data is compared with the Standards Criteria and Guidance Values applicable to groundwater: NYSDEC's June 1998 Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations in the Technical and Operational Guidance Series (TOGS) 1.1.1.

Table 1 summarizes the groundwater pre- and post-remedial sampling results and compares the results to applicable water quality standards. Figure 2 depicts the locations of the monitoring wells.

Groundwater flow is generally to the north/northwest in the area containing the Site. However, according to the SMP for the Site, localized flow direction in the vicinity of these wells is generally to the southwest.

Due to the influence of building foundations and subsurface utilities in the area of these wells; however, the water level data from these wells are not likely suitable for determining groundwater flow direction. It should be noted that foundations and utilities were not removed during the building demolition; therefore, flow conditions in this area likely continue to be influenced by these subsurface features.

### 5.3 Comparisons with Remedial Objectives

The groundwater analytical data for this monitoring event indicate that total chlorinated VOC concentrations in AL-2 and AL-7 were below the 100 ug/L threshold specified in the SMP. However, the total chlorinated VOC concentration in AL-1 exceeded this threshold. The results from each of the monitoring wells are further discussed below.

While five VOCs were identified within AL-1, including three VOCs above NYSDEC TOGS Standards; at 706 ug/L, the total VOC concentration in AL-1 was found to be significantly lower than the pre-remedial sample results recorded in January 2003. However, given that the total VOC concentration in AL-1 exceeds the site-specific threshold, continued monitoring of this location is warranted.

Three VOCs were identified in AL-2, including one VOC above NYSDEC TOGS Standards; at 6.2 ug/L. The total VOC concentration in AL-2 has slightly decreased since the December 2021 sampling event and is well below the site-specific threshold prescribed in the SMP.

Three VOCs were identified in AL-7, including one VOC above NYSDEC TOGS Standards; at 5.3 ug/L. The total VOC concentration in AL-7 was found to be significantly lower than the initial post-remedial sampling event in February 2009 and is well below the site-specific threshold prescribed in the SMP.

A comparison of the results from MW-02R on the adjacent Roblin Steel Site with the blind field duplicate indicates that the data coincide. No VOCs were identified within the trip blank.



#### **5.4 Monitoring Deficiencies**

No monitoring deficiencies were noted during the completion of the PRR and annual sampling event.

#### **5.5 Conclusions and Recommendations**

Groundwater monitoring is required for evaluating the effectiveness of the ZVI application that was completed in the residual source area in December 2004. Based upon current analytical results, total chlorinated VOC concentrations in AL-2 and AL-7 are well below the SMP threshold of 100 ug/L. The total chlorinated VOC concentration in AL-1 is significantly lower than the pre-remedial sample results from January 2003. Given that the total VOC concentrations at AL-1 (706 ug/L ug/L) were in exceedance of the 100 ug/L threshold, in accordance with the SMP, annual groundwater monitoring will continue until total concentrations of chlorinated VOCs fall below 100 ug/L in all three wells. No changes to the Monitoring Plan or the SMP are recommended at this time.

### **6.0 CONCLUSIONS AND RECOMMENDATIONS**

---

At the time of the Site inspection, the Site was found to be in compliance with the SMP.

No issues relating to the condition or integrity of the Progress Drive cover system components were noted as a result of the Site inspection conducted by LaBella. The anticipated construction of the new driveway through the 440 South Roberts Road parcel should be completed in compliance with the SMP's EWP.

Based upon current analytical results, total chlorinated VOC concentrations in two of the three groundwater wells (AL-2 and AL-7) that comprise the Site's monitoring network were below the SMP threshold of 100 ug/L. Analytical results dating back to post remediation suggest that natural attenuation is occurring at the Site. However, the total VOC concentrations at AL-1 were in exceedance of the 100 ug/L threshold. As such and in accordance with the SMP, annual groundwater monitoring will continue until total concentrations of chlorinated VOCs fall below 100 ug/L in all three wells.

No changes to the Monitoring Plan, the SMP or the PRR frequency are recommended at this time. The next groundwater sampling event and PRR will occur in December 2023.

### **7.0 LIMITATIONS**

---

The conclusions presented in this report are based on information gathered in accordance with generally acceptable professional consulting principles and practices. All conclusions reflect observable conditions existing at the time of the Site inspection. Information provided by outside sources (individuals, agencies, laboratories, etc.) as cited herein, was used in the assessment of the Site. The accuracy of the conclusions drawn from this assessment is, therefore, dependent upon the accuracy of information provided by these sources. Furthermore, LaBella is not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to the performance of services.



This report is based upon the application of scientific principles and professional judgment to certain facts with resultant subjective interpretations. Professional judgments expressed herein are based upon the facts currently available with the limits of the existing data, scope of services, budget and schedule. To the extent that more definitive conclusions are desired by the Client than are warranted by the current available facts, it is specifically LaBella's intent that the conclusions and recommendations stated herein will be intended as guidance and not necessarily a firm course of action except where explicitly stated as such. LaBella makes no warranties, expressed or implied including without limitation, warranties as to merchantability or fitness of a particular purpose. Furthermore, the information provided in this report is not be construed as legal advice.

This assessment and report have been completed and prepared on behalf of and for the exclusive use of Chautauqua County. Any reliance on this report by a third party is at such party's sole risk.

## 8.0 REFERENCES

---

Declaration of Covenants and Restrictions, Deed Book 02560, Page 0509, Chautauqua County Clerk, November 22, 2004

DER-10/Technical Guidance for Site Investigation and Remediation, NYSDEC, May 3, 2010

Voluntary Clean-Up Program, Combined Institutional Control Plan/Operations and Maintenance Plan, URS Corp., June 23, 2004

Voluntary Clean-Up Program, Interim Remedial Measures Completion Report, Alumax Extrusions, Inc., URS Corp., April 30, 2004

Corrective Measures Summary Report, Former Alumax Extrusions, Inc. Facility, KHEOPS Architecture, Engineering and Survey, DPC, December 15, 2014

Periodic Review Report, Former Alumax Extrusions Site, LaBella Associates, D.P.C., January 2020


Site Management Plan, Closed Alumax Extrusions Inc., Facility, LaBella Associates, D.P.C., November 2021

I:\CHAUTAUQUA COUNTY\2200014 - DUNKIRK BROWNFIELD MONITORING\REPORTS\EVENT\_DECEMBER 2022\ALUMAX 2022\ALUMAX 2022 PRR\_2.14.23.DOCX



## FIGURES






**FIGURE 1**  
**SITE LOCATION MAP**

Former Alumax Extrusions Site  
320 and 440 South Roberts Road  
Dunkirk, New York



PROJECT NO. 2200014





0 50 100  
Feet  
1 inch = 100 feet

INTENDED TO PRINT AS: 11" X 17"

PROJECT:

**FORMER ALUMAX  
EXTRUSIONS  
SITE**

DRAWING NAME:



**SITE PLAN**

Source: Chautauqua County; Labella 2021.

PROJECT #/DRAWING #/ DATE

|          |
|----------|
| 2200014  |
| FIGURE 2 |
| 1/6/2022 |

**Legend**

-  Approximate Property Lines/Project Limits
-  Interface Groundwater Monitoring Well



# TABLE



Table 1  
Former Alumax Extrusions Site  
Summary of Analytical Results  
Groundwater Samples

| PARAMETER                         | REGULATORY VALUE | AL-1                 |         |                       |         |         |         |         |          |          |        |          |         |         |         | AL-2                 |         |                       |         |         |         |         |         |          |          |        |          |         |         | AL-7                 |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
|-----------------------------------|------------------|----------------------|---------|-----------------------|---------|---------|---------|---------|----------|----------|--------|----------|---------|---------|---------|----------------------|---------|-----------------------|---------|---------|---------|---------|---------|----------|----------|--------|----------|---------|---------|----------------------|----------|-----------------------|---------|---------|---------|---------|---------|----------|----------|--------|----------|---------|---------|---------|----------|-----|--|--|
| Collection Date                   |                  | 5/31/00              | 1/16/03 | 2/10/09               | 2/22/11 | 7/19/12 | 8/15/13 | 7/15/14 | 12/12/15 | 12/14/16 | 2/2/18 | 12/12/18 | 12/5/19 | 12/3/20 | 12/2/21 | 12/13/22             | 5/31/00 | 1/16/03               | 2/10/09 | 2/22/11 | 7/19/12 | 8/15/13 | 7/15/14 | 12/15/15 | 12/14/16 | 2/2/18 | 12/12/18 | 12/5/19 | 12/3/20 | 12/2/21              | 12/13/22 | 2/25/04               | 2/10/09 | 2/22/11 | 7/19/12 | 8/15/13 | 7/15/14 | 12/15/15 | 12/14/16 | 2/2/18 | 12/12/18 | 12/5/19 | 12/3/20 | 12/2/21 | 12/13/22 |     |  |  |
|                                   |                  | Pre-Remedial Results |         | Post-Remedial Results |         |         |         |         |          |          |        |          |         |         |         | Pre-Remedial Results |         | Post-Remedial Results |         |         |         |         |         |          |          |        |          |         |         | Pre-Remedial Results |          | Post-Remedial Results |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Volatile Organic Compounds (ug/L) |                  |                      |         |                       |         |         |         |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| 1,1-Dichloroethene                | 5                |                      | 73      |                       |         |         | 9.3     |         | 24       |          | 2.2    |          |         |         |         |                      |         | 9.36                  | 6.94    | 2.3     | 394     | 1160    | 8.7     |          | 0.87     | 4.3    | 14       | 25      | 1.6     |                      |          | 1,100                 | 600     | 473     | 4.2     | 300     | 517     | 124      | 42       | 7      | 6.5      | 7.2     | 2       | 3.4     | 3.7      | 5.3 |  |  |
| cis-1,2-Dichloroethene            | 5                | 1,500                | 9,400   | 1,280                 | 1,140   | 1,000   | 961     | 1,820   | 3,200    | 2,500    | 850    | 1,100    | 180     | 240     | 26      | 450                  |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| trans-1,2-Dichloroethene          | 5                |                      | 39      |                       |         |         | 3.9     |         | 10       |          | 2.4    |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Acetone                           | 50               |                      |         |                       |         |         |         |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Benzene                           | 1                |                      | 38      | 9.77                  | 17.1    | 17      | 14.9    |         | 9.5      |          | 1.8    | 14       | 33      | 6.8     | 29      | 25                   |         | 12                    | 6.1     | 16.1    | 13      | 5.47    |         | 5.5      | 9        | 4.1    | 7        | 11      | 8.6     | 23                   | 6.2      |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Carbon Disulfide                  | 60               |                      |         |                       |         |         |         |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Chloromethane                     | 5                |                      |         |                       |         |         |         |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Cyclohexane                       | NL               |                      | 64      |                       |         |         | 180     |         |          | 5.2      |        | 17       | 11      | 37      | 4       | 56                   | 21      |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Ethylbenzene                      | 5                |                      | 6       |                       |         |         | 2.5     |         |          |          | 1.1    |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Isopropylbenzene                  | 5                |                      |         |                       |         |         | 5.9     |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Methyl Chloride                   | 5                |                      |         |                       |         |         |         |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Methyl Cyclohexane                | NL               |                      | 41      |                       |         |         | 120     |         |          |          |        | 16       | 6.3     | 24      | 1.3     | 27                   | 10      |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Methylene Chloride                | 5                |                      |         |                       |         |         |         |         |          | 45       |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          | 12     |          | 0.5     | 0.34    | 0.25                 |          | 2.3                   | 0.25    |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Toluene                           | 5                |                      | 43      |                       |         |         | 2.2     |         |          |          | 3.1    |          |         | 4.9     |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| m,p-Xylene                        | 5                |                      |         |                       |         |         | 4.5     |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| p-Xylene                          | 5                |                      |         |                       |         |         |         |         |          |          |        |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Total Xylenes                     | 5                |                      | 13      |                       |         |         | 12.4    |         |          |          |        | 3.3      |         | 4.2     |         | 22                   |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Trichloroethene                   | S                | 2,400                | 4,600   | 118                   | 197     | 100     | 192     | 278     | 88       | 130      | 55     |          |         |         |         |                      |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| Vinyl chloride                    | 2                | 240                  | 740     | 977                   | 825     | 460     | 416     | 1040    | 850      | 850      | 150    | 540      | 160     | 230     |         | 200                  |         |                       |         |         |         |         |         |          |          |        |          |         |         |                      |          |                       |         |         |         |         |         |          |          |        |          |         |         |         |          |     |  |  |
| BTEX Compounds                    | S                | 0                    | 87      | 10                    | 17      | 34      | 15      | 0       | 15       | 0        | 20     | 14       | 38      | 7       | 29      | 25                   | 0       | 16                    | 6       | 16      | 13      | 5       | 0       | 6        | 9        | 4      | 7        | 11      | 9       | 23                   |          | 34                    | 0       | 0       | 0       | 0       | 0       | 0        | 0        | 0      | 0        | 0       | 0       | 0       | 0        |     |  |  |
| Total VOCs                        | -                | 4,140                | 15,057  | 2,385                 | 2,179   | 1,913   | 1,584   | 3,138   | 4,192    | 3,525    | 1,124  | 1,671    | 443     | 482     | 160     | 706                  | 0       | 18                    | 19      | 23      | 49      | 645     | 1,264   | 24       | 21       | 9      | 15       | 32      | 42      | 39                   | 8        | 4,289                 | 1,085   | 882     | 592     | 1,011   | 168     | 57       | 9        | 7.46   | 9.14     | 4.73    | 4.7     | 3.7     | 7.69     |     |  |  |

Notes:  
Regulatory values are derived from NYS Ambient Water Quality Standards YOGS 1.1.1 (Source of Drinking Water, groundwater).  
(-) = No regulatory value is associated with this compound.  
Shaded values represent exceedances of the regulatory value.  
ug/L = Micrograms per Liter (equivalent to parts per billion (ppb)).  
Only compounds with one or more detections are shown.  
"NL" = Regulatory value not listed for parameter  
Blank spaces indicate that the analyte was not detected.



# APPENDIX 1

November 2004 Deed Restrictions/Property Information



Chautauqua County Clerk

Return To:

PUBLIC ABSTRACT CORPORATION  
DEFAULT SERVICES  
31 E MAIN ST 3RD FL  
ROCHESTER NY 14614

ALCOA INC

NEW YORK STATE DEPARTMENT OF E  
NVIRONMENTAL CONSERV ATION

Index DEED BOOK

Book 02560 Page 0509

No. Pages 0007

Instrument DECLAR-DEEDS

Date : 11/22/2004

Time : 2:20:53

Control # 200411220133

INST# DE 2004 007426

Employee ID LORENZOT

|            |    |       |
|------------|----|-------|
| COUNTY     | \$ | 27.00 |
|            | \$ | .00   |
| ST ED DEPT | \$ | 4.75  |
|            | \$ | .00   |
|            | \$ | .00   |
|            | \$ | .00   |
|            | \$ | .00   |
|            | \$ | .00   |
| CEA        | \$ | 14.25 |
|            | \$ | .00   |
| Total:     | \$ | 46.00 |

STATE OF NEW YORK  
Chautauqua County Clerk

TRANSFER TAX

WARNING: THIS SHEET CONSTITUTES THE CLERK'S  
ENDORSEMENT, REQUIRED BY SECTION 316-a(5) &  
SECTION 319 OF THE REAL PROPERTY LAW OF THE  
STATE OF NEW YORK. DO NOT DETACH.

CONSIDERATN \$ .00

Transfer Tax \$ .00

Sandra K. Sopak  
County Clerk



0025600509



6

## DECLARATION of COVENANTS and RESTRICTIONS

THIS COVENANT is made the 3rd day of November 2004, by ALCOA INC., a Pennsylvania corporation, as successor in interest to Alumax Inc., a Delaware corporation, whose address is Alcoa Corporate Center, 201 Isabella Street, Pittsburgh, Pennsylvania 15212-5858 ("Alcoa").

WHEREAS Alcoa is the subject of Voluntary Agreement Index No. B9-0616-02-06, dated 08 August 2002 (the "Agreement") executed by Robert S. Bear (on behalf of Alcoa) and Susan I. Taluto, Deputy Commissioner – NYSDEC Water Quality and Environmental Remediation as part of the New York State Department of Environmental Conservation's (the "Department's") Voluntary Cleanup Program, namely that parcel of real property located at 320 South Roberts Road in the City of Dunkirk, County of Chautauqua, State of New York, which is part of lands conveyed by:

Warranty Deed made by Alumax Inc. to Alcoa, dated November 3, 2004 and recorded on November 22, 2004 in Liber 2510 of Deeds at page 505;

and being more particularly described in Appendix "A," attached to this declaration and made a part hereof, and hereinafter referred to as "the Property"; and

WHEREAS, the Department approved a remedy to eliminate or mitigate all significant threats to the environment presented by the contamination disposed at the Property and such remedy requires that the Property be subject to restrictive covenants.

NOW, THEREFORE, Alcoa, for itself and its successors and/or assigns, covenants that:

First, the Property subject to this Declaration of Covenants and Restrictions is as shown on a map attached to this declaration as Appendix "B" and made a part hereof, and consists of:

PARCEL A

ALL THAT TRACT OR PARCEL OF LAND, situate in the City of Dunkirk, County of Chautauqua and State of New York and more particularly described as follows:

BEGINNING on the centerline of Roberts Road at the point located 601.13



feet northwesterly along said centerline from the northerly line of lands of the Norfolk and Western Railroad, (former New York, Chicago and St. Louis Railroad); thence north 40° 28' east (assumed bearing) a distance of 396.0 feet to a point; thence north 81° 31' east a distance of 95.9 feet to a point; thence south 8° 39' east a distance of 514.37 feet to an iron pin; thence south 38° 16' west a distance of 114.28 feet to said centerline of Roberts Road; thence north 51° 44' west a distance of 456.6 feet along said centerline to the point or place of beginning.

#### PARCEL B

ALL THAT TRACT OR PARCEL OF LAND, situate in the City of Dunkirk, County of Chautauqua and State of New York and more particularly described as follows:

BEGINNING in the center line of the existing 30.3 foot pavement in Roberts Road at a point located 94.53 feet northwesterly along said centerline from the northwesterly line of lands of the New York, Chicago & St. Louis Railroad Company; thence north 51° 44' west along said centerline a distance of 50 feet to a point on line of lands now or formerly of Plymouth Tube Company; thence north 38° 16' east a distance of 114.28 feet to an iron pin and passing through an iron pin located 33 feet northeasterly along the last described course from the centerline of Roberts Road; thence north 8° 39' west a distance of 514.37 feet to an iron pin on point of lands now or formerly of Roblin Industries, Inc.; thence continuing along line of lands of Roblin Industries, north 81° 31' east a distance of 822 feet to an iron pin and south 8° 29' east 251.95 feet to a point on line of lands now or formerly of said Railroad Company; thence south 53° 33' west 219.15 feet to a monument; thence north 87° 18' west 24.88 feet to a monument; thence south 53° 33' west 137.59 feet to an iron pin; thence north 88° 30' west 111.6 feet to an iron pin; thence south 56° 19' 32" west 381.7 feet to a monument; thence south 38° 16' west, 102.49 feet to the point or place of beginning, and passing through an iron pin located 33 feet northeasterly along the last described course from the place of beginning.

Second, unless prior written approval by the Department or, if the Department shall no longer exist, any New York State agency or agencies subsequently created to protect the environment of the State and the health of the State's citizens, hereinafter referred to as "the Relevant Agency," is first obtained, there shall be no construction, use or occupancy; disturbance or excavation of the Property that is inconsistent with the approved "Combined Institutional Control Plan and Operations and Maintenance Plan – Former Alumax Extrusions Site," Site No. V00589-9 (Combined Plan) and that results in unacceptable human exposure to contaminated soils.

Third, the owner of the Property shall be responsible to implement the Combined Plan or implementing any modifications to the Combined Plan after obtaining the written approval of the Relevant Agency.



Fourth, the owner of the Property shall prohibit the Property from ever being used for purposes other than for restricted industrial or restricted commercial use without the express written waiver of such prohibition by the Relevant Agency.

Fifth, the owner of the Property shall prohibit the use of the groundwater underlying the Property without treatment rendering it safe for drinking water or industrial purposes, as appropriate, unless the user first obtains permission to do so from the Relevant Agency.


Sixth, the owner of the Property shall continue in full force and effect the prohibition against uses other than restricted commercial and/or industrial uses, and shall assure that any construction, use, occupancy, disturbance or excavation on the property shall be in conformance with the "Combined Plan" as institutional and engineering controls required under the Agreement, and shall continue to implement and annually report on the status, results and effectiveness of the operation, monitoring and maintenance requirements to the Relevant Agency unless the owner first obtains permission to discontinue to do so.

Seventh, this Declaration is and shall be deemed a covenant that shall run with the land and shall be binding upon all future owners of the Property, and shall provide that the owner and its successors and assigns consent to enforcement by the Relevant Agency of the prohibitions, restrictions and requirements set out in this Covenant, the Agreement, and the Combined Plan, and hereby covenant not to contest the authority of the Relevant Agency to seek enforcement.

Eighth, any deed of conveyance of the Property, or any portion thereof, shall recite, unless the Relevant Agency has consented to the termination of such covenants and restrictions, that said conveyance is subject to this Declaration of Covenants and Restrictions.

IN WITNESS WHEREOF, the undersigned has executed this instrument the day first above written.

ALCOA INC.


By:   
Russell W. Porter, Jr.  
Vice President

Date: November 3, 2004




STATE OF PENNSYLVANIA     )  
  ) SS:  
COUNTY OF ALLEGHENY     )

Personally appeared before me, the undersigned authority in and for the said county and state, on this 3<sup>rd</sup> day of November, 2004, within my jurisdiction, the within named Russell W. Porter, Jr., who acknowledged that he is a Vice President of Alcoa Inc., a Pennsylvania corporation, and that for and on behalf of the said corporation, and as its act and deed, he executed the above and foregoing instrument, after first having been duly authorized by said corporation so to do.

  
Notary Public

My Commission Expires:



(SEAL)



## APPENDIX "A"

### PARCEL A

ALL THAT TRACT OR PARCEL OF LAND, situate in the City of Dunkirk, County of Chautauqua and State of New York and more particularly described as follows:

BEGINNING on the centerline of Roberts Road at the point located 601.13 feet northwesterly along said centerline from the northerly line of lands of the Norfolk and Western Railroad, (former New York, Chicago and St. Louis Railroad); thence north  $40^{\circ} 28'$  east (assumed bearing) a distance of 396.0 feet to a point; thence north  $81^{\circ} 31'$  east a distance of 95.9 feet to a point; thence south  $8^{\circ} 39'$  east a distance of 514.37 feet to an iron pin; thence south  $38^{\circ} 16'$  west a distance of 114.28 feet to said centerline of Roberts Road; thence north  $51^{\circ} 44'$  west a distance of 456.6 feet along said centerline to the point or place of beginning.

### PARCEL B

ALL THAT TRACT OR PARCEL OF LAND, situate in the City of Dunkirk, County of Chautauqua and State of New York and more particularly described as follows:


BEGINNING in the center line of the existing 30.3 foot pavement in Roberts Road at a point located 94.53 feet northwesterly along said centerline from the northwesterly line of lands of the New York, Chicago & St. Louis Railroad Company; thence north  $51^{\circ} 44'$  west along said centerline a distance of 50 feet to a point on line of lands now or formerly of Plymouth Tube Company; thence north  $38^{\circ} 16'$  east a distance of 114.28 feet to an iron pin and passing through an iron pin located 33 feet northeasterly along the last described course from the centerline of Roberts Road; thence north  $8^{\circ} 39'$  west a distance of 514.37 feet to an iron pin on point of lands now or formerly of Roblin Industries, Inc.; thence continuing along line of lands of Roblin Industries, north  $81^{\circ} 31'$  east a distance of 822 feet to an iron pin and south  $8^{\circ} 29'$  east 251.95 feet to a point on line of lands now or formerly of said Railroad Company; thence south  $53^{\circ} 33'$  west 219.15 feet to a monument; thence north  $87^{\circ} 18'$  west 24.88 feet to a monument; thence south  $53^{\circ} 33'$  west 137.59 feet to an iron pin; thence north  $88^{\circ} 30'$  west 111.6 feet to an iron pin; thence south  $56^{\circ} 19' 32''$  west 381.7 feet to a monument; thence south  $38^{\circ} 16'$  west, 102.49 feet to the point or place of beginning, and passing through an iron pin located 33 feet northeasterly along the last described course from the place of beginning.



STATE OF NEW YORK, COUNTY OF  
CHAUTAUQUA, A TRUE COPY OF THE  
ORIGINAL FILED OFF RECORDED  
IN THIS OFFICE

NOV 24 2004

WITNESS MY HAND AND OFFICIAL  
SEAL OF THE COUNTY OF CHAUTAUQUA  
*John F. Lloyd*  
CHAUTAUQUA COUNTY CLERK





## Chautauqua County, NEW YORK

## Web Mapping

The screenshot displays a web mapping application interface. At the top, there is a navigation bar with buttons for 'Zoom In', 'Pan', 'Zoom Out', 'Full Extent', 'Property Information', 'Identify', and 'Advanced'. A 'Chautauqua County' logo is visible in the top right corner. The main map area shows a satellite view of a residential area with streets labeled 'E 2nd St', 'Christie Ave', and 'Franklin Ave'. A property information window is overlaid on the map, displaying the following details:


|                   |                             |                  |                      |
|-------------------|-----------------------------|------------------|----------------------|
| New Tax No.       | 79.16-2-5                   | Old Tax No.      | 30-1-7.2.1           |
| Swis (Muni):      | (060300) Dunkirk            | Owner:           | County of Chautauqua |
| Mailing Address:  | 3 Erie St Mayville NY 14757 |                  |                      |
| Property Address: | 320 S Roberts Rd            |                  |                      |
| Property Class:   | 330                         | Zoning:          | M2                   |
| Total Assessment: | \$115800                    | Land Assessment: | \$12600              |
| Building Style:   |                             | Living Area:     | (sq ft):             |
| Year Built:       |                             | Grade:           |                      |
| School District:  | 060300                      | Condition:       |                      |
| Deed Book:        | 2656                        | Deed Page:       | 219                  |
| Frontage:         | 0                           | Depth:           | 0                    |
|                   |                             | Acreage:         | 8.82                 |
| Last Sale Date:   | 7/10/2008 4:10:18 PM        | Last Sale Price: | \$1                  |
| Description #1:   |                             |                  |                      |
| Description #2:   |                             |                  |                      |
| Description #3:   | 30-1-7.2.1                  |                  |                      |

At the bottom of the map area, there is a status bar showing 'Coordinates: X: 948,027.98 Y: 907,908.88', a scale of '1 : 8,000', and a 'Satellite View On' checkbox. Below the map area, there is a navigation bar with buttons for 'Property / Street Search', 'Print To PDF', 'Save As Image', 'Link Location', 'Email Location', 'My Bookmarks', 'Clear All', and 'Help'.



## Chautauque County, NEW YORK

## Web Mapping



**Property Information**

|   |                  |                       |                  |          |           |
|---|------------------|-----------------------|------------------|----------|-----------|
| New Tax No.                                       | 79.16-2-4        | Old Tax No.           | 30-1-7.3         |          |           |
| Swis (Muni):                                      | (060300) Dunkirk | Owner:                | Cliffstar LLC    |          |           |
| Mailing Address: 1 Cliffstar Ave Dunkirk NY 14048 |                  |                       |                  |          |           |
| Property Address: 440 S Roberts Rd                |                  |                       |                  |          |           |
| Property Class:                                   | 464              | Zoning:               | M2               |          |           |
| Total Assessment:                                 | \$204240         | Land Assessment:      | \$16400          |          |           |
| Building Style:                                   |                  | Living Area:          | (sq ft):         |          |           |
| Year Built:                                       |                  | Grade:                |                  |          |           |
| School District:                                  | 060300           | Condition:            |                  |          |           |
| Deed Book:  | 2688             | Deed Page:            | 360              |          |           |
| Frontage:   | 0                | Depth:                | 0                | Acreage: | 3.22      |
| Last Sale Date:                                   |                  | 10/30/2009 2:25:11 PM | Last Sale Price: |          | \$1000000 |
| Description #1:                                   |                  |                       |                  |          |           |
| Description #2:                                   |                  |                       |                  |          |           |
| Description #3: 30-1-7.3                          |                  |                       |                  |          |           |

Coordinates: X: 952,097.41 Y: 908,046.85 1 : 6,000 Scale: ☒ Satellite View On

Property / Street Search Print To PDF Save As Image Link Location Email Location My Bookmarks Clear All Help





Created By:

## City of Dunkirk, NY

[OARS Main Page](#)

- Click to go to GIS map
- Photo of property is available, click to view.

[Improvements](#)
[Exemptions](#)
[Tax Bill](#)
**\*\* Commercial Property \*\***  
**PROPERTY INFORMATION**
**Current Owner Name** CLIFFSTAR LLC**Property Address** 440 ROBERTS RD**Town Name** Dunkirk
**Total Assessed Value** \$204,240  
 (85.44% of Market Value)
**Full Market Value** \$239,000**Land Assessed Value** \$16,400**Property Type** 464 - Office bldg.**Lot Size** Acres: 3.22 Front: 0 Depth: 0**Mailing Address 1** 1 CLIFFSTAR AVE**Mailing Address 2****Mailing City, State** DUNKIRK, NY**Mailing Zip Code** 14048**Section, Block Lot #** 79.16-2-4**Neighborhood Code** 200**School District** 60300**Swiss Code** 060300**Parcel Status** Active**County Taxable** \$204,240**Town Taxable** \$204,240**School Taxable** \$204,240**Village Taxable** \$0**Tax Code****Bank Code****PHYSICAL INFORMATION**

# of Bedrooms 0

# of Baths 0

# of Fireplaces 0

# of Kitchens 0

**HISTORICAL SALE INFORMATION**

| Owner History          | Deed Book | Deed Page | Sale Date  | Valid Sale | Sale Price  |
|------------------------|-----------|-----------|------------|------------|-------------|
| CLIFFSTAR LLC          | 2705      | 426       | 8/17/2010  | NO         | \$1         |
| Cliffstar Corporation, | 2688      | 360       | 10/30/2009 | NO         | \$1,000,000 |
| Star Wine LLC,         | 2587      | 453       | 11/16/2005 | YES        | \$400,000   |

**COMMERCIAL INFORMATION****Property Class** 464 - Office bldg.**Building Sq. Footage** 5,902**Assessment Per Sq. Foot** \$34.61**Property Use** USED AS

E03 - Profssnl off

F04 - Cold storage

**RENTABLE SQ. FT.**

5,902

5,902

**Site No.** 1**Bldg No.** 1**Actual Year Built** 1990**Effective Year Built** 0



**Site No.** 1  
**Use No.** 1  
**Used As** E03 - Profssnl off  
**Acres** 3.22  
**Valuation Dist** 0  
**Rentable Sq. Ft.** 5,902  
**Unit Code** -  
**Total Number Of Units**  
**Total Rent** \$0

**Rent Type** -  
**Lease Begin**  
**Lease Length** 0 yrs  
**Total Eff / 1 Bed Sq. Ft.**  
**Number Of 1 Bed Units**  
**Total 2 Bedroom Sq. Ft.**  
**Number Of 2 Bed Units**  
**Total 3 Bedroom Sq. Ft.**  
**Number Of 3 Bed Units**

**Site No.** 1  
**Use No.** 2  
**Used As** F04 - Cold storage  
**Acres** 3.22  
**Valuation Dist** 0  
**Rentable Sq. Ft.** 5,902  
**Unit Code** -  
**Total Number Of Units**  
**Total Rent** \$0

**Rent Type** -  
**Lease Begin**  
**Lease Length** 0 yrs  
**Total Eff / 1 Bed Sq. Ft.**  
**Number Of 1 Bed Units**  
**Total 2 Bedroom Sq. Ft.**  
**Number Of 2 Bed Units**  
**Total 3 Bedroom Sq. Ft.**  
**Number Of 3 Bed Units**





Online Assessment Roll System

Created By:

**PROSERVE**

## City of Dunkirk, NY

[OARS Main Page](#)

- Click to go to GIS map



- Photo of property is available, click to view.

[Improvements](#)[Exemptions](#)[Tax Bill](#)**\*\* Commercial Property \*\*****PROPERTY INFORMATION****Current Owner Name** COUNTY OF CHAUTAUQUA**Property Address** 320 ROBERTS RD **Town Name** Dunkirk**Total Assessed Value** \$115,800  
(85.44% of Market Value)**Full Market Value** \$135,500**Land Assessed Value** \$12,600**Property Type** 330 - Vacant comm**Lot Size** Acres: 8.82 Front: 0 Depth: 0**Mailing Address 1** 3 ERIE ST**Mailing Address 2****Mailing City, State** MAYVILLE, NY**Mailing Zip Code** 14757**Section, Block Lot #** 79.16-2-5**Neighborhood Code** 200**School District** 60300**Swiss Code** 060300**Parcel Status** Active**County Taxable** \$0**Town Taxable** \$0**School Taxable** \$0**Village Taxable** \$0**Tax Code****Bank Code****PHYSICAL INFORMATION**

# of Bedrooms 0

# of Baths 0

# of Fireplaces 0

# of Kitchens 0

**HISTORICAL SALE INFORMATION**

| Owner History        | Deed Book | Deed Page | Sale Date | Valid Sale | Sale Price |
|----------------------|-----------|-----------|-----------|------------|------------|
| COUNTY OF CHAUTAUQUA | 2656      | 219       | 7/10/2008 | NO         | \$1        |
| Alcoa, Inc.,         | 2560      | 505       | 11/3/2004 | YES        | \$700,000  |

**COMMERCIAL INFORMATION****Property Class** 330 - Vacant comm**Building Sq. Footage****Assessment Per Sq. Foot** \$0.00**Property Use** USED AS

F09 - Light mfg

**RENTABLE SQ. FT.**

153,993

**Site No.** 1**Use No.** 1**Used As** F09 - Light mfg**Acres** 8.82**Rent Type -****Lease Begin****Lease Length** 0 yrs**Total Eff / 1 Bed Sq. Ft.**



|                                 |                                |
|---------------------------------|--------------------------------|
| <b>Valuation Dist</b> 0         | <b>Number Of 1 Bed Units</b>   |
| <b>Rentable Sq. Ft.</b> 153,993 | <b>Total 2 Bedroom Sq. Ft.</b> |
| <b>Unit Code</b> 10 - Bays      | <b>Number Of 2 Bed Units</b>   |
| <b>Total Number Of Units</b> 12 | <b>Total 3 Bedroom Sq. Ft.</b> |
| <b>Total Rent</b> \$0           | <b>Number Of 3 Bed Units</b>   |



## APPENDIX 2

### Photographs





Northern view of Site and ditch



Southern view of Site and ditch



View of concrete pad and onsite wells facing west



View of AL-2 and concrete pad facing east



## APPENDIX 3

**Site Management Periodic Review Report Notice-Institutional and  
Engineering Controls Certification Form**





Enclosure 2  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



**Site Details**

**Box 1**

**Site No.**            **V00589**

**Site Name**   **Closed Alumax Extrusions, Inc. Facility**

Site Address: 320 South Roberts Road      Zip Code: 14048-  
City/Town: Dunkirk (C)  
County: Chautauqua  
Site Acreage: 12.040

Reporting Period: December 15, 2021 to December 15, 2022

- |  | YES                                 | NO                                  |
|--|-------------------------------------|-------------------------------------|
| 1. Is the information above correct?   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| If NO, include handwritten above or on a separate sheet.   |                                     |                                     |
| 2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?                              | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?                      | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| <b>If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.</b> |                                     |                                     |
| 5. Is the site currently undergoing development?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**Box 2**

- |  | YES                                 | NO                       |
|--|-------------------------------------|--------------------------|
| 6. Is the current site use consistent with the use(s) listed below?<br>Commercial and Industrial | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 7. Are all ICs in place and functioning as designed?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date



**Description of Institutional Controls**ParcelOwnerInstitutional Control

79.16-2-4

~~Refresco Beverages US Inc.~~

440 Roberts Road, LLC

Ground Water Use Restriction  
 Soil Management Plan  
 Landuse Restriction  
 O&M Plan

Site Management Plan (11/01/2021) and Deed Restriction (filed 11/3/2004):

- 1) Landuse Restriction: Restricted Industrial or Restricted Commercial.
- 2) Ground water use restriction.
- 3) Soils Management Plan/Excavation Work Plan.
- 4) Surface Cover System.

79.16-2-5

Chautauqua County

Ground Water Use Restriction  
 Landuse Restriction  
 Soil Management Plan  
 Monitoring Plan  
 O&M Plan

Site Management Plan (11/01/2021) and Deed Restriction (filed 11/3/2004):

- 1) Landuse Restriction: Restricted Industrial or Restricted Commercial.
- 2) Ground water use restriction.
- 3) Soils Management Plan/Excavation Work Plan.
- 4) Surface Cover System.
- 5) Ground water monitoring.

**Description of Engineering Controls**ParcelEngineering Control

79.16-2-4

Cover System

Cover system to be placed once site redeveloped

79.16-2-5

Vapor Mitigation  
 Cover System

Soil vapor intrusion evaluation required for any new or existing building onsite

Cover system to be placed once site redeveloped



### Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date



IC CERTIFICATIONS  
SITE NO. V00589

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Mark Geise at 440 S. Roberts Rd, Dunkirk, NY  
print name print business address

am certifying as Owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.



Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

1/13/23  
Date



## EC CERTIFICATIONS

Box 7

### Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

LaBella Associates, D.P.C.

300 State Street, Rochester, NY

I Daniel Noll at \_\_\_\_\_,  
print name print business address

am certifying as a Qualified Environmental Professional for the Owner  
(Owner or Remedial Party)

*D. P. Noll*



Signature of Qualified Environmental Professional, for  
the Owner or Remedial Party, Rendering Certification

Stamp  
(Required for PE)

1/13/2023  
Date



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION



**60-Day Advance Notification of Site Change of Use, Transfer of  
Certificate of Completion, and/or Ownership**  
Required by 6NYCRR Part 375-1.11(d) and 375-1.9(f)

To be submitted at least 60 days prior to change of use to:

Chief, Site Control Section  
New York State Department of Environmental Conservation  
Division of Environmental Remediation, 625 Broadway  
Albany NY 12233-7020

**I. Site Name:** Closed Alumax Extrusions, Inc. Facility **DEC Site ID No.** V00589-9

**II. Contact Information of Person Submitting Notification:**

Name: Scott Fairbrother - on behalf of 440 Roberts Road, LLC.  
Address1: 4 Centre Drive  
Address2: Orchard Park, NY 14127  
Phone: 716-667-1234 E-mail: sfairbrother@kroggrp.com

**III. Type of Change and Date:** Indicate the Type of Change(s) (check all that apply):

- ☒ Change in Ownership or Change in Remedial Party(ies)  
☒ Transfer of Certificate of Completion (CoC)  
☒ Other (e.g., any physical alteration or other change of use)

Proposed Date of Change (mm/dd/yyyy): Sep 14, 2022

**IV. Description:** Describe proposed change(s) indicated above and attach maps, drawings, and/or parcel information.

Acquisition of R&D Building from the County of Chautauqua Industrial Development Agency who took  
ownership from Refresco Beverages US Inc. successor by merger with Cliffstar LLC.


If "Other," the description must explain and advise the Department how such change may or may not affect the site's proposed, ongoing, or completed remedial program (attach additional sheets if needed).

As per the NYSDEC-approved Notification of Intrusive Activities date 11/11/2022; the proposed  
change will not affect the use of the building or property other than an existing driveway will be improved per  
the attached map



- V. **Certification Statement:** Where the change of use results in a change in ownership or in responsibility for the proposed, ongoing, or completed remedial program for the site, the following certification must be completed (by owner or designated representative; see §375-1.11(d)(3)(i)):

I hereby certify that the prospective purchaser and/or remedial party has been provided a copy of any order, agreement, Site Management Plan, or State Assistance Contract regarding the Site's remedial program as well as a copy of all approved remedial work plans and reports.

Name:  1/3/23  
(Signature) (Date)  
Richard Dixon  
(Print Name)

Address1: 201 West Third Street, Suite 115  
Address2: Jamestown, NY 14701  
Phone: 716.661.8905 E-mail: dixonr@ccida.com

- VI. **Contact Information for New Owner, Remedial Party, or CoC Holder:** If the site will be sold or there will be a new remedial party, identify the prospective owner(s) or party(ies) along with contact information. If the site is subject to an Environmental Easement, Deed Restriction, or Site Management Plan requiring periodic certification of institutional controls/engineering controls (IC/ECs), indicate who will be the certifying party (attach additional sheets if needed).

☒ Prospective Owner ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: Peter L. Krog - Sr. Member, 440 Roberts Road, LLC  
Address1: 4 Centre Drive  
Address2: Orchard Park, NY 14127  
Phone: 716-667-1234 E-mail: plkrog@kroggrp.com

Certifying Party Name: Richard Dixon  
Address1: 201 West Third Street, Suite 115  
Address2: Jamestown, NY 14701  
Phone: 716.661.8905 E-mail: dixonr@ccida.com



**VII. Agreement to Notify DEC after Transfer:** If Section VI applies, and all or part of the site will be sold, a letter to notify the DEC of the completion of the transfer must be provided. If the current owner is also the holder of the CoC for the site, the CoC should be transferred to the new owner using DEC's form found at <http://www.dec.ny.gov/chemical/54736.html>. This form has its own filing requirements (see 6NYCRR Part 375-1.9(f)).


Signing below indicates that these notices will be provided to the DEC within the specified time frames. If the sale of the site also includes the transfer of a CoC, the DEC agrees to accept the notice given in VII.3 below in satisfaction of the notice required by VII.1 below (which normally must be submitted within 15 days of the sale of the site).

Within 30 days of the sale of the site, I agree to submit to the DEC:

1. the name and contact information for the new owner(s) (see §375-1.11(d)(3)(ii));
2. the name and contact information for any owner representative; and
3. a notice of transfer using the DEC's form found at <http://www.dec.ny.gov/chemical/54736.html> (see §375-1.9(f)).

Name:

  
(Signature)

  
(Date)

Richard Dixon

(Print Name)

Address1: 201 West Third Street, Suite 115


Address2: Jamestown, NY 14701

Phone: 716.661.8905

E-mail: [dixonr@ccida.com](mailto:dixonr@ccida.com)



J:\The King Group\2224480 - 440 S Roberts Rd New Access Road\_ Drawings\Civil\Figure 5.dwg 11/9/2022 1:37:50 PM





## APPENDIX 4

### Groundwater Sampling Logs



**LABELLA ASSOCIATES, D.P.C.**  
**Environmental Engineering Consultants**

Well I.D. AL-1  
 Job No. **2200014**

Site Location: Alumax  
 Sample Date: 12/13/22  
 LaBella Representative: \_\_\_\_\_

| Well I.D.             | Initial Readings | 1 Well Volume | 2 Well Volumes | 3 Well Volume | Sample | Post Sample | Details |
|-----------------------|------------------|---------------|----------------|---------------|--------|-------------|---------|
| Time                  | 0530             | 0835          | 0040           | 0845          | 0850   |             |         |
| Depth of well         | 20.0             |               |                |               |        |             |         |
| Depth to water        | 7.57             |               |                |               |        |             |         |
| Well diameter         | 2"               |               |                |               |        |             |         |
| Well volume (gallons) | 2.0              |               |                |               |        |             |         |
| Purging device        |                  |               |                |               |        |             |         |
| Containment device    |                  |               |                |               |        |             |         |
| Purge time            |                  |               |                |               |        |             |         |
| Gallons purged        | 9                | 2.0           | 4.0            | 6.0           |        |             |         |
| Sample device         |                  |               |                |               |        |             |         |

**Field Parameters**

|                      |       |       |        |       |  |        |  |
|----------------------|-------|-------|--------|-------|--|--------|--|
| Temperature          | 11.4  | 12.8  | 13.2   | 13.2  |  | 13.2   |  |
| pH measurement       | 7.22  | 7.29  | 7.48   | 7.47  |  | 7.30   |  |
| Conductivity (mS/cm) | 1.306 | 0.794 | 0.740  | 0.746 |  | 1.017  |  |
| ORP/Eh (mV)          | -94.5 | -99.4 | -74.7  | -72.1 |  | -73.6  |  |
| Turbidity (NTUs)     | 16.55 | 10.59 | 118.20 | 272.5 |  | 225.21 |  |

WEATHER:

NOTES/FIELD OBSERVATIONS:

**Well Volume Purge:** 1 Well Volume = (Total Well Depth – Static Depth To Water) X Well Capacity  
 (only if applicable) = (ft. – ft.) X . gal/ft = 0.3056 gallons

**Well Capacity** (Gallons per Foot): 0.75"=0.02 1"=0.04 1.5"=0.092 2"=0.16 3"=0.37  
 4"=0.65 5"=1.02 6"=1.47 12"=5.88

1. **Stabilization Criteria** for range of variation of last three consecutive Readings

**pH:** ± 0.2 units; **Temperature:** ± 0.5°C; **Specific Conductance:** ± 10%; **Turbidity:** ≤ 50 NTU

A minimum of three well volumes and a maximum of five well volumes are to be removed from each well prior to sampling. In the event that groundwater recharge is slow, the purging process will continue until the well is purged "dry". After the water level has returned to its pre-purge level (or within a maximum of two hours), samples will be collected. If the water level is slow to recharge and does not reach its pre-purge level within two hours, then samples can be collected after sufficient water has recharged, and the degree of recharge indicated in field notes with time and depth to water noted.



**LABELLA ASSOCIATES, D.P.C.**  
**Environmental Engineering Consultants**

Well I.D. AL-2  
 Job No. **2200014**

Site Location: Almax  
 Sample Date: 12/13/22  
 LaBella Representative: \_\_\_\_\_

| Well I.D.             | Initial Readings | 1 Well Volume | 2 Well Volumes | 3 Well Volume | Sample          | Post Sample | Details |
|-----------------------|------------------|---------------|----------------|---------------|-----------------|-------------|---------|
| Time                  | 800              | 0805          | 0810           | 0820          | <del>0825</del> | 0825        |         |
| Depth of well         | 19.0             |               |                |               |                 |             |         |
| Depth to water        | 6.70             |               |                |               |                 |             |         |
| Well diameter         | 2"               |               |                |               |                 |             |         |
| Well volume (gallons) | 1.9              |               |                |               |                 |             |         |
| Purging device        |                  |               |                |               |                 |             |         |
| Containment device    |                  |               |                |               |                 |             |         |
| Purge time            |                  |               |                |               |                 |             |         |
| Gallons purged        |                  |               |                |               |                 |             |         |
| Sample device         | Ø                | 1.9           | 3.8            | 5.7           |                 |             |         |

**Field Parameters**

|                      |       |       |        |        |   |        |  |
|----------------------|-------|-------|--------|--------|---|--------|--|
| Temperature          | 8.1   | 11.5  | 12.2   | 12.6   | - | 12.4   |  |
| pH measurement       | 7.46  | 7.30  | 7.31   | 7.35   | - | 7.43   |  |
| Conductivity (mS/cm) | .845  | .852  | .854   | .851   | - | .855   |  |
| ORP/Eh (mV)          | -85.5 | -97.5 | -105.2 | -131.8 | - | -132.4 |  |
| Turbidity (NTUs)     | 22.23 | 28.07 | 37.96  | 43.45  | - | 33.26  |  |

WEATHER:

NOTES/FIELD OBSERVATIONS:

**Well Volume Purge:** 1 Well Volume = (Total Well Depth – Static Depth To Water) X Well Capacity  
 (only if applicable) = (ft. –ft.) X . gal/ft = 0.3056 gallons

**Well Capacity** (Gallons per Foot): 0.75"=0.02 1"=0.04 1.5"=0.092 2"=0.16 3"=0.37  
 4"=0.65 5"=1.02 6"=1.47 12"=5.88

1. Stabilization Criteria for range of variation of last three consecutive Readings

**pH:** ± 0.2 units; **Temperature:** ± 0.5°C; **Specific Conductance:** ± 10%; **Turbidity:** ≤ 50 NTU

A minimum of three well volumes and a maximum of five well volumes are to be removed from each well prior to sampling. In the event that groundwater recharge is slow, the purging process will continue until the well is purged "dry". After the water level has returned to its pre-purge level (or within a maximum of two hours), samples will be collected. If the water level is slow to recharge and does not reach its pre-purge level within two hours, then samples can be collected after sufficient water has recharged, and the degree of recharge indicated in field notes with time and depth to water noted.



**LABELLA ASSOCIATES, D.P.C.**  
**Environmental Engineering Consultants**

Well I.D. AL-7  
 Job No. **2200014**

Site Location: Aluma  
 Sample Date: 12/13/22  
 LaBella Representative: \_\_\_\_\_

| Well I.D.             | Initial Readings | 1 Well Volume | 2 Well Volumes | 3 Well Volume | Sample | Post Sample | Details |
|-----------------------|------------------|---------------|----------------|---------------|--------|-------------|---------|
| Time                  | 0856             | 0901          | 0906           |               | 0910   |             |         |
| Depth of well         | 11.4             |               |                |               |        |             |         |
| Depth to water        | 2.1              |               |                |               |        |             |         |
| Well diameter         | 2"               |               |                |               |        |             |         |
| Well volume (gallons) | 1.8              |               |                |               |        |             |         |
| Purging device        |                  |               |                |               |        |             |         |
| Containment device    |                  |               |                |               |        |             |         |
| Purge time            |                  |               |                |               |        |             |         |
| Gallons purged        | 0                | 1.8           | 3.6            |               |        |             |         |
| Sample device         |                  |               |                |               |        |             |         |

**Field Parameters**

|                      |        |        |        |           |  |  |
|----------------------|--------|--------|--------|-----------|--|--|
| Temperature          | 7.9    | 9.3    | 9.2    | 9.7 →     |  |  |
| pH measurement       | 7.80   | 7.07   | 7.08   | 7.11 →    |  |  |
| Conductivity (mS/cm) | 0.329  | 0.290  | .285   | .136 →    |  |  |
| ORP/Eh (mV)          | -146.9 | -118.9 | -169   | -101.38 → |  |  |
| Turbidity (NTUs)     | 28.52  | 46.27  | 135.00 | 141.78 →  |  |  |

WEATHER:

NOTES/FIELD OBSERVATIONS:

*well dry after ~3.6 gals  
 waited 10 min to recharge then sampled*

**Well Volume Purge: 1 Well Volume = (Total Well Depth – Static Depth To Water) X Well Capacity**  
**(only if applicable) = (ft. –ft.) X . gal/ft = 0.3056 gallons**

**Well Capacity** (Gallons per Foot): 0.75"=0.02 1"=0.04 1.5"=0.092 2"=0.16 3"=0.37  
 4"=0.65 5"=1.02 6"=1.47 12"=5.88

**1. Stabilization Criteria for range of variation of last three consecutive Readings**

**pH: ± 0.2 units; Temperature: ± 0.5°C; Specific Conductance: ± 10%; Turbidity: ≤ 50 NTU**

A minimum of three well volumes and a maximum of five well volumes are to be removed from each well prior to sampling. In the event that groundwater recharge is slow, the purging process will continue until the well is purged "dry". After the water level has returned to its pre-purge level (or within a maximum of two hours), samples will be collected. If the water level is slow to recharge and does not reach its pre-purge level within two hours, then samples can be collected after sufficient water has recharged, and the degree of recharge indicated in field notes with time and depth to water noted.



## APPENDIX 5

### Laboratory Analytical Results



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Chris Kibler  
LaBella Associates DPC  
300 Pearl Street  
Suite 130  
Buffalo, New York 14202

Generated 12/19/2022 3:48:01 PM

## JOB DESCRIPTION

Alumax & Roblin Periodic Review Reports

## JOB NUMBER

480-204719-1




# Eurofins Buffalo

## Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing Northeast, LLC Buffalo and its client. All questions regarding this report should be directed to the Eurofins Environment Testing Northeast, LLC Buffalo Project Manager or designee who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

## Authorization



Generated  
12/19/2022 3:48:01 PM

Authorized for release by  
Brian Fischer, Manager of Project Management  
[Brian.Fischer@et.eurofinsus.com](mailto:Brian.Fischer@et.eurofinsus.com)  
(716)504-9835



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Detection Summary . . . . .      | 6  |
| Client Sample Results . . . . .  | 8  |
| Surrogate Summary . . . . .      | 30 |
| QC Sample Results . . . . .      | 31 |
| QC Association Summary . . . . . | 34 |
| Lab Chronicle . . . . .          | 35 |
| Certification Summary . . . . .  | 37 |
| Method Summary . . . . .         | 38 |
| Sample Summary . . . . .         | 39 |
| Chain of Custody . . . . .       | 40 |
| Receipt Checklists . . . . .     | 41 |





## Definitions/Glossary

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

### Qualifiers

#### GC/MS VOA

| Qualifier | Qualifier Description  |
|-----------|--|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |



## Case Narrative

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Job ID: 480-204719-1**

**Laboratory: Eurofins Buffalo**

### Narrative

#### Job Narrative 480-204719-1

### Comments

No additional comments.

### Receipt

The samples were received on 12/13/2022 2:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.4° C.

### Receipt Exceptions

MW-13 listed on COCs twice. Only included in login once.

AL-2 (480-204719-1), AL-1 (480-204719-2), AL-7 (480-204719-3), MW-9R (480-204719-4), EX-MW-11R (480-204719-5), MW-02R (480-204719-6), EX-MW-12 (480-204719-7), MW-04 (480-204719-8), MW-07R (480-204719-9), MW-13 (480-204719-10), DUP (480-204719-11) and TRIP BLANK (480-204719-12)

### GC/MS VOA

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-653342 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: AL-2 (480-204719-1), AL-1 (480-204719-2), AL-7 (480-204719-3), MW-9R (480-204719-4), EX-MW-11R (480-204719-5), MW-02R (480-204719-6), EX-MW-12 (480-204719-7), MW-04 (480-204719-8), MW-07R (480-204719-9), DUP (480-204719-11) and TRIP BLANK (480-204719-12).

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: AL-1 (480-204719-2), MW-9R (480-204719-4), EX-MW-11R (480-204719-5), MW-02R (480-204719-6), MW-07R (480-204719-9) and DUP (480-204719-11). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



## Detection Summary

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

### Client Sample ID: AL-2

Lab Sample ID: 480-204719-1

| Analyte           | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Benzene           | 6.2    |           | 1.0 | 0.41 | ug/L | 1       |   | 8260C  | Total/NA  |
| Cyclohexane       | 1.3    |           | 1.0 | 0.18 | ug/L | 1       |   | 8260C  | Total/NA  |
| Methylcyclohexane | 0.25   | J         | 1.0 | 0.16 | ug/L | 1       |   | 8260C  | Total/NA  |

### Client Sample ID: AL-1

Lab Sample ID: 480-204719-2

| Analyte                | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|----|-----|------|---------|---|--------|-----------|
| Benzene                | 25     |           | 10 | 4.1 | ug/L | 10      |   | 8260C  | Total/NA  |
| cis-1,2-Dichloroethene | 450    |           | 10 | 8.1 | ug/L | 10      |   | 8260C  | Total/NA  |
| Cyclohexane            | 21     |           | 10 | 1.8 | ug/L | 10      |   | 8260C  | Total/NA  |
| Methylcyclohexane      | 10     |           | 10 | 1.6 | ug/L | 10      |   | 8260C  | Total/NA  |
| Vinyl chloride         | 200    |           | 10 | 9.0 | ug/L | 10      |   | 8260C  | Total/NA  |

### Client Sample ID: AL-7

Lab Sample ID: 480-204719-3

| Analyte                | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Chloromethane          | 0.99   | J         | 1.0 | 0.35 | ug/L | 1       |   | 8260C  | Total/NA  |
| cis-1,2-Dichloroethene | 5.3    |           | 1.0 | 0.81 | ug/L | 1       |   | 8260C  | Total/NA  |
| Vinyl chloride         | 1.4    |           | 1.0 | 0.90 | ug/L | 1       |   | 8260C  | Total/NA  |

### Client Sample ID: MW-9R

Lab Sample ID: 480-204719-4

| Analyte                | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|----|-----|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 180    |           | 10 | 8.1 | ug/L | 10      |   | 8260C  | Total/NA  |
| Cyclohexane            | 22     |           | 10 | 1.8 | ug/L | 10      |   | 8260C  | Total/NA  |
| Methylcyclohexane      | 20     |           | 10 | 1.6 | ug/L | 10      |   | 8260C  | Total/NA  |
| Vinyl chloride         | 430    |           | 10 | 9.0 | ug/L | 10      |   | 8260C  | Total/NA  |

### Client Sample ID: EX-MW-11R

Lab Sample ID: 480-204719-5

| Analyte                | Result | Qualifier | RL  | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-----|-----|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 3600   |           | 100 | 81  | ug/L | 100     |   | 8260C  | Total/NA  |
| Methylcyclohexane      | 16     | J         | 100 | 16  | ug/L | 100     |   | 8260C  | Total/NA  |
| Trichloroethene        | 600    |           | 100 | 46  | ug/L | 100     |   | 8260C  | Total/NA  |
| Vinyl chloride         | 1100   |           | 100 | 90  | ug/L | 100     |   | 8260C  | Total/NA  |

### Client Sample ID: MW-02R

Lab Sample ID: 480-204719-6

| Analyte                | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Benzene                | 2.5    | J         | 5.0 | 2.1  | ug/L | 5       |   | 8260C  | Total/NA  |
| cis-1,2-Dichloroethene | 130    |           | 5.0 | 4.1  | ug/L | 5       |   | 8260C  | Total/NA  |
| Cyclohexane            | 4.5    | J         | 5.0 | 0.90 | ug/L | 5       |   | 8260C  | Total/NA  |
| Methylcyclohexane      | 3.2    | J         | 5.0 | 0.80 | ug/L | 5       |   | 8260C  | Total/NA  |
| Vinyl chloride         | 150    |           | 5.0 | 4.5  | ug/L | 5       |   | 8260C  | Total/NA  |

### Client Sample ID: EX-MW-12

Lab Sample ID: 480-204719-7

No Detections.

### Client Sample ID: MW-04

Lab Sample ID: 480-204719-8

| Analyte       | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method | Prep Type |
|---------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Chloromethane | 0.51   | J         | 1.0 | 0.35 | ug/L | 1       |   | 8260C  | Total/NA  |

This Detection Summary does not include radiochemical test results.

Eurofins Buffalo



## Detection Summary

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

### Client Sample ID: MW-07R

Lab Sample ID: 480-204719-9

| Analyte                | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|----|-----|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 400    |           | 10 | 8.1 | ug/L | 10      |   | 8260C  | Total/NA  |
| Vinyl chloride         | 140    |           | 10 | 9.0 | ug/L | 10      |   | 8260C  | Total/NA  |

### Client Sample ID: DUP

Lab Sample ID: 480-204719-11

| Analyte                | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Benzene                | 2.5    | J         | 5.0 | 2.1  | ug/L | 5       |   | 8260C  | Total/NA  |
| cis-1,2-Dichloroethene | 150    |           | 5.0 | 4.1  | ug/L | 5       |   | 8260C  | Total/NA  |
| Cyclohexane            | 5.2    |           | 5.0 | 0.90 | ug/L | 5       |   | 8260C  | Total/NA  |
| Methylcyclohexane      | 4.1    | J         | 5.0 | 0.80 | ug/L | 5       |   | 8260C  | Total/NA  |
| Vinyl chloride         | 180    |           | 5.0 | 4.5  | ug/L | 5       |   | 8260C  | Total/NA  |

### Client Sample ID: TRIP BLANK

Lab Sample ID: 480-204719-12

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Buffalo



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: AL-2

Lab Sample ID: 480-204719-1

Date Collected: 12/13/22 08:25

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,1,1,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 12/14/22 13:59 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 13:59 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 13:59 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 12/14/22 13:59 | 1       |
| Benzene                               | 6.2    |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Chloromethane                         | ND     |           | 1.0 | 0.35 | ug/L |   |          | 12/14/22 13:59 | 1       |
| cis-1,2-Dichloroethene                | ND     |           | 1.0 | 0.81 | ug/L |   |          | 12/14/22 13:59 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Cyclohexane                           | 1.3    |           | 1.0 | 0.18 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 12/14/22 13:59 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 12/14/22 13:59 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Methylcyclohexane                     | 0.25 J |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 12/14/22 13:59 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 13:59 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Vinyl chloride                        | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 13:59 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 12/14/22 13:59 | 1       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: AL-2**

**Lab Sample ID: 480-204719-1**

**Date Collected: 12/13/22 08:25**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 91               |                  | 80 - 120      |                 | 12/14/22 13:59  | 1              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 104              |                  | 77 - 120      |                 | 12/14/22 13:59  | 1              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 91               |                  | 73 - 120      |                 | 12/14/22 13:59  | 1              |
| <i>Dibromofluoromethane (Surr)</i>  | 97               |                  | 75 - 123      |                 | 12/14/22 13:59  | 1              |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: AL-1

Lab Sample ID: 480-204719-2

Date Collected: 12/13/22 08:50

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result     | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 10  | 8.2 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,1,1,2-Tetrachloroethane             | ND         |           | 10  | 2.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,1,2-Trichloroethane                 | ND         |           | 10  | 2.3 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 10  | 3.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,1-Dichloroethane                    | ND         |           | 10  | 3.8 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,1-Dichloroethene                    | ND         |           | 10  | 2.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,2,4-Trichlorobenzene                | ND         |           | 10  | 4.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 10  | 3.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,2-Dichlorobenzene                   | ND         |           | 10  | 7.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,2-Dichloroethane                    | ND         |           | 10  | 2.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,2-Dichloropropane                   | ND         |           | 10  | 7.2 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,3-Dichlorobenzene                   | ND         |           | 10  | 7.8 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,4-Dichlorobenzene                   | ND         |           | 10  | 8.4 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 2-Butanone (MEK)                      | ND         |           | 100 | 13  | ug/L |   |          | 12/14/22 14:21 | 10      |
| 2-Hexanone                            | ND         |           | 50  | 12  | ug/L |   |          | 12/14/22 14:21 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 50  | 21  | ug/L |   |          | 12/14/22 14:21 | 10      |
| Acetone                               | ND         |           | 100 | 30  | ug/L |   |          | 12/14/22 14:21 | 10      |
| <b>Benzene</b>                        | <b>25</b>  |           | 10  | 4.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Bromodichloromethane                  | ND         |           | 10  | 3.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Bromoform                             | ND         |           | 10  | 2.6 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Bromomethane                          | ND         |           | 10  | 6.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Carbon disulfide                      | ND         |           | 10  | 1.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Carbon tetrachloride                  | ND         |           | 10  | 2.7 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Chlorobenzene                         | ND         |           | 10  | 7.5 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Dibromochloromethane                  | ND         |           | 10  | 3.2 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Chloroethane                          | ND         |           | 10  | 3.2 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Chloroform                            | ND         |           | 10  | 3.4 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Chloromethane                         | ND         |           | 10  | 3.5 | ug/L |   |          | 12/14/22 14:21 | 10      |
| <b>cis-1,2-Dichloroethene</b>         | <b>450</b> |           | 10  | 8.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| cis-1,3-Dichloropropene               | ND         |           | 10  | 3.6 | ug/L |   |          | 12/14/22 14:21 | 10      |
| <b>Cyclohexane</b>                    | <b>21</b>  |           | 10  | 1.8 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Dichlorodifluoromethane               | ND         |           | 10  | 6.8 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Ethylbenzene                          | ND         |           | 10  | 7.4 | ug/L |   |          | 12/14/22 14:21 | 10      |
| 1,2-Dibromoethane                     | ND         |           | 10  | 7.3 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Isopropylbenzene                      | ND         |           | 10  | 7.9 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Methyl acetate                        | ND         |           | 25  | 13  | ug/L |   |          | 12/14/22 14:21 | 10      |
| Methyl tert-butyl ether               | ND         |           | 10  | 1.6 | ug/L |   |          | 12/14/22 14:21 | 10      |
| <b>Methylcyclohexane</b>              | <b>10</b>  |           | 10  | 1.6 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Methylene Chloride                    | ND         |           | 10  | 4.4 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Styrene                               | ND         |           | 10  | 7.3 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Tetrachloroethene                     | ND         |           | 10  | 3.6 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Toluene                               | ND         |           | 10  | 5.1 | ug/L |   |          | 12/14/22 14:21 | 10      |
| trans-1,2-Dichloroethene              | ND         |           | 10  | 9.0 | ug/L |   |          | 12/14/22 14:21 | 10      |
| trans-1,3-Dichloropropene             | ND         |           | 10  | 3.7 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Trichloroethene                       | ND         |           | 10  | 4.6 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Trichlorofluoromethane                | ND         |           | 10  | 8.8 | ug/L |   |          | 12/14/22 14:21 | 10      |
| <b>Vinyl chloride</b>                 | <b>200</b> |           | 10  | 9.0 | ug/L |   |          | 12/14/22 14:21 | 10      |
| Xylenes, Total                        | ND         |           | 20  | 6.6 | ug/L |   |          | 12/14/22 14:21 | 10      |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Client Sample ID: AL-1**

**Lab Sample ID: 480-204719-2**

**Date Collected: 12/13/22 08:50**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 92               |                  | 80 - 120      |                 | 12/14/22 14:21  | 10             |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 102              |                  | 77 - 120      |                 | 12/14/22 14:21  | 10             |
| <i>4-Bromofluorobenzene (Surr)</i>  | 89               |                  | 73 - 120      |                 | 12/14/22 14:21  | 10             |
| <i>Dibromofluoromethane (Surr)</i>  | 96               |                  | 75 - 123      |                 | 12/14/22 14:21  | 10             |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: AL-7

Lab Sample ID: 480-204719-3

Date Collected: 12/13/22 09:16

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,1,1,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 12/14/22 14:43 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 14:43 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 14:43 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 12/14/22 14:43 | 1       |
| Benzene                               | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Chloromethane                         | 0.99   | J         | 1.0 | 0.35 | ug/L |   |          | 12/14/22 14:43 | 1       |
| cis-1,2-Dichloroethene                | 5.3    |           | 1.0 | 0.81 | ug/L |   |          | 12/14/22 14:43 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Cyclohexane                           | ND     |           | 1.0 | 0.18 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 12/14/22 14:43 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 12/14/22 14:43 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Methylcyclohexane                     | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 12/14/22 14:43 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 14:43 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Vinyl chloride                        | 1.4    |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 14:43 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 12/14/22 14:43 | 1       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: AL-7**

**Lab Sample ID: 480-204719-3**

**Date Collected: 12/13/22 09:16**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 91               |                  | 80 - 120      |                 | 12/14/22 14:43  | 1              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 102              |                  | 77 - 120      |                 | 12/14/22 14:43  | 1              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 89               |                  | 73 - 120      |                 | 12/14/22 14:43  | 1              |
| <i>Dibromofluoromethane (Surr)</i>  | 95               |                  | 75 - 123      |                 | 12/14/22 14:43  | 1              |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: MW-9R

Lab Sample ID: 480-204719-4

Date Collected: 12/13/22 09:50

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 10  | 8.2 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,1,1,2-Tetrachloroethane             | ND     |           | 10  | 2.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,1,2-Trichloroethane                 | ND     |           | 10  | 2.3 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 10  | 3.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,1-Dichloroethane                    | ND     |           | 10  | 3.8 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,1-Dichloroethene                    | ND     |           | 10  | 2.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,2,4-Trichlorobenzene                | ND     |           | 10  | 4.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 10  | 3.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,2-Dichlorobenzene                   | ND     |           | 10  | 7.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,2-Dichloroethane                    | ND     |           | 10  | 2.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,2-Dichloropropane                   | ND     |           | 10  | 7.2 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,3-Dichlorobenzene                   | ND     |           | 10  | 7.8 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,4-Dichlorobenzene                   | ND     |           | 10  | 8.4 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 2-Butanone (MEK)                      | ND     |           | 100 | 13  | ug/L |   |          | 12/14/22 15:05 | 10      |
| 2-Hexanone                            | ND     |           | 50  | 12  | ug/L |   |          | 12/14/22 15:05 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 50  | 21  | ug/L |   |          | 12/14/22 15:05 | 10      |
| Acetone                               | ND     |           | 100 | 30  | ug/L |   |          | 12/14/22 15:05 | 10      |
| Benzene                               | ND     |           | 10  | 4.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Bromodichloromethane                  | ND     |           | 10  | 3.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Bromoform                             | ND     |           | 10  | 2.6 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Bromomethane                          | ND     |           | 10  | 6.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Carbon disulfide                      | ND     |           | 10  | 1.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Carbon tetrachloride                  | ND     |           | 10  | 2.7 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Chlorobenzene                         | ND     |           | 10  | 7.5 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Dibromochloromethane                  | ND     |           | 10  | 3.2 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Chloroethane                          | ND     |           | 10  | 3.2 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Chloroform                            | ND     |           | 10  | 3.4 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Chloromethane                         | ND     |           | 10  | 3.5 | ug/L |   |          | 12/14/22 15:05 | 10      |
| cis-1,2-Dichloroethene                | 180    |           | 10  | 8.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| cis-1,3-Dichloropropene               | ND     |           | 10  | 3.6 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Cyclohexane                           | 22     |           | 10  | 1.8 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Dichlorodifluoromethane               | ND     |           | 10  | 6.8 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Ethylbenzene                          | ND     |           | 10  | 7.4 | ug/L |   |          | 12/14/22 15:05 | 10      |
| 1,2-Dibromoethane                     | ND     |           | 10  | 7.3 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Isopropylbenzene                      | ND     |           | 10  | 7.9 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Methyl acetate                        | ND     |           | 25  | 13  | ug/L |   |          | 12/14/22 15:05 | 10      |
| Methyl tert-butyl ether               | ND     |           | 10  | 1.6 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Methylcyclohexane                     | 20     |           | 10  | 1.6 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Methylene Chloride                    | ND     |           | 10  | 4.4 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Styrene                               | ND     |           | 10  | 7.3 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Tetrachloroethene                     | ND     |           | 10  | 3.6 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Toluene                               | ND     |           | 10  | 5.1 | ug/L |   |          | 12/14/22 15:05 | 10      |
| trans-1,2-Dichloroethene              | ND     |           | 10  | 9.0 | ug/L |   |          | 12/14/22 15:05 | 10      |
| trans-1,3-Dichloropropene             | ND     |           | 10  | 3.7 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Trichloroethene                       | ND     |           | 10  | 4.6 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Trichlorofluoromethane                | ND     |           | 10  | 8.8 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Vinyl chloride                        | 430    |           | 10  | 9.0 | ug/L |   |          | 12/14/22 15:05 | 10      |
| Xylenes, Total                        | ND     |           | 20  | 6.6 | ug/L |   |          | 12/14/22 15:05 | 10      |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Client Sample ID: MW-9R**

**Lab Sample ID: 480-204719-4**

**Date Collected: 12/13/22 09:50**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 92               |                  | 80 - 120      |                 | 12/14/22 15:05  | 10             |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 104              |                  | 77 - 120      |                 | 12/14/22 15:05  | 10             |
| <i>4-Bromofluorobenzene (Surr)</i>  | 89               |                  | 73 - 120      |                 | 12/14/22 15:05  | 10             |
| <i>Dibromofluoromethane (Surr)</i>  | 97               |                  | 75 - 123      |                 | 12/14/22 15:05  | 10             |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: EX-MW-11R

Lab Sample ID: 480-204719-5

Date Collected: 12/13/22 10:20

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 100  | 82  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,1,1,2-Tetrachloroethane             | ND     |           | 100  | 21  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,1,2-Trichloroethane                 | ND     |           | 100  | 23  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 100  | 31  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,1-Dichloroethane                    | ND     |           | 100  | 38  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,1-Dichloroethene                    | ND     |           | 100  | 29  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,2,4-Trichlorobenzene                | ND     |           | 100  | 41  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 100  | 39  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,2-Dichlorobenzene                   | ND     |           | 100  | 79  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,2-Dichloroethane                    | ND     |           | 100  | 21  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,2-Dichloropropane                   | ND     |           | 100  | 72  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,3-Dichlorobenzene                   | ND     |           | 100  | 78  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,4-Dichlorobenzene                   | ND     |           | 100  | 84  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 2-Butanone (MEK)                      | ND     |           | 1000 | 130 | ug/L |   |          | 12/14/22 15:27 | 100     |
| 2-Hexanone                            | ND     |           | 500  | 120 | ug/L |   |          | 12/14/22 15:27 | 100     |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 500  | 210 | ug/L |   |          | 12/14/22 15:27 | 100     |
| Acetone                               | ND     |           | 1000 | 300 | ug/L |   |          | 12/14/22 15:27 | 100     |
| Benzene                               | ND     |           | 100  | 41  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Bromodichloromethane                  | ND     |           | 100  | 39  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Bromoform                             | ND     |           | 100  | 26  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Bromomethane                          | ND     |           | 100  | 69  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Carbon disulfide                      | ND     |           | 100  | 19  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Carbon tetrachloride                  | ND     |           | 100  | 27  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Chlorobenzene                         | ND     |           | 100  | 75  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Dibromochloromethane                  | ND     |           | 100  | 32  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Chloroethane                          | ND     |           | 100  | 32  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Chloroform                            | ND     |           | 100  | 34  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Chloromethane                         | ND     |           | 100  | 35  | ug/L |   |          | 12/14/22 15:27 | 100     |
| cis-1,2-Dichloroethene                | 3600   |           | 100  | 81  | ug/L |   |          | 12/14/22 15:27 | 100     |
| cis-1,3-Dichloropropene               | ND     |           | 100  | 36  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Cyclohexane                           | ND     |           | 100  | 18  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Dichlorodifluoromethane               | ND     |           | 100  | 68  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Ethylbenzene                          | ND     |           | 100  | 74  | ug/L |   |          | 12/14/22 15:27 | 100     |
| 1,2-Dibromoethane                     | ND     |           | 100  | 73  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Isopropylbenzene                      | ND     |           | 100  | 79  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Methyl acetate                        | ND     |           | 250  | 130 | ug/L |   |          | 12/14/22 15:27 | 100     |
| Methyl tert-butyl ether               | ND     |           | 100  | 16  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Methylcyclohexane                     | 16 J   |           | 100  | 16  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Methylene Chloride                    | ND     |           | 100  | 44  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Styrene                               | ND     |           | 100  | 73  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Tetrachloroethene                     | ND     |           | 100  | 36  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Toluene                               | ND     |           | 100  | 51  | ug/L |   |          | 12/14/22 15:27 | 100     |
| trans-1,2-Dichloroethene              | ND     |           | 100  | 90  | ug/L |   |          | 12/14/22 15:27 | 100     |
| trans-1,3-Dichloropropene             | ND     |           | 100  | 37  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Trichloroethene                       | 600    |           | 100  | 46  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Trichlorofluoromethane                | ND     |           | 100  | 88  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Vinyl chloride                        | 1100   |           | 100  | 90  | ug/L |   |          | 12/14/22 15:27 | 100     |
| Xylenes, Total                        | ND     |           | 200  | 66  | ug/L |   |          | 12/14/22 15:27 | 100     |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: EX-MW-11R**

**Lab Sample ID: 480-204719-5**

**Date Collected: 12/13/22 10:20**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 91               |                  | 80 - 120      |                 | 12/14/22 15:27  | 100            |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 104              |                  | 77 - 120      |                 | 12/14/22 15:27  | 100            |
| <i>4-Bromofluorobenzene (Surr)</i>  | 88               |                  | 73 - 120      |                 | 12/14/22 15:27  | 100            |
| <i>Dibromofluoromethane (Surr)</i>  | 97               |                  | 75 - 123      |                 | 12/14/22 15:27  | 100            |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: MW-02R

Lab Sample ID: 480-204719-6

Date Collected: 12/13/22 10:45

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result     | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 5.0 | 4.1  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,1,1,2-Tetrachloroethane             | ND         |           | 5.0 | 1.1  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,1,2-Trichloroethane                 | ND         |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 5.0 | 1.6  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,1-Dichloroethane                    | ND         |           | 5.0 | 1.9  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,1-Dichloroethene                    | ND         |           | 5.0 | 1.5  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,2,4-Trichlorobenzene                | ND         |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 5.0 | 2.0  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,2-Dichlorobenzene                   | ND         |           | 5.0 | 4.0  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,2-Dichloroethane                    | ND         |           | 5.0 | 1.1  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,2-Dichloropropane                   | ND         |           | 5.0 | 3.6  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,3-Dichlorobenzene                   | ND         |           | 5.0 | 3.9  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,4-Dichlorobenzene                   | ND         |           | 5.0 | 4.2  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 2-Butanone (MEK)                      | ND         |           | 50  | 6.6  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 2-Hexanone                            | ND         |           | 25  | 6.2  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 25  | 11   | ug/L |   |          | 12/14/22 15:49 | 5       |
| Acetone                               | ND         |           | 50  | 15   | ug/L |   |          | 12/14/22 15:49 | 5       |
| <b>Benzene</b>                        | <b>2.5</b> | <b>J</b>  | 5.0 | 2.1  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Bromodichloromethane                  | ND         |           | 5.0 | 2.0  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Bromoform                             | ND         |           | 5.0 | 1.3  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Bromomethane                          | ND         |           | 5.0 | 3.5  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Carbon disulfide                      | ND         |           | 5.0 | 0.95 | ug/L |   |          | 12/14/22 15:49 | 5       |
| Carbon tetrachloride                  | ND         |           | 5.0 | 1.4  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Chlorobenzene                         | ND         |           | 5.0 | 3.8  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Dibromochloromethane                  | ND         |           | 5.0 | 1.6  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Chloroethane                          | ND         |           | 5.0 | 1.6  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Chloroform                            | ND         |           | 5.0 | 1.7  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Chloromethane                         | ND         |           | 5.0 | 1.8  | ug/L |   |          | 12/14/22 15:49 | 5       |
| <b>cis-1,2-Dichloroethene</b>         | <b>130</b> |           | 5.0 | 4.1  | ug/L |   |          | 12/14/22 15:49 | 5       |
| cis-1,3-Dichloropropene               | ND         |           | 5.0 | 1.8  | ug/L |   |          | 12/14/22 15:49 | 5       |
| <b>Cyclohexane</b>                    | <b>4.5</b> | <b>J</b>  | 5.0 | 0.90 | ug/L |   |          | 12/14/22 15:49 | 5       |
| Dichlorodifluoromethane               | ND         |           | 5.0 | 3.4  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Ethylbenzene                          | ND         |           | 5.0 | 3.7  | ug/L |   |          | 12/14/22 15:49 | 5       |
| 1,2-Dibromoethane                     | ND         |           | 5.0 | 3.7  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Isopropylbenzene                      | ND         |           | 5.0 | 4.0  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Methyl acetate                        | ND         |           | 13  | 6.5  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Methyl tert-butyl ether               | ND         |           | 5.0 | 0.80 | ug/L |   |          | 12/14/22 15:49 | 5       |
| <b>Methylcyclohexane</b>              | <b>3.2</b> | <b>J</b>  | 5.0 | 0.80 | ug/L |   |          | 12/14/22 15:49 | 5       |
| Methylene Chloride                    | ND         |           | 5.0 | 2.2  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Styrene                               | ND         |           | 5.0 | 3.7  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Tetrachloroethene                     | ND         |           | 5.0 | 1.8  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Toluene                               | ND         |           | 5.0 | 2.6  | ug/L |   |          | 12/14/22 15:49 | 5       |
| trans-1,2-Dichloroethene              | ND         |           | 5.0 | 4.5  | ug/L |   |          | 12/14/22 15:49 | 5       |
| trans-1,3-Dichloropropene             | ND         |           | 5.0 | 1.9  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Trichloroethene                       | ND         |           | 5.0 | 2.3  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Trichlorofluoromethane                | ND         |           | 5.0 | 4.4  | ug/L |   |          | 12/14/22 15:49 | 5       |
| <b>Vinyl chloride</b>                 | <b>150</b> |           | 5.0 | 4.5  | ug/L |   |          | 12/14/22 15:49 | 5       |
| Xylenes, Total                        | ND         |           | 10  | 3.3  | ug/L |   |          | 12/14/22 15:49 | 5       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Client Sample ID: MW-02R**

**Lab Sample ID: 480-204719-6**

**Date Collected: 12/13/22 10:45**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 93               |                  | 80 - 120      |                 | 12/14/22 15:49  | 5              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 104              |                  | 77 - 120      |                 | 12/14/22 15:49  | 5              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 90               |                  | 73 - 120      |                 | 12/14/22 15:49  | 5              |
| <i>Dibromofluoromethane (Surr)</i>  | 99               |                  | 75 - 123      |                 | 12/14/22 15:49  | 5              |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: EX-MW-12

Lab Sample ID: 480-204719-7

Date Collected: 12/13/22 11:25

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 12/14/22 16:11 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 16:11 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 16:11 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 12/14/22 16:11 | 1       |
| Benzene                               | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Chloromethane                         | ND     |           | 1.0 | 0.35 | ug/L |   |          | 12/14/22 16:11 | 1       |
| cis-1,2-Dichloroethene                | ND     |           | 1.0 | 0.81 | ug/L |   |          | 12/14/22 16:11 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Cyclohexane                           | ND     |           | 1.0 | 0.18 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 12/14/22 16:11 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 12/14/22 16:11 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Methylcyclohexane                     | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 12/14/22 16:11 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 16:11 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Vinyl chloride                        | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 16:11 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 12/14/22 16:11 | 1       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Client Sample ID: EX-MW-12**

**Lab Sample ID: 480-204719-7**

**Date Collected: 12/13/22 11:25**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 90               |                  | 80 - 120      |                 | 12/14/22 16:11  | 1              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 105              |                  | 77 - 120      |                 | 12/14/22 16:11  | 1              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 87               |                  | 73 - 120      |                 | 12/14/22 16:11  | 1              |
| <i>Dibromofluoromethane (Surr)</i>  | 100              |                  | 75 - 123      |                 | 12/14/22 16:11  | 1              |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: MW-04

Lab Sample ID: 480-204719-8

Date Collected: 12/13/22 11:55

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,1,1,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 12/14/22 16:33 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 16:33 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 16:33 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 12/14/22 16:33 | 1       |
| Benzene                               | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Chloromethane                         | 0.51   | J         | 1.0 | 0.35 | ug/L |   |          | 12/14/22 16:33 | 1       |
| cis-1,2-Dichloroethene                | ND     |           | 1.0 | 0.81 | ug/L |   |          | 12/14/22 16:33 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Cyclohexane                           | ND     |           | 1.0 | 0.18 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 12/14/22 16:33 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 12/14/22 16:33 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Methylcyclohexane                     | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 12/14/22 16:33 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 16:33 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Vinyl chloride                        | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 16:33 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 12/14/22 16:33 | 1       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: MW-04**

**Lab Sample ID: 480-204719-8**

**Date Collected: 12/13/22 11:55**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 91               |                  | 80 - 120      |                 | 12/14/22 16:33  | 1              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 105              |                  | 77 - 120      |                 | 12/14/22 16:33  | 1              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 87               |                  | 73 - 120      |                 | 12/14/22 16:33  | 1              |
| <i>Dibromofluoromethane (Surr)</i>  | 98               |                  | 75 - 123      |                 | 12/14/22 16:33  | 1              |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: MW-07R

Lab Sample ID: 480-204719-9

Date Collected: 12/13/22 12:35

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 10  | 8.2 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,1,2,2-Tetrachloroethane             | ND     |           | 10  | 2.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,1,2-Trichloroethane                 | ND     |           | 10  | 2.3 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 10  | 3.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,1-Dichloroethane                    | ND     |           | 10  | 3.8 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,1-Dichloroethene                    | ND     |           | 10  | 2.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,2,4-Trichlorobenzene                | ND     |           | 10  | 4.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 10  | 3.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,2-Dichlorobenzene                   | ND     |           | 10  | 7.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,2-Dichloroethane                    | ND     |           | 10  | 2.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,2-Dichloropropane                   | ND     |           | 10  | 7.2 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,3-Dichlorobenzene                   | ND     |           | 10  | 7.8 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,4-Dichlorobenzene                   | ND     |           | 10  | 8.4 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 2-Butanone (MEK)                      | ND     |           | 100 | 13  | ug/L |   |          | 12/14/22 16:54 | 10      |
| 2-Hexanone                            | ND     |           | 50  | 12  | ug/L |   |          | 12/14/22 16:54 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 50  | 21  | ug/L |   |          | 12/14/22 16:54 | 10      |
| Acetone                               | ND     |           | 100 | 30  | ug/L |   |          | 12/14/22 16:54 | 10      |
| Benzene                               | ND     |           | 10  | 4.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Bromodichloromethane                  | ND     |           | 10  | 3.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Bromoform                             | ND     |           | 10  | 2.6 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Bromomethane                          | ND     |           | 10  | 6.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Carbon disulfide                      | ND     |           | 10  | 1.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Carbon tetrachloride                  | ND     |           | 10  | 2.7 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Chlorobenzene                         | ND     |           | 10  | 7.5 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Dibromochloromethane                  | ND     |           | 10  | 3.2 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Chloroethane                          | ND     |           | 10  | 3.2 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Chloroform                            | ND     |           | 10  | 3.4 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Chloromethane                         | ND     |           | 10  | 3.5 | ug/L |   |          | 12/14/22 16:54 | 10      |
| cis-1,2-Dichloroethene                | 400    |           | 10  | 8.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| cis-1,3-Dichloropropene               | ND     |           | 10  | 3.6 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Cyclohexane                           | ND     |           | 10  | 1.8 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Dichlorodifluoromethane               | ND     |           | 10  | 6.8 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Ethylbenzene                          | ND     |           | 10  | 7.4 | ug/L |   |          | 12/14/22 16:54 | 10      |
| 1,2-Dibromoethane                     | ND     |           | 10  | 7.3 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Isopropylbenzene                      | ND     |           | 10  | 7.9 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Methyl acetate                        | ND     |           | 25  | 13  | ug/L |   |          | 12/14/22 16:54 | 10      |
| Methyl tert-butyl ether               | ND     |           | 10  | 1.6 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Methylcyclohexane                     | ND     |           | 10  | 1.6 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Methylene Chloride                    | ND     |           | 10  | 4.4 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Styrene                               | ND     |           | 10  | 7.3 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Tetrachloroethene                     | ND     |           | 10  | 3.6 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Toluene                               | ND     |           | 10  | 5.1 | ug/L |   |          | 12/14/22 16:54 | 10      |
| trans-1,2-Dichloroethene              | ND     |           | 10  | 9.0 | ug/L |   |          | 12/14/22 16:54 | 10      |
| trans-1,3-Dichloropropene             | ND     |           | 10  | 3.7 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Trichloroethene                       | ND     |           | 10  | 4.6 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Trichlorofluoromethane                | ND     |           | 10  | 8.8 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Vinyl chloride                        | 140    |           | 10  | 9.0 | ug/L |   |          | 12/14/22 16:54 | 10      |
| Xylenes, Total                        | ND     |           | 20  | 6.6 | ug/L |   |          | 12/14/22 16:54 | 10      |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: MW-07R**

**Lab Sample ID: 480-204719-9**

**Date Collected: 12/13/22 12:35**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 93               |                  | 80 - 120      |                 | 12/14/22 16:54  | 10             |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 104              |                  | 77 - 120      |                 | 12/14/22 16:54  | 10             |
| <i>4-Bromofluorobenzene (Surr)</i>  | 87               |                  | 73 - 120      |                 | 12/14/22 16:54  | 10             |
| <i>Dibromofluoromethane (Surr)</i>  | 96               |                  | 75 - 123      |                 | 12/14/22 16:54  | 10             |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: DUP

Lab Sample ID: 480-204719-11

Date Collected: 12/13/22 00:00

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result     | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 5.0 | 4.1  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,1,1,2-Tetrachloroethane             | ND         |           | 5.0 | 1.1  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,1,2-Trichloroethane                 | ND         |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 5.0 | 1.6  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,1-Dichloroethane                    | ND         |           | 5.0 | 1.9  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,1-Dichloroethene                    | ND         |           | 5.0 | 1.5  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,2,4-Trichlorobenzene                | ND         |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 5.0 | 2.0  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,2-Dichlorobenzene                   | ND         |           | 5.0 | 4.0  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,2-Dichloroethane                    | ND         |           | 5.0 | 1.1  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,2-Dichloropropane                   | ND         |           | 5.0 | 3.6  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,3-Dichlorobenzene                   | ND         |           | 5.0 | 3.9  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,4-Dichlorobenzene                   | ND         |           | 5.0 | 4.2  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 2-Butanone (MEK)                      | ND         |           | 50  | 6.6  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 2-Hexanone                            | ND         |           | 25  | 6.2  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 25  | 11   | ug/L |   |          | 12/14/22 17:38 | 5       |
| Acetone                               | ND         |           | 50  | 15   | ug/L |   |          | 12/14/22 17:38 | 5       |
| <b>Benzene</b>                        | <b>2.5</b> | <b>J</b>  | 5.0 | 2.1  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Bromodichloromethane                  | ND         |           | 5.0 | 2.0  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Bromoform                             | ND         |           | 5.0 | 1.3  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Bromomethane                          | ND         |           | 5.0 | 3.5  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Carbon disulfide                      | ND         |           | 5.0 | 0.95 | ug/L |   |          | 12/14/22 17:38 | 5       |
| Carbon tetrachloride                  | ND         |           | 5.0 | 1.4  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Chlorobenzene                         | ND         |           | 5.0 | 3.8  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Dibromochloromethane                  | ND         |           | 5.0 | 1.6  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Chloroethane                          | ND         |           | 5.0 | 1.6  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Chloroform                            | ND         |           | 5.0 | 1.7  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Chloromethane                         | ND         |           | 5.0 | 1.8  | ug/L |   |          | 12/14/22 17:38 | 5       |
| <b>cis-1,2-Dichloroethene</b>         | <b>150</b> |           | 5.0 | 4.1  | ug/L |   |          | 12/14/22 17:38 | 5       |
| cis-1,3-Dichloropropene               | ND         |           | 5.0 | 1.8  | ug/L |   |          | 12/14/22 17:38 | 5       |
| <b>Cyclohexane</b>                    | <b>5.2</b> |           | 5.0 | 0.90 | ug/L |   |          | 12/14/22 17:38 | 5       |
| Dichlorodifluoromethane               | ND         |           | 5.0 | 3.4  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Ethylbenzene                          | ND         |           | 5.0 | 3.7  | ug/L |   |          | 12/14/22 17:38 | 5       |
| 1,2-Dibromoethane                     | ND         |           | 5.0 | 3.7  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Isopropylbenzene                      | ND         |           | 5.0 | 4.0  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Methyl acetate                        | ND         |           | 13  | 6.5  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Methyl tert-butyl ether               | ND         |           | 5.0 | 0.80 | ug/L |   |          | 12/14/22 17:38 | 5       |
| <b>Methylcyclohexane</b>              | <b>4.1</b> | <b>J</b>  | 5.0 | 0.80 | ug/L |   |          | 12/14/22 17:38 | 5       |
| Methylene Chloride                    | ND         |           | 5.0 | 2.2  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Styrene                               | ND         |           | 5.0 | 3.7  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Tetrachloroethene                     | ND         |           | 5.0 | 1.8  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Toluene                               | ND         |           | 5.0 | 2.6  | ug/L |   |          | 12/14/22 17:38 | 5       |
| trans-1,2-Dichloroethene              | ND         |           | 5.0 | 4.5  | ug/L |   |          | 12/14/22 17:38 | 5       |
| trans-1,3-Dichloropropene             | ND         |           | 5.0 | 1.9  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Trichloroethene                       | ND         |           | 5.0 | 2.3  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Trichlorofluoromethane                | ND         |           | 5.0 | 4.4  | ug/L |   |          | 12/14/22 17:38 | 5       |
| <b>Vinyl chloride</b>                 | <b>180</b> |           | 5.0 | 4.5  | ug/L |   |          | 12/14/22 17:38 | 5       |
| Xylenes, Total                        | ND         |           | 10  | 3.3  | ug/L |   |          | 12/14/22 17:38 | 5       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: DUP**

**Lab Sample ID: 480-204719-11**

**Date Collected: 12/13/22 00:00**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 93               |                  | 80 - 120      |                 | 12/14/22 17:38  | 5              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 105              |                  | 77 - 120      |                 | 12/14/22 17:38  | 5              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 90               |                  | 73 - 120      |                 | 12/14/22 17:38  | 5              |
| <i>Dibromofluoromethane (Surr)</i>  | 98               |                  | 75 - 123      |                 | 12/14/22 17:38  | 5              |



# Client Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-204719-12

Date Collected: 12/13/22 00:00

Matrix: Water

Date Received: 12/13/22 14:00

## Method: SW846 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,1,1,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 12/14/22 18:00 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 12/14/22 18:00 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 12/14/22 18:00 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 12/14/22 18:00 | 1       |
| Benzene                               | ND     |           | 1.0 | 0.41 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Chloromethane                         | ND     |           | 1.0 | 0.35 | ug/L |   |          | 12/14/22 18:00 | 1       |
| cis-1,2-Dichloroethene                | ND     |           | 1.0 | 0.81 | ug/L |   |          | 12/14/22 18:00 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Cyclohexane                           | ND     |           | 1.0 | 0.18 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 12/14/22 18:00 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 12/14/22 18:00 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Methylcyclohexane                     | ND     |           | 1.0 | 0.16 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 12/14/22 18:00 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 18:00 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Vinyl chloride                        | ND     |           | 1.0 | 0.90 | ug/L |   |          | 12/14/22 18:00 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 12/14/22 18:00 | 1       |

Eurofins Buffalo



## Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 480-204719-12**

**Date Collected: 12/13/22 00:00**

**Matrix: Water**

**Date Received: 12/13/22 14:00**

| <i>Surrogate</i>                    | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-------------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| <i>Toluene-d8 (Surr)</i>            | 93               |                  | 80 - 120      |                 | 12/14/22 18:00  | 1              |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 105              |                  | 77 - 120      |                 | 12/14/22 18:00  | 1              |
| <i>4-Bromofluorobenzene (Surr)</i>  | 90               |                  | 73 - 120      |                 | 12/14/22 18:00  | 1              |
| <i>Dibromofluoromethane (Surr)</i>  | 98               |                  | 75 - 123      |                 | 12/14/22 18:00  | 1              |



## Surrogate Summary

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

### Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID    | Client Sample ID   | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                  |
|------------------|--------------------|--|-----------------|-----------------|------------------|
|                  |                    | TOL<br>(80-120)                                | DCA<br>(77-120) | BFB<br>(73-120) | DBFM<br>(75-123) |
| 480-204719-1     | AL-2               | 91   | 104             | 91              | 97               |
| 480-204719-2     | AL-1               | 92   | 102             | 89              | 96               |
| 480-204719-3     | AL-7               | 91   | 102             | 89              | 95               |
| 480-204719-4     | MW-9R              | 92   | 104             | 89              | 97               |
| 480-204719-5     | EX-MW-11R          | 91   | 104             | 88              | 97               |
| 480-204719-6     | MW-02R             | 93   | 104             | 90              | 99               |
| 480-204719-7     | EX-MW-12           | 90   | 105             | 87              | 100              |
| 480-204719-8     | MW-04              | 91   | 105             | 87              | 98               |
| 480-204719-9     | MW-07R             | 93   | 104             | 87              | 96               |
| 480-204719-11    | DUP                | 93   | 105             | 90              | 98               |
| 480-204719-12    | TRIP BLANK         | 93   | 105             | 90              | 98               |
| LCS 480-653342/5 | Lab Control Sample | 94   | 106             | 87              | 97               |
| MB 480-653342/7  | Method Blank       | 91   | 106             | 87              | 100              |

#### Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)



# QC Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-653342/7

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                               | MB Result | MB Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND        |              | 1.0 | 0.82 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,1,1,2-Tetrachloroethane             | ND        |              | 1.0 | 0.21 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,1,2-Trichloroethane                 | ND        |              | 1.0 | 0.23 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND        |              | 1.0 | 0.31 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,1-Dichloroethane                    | ND        |              | 1.0 | 0.38 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,1-Dichloroethene                    | ND        |              | 1.0 | 0.29 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,2,4-Trichlorobenzene                | ND        |              | 1.0 | 0.41 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND        |              | 1.0 | 0.39 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,2-Dichlorobenzene                   | ND        |              | 1.0 | 0.79 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,2-Dichloroethane                    | ND        |              | 1.0 | 0.21 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,2-Dichloropropane                   | ND        |              | 1.0 | 0.72 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,3-Dichlorobenzene                   | ND        |              | 1.0 | 0.78 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,4-Dichlorobenzene                   | ND        |              | 1.0 | 0.84 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 2-Butanone (MEK)                      | ND        |              | 10  | 1.3  | ug/L |   |          | 12/14/22 11:17 | 1       |
| 2-Hexanone                            | ND        |              | 5.0 | 1.2  | ug/L |   |          | 12/14/22 11:17 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND        |              | 5.0 | 2.1  | ug/L |   |          | 12/14/22 11:17 | 1       |
| Acetone                               | ND        |              | 10  | 3.0  | ug/L |   |          | 12/14/22 11:17 | 1       |
| Benzene                               | ND        |              | 1.0 | 0.41 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Bromodichloromethane                  | ND        |              | 1.0 | 0.39 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Bromoform                             | ND        |              | 1.0 | 0.26 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Bromomethane                          | ND        |              | 1.0 | 0.69 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Carbon disulfide                      | ND        |              | 1.0 | 0.19 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Carbon tetrachloride                  | ND        |              | 1.0 | 0.27 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Chlorobenzene                         | ND        |              | 1.0 | 0.75 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Dibromochloromethane                  | ND        |              | 1.0 | 0.32 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Chloroethane                          | ND        |              | 1.0 | 0.32 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Chloroform                            | ND        |              | 1.0 | 0.34 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Chloromethane                         | ND        |              | 1.0 | 0.35 | ug/L |   |          | 12/14/22 11:17 | 1       |
| cis-1,2-Dichloroethene                | ND        |              | 1.0 | 0.81 | ug/L |   |          | 12/14/22 11:17 | 1       |
| cis-1,3-Dichloropropene               | ND        |              | 1.0 | 0.36 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Cyclohexane                           | ND        |              | 1.0 | 0.18 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Dichlorodifluoromethane               | ND        |              | 1.0 | 0.68 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Ethylbenzene                          | ND        |              | 1.0 | 0.74 | ug/L |   |          | 12/14/22 11:17 | 1       |
| 1,2-Dibromoethane                     | ND        |              | 1.0 | 0.73 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Isopropylbenzene                      | ND        |              | 1.0 | 0.79 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Methyl acetate                        | ND        |              | 2.5 | 1.3  | ug/L |   |          | 12/14/22 11:17 | 1       |
| Methyl tert-butyl ether               | ND        |              | 1.0 | 0.16 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Methylcyclohexane                     | ND        |              | 1.0 | 0.16 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Methylene Chloride                    | ND        |              | 1.0 | 0.44 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Styrene                               | ND        |              | 1.0 | 0.73 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Tetrachloroethene                     | ND        |              | 1.0 | 0.36 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Toluene                               | ND        |              | 1.0 | 0.51 | ug/L |   |          | 12/14/22 11:17 | 1       |
| trans-1,2-Dichloroethene              | ND        |              | 1.0 | 0.90 | ug/L |   |          | 12/14/22 11:17 | 1       |
| trans-1,3-Dichloropropene             | ND        |              | 1.0 | 0.37 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Trichloroethene                       | ND        |              | 1.0 | 0.46 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Trichlorofluoromethane                | ND        |              | 1.0 | 0.88 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Vinyl chloride                        | ND        |              | 1.0 | 0.90 | ug/L |   |          | 12/14/22 11:17 | 1       |
| Xylenes, Total                        | ND        |              | 2.0 | 0.66 | ug/L |   |          | 12/14/22 11:17 | 1       |

Eurofins Buffalo



# QC Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-653342/7

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Method Blank

Prep Type: Total/NA

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| Toluene-d8 (Surr)            | 91           |              | 80 - 120 |          | 12/14/22 11:17 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 106          |              | 77 - 120 |          | 12/14/22 11:17 | 1       |
| 4-Bromofluorobenzene (Surr)  | 87           |              | 73 - 120 |          | 12/14/22 11:17 | 1       |
| Dibromofluoromethane (Surr)  | 100          |              | 75 - 123 |          | 12/14/22 11:17 | 1       |

Lab Sample ID: LCS 480-653342/5

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                               | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------------------------|-------------|------------|---------------|------|---|------|-------------|
| 1,1,1-Trichloroethane                 | 25.0        | 25.0       |               | ug/L |   | 100  | 73 - 126    |
| 1,1,1,2,2-Tetrachloroethane           | 25.0        | 25.9       |               | ug/L |   | 104  | 76 - 120    |
| 1,1,1,2-Trichloroethane               | 25.0        | 22.8       |               | ug/L |   | 91   | 76 - 122    |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 25.0        | 24.6       |               | ug/L |   | 98   | 61 - 148    |
| 1,1-Dichloroethane                    | 25.0        | 23.1       |               | ug/L |   | 92   | 77 - 120    |
| 1,1-Dichloroethene                    | 25.0        | 22.2       |               | ug/L |   | 89   | 66 - 127    |
| 1,2,4-Trichlorobenzene                | 25.0        | 24.3       |               | ug/L |   | 97   | 79 - 122    |
| 1,2-Dibromo-3-Chloropropane           | 25.0        | 29.3       |               | ug/L |   | 117  | 56 - 134    |
| 1,2-Dichlorobenzene                   | 25.0        | 24.2       |               | ug/L |   | 97   | 80 - 124    |
| 1,2-Dichloroethane                    | 25.0        | 24.6       |               | ug/L |   | 98   | 75 - 120    |
| 1,2-Dichloropropane                   | 25.0        | 22.0       |               | ug/L |   | 88   | 76 - 120    |
| 1,3-Dichlorobenzene                   | 25.0        | 23.2       |               | ug/L |   | 93   | 77 - 120    |
| 1,4-Dichlorobenzene                   | 25.0        | 23.0       |               | ug/L |   | 92   | 80 - 120    |
| 2-Butanone (MEK)                      | 125         | 132        |               | ug/L |   | 105  | 57 - 140    |
| 2-Hexanone                            | 125         | 150        |               | ug/L |   | 120  | 65 - 127    |
| 4-Methyl-2-pentanone (MIBK)           | 125         | 144        |               | ug/L |   | 115  | 71 - 125    |
| Acetone                               | 125         | 139        |               | ug/L |   | 112  | 56 - 142    |
| Benzene                               | 25.0        | 21.8       |               | ug/L |   | 87   | 71 - 124    |
| Bromodichloromethane                  | 25.0        | 24.8       |               | ug/L |   | 99   | 80 - 122    |
| Bromoform                             | 25.0        | 24.8       |               | ug/L |   | 99   | 61 - 132    |
| Bromomethane                          | 25.0        | 25.4       |               | ug/L |   | 102  | 55 - 144    |
| Carbon disulfide                      | 25.0        | 23.4       |               | ug/L |   | 94   | 59 - 134    |
| Carbon tetrachloride                  | 25.0        | 25.8       |               | ug/L |   | 103  | 72 - 134    |
| Chlorobenzene                         | 25.0        | 21.5       |               | ug/L |   | 86   | 80 - 120    |
| Dibromochloromethane                  | 25.0        | 25.4       |               | ug/L |   | 102  | 75 - 125    |
| Chloroethane                          | 25.0        | 23.9       |               | ug/L |   | 96   | 69 - 136    |
| Chloroform                            | 25.0        | 23.3       |               | ug/L |   | 93   | 73 - 127    |
| Chloromethane                         | 25.0        | 28.5       |               | ug/L |   | 114  | 68 - 124    |
| cis-1,2-Dichloroethene                | 25.0        | 22.1       |               | ug/L |   | 89   | 74 - 124    |
| cis-1,3-Dichloropropene               | 25.0        | 23.0       |               | ug/L |   | 92   | 74 - 124    |
| Cyclohexane                           | 25.0        | 25.1       |               | ug/L |   | 100  | 59 - 135    |
| Dichlorodifluoromethane               | 25.0        | 32.1       |               | ug/L |   | 128  | 59 - 135    |
| Ethylbenzene                          | 25.0        | 22.6       |               | ug/L |   | 90   | 77 - 123    |
| 1,2-Dibromoethane                     | 25.0        | 23.0       |               | ug/L |   | 92   | 77 - 120    |
| Isopropylbenzene                      | 25.0        | 24.4       |               | ug/L |   | 97   | 77 - 122    |
| Methyl acetate                        | 50.0        | 55.1       |               | ug/L |   | 110  | 74 - 133    |
| Methyl tert-butyl ether               | 25.0        | 23.6       |               | ug/L |   | 95   | 77 - 120    |
| Methylcyclohexane                     | 25.0        | 23.0       |               | ug/L |   | 92   | 68 - 134    |

Eurofins Buffalo



# QC Sample Results

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-653342/5

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                   | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------------|-------------|------------|---------------|------|---|------|-------------|
| Methylene Chloride        | 25.0        | 22.9       |               | ug/L |   | 92   | 75 - 124    |
| Styrene                   | 25.0        | 22.3       |               | ug/L |   | 89   | 80 - 120    |
| Tetrachloroethene         | 25.0        | 21.9       |               | ug/L |   | 87   | 74 - 122    |
| Toluene                   | 25.0        | 21.8       |               | ug/L |   | 87   | 80 - 122    |
| trans-1,2-Dichloroethene  | 25.0        | 22.4       |               | ug/L |   | 90   | 73 - 127    |
| trans-1,3-Dichloropropene | 25.0        | 24.7       |               | ug/L |   | 99   | 80 - 120    |
| Trichloroethene           | 25.0        | 22.2       |               | ug/L |   | 89   | 74 - 123    |
| Trichlorofluoromethane    | 25.0        | 30.4       |               | ug/L |   | 122  | 62 - 150    |
| Vinyl chloride            | 25.0        | 25.7       |               | ug/L |   | 103  | 65 - 133    |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| Toluene-d8 (Surr)            | 94            |               | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 106           |               | 77 - 120 |
| 4-Bromofluorobenzene (Surr)  | 87            |               | 73 - 120 |
| Dibromofluoromethane (Surr)  | 97            |               | 75 - 123 |



## QC Association Summary

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

### GC/MS VOA

#### Analysis Batch: 653342

| Lab Sample ID    | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 480-204719-1     | AL-2               | Total/NA  | Water  | 8260C  |            |
| 480-204719-2     | AL-1               | Total/NA  | Water  | 8260C  |            |
| 480-204719-3     | AL-7               | Total/NA  | Water  | 8260C  |            |
| 480-204719-4     | MW-9R              | Total/NA  | Water  | 8260C  |            |
| 480-204719-5     | EX-MW-11R          | Total/NA  | Water  | 8260C  |            |
| 480-204719-6     | MW-02R             | Total/NA  | Water  | 8260C  |            |
| 480-204719-7     | EX-MW-12           | Total/NA  | Water  | 8260C  |            |
| 480-204719-8     | MW-04              | Total/NA  | Water  | 8260C  |            |
| 480-204719-9     | MW-07R             | Total/NA  | Water  | 8260C  |            |
| 480-204719-11    | DUP                | Total/NA  | Water  | 8260C  |            |
| 480-204719-12    | TRIP BLANK         | Total/NA  | Water  | 8260C  |            |
| MB 480-653342/7  | Method Blank       | Total/NA  | Water  | 8260C  |            |
| LCS 480-653342/5 | Lab Control Sample | Total/NA  | Water  | 8260C  |            |



# Lab Chronicle

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Client Sample ID: AL-2**

**Date Collected: 12/13/22 08:25**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-1**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 653342       | AXK     | EET BUF | 12/14/22 13:59       |

**Client Sample ID: AL-1**

**Date Collected: 12/13/22 08:50**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-2**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 653342       | AXK     | EET BUF | 12/14/22 14:21       |

**Client Sample ID: AL-7**

**Date Collected: 12/13/22 09:16**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-3**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 653342       | AXK     | EET BUF | 12/14/22 14:43       |

**Client Sample ID: MW-9R**

**Date Collected: 12/13/22 09:50**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-4**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 653342       | AXK     | EET BUF | 12/14/22 15:05       |

**Client Sample ID: EX-MW-11R**

**Date Collected: 12/13/22 10:20**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-5**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 100             | 653342       | AXK     | EET BUF | 12/14/22 15:27       |

**Client Sample ID: MW-02R**

**Date Collected: 12/13/22 10:45**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-6**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 5               | 653342       | AXK     | EET BUF | 12/14/22 15:49       |

**Client Sample ID: EX-MW-12**

**Date Collected: 12/13/22 11:25**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-7**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 653342       | AXK     | EET BUF | 12/14/22 16:11       |

Eurofins Buffalo



## Lab Chronicle

Client: LaBella Associates DPC  
Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-1

**Client Sample ID: MW-04**

**Date Collected: 12/13/22 11:55**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-8**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 653342       | AXK     | EET BUF | 12/14/22 16:33       |

**Client Sample ID: MW-07R**

**Date Collected: 12/13/22 12:35**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-9**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 653342       | AXK     | EET BUF | 12/14/22 16:54       |

**Client Sample ID: DUP**

**Date Collected: 12/13/22 00:00**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-11**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 5               | 653342       | AXK     | EET BUF | 12/14/22 17:38       |

**Client Sample ID: TRIP BLANK**

**Date Collected: 12/13/22 00:00**

**Date Received: 12/13/22 14:00**

**Lab Sample ID: 480-204719-12**

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 653342       | AXK     | EET BUF | 12/14/22 18:00       |

### Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



## Accreditation/Certification Summary

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

### Laboratory: Eurofins Buffalo

The accreditations/certifications listed below are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York  | NELAP   | 10026                 | 03-31-23        |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



## Method Summary

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

| Method | Method Description                  | Protocol | Laboratory |
|--------|-------------------------------------|----------|------------|
| 8260C  | Volatile Organic Compounds by GC/MS | SW846    | EET BUF    |
| 5030C  | Purge and Trap                      | SW846    | EET BUF    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



## Sample Summary

Client: LaBella Associates DPC

Job ID: 480-204719-1

Project/Site: Alumax & Roblin Periodic Review Reports

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 480-204719-1  | AL-2             | Water  | 12/13/22 08:25 | 12/13/22 14:00 |
| 480-204719-2  | AL-1             | Water  | 12/13/22 08:50 | 12/13/22 14:00 |
| 480-204719-3  | AL-7             | Water  | 12/13/22 09:16 | 12/13/22 14:00 |
| 480-204719-4  | MW-9R            | Water  | 12/13/22 09:50 | 12/13/22 14:00 |
| 480-204719-5  | EX-MW-11R        | Water  | 12/13/22 10:20 | 12/13/22 14:00 |
| 480-204719-6  | MW-02R           | Water  | 12/13/22 10:45 | 12/13/22 14:00 |
| 480-204719-7  | EX-MW-12         | Water  | 12/13/22 11:25 | 12/13/22 14:00 |
| 480-204719-8  | MW-04            | Water  | 12/13/22 11:55 | 12/13/22 14:00 |
| 480-204719-9  | MW-07R           | Water  | 12/13/22 12:35 | 12/13/22 14:00 |
| 480-204719-11 | DUP              | Water  | 12/13/22 00:00 | 12/13/22 14:00 |
| 480-204719-12 | TRIP BLANK       | Water  | 12/13/22 00:00 | 12/13/22 14:00 |



Amherst, NY 14228-2223  
phone 716.691.2600 fax 716.691.7991

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

**Eurofins Environment Testing America**

|  |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
|--|--|--|--|---|--|--|--|----------------------------|--|--|--|------------------------------|--|-----------------------------|--|-------------------------------|--|
| <b>Client Contact</b><br>LaBella Associates<br>300 Pearl Street Suite 130<br>Buffalo, NY<br>(716) 551-6281 Phone<br>Project Name: Former Roblin Steel and Alumax Sites<br>Site:<br>P O #   |  | <b>Project Manager: Chris Kibler</b><br>Email: ckibler@labellapc.com<br>Tel/Fax:<br><b>Analysis Turnaround Time</b><br><input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS<br>TAT if different from Below _____<br><input type="checkbox"/> 2 weeks<br><input type="checkbox"/> 1 week <i>Standard</i><br><input type="checkbox"/> 2 days<br><input type="checkbox"/> 1 day |  | <b>Site Contact:</b><br><b>Lab Contact:</b><br><b>Date:</b> 12/13/22<br><b>Carrier:</b> |  | <b>COC No:</b> _____ of _____ COCs<br><b>TALS Project #:</b><br><b>Sampler:</b><br><b>For Lab Use Only:</b><br>Walk-in Client: <input type="checkbox"/><br>Lab Sampling: <input type="checkbox"/><br><b>Job / SDG No.:</b> |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <b>Sample Identification</b>   |  | <b>Sample Date</b>   |  | <b>Sample Time</b>  |  | <b>Sample Type</b><br>(C=Comp, G=Grab)   |  | <b>Matrix</b>              |  | <b># of Cont.</b>                      |  | <b>Filtered Sample (Y/N)</b> |  | <b>Perform MS/MSD (Y/N)</b> |  | <b>Sample Specific Notes:</b> |  |
| <del>AAW-13</del>  |  | <del>12/22</del>   |  | <del>1315</del>   |  | <del>G</del>   |  | <del>H2O</del>             |  | <del>3</del>                           |  | <del>X</del>                 |  | <del>X</del>                |  |                               |  |
| AL-2   |  | 12/13  |  | 0825  |  | G  |  | H2O                        |  | 3                                      |  | X                            |  | X                           |  |                               |  |
| AL-1   |  |  |  | 0850  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| AL-7   |  |  |  | 0916  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| MW-9R  |  |  |  | 0950  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| Ex-MW-11R  |  |  |  | 1020  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| MW-02R   |  |  |  | 1045  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| Ex-MW-12   |  |  |  | 1125  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| MW-04  |  |  |  | 1155  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| MW-07R   |  |  |  | 1235  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| MW-13  |  |  |  | 1315  |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| DUP  |  |  |  | -   |  |  |  |                            |  |  |  | X                            |  |                             |  |                               |  |
| <b>Preservation Used:</b> 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other   |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <b>Possible Hazard Identification:</b><br>Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.                                    |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown  |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b><br><input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <b>Special Instructions/QC Requirements &amp; Comments:</b><br>Analyze Trip blank for VOCs-8260  |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <b>Custody Seals Intact:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <b>Custody Seal No.:</b> <b>Cooler Temp. (°C):</b> Obs'd: 3.4 <b>Therm ID No.:</b> #1  |  |  |  |   |  |  |  |                            |  |  |  |                              |  |                             |  |                               |  |
| <b>Relinquished by:</b> <i>Chris Kibler</i>  |  | <b>Company:</b> <i>LaBella</i>   |  | <b>Date/Time:</b> <i>12/13/22</i>   |  | <b>Received by:</b>  |  | <b>Company:</b>            |  | <b>Date/Time:</b>                      |  |                              |  |                             |  |                               |  |
| <b>Relinquished by:</b>  |  | <b>Company:</b>  |  | <b>Date/Time:</b>   |  | <b>Received by:</b>  |  | <b>Company:</b>            |  | <b>Date/Time:</b>                      |  |                              |  |                             |  |                               |  |
| <b>Relinquished by:</b>  |  | <b>Company:</b>  |  | <b>Date/Time:</b>   |  | <b>Received in Laboratory by:</b> <i>[Signature]</i>   |  | <b>Company:</b> <i>TAB</i> |  | <b>Date/Time:</b> <i>12/13-22 1400</i> |  |                              |  |                             |  |                               |  |