

From: <edetweiler@luengineers.com>
To: <flsowers@gw.dec.state.ny.us>
CC: <gregandrus@luengineers.com>, <JAlbert@monroecounty.gov>
Date: 7/16/2007 4:43 PM
Subject: Progress Report - Former Churchville Ford Site
Attachments: LE06-166.pdf

Hello Mr. Sowers,

The following is our progress report for the former Churchville Ford site through June 30, 2007.

1. Field Work Completed:

A second round of groundwater sampling was performed on 6/14/07 and 6/15/07. All nine wells on site were purged & sampled as part of this effort. Aquifer testing was also performed on wells MW-1, MW-13 and MW-JCL-2 on those same days.

2. Sample Results:

Sample analytical results are attached for the above-referenced groundwater samples collected in June. Aquifer testing results are currently being reviewed.

3. Reports completed to date:

Lu Engineers has not yet generated any reports for the subject site.

4. Actions scheduled for July, 2007:

Submit & await NYSDEC approval of sodium permanganate injection IRM Work Plan. Further review of aquifer testing data and calculation of hydraulic conductivity for the site. Begin work on Investigation Report.

5. Potential future scheduling delays or related issues:

No delays are anticipated at the present time.

Please call or email with any questions that you may have.

Regards,

Eric Detweiler
Geologist
Lu Engineers
2230 Penfield Rd.
Penfield, NY 14526
phone(585)377-1450 ext. 1227
fax(585)377-1266
edetweiler@luengineers.com

This e-mail was scanned for viruses using BitDefender

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-001

Client Sample ID: MW-1
Collection Date: 6/15/2007 10:07:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 4:30:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 4:30:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 4:30:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 4:30:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 4:30:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 4:30:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 4:30:00 PM

Approved By: _____**Date:** _____

Page 1 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-001

Client Sample ID: MW-1
Collection Date: 6/15/2007 10:07:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 4:30:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 4:30:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 4:30:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 4:30:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 4:30:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 4:30:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 4:30:00 PM
TIC: unknown (13.83)	20	0		µg/L	1	6/29/2007 4:30:00 PM
TIC: unknown (14.73)	2.6	0		µg/L	1	6/29/2007 4:30:00 PM
TIC: unknown (22.22)	2.6	0		µg/L	1	6/29/2007 4:30:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Vinyl chloride	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Bromomethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Chloroethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Acetone	ND	50		µg/L	5	6/19/2007 12:45:00 PM
1,1-Dichloroethene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Carbon disulfide	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Methylene chloride	ND	50		µg/L	5	6/19/2007 12:45:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	5	6/19/2007 12:45:00 PM

Approved By: _____**Date:** _____

Page 2 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-001

Client Sample ID: MW-1
Collection Date: 6/15/2007 10:07:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
1,1-Dichloroethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
2-Butanone	ND	50		µg/L	5	6/19/2007 12:45:00 PM
cis-1,2-Dichloroethene	620	50		µg/L	5	6/19/2007 12:45:00 PM
Chloroform	ND	50		µg/L	5	6/19/2007 12:45:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Carbon tetrachloride	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Benzene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
1,2-Dichloroethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Trichloroethene	20	50	J	µg/L	5	6/19/2007 12:45:00 PM
1,2-Dichloropropane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Bromodichloromethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	5	6/19/2007 12:45:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Toluene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
2-Hexanone	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Tetrachloroethene	10	50	J	µg/L	5	6/19/2007 12:45:00 PM
Dibromochloromethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Chlorobenzene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Ethylbenzene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
m,p-Xylene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
o-Xylene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Styrene	ND	50		µg/L	5	6/19/2007 12:45:00 PM
Bromoform	ND	50		µg/L	5	6/19/2007 12:45:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	5	6/19/2007 12:45:00 PM
TIC: 1H-Indene, 1-methylene-	34	0		µg/L	5	6/19/2007 12:45:00 PM
TIC: unknown	30	0		µg/L	5	6/19/2007 12:45:00 PM

NOTES:

The reporting limits were raised due to the high concentration of target compounds.

Approved By: _____**Date:** _____

Page 3 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-002

Client Sample ID: MW-3
Collection Date: 6/14/2007 4:22:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 5:13:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 5:13:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 5:13:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 5:13:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 5:13:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 5:13:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 5:13:00 PM

Approved By: _____**Date:** _____

Page 4 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-002

Client Sample ID: MW-3
Collection Date: 6/14/2007 4:22:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 5:13:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 5:13:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 5:13:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 5:13:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 5:13:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 5:13:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 5:13:00 PM
TIC: unknown	20	0	B	µg/L	1	6/29/2007 5:13:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Vinyl chloride	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Bromomethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Chloroethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Acetone	ND	50		µg/L	5	6/19/2007 1:34:00 PM
1,1-Dichloroethene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Carbon disulfide	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Methylene chloride	ND	50		µg/L	5	6/19/2007 1:34:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
1,1-Dichloroethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
2-Butanone	ND	50		µg/L	5	6/19/2007 1:34:00 PM

Approved By: _____**Date:** _____

Page 5 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-002

Client Sample ID: MW-3
Collection Date: 6/14/2007 4:22:00 PM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
cis-1,2-Dichloroethene	310	50		µg/L	5	6/19/2007 1:34:00 PM
Chloroform	ND	50		µg/L	5	6/19/2007 1:34:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Carbon tetrachloride	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Benzene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
1,2-Dichloroethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Trichloroethene	360	50		µg/L	5	6/19/2007 1:34:00 PM
1,2-Dichloropropane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Bromodichloromethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	5	6/19/2007 1:34:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Toluene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
2-Hexanone	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Tetrachloroethene	470	50		µg/L	5	6/19/2007 1:34:00 PM
Dibromochloromethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Chlorobenzene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Ethylbenzene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
m,p-Xylene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
o-Xylene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Styrene	ND	50		µg/L	5	6/19/2007 1:34:00 PM
Bromoform	ND	50		µg/L	5	6/19/2007 1:34:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	5	6/19/2007 1:34:00 PM

NOTES:

The reporting limits were raised due to the high concentration of target compounds.

TICS: No compounds were detected.

Approved By: _____**Date:** _____

Page 6 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-003

Client Sample ID: MW-6
Collection Date: 6/15/2007 1:12:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 5:57:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 5:57:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 5:57:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 5:57:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 5:57:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 5:57:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 5:57:00 PM

Approved By: _____**Date:** _____

Page 7 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-003

Client Sample ID: MW-6
Collection Date: 6/15/2007 1:12:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 5:57:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 5:57:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 5:57:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 5:57:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 5:57:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 5:57:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 5:57:00 PM

NOTES:

TICS: No compounds were detected.

ASP/CLP TCL VOLATILE WATER		SW8260B			Analyst: MRN
Chloromethane	ND	10	µg/L	1	6/19/2007 2:22:00 PM
Vinyl chloride	ND	10	µg/L	1	6/19/2007 2:22:00 PM
Bromomethane	ND	10	µg/L	1	6/19/2007 2:22:00 PM
Chloroethane	ND	10	µg/L	1	6/19/2007 2:22:00 PM
Acetone	ND	10	µg/L	1	6/19/2007 2:22:00 PM
1,1-Dichloroethene	ND	10	µg/L	1	6/19/2007 2:22:00 PM
Carbon disulfide	ND	10	µg/L	1	6/19/2007 2:22:00 PM
Methylene chloride	ND	10	µg/L	1	6/19/2007 2:22:00 PM
trans-1,2-Dichloroethene	ND	10	µg/L	1	6/19/2007 2:22:00 PM
1,1-Dichloroethane	ND	10	µg/L	1	6/19/2007 2:22:00 PM

Approved By: _____**Date:** _____

Page 8 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-003

Client Sample ID: MW-6
Collection Date: 6/15/2007 1:12:00 PM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
2-Butanone	ND	10		µg/L	1	6/19/2007 2:22:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Chloroform	ND	10		µg/L	1	6/19/2007 2:22:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Benzene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Trichloroethene	8	10	J	µg/L	1	6/19/2007 2:22:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/19/2007 2:22:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Toluene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
2-Hexanone	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Tetrachloroethene	35	10		µg/L	1	6/19/2007 2:22:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Chlorobenzene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Ethylbenzene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
m,p-Xylene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
o-Xylene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Styrene	ND	10		µg/L	1	6/19/2007 2:22:00 PM
Bromoform	ND	10		µg/L	1	6/19/2007 2:22:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/19/2007 2:22:00 PM
TIC: unknown	7.0	0		µg/L	1	6/19/2007 2:22:00 PM

Approved By: _____**Date:** _____

Page 9 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-004

Client Sample ID: MW-13
Collection Date: 6/15/2007 10:06:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 6:40:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 6:40:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 6:40:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 6:40:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 6:40:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 6:40:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 6:40:00 PM

Approved By: _____**Date:** _____

Page 10 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-004

Client Sample ID: MW-13
Collection Date: 6/15/2007 10:06:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 6:40:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 6:40:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 6:40:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 6:40:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 6:40:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 6:40:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.14)	20	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.3)	11	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.41)	29	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.53)	18	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.66)	8.1	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.92)	39	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (13.98)	64	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (14.25)	10	0		µg/L	1	6/29/2007 6:40:00 PM
TIC: unknown (14.29)	11	0		µg/L	1	6/29/2007 6:40:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Vinyl chloride	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Bromomethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM

Approved By: _____**Date:** _____

Page 11 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-004

Client Sample ID: MW-13
Collection Date: 6/15/2007 10:06:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
Chloroethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Acetone	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Carbon disulfide	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Methylene chloride	ND	10		µg/L	1	6/18/2007 2:57:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
2-Butanone	ND	10		µg/L	1	6/18/2007 2:57:00 PM
cis-1,2-Dichloroethene	1	10	J	µg/L	1	6/18/2007 2:57:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Trichloroethene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 2:57:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 2:57:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 2:57:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 2:57:00 PM
TIC: unknown	5.3	0		µg/L	1	6/18/2007 2:57:00 PM

Approved By: _____**Date:** _____

Page 12 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-005

Client Sample ID: MW-21
Collection Date: 6/15/2007 10:30:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 7:23:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 7:23:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 7:23:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 7:23:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 7:23:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 7:23:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 7:23:00 PM

Approved By: _____**Date:** _____

Page 13 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-005

Client Sample ID: MW-21
Collection Date: 6/15/2007 10:30:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 7:23:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 7:23:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 7:23:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 7:23:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 7:23:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 7:23:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 7:23:00 PM
TIC: unknown (16.9)	2.6	0		µg/L	1	6/29/2007 7:23:00 PM
TIC: unknown (22.3)	7.5	0		µg/L	1	6/29/2007 7:23:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Vinyl chloride	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Bromomethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Chloroethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Acetone	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Carbon disulfide	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Methylene chloride	ND	10		µg/L	1	6/18/2007 3:46:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM

Approved By: _____**Date:** _____

Page 14 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-005

Client Sample ID: MW-21
Collection Date: 6/15/2007 10:30:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
2-Butanone	ND	10		µg/L	1	6/18/2007 3:46:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Trichloroethene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 3:46:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 3:46:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 3:46:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 3:46:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____**Date:** _____

Page 15 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-006

Client Sample ID: MW-22
Collection Date: 6/15/2007 12:57:00 PM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 8:06:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 8:06:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 8:06:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 8:06:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 8:06:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 8:06:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 8:06:00 PM

Approved By: _____**Date:** _____

Page 16 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-006

Client Sample ID: MW-22
Collection Date: 6/15/2007 12:57:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 8:06:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 8:06:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 8:06:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 8:06:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 8:06:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 8:06:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 8:06:00 PM
TIC: Methane, triiodo-	53	0		µg/L	1	6/29/2007 8:06:00 PM
TIC: unknown (13.51)	20	0		µg/L	1	6/29/2007 8:06:00 PM
TIC: unknown (14.32)	19	0		µg/L	1	6/29/2007 8:06:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Vinyl chloride	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Bromomethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Chloroethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Acetone	ND	10		µg/L	1	6/18/2007 4:34:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Carbon disulfide	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Methylene chloride	ND	10		µg/L	1	6/18/2007 4:34:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 4:34:00 PM

Approved By: _____**Date:** _____

Page 17 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-006

Client Sample ID: MW-22
Collection Date: 6/15/2007 12:57:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
1,1-Dichloroethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
2-Butanone	ND	10		µg/L	1	6/18/2007 4:34:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 4:34:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Trichloroethene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 4:34:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 4:34:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 4:34:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 4:34:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____**Date:** _____

Page 18 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-007

Client Sample ID: MW-JCL-1
Collection Date: 6/15/2007 10:40:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 8:49:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 8:49:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 8:49:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 8:49:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 8:49:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 8:49:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 8:49:00 PM

Approved By: _____**Date:** _____

Page 19 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-007

Client Sample ID: MW-JCL-1
Collection Date: 6/15/2007 10:40:00 AM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 8:49:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 8:49:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 8:49:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 8:49:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Bis(2-ethylhexyl)phthalate	2	10	J	µg/L	1	6/29/2007 8:49:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 8:49:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 8:49:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 8:49:00 PM
TIC: Caprolactam	20	0		µg/L	1	6/29/2007 8:49:00 PM
TIC: unknown	9.1	0	B	µg/L	1	6/29/2007 8:49:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Vinyl chloride	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Bromomethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Chloroethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Acetone	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Carbon disulfide	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Methylene chloride	ND	10		µg/L	1	6/18/2007 5:23:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM

Approved By: _____**Date:** _____

Page 20 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-007

Client Sample ID: MW-JCL-1
Collection Date: 6/15/2007 10:40:00 AM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
2-Butanone	ND	10		µg/L	1	6/18/2007 5:23:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Trichloroethene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 5:23:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 5:23:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 5:23:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 5:23:00 PM
TIC: unknown	5.4	0		µg/L	1	6/18/2007 5:23:00 PM

Approved By: _____**Date:** _____

Page 21 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-008

Client Sample ID: MW-JCL-2
Collection Date: 6/14/2007 4:28:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 9:33:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 9:33:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 9:33:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 9:33:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 9:33:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 9:33:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 9:33:00 PM

Approved By: _____**Date:** _____

Page 22 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-008

Client Sample ID: MW-JCL-2
Collection Date: 6/14/2007 4:28:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 9:33:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 9:33:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 9:33:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 9:33:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 9:33:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 9:33:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 9:33:00 PM
TIC: unknown (13.51)	20	0		µg/L	1	6/29/2007 9:33:00 PM
TIC: unknown (13.99)	11	0		µg/L	1	6/29/2007 9:33:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Vinyl chloride	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Bromomethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Chloroethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Acetone	ND	10		µg/L	1	6/18/2007 6:12:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Carbon disulfide	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Methylene chloride	ND	10		µg/L	1	6/18/2007 6:12:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM

Approved By: _____**Date:** _____

Page 23 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-008

Client Sample ID: MW-JCL-2
Collection Date: 6/14/2007 4:28:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
2-Butanone	ND	10		µg/L	1	6/18/2007 6:12:00 PM
cis-1,2-Dichloroethene	60	10		µg/L	1	6/18/2007 6:12:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 6:12:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Trichloroethene	42	10		µg/L	1	6/18/2007 6:12:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 6:12:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Tetrachloroethene	32	10		µg/L	1	6/18/2007 6:12:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 6:12:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 6:12:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 6:12:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____**Date:** _____

Page 24 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-009

Client Sample ID: MW-JCL-3
Collection Date: 6/15/2007 1:15:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
Phenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2-Chlorophenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2-Methylphenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Hexachloroethane	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Nitrobenzene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Isophorone	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2-Nitrophenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Naphthalene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
4-Chloroaniline	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2-Nitroaniline	ND	24		µg/L	1	6/29/2007 10:16:00 PM
Dimethyl phthalate	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Acenaphthylene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
3-Nitroaniline	ND	24		µg/L	1	6/29/2007 10:16:00 PM
Acenaphthene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	6/29/2007 10:16:00 PM
4-Nitrophenol	ND	24		µg/L	1	6/29/2007 10:16:00 PM
Dibenzofuran	ND	10		µg/L	1	6/29/2007 10:16:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Diethyl phthalate	ND	10		µg/L	1	6/29/2007 10:16:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Fluorene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
4-Nitroaniline	ND	24		µg/L	1	6/29/2007 10:16:00 PM

Approved By: _____**Date:** _____

Page 25 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-009

Client Sample ID: MW-JCL-3
Collection Date: 6/15/2007 1:15:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: KL
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	6/29/2007 10:16:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	6/29/2007 10:16:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Hexachlorobenzene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Pentachlorophenol	ND	24		µg/L	1	6/29/2007 10:16:00 PM
Phenanthrene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Anthracene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Carbazole	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Fluoranthene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Pyrene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	6/29/2007 10:16:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Benz(a)anthracene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Chrysene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	6/29/2007 10:16:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	6/29/2007 10:16:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	6/29/2007 10:16:00 PM
TIC: Caprolactam	1100	0		µg/L	1	6/29/2007 10:16:00 PM
TIC: Nonadecane	2.2	0		µg/L	1	6/29/2007 10:16:00 PM
TIC: Phenol, 2,4-bis(1,1-dimethylethyl)-	2.1	0		µg/L	1	6/29/2007 10:16:00 PM
TIC: unknown (13.52)	20	0		µg/L	1	6/29/2007 10:16:00 PM
TIC: unknown (25.31)	2.1	0		µg/L	1	6/29/2007 10:16:00 PM
ASP/CLP TCL VOLATILE WATER		SW8260B				Analyst: MRN
Chloromethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Vinyl chloride	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Bromomethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Chloroethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Acetone	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Carbon disulfide	ND	10		µg/L	1	6/19/2007 3:10:00 PM

Approved By: _____

Date: _____

Page 26 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-009

Client Sample ID: MW-JCL-3
Collection Date: 6/15/2007 1:15:00 PM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
Methylene chloride	ND	10		µg/L	1	6/19/2007 3:10:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
2-Butanone	ND	10		µg/L	1	6/19/2007 3:10:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Chloroform	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Benzene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Trichloroethene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/19/2007 3:10:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Toluene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
2-Hexanone	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Chlorobenzene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Ethylbenzene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
m,p-Xylene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
o-Xylene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Styrene	ND	10		µg/L	1	6/19/2007 3:10:00 PM
Bromoform	ND	10		µg/L	1	6/19/2007 3:10:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/19/2007 3:10:00 PM
TIC: unknown	5.9	0		µg/L	1	6/19/2007 3:10:00 PM

Approved By: _____**Date:** _____

Page 27 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-011

Client Sample ID: FB-3
Collection Date: 6/14/2007 4:15:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: LD
Phenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2-Chlorophenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2-Methylphenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Hexachloroethane	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Nitrobenzene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Isophorone	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2-Nitrophenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Naphthalene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
4-Chloroaniline	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2-Nitroaniline	ND	24		µg/L	1	7/2/2007 6:24:00 PM
Dimethyl phthalate	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Acenaphthylene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
3-Nitroaniline	ND	24		µg/L	1	7/2/2007 6:24:00 PM
Acenaphthene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	7/2/2007 6:24:00 PM
4-Nitrophenol	ND	24		µg/L	1	7/2/2007 6:24:00 PM
Dibenzofuran	ND	10		µg/L	1	7/2/2007 6:24:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Diethyl phthalate	ND	10		µg/L	1	7/2/2007 6:24:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Fluorene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
4-Nitroaniline	ND	24		µg/L	1	7/2/2007 6:24:00 PM

Approved By: _____**Date:** _____

Page 28 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-011

Client Sample ID: FB-3
Collection Date: 6/14/2007 4:15:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)	Analyst: LD	
4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	7/2/2007 6:24:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	7/2/2007 6:24:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Hexachlorobenzene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Pentachlorophenol	ND	24		µg/L	1	7/2/2007 6:24:00 PM
Phenanthrene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Anthracene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Carbazole	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Fluoranthene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Pyrene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	7/2/2007 6:24:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Benz(a)anthracene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Chrysene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	7/2/2007 6:24:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	7/2/2007 6:24:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	7/2/2007 6:24:00 PM
TIC: Phenol, 2,4-bis(1,1-dimethylethyl)-	8.8	0		µg/L	1	7/2/2007 6:24:00 PM

ASP/CLP TCL VOLATILE WATER		SW8260B			Analyst: MRN
Chloromethane	ND	10	µg/L	1	6/18/2007 7:00:00 PM
Vinyl chloride	ND	10	µg/L	1	6/18/2007 7:00:00 PM
Bromomethane	ND	10	µg/L	1	6/18/2007 7:00:00 PM
Chloroethane	ND	10	µg/L	1	6/18/2007 7:00:00 PM
Acetone	ND	10	µg/L	1	6/18/2007 7:00:00 PM
1,1-Dichloroethene	ND	10	µg/L	1	6/18/2007 7:00:00 PM
Carbon disulfide	ND	10	µg/L	1	6/18/2007 7:00:00 PM
Methylene chloride	ND	10	µg/L	1	6/18/2007 7:00:00 PM
trans-1,2-Dichloroethene	ND	10	µg/L	1	6/18/2007 7:00:00 PM
1,1-Dichloroethane	ND	10	µg/L	1	6/18/2007 7:00:00 PM
2-Butanone	ND	10	µg/L	1	6/18/2007 7:00:00 PM

Approved By: _____

Date: _____

Page 29 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-011

Client Sample ID: FB-3
Collection Date: 6/14/2007 4:15:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 7:00:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Trichloroethene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 7:00:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 7:00:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 7:00:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 7:00:00 PM
TIC: unknown	5.7	0		µg/L	1	6/18/2007 7:00:00 PM

Approved By: _____**Date:** _____

Page 30 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-012

Client Sample ID: MW-JCL-1A
Collection Date: 6/15/2007 10:40:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL-SEMIVOLATILE ORGANICS		SW8270C		(SW3520)		Analyst: LD
Phenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2-Chlorophenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2-Methylphenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
N-Nitrosodi-n-propylamine	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Hexachloroethane	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Nitrobenzene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Isophorone	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2-Nitrophenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Naphthalene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
4-Chloroaniline	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Hexachlorobutadiene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
4-Chloro-3-methylphenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Hexachlorocyclopentadiene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2-Nitroaniline	ND	24		µg/L	1	7/2/2007 7:07:00 PM
Dimethyl phthalate	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Acenaphthylene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
3-Nitroaniline	ND	24		µg/L	1	7/2/2007 7:07:00 PM
Acenaphthene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,4-Dinitrophenol	ND	24		µg/L	1	7/2/2007 7:07:00 PM
4-Nitrophenol	ND	24		µg/L	1	7/2/2007 7:07:00 PM
Dibenzofuran	ND	10		µg/L	1	7/2/2007 7:07:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Diethyl phthalate	ND	10		µg/L	1	7/2/2007 7:07:00 PM
4-Chlorophenyl phenyl ether	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Fluorene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
4-Nitroaniline	ND	24		µg/L	1	7/2/2007 7:07:00 PM

Approved By: _____**Date:** _____

Page 31 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-012

Client Sample ID: MW-JCL-1A
Collection Date: 6/15/2007 10:40:00 AM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

TCL-SEMIVOLATILE ORGANICS**SW8270C****(SW3520)****Analyst: LD**

4,6-Dinitro-2-methylphenol	ND	24		µg/L	1	7/2/2007 7:07:00 PM
N-Nitrosodiphenylamine	ND	10		µg/L	1	7/2/2007 7:07:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Hexachlorobenzene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Pentachlorophenol	ND	24		µg/L	1	7/2/2007 7:07:00 PM
Phenanthrene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Anthracene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Carbazole	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Fluoranthene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Pyrene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	7/2/2007 7:07:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Benz(a)anthracene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Chrysene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Bis(2-ethylhexyl)phthalate	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	7/2/2007 7:07:00 PM
(3+4)-Methylphenol	ND	10		µg/L	1	7/2/2007 7:07:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	7/2/2007 7:07:00 PM
TIC: Caprolactam	20	0		µg/L	1	7/2/2007 7:07:00 PM

ASP/CLP TCL VOLATILE WATER**SW8260B****Analyst: MRN**

Chloromethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Vinyl chloride	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Bromomethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Chloroethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Acetone	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Carbon disulfide	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Methylene chloride	ND	10		µg/L	1	6/18/2007 7:48:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
2-Butanone	ND	10		µg/L	1	6/18/2007 7:48:00 PM

Approved By: _____**Date:** _____

Page 32 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

**** Value exceeds Maximum Contaminant Value**

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-012

Client Sample ID: MW-JCL-1A
Collection Date: 6/15/2007 10:40:00 AM

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Chloroform	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Benzene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Trichloroethene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/18/2007 7:48:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Toluene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
2-Hexanone	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Chlorobenzene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Ethylbenzene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
m,p-Xylene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
o-Xylene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Styrene	ND	10		µg/L	1	6/18/2007 7:48:00 PM
Bromoform	ND	10		µg/L	1	6/18/2007 7:48:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/18/2007 7:48:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____**Date:** _____

Page 33 of 36

Qualifiers:

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-013

Client Sample ID: ULI Trip Blank 20070601A
Collection Date: 6/15/2007

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
Chloromethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Vinyl chloride	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Bromomethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Chloroethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Acetone	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Carbon disulfide	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Methylene chloride	ND	10		µg/L	1	6/19/2007 5:36:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
2-Butanone	ND	10		µg/L	1	6/19/2007 5:36:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Chloroform	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Benzene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Trichloroethene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/19/2007 5:36:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Toluene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
2-Hexanone	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Chlorobenzene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Ethylbenzene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
m,p-Xylene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
o-Xylene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Styrene	ND	10		µg/L	1	6/19/2007 5:36:00 PM
Bromoform	ND	10		µg/L	1	6/19/2007 5:36:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/19/2007 5:36:00 PM
TIC: unknown	5.1	0		µg/L	1	6/19/2007 5:36:00 PM

Approved By: _____**Date:** _____

Page 34 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-014

Client Sample ID: ULI Trip Blank 20070601A
Collection Date: 6/15/2007

Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
Chloromethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Vinyl chloride	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Bromomethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Chloroethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Acetone	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Carbon disulfide	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Methylene chloride	ND	10		µg/L	1	6/19/2007 6:25:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
2-Butanone	ND	10		µg/L	1	6/19/2007 6:25:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Chloroform	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Benzene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Trichloroethene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/19/2007 6:25:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Toluene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
2-Hexanone	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Chlorobenzene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Ethylbenzene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
m,p-Xylene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
o-Xylene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Styrene	ND	10		µg/L	1	6/19/2007 6:25:00 PM
Bromoform	ND	10		µg/L	1	6/19/2007 6:25:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/19/2007 6:25:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____**Date:** _____

Page 35 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 05-Jul-07

CLIENT: Lu Engineers
Lab Order: U0706166
Project: Former Churchville Ford Facility
Lab ID: U0706166-015

Client Sample ID: Holding Blank
Collection Date: 6/15/2007 4:25:00 PM
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILE WATER		SW8260B		Analyst: MRN		
Chloromethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Vinyl chloride	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Bromomethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Chloroethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Acetone	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,1-Dichloroethene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Carbon disulfide	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Methylene chloride	ND	10		µg/L	1	6/19/2007 7:13:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,1-Dichloroethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
2-Butanone	ND	10		µg/L	1	6/19/2007 7:13:00 PM
cis-1,2-Dichloroethene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Chloroform	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Carbon tetrachloride	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Benzene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,2-Dichloroethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Trichloroethene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,2-Dichloropropane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Bromodichloromethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/19/2007 7:13:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Toluene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
2-Hexanone	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Tetrachloroethene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Dibromochloromethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Chlorobenzene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Ethylbenzene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
m,p-Xylene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
o-Xylene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Styrene	ND	10		µg/L	1	6/19/2007 7:13:00 PM
Bromoform	ND	10		µg/L	1	6/19/2007 7:13:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	1	6/19/2007 7:13:00 PM
TIC: unknown (28.04)	16	0		µg/L	1	6/19/2007 7:13:00 PM
TIC: unknown (7.33)	5.5	0		µg/L	1	6/19/2007 7:13:00 PM

Approved By: _____**Date:** _____

Page 36 of 36

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

****** Value exceeds Maximum Contaminant Value

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits