



Lu Engineers

Penfield | Rochester | Watertown

Voluntary Cleanup Program

Progress Report

February 2010

Former Churchville Ford Site (#V00658-8)
111 South Main Street
Village of Churchville
Monroe County, New York

This progress report covers the month of February 2010.

Activities Relative to Site for Period

On April 29, 2009 Okar Equipment Company, Inc. granted Lu Engineers a notice to proceed with the activities outlined in the NYSDEC approved Remedial Action Work Plan, dated December 2008.

In the month of May 2009, Lu Engineers supervised the installation of 5 shallow injection wells by Trec Environmental as per the approved RA Work Plan. Four of the wells were installed inside the building, up-gradient and cross-gradient from the source area. One injection well was installed outside, north of the source area.

In the month of June 2009, Lu Engineers and Trec Environmental, Inc. conducted the first two injection events of 3% permanganate solution at the Former Churchville Ford facility. This process included correspondence and coordination with Region 8 of the NYSDEC.

During the month of July 2009, two permanganate injection events were conducted. The third overall event was completed on July 7, 2009 and the fourth event was completed on July 22, 2009. A total volume of 173.5 gallons of 3% permanganate solution was injected in July 2009. The permanganate solution was introduced by gravity in monitoring wells MW-1, MW-3 and MW-6 as outlined in the RAWP.

During the month of August 2009, one permanganate injection event was conducted. On August 4, 2009 (fifth injection event) a total of 134 gallons of 3% permanganate solution was injected into the groundwater. On August 25, 2009, a new injection well was installed within the source area. This well was placed between existing wells MW-JCL-2 and MW-3. The new well was screened from 17 to 12 ft. bgs.

On September 4, 2009 Lu Engineers issued a *Technical Memorandum* to the NYSDEC describing chemox injection progress, difficulties encountered with vertical and horizontal dispersion of permanganate solution as well as the details associated with the proposed source-area injection well (installed 8/25/09). The sixth injection event was conducted on September 16, 2009. A total of 69 gallons of 3% permanganate solution was injected into the groundwater. Due to mechanical problems with the GS2000 injection pump pertaining to possible HASP concerns, no other injection was conducted on this day.

On October 9, a total of 174 gallons of 3% permanganate solution was injected into the groundwater. Each of the 5 interior injection wells received 23 gallons of solution while the new source area well received 46 gallons. On October 30, the eighth injection event was conducted in which 176 gallons of 3% permanganate solution was injected into the groundwater at the same locations.

On November 20, 2009 one injection event was conducted in which a total of 176 gallons of 3% permanganate solution was injected into the groundwater. Each of the 5 interior injection wells received 23 gallons of solution while the new source area well received 46 gallons.

On December 11, 2009 one injection event was conducted in which 69 gallons of 3% permanganate solution was injected. Source area injection well IW-JCL-8 received 46 gallons and interior injection well IW-JCL-7 received 23 gallons. Approximately 204 gallons of 3% permanganate solution remains to be injected as per the approved RAWP.

On January 15, 2010 the final injection event was conducted in which the remaining 204 gallons of 3% permanganate solution was injected. Source area injection well IW-JCL-8 received 54 gallons and the 5 interior injection wells received 27 gallons each. Exterior monitoring well MW-1 received 10 gallons by gravity and interior monitoring well MW-6 received 5 gallons by gravity. Following the injection process, monitoring wells MW-JCL-2, MW-JCL-3 and MW-13 were purged and sampled as outlined in the Remedial Action Work Plan. Samples were sent to an accredited laboratory for analysis of VOCs (8260B) and TAL Metals.

On February 24, 2010 monitoring wells MW-JCL-2, MW-JCL-3 and MW-13 were purged and sampled as outlined in the Remedial Action Work Plan. Samples were sent to an accredited laboratory for analysis of VOCs (8260B) and TAL Metals.

Activities Anticipated for Next Period

Site activities planned for next month include the collection of soil vapor intrusion samples as per the RAWP, before the end of the heating season. This sampling event will include the collection of a total of 5 vapor samples. A sub-slab vapor sample and indoor air sample will each be collected at two separate interior locations as well as an outdoor ambient sample.

Approved Site Activity Modifications

There were no modifications made to Site activities during this period.

Sampling/Testing Results

As per the RAWP, three site monitoring wells were purged and sampled by bailer for VOCs and TAL Metals on February 24, 2010 (MW-JCL-2, MW-JCL-3 & MW-13). Laboratory analytical results are attached to this report and indicate that no VOC contaminants were detected in wells MW-13 and MW-JCL-3. In source area well MW-JCL-2, no chlorinated VOC contaminants were detected in January or February. Based on the January and February groundwater results it appears that the permanganate oxidant solution is effectively destroying the contaminants of concern within the source area.



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Analytical Report Cover Page

Lu Engineers

For Lab Project # 10-0800

Issued March 3, 2010

This report contains a total of 11 pages

The reported results relate only to the samples as they have been received by the laboratory.

Any noncompliant QC parameters having impact on the data are flagged or documented on the final report.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of frequently used data flags and their meaning:

"ND" = analyzed for but not detected.

"E" = Result has been estimated, calibration limit exceeded.

"D" = Duplicate results outside QC limits. May indicate a non-homogenous matrix.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: **Lu Engineers**

Lab Project No.: 10-0800

Lab Sample No.: 3358

Client Job Site: Former Churchville Ford
Post Injection Sampling

Sample Type: Water

Client Job No.: 5701-11

Date Sampled: 02/24/2010

Field Location: MW-JCL-2

Date Received: 02/24/2010

Field ID No.: N/A


Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	03/01/2010	SW846 6010	3.61
Antimony	03/01/2010	SW846 6010	<0.300
Arsenic	03/01/2010	SW846 6010	<0.025
Barium	03/01/2010	SW846 6010	<0.100
Beryllium	03/01/2010	SW846 6010	<0.025
Cadmium	03/01/2010	SW846 6010	<0.025
Calcium	03/01/2010	SW846 6010	78.6
Chromium	03/01/2010	SW846 6010	<0.050
Cobalt	03/01/2010	SW846 6010	<0.050
Copper	03/01/2010	SW846 6010	<0.050
Iron	03/01/2010	SW846 6010	5.21
Lead	03/03/2010	SW846 6010	<0.025
Magnesium	03/01/2010	SW846 6010	65.8
Manganese	03/01/2010	SW846 6010	25.4
Mercury	03/01/2010	SW846 7470	<0.0002
Nickel	03/01/2010	SW846 6010	<0.200
Potassium	03/01/2010	SW846 6010	12.6
Selenium	03/01/2010	SW846 6010	<0.025
Silver	03/01/2010	SW846 6010	<0.050
Sodium	03/03/2010	SW846 6010	113
Thallium	03/03/2010	SW846 6010	<0.030
Vanadium	03/01/2010	SW846 6010	<0.050
Zinc	03/01/2010	SW846 6010	<0.100

ELAP ID No.:10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

File ID:100800.xls

Client: **Lu Engineers**

Lab Project No.: 10-0800

Lab Sample No.: 3359

 Client Job Site: Former Churchville Ford
 Post Injection Sampling

Sample Type: Water

Client Job No.: 5701-11

Date Sampled: 02/24/2010

Date Received: 02/24/2010

Field Location: MW-JCL-3

Field ID No.: N/A


Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	03/01/2010	SW846 6010	5.67
Antimony	03/01/2010	SW846 6010	<0.006
Arsenic	03/01/2010	SW846 6010	<0.005
Barium	03/01/2010	SW846 6010	0.087
Beryllium	03/01/2010	SW846 6010	<0.005
Cadmium	03/01/2010	SW846 6010	0.016
Calcium	03/01/2010	SW846 6010	153
Chromium	03/01/2010	SW846 6010	<0.010
Cobalt	03/01/2010	SW846 6010	<0.010
Copper	03/01/2010	SW846 6010	<0.010
Iron	03/01/2010	SW846 6010	6.50
Lead	03/02/2010	SW846 6010	<0.005
Magnesium	03/01/2010	SW846 6010	81.2
Manganese	03/01/2010	SW846 6010	0.141
Mercury	03/01/2010	SW846 7470	<0.0002
Nickel	03/01/2010	SW846 6010	<0.040
Potassium	03/03/2010	SW846 6010	5.22
Selenium	03/01/2010	SW846 6010	<0.005
Silver	03/01/2010	SW846 6010	<0.010
Sodium	03/02/2010	SW846 6010	155
Thallium	03/02/2010	SW846 6010	<0.006
Vanadium	03/01/2010	SW846 6010	0.010
Zinc	03/01/2010	SW846 6010	0.036

ELAP ID No.:10958

Comments:

Approved By:


 Bruce Hoogesteger, Technical Director

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: **Lu Engineers**

Lab Project No.: 10-0800

Lab Sample No.: 3360

Client Job Site: Former Churchville Ford
Post Injection Sampling

Sample Type: Water

Client Job No.: 5701-11

Date Sampled: 02/24/2010

Field Location: MW-13

Date Received: 02/24/2010


Field ID No.: N/A

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	03/01/2010	SW846 6010	30.3
Antimony	03/01/2010	SW846 6010	<0.060
Arsenic	03/01/2010	SW846 6010	0.012
Barium	03/01/2010	SW846 6010	0.323
Beryllium	03/01/2010	SW846 6010	<0.005
Cadmium	03/01/2010	SW846 6010	<0.005
Calcium	03/01/2010	SW846 6010	203
Chromium	03/01/2010	SW846 6010	0.036
Cobalt	03/01/2010	SW846 6010	0.018
Copper	03/01/2010	SW846 6010	0.036
Iron	03/01/2010	SW846 6010	38.3
Lead	03/02/2010	SW846 6010	<0.005
Magnesium	03/01/2010	SW846 6010	60.0
Manganese	03/01/2010	SW846 6010	1.57
Mercury	03/01/2010	SW846 7470	<0.0002
Nickel	03/01/2010	SW846 6010	<0.040
Potassium	03/01/2010	SW846 6010	12.8
Selenium	03/01/2010	SW846 6010	<0.005
Silver	03/01/2010	SW846 6010	<0.010
Sodium	03/02/2010	SW846 6010	42.8
Thallium	03/02/2010	SW846 6010	<0.006
Vanadium	03/01/2010	SW846 6010	0.057
Zinc	03/01/2010	SW846 6010	0.504

ELAP ID No.:10958

Comments:

Approved By: 
Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

File ID:100800.xls

Volatile Analysis Report for Non-potable Water

Client: Lu Engineers

Client Job Site: Former Churchville Ford
Post Injection Sampling

Client Job Number: 5701-11
Field Location: MW-JCL-2
Field ID Number: N/A
Sample Type: Water

Lab Project Number: 10-0800
Lab Sample Number: 3358

Date Sampled: 02/24/2010
Date Received: 02/24/2010
Date Analyzed: 02/25/2010

Compound	Results in ug / L
Acetone	ND< 10.0
Benzene	ND< 0.700
Bromochloromethane	ND< 5.00
Bromodichloromethane	ND< 2.00
Bromoform	ND< 5.00
Bromomethane	ND< 2.00
2-Butanone	ND< 10.0
Carbon disulfide	ND< 5.00
Carbon Tetrachloride	ND< 2.00
Chlorobenzene	ND< 2.00
Chloroethane	ND< 2.00
Chloroform	ND< 2.00
Chloromethane	ND< 2.00
Cyclohexane	ND< 10.0
Dibromochloromethane	ND< 2.00
1,2-Dibromo-3-Chloropropane	ND< 10.0
1,2-Dibromoethane	ND< 2.00
1,2-Dichlorobenzene	ND< 2.00
1,3-Dichlorobenzene	ND< 2.00
1,4-Dichlorobenzene	ND< 2.00
Dichlorodifluoromethane	ND< 5.00
1,1-Dichloroethane	ND< 2.00
1,2-Dichloroethane	ND< 2.00
1,1-Dichloroethene	ND< 2.00
cis-1,2-Dichloroethene	ND< 2.00
trans-1,2-Dichloroethene	ND< 2.00

Compound	Results in ug / L
1,2-Dichloropropane	ND< 2.00
cis-1,3-Dichloropropene	ND< 2.00
trans-1,3-Dichloropropene	ND< 2.00
Ethylbenzene	ND< 2.00
2-Hexanone	ND< 5.00
Isopropylbenzene	ND< 5.00
Methyl acetate	ND< 2.00
Methyl tert-butyl Ether	ND< 2.00
Methylcyclohexane	ND< 2.00
Methylene chloride	ND< 5.00
4-Methyl-2-pentanone	ND< 5.00
Styrene	ND< 5.00
1,1,2,2-Tetrachloroethane	ND< 2.00
Tetrachloroethene	ND< 2.00
Toluene	ND< 2.00
Freon 113	ND< 2.00
1,2,3-Trichlorobenzene	ND< 5.00
1,2,4-Trichlorobenzene	ND< 5.00
1,1,1-Trichloroethane	ND< 2.00
1,1,2-Trichloroethane	ND< 2.00
Trichloroethene	ND< 2.00
Trichlorofluoromethane	ND< 2.00
Vinyl chloride	ND< 2.00
m,p-Xylene	ND< 2.00
o-Xylene	ND< 2.00

ELAP Number 10958

Method: EPA 8260B

Data File: V73237.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director



Volatile Analysis Report for Non-potable Water

Client: Lu Engineers

Client Job Site: Former Churchville Ford
Post Injection Sampling

Client Job Number: 5701-11

Field Location: MW-JCL-2

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 10-0800

Lab Sample Number: 3358

Date Sampled: 02/24/2010

Date Received: 02/24/2010

Date Analyzed: 02/25/2010

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
Unknown Alkane	N/A	14.1	5.20	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V73237.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger, Technical Director

**Volatile Analysis Report for Non-potable Water**Client: **Lu Engineers**Client Job Site: Former Churchville Ford
Post Injection SamplingClient Job Number: 5701-11
Field Location: MW-JCL-3
Field ID Number: N/A
Sample Type: WaterLab Project Number: 10-0800
Lab Sample Number: 3359Date Sampled: 02/24/2010
Date Received: 02/24/2010
Date Analyzed: 02/25/2010

Compound	Results in ug / L
Acetone	ND< 10.0
Benzene	ND< 0.700
Bromochloromethane	ND< 5.00
Bromodichloromethane	ND< 2.00
Bromoform	ND< 5.00
Bromomethane	ND< 2.00
2-Butanone	ND< 10.0
Carbon disulfide	ND< 5.00
Carbon Tetrachloride	ND< 2.00
Chlorobenzene	ND< 2.00
Chloroethane	ND< 2.00
Chloroform	ND< 2.00
Chloromethane	ND< 2.00
Cyclohexane	ND< 10.0
Dibromochloromethane	ND< 2.00
1,2-Dibromo-3-Chloropropane	ND< 10.0
1,2-Dibromoethane	ND< 2.00
1,2-Dichlorobenzene	ND< 2.00
1,3-Dichlorobenzene	ND< 2.00
1,4-Dichlorobenzene	ND< 2.00
Dichlorodifluoromethane	ND< 5.00
1,1-Dichloroethane	ND< 2.00
1,2-Dichloroethane	ND< 2.00
1,1-Dichloroethene	ND< 2.00
cis-1,2-Dichloroethene	ND< 2.00
trans-1,2-Dichloroethene	ND< 2.00

Compound	Results in ug / L
1,2-Dichloropropane	ND< 2.00
cis-1,3-Dichloropropene	ND< 2.00
trans-1,3-Dichloropropene	ND< 2.00
Ethylbenzene	ND< 2.00
2-Hexanone	ND< 5.00
Isopropylbenzene	ND< 5.00
Methyl acetate	ND< 2.00
Methyl tert-butyl Ether	ND< 2.00
Methylcyclohexane	ND< 2.00
Methylene chloride	ND< 5.00
4-Methyl-2-pentanone	ND< 5.00
Styrene	ND< 5.00
1,1,2,2-Tetrachloroethane	ND< 2.00
Tetrachloroethene	ND< 2.00
Toluene	ND< 2.00
Freon 113	ND< 2.00
1,2,3-Trichlorobenzene	ND< 5.00
1,2,4-Trichlorobenzene	ND< 5.00
1,1,1-Trichloroethane	ND< 2.00
1,1,2-Trichloroethane	ND< 2.00
Trichloroethene	ND< 2.00
Trichlorofluoromethane	ND< 2.00
Vinyl chloride	ND< 2.00
m,p-Xylene	ND< 2.00
o-Xylene	ND< 2.00

ELAP Number 10958

Method: EPA 8260B

Data File: V73238.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director



Volatile Analysis Report for Non-potable Water

Client: Lu Engineers

Client Job Site: Former Churchville Ford
Post Injection Sampling

Client Job Number: 5701-11
Field Location: MW-JCL-3
Field ID Number: N/A
Sample Type: Water

Lab Project Number: 10-0800
Lab Sample Number: 3359

Date Sampled: 02/24/2010
Date Received: 02/24/2010
Date Analyzed: 02/25/2010

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
None Found	N/A	N/A	ND< 5.00	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V73238.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger, Technical Director



Volatile Analysis Report for Non-potable Water

Client: Lu Engineers

Client Job Site: Former Churchville Ford
Post Injection Sampling

Client Job Number: 5701-11

Field Location: MW-13

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 10-0800

Lab Sample Number: 3360

Date Sampled: 02/24/2010

Date Received: 02/24/2010

Date Analyzed: 02/25/2010

Compound	Results in ug / L
Acetone	ND< 10.0
Benzene	ND< 0.700
Bromochloromethane	ND< 5.00
Bromodichloromethane	ND< 2.00
Bromoform	ND< 5.00
Bromomethane	ND< 2.00
2-Butanone	ND< 10.0
Carbon disulfide	ND< 5.00
Carbon Tetrachloride	ND< 2.00
Chlorobenzene	ND< 2.00
Chloroethane	ND< 2.00
Chloroform	ND< 2.00
Chloromethane	ND< 2.00
Cyclohexane	ND< 10.0
Dibromochloromethane	ND< 2.00
1,2-Dibromo-3-Chloropropane	ND< 10.0
1,2-Dibromoethane	ND< 2.00
1,2-Dichlorobenzene	ND< 2.00
1,3-Dichlorobenzene	ND< 2.00
1,4-Dichlorobenzene	ND< 2.00
Dichlorodifluoromethane	ND< 5.00
1,1-Dichloroethane	ND< 2.00
1,2-Dichloroethane	ND< 2.00
1,1-Dichloroethene	ND< 2.00
cis-1,2-Dichloroethene	ND< 2.00
trans-1,2-Dichloroethene	ND< 2.00

Compound	Results in ug / L
1,2-Dichloropropane	ND< 2.00
cis-1,3-Dichloropropene	ND< 2.00
trans-1,3-Dichloropropene	ND< 2.00
Ethylbenzene	ND< 2.00
2-Hexanone	ND< 5.00
Isopropylbenzene	ND< 5.00
Methyl acetate	ND< 2.00
Methyl tert-butyl Ether	ND< 2.00
Methylcyclohexane	ND< 2.00
Methylene chloride	ND< 5.00
4-Methyl-2-pentanone	ND< 5.00
Styrene	ND< 5.00
1,1,2,2-Tetrachloroethane	ND< 2.00
Tetrachloroethene	ND< 2.00
Toluene	ND< 2.00
Freon 113	ND< 2.00
1,2,3-Trichlorobenzene	ND< 5.00
1,2,4-Trichlorobenzene	ND< 5.00
1,1,1-Trichloroethane	ND< 2.00
1,1,2-Trichloroethane	ND< 2.00
Trichloroethene	ND< 2.00
Trichlorofluoromethane	ND< 2.00
Vinyl chloride	ND< 2.00
m,p-Xylene	ND< 2.00
o-Xylene	ND< 2.00

ELAP Number 10958

Method: EPA 8260B

Data File: V73239.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger, Technical Director



Volatile Analysis Report for Non-potable Water

Client: Lu Engineers

Client Job Site: Former Churchville Ford
Post Injection Sampling

Client Job Number: 5701-11

Field Location: MW-13

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 10-0800

Lab Sample Number: 3360

Date Sampled: 02/24/2010

Date Received: 02/24/2010

Date Analyzed: 02/25/2010

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
None Found	N/A	N/A	ND< 5.00	N/A

ELAP Number 10958


Method: EPA 8260B

Data File: V73239.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

CHAIN OF CUSTODY**PARADIGM**
ENVIRONMENTAL SERVICES, INC.**REPORT TO:****INVOICE TO:**

COMPANY:

LW Engineers

COMPANY:

Same

LAB PROJECT #:

10-0800

CLIENT PROJECT #:

5701-11

ADDRESS: 2230 Penfield Rd.

ADDRESS:

CITY:

Penfield

STATE:

NY

ZIP:

14526

CITY:

STATE:

ZIP:

PHONE: 377-1450 FAX: 377-1266

PHONE:

FAX:

ATTN:

Eriz Detweiler

ATTN:

1

2

3

5

STD

OTHER

PROJECT NAME/SITE NAME:

Former Chumuckville Ford
Post-Injection Sampling

COMMENTS:

Please email results to edetweiler@lwengineers.com

REQUESTED ANALYSIS

Quotation # MS020310B
(rev. 022310)

DATE	TIME	COMPOSITE	GRADES	SAMPLE LOCATION/FIELD ID	MATERIALS	CONTAMINANTS	VOCs	8260B	Metals	REMARKS	PARADIGM LAB SAMPLE NUMBER
12/24/10	11:35		X	NW-JCL-2	organic	3	2	1			
2/24/10	11:42		X	NW-JCL-3		3	2	1			
3/24/10	11:55		X	NW-43	↓	3	2	1			
4											
5											
6											
7											
8											
9											
10											

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/ELAP 210/241/242/243/244

Receipt Parameter

NELAC Compliance

Comments: Container Type:

Y ☒N ☐

Comments: Preservation:

Y ☒N ☐

Comments: Holding Time:

Y ☒N ☐

Comments: Temperature:

10°C

Y ☐N ☒

Total Cost:

Relinquished By

Date/Time

Received By

Date/Time

P.I.F.

Received @ Lab By

Date/Time