

**Transportation
Land Development
Environmental**
Services




VHB Engineering, Surveying and Landscape Architecture, P.C. | Affiliated with Vanasse Hangen Brustlin, Inc.

December 7, 2009

VIA OVERNIGHT CARRIER

Ref: 27778.00

Mark Bufalini
New York State Department of
Environmental Conservation
Department of Environmental Remediation, Bur-A.
625 Broadway, 11th Floor
Albany, New York 12233-7015



Re: Revised Site Investigation and Interim Remedial Measure Report
Manorville Plaza
331 Eastport-Manor Road
Manorville, New York
VCP ID # V-00672-1, Index Number W1-0971-03-09

Dear Mr. Bufalini:

This letter accompanies three copies of the revised Site Investigation and Interim Remedial Measure Report for the above-referenced property. As requested, the Report has been stamped and signed by a State of New York-licensed Professional Engineer. If you have any questions, please do not hesitate to contact me.

Sincerely,

VHB Engineering, Surveying and Landscape Architecture, P.C.

Gregory Ernst
Senior Project Manager

GE/ba
enc.


cc: Gary Schneider, Bauer Associates LLR, w/ two copies of enc.
James Rigano, Certilman Balin Adler & Hyman, LLP w/ enclosure

J:\27778.00\DOCUMENT\SIIRM Report\Final\Bufalini PE Signed SIIRM cltr 12-7-09.doc

2150 Joshua's Path, Suite 300
Hauppauge, New York 11788
631.234.3444 • FAX 631.234.3477
email: info@vhb.com
www.vhb.com

Site Investigation and Interim Remedial Measure Report

Manorville Plaza



**331 Eastport-Manor Road
Manorville, New York**

Prepared for:

Bauer Associates, LLC
720 Smithtown Bypass
Smithtown, New York 11787

Prepared by:

VHB *Engineering, Surveying and Landscape Architecture, P.C.*
2150 Joshua's Path, Suite 300
Hauppauge, New York 11788


Revised December 2009

*Site Investigation and Interim Remedial Measure Report
Manorville Plaza
331 Eastport-Manorville Road
Manorville, New York*

This Site Investigation and Interim Remedial Measure Report was prepared by:

Gregory Ernst
Senior Project Manager
VHB Engineering, Surveying and Landscape Architecture, P.C.

Signature: _____



Michael Junghans, P.E.
Senior Engineer
State of New York Licensed Professional Engineer

Signature: _____



NOTE: It is a violation of law for any person, unless they are acting under the direction of a licensed professional engineer, architect, landscape architect, or land surveyor, to alter an item in any way. If an item bearing the stamp of a licensed professional is altered, the altering engineer, architect, landscape architect, or land surveyor shall stamp the document and include the notation "altered by" followed by their signature, the date of such alteration, and a specific description of the alteration.

Table of Contents

INTRODUCTION	1
BACKGROUND	2
METHODOLOGY	5
Soil Sampling.....	5
Groundwater Monitoring Well Installation	6
Monitoring Well Installation.....	6
Well Development Procedures.....	7
Groundwater Sampling	7
Groundwater Sampling Procedures.....	8
Soil Vapor Sampling.....	8
Site Investigation Sampling Results	9
Soil	9
Groundwater.....	10
Soil Vapor.....	10
Supplemental IRMs	10
Cluster B.....	10
Cluster C.....	11
Waste Disposal	11
SUMMARY AND CONCLUSIONS	12
Soil Investigation and Remediation.....	12
Groundwater Investigation.....	12
Soil Vapor Investigation	13
RECOMMENDATION	14

FIGURES

Figure 1 – Site Location

Figure 2 – Site Plan

Figure 3 – Groundwater Contour Elevation Map – June 14, 2007

Figure 4 – Groundwater Contour Elevation Map – August 16, 2007

Figure 5 – Cluster B Post Excavation Samples

Figure 6 – Cluster C Post Excavation Samples

TABLES

Table 1 – Summary of Analytical Data for Soil Samples

Table 2 – Summary of Analytical Data for Groundwater Samples

Table 3 – Summary of Analytical Data for Soil Vapor Samples

APPEDICES

Appendix A: Soil Boring Logs

Appendix B: Monitoring Wells Construction and Groundwater Sampling Logs

Appendix C: Laboratory Data

Appendix D: Waste Disposal Manifests

BACKGROUND

The 16.93-acre site is designated in the Suffolk County Tax Maps as District 0200 - Section 462.00 - Block 03.00 - Lot Nos. 026.000, 035.008, 028.001, 031.003 and 031.004 (see Figure 2). The following provides a summary of the existing conditions for each lot:

- The northern portion of Lot No. 26 was formerly improved with a 1,060 square foot residence and associated driveway and landscaped areas. The residence was demolished in 2005. The southern portion of the lot is dominated by unimproved woodland.
- Lot No. 35.8 was formerly improved with a 728 square foot single-family house, constructed in 1910. The building was demolished prior to 2000. Currently, this lot is dominated by woodland with a small cleared area at its northern end where the aforementioned residence was located.
- The majority of Lot No. 28.1 is cleared of vegetation and is either unimproved or asphalt-paved. The parcel was improved through circa 2000 with a building utilized as a realtors' office, which has since been demolished.
- Lot No. 31.3 was formerly improved with a 1,126 square foot single-family residence, constructed in 1929, a wooden storage shed, and cleared areas in the northern portion of the parcel. The residence and storage shed were demolished in 2005. The southern portion of the parcel is dominated by unimproved woodland.
- Lot No. 31.4 was formerly improved with a one and one-half-story 806 square foot single-family residence, constructed in 1977. The building was demolished prior to 2000. The northern portion of the lot is composed of a mixture of cleared areas and woods and the southern portion of the lot is dominated by unimproved woodland.

As noted above, a September 2002 site inspection in performance of a Phase I ESA discovered eleven 55-gallon drums of apparently hazardous chemicals had been illegally dumped in three areas of concern "AOCs": Clusters A, B, and C depicted on Figure 2. In October 2002, the drums were sampled to provide waste characterization, and were placed on plastic sheeting. Due to their poor conditions, four of the 55-gallon drums were placed in over-pack drums. Based upon waste-characterization analysis, the contents of the drums were classified as hazardous waste due to the presence of 1,1,1-TCA, methanol and acetone, and the drums were transported for proper off-site disposal at an appropriate facility in Avon, Ohio. Upon the removal of the drums at Cluster B, soil staining was observed. No visual or olfactory indication of leakage was observed at Clusters A and C. The NYSDEC was notified and Spill No. 02-0324 was assigned to the incident.

The stained soil from beneath Cluster B was excavated with the most heavily impacted soil placed in four 55-gallon drums and the remaining material staged on plastic sheeting pending proper off-site disposal. Approximately 60 cubic yards ("CY") of impacted soil were removed and endpoint soil samples were collected for laboratory analysis. The results of the soil sample analysis were communicated to the NYSDEC from F&E in December 2002.

In January 2003, an additional 70 CY of impacted soil were removed from the Cluster B AOC to address the residual acetone contamination found in the prior post-remediation endpoint samples. The excavation was extended down to the water table. A bottom sample confirmed that VOC contamination had reached the top of the water table.

In February 2003, soil and groundwater samples were collected in the vicinity of Cluster B to delineate the extent of VOC impacts. The sample results found VOC impacts had been mostly removed to NYSDEC objectives in the soil, but that groundwater impacts above NYSDEC groundwater quality standards were present. The groundwater impacts were limited to the immediate area of Cluster B and rapidly abated whereby they were not moving off of the property. The results of this investigation were reported to the NYSDEC in a March 13, 2003 letter report from F&E.

In March 2003, a supplemental investigation was conducted to confirm the nature and extent of VOC impacts in groundwater. The results of this supplemental investigation found the groundwater impacts were limited to within approximately 30 feet of the Cluster B location. The findings of the supplemental investigation were submitted to the NYSDEC in April 2003.

In May 2003, additional soil was excavated to remove any remaining residual impacts in the soil surrounding Cluster B. Approximately 200 CY of soil were removed and additional endpoint soil samples were collected along the sidewalls of the excavation. The results of the endpoint samples found acetone remained at concentrations slightly above the NYSDEC objectives. In order to address the minor amount of soil impacted by acetone detected in the EP-F (14 feet) and EP-H (13 feet) soil samples, a supplemental IRM was conducted to excavate the southeast corner of the existing Cluster B excavation. Four endpoint samples were collected and analyzed for Target Compound List ("TCL") VOCs. The endpoint samples did not detect acetone in the soil, thus, demonstrating that VOCs had been sufficiently remediated in the Cluster B location.

Due to the presence of groundwater impacts, the NYSDEC eventually required Bauer Associates, LLC enter into a Voluntary Cleanup Agreement ("VCA") with the NYSDEC to address residual groundwater impacts identified at the Site; and the Site was subsequently identified as NYSDEC VCP Site ID # V-00672-1. Bauer Associates, LLC was directed to conduct further investigation of the site under the review of NYSDEC and the New York State Department of Health ("NYSDOH").

In April 2004, a draft Investigation Work Plan was submitted to NYSDEC for approval under the VCA. The Investigation Work Plan was prepared to determine site-specific groundwater flow, soil conditions at Clusters A and C, the vertical distribution of VOCs in the groundwater, and the presence of VOCs in soil vapor. The work plan proposed the installation of groundwater monitoring wells, collection of additional soil samples from Clusters A and C, performance of multiple-depth groundwater sampling, and collection of soil vapor samples.

In late July 2004, the NYSDEC issued comments on the draft Investigation Work Plan relating to revisions to sampling procedures, number and location of samples, analytical parameters, and regulatory criteria.

In December 2004, a revised Investigation Work Plan was submitted to the NYSDEC incorporating the NYSDEC comments and requested revisions relating to the proposed work needed for the site.

In April 2005, additional comments were issued by the NYSDEC and NYSDOH on the revised Investigation Work Plan. A response to those comments was provided to the NYSDEC and NYSDOH in November 2005.

The Work Plan identified field sampling and IRM activities as follows:

- Collection and analysis of soil samples from each of the three AOCs, designated as Clusters A through C, found at the Site;
- Conduct a groundwater characterization investigation including the installation of groundwater monitoring wells and temporary well points to determine the groundwater flow net beneath the property and delineate VOC impacts identified in the groundwater during preliminary testing at the site;
- Conduct vertical profile groundwater sampling using temporary well points to vertically delineate VOC impacts in the water table; and
- Collect soil vapor samples above the groundwater plume to evaluate potential vapor intrusion concerns in future development of the site.

METHODOLOGY

In 2006, field work was begun as described in the approved Investigation Work Plan. The following section describes the activities completed at the Site.

Soil Sampling

The location and designation of soil samples collected at the site are shown on Figure 2. On June 15, 2007, four surficial soil samples (e.g., the top two inches of soil beneath the vegetation root mat) were collected in the Cluster A and Cluster C locations². This depth interval was indicative of worst-case conditions as all of the drums were disposed of at grade surface.

Clusters A and C were investigated by drilling two soil borings at both former drum cluster locations (total of four boring) to groundwater using a Geoprobe direct push drill rig. Soil cores were collected continuously in five-foot intervals from grade surface to the terminal depth of the borings at the top of the water table. The soil cores were divided into two-foot sample intervals and field screened with a photo-ionization detector ("PID") and observed for visual and olfactory indications of contamination (i.e., staining, odor, etc.). The field observations and PID readings collected from the soil samples were recorded on soil boring logs which are provided in Appendix A.

All reusable sampling equipment was decontaminated before and between uses by washing with an alconox/potable water solution and rinsing with copious amounts of potable water. The PID was calibrated daily.

A soil sample was collected from the soil core interval from each boring exhibiting the greatest amount of suspect characteristics (i.e., highest PID reading, etc.) was placed in laboratory-supplied glassware and submitted for laboratory analysis. In the soil borings that no evidence of impact was evident, the zero to two-foot below grade surface ("bgs") interval was sampled and submitted for analysis. This depth interval was the most likely impacted as all of the drums were disposed of at the surface.

² As previously noted in the "Background" section of this SI/IRM, in 2002/2003 approximately 330 CY of impacted soil were excavated from the Cluster B location.

Groundwater Monitoring Well Installation

In order to determine the site-specific groundwater flow and assess current groundwater quality, four groundwater monitoring wells were installed at the subject property. The locations of the groundwater monitoring wells are provided on Figure 2. Two monitoring wells (MW-1 and MW-2) were installed at the water table downgradient of the Cluster B location to determine on-site groundwater flow direction and possible downgradient plume migration. Wells MW-3 and MW-4 were installed to the northeast and northwest, respectively, of the Cluster B location to determine groundwater flow and evaluate upgradient groundwater quality entering the site.

Monitoring Well Installation

On May 4 and 5, 2006, the groundwater monitoring wells were installed by Land, Air & Water Environmental Services, Inc. ("LAWES") using a hollow stem auger drill rig. The wells were installed at approximately 27 feet bgs, roughly ten feet below the water table located at a depth of approximately 17 feet bgs. All drill cuttings were placed on the existing soil stockpiles for off-site disposal.

The wells were constructed of 2-inch diameter, schedule 40 polyvinyl chloride ("PVC") with American Society of Testing Materials ("ASTM") F-480 pipe threading and 15 feet of 2-inch diameter, 0.010-inch ("10 slot") PVC well screen. Solvent glue was not used in assembling the well screen or riser casing. The wells were constructed so that approximately 5 feet of well screen will be installed above the water table with 10 feet of screen below the water table.

The depth to water at the site was determined to be approximately 17 feet bgs. The water level in the borehole was measured periodically during drilling and immediately before construction of the well. Once the water table was encountered, the borehole was drilled to at least two feet below the proposed completed depth of the monitoring well. The new well casing and screen were then inserted into the borehole, and the annulus between the well casing and the borehole was completed with sand pack, a bentonite seal, and a cement/bentonite slurry to grade. The wells were completed flush to grade with a protective surface casing and locking cap.

The sand pack (Morie No. 0 sand) was emplaced so that it extends to a minimum depth of 2 feet above the top of the well screen. The depth to the top of the sand pack was confirmed by measuring down the annular space between the well casing and the borehole with a weighted tape. A bentonite seal (minimum of 2 feet) was emplaced above the sand pack. The top of the bentonite seal was also measured with a weighted tape and hydrated with potable water prior to grouting. The cement/bentonite grout was used to fill the annulus of the borehole from above the bentonite seal to land surface. The cement/bentonite grout was mixed at a ratio of 95:5. A protective steel flush-mount curb box and locking cap were installed after completion of the well.

Well Development Procedures

Once installed, the wells were developed by intermittent pumping and surging using a submersible pump and surge block. The wells were initially pumped until a visibly clear discharge was observed. The pump was then removed from the well and the surge block inserted into the well and actuated throughout the screened zone. The submersible pump was then reinserted and the well pumped again. This process was repeated until visibly clear water was observed immediately after renewed pumping. Purge water was discharged to the grade surface in the vicinity of the individual well heads.

The location and elevation of the wells were surveyed by Nelson & Pope Engineers & Surveyors, a New York State-licensed surveyor. The well construction and development details are recorded on well construction logs provided in Appendix B.

Groundwater Sampling

On June 14, 2007, groundwater samples were collected from the newly installed monitoring wells. Prior to the start of sampling activities, a complete round of water-level measurements was collected to determine groundwater flow conditions. Water-level elevation measurements and resulting groundwater elevation contours are provided on Figure 3. As the groundwater monitoring and sampling event was conducted approximately one day following a rainfall event, groundwater flow appears to be radial from the stormwater retention pond. A subsequent round of water-level measurements from the monitoring wells was collected on August 16, 2007, six days after the last rainfall event. The subsequent groundwater elevation contours are provided on Figure 4. The groundwater flow measured on August 16, 2007 does not indicate localized mounding as no rainwater recharge was occurring and, therefore, would be representative of the typical groundwater flow beneath the site. This flow regime is more consistent with the previously reported contaminant distribution in groundwater. The groundwater flow net exhibited immediately following a rainfall event as indicated from the June 14, 2007 data indicates groundwater recharge from the stormwater retention pond creates a localized mounding effect causing a temporary reversal in the groundwater flow net beneath the Cluster B location. This flow reversal indicates the occurrence of low-levels of VOCs in Groundwater Sample GW-6, located northwest of the Cluster B excavation (Revised Investigation Work Plan, Freudenthal & Elkowitz, December 2004) emanated from the Cluster B location and not from another source upgradient (northwest) of the Cluster B location.

Groundwater Sampling Procedures

On June 14, 2007, groundwater samples were collected from each of the four wells. Prior to sample collection, the wells were purged using a dedicated disposable polyethylene bailer and polypropylene rope to remove a minimum of three static well volumes. During purging, temperature, pH, turbidity and conductivity were periodically measured with a calibrated electronic meter. Purging was considered complete when a minimum of three well-casing volumes of water had been purged and the field parameters were stabilized to within 10 percent of the previous measurement. Once purged, the bailer was used to collect groundwater and transfer the sample into laboratory-supplied glassware. Field parameter measurements were recorded on the groundwater sampling logs provided in Appendix B.

In addition to groundwater monitoring well samples, vertical profile (i.e., multi-depth) groundwater samples were collected from two locations; GP-1 located downgradient of previous sample GW-3 where the greatest groundwater impact has been detected and GP-2 located at the downgradient property boundary (see Figure 2). Based on the depth of the water table at approximately 17 feet bgs, groundwater samples were collected from depths of 20, 30, 40 and 50 feet bgs.

Vertical profile groundwater samples were collected using a Geoprobe direct push rig. A temporary well point was advanced to the terminal depth of 50 feet bgs where the temporary well point was purged, using the protocols described above, and the first groundwater sample was collected. The screen was then retracted to 40 feet bgs where the temporary well point would again be purged and the second sample collected. This procedure was repeated again at 30 feet bgs and 20 feet bgs. The temporary well points were purged and the groundwater samples were collected using a manually-actuated foot valve and new polyethylene tubing inserted into the screened interval of the temporary well point.

Finally, four shallow groundwater samples; three samples, G-1, G3-1, and G-4, were collected from within each of the three former drum cluster locations and one sample G2-1, was collected from approximately mid-way between Clusters A and B (see Figure 2). The samples from within the former drum cluster locations were collected to determine potential impacts immediately beneath these locations. Sample G2-1 was collected to evaluate possible groundwater plume migration in this portion of the site. The shallow groundwater samples were collected from a depth of approximately 20 feet bgs using the Geoprobe direct push drill rig to install temporary well points as described above.

Soil Vapor Sampling

In order to evaluate if VOCs could potentially impact indoor-air quality in proposed on-site buildings, soil vapor samples (SV-1, SV-2, SV-3 and SV-4) were collected from four locations overlying the identified groundwater plume (see Figure 2).

At each of the four sampling locations, permanent soil vapor sample points were installed to approximately five feet bgs. The soil vapor sample points were installed using a Geoprobe direct push drill rig. The vapor sampling points were installed by pushing a drive point to the desired depth. The drive point was then removed and a one foot long, one-inch diameter 0.010 slot PVC well screen and PVC casing inserted into the borehole. The annulus surrounding the screened interval was backfilled with coarse sand (Morie #1 sand) to approximately one foot above the screened interval and then a bentonite slurry was placed above the sand pack up to surface grade. The vapor points were completed at grade with an airtight cap and flush-mount curb box.

The soil vapor samples were collected by attaching new polyethylene tubing to the top of the vapor point, purging the vapor point of approximately three well volumes of air using a vacuum pump, attaching a laboratory-supplied Summa vacuum canister to the tubing with an air-tight fitting and the valve to the canister opened to allow for soil vapors to enter the Summa canister. The vapor samples were collected over an eight-hour period using a flow regulator attached to the Summa canister calibrated at 0.0125 liter per minute ("LPM").

Site Investigation Sampling Results

Soil and groundwater samples were submitted to York Analytical Laboratories, Inc. ("York") for analysis of TCL VOCs using USEPA Method 8260. The soil vapor samples were submitted to Test America for analysis of VOCs using USEPA Method TO-15. Both laboratories are NYSDOH Environmental Laboratory Approval Program ("ELAP")-certified laboratories.

Additionally, QA/QC samples were also submitted for laboratory analysis of VOCs. QA/QC samples included a trip blank, two field blanks (RB-1 from a disposable bailer used for monitoring well sampling and RB-2 from the decontaminated Geoprobe sampling equipment), a matrix spike/matrix spike duplicate ("MS/MSD") from G3-1, and a blind replicate of MW-2 for the groundwater samples; a blind duplicate of sample C-A-1 for the soil samples; and a blind duplicate of sample point SV-01 for the soil vapor samples. Samples were transported to the laboratories under strict Chain-of-Custody protocols.

Soil

The analytical results of soil samples collected at the Site are summarized in Table 1. Concentrations of VOCs were not detected above the analytical method detection limits ("MDLs") in the Cluster A soil samples. Surficial soil samples collected at Cluster C detected concentrations of tetrachloroethene ("PCE") well below the NYSDEC RSCO, however, subsurface soil sample C-C-2 0-3 feet bgs within Cluster C detected PCE at a concentration of 2,100 micrograms per kilogram ("ug/kg"), which exceeded the NYSDEC TAGM RSCO of 1,400 ug/kg. Concentrations of PCE were not detected above the NYSDEC RSCO in the adjacent boring C-C-1 or in samples C-C-2 5-7 feet bgs and C-C-2 10-12 feet bgs.

Groundwater

The analytical results of groundwater samples are summarized in Table 2. Groundwater samples found PCE at a concentration of 7 micrograms per liter ("ug/L") in the shallow groundwater sample G-4 beneath Drum Cluster C and is likely associated with the PCE impacts noted above. No other VOCs were detected in the shallow groundwater samples collected from either the monitoring wells or Geoprobe points.

Vertical profile groundwater sampling detected only one VOC, 1,1,1-trichloroethane ("1,1,1-TCA"), at 8 ug/L in the 40-foot below grade depth interval beneath Drum Cluster B. No VOCs were detected above the analytical MDL in the other vertical profile groundwater samples. The detection of 1,1,1-TCA is likely a residual of the previously removed impacts at Drum Cluster B submerged from rainfall infiltration within the remedial excavation and nearby recharge basin. The results of the groundwater testing indicate groundwater impacts have naturally attenuated with the exception of the low-level impacts noted above.

Soil Vapor

The results of soil vapor sample analysis are summarized in Table 3. Copies of the laboratory analytical data sheets are provided in Appendix C. Concentrations of eight VOCs, trichlorofluoromethane, Freon TF, acetone, 2,2,4-trimethylpentane, toluene, PCE, methyl ethyl ketone ("MEK"), and 1,1,1-TCA, were detected in SV-01 adjacent to Cluster B. Sample SV-02, located adjacent to Cluster C, detected concentrations of Freon TF, acetone, 2,2,4-trimethylpentane, toluene, PCE, MEK, and 1,1,1-TCA. Soil vapor samples overlying the previously identified plume detected four compounds; 1,2,4-trimethylbenzene, 2,2,4-trimethylpentane, toluene, and PCE in SV-04, and one compound; 2,2,4-trimethylpentane, in SV-03.

Supplemental IRMs

The following section describes the interim remedial measures to address contaminated soil remaining at the subject property.

Cluster B

As discussed in the May 29, 2003 communication with the NYSDEC, no TCL VOCs were present in the unsaturated soils within the on-site excavation at concentrations approaching their respective NYSDEC RSCO, with the exception of acetone in the EP-F (14 feet) and EP-H (13 feet) soil samples.³ However, as discussed in previous submissions to the NYSDEC, acetone was not detected in groundwater samples collected from directly downgradient of the area of concern.

³ Please note that the acetone detected in the previous sample SB-3 was addressed during the May 3, 2003 IRM.

In order to address the residual amount of soil impacted by acetone above NYSDEC RSCOs, the soil in the southeast corner of the existing Cluster B excavation (i.e., in the vicinity of EP-F and EP-H) was removed on December 6, 2007 and staged for off-site disposal. The excavated soils were placed on and covered by plastic sheeting.

Five endpoint samples (EP-I, EP-J, EP-K, EP-L and EP-M) were collected and submitted to York for analysis of TCL VOCs. The results of the endpoint sample analysis did not detect acetone concentrations above the NYSDEC RSCO. Copies of the endpoint sample laboratory data sheets are provided in Appendix C.

Cluster C

Based on the aforementioned soil sample data, which detected a concentration of PCE in contravention of the NYSDEC RSCO, an IRM was conducted to remove the impacted soil. On August 16, 2007, the shallow soil to a depth of approximately five feet bgs in the area of Cluster C was excavated and staged for off-site disposal. The excavated soil were placed on and covered with plastic sheeting pending disposal off-site.

Five endpoint soil samples (C-C-North, C-C-South, C-C-East, C-C-West and C-C-BOT) were collected and submitted to the York for analysis of TCL VOCs. The results of endpoint sample analysis did not detect PCE concentrations above the NYSDEC RSCO. Copies of the endpoint sample laboratory data sheets are provided in Appendix C.

Waste Disposal

The impacted soil excavated from the Cluster B area was removed from the subject property on December 14, 2006 and disposed of at the Soil Safe, Inc. facility in Logan Township, New Jersey. A total of 288.2 tons of impacted soil were removed for disposal from the Cluster B location. Copies of the waste disposal manifests are provided in Appendix D.

On November 30, 2007, the impacted soil excavated from Cluster C was removed from the site and disposed of at the Soil Safe, Inc. facility in Logan Township, New Jersey. A total of 42.59 tons of impacted soil were removed for disposal from the Cluster C location. Copies of the waste disposal manifests are provided in Appendix D.

SUMMARY AND CONCLUSIONS

Soil Investigation and Remediation

The investigation found no contaminant impacts at Cluster A, or any groundwater impacts detected in this area, therefore, no further action was warranted in association with Cluster A. However, concentrations of VOCs, specifically acetone, PCE, and 1,1,1-TCA were detected in soil samples beneath Cluster B and PCE was detected in the soil beneath Cluster C, in contravention of the NYSDEC RSCOs provided in TAGM #4046. As a result, interim remedial measures consisting of excavation and off-site disposal of the impacted soil were conducted in these areas to mitigate the VOC contamination.

Endpoint soil samples were collected from the sidewalls and bottom of each interim remedial measure excavation and submitted for laboratory analysis of VOCs. At locations where endpoint sample data remained in contravention of the NYSDEC RSCOs, additional soil was excavated and additional endpoint soil samples were collected for analysis. The interim remedial measures were completed when the endpoint soil sample analytical results did not detect VOC concentrations above the NYSDEC RSCOs. Interim remedial measures removed a total of 288.20 tons of soil from the area of Cluster B and 42.59 tons of soil from Cluster C, which were subsequently transported off-site for proper disposal.

Groundwater Investigation

The preliminary testing of groundwater was conducted in the area of Drum Cluster B where impacted soil was observed following removal of the drums. The preliminary testing detected VOC concentrations as high as 1,387 ug/L immediately adjacent to Drum Cluster B, but that the VOC impacts to groundwater were limited to within approximately 40 feet downgradient of Drum Cluster B. The results of the preliminary testing prompted the more thorough groundwater characterization investigation as summarized below.

Groundwater elevations were measured within the four water table monitoring wells installed at the site. Groundwater flow was determined to be consistent with the regional flow net, however, groundwater recharge from the adjacent stormwater retention pond was observed to create a localized mounding effect immediately following rainfall events.

Following the completion of the interim remedial measures described above, groundwater samples detected only PCE at a concentration of 7 ug/L in the shallow groundwater sample G-4 beneath Drum Cluster C and is likely associated with the PCE impacts noted above. This impact in groundwater will attenuate naturally following the removal of the impacted soil at Drum Cluster C. Vertical profile groundwater samples detected only 8 ug/L of 1,1,1-TCA at 40 feet below grade beneath Drum Cluster B, likely associated with 1,1,1-TCA impacts detected at Drum Cluster B during the preliminary investigation. The NYSDEC Ambient Water Quality Standards for PCE and 1,1,1-TCA is 5 ug/L. The results of the groundwater investigation indicate groundwater impacts detected during the preliminary investigation of the site have naturally attenuated following the removal of impacted soil during the aforementioned interim remedial measures with the exception of the low-level impacts noted above.

Soil Vapor Investigation

Soil vapor results detected the contaminants of concern, acetone, PCE, and 1,1,1-TCA identified in the on-site soil and groundwater, remained limited to the area adjacent to Drum Clusters B and C. No apparent impacts were observed in the soil vapor samples downgradient of the Drum Clusters. As the VOC-impacted soil identified at Drum Cluster B and C has been removed, these levels of VOCs in the soil vapor are expected to dissipate from the soil vapor into the atmosphere.

RECOMMENDATION

The field sampling activities were completed in June 2007. As a result of the aforementioned investigations and interim remedial measures, the environmental impacts to the soil and groundwater from the illegal deposition of drummed waste at the site have been mitigated, whereby no further action is warranted for these media at the site. The soil quality is in compliance with TAGM and the current 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives, and no use restriction should be imposed on the site.

A soil vapor evaluation should be performed in conjunction with the design and the construction of all new buildings located on the site. This evaluation requirement should be reflected in the Declaration of Covenants and Restrictions ("Declaration") that is to be executed under the VCA.

Upon execution of the Declaration, VHB recommends that the Manorville Plaza site, VCP ID # V-00672-1, Index Number W1-0971-03-09, be found to be in compliance with NYSDEC requirements under the VCA and be issued a release as indicated in the VCA.




FIGURE 1 – SITE LOCATION MAP

SITE NAME: Manorville Plaza
STREET ADDRESS: 331 Eastport-Manor Road
MUNICIPALITY, STATE, ZIP: Manorville, NY 11949
PROJECT NUMBER: 27778.00
SCALE: As Shown

VHB Engineering, Surveying and Landscape Architecture, P.C.



Figure 2 Site Plan


LEGEND

- Soil sample location
- ▲ Soil Vapor Sample
- ⊕ Monitoring well location
- ⊕ Shallow groundwater sample
- ⊗ Groundwater vertical profile (20', 30', 40', 50')
- ⊕ Soil and groundwater sample location

Manorville Plaza
Eastport-Manor Road
Manorville, NY 11949

VHB No. 27778.00
Drafted by: PC & BM

VHB Engineering, Surveying &
Landscape Architecture, P.C.
2150 Joshua's Path, Suite 300
Hauppauge, New York 11788
Tel: (631) 234-3444
Fax: (631) 234-3477







FIGURE 3 – GROUNDWATER CONTOUR ELEVATION MAP – June 14, 2007

SITE NAME: Manorville Plaza
STREET ADDRESS: Eastport-Manor Road
MUNICIPALITY, STATE, ZIP: Manorville, NY 11949
PROJECT NUMBER: 27778.00
SCALE: As shown

VHB Engineering, Surveying and Landscape Architecture, P.C.





Note: Previous Significant Rainfall measured
0.44 inches on August 10, 2007 in Upton, NY

FIGURE 4 – GROUNDWATER CONTOUR ELEVATION MAP – August 16, 2007

SITE NAME: Manorville Plaza
STREET ADDRESS: Eastport-Manor Road
MUNICIPALITY, STATE, ZIP: Manorville, NY 11949
PROJECT NUMBER: 27778.00
SCALE: As shown

VHB Engineering, Surveying and Landscape Architecture, P.C.



Figure 5

Cluster B

Post Excavation Samples

- 5-5-2006 End-Point Sample location
- 12-06-2006 End-Point Sample location
- × Soil Sampling Location

Manorville Plaza
 Eastport-Manor Road
 Manorville, NY 11949

VHB No. 27778.00
 Drafted by: PC

VHB Engineering, Surveying &
 Landscape Architecture, P.C..
 2150 Joshua's Path, Suite 300
 Hauppauge, New York 11788
 Tel: (631) 234-3444
 Fax: (631) 234-3477

Estimated direction of groundwater flow



Approximate Limits
 of January 14, 2003 Excavation

Approximate Limits
 of May 3, 2003 Excavation

Approximate Limits
 of December 6, 2006 Excavation





Figure 6

Cluster C


Post Excavation Samples

● Endpoint sample location

Manorville Plaza
Eastport-Manor Road
Manorville, NY 11949

VHB No. 27778.00
Drafted by: PC

VHB Engineering, Surveying &
Landscape Architecture, P.C.
2150 Joshua's Path, Suite 300
Hauppauge, New York 11788
Tel: (631) 234-3444
Fax: (631) 234-3477



Depth to Bottom of Excavation is approximately 5 feet below ground surface.
All end point PID readings equal to background (0.6 ppm).

Table 1

Summary of Analytical Data for Soil Samples
VCP # V-00672-1, Manorville, New York

Analysis	Sample/Depth					NYSDEC TAGM RSCO
	C-A-1	C-A-1	C-A-2	C-A-2	C-C-1	
	Surficial	5-7'	Surficial	3-5'	Surficial	
TCL VOCs (ug/kg)						
Chloroform	19	14	ND	ND	ND	300
Tetrachloroethene	ND	ND	ND	ND	28	1,400
Naphthalene	ND	ND	ND	ND	ND	13,000
Xylenes (total)	ND	ND	ND	ND	ND	1,200

Analysis	Sample/Depth					NYSDEC TAGM RSCO
	C-C-1	C-C-2	C-C-2	C-C-2	C-C-2	
	0-3'	Surficial	0-3'	5-7'	10-12'	
TCL VOCs (ug/kg)						
Chloroform	ND	ND	ND	ND	ND	300
Tetrachloroethene	49	110	2,100	140	ND	1,400
Naphthalene	ND	ND	ND	70	ND	13,000
Xylenes (total)	ND	ND	100	ND	ND	1,200

Notes:

NYSDEC TAGM - New York State Department of Environmental Conservation Technical and Administrative Guidance Memorandum #4046

RSCO - Recommended Soil Cleanup Objective

ND - Analyte was not detected above method detection limit.

Bolded values indicates detected concentration exceeded the RSCO
ug/kg - micrograms per kilogram

Table 2

**Summary of Analytical Data for Groundwater Samples
VCP # V-00672-1, Manorville, New York**

Parameters	Sample/Depth							NYSDEC Class GA Ambient Water Quality Standard
	GP-1	GP-1	GP-1	GP-1	GP-2	GP-2	GP-2	
TCL VOCs (ug/L)	20'	30'	40'	50'	20'	30'	40'	50'
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	5
1,1,1-Trichloroethane	ND	ND	8	ND	ND	ND	ND	5

Parameters	Sample/Depth							NYSDEC Class GA Ambient Water Quality Standard
	G-1	G2-1	G3-1	G-4	MW-1	MW-2	MW-3	
TCL VOCs (ug/L)	20'	20'	20'	20'	ND	ND	ND	5
Tetrachloroethene	ND	ND	ND	7	ND	ND	ND	5
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	5

Parameters	Sample/Depth					NYSDEC Class GA Ambient Water Quality Standard
	RB-1	RB-2	Trip Blank	MW-2 Rep.		
TCL VOCs (ug/L)						
Tetrachloroethene	ND	ND	ND	ND		5
1,1,1-Trichloroethane	ND	ND	ND	ND		5

Notes:

NYSDEC Class GA Ambient Water Quality Standards and Guidance Values -

NYSDEC Division of Water Quality and Operational Guidance Series (1.1.1) -

Ambient Water Quality and Guidance Values and Effluent Limitations Reissued June 1998 and April 2000 Addendum

ND - Analyte was not detected above method detection limit.

NA - Not Applicable/Not Available

Bolded Value indicates detected concentration exceeded guidance value.

ug/L - micrograms per liter

Table 3
Summary of Analytical Data for Soil Vapor Samples
VCP # V-00672-1, Manorville, New York

Analyses	Sample			
	SV-01	SV-01 Rep.	SV-02	SV-03 SV-04
TO-15 VOC Compounds (ug/m³)				
Trichlorofluoromethane	3.6	ND	ND	ND
Freon TF	15.0	18.0	35.0	ND
Acetone	200	240	180	ND
1,2,4-Trimethylbenzene	ND	3.0	ND	6.4
2,2,4-Trimethylpentane	98.0	150	790	560
Toluene	4.5	4.9	12.0	14.0
Tetrachloroethene	160	220	34.0	7.5
Methyl Ethyl Ketone	16.0	18.0	15.0	ND
1,1,1-Trichloroethane	46.0	55.0	9.8	ND

Notes:

ug/m³ - micrograms per cubic meter.

ND - Analyte not detected at concentration exceeding method detection limit.

APPENDIX A

Freudenthal & Elkowitz Consulting Group Inc.			Boring Log		Project No.: PAR-02-295	Page: 1
			Drill Rig: HSA	Date Drilled: 6/15/07	Logged By: B.M.	
			Boring Diameter: 8 Inches	Boring Number: C-A-1		
Sample	% Recovery	PID Reading	Depth Feet	Lithology	Description	
	80	0		OH	Organic loam to silty sand, dry, no odor, brown.	
	90	0	5	SM	silty sand, dry, no odor, brown.	
X	90	3.3		SW	light brown, medium to fine sand w/ little silt, no odor	
	90	2.5 0	10	↓	↓ Wet Color Turns to reddish-brown	
	80	0				
	90	0				
	80	0	15			
	80	0				
	80	0	20			
			25		END	
			30			
			35			
Completion Notes:					Site Sketch:	

Freudenthal & Elkowitz Consulting Group Inc.			Boring Log		Project No.: PAR-02-295	Page: 1
			Drill Rig: HSA	Date Drilled: 6/15/07		Logged By:
			Boring Diameter: 8	Inches	Boring Number: C-A-2	G.M.
Sample	% Recovery	PID Reading	Depth Feet	Lithology	Description	
	90	1.8		OH	Organic loam, light brown, dry, no odor	
X	80	2.5	5	SM	Silty - sand, light brown, dry, no odor	
	80	0		SW	light brown, medium to fine sand with little silt, no odor	
	100	0	10			
	90	0				
	80	0		ML	same as above with interbedded silt layers, dry, no odor	
	90	0	15			
	90	0		SW	coarse sand, reddish brown, wet no odor	
	80	0	20		↓	
					End	
			25			
			30			
			35			
Completion Notes:					Site Sketch:	

Freudenthal & Elkowitz Consulting Group Inc.			Boring Log		Project No.: PAR-02-295	Page: 1
			Drill Rig: HSA	Date Drilled: 6/15/07		Logged By:
			Boring Diameter: 8 Inches	Boring Number: C-C-1		B.M.
Sample	% Recovery	PID Reading	Depth Feet	Lithology	Description	
X	90	0		OH	Organic loam, light brown, dry No odor	
	80	0	5	SM	Silty-sand interbedded with layers of dense silt, light brown, dry, No odor	
	80	0				
	90	0	10			
	80	0				
	90	0				
	80	0	15			
	80	0				
	90	0	20			
			25		END	
			30			
			35			

Completion Notes:	Site Sketch:
-------------------	--------------

Freudenthal & Elkowitz Consulting Group Inc.			Boring Log		Project No.: PAR-02-295		Page: 1
			Drill Rig: HSA		Date Drilled: 6/15/07		Logged By:
			Boring Diameter: 8 Inches		Boring Number: C-C-2		B.M.
Sample	% Recovery	PID Reading	Depth Feet	Lithology	Description		
X	90	NA		OH	Organic loam, light brown to brown, dry, solvent-like odor		
	80	NA	5	SM	Silty-sand interbedded with layers of dense silt, light brown, dry, solvent-like odor		
X	80	NA					
	90	NA	10				
X	90	NA			Same as above - No odor		
	90	NA					
	80	NA	15		▽ WET		
	90	NA					
	90	NA	20				
			25		END		
			30				
			35				

Completion Notes: PID malfunctioned, no readings were available in this boring.	Site Sketch:
--	--------------

APPENDIX B

Freudenthal & Elkowitz Consulting Group Inc.		Well Construction Log		
		Well ID: <i>MW-1</i>	Project No.: <i>PAR-02-295</i>	
Well Dia: <i>2"</i>	Well Depth: <i>27'</i>			
Well Material: <i>PVC</i>	Borehole Dia: <i>8"</i>	Borehole depth: <i>28'</i>	Screen Interval: <i>12'-27'</i>	
Depth to Product: <i>NA</i>	Depth to Water: <i>17</i>	Depth to Bottom: <i>27.00</i>		
2' — Concrete 7' — Grout 10' — Bentonite chips 12' — 27' — Sand Pack (Mazie #0) 28' —		Driller Information		
		Driller Name: <i>Land, Air, Water Environmental Services, Inc.</i>		
		Helper Name: <i>-Ufuk Hallaceli</i> <i>-Ernesto Santiago</i>		
		Drilling Method: <i>HSA</i>		
		Fluid Used: <i>None</i>		
		Volume of Fluid: <i>—</i>		
		Static Water Level: <i>17.18'</i>		
		Well Development		
		Date: <i>5/5/06</i>		
		Pumping Method: <i>Submersible</i>		
Pumping Rate: <i>~3 gpm</i>				
Volume Pumped: <i>~55 gallons</i>				
Turbidity				
Start: <i>visually clear</i>				
End: <i>visually clear</i>				
Completion Notes:		Site Sketch:		

Freudenthal & Elkowitz Consulting Group Inc.		Well Construction Log				
		Well ID: <i>MW-2</i>	Project No.: <i>PAR-02-295</i>		Date: <i>5/5/06</i>	Logged By: <i>R. Baldwin</i>
Well Material: <i>PVC</i>		Well Dia: <i>2"</i>	Well Depth: <i>27'</i>	Borehole Dia: <i>8"</i>	Borehole depth: <i>28'</i>	Screen Interval: <i>12'-27'</i>
Depth to Product: <i>NA</i>		Depth to Water: <i>17</i>		Depth to Bottom: <i>26.50'</i>		
		Flush-mount curb box		Driller Information		
2'		concrete		Driller Name: <i>Land, Air, Water Environmental Services, Inc.</i>		
		Grout		Helper Name: <i>- Uluk Hallaceli</i>		
7'		Bentonite chips		Drilling Method: <i>HSA</i>		
10'				Fluid Used: <i>None</i>		
12'				Volume of Fluid: <i>-</i>		
		Sand Pack (morie #0)		Static Water Level: <i>17.5'</i>		
				Well Development		
				Date: <i>5/5/06</i>		
				Pumping Method: <i>submersible pump</i>		
				Pumping Rate: <i>~3 gpm</i>		
				Volume Pumped: <i>~60 gallons</i>		
27'				Turbidity		
				Start: <i>visually clear</i>		
				End: <i>visually clear</i>		
		28'				
Completion Notes:				Site Sketch:		

Freudenthal & Elkowitz Consulting Group Inc.		Well Construction Log		
		Well ID: <i>MW-3</i>	Project No.: <i>PAR-02-295</i>	Date: <i>5/4/06</i>
Well Material: <i>PVC</i>		Well Dia: <i>2"</i>	Well Depth: <i>27'</i>	Screen Interval: <i>12'-27'</i>
		Borehole Dia: <i>8"</i>	Borehole depth: <i>30'</i>	
Depth to Product: <i>NA</i>		Depth to Water: <i>~17'</i>	Depth to Bottom: <i>27.10'</i>	
		<i>Flush-mount Curb box</i>	Driller Information	
<i>2'</i>		<i>- Concrete</i>	Driller Name: <i>Land, Air, Water Env. Services, Inc.</i>	
		<i>- Grout</i>	Helper Name: <i>- Ufuk Hallaceli - Ernesto Santiago</i>	
<i>5'</i>		<i>Bentonite Chips</i>	Drilling Method: <i>HSA</i>	
<i>8'</i>			Fluid Used: <i>NONE</i>	
			Volume of Fluid: <i>—</i>	
<i>12'</i>			Static Water Level: <i>17.27'</i>	
		<i>Sand Pack Mazie #0</i>	Well Development	
			Date: <i>5/5/06</i>	
			Pumping Method: <i>submersible pump</i>	
			Pumping Rate: <i>~39pm</i>	
			Volume Pumped: <i>~60 gallons</i>	
<i>27'</i>			Turbidity	
		<i>30'</i>	Start: <i>visually clear</i>	
			End: <i>visually clear</i>	
Completion Notes:			Site Sketch:	

Freudenthal & Elkowitz Consulting Group Inc.		Well Construction Log		
		Well ID: MW-4	Project No.: PAR-02-295	Date: 5/4/06
Well Material: PVC	Well Dia: 2"	Well Depth: 27'	Logged By: R. Baldwin	
	Borehole Dia: 8"	Borehole depth: 30'	Screen Interval: 12'-27'	
Depth to Product: NA	Depth to Water: ~17'	Depth to Bottom: 28.90'		
		Driller Information Driller Name: Land, Air, Water Env. Services, Inc. Helper Name: -upuk Hallaceli - Ernesto Santiago Drilling Method: 1+SA Fluid Used: none Volume of Fluid: NA Static Water Level: 17.0		
Well Development Date: 5/5/06 Pumping Method: submersible pump Pumping Rate: ~3 gpm Volume Pumped: ~60 gallons Turbidity: Start: visually clear End:				
Completion Notes:		Site Sketch:		

Groundwater Sampling Log

Project: PAR-02-295 Site: Manorville Plaza Well ID: MW-1 Date: 6/14/07
Well Depth: 27.00 Screen Length: 15' Well Diameter: 2" Casing Type: PVC
Sampling Device: Poly Bailer Tubing Type: — Water Level: 11.88
Measuring Point: TOC Other Information: 15.12' H₂O x .16 gal/ft = 2.42 gallons
3 volumes = 7.26 gallons
Sampling Personnel: G. Ernst

[illegible]

Samples Collected: 15:00

TCL VOCs

Groundwater Sampling Log

Project: PAR-02-295 Site: Manoerville Plaza Well ID: MW-2 Date: 6/14/07
Well Depth: 26.50 Screen Length: 15' Well Diameter: 2" Casing Type: PVC
Sampling Device: Poly Bailer Tubing Type: — Water Level: 11.98
Measuring Point: TOC Other Information: 14.52' H₂O × .16 g/LT = 2.3296 lbs
3 volumes = 6.97 gallons
Sampling Personnel: G. ERNST

[illegible]

Samples Collected: 14:00
Blind replicate collected at MW-2.
TCL VOCs

Groundwater Sampling Log

Project: PAR-02-295 Site: Manorville Plaza Well ID: MW-3 Date: 6/14/07
Well Depth: 27.10 Screen Length: 15' Well Diameter: 2" Casing Type: PVC
Sampling Device: Poly Bailer Tubing Type: — Water Level: 15.05
Measuring Point: TOC Other Information: 12.05' H₂O x .16 g/RT = 1.93 gal
3 volumes = 5.78 gal.
Sampling Personnel: G. ERNST

[illegible]

Samples Collected: 1240
TCL VOC's

Groundwater Sampling Log

Project: PAR-02-295 Site: Manoreville Plaza Well ID: MW-4 Date: 6/14/07
Well Depth: 26.90 Screen Length: 15' Well Diameter: 2" Casing Type: PVC
Sampling Device: Poly Bailor Tubing Type: — Water Level: 11.96
Measuring Point: TOC Other Information: 14.94' H₂O × .16 g/ft = 2.39 gal
3 volumes = 7.17 gal
Sampling Personnel: G. Ernst

[illegible]

Samples Collected: 11:50

TCL VOCs

APPENDIX C

YORK

ANALYTICAL LABORATORIES, INC.

Technical Report

prepared for:

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Bryan Murty

Report Date: 6/25/2007
Re: Client Project ID: PAR-02-295/Manorville Plaza
York Project No.: 07060637

CT License No. PH-0723

New York License No. 10854



Report Date: 6/25/2007
 Client Project ID: PAR-02-295/Manorville Plaza
 York Project No.: 07060637

Freudenthal & Elkowitz
 1757-24 Veterans Memorial Hwy.
 Islandia, NY 11749
 Attention: Bryan Murty

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 06/18/07. The project was identified as your project "PAR-02-295/Manorville Plaza".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			C-A-1 (Surficial)		C-A-1 (5-7')	
York Sample ID			07060637-01		07060637-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	10	Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	10
1,1,2-Trichloroethane			Not detected	10	Not detected	10
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	10	Not detected	10
1,1-Dichloroethane			Not detected	10	Not detected	10
1,1-Dichloroethene			Not detected	10	Not detected	10
1,2,4-Trichlorobenzene			Not detected	10	Not detected	10
1,2-Dibromo-3-Chloropropane			Not detected	10	Not detected	10
1,2-Dibromoethane (ethylene dibromide)			Not detected	10	Not detected	10
1,2-Dichlorobenzene			Not detected	10	Not detected	10
1,2-Dichloroethane			Not detected	10	Not detected	10
1,2-Dichloroethylene (cis-)			Not detected	10	Not detected	10
1,2-Dichloroethylene(trans-)			Not detected	10	Not detected	10
1,2-Dichloropropane			Not detected	10	Not detected	10
1,3-Dichlorobenzene			Not detected	10	Not detected	10
1,4-Dichlorobenzene			Not detected	10	Not detected	10

YORK

Client Sample ID			C-A-1 (Surficial)		C-A-1 (5-7')	
York Sample ID			07060637-01		07060637-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
2-Butanone			Not detected	10	Not detected	10
2-Hexanone			Not detected	10	Not detected	10
4-Methyl-2-pentanone			Not detected	10	Not detected	10
Acetone			Not detected	10	Not detected	10
Benzene			Not detected	10	Not detected	10
Bromodichloromethane			Not detected	10	Not detected	10
Bromoform			Not detected	10	Not detected	10
Bromomethane			Not detected	10	Not detected	10
Carbon disulfide			Not detected	10	Not detected	10
Carbon tetrachloride			Not detected	10	Not detected	10
Chlorobenzene			Not detected	10	Not detected	10
Chloroethane			Not detected	10	Not detected	10
Chloroform			19	10	14	10
Chloromethane			Not detected	10	Not detected	10
cis-1,3-Dichloropropene			Not detected	10	Not detected	10
Dibromochloromethane			Not detected	10	Not detected	10
Dichlorodifluoromethane			Not detected	10	Not detected	10
Ethylbenzene			Not detected	10	Not detected	10
Isopropylbenzene (Cumene)			Not detected	10	Not detected	10
Methyl tert-butyl Ether (MTBE)			Not detected	10	Not detected	10
Methylene chloride			Not detected	10	Not detected	10
Styrene			Not detected	10	Not detected	10
Tetrachloroethene			Not detected	10	Not detected	10
Toluene			Not detected	10	Not detected	10
trans-1,3-Dichloropropene			Not detected	10	Not detected	10
Trichloroethene			Not detected	10	Not detected	10
Trichlorofluoromethane			Not detected	10	Not detected	10
Vinyl chloride			Not detected	10	Not detected	10
Xylenes (total)			Not detected	10	Not detected	10
Naphthalene	SW846-8260	ug/kg	Not detected	10	Not detected	10

Client Sample ID			C-A-2 (3-5')		C-C-1 (Surficial)	
York Sample ID			07060637-03		07060637-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	10	Not detected	25
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	25
1,1,2-Trichloroethane			Not detected	10	Not detected	25
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	10	Not detected	25
1,1-Dichloroethane			Not detected	10	Not detected	25
1,1-Dichloroethene			Not detected	10	Not detected	25
1,2,4-Trichlorobenzene			Not detected	10	Not detected	25
1,2-Dibromo-3-Chloropropane			Not detected	10	Not detected	25
1,2-Dibromoethane (ethylene dibromide)			Not detected	10	Not detected	25
1,2-Dichlorobenzene			Not detected	10	Not detected	25
1,2-Dichloroethane			Not detected	10	Not detected	25
1,2-Dichloroethylene (cis-)			Not detected	10	Not detected	25

YORK

Client Sample ID			C-A-2 (3-5')		C-C-1 (Surficial)	
York Sample ID			07060637-03		07060637-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dichloroethylene(trans-)			Not detected	10	Not detected	25
1,2-Dichloropropane			Not detected	10	Not detected	25
1,3-Dichlorobenzene			Not detected	10	Not detected	25
1,4-Dichlorobenzene			Not detected	10	Not detected	25
2-Butanone			Not detected	10	Not detected	25
2-Hexanone			Not detected	10	Not detected	25
4-Methyl-2-pentanone			Not detected	10	Not detected	25
Acetone			Not detected	10	Not detected	25
Benzene			Not detected	10	Not detected	25
Bromodichloromethane			Not detected	10	Not detected	25
Bromoform			Not detected	10	Not detected	25
Bromomethane			Not detected	10	Not detected	25
Carbon disulfide			Not detected	10	Not detected	25
Carbon tetrachloride			Not detected	10	Not detected	25
Chlorobenzene			Not detected	10	Not detected	25
Chloroethane			Not detected	10	Not detected	25
Chloroform			Not detected	10	Not detected	25
Chloromethane			Not detected	10	Not detected	25
cis-1,3-Dichloropropene			Not detected	10	Not detected	25
Dibromochloromethane			Not detected	10	Not detected	25
Dichlorodifluoromethane			Not detected	10	Not detected	25
Ethylbenzene			Not detected	10	Not detected	25
Isopropylbenzene (Cumene)			Not detected	10	Not detected	25
Methyl tert-butyl Ether (MTBE)			Not detected	10	Not detected	25
Methylene chloride			Not detected	10	Not detected	25
Styrene			Not detected	10	Not detected	25
Tetrachloroethene			Not detected	10	28	25
Toluene			Not detected	10	Not detected	25
trans-1,3-Dichloropropene			Not detected	10	Not detected	25
Trichloroethene			Not detected	10	Not detected	25
Trichlorofluoromethane			Not detected	10	Not detected	25
Vinyl chloride			Not detected	10	Not detected	25
Xylenes (total)			Not detected	10	Not detected	25
Naphthalene	SW846-8260	ug/kg	Not detected	10	Not detected	25

Client Sample ID			C-A-2 (Surficial)		C-C-2 (Surficial)	
York Sample ID			07060637-05		07060637-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	10	Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	10
1,1,2-Trichloroethane			Not detected	10	Not detected	10
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	10	Not detected	10
1,1-Dichloroethane			Not detected	10	Not detected	10
1,1-Dichloroethene			Not detected	10	Not detected	10
1,2,4-Trichlorobenzene			Not detected	10	Not detected	10
1,2-Dibromo-3-Chloropropane			Not detected	10	Not detected	10

YORK

Client Sample ID			C-A-2 (Surficial)		C-C-2 (Surficial)	
York Sample ID			07060637-05		07060637-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dibromoethane (ethylene dibromide)			Not detected	10	Not detected	10
1,2-Dichlorobenzene			Not detected	10	Not detected	10
1,2-Dichloroethane			Not detected	10	Not detected	10
1,2-Dichloroethylene (cis-)			Not detected	10	Not detected	10
1,2-Dichloroethylene(trans-)			Not detected	10	Not detected	10
1,2-Dichloropropane			Not detected	10	Not detected	10
1,3-Dichlorobenzene			Not detected	10	Not detected	10
1,4-Dichlorobenzene			Not detected	10	Not detected	10
2-Butanone			Not detected	10	Not detected	10
2-Hexanone			Not detected	10	Not detected	10
4-Methyl-2-pentanone			Not detected	10	Not detected	10
Acetone			Not detected	10	Not detected	10
Benzene			Not detected	10	Not detected	10
Bromodichloromethane			Not detected	10	Not detected	10
Bromoform			Not detected	10	Not detected	10
Bromomethane			Not detected	10	Not detected	10
Carbon disulfide			Not detected	10	Not detected	10
Carbon tetrachloride			Not detected	10	Not detected	10
Chlorobenzene			Not detected	10	Not detected	10
Chloroethane			Not detected	10	Not detected	10
Chloroform			Not detected	10	Not detected	10
Chloromethane			Not detected	10	Not detected	10
cis-1,3-Dichloropropene			Not detected	10	Not detected	10
Dibromochloromethane			Not detected	10	Not detected	10
Dichlorodifluoromethane			Not detected	10	Not detected	10
Ethylbenzene			Not detected	10	Not detected	10
Isopropylbenzene (Cumene)			Not detected	10	Not detected	10
Methyl tert-butyl Ether (MTBE)			Not detected	10	Not detected	10
Methylene chloride			Not detected	10	Not detected	10
Styrene			Not detected	10	Not detected	10
Tetrachloroethene			Not detected	10	110	10
Toluene			Not detected	10	Not detected	10
trans-1,3-Dichloropropene			Not detected	10	Not detected	10
Trichloroethene			Not detected	10	Not detected	10
Trichlorofluoromethane			Not detected	10	Not detected	10
Vinyl chloride			Not detected	10	Not detected	10
Xylenes (total)			Not detected	10	Not detected	10
Naphthalene	SW846-8260	ug/kg	Not detected	10	Not detected	10

Client Sample ID			Blind Duplicate		C-C-2 (0-3')	
York Sample ID			07060637-07		07060637-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	10	Not detected	25
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	25
1,1,2-Trichloroethane			Not detected	10	Not detected	25

YORK

Client Sample ID			Blind Duplicate		C-C-2 (0-3')	
York Sample ID			07060637-07		07060637-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	10	Not detected	25
1,1-Dichloroethane			Not detected	10	Not detected	25
1,1-Dichloroethene			Not detected	10	Not detected	25
1,2,4-Trichlorobenzene			Not detected	10	Not detected	25
1,2-Dibromo-3-Chloropropane			Not detected	10	Not detected	25
1,2-Dibromoethane (ethylene dibromide)			Not detected	10	Not detected	25
1,2-Dichlorobenzene			Not detected	10	Not detected	25
1,2-Dichloroethane			Not detected	10	Not detected	25
1,2-Dichloroethylene (cis-)			Not detected	10	Not detected	25
1,2-Dichloroethylene(trans-)			Not detected	10	Not detected	25
1,2-Dichloropropane			Not detected	10	Not detected	25
1,3-Dichlorobenzene			Not detected	10	Not detected	25
1,4-Dichlorobenzene			Not detected	10	Not detected	25
2-Butanone			Not detected	10	Not detected	25
2-Hexanone			Not detected	10	Not detected	25
4-Methyl-2-pentanone			Not detected	10	Not detected	25
Acetone			Not detected	10	Not detected	25
Benzene			Not detected	10	Not detected	25
Bromodichloromethane			Not detected	10	Not detected	25
Bromoform			Not detected	10	Not detected	25
Bromomethane			Not detected	10	Not detected	25
Carbon disulfide			Not detected	10	Not detected	25
Carbon tetrachloride			Not detected	10	Not detected	25
Chlorobenzene			Not detected	10	Not detected	25
Chloroethane			Not detected	10	Not detected	25
Chloroform			Not detected	10	Not detected	25
Chloromethane			Not detected	10	Not detected	25
cis-1,3-Dichloropropene			Not detected	10	Not detected	25
Dibromochloromethane			Not detected	10	Not detected	25
Dichlorodifluoromethane			Not detected	10	Not detected	25
Ethylbenzene			Not detected	10	Not detected	25
Isopropylbenzene (Cumene)			Not detected	10	Not detected	25
Methyl tert-butyl Ether (MTBE)			Not detected	10	Not detected	25
Methylene chloride			Not detected	10	Not detected	25
Styrene			Not detected	10	Not detected	25
Tetrachloroethene			Not detected	10	2100	25
Toluene			Not detected	10	Not detected	25
trans-1,3-Dichloropropene			Not detected	10	Not detected	25
Trichloroethene			Not detected	10	Not detected	25
Trichlorofluoromethane			Not detected	10	Not detected	25
Vinyl chloride			Not detected	10	Not detected	25
Xylenes (total)			Not detected	10	100	25
Naphthalene	SW846-8260	ug/kg	Not detected	10	Not detected	25

YORK

Client Sample ID			C-C-1 (0-3')	
York Sample ID			07060637-09	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Volatiles, Target Compd. List (TCL)	SW846-8260	ug/kg	---	---
1,1,1-Trichloroethane			Not detected	25
1,1,2,2-Tetrachloroethane			Not detected	25
1,1,2-Trichloroethane			Not detected	25
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	25
1,1-Dichloroethane			Not detected	25
1,1-Dichloroethene			Not detected	25
1,2,4-Trichlorobenzene			Not detected	25
1,2-Dibromo-3-Chloropropane			Not detected	25
1,2-Dibromoethane (ethylene dibromide)			Not detected	25
1,2-Dichlorobenzene			Not detected	25
1,2-Dichloroethane			Not detected	25
1,2-Dichloroethylene (cis-)			Not detected	25
1,2-Dichloroethylene(trans-)			Not detected	25
1,2-Dichloropropane			Not detected	25
1,3-Dichlorobenzene			Not detected	25
1,4-Dichlorobenzene			Not detected	25
2-Butanone			Not detected	25
2-Hexanone			Not detected	25
4-Methyl-2-pentanone			Not detected	25
Acetone			Not detected	25
Benzene			Not detected	25
Bromodichloromethane			Not detected	25
Bromoform			Not detected	25
Bromomethane			Not detected	25
Carbon disulfide			Not detected	25
Carbon tetrachloride			Not detected	25
Chlorobenzene			Not detected	25
Chloroethane			Not detected	25
Chloroform			Not detected	25
Chloromethane			Not detected	25
cis-1,3-Dichloropropene			Not detected	25
Dibromochloromethane			Not detected	25
Dichlorodifluoromethane			Not detected	25
Ethylbenzene			Not detected	25
Isopropylbenzene (Cumene)			Not detected	25
Methyl tert-butyl Ether (MTBE)			Not detected	25
Methylene chloride			Not detected	25
Styrene			Not detected	25
Tetrachloroethene			49	25
Toluene			Not detected	25
trans-1,3-Dichloropropene			Not detected	25
Trichloroethene			Not detected	25
Trichlorofluoromethane			Not detected	25
Vinyl chloride			Not detected	25
Xylenes (total)			Not detected	25
Naphthalene	SW846-8260	ug/kg	Not detected	25

YORK

Client Sample ID			G-4		G-1	
York Sample ID			07060637-10		07060637-11	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			7	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Units Key:

For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb


YORK

Report Date: 6/25/2007
Client Project ID: PAR-02-295/Manorville Plaza
York Project No.: 07060637

Notes for York Project No. 07060637

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:


Robert Q. Bradley
Managing Director

Date: 6/25/2007

YORK

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AD36750

25-Jun-07

Client: Freudenthal & Elkowitz

Analysis Name: **VOA QC WATERS**
Unit of Measure: ug/L

Batch Name: \$VOAW-23250

QA Sample #: AD36750
York's Sample ID: 07060637-10

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery, %	Precision, RPD
Trichloroethylene	106	Not detected	Not detected	50	56	112.0	58	116.0	3.5
Toluene	84	Not detected	Not detected	50	60	120.0	56	112.0	6.9
Chlorobenzene	92	Not detected	Not detected	50	55	110.0	52	104.0	5.6
Benzene	108	Not detected	Not detected	50	53	106.0	49	98.0	7.8
1,1-Dichloroethylene	96	Not detected	Not detected	50	39	78.0	38	76.0	2.6

YORK

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE
STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

Page 1 of 3

Company Name

F + E

Report To:

GERNST@FECC.05
BMURTH@FECC.05

Invoice To:

B ALBERTS

Project ID/No.

PAR
PRO - 02-295/
MANVILLE PLAZA

Samples Collected By (Signature)

BRYAN MURTHY

Name (Printed)

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Other		
	C-A-1 (Surficial)	6/15/07		X		-TCL VOCs + NAPHTHALENE	-1-2oz jar
	C-A-1 (5-7')						
	C-A-2 (3-5')						
	C-C-1 (Surficial)						
	C-A-2 (Surficial)						
	C-C-2 (Surficial)						
	BLIND DUPLICATE						
	C-C-2 (0-3')						
	C-C-1 (0-3')						
	G-4		X			-TCL VOCs + NAPHTHALENE	2x VOCs

Chain-of-Custody Record

Bottles Relinquished from Lab by

Date/Time

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Bottles Received in Field by

Date/Time

Sample Relinquished by

Date/Time

Sample Received in LAB by

Date/Time

Comments/Special Instructions

Turn-Around Time

X Standard X RUSH(define)

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE
(203) 325-1371 FAX (203) 357-0166

STRATFORD, CT 06615

Field Chain-of-Custody Record

Page 2 of 5

Company Name

F+E

Report To:

GERNSTEIN
BRYAN MURTY

Invoice To:

B. ALBERTS

Project ID/No.

PAR-02-295
MANORVILLE PLAZA

Samples Collected By (Signature)

BRYAN MURTY

Name (Printed)

Sample No.

Location/ID

Date Sampled

Water

Soil

Air

OTHER

ANALYSES REQUESTED

Container Description(s)

G-1

6/15/02

X

C-A-1 (0-3')

X

*HOLD

TEL VOCS + NAPHTHALENE

2X VOAS

C-A-1 (3-5')

C-A-1 (7-10')

C-A-1 (10-12')

C-A-1 (12-14')

C-A-1 (14-16')

C-A-1 (16-18')

C-A-1 (18-20')

C-A-2 (0-3')

Chain-of-Custody Record

Bottles Relinquished from Lab by

Date/Time

Bottles Received in Field by

Date/Time

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Sample Relinquished by

Date/Time

Sample Received in LAB by

Date/Time

Comments/Special Instructions

Turn-Around Time

4.1°C

Standard

RUSH(define)

Field Chain-of-Custody Record

Company Name F + E	Report To: GIERNST@FECG.US BNUZTY@FECG.US	Invoice To: BALBERTS	Project ID/No. PAR-02-295/MAN. PLAZA	Samples Collected By (Signature) <i>[Signature]</i> Name (Printed) BRYAN MURTY
------------------------------	---	-------------------------	--	---

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air		
	C-A-2 (5-7')	6/18/07		X		X HOLD	1-2oz jar
	C-A-2 (7-10')						
	C-A-2 (10-12')						
	C-A-2 (12-14')						
	C-A-2 (14-16')						
	C-A-2 (16-18')						
	C-A-2 (18-20')						
	C-C-1 (3-5')						
	C-C-1 (5-7')						
	C-C-1 (7-10')						

Chain-of-Custody Record

Bottles Relinquished from Lab by	Date/Time	Sample Relinquished by	Date/Time
		<i>[Signature]</i>	6/18/07
Bottles Received in Field by	Date/Time	Sample Relinquished by	Date/Time
		<i>[Signature]</i>	6/18/07

Comments/Special Instructions

Turn-Around Time 4.1°C X Standard X RUSH(define) _____

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

Page 4 of 5

Company Name

F + E

Report To:

GERNSTOFECCO
BUYERY@FECCO.US

Invoice To:

B. ALBERTS

Project ID/No.

AR-02-295 /
MANGELICUS PLAZA

Samples Collected By (Signature)

BRYAN MURTY

Name (Printed)

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	OTHER		
	C-C-1 (10-12)	6/15/07		X		* Hord	1-202 jar
	C-C-1 (12-14)						
	C-C-1 (14-16)						
	C-C-1 (16-18)						
	C-C-1 (18-20)						
	C-C-2 (3-5)						
	C-C-2 (5-7)						
	C-C-2 (7-10)						
	C-C-2 (10-12)						
	C-C-2 (12-14)						

Chain-of-Custody Record

Bottles Relinquished from Lab by

Date/Time

Bottles Received in Field by

Date/Time

Comments/Special Instructions

Sample Relinquished by

Date/Time

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Sample Received in LAB by

Date/Time

Turn-Around Time

X Standard

RUSH(define)

Field Chain-of-Custody Record

[illegible]

Technical Report

prepared for:

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Bryan Murty

Report Date: 6/25/2007
Re: Client Project ID: PAR-02-295 / Manorville Plaza
York Project No.: 07060638

CT License No. PH-0723

New York License No. 10854



Report Date: 6/25/2007
Client Project ID: PAR-02-295 / Manorville Plaza
York Project No.: 07060638

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Bryan Murty

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 06/18/07. The project was identified as your project "PAR-02-295 / Manorville Plaza".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			G2-1		G3-1	
York Sample ID			07060638-01		07060638-02	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			G2-1		G3-1	
York Sample ID			07060638-01		07060638-02	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			GP-1 (50')		GP-1 (40')	
York Sample ID			07060638-03		07060638-04	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	8	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			GP-1 (50')		GP-1 (40')	
York Sample ID			07060638-03		07060638-04	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			GP-1 (30')		GP-1 (20')	
York Sample ID			07060638-05		07060638-06	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			GP-1 (30')		GP-1 (20')	
York Sample ID			07060638-05		07060638-06	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			GP-2 (50')		GP-2 (40')	
York Sample ID			07060638-07		07060638-08	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			GP-2 (50')		GP-2 (40')	
York Sample ID			07060638-07		07060638-08	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			GP-2 (30')		GP-2 (20')	
York Sample ID			07060638-09		07060638-10	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			RB-1		RB-2	
York Sample ID			07060638-12		07060638-13	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			TRIP BLANK 1		MW-1	
York Sample ID			07060638-14		07060638-15	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Compd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			MW-2		MW-3	
York Sample ID			07060638-16		07060638-17	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---	---
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
2-Butanone			Not detected	5.0	Not detected	5.0
2-Hexanone			Not detected	5.0	Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0	Not detected	5.0
Acetone			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon disulfide			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
Tetrachloroethene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0	Not detected	5.0
Trichloroethene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
Xylenes (total)			Not detected	5.0	Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0	Not detected	5.0

Client Sample ID			MW-4	
York Sample ID			07060638-18	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---
1,1,1-Trichloroethane			Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0
1,1-Dichloroethane			Not detected	5.0
1,1-Dichloroethene			Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0
1,2-Dichloroethane			Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0
1,2-Dichloroethylene (trans-)			Not detected	5.0
1,2-Dichloropropane			Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0
2-Butanone			Not detected	5.0
2-Hexanone			Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0
Acetone			Not detected	5.0
Benzene			Not detected	5.0
Bromodichloromethane			Not detected	5.0
Bromoform			Not detected	5.0
Bromomethane			Not detected	5.0
Carbon disulfide			Not detected	5.0
Carbon tetrachloride			Not detected	5.0
Chlorobenzene			Not detected	5.0
Chloroethane			Not detected	5.0
Chloroform			Not detected	5.0
Chloromethane			Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0
Dibromochloromethane			Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0
Ethylbenzene			Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0
Methylene chloride			Not detected	5.0
Styrene			Not detected	5.0
Tetrachloroethene			Not detected	5.0
Toluene			Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0
Trichloroethene			Not detected	5.0
Trichlorofluoromethane			Not detected	5.0
Vinyl chloride			Not detected	5.0
Xylenes (total)			Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0

YORK

Client Sample ID			BLIND REPLICATE	
York Sample ID			07060638-19	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---
1,1,1-Trichloroethane			Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 113)			Not detected	5.0
1,1-Dichloroethane			Not detected	5.0
1,1-Dichloroethene			Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0
1,2-Dichloroethane			Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0
1,2-Dichloropropane			Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0
2-Butanone			Not detected	5.0
2-Hexanone			Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0
Acetone			Not detected	5.0
Benzene			Not detected	5.0
Bromodichloromethane			Not detected	5.0
Bromoform			Not detected	5.0
Bromomethane			Not detected	5.0
Carbon disulfide			Not detected	5.0
Carbon tetrachloride			Not detected	5.0
Chlorobenzene			Not detected	5.0
Chloroethane			Not detected	5.0
Chloroform			Not detected	5.0
Chloromethane			Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0
Dibromochloromethane			Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0
Ethylbenzene			Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0
Methylene chloride			Not detected	5.0
Styrene			Not detected	5.0
Tetrachloroethene			Not detected	5.0
Toluene			Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0
Trichloroethene			Not detected	5.0
Trichlorofluoromethane			Not detected	5.0
Vinyl chloride			Not detected	5.0
Xylenes (total)			Not detected	5.0
Naphthalene	SW846-8260	ug/L	Not detected	5.0

Units Key:

For Waters/Liquids: mg/L = ppm ; ug/L = ppb


For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

YORK

Notes for York Project No. 07060638

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:


for Robert Q. Bradley
Managing Director

Date: 6/25/2007

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AD36785

25-Jun-07

Client: Freudenthal & Elkowitz

Analysis Name: **VOA QC WATERS**
Unit of Measure: ug/L

Batch Name: \$VOAW-23248

QA Sample #: AD36785
York's Sample ID: 07060638-02

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery, %	Precision, RPD
Trichloroethylene	80	Not detected	Not detected	50	44	88.0	45	90.0	2.2
Toluene	80	Not detected	Not detected	50	43	86.0	44	88.0	2.3
Chlorobenzene	86	Not detected	Not detected	50	46	92.0	45	90.0	2.2
Benzene	80	Not detected	Not detected	50	41	82.0	39	78.0	5.0
1,1-Dichloroethylene	82	Not detected	Not detected	50	44	88.0	42	84.0	4.7

YORK

YORK

YORK ANALYTICAL LABORATORIES, INC.

Corrective Action Report-Sample Control

Date: 6/19

Reported By: [Signature]

Project No./Client: 01060638, F+E

Problem (check):

☐ Samples Broken ☐ Sample Pres. wrong
☐ Cooler Temp >4C ☐ CoC Incomplete ☐ Samples Missing
☐ Samples unlabeled ☒ Extra samples ☐ No Custody Seal
☒ Parameters unclear ☐ Due Date unclear ☐ OTHER (describe below)

Problem: MS/MSD? QC not requested.
4vva rec'd. 2vva sent
according to CoC.

Corrective Action (check):

☒ Informed Manager ☒ Informed Client ☐ OTHER (describe below)

Corrective Action MS/MSD goes w/ Q3-1

Routing: ☐ BB ☒ PM ☐ RA ☐ JW ☐ MW ☐ JT ☐ TD
☐ JG ☐ SS ☐ LR ☐ (other _____)

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE
(203) 325-1371 FAX (203) 357-0166
STRATFORD, CT 06615

Field Chain-of-Custody Record

Page 1 of 2

Company Name F + E	Report To: BRYAN MURPHY GREENSTADT	Invoice To: B. ALBERTS	Project ID/No. PAR-02-295/ MANVILLE PAZA	Samples Collected By (Signature) <i>[Signature]</i> Name (Printed) BRYAN S MURPHY
------------------------------	--	----------------------------------	--	---

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air OTHER		
G2-1		6/14/07	X			TCL VOCs + NAPHTHALENE	2x VOA'S
G3-1							
GP-1 (50')							
GP-1 (40')							
GP-1 (30')							
GP-1 (20')							
GP-2 (50')							
GP-2 (40')							
GP-2 (30')							
GP-2 (20')							

Chain-of-Custody Record

Bottles Relinquished from Lab by Bm	Date/Time 6/14/07	Sample Relinquished by Bm	Date/Time 6/14/07	Sample Received by <i>[Signature]</i>	Date/Time 6-18-07/1800
Bottles Received in Field by	Date/Time	Sample Relinquished by	Date/Time	Sample Received in LAB by	Date/Time

Comments/Special Instructions QA/QC Summary, MS/MSD goes with 43-1 as per Bryan Murphy 6/20/07	Turn-Around Time 4.1 hr	Standard X	RUSH(define)
--	-----------------------------------	----------------------	--------------

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

Page 2 of 2

Company Name

F + E

Report To:

BURTON REECS
GERNST REECS

Invoice To:

B ALBERTS

Project ID/No.

PAR-02-2557
MANORVILLE PLAZA

Samples Collected By (Signature)

BAYAN NURDIY

Name (Printed)

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air	OTHER	
	MS/MSD	6/14/07	X			TCL VOCs + NAPHTHALENE	2X VOAS
	RB-1						
	RB-2						
	TRIP BLANK 1						
	MW-1						
	MW-2						
	MW-3						
	MW-4						
	BLIND REPLICATE						

Chain-of-Custody Record

Bottles Relinquished from Lab by

Date/Time

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Bottles Received in Field by

Date/Time

Sample Relinquished by

Date/Time

Sample Received in LAB by

Date/Time

Comments/Special Instructions

Turn-Around Time

X Standard

RUSH(define)

4.1 hr

X

Turn-Around Time

X Standard

RUSH(define)

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE • STRATFORD, CT 06615 • (203) 325-1371

Technical Report

prepared for:

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Bryan Murty / Greg Ernst

Report Date: 7/9/2007

Re: Client Project ID: PAR-02-295/Manorville Plaza
York Project No.: 07060637 Addendum

CT License No. PH-0723

New York License No. 10854



Report Date: 7/9/2007
Client Project ID: PAR-02-295/Manorville Plaza
York Project No.: 07060637 Addendum

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Bryan Murty /Greg Ernst

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 06/18/07. The project was identified as your project "PAR-02-295/Manorville Plaza".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			C-C-2 (5-7')		C-C-2 (10-12')	
York Sample ID			07060637-37		07060637-39	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	50	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	50	Not detected	5.0
1,1,2-Trichloroethane			Not detected	50	Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 11			Not detected	50	Not detected	5.0
1,1-Dichloroethane			Not detected	50	Not detected	5.0
1,1-Dichloroethene			Not detected	50	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	50	Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	50	Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	50	Not detected	5.0
1,2-Dichlorobenzene			Not detected	50	Not detected	5.0
1,2-Dichloroethane			Not detected	50	Not detected	5.0
1,2-Dichloroethylene (cis-)			Not detected	50	Not detected	5.0
1,2-Dichloroethylene(trans-)			Not detected	50	Not detected	5.0
1,2-Dichloropropane			Not detected	50	Not detected	5.0
1,3-Dichlorobenzene			Not detected	50	Not detected	5.0
1,4-Dichlorobenzene			Not detected	50	Not detected	5.0

YORK

Client Sample ID			C-C-2 (5-7')		C-C-2 (10-12')	
York Sample ID			07060637-37		07060637-39	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
2-Butanone			Not detected	50	Not detected	5.0
2-Hexanone			Not detected	50	Not detected	5.0
4-Methyl-2-pentanone			Not detected	50	Not detected	5.0
Acetone			Not detected	50	Not detected	5.0
Benzene			Not detected	50	Not detected	5.0
Bromodichloromethane			Not detected	50	Not detected	5.0
Bromoform			Not detected	50	Not detected	5.0
Bromomethane			Not detected	50	Not detected	5.0
Carbon disulfide			Not detected	50	Not detected	5.0
Carbon tetrachloride			Not detected	50	Not detected	5.0
Chlorobenzene			Not detected	50	Not detected	5.0
Chloroethane			Not detected	50	Not detected	5.0
Chloroform			Not detected	50	Not detected	5.0
Chloromethane			Not detected	50	Not detected	5.0
cis-1,3-Dichloropropene			Not detected	50	Not detected	5.0
Dibromochloromethane			Not detected	50	Not detected	5.0
Dichlorodifluoromethane			Not detected	50	Not detected	5.0
Ethylbenzene			Not detected	50	Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	50	Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	50	Not detected	5.0
Methylene chloride			Not detected	50	Not detected	5.0
Styrene			Not detected	50	Not detected	5.0
Tetrachloroethene			140	50	Not detected	5.0
Toluene			Not detected	50	Not detected	5.0
trans-1,3-Dichloropropene			Not detected	50	Not detected	5.0
Trichloroethene			Not detected	50	Not detected	5.0
Trichlorofluoromethane			Not detected	50	Not detected	5.0
Vinyl chloride			Not detected	50	Not detected	5.0
Xylenes (total)			Not detected	50	Not detected	5.0
Naphthalene	SW846-8260	ug/kg	70	50	Not detected	10

Units Key:

For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

Notes for York Project No. 07060637 A

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By

Robert Q. Bradley
Managing Director

Date: 7/9/2007

YORK

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AD36777

09-Jul-07

Client: Freudenthal & Elkowitz

Analysis Name: **VOA QC Soils**
Unit of Measure: ug/kg

Batch Name: \$VOAS-23346

QA Sample #: AD36777
York's Sample ID: 07060637-37

Parameter	LCS(%)	Unspiked Result	Blank	Matrix Spike			Spike Duplicate		
				Amount	Result	Recovery, %	Duplicate	Recovery, %	Precision, RPD
Trichloroethylene	96	Not detected	Not detected	50	56	112.0	56	112.0	0.0
Toluene	90	Not detected	Not detected	50	50	100.0	53	106.0	5.8
Chlorobenzene	88	Not detected	Not detected	50	51	102.0	55	110.0	7.5
Benzene	82	Not detected	Not detected	50	52	104.0	48	96.0	8.0
1,1-Dichloroethylene	116	Not detected	Not detected	50	62	124.0	57	114.0	8.4

YORK

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE
(203) 325-1371 FAX (203) 357-0166

STRAITFORD, CT 06615

Field Chain-of-Custody Record

Page 4 of 5

6000637

Company Name

F + E

Report To:

GERNSTOEFER & SONS
BUVET & SONS

Invoice To:

B. ALBERTS

Project ID/No.

AR-02-295/
MANAGERIAL PLAZA

Samples Collected By (Signature)

BRYAN MURPHY

Name (Printed)

Sample No.

Location/ID

Date Sampled

Water

Sample Matrix

Soil

Air

OTHER

ANALYSES REQUESTED

Container Description(s)

1-202 jar

* 1402

C-C-1 (10-12)

C-C-1 (12-14)

C-C-1 (14-16)

C-C-1 (16-18)

C-C-1 (18-20)

C-C-2 (3-5)

* C-C-2 (5-7)

C-C-2 (7-10)

* C-C-2 (10-12)

C-C-2 (12-14)

Chain-of-Custody Record

Bottles Relinquished from Lab by

Date/Time

Bottles Received in Field by

Date/Time

Sample Relinquished by

Date/Time

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Sample Received in LAB by

Date/Time

Comments/Special Instructions

Turn-Around Time

4.100

X Standard RUSH(define)

YORK
ANALYTICAL LABORATORIES, INC.

Technical Report

prepared for

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Rich Baldwin

Report Date: 12/19/2006
Re: Client Project ID: Manorville Plaza / PAR-02-295
York Project No.: 06120218

CT License No. PH-0723

New York License No. 10854



Report Date: 12/19/2006
Client Project ID: Manorville Plaza / PAR-02-295
York Project No.: 06120218

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Rich Baldwin

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 12/07/06. The project was identified as your project "Manorville Plaza / PAR-02-295".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			Trip Blank (12-6-06)		
York Sample ID			06120218-01		
Matrix			WATER		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/L	---	---	---
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethene			Not detected		5.0
1,2,4-Trichlorobenzene			Not detected		5.0
1,2-Dibromo-3-Chloropropane			Not detected		5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0
1,2-Dichloroethylene (cis-)			Not detected		5.0
1,2-Dichloroethylene(trans-)			Not detected		5.0

YORK

Client Sample ID			Trip Blank (12-6-06)		
York Sample ID			06120218-01		
Matrix			WATER		
Parameter	Method	Units	Result	Qualifier	RL
1,2-Dichloropropane			Not detected		5.0
1,3-Dichlorobenzene			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2-Butanone			Not detected		5.0
2-Hexanone			Not detected		5.0
4-Methyl-2-pentanone			1	JB	5.0
Acetone			Not detected		5.0
Benzene			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0
Bromomethane			Not detected		5.0
Carbon disulfide			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0
cis-1,3-Dichloropropene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Isopropylbenzene (Cumene)			Not detected		5.0
Methyl tert-butyl Ether (MTBE)			Not detected		5.0
Methylene chloride			3	JB	5.0
Styrene			Not detected		5.0
Tetrachloroethene			Not detected		5.0
Toluene			Not detected		5.0
trans-1,3-Dichloropropene			Not detected		5.0
Trichloroethene			Not detected		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			Not detected		5.0
Xylenes (total)			Not detected		5.0
Naphthalene	SW846-8260	ug/L	Not detected	---	5.0

Client Sample ID			HW-WC		
York Sample ID			06120218-02		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, 8260 List	SW846-8260	ug/Kg	---	---	---
1,1,1,2-Tetrachloroethane			Not detected		10
1,1,1-Trichloroethane			Not detected		10
1,1,2,2-Tetrachloroethane			Not detected		10
1,1,2-Trichloroethane			Not detected		10
1,1-Dichloroethane			Not detected		10
1,1-Dichloroethylene			Not detected		10
1,1-Dichloropropylene			Not detected		10
1,2,3-Trichlorobenzene			Not detected		10
1,2,3-Trichloropropane			Not detected		10
1,2,3-Trimethylbenzene			Not detected		10

YORK

Client Sample ID			HW-WC		
York Sample ID			06120218-02		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
1,2,4-Trichlorobenzene			Not detected		10
1,2,4-Trimethylbenzene			Not detected		10
1,2-Dibromo-3-chloropropane			Not detected		10
1,2-Dibromoethane			Not detected		10
1,2-Dichlorobenzene			Not detected		10
1,2-Dichloroethane			Not detected		10
1,2-Dichloroethylene (Total)			Not detected		10
1,2-Dichloropropane			Not detected		10
1,3,5-Trimethylbenzene			Not detected		10
1,3-Dichlorobenzene			Not detected		10
1,3-Dichloropropane			Not detected		10
1,4-Dichlorobenzene			Not detected		10
1-Chlorohexane			Not detected		10
2,2-Dichloropropane			Not detected		10
2-Chlorotoluene			Not detected		10
4-Chlorotoluene			Not detected		10
Benzene			Not detected		10
Bromobenzene			Not detected		10
Bromochloromethane			Not detected		10
Bromodichloromethane			Not detected		10
Bromoform			Not detected		10
Bromomethane			Not detected		10
Carbon tetrachloride			Not detected		10
Chlorobenzene			Not detected		10
Chloroethane			Not detected		10
Chloroform			Not detected		10
Chloromethane			Not detected		10
cis-1,3-Dichloropropylene			Not detected		10
Dibromochloromethane			Not detected		10
Dibromomethane			Not detected		10
Dichlorodifluoromethane			Not detected		10
Ethylbenzene			Not detected		10
Hexachlorobutadiene			Not detected		10
Isopropylbenzene			Not detected		10
Methylene chloride			16	B	10
MTBE			Not detected		10
Naphthalene			Not detected		10
n-Butylbenzene			Not detected		10
n-Propylbenzene			Not detected		10
o-Xylene			Not detected		10
p- & m-Xylenes			Not detected		10
p-Isopropyltoluene			Not detected		10
sec-Butylbenzene			Not detected		10
Styrene			Not detected		10
tert-Butylbenzene			Not detected		10
Tetrachloroethylene			Not detected		10
Toluene			Not detected		10
trans-1,3-Dichloropropylene			Not detected		10
Trichloroethylene			Not detected		10
Trichlorofluoromethane			Not detected		10
Vinyl chloride			Not detected		10

YORK

Client Sample ID			HW-WC		
York Sample ID			06120218-02		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Polynuclear Aromatic Hydrocarbons (BN)	SW846-8270	ug/kg	---	---	---
2-Methyl naphthalene			Not detected		165
Acenaphthene			Not detected		165
Acenaphthylene			Not detected		165
Anthracene			Not detected		165
Benzo[a]anthracene			Not detected		165
Benzo[a]pyrene			Not detected		165
Benzo[b]fluoranthene			Not detected		165
Benzo[g,h,i]perylene			Not detected		165
Benzo[k]fluoranthene			Not detected		165
Chrysene			Not detected		165
Dibenz[a,h]anthracene			Not detected		165
Fluoranthene			Not detected		165
Fluorene			Not detected		165
Indeno[1,2,3-cd]pyrene			Not detected		165
Naphthalene			Not detected		165
Phenanthrene			Not detected		165
Pyrene			Not detected		165
PCB	SW846-3550B/8082	mg/Kg	---	---	---
PCB 1016			Not detected		0.017
PCB 1221			Not detected		0.017
PCB 1232			Not detected		0.017
PCB 1242			Not detected		0.017
PCB 1248			Not detected		0.017
PCB 1254			Not detected		0.017
PCB 1260			Not detected		0.017
TCLP Metals, RCRA List	SW846-1311/6010	mg/L	---	---	---
TCLP Arsenic			Not detected		0.010
TCLP Barium			0.654		0.010
TCLP Cadmium			Not detected		0.005
TCLP Chromium			Not detected		0.005
TCLP Lead			Not detected		0.005
TCLP Selenium			Not detected		0.010
TCLP Silver			Not detected		0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	---	0.0002
Ignitability	SW846-1030P	---	does not ignit	---	---
pH	EPA 150.1	units	5.85	---	---
Reactivity-Cyanide	SW846 Ch. 7.3.3	mg/kg	Not detected	---	0.25
Reactivity-Sulfide	SW846 Ch. 7.3.4	mg/kg	Not detected	---	15
Total Petroleum Hydrocarbons-DRO	SW846-8015B	mg/kg	Not detected	---	10.0
Total Petroleum Hydrocarbons-GRO	8015B	mg/kg	Not detected	---	10

YORK

Client Sample ID			EP-I		
York Sample ID			06120218-03		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, Target Compd. List (TCL)	SW846-8260	ug/kg	---	---	---
1,1,1-Trichloroethane			Not detected		10
1,1,2,2-Tetrachloroethane			Not detected		10
1,1,2-Trichloroethane			Not detected		10
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected		10
1,1-Dichloroethane			Not detected		10
1,1-Dichloroethene			Not detected		10
1,2,4-Trichlorobenzene			Not detected		10
1,2-Dibromo-3-Chloropropane			Not detected		10
1,2-Dibromoethane (ethylene dibromide)			Not detected		10
1,2-Dichlorobenzene			Not detected		10
1,2-Dichloroethane			Not detected		10
1,2-Dichloroethylene (cis-)			Not detected		10
1,2-Dichloroethylene(trans-)			Not detected		10
1,2-Dichloropropane			Not detected		10
1,3-Dichlorobenzene			Not detected		10
1,4-Dichlorobenzene			Not detected		10
2-Butanone			Not detected		10
2-Hexanone			Not detected		10
4-Methyl-2-pentanone			2	J	10
Acetone			10	B	10
Benzene			Not detected		10
Bromodichloromethane			Not detected		10
Bromoform			Not detected		10
Bromomethane			Not detected		10
Carbon disulfide			Not detected		10
Carbon tetrachloride			Not detected		10
Chlorobenzene			Not detected		10
Chloroethane			Not detected		10
Chloroform			Not detected		10
Chloromethane			Not detected		10
cis-1,3-Dichloropropene			Not detected		10
Dibromochloromethane			Not detected		10
Dichlorodifluoromethane			Not detected		10
Ethylbenzene			Not detected		10
Isopropylbenzene (Cumene)			Not detected		10
Methyl tert-butyl Ether (MTBE)			Not detected		10
Methylene chloride			8	JB	10
Styrene			Not detected		10
Tetrachloroethene			Not detected		10
Toluene			Not detected		10
trans-1,3-Dichloropropene			Not detected		10
Trichloroethene			Not detected		10
Trichlorofluoromethane			Not detected		10
Vinyl chloride			Not detected		10
Xylenes (total)			3	J	10
Naphthalene	SW846-8260	ug/kg	6 JB	---	10

YORK

Client Sample ID			EP-J		
York Sample ID			06120218-04		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kG	---	---	---
1,1,1-Trichloroethane			Not detected		10
1,1,2,2-Tetrachloroethane			Not detected		10
1,1,2-Trichloroethane			Not detected		10
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected		10
1,1-Dichloroethane			Not detected		10
1,1-Dichloroethene			Not detected		10
1,2,4-Trichlorobenzene			Not detected		10
1,2-Dibromo-3-Chloropropane			Not detected		10
1,2-Dibromoethane (ethylene dibromide)			Not detected		10
1,2-Dichlorobenzene			Not detected		10
1,2-Dichloroethane			Not detected		10
1,2-Dichloroethylene (cis-)			Not detected		10
1,2-Dichloroethylene(trans-)			Not detected		10
1,2-Dichloropropane			Not detected		10
1,3-Dichlorobenzene			Not detected		10
1,4-Dichlorobenzene			Not detected		10
2-Butanone			Not detected		10
2-Hexanone			Not detected		10
4-Methyl-2-pentanone			2	J	10
Acetone			9	JB	10
Benzene			Not detected		10
Bromodichloromethane			Not detected		10
Bromoform			Not detected		10
Bromomethane			Not detected		10
Carbon disulfide			Not detected		10
Carbon tetrachloride			Not detected		10
Chlorobenzene			Not detected		10
Chloroethane			Not detected		10
Chloroform			Not detected		10
Chloromethane			Not detected		10
cis-1,3-Dichloropropene			Not detected		10
Dibromochloromethane			Not detected		10
Dichlorodifluoromethane			Not detected		10
Ethylbenzene			Not detected		10
Isopropylbenzene (Cumene)			Not detected		10
Methyl tert-butyl Ether (MTBE)			Not detected		10
Methylene chloride			7	JB	10
Styrene			Not detected		10
Tetrachloroethene			Not detected		10
Toluene			Not detected		10
trans-1,3-Dichloropropene			Not detected		10
Trichloroethene			Not detected		10
Trichlorofluoromethane			Not detected		10
Vinyl chloride			Not detected		10
Xylenes (total)			Not detected		10
Naphthalene	SW846-8260	ug/kG	Not detected	---	10

YORK

Client Sample ID			EP-K		
York Sample ID			06120218-05		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kG	---	---	---
1,1,1-Trichloroethane			Not detected		10
1,1,2,2-Tetrachloroethane			Not detected		10
1,1,2-Trichloroethane			Not detected		10
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected		10
1,1-Dichloroethane			Not detected		10
1,1-Dichloroethene			Not detected		10
1,2,4-Trichlorobenzene			Not detected		10
1,2-Dibromo-3-Chloropropane			Not detected		10
1,2-Dibromoethane (ethylene dibromide)			Not detected		10
1,2-Dichlorobenzene			Not detected		10
1,2-Dichloroethane			Not detected		10
1,2-Dichloroethylene (cis-)			Not detected		10
1,2-Dichloroethylene(trans-)			Not detected		10
1,2-Dichloropropane			Not detected		10
1,3-Dichlorobenzene			Not detected		10
1,4-Dichlorobenzene			Not detected		10
2-Butanone			Not detected		10
2-Hexanone			Not detected		10
4-Methyl-2-pentanone			3	J	10
Acetone			14	B	10
Benzene			Not detected		10
Bromodichloromethane			Not detected		10
Bromoform			Not detected		10
Bromomethane			Not detected		10
Carbon disulfide			Not detected		10
Carbon tetrachloride			Not detected		10
Chlorobenzene			Not detected		10
Chloroethane			Not detected		10
Chloroform			Not detected		10
Chloromethane			Not detected		10
cis-1,3-Dichloropropene			Not detected		10
Dibromochloromethane			Not detected		10
Dichlorodifluoromethane			Not detected		10
Ethylbenzene			Not detected		10
Isopropylbenzene (Cumene)			Not detected		10
Methyl tert-butyl Ether (MTBE)			Not detected		10
Methylene chloride			6	JB	10
Styrene			Not detected		10
Tetrachloroethene			Not detected		10
Toluene			5	JB	10
trans-1,3-Dichloropropene			Not detected		10
Trichloroethene			Not detected		10
Trichlorofluoromethane			Not detected		10
Vinyl chloride			Not detected		10
Xylenes (total)			Not detected		10
Naphthalene	SW846-8260	ug/kG	Not detected	---	10

YORK

Client Sample ID			EP-L		
York Sample ID			06120218-06		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethene			Not detected		5.0
1,2,4-Trichlorobenzene			Not detected		5.0
1,2-Dibromo-3-Chloropropane			Not detected		5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0
1,2-Dichloroethylene (cis-)			Not detected		5.0
1,2-Dichloroethylene(trans-)			Not detected		5.0
1,2-Dichloropropane			Not detected		5.0
1,3-Dichlorobenzene			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2-Butanone			Not detected		5.0
2-Hexanone			Not detected		5.0
4-Methyl-2-pentanone			3	J	5.0
Acetone			14	B	5.0
Benzene			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0
Bromomethane			Not detected		5.0
Carbon disulfide			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0
cis-1,3-Dichloropropene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Isopropylbenzene (Cumene)			Not detected		5.0
Methyl tert-butyl Ether (MTBE)			Not detected		5.0
Methylene chloride			6	JB	5.0
Styrene			Not detected		5.0
Tetrachloroethene			Not detected		5.0
Toluene			4	JB	5.0
trans-1,3-Dichloropropene			Not detected		5.0
Trichloroethene			Not detected		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			Not detected		5.0
Xylenes (total)			Not detected		5.0
Naphthalene	SW846-8260	ug/kg	Not detected	---	10

YORK

Client Sample ID			EP-M		
York Sample ID			06120218-07		
Matrix			SOIL		
Parameter	Method	Units	Result	Qualifier	RL
Volatiles, Target Compd. List (TCL)	SW846-8260	ug/kg	---	---	---
1,1,1-Trichloroethane			Not detected		5.0
1,1,2,2-Tetrachloroethane			Not detected		5.0
1,1,2-Trichloroethane			Not detected		5.0
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected		5.0
1,1-Dichloroethane			Not detected		5.0
1,1-Dichloroethene			Not detected		5.0
1,2,4-Trichlorobenzene			Not detected		5.0
1,2-Dibromo-3-Chloropropane			Not detected		5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected		5.0
1,2-Dichlorobenzene			Not detected		5.0
1,2-Dichloroethane			Not detected		5.0
1,2-Dichloroethylene (cis-)			Not detected		5.0
1,2-Dichloroethylene(trans-)			Not detected		5.0
1,2-Dichloropropane			Not detected		5.0
1,3-Dichlorobenzene			Not detected		5.0
1,4-Dichlorobenzene			Not detected		5.0
2-Butanone			Not detected		5.0
2-Hexanone			Not detected		5.0
4-Methyl-2-pentanone			3	J	5.0
Acetone			13	B	5.0
Benzene			Not detected		5.0
Bromodichloromethane			Not detected		5.0
Bromoform			Not detected		5.0
Bromomethane			Not detected		5.0
Carbon disulfide			Not detected		5.0
Carbon tetrachloride			Not detected		5.0
Chlorobenzene			Not detected		5.0
Chloroethane			Not detected		5.0
Chloroform			Not detected		5.0
Chloromethane			Not detected		5.0
cis-1,3-Dichloropropene			Not detected		5.0
Dibromochloromethane			Not detected		5.0
Dichlorodifluoromethane			Not detected		5.0
Ethylbenzene			Not detected		5.0
Isopropylbenzene (Cumene)			Not detected		5.0
Methyl tert-butyl Ether (MTBE)			Not detected		5.0
Methylene chloride			6	JB	5.0
Styrene			Not detected		5.0
Tetrachloroethene			Not detected		5.0
Toluene			4	JB	5.0
trans-1,3-Dichloropropene			Not detected		5.0
Trichloroethene			Not detected		5.0
Trichlorofluoromethane			Not detected		5.0
Vinyl chloride			Not detected		5.0
Xylenes (total)			Not detected		5.0
Naphthalene	SW846-8260	ug/kg	Not detected	---	10

Units Key:

For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb


YORK

Report Date: 12/19/2006
Client Project ID: Manorville Plaza
York Project No.: 06120218

Notes for York Project No. 06120218

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By: _____


Robert Q. Bradley
Managing Director

Date: 12/19/2006

YORK

YORK

ANALYTICAL LABORATORIES, INC.

Definitions for FLAGS used as a Results Suffix

Flags are sometimes used on results to indicate certain occurrences during the analysis process. The most common flags used by York are defined below.

FLAG

DEFINITION

- | | |
|----------|---|
| J | J indicates an estimated value. This flag applies to Tentatively Identified Compounds or, when requested, for a target compound whose result is less than the reporting limit but whose mass spectral data meet identification criteria. For example if the reporting limit is listed as 10 ppb and the analysis shows 3 ppb, the result can be reported as 3 J. The client must request the use of J flags for the laboratory to report such flags. |
| B | B indicates that the analyte was also found in the associated batch method blank. This flag indicates possible/probable blank contamination and warns the data user to be aware. This mostly applies to the volatiles acetone and methylene chloride and the semi-volatiles bis-(2-ethylhexyl) phthalate and other phthalates. |
| E | This flag is used to indicate that the reported concentration of an analyte exceeded the calibration range of the analytical system. In this case the result reported is treated as a minimum value. This often applies where clients request an additional analyte after sample analysis, such as acetone, where the initial analysis did not require dilution since acetone was not a target compound. This flag will also apply if after numerous dilutions a specific target compound would significantly dilute out all other targets. |
| A | This flag indicates that the compound is a known artifact present in the sample. This flag typically refers to compounds detected in AIR samples taken into Tedlar bags. These compounds are either from the manufacturing process or, since Tedlar bags are somewhat permeable, they are subject to intrusion of common laboratory solvents such as acetone, methylene chloride, hexane and Freon-113. |

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE

STRATFORD, CT 06615

(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody RecordPage of 0010218

Company Name

Report To:

Invoice To:

Project ID/No.

FACR. P. R. R. R. R.FAC 6.01PAGE 02295Monorille 1/12/08

Samples Collected By (Signature)

Name (Printed)

Sample No.

Location/ID

Date Sampled

Sample Matrix

Water

Soil

Air

OTHER

ANALYSES REQUESTED

Container Description(s)

Trip Blank (12-6-06)12-6-06✓HWC12-6-06✓EP-IEP-JEP-KEP-LEP-MTCC VCS & at Map DeLongSee AttachmentTCC VCS & at MapUse as MS/STN**Chain-of-Custody Record**

Bottles Relinquished from Lab by

Date/Time

Bottles Received in Field by

Date/Time

Comments/Special Instructions

Sample Relinquished by

Date/Time

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Sample Received in LAB by

Date/Time

Turn-Around Time

Standard

RUSH(define)

See attachment for report cover5 DayX

Technical Report

prepared for:

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Greg Ernst

Report Date: 8/27/2007
Re: Client Project ID: PAR-02-295
York Project No.: 07080622

CT License No. PH-0723

New York License No. 10854



Report Date: 8/27/2007
Client Project ID: PAR-02-295
York Project No.: 07080622

Freudenthal & Elkowitz
1757-24 Veterans Memorial Hwy.
Islandia, NY 11749
Attention: Greg Ernst

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 08/17/07. The project was identified as your project "PAR-02-295".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			C-C-North		C-C-South	
York Sample ID			07080622-01		07080622-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	10	Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	10
1,1,2-Trichloroethane			Not detected	10	Not detected	10
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected	10	Not detected	10
1,1-Dichloroethane			Not detected	10	Not detected	10
1,1-Dichloroethene			Not detected	10	Not detected	10
1,2,4-Trichlorobenzene			Not detected	10	Not detected	10
1,2-Dibromo-3-Chloropropane			Not detected	10	Not detected	10
1,2-Dibromoethane (ethylene dibromide)			Not detected	10	Not detected	10
1,2-Dichlorobenzene			Not detected	10	Not detected	10
1,2-Dichloroethane			Not detected	10	Not detected	10
1,2-Dichloroethylene (cis-)			Not detected	10	Not detected	10
1,2-Dichloroethylene(trans-)			Not detected	10	Not detected	10
1,2-Dichloropropane			Not detected	10	Not detected	10
1,3-Dichlorobenzene			Not detected	10	Not detected	10
1,4-Dichlorobenzene			Not detected	10	Not detected	10

YORK

Client Sample ID			C-C-North		C-C-South	
York Sample ID			07080622-01		07080622-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
2-Butanone			Not detected	10	Not detected	10
2-Hexanone			Not detected	10	Not detected	10
4-Methyl-2-pentanone			Not detected	10	Not detected	10
Acetone			Not detected	10	Not detected	10
Benzene			Not detected	10	Not detected	10
Bromodichloromethane			Not detected	10	Not detected	10
Bromoform			Not detected	10	Not detected	10
Bromomethane			Not detected	10	Not detected	10
Carbon disulfide			Not detected	10	Not detected	10
Carbon tetrachloride			Not detected	10	Not detected	10
Chlorobenzene			Not detected	10	Not detected	10
Chloroethane			Not detected	10	Not detected	10
Chloroform			Not detected	10	Not detected	10
Chloromethane			Not detected	10	Not detected	10
cis-1,3-Dichloropropene			Not detected	10	Not detected	10
Dibromochloromethane			Not detected	10	Not detected	10
Dichlorodifluoromethane			Not detected	10	Not detected	10
Ethylbenzene			Not detected	10	Not detected	10
Isopropylbenzene (Cumene)			Not detected	10	Not detected	10
Methyl tert-butyl Ether (MTBE)			Not detected	10	Not detected	10
Methylene chloride			Not detected	10	Not detected	10
Styrene			Not detected	10	Not detected	10
Tetrachloroethene			Not detected	10	Not detected	10
Toluene			Not detected	10	Not detected	10
trans-1,3-Dichloropropene			Not detected	10	Not detected	10
Trichloroethene			Not detected	10	Not detected	10
Trichlorofluoromethane			Not detected	10	Not detected	10
Vinyl chloride			Not detected	10	Not detected	10
Xylenes (total)			Not detected	10	Not detected	10

Client Sample ID			C-C-East		C-C-West	
York Sample ID			07080622-03		07080622-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---	---	---
1,1,1-Trichloroethane			Not detected	10	Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	10	Not detected	10
1,1,2-Trichloroethane			Not detected	10	Not detected	10
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected	10	Not detected	10
1,1-Dichloroethane			Not detected	10	Not detected	10
1,1-Dichloroethene			Not detected	10	Not detected	10
1,2,4-Trichlorobenzene			Not detected	10	Not detected	10
1,2-Dibromo-3-Chloropropane			Not detected	10	Not detected	10
1,2-Dibromoethane (ethylene dibromide)			Not detected	10	Not detected	10
1,2-Dichlorobenzene			Not detected	10	Not detected	10
1,2-Dichloroethane			Not detected	10	Not detected	10
1,2-Dichloroethylene (cis-)			Not detected	10	Not detected	10
1,2-Dichloroethylene(trans-)			Not detected	10	Not detected	10
1,2-Dichloropropane			Not detected	10	Not detected	10

YORK

Client Sample ID			C-C-East		C-C-West	
York Sample ID			07080622-03		07080622-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,3-Dichlorobenzene			Not detected	10	Not detected	10
1,4-Dichlorobenzene			Not detected	10	Not detected	10
2-Butanone			Not detected	10	Not detected	10
2-Hexanone			Not detected	10	Not detected	10
4-Methyl-2-pentanone			Not detected	10	Not detected	10
Acetone			Not detected	10	Not detected	10
Benzene			Not detected	10	Not detected	10
Bromodichloromethane			Not detected	10	Not detected	10
Bromoform			Not detected	10	Not detected	10
Bromomethane			Not detected	10	Not detected	10
Carbon disulfide			Not detected	10	Not detected	10
Carbon tetrachloride			Not detected	10	Not detected	10
Chlorobenzene			Not detected	10	Not detected	10
Chloroethane			Not detected	10	Not detected	10
Chloroform			Not detected	10	Not detected	10
Chloromethane			Not detected	10	Not detected	10
cis-1,3-Dichloropropene			Not detected	10	Not detected	10
Dibromochloromethane			Not detected	10	Not detected	10
Dichlorodifluoromethane			Not detected	10	Not detected	10
Ethylbenzene			Not detected	10	Not detected	10
Isopropylbenzene (Cumene)			Not detected	10	Not detected	10
Methyl tert-butyl Ether (MTBE)			Not detected	10	Not detected	10
Methylene chloride			Not detected	10	Not detected	10
Styrene			Not detected	10	Not detected	10
Tetrachloroethene			Not detected	10	Not detected	10
Toluene			Not detected	10	Not detected	10
trans-1,3-Dichloropropene			Not detected	10	Not detected	10
Trichloroethene			Not detected	10	Not detected	10
Trichlorofluoromethane			Not detected	10	Not detected	10
Vinyl chloride			Not detected	10	Not detected	10
Xylenes (total)			Not detected	10	Not detected	10

Client Sample ID			C-C-Bot	
York Sample ID			07080622-05	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Volatiles, Target Cmpd. List (TCL)	SW846-8260	ug/kg	---	---
1,1,1-Trichloroethane			Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	10
1,1,2-Trichloroethane			Not detected	10
1,1,2-Trichlorotrifluoroethane (Freon 11)			Not detected	10
1,1-Dichloroethane			Not detected	10
1,1-Dichloroethene			Not detected	10
1,2,4-Trichlorobenzene			Not detected	10
1,2-Dibromo-3-Chloropropane			Not detected	10
1,2-Dibromoethane (ethylene dibromide)			Not detected	10
1,2-Dichlorobenzene			Not detected	10
1,2-Dichloroethane			Not detected	10
1,2-Dichloroethylene (cis-)			Not detected	10

YORK

Client Sample ID			C-C-Bot	
York Sample ID			07080622-05	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
1,2-Dichloroethylene(trans-)			Not detected	10
1,2-Dichloropropane			Not detected	10
1,3-Dichlorobenzene			Not detected	10
1,4-Dichlorobenzene			Not detected	10
2-Butanone			Not detected	10
2-Hexanone			Not detected	10
4-Methyl-2-pentanone			Not detected	10
Acetone			Not detected	10
Benzene			Not detected	10
Bromodichloromethane			Not detected	10
Bromoform			Not detected	10
Bromomethane			Not detected	10
Carbon disulfide			Not detected	10
Carbon tetrachloride			Not detected	10
Chlorobenzene			Not detected	10
Chloroethane			Not detected	10
Chloroform			Not detected	10
Chloromethane			Not detected	10
cis-1,3-Dichloropropene			Not detected	10
Dibromochloromethane			Not detected	10
Dichlorodifluoromethane			Not detected	10
Ethylbenzene			Not detected	10
Isopropylbenzene (Cumene)			Not detected	10
Methyl tert-butyl Ether (MTBE)			Not detected	10
Methylene chloride			Not detected	10
Styrene			Not detected	10
Tetrachloroethene			Not detected	10
Toluene			Not detected	10
trans-1,3-Dichloropropene			Not detected	10
Trichloroethene			Not detected	10
Trichlorofluoromethane			Not detected	10
Vinyl chloride			Not detected	10
Xylenes (total)			Not detected	10

Client Sample ID			WC	
York Sample ID			07080622-06	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Volatiles, 8260 List	SW846-8260	ug/Kg	---	---
1,1,1,2-Tetrachloroethane			Not detected	10
1,1,1-Trichloroethane			Not detected	10
1,1,2,2-Tetrachloroethane			Not detected	10
1,1,2-Trichloroethane			Not detected	10
1,1-Dichloroethane			Not detected	10
1,1-Dichloroethylene			Not detected	10
1,1-Dichloropropylene			Not detected	10
1,2,3-Trichlorobenzene			Not detected	10
1,2,3-Trichloropropane			Not detected	10
1,2,3-Trimethylbenzene			Not detected	10

YORK

Client Sample ID			WC	
York Sample ID			07080622-06	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
1,2,4-Trichlorobenzene			Not detected	10
1,2,4-Trimethylbenzene			Not detected	10
1,2-Dibromo-3-chloropropane			Not detected	10
1,2-Dibromoethane			Not detected	10
1,2-Dichlorobenzene			Not detected	10
1,2-Dichloroethane			Not detected	10
1,2-Dichloroethylene (Total)			Not detected	10
1,2-Dichloropropane			Not detected	10
1,3,5-Trimethylbenzene			Not detected	10
1,3-Dichlorobenzene			Not detected	10
1,3-Dichloropropane			Not detected	10
1,4-Dichlorobenzene			Not detected	10
1-Chlorohexane			Not detected	10
2,2-Dichloropropane			Not detected	10
2-Chlorotoluene			Not detected	10
4-Chlorotoluene			Not detected	10
Benzene			Not detected	10
Bromobenzene			Not detected	10
Bromochloromethane			Not detected	10
Bromodichloromethane			Not detected	10
Bromoform			Not detected	10
Bromomethane			Not detected	10
Carbon tetrachloride			Not detected	10
Chlorobenzene			Not detected	10
Chloroethane			Not detected	10
Chloroform			Not detected	10
Chloromethane			Not detected	10
cis-1,3-Dichloropropylene			Not detected	10
Dibromochloromethane			Not detected	10
Dibromomethane			Not detected	10
Dichlorodifluoromethane			Not detected	10
Ethylbenzene			Not detected	10
Hexachlorobutadiene			Not detected	10
Isopropylbenzene			Not detected	10
Methylene chloride			Not detected	10
MTBE			Not detected	10
Naphthalene			Not detected	10
n-Butylbenzene			Not detected	10
n-Propylbenzene			Not detected	10
o-Xylene			Not detected	10
p- & m-Xylenes			Not detected	10
p-Isopropyltoluene			Not detected	10
sec-Butylbenzene			Not detected	10
Styrene			Not detected	10
tert-Butylbenzene			Not detected	10
Tetrachloroethylene			Not detected	10
Toluene			Not detected	10
trans-1,3-Dichloropropylene			Not detected	10
Trichloroethylene			Not detected	10
Trichlorofluoromethane			Not detected	10
Vinyl chloride			Not detected	10

YORK

Client Sample ID			WC	
York Sample ID			07080622-06	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Polynuclear Aromatic Hydrocarbons (BN)	SW846-8270	ug/kg	---	---
2-Methyl naphthalene			Not detected	165
Acenaphthene			Not detected	165
Acenaphthylene			Not detected	165
Anthracene			Not detected	165
Benzo[a]anthracene			Not detected	165
Benzo[a]pyrene			Not detected	165
Benzo[b]fluoranthene			Not detected	165
Benzo[g,h,i]perylene			Not detected	165
Benzo[k]fluoranthene			Not detected	165
Chrysene			Not detected	165
Dibenz[a,h]anthracene			Not detected	165
Fluoranthene			Not detected	165
Fluorene			Not detected	165
Indeno[1,2,3-cd]pyrene			Not detected	165
Naphthalene			Not detected	165
Phenanthrene			Not detected	165
Pyrene			Not detected	165
PCB	SW846-3550B/8082	mg/Kg	---	---
PCB 1016			Not detected	0.017
PCB 1221			Not detected	0.017
PCB 1232			Not detected	0.017
PCB 1242			Not detected	0.017
PCB 1248			Not detected	0.017
PCB 1254			Not detected	0.017
PCB 1260			Not detected	0.017
TCLP Metals, RCRA List	SW846-1311/6010	mg/L	---	---
TCLP Arsenic			Not detected	0.010
TCLP Barium			0.945	0.010
TCLP Cadmium			Not detected	0.005
TCLP Chromium			Not detected	0.005
TCLP Lead			0.014	0.005
TCLP Selenium			Not detected	0.010
TCLP Silver			Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0002
Arsenic	SW846-6010	mg/kg	2.06	1.00
Barium	SW846-6010	mg/kg	11.9	1.0
Beryllium	SW846-6010	mg/kg	Not detected	0.050
Cadmium	SW846-6010	mg/kg	Not detected	0.500
Copper	SW846-6010	mg/kg	6.72	0.500
Nickel	SW846-6010	mg/kg	4.69	0.500
Lead	SW846-6010	mg/kg	4.54	0.500
Antimony	SW846-6010	mg/kg	Not detected	0.300
Thallium	SW846-6010	mg/kg	Not detected	0.500
Zinc	SW846-6010	mg/kg	12.1	0.500
Paint Filter Test	SW846-9095A	---	No Free Liquid	---
Total Petroleum Hydrocarbons	EPA 418.1m	mg/kg	Not detected	5.0

Units Key:

For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb


YORK

Report Date: 8/27/2007
Client Project ID: PAR-02-295
York Project No.: 07080622

Notes for York Project No. 07080622

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:


Robert Q. Bradley
Managing Director

Date: 8/27/2007

YORK

120 RESEARCH DRIVE STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

<u>Company Name</u> FreudenThal & Elkowitz	<u>Report To:</u> Greg Ernst
--	---------------------------------

Invoice To: *Same*

Project ID/No.
PAR-02-295

Samples Collected By (Signature)

Gregory Ernst

[illegible]

Chain-of-Custody Record

Bottles Relinquished from Lab by	Date/Time
----------------------------------	-----------

Sample Relinquished by	Date/Time
------------------------	-----------

Date/Time

~~Sample Received by~~

Date/Time

Bottles Received in Field by Date/Time

Sample Relinquished by

Date/Time

Sample Received in LAB by

Date/Time

Comments/Special Instructions

Turn-Around Time

X Standard	RUSH(define)
-----------------------	--------------

STL Burlington
South Burlington, VT

Sample Data Summary
Package

SDG: NY120520



STL

June 25, 2007

Mr. Greg Ernst
Freudenthal & Elkowitz
1757-24 Veterans Hwy
Islandia, NY 11749

STL Burlington
30 Community Drive, Suite 11
South Burlington, VT 05403

Tel: 802 660 1990 Fax: 802 660 1919
www.stl-inc.com

Re: Laboratory Project No.
Case: ; SDG: NY120520

Dear Mr. Ernst:

Enclosed are the analytical results for the samples that were received by STL Burlington on June 18th, 2007. Laboratory identification numbers were assigned, and designated as follows:

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Sample Date</u>	<u>Sample Matrix</u>
Received: 06/18/07 ETR No: 120520			
714667	SV-01	06/15/07	Air
714668	SV-02	06/15/07	Air
714669	SV-03	06/15/07	Air
714670	SV-04	06/15/07	Air
714671	BLIND DUPLICATE	06/15/07	Air

Documentation of the condition of the samples at the time of their receipt and any exception to the laboratory's Sample Acceptance Policy is documented in the Sample Handling section of this submittal.

Method TO-15 - Volatile Organics in Air:

Samples SV-03 (+0.1" hg), SV-04 (+0.2"hg) and BLIND DUPLICATE (+0.0" hg) arrived at the laboratory at an ambient condition. The client was notified of this issue and directed the laboratory to proceed with the analyses as normal.

The analyses of the field samples in this delivery group were accomplished at a dilution in order to bring all of the target compounds into the calibration range. Only the results of the dilution analyses were presented in this case submittal.

The analytical results associated with the samples presented in this test report were generated under a quality system that adheres to requirements specified in the NELAC standard. Release of the data in this test report and any associated electronic deliverables is authorized by the Laboratory Director's designee as verified by the following signature.

If there are any questions regarding this submittal, please contact me at 802 660-1990.

Sincerely,



Ron Pentkowski
Project Manager

Enclosure

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-01

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714667

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	1.3	U	1.3	6.4	U	6.4
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
Chloromethane	74-87-3	1.3	U	1.3	2.7	U	2.7
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
1,3-Butadiene	106-99-0	1.3	U	1.3	2.9	U	2.9
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	1.3	U	1.3	3.4	U	3.4
Bromoethene	593-60-2	0.50	U	0.50	2.2	U	2.2
Trichlorofluoromethane	75-69-4	0.64		0.50	3.6		2.8
Freon TF	76-13-1	2.0		0.50	15		3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Acetone	67-64-1	84		13	200		31
Isopropyl Alcohol	67-63-0	13	U	13	32	U	32
Carbon Disulfide	75-15-0	1.3	U	1.3	4.0	U	4.0
3-Chloropropene	107-05-1	1.3	U	1.3	4.1	U	4.1
Methylene Chloride	75-09-2	1.3	U	1.3	4.5	U	4.5
tert-Butyl Alcohol	75-65-0	13	U	13	39	U	39
Methyl tert-Butyl Ether	1634-04-4	1.3	U	1.3	4.7	U	4.7
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
n-Hexane	110-54-3	1.3	U	1.3	4.6	U	4.6
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
1,2-Dichloroethene (total)	540-59-0	0.50	U	0.50	2.0	U	2.0
Methyl Ethyl Ketone	78-93-3	5.5		1.3	16		3.8
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Tetrahydrofuran	109-99-9	13	U	13	38	U	38
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	8.5		0.50	46		2.7
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
2,2,4-Trimethylpentane	540-84-1	21		0.50	98		2.3
Benzene	71-43-2	0.50	U	0.50	1.6	U	1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-01

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714667

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
1,4-Dioxane	123-91-1	13	U	13	47	U	47
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Methyl Isobutyl Ketone	108-10-1	1.3	U	1.3	5.3	U	5.3
Toluene	108-88-3	1.2		0.50	4.5		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	24		0.50	160		3.4
Methyl Butyl Ketone	591-78-6	1.3	U	1.3	5.3	U	5.3
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.50	U	0.50	2.2	U	2.2
Xylene (m,p)	1330-20-7	1.3	U	1.3	5.6	U	5.6
Xylene (o)	95-47-6	0.50	U	0.50	2.2	U	2.2
Xylene (total)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Bromoform	75-25-2	0.50	U	0.50	5.2	U	5.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0
1,2,4-Trichlorobenzene	120-82-1	1.3	U	1.3	9.6	U	9.6
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
Naphthalene	91-20-3	1.3	U	1.3	6.8	U	6.8

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-02

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714668

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	4.0	U	4.0	20	U	20
1,2-Dichlorotetrafluoroethane	76-14-2	1.6	U	1.6	11	U	11
Chloromethane	74-87-3	4.0	U	4.0	8.3	U	8.3
Vinyl Chloride	75-01-4	1.6	U	1.6	4.1	U	4.1
1,3-Butadiene	106-99-0	4.0	U	4.0	8.8	U	8.8
Bromomethane	74-83-9	1.6	U	1.6	6.2	U	6.2
Chloroethane	75-00-3	4.0	U	4.0	11	U	11
Bromoethene	593-60-2	1.6	U	1.6	7.0	U	7.0
Trichlorofluoromethane	75-69-4	1.6	U	1.6	9.0	U	9.0
Freon TF	76-13-1	4.6		1.6	35		12
1,1-Dichloroethene	75-35-4	1.6	U	1.6	6.3	U	6.3
Acetone	67-64-1	74		40	180		95
Isopropyl Alcohol	67-63-0	40	U	40	98	U	98
Carbon Disulfide	75-15-0	4.0	U	4.0	12	U	12
3-Chloropropene	107-05-1	4.0	U	4.0	13	U	13
Methylene Chloride	75-09-2	4.0	U	4.0	14	U	14
tert-Butyl Alcohol	75-65-0	40	U	40	120	U	120
Methyl tert-Butyl Ether	1634-04-4	4.0	U	4.0	14	U	14
trans-1,2-Dichloroethene	156-60-5	1.6	U	1.6	6.3	U	6.3
n-Hexane	110-54-3	4.0	U	4.0	14	U	14
1,1-Dichloroethane	75-34-3	1.6	U	1.6	6.5	U	6.5
1,2-Dichloroethene (total)	540-59-0	1.6	U	1.6	6.3	U	6.3
Methyl Ethyl Ketone	78-93-3	5.0		4.0	15		12
cis-1,2-Dichloroethene	156-59-2	1.6	U	1.6	6.3	U	6.3
Tetrahydrofuran	109-99-9	40	U	40	120	U	120
Chloroform	67-66-3	1.6	U	1.6	7.8	U	7.8
1,1,1-Trichloroethane	71-55-6	1.8		1.6	9.8		8.7
Cyclohexane	110-82-7	1.6	U	1.6	5.5	U	5.5
Carbon Tetrachloride	56-23-5	1.6	U	1.6	10	U	10
2,2,4-Trimethylpentane	540-84-1	170		1.6	790		7.5
Benzene	71-43-2	1.6	U	1.6	5.1	U	5.1
1,2-Dichloroethane	107-06-2	1.6	U	1.6	6.5	U	6.5
n-Heptane	142-82-5	1.6	U	1.6	6.6	U	6.6

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-02

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714668

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	1.6	U	1.6	8.6	U	8.6
1,2-Dichloropropane	78-87-5	1.6	U	1.6	7.4	U	7.4
1,4-Dioxane	123-91-1	40	U	40	140	U	140
Bromodichloromethane	75-27-4	1.6	U	1.6	11	U	11
cis-1,3-Dichloropropene	10061-01-5	1.6	U	1.6	7.3	U	7.3
Methyl Isobutyl Ketone	108-10-1	4.0	U	4.0	16	U	16
Toluene	108-88-3	3.2		1.6	12		6.0
trans-1,3-Dichloropropene	10061-02-6	1.6	U	1.6	7.3	U	7.3
1,1,2-Trichloroethane	79-00-5	1.6	U	1.6	8.7	U	8.7
Tetrachloroethene	127-18-4	5.0		1.6	34		11
Methyl Butyl Ketone	591-78-6	4.0	U	4.0	16	U	16
Dibromochloromethane	124-48-1	1.6	U	1.6	14	U	14
1,2-Dibromoethane	106-93-4	1.6	U	1.6	12	U	12
Chlorobenzene	108-90-7	1.6	U	1.6	7.4	U	7.4
Ethylbenzene	100-41-4	1.6	U	1.6	6.9	U	6.9
Xylene (m,p)	1330-20-7	4.0	U	4.0	17	U	17
Xylene (o)	95-47-6	1.6	U	1.6	6.9	U	6.9
Xylene (total)	1330-20-7	1.6	U	1.6	6.9	U	6.9
Styrene	100-42-5	1.6	U	1.6	6.8	U	6.8
Bromoform	75-25-2	1.6	U	1.6	17	U	17
1,1,2,2-Tetrachloroethane	79-34-5	1.6	U	1.6	11	U	11
4-Ethyltoluene	622-96-8	1.6	U	1.6	7.9	U	7.9
1,3,5-Trimethylbenzene	108-67-8	1.6	U	1.6	7.9	U	7.9
2-Chlorotoluene	95-49-8	1.6	U	1.6	8.3	U	8.3
1,2,4-Trimethylbenzene	95-63-6	1.6	U	1.6	7.9	U	7.9
1,3-Dichlorobenzene	541-73-1	1.6	U	1.6	9.6	U	9.6
1,4-Dichlorobenzene	106-46-7	1.6	U	1.6	9.6	U	9.6
1,2-Dichlorobenzene	95-50-1	1.6	U	1.6	9.6	U	9.6
1,2,4-Trichlorobenzene	120-82-1	4.0	U	4.0	30	U	30
Hexachlorobutadiene	87-68-3	1.6	U	1.6	17	U	17
Naphthalene	91-20-3	4.0	U	4.0	21	U	21

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-03

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714669

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	4.0	U	4.0	20	U	20
1,2-Dichlorotetrafluoroethane	76-14-2	1.6	U	1.6	11	U	11
Chloromethane	74-87-3	4.0	U	4.0	8.3	U	8.3
Vinyl Chloride	75-01-4	1.6	U	1.6	4.1	U	4.1
1,3-Butadiene	106-99-0	4.0	U	4.0	8.8	U	8.8
Bromomethane	74-83-9	1.6	U	1.6	6.2	U	6.2
Chloroethane	75-00-3	4.0	U	4.0	11	U	11
Bromoethene	593-60-2	1.6	U	1.6	7.0	U	7.0
Trichlorofluoromethane	75-69-4	1.6	U	1.6	9.0	U	9.0
Freon TF	76-13-1	1.6	U	1.6	12	U	12
1,1-Dichloroethene	75-35-4	1.6	U	1.6	6.3	U	6.3
Acetone	67-64-1	40	U	40	95	U	95
Isopropyl Alcohol	67-63-0	40	U	40	98	U	98
Carbon Disulfide	75-15-0	4.0	U	4.0	12	U	12
3-Chloropropene	107-05-1	4.0	U	4.0	13	U	13
Methylene Chloride	75-09-2	4.0	U	4.0	14	U	14
tert-Butyl Alcohol	75-65-0	40	U	40	120	U	120
Methyl tert-Butyl Ether	1634-04-4	4.0	U	4.0	14	U	14
trans-1,2-Dichloroethene	156-60-5	1.6	U	1.6	6.3	U	6.3
n-Hexane	110-54-3	4.0	U	4.0	14	U	14
1,1-Dichloroethane	75-34-3	1.6	U	1.6	6.5	U	6.5
1,2-Dichloroethene (total)	540-59-0	1.6	U	1.6	6.3	U	6.3
Methyl Ethyl Ketone	78-93-3	4.0	U	4.0	12	U	12
cis-1,2-Dichloroethene	156-59-2	1.6	U	1.6	6.3	U	6.3
Tetrahydrofuran	109-99-9	40	U	40	120	U	120
Chloroform	67-66-3	1.6	U	1.6	7.8	U	7.8
1,1,1-Trichloroethane	71-55-6	1.6	U	1.6	8.7	U	8.7
Cyclohexane	110-82-7	1.6	U	1.6	5.5	U	5.5
Carbon Tetrachloride	56-23-5	1.6	U	1.6	10	U	10
2,2,4-Trimethylpentane	540-84-1	170		1.6	790		7.5
Benzene	71-43-2	1.6	U	1.6	5.1	U	5.1
1,2-Dichloroethane	107-06-2	1.6	U	1.6	6.5	U	6.5
n-Heptane	142-82-5	1.6	U	1.6	6.6	U	6.6

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-03

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714669

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	1.6	U	1.6	8.6	U	8.6
1,2-Dichloropropane	78-87-5	1.6	U	1.6	7.4	U	7.4
1,4-Dioxane	123-91-1	40	U	40	140	U	140
Bromodichloromethane	75-27-4	1.6	U	1.6	11	U	11
cis-1,3-Dichloropropene	10061-01-5	1.6	U	1.6	7.3	U	7.3
Methyl Isobutyl Ketone	108-10-1	4.0	U	4.0	16	U	16
Toluene	108-88-3	1.6	U	1.6	6.0	U	6.0
trans-1,3-Dichloropropene	10061-02-6	1.6	U	1.6	7.3	U	7.3
1,1,2-Trichloroethane	79-00-5	1.6	U	1.6	8.7	U	8.7
Tetrachloroethene	127-18-4	1.6	U	1.6	11	U	11
Methyl Butyl Ketone	591-78-6	4.0	U	4.0	16	U	16
Dibromochloromethane	124-48-1	1.6	U	1.6	14	U	14
1,2-Dibromoethane	106-93-4	1.6	U	1.6	12	U	12
Chlorobenzene	108-90-7	1.6	U	1.6	7.4	U	7.4
Ethylbenzene	100-41-4	1.6	U	1.6	6.9	U	6.9
Xylene (m,p)	1330-20-7	4.0	U	4.0	17	U	17
Xylene (o)	95-47-6	1.6	U	1.6	6.9	U	6.9
Xylene (total)	1330-20-7	1.6	U	1.6	6.9	U	6.9
Styrene	100-42-5	1.6	U	1.6	6.8	U	6.8
Bromoform	75-25-2	1.6	U	1.6	17	U	17
1,1,2,2-Tetrachloroethane	79-34-5	1.6	U	1.6	11	U	11
4-Ethyltoluene	622-96-8	1.6	U	1.6	7.9	U	7.9
1,3,5-Trimethylbenzene	108-67-8	1.6	U	1.6	7.9	U	7.9
2-Chlorotoluene	95-49-8	1.6	U	1.6	8.3	U	8.3
1,2,4-Trimethylbenzene	95-63-6	1.6	U	1.6	7.9	U	7.9
1,3-Dichlorobenzene	541-73-1	1.6	U	1.6	9.6	U	9.6
1,4-Dichlorobenzene	106-46-7	1.6	U	1.6	9.6	U	9.6
1,2-Dichlorobenzene	95-50-1	1.6	U	1.6	9.6	U	9.6
1,2,4-Trichlorobenzene	120-82-1	4.0	U	4.0	30	U	30
Hexachlorobutadiene	87-68-3	1.6	U	1.6	17	U	17
Naphthalene	91-20-3	4.0	U	4.0	21	U	21

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-04

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714670

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	2.5	U	2.5	12	U	12
1,2-Dichlorotetrafluoroethane	76-14-2	1.0	U	1.0	7.0	U	7.0
Chloromethane	74-87-3	2.5	U	2.5	5.2	U	5.2
Vinyl Chloride	75-01-4	1.0	U	1.0	2.6	U	2.6
1,3-Butadiene	106-99-0	2.5	U	2.5	5.5	U	5.5
Bromomethane	74-83-9	1.0	U	1.0	3.9	U	3.9
Chloroethane	75-00-3	2.5	U	2.5	6.6	U	6.6
Bromoethene	593-60-2	1.0	U	1.0	4.4	U	4.4
Trichlorofluoromethane	75-69-4	1.0	U	1.0	5.6	U	5.6
Freon TF	76-13-1	1.0	U	1.0	7.7	U	7.7
1,1-Dichloroethene	75-35-4	1.0	U	1.0	4.0	U	4.0
Acetone	67-64-1	25	U	25	59	U	59
Isopropyl Alcohol	67-63-0	25	U	25	61	U	61
Carbon Disulfide	75-15-0	2.5	U	2.5	7.8	U	7.8
3-Chloropropene	107-05-1	2.5	U	2.5	7.8	U	7.8
Methylene Chloride	75-09-2	2.5	U	2.5	8.7	U	8.7
tert-Butyl Alcohol	75-65-0	25	U	25	76	U	76
Methyl tert-Butyl Ether	1634-04-4	2.5	U	2.5	9.0	U	9.0
trans-1,2-Dichloroethene	156-60-5	1.0	U	1.0	4.0	U	4.0
n-Hexane	110-54-3	2.5	U	2.5	8.8	U	8.8
1,1-Dichloroethane	75-34-3	1.0	U	1.0	4.0	U	4.0
1,2-Dichloroethene (total)	540-59-0	1.0	U	1.0	4.0	U	4.0
Methyl Ethyl Ketone	78-93-3	2.5	U	2.5	7.4	U	7.4
cis-1,2-Dichloroethene	156-59-2	1.0	U	1.0	4.0	U	4.0
Tetrahydrofuran	109-99-9	25	U	25	74	U	74
Chloroform	67-66-3	1.0	U	1.0	4.9	U	4.9
1,1,1-Trichloroethane	71-55-6	1.0	U	1.0	5.5	U	5.5
Cyclohexane	110-82-7	1.0	U	1.0	3.4	U	3.4
Carbon Tetrachloride	56-23-5	1.0	U	1.0	6.3	U	6.3
2,2,4-Trimethylpentane	540-84-1	120		1.0	560		4.7
Benzene	71-43-2	1.0	U	1.0	3.2	U	3.2
1,2-Dichloroethane	107-06-2	1.0	U	1.0	4.0	U	4.0
n-Heptane	142-82-5	1.0	U	1.0	4.1	U	4.1

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-04

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714670

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	1.0	U	1.0	5.4	U	5.4
1,2-Dichloropropane	78-87-5	1.0	U	1.0	4.6	U	4.6
1,4-Dioxane	123-91-1	25	U	25	90	U	90
Bromodichloromethane	75-27-4	1.0	U	1.0	6.7	U	6.7
cis-1,3-Dichloropropene	10061-01-5	1.0	U	1.0	4.5	U	4.5
Methyl Isobutyl Ketone	108-10-1	2.5	U	2.5	10	U	10
Toluene	108-88-3	3.8		1.0	14		3.8
trans-1,3-Dichloropropene	10061-02-6	1.0	U	1.0	4.5	U	4.5
1,1,2-Trichloroethane	79-00-5	1.0	U	1.0	5.5	U	5.5
Tetrachloroethene	127-18-4	1.1		1.0	7.5		6.8
Methyl Butyl Ketone	591-78-6	2.5	U	2.5	10	U	10
Dibromochloromethane	124-48-1	1.0	U	1.0	8.5	U	8.5
1,2-Dibromoethane	106-93-4	1.0	U	1.0	7.7	U	7.7
Chlorobenzene	108-90-7	1.0	U	1.0	4.6	U	4.6
Ethylbenzene	100-41-4	1.0	U	1.0	4.3	U	4.3
Xylene (m,p)	1330-20-7	2.5	U	2.5	11	U	11
Xylene (o)	95-47-6	1.0	U	1.0	4.3	U	4.3
Xylene (total)	1330-20-7	1.0	U	1.0	4.3	U	4.3
Styrene	100-42-5	1.0	U	1.0	4.3	U	4.3
Bromoform	75-25-2	1.0	U	1.0	10	U	10
1,1,2,2-Tetrachloroethane	79-34-5	1.0	U	1.0	6.9	U	6.9
4-Ethyltoluene	622-96-8	1.0	U	1.0	4.9	U	4.9
1,3,5-Trimethylbenzene	108-67-8	1.0	U	1.0	4.9	U	4.9
2-Chlorotoluene	95-49-8	1.0	U	1.0	5.2	U	5.2
1,2,4-Trimethylbenzene	95-63-6	1.3		1.0	6.4		4.9
1,3-Dichlorobenzene	541-73-1	1.0	U	1.0	6.0	U	6.0
1,4-Dichlorobenzene	106-46-7	1.0	U	1.0	6.0	U	6.0
1,2-Dichlorobenzene	95-50-1	1.0	U	1.0	6.0	U	6.0
1,2,4-Trichlorobenzene	120-82-1	2.5	U	2.5	19	U	19
Hexachlorobutadiene	87-68-3	1.0	U	1.0	11	U	11
Naphthalene	91-20-3	2.5	U	2.5	13	U	13

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

BLIND DUPLICATE

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714671

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	1.5	U	1.5	7.4	U	7.4
1,2-Dichlorotetrafluoroethane	76-14-2	0.60	U	0.60	4.2	U	4.2
Chloromethane	74-87-3	1.5	U	1.5	3.1	U	3.1
Vinyl Chloride	75-01-4	0.60	U	0.60	1.5	U	1.5
1,3-Butadiene	106-99-0	1.5	U	1.5	3.3	U	3.3
Bromomethane	74-83-9	0.60	U	0.60	2.3	U	2.3
Chloroethane	75-00-3	1.5	U	1.5	4.0	U	4.0
Bromoethene	593-60-2	0.60	U	0.60	2.6	U	2.6
Trichlorofluoromethane	75-69-4	0.60	U	0.60	3.4	U	3.4
Freon TF	76-13-1	2.3		0.60	18		4.6
1,1-Dichloroethene	75-35-4	0.60	U	0.60	2.4	U	2.4
Acetone	67-64-1	100		15	240		36
Isopropyl Alcohol	67-63-0	15	U	15	37	U	37
Carbon Disulfide	75-15-0	1.5	U	1.5	4.7	U	4.7
3-Chloropropene	107-05-1	1.5	U	1.5	4.7	U	4.7
Methylene Chloride	75-09-2	1.5	U	1.5	5.2	U	5.2
tert-Butyl Alcohol	75-65-0	15	U	15	45	U	45
Methyl tert-Butyl Ether	1634-04-4	1.5	U	1.5	5.4	U	5.4
trans-1,2-Dichloroethene	156-60-5	0.60	U	0.60	2.4	U	2.4
n-Hexane	110-54-3	1.5	U	1.5	5.3	U	5.3
1,1-Dichloroethane	75-34-3	0.60	U	0.60	2.4	U	2.4
1,2-Dichloroethene (total)	540-59-0	0.60	U	0.60	2.4	U	2.4
Methyl Ethyl Ketone	78-93-3	6.1		1.5	18		4.4
cis-1,2-Dichloroethene	156-59-2	0.60	U	0.60	2.4	U	2.4
Tetrahydrofuran	109-99-9	15	U	15	44	U	44
Chloroform	67-66-3	0.60	U	0.60	2.9	U	2.9
1,1,1-Trichloroethane	71-55-6	10		0.60	55		3.3
Cyclohexane	110-82-7	0.60	U	0.60	2.1	U	2.1
Carbon Tetrachloride	56-23-5	0.60	U	0.60	3.8	U	3.8
2,2,4-Trimethylpentane	540-84-1	33		0.60	150		2.8
Benzene	71-43-2	0.60	U	0.60	1.9	U	1.9
1,2-Dichloroethane	107-06-2	0.60	U	0.60	2.4	U	2.4
n-Heptane	142-82-5	0.60	U	0.60	2.5	U	2.5

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

BLIND DUPLICATE

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: Air

Lab Sample No.: 714671

Date Analyzed: 06/21/07

Date Received: 06/18/07

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.60	U	0.60	3.2	U	3.2
1,2-Dichloropropane	78-87-5	0.60	U	0.60	2.8	U	2.8
1,4-Dioxane	123-91-1	15	U	15	54	U	54
Bromodichloromethane	75-27-4	0.60	U	0.60	4.0	U	4.0
cis-1,3-Dichloropropene	10061-01-5	0.60	U	0.60	2.7	U	2.7
Methyl Isobutyl Ketone	108-10-1	1.5	U	1.5	6.1	U	6.1
Toluene	108-88-3	1.3		0.60	4.9		2.3
trans-1,3-Dichloropropene	10061-02-6	0.60	U	0.60	2.7	U	2.7
1,1,2-Trichloroethane	79-00-5	0.60	U	0.60	3.3	U	3.3
Tetrachloroethene	127-18-4	33		0.60	220		4.1
Methyl Butyl Ketone	591-78-6	1.5	U	1.5	6.1	U	6.1
Dibromochloromethane	124-48-1	0.60	U	0.60	5.1	U	5.1
1,2-Dibromoethane	106-93-4	0.60	U	0.60	4.6	U	4.6
Chlorobenzene	108-90-7	0.60	U	0.60	2.8	U	2.8
Ethylbenzene	100-41-4	0.60	U	0.60	2.6	U	2.6
Xylene (m,p)	1330-20-7	1.5	U	1.5	6.5	U	6.5
Xylene (o)	95-47-6	0.60	U	0.60	2.6	U	2.6
Xylene (total)	1330-20-7	0.60	U	0.60	2.6	U	2.6
Styrene	100-42-5	0.60	U	0.60	2.6	U	2.6
Bromoform	75-25-2	0.60	U	0.60	6.2	U	6.2
1,1,2,2-Tetrachloroethane	79-34-5	0.60	U	0.60	4.1	U	4.1
4-Ethyltoluene	622-96-8	0.60	U	0.60	2.9	U	2.9
1,3,5-Trimethylbenzene	108-67-8	0.60	U	0.60	2.9	U	2.9
2-Chlorotoluene	95-49-8	0.60	U	0.60	3.1	U	3.1
1,2,4-Trimethylbenzene	95-63-6	0.61		0.60	3.0		2.9
1,3-Dichlorobenzene	541-73-1	0.60	U	0.60	3.6	U	3.6
1,4-Dichlorobenzene	106-46-7	0.60	U	0.60	3.6	U	3.6
1,2-Dichlorobenzene	95-50-1	0.60	U	0.60	3.6	U	3.6
1,2,4-Trichlorobenzene	120-82-1	1.5	U	1.5	11	U	11
Hexachlorobutadiene	87-68-3	0.60	U	0.60	6.4	U	6.4
Naphthalene	91-20-3	1.5	U	1.5	7.9	U	7.9

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

BA062107LCS

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: AIR

Lab Sample No.: BA062107

Date Analyzed: 06/21/07

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	10		0.50	49		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	9.6		0.20	67		1.4
Chloromethane	74-87-3	10		0.50	21		1.0
Vinyl Chloride	75-01-4	9.2		0.20	24		0.51
1,3-Butadiene	106-99-0	9.7		0.50	21		1.1
Bromomethane	74-83-9	8.5		0.20	33		0.78
Chloroethane	75-00-3	9.0		0.50	24		1.3
Bromoethene	593-60-2	8.9		0.20	39		0.87
Trichlorofluoromethane	75-69-4	8.6		0.20	48		1.1
Freon TF	76-13-1	9.8		0.20	75		1.5
1,1-Dichloroethene	75-35-4	10		0.20	40		0.79
Acetone	67-64-1	9.4		5.0	22		12
Isopropyl Alcohol	67-63-0	9.3		5.0	23		12
Carbon Disulfide	75-15-0	9.3		0.50	29		1.6
3-Chloropropene	107-05-1	9.3		0.50	29		1.6
Methylene Chloride	75-09-2	9.7		0.50	34		1.7
tert-Butyl Alcohol	75-65-0	9.3		5.0	28		15
Methyl tert-Butyl Ether	1634-04-4	9.0		0.50	32		1.8
trans-1,2-Dichloroethene	156-60-5	9.0		0.20	36		0.79
n-Hexane	110-54-3	9.3		0.50	33		1.8
1,1-Dichloroethane	75-34-3	9.1		0.20	37		0.81
1,2-Dichloroethene (total)	540-59-0	18		0.20	71		0.79
Methyl Ethyl Ketone	78-93-3	9.0		0.50	27		1.5
cis-1,2-Dichloroethene	156-59-2	9.3		0.20	37		0.79
Tetrahydrofuran	109-99-9	10		5.0	29		15
Chloroform	67-66-3	9.2		0.20	45		0.98
1,1,1-Trichloroethane	71-55-6	9.2		0.20	50		1.1
Cyclohexane	110-82-7	9.3		0.20	32		0.69
Carbon Tetrachloride	56-23-5	9.1		0.20	57		1.3
2,2,4-Trimethylpentane	540-84-1	9.4		0.20	44		0.93
Benzene	71-43-2	9.3		0.20	30		0.64
1,2-Dichloroethane	107-06-2	9.2		0.20	37		0.81
n-Heptane	142-82-5	9.5		0.20	39		0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

BA062107LCS

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: AIR

Lab Sample No.: BA062107

Date Analyzed: 06/21/07

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	9.1		0.20	49		1.1
1,2-Dichloropropane	78-87-5	9.1		0.20	42		0.92
1,4-Dioxane	123-91-1	8.6		5.0	31		18
Bromodichloromethane	75-27-4	9.6		0.20	64		1.3
cis-1,3-Dichloropropene	10061-01-5	9.1		0.20	41		0.91
Methyl Isobutyl Ketone	108-10-1	9.6		0.50	39		2.0
Toluene	108-88-3	9.4		0.20	35		0.75
trans-1,3-Dichloropropene	10061-02-6	8.9		0.20	40		0.91
1,1,2-Trichloroethane	79-00-5	8.8		0.20	48		1.1
Tetrachloroethene	127-18-4	9.9		0.20	67		1.4
Methyl Butyl Ketone	591-78-6	9.8		0.50	40		2.0
Dibromochloromethane	124-48-1	10		0.20	85		1.7
1,2-Dibromoethane	106-93-4	9.3		0.20	71		1.5
Chlorobenzene	108-90-7	9.3		0.20	43		0.92
Ethylbenzene	100-41-4	9.2		0.20	40		0.87
Xylene (m,p)	1330-20-7	19		0.50	83		2.2
Xylene (o)	95-47-6	9.2		0.20	40		0.87
Xylene (total)	1330-20-7	28		0.20	120		0.87
Styrene	100-42-5	9.7		0.20	41		0.85
Bromoform	75-25-2	10		0.20	100		2.1
1,1,2,2-Tetrachloroethane	79-34-5	8.9		0.20	61		1.4
4-Ethyltoluene	622-96-8	9.6		0.20	47		0.98
1,3,5-Trimethylbenzene	108-67-8	9.4		0.20	46		0.98
2-Chlorotoluene	95-49-8	9.5		0.20	49		1.0
1,2,4-Trimethylbenzene	95-63-6	9.2		0.20	45		0.98
1,3-Dichlorobenzene	541-73-1	9.2		0.20	55		1.2
1,4-Dichlorobenzene	106-46-7	9.2		0.20	55		1.2
1,2-Dichlorobenzene	95-50-1	9.0		0.20	54		1.2
1,2,4-Trichlorobenzene	120-82-1	8.6		0.50	64		3.7
Hexachlorobutadiene	87-68-3	8.7		0.20	93		2.1
Naphthalene	91-20-3	8.9		0.50	47		2.6

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

BA062107LCSD

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: AIR

Lab Sample No.: BA062107

Date Analyzed: 06/21/07

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	10		0.50	49		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	9.4		0.20	66		1.4
Chloromethane	74-87-3	9.6		0.50	20		1.0
Vinyl Chloride	75-01-4	9.0		0.20	23		0.51
1,3-Butadiene	106-99-0	9.5		0.50	21		1.1
Bromomethane	74-83-9	8.5		0.20	33		0.78
Chloroethane	75-00-3	8.8		0.50	23		1.3
Bromoethene	593-60-2	9.0		0.20	39		0.87
Trichlorofluoromethane	75-69-4	8.5		0.20	48		1.1
Freon TF	76-13-1	9.8		0.20	75		1.5
1,1-Dichloroethene	75-35-4	10		0.20	40		0.79
Acetone	67-64-1	8.9		5.0	21		12
Isopropyl Alcohol	67-63-0	9.1		5.0	22		12
Carbon Disulfide	75-15-0	9.3		0.50	29		1.6
3-Chloropropene	107-05-1	9.1		0.50	28		1.6
Methylene Chloride	75-09-2	9.4		0.50	33		1.7
tert-Butyl Alcohol	75-65-0	9.3		5.0	28		15
Methyl tert-Butyl Ether	1634-04-4	8.8		0.50	32		1.8
trans-1,2-Dichloroethene	156-60-5	8.8		0.20	35		0.79
n-Hexane	110-54-3	9.1		0.50	32		1.8
1,1-Dichloroethane	75-34-3	9.0		0.20	36		0.81
1,2-Dichloroethene (total)	540-59-0	18		0.20	71		0.79
Methyl Ethyl Ketone	78-93-3	8.7		0.50	26		1.5
cis-1,2-Dichloroethene	156-59-2	9.4		0.20	37		0.79
Tetrahydrofuran	109-99-9	9.3		5.0	27		15
Chloroform	67-66-3	9.1		0.20	44		0.98
1,1,1-Trichloroethane	71-55-6	8.8		0.20	48		1.1
Cyclohexane	110-82-7	9.1		0.20	31		0.69
Carbon Tetrachloride	56-23-5	8.7		0.20	55		1.3
2,2,4-Trimethylpentane	540-84-1	8.9		0.20	42		0.93
Benzene	71-43-2	9.0		0.20	29		0.64
1,2-Dichloroethane	107-06-2	8.5		0.20	34		0.81
n-Heptane	142-82-5	8.8		0.20	36		0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

BA062107LCSD

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: AIR

Lab Sample No.: BA062107

Date Analyzed: 06/21/07

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	8.8		0.20	47		1.1
1,2-Dichloropropane	78-87-5	8.6		0.20	40		0.92
1,4-Dioxane	123-91-1	8.5		5.0	31		18
Bromodichloromethane	75-27-4	9.0		0.20	60		1.3
cis-1,3-Dichloropropene	10061-01-5	8.7		0.20	39		0.91
Methyl Isobutyl Ketone	108-10-1	9.3		0.50	38		2.0
Toluene	108-88-3	9.0		0.20	34		0.75
trans-1,3-Dichloropropene	10061-02-6	8.4		0.20	38		0.91
1,1,2-Trichloroethane	79-00-5	8.3		0.20	45		1.1
Tetrachloroethene	127-18-4	9.5		0.20	64		1.4
Methyl Butyl Ketone	591-78-6	9.3		0.50	38		2.0
Dibromochloromethane	124-48-1	9.5		0.20	81		1.7
1,2-Dibromoethane	106-93-4	8.8		0.20	68		1.5
Chlorobenzene	108-90-7	8.8		0.20	41		0.92
Ethylbenzene	100-41-4	8.7		0.20	38		0.87
Xylene (m,p)	1330-20-7	18		0.50	78		2.2
Xylene (o)	95-47-6	8.7		0.20	38		0.87
Xylene (total)	1330-20-7	27		0.20	120		0.87
Styrene	100-42-5	9.2		0.20	39		0.85
Bromoform	75-25-2	9.7		0.20	100		2.1
1,1,2,2-Tetrachloroethane	79-34-5	8.3		0.20	57		1.4
4-Ethyltoluene	622-96-8	8.9		0.20	44		0.98
1,3,5-Trimethylbenzene	108-67-8	8.7		0.20	43		0.98
2-Chlorotoluene	95-49-8	8.9		0.20	46		1.0
1,2,4-Trimethylbenzene	95-63-6	8.4		0.20	41		0.98
1,3-Dichlorobenzene	541-73-1	8.8		0.20	53		1.2
1,4-Dichlorobenzene	106-46-7	8.8		0.20	53		1.2
1,2-Dichlorobenzene	95-50-1	8.6		0.20	52		1.2
1,2,4-Trichlorobenzene	120-82-1	8.9		0.50	66		3.7
Hexachlorobutadiene	87-68-3	8.8		0.20	94		2.1
Naphthalene	91-20-3	9.3		0.50	49		2.6

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

MBLK062107BA

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: AIR

Lab Sample No.: MBLK0621

Date Analyzed: 06/21/07

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.20	U	0.20	1.4	U	1.4
Chloromethane	74-87-3	0.50	U	0.50	1.0	U	1.0
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Bromomethane	74-83-9	0.20	U	0.20	0.78	U	0.78
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Bromoethene	593-60-2	0.20	U	0.20	0.87	U	0.87
Trichlorofluoromethane	75-69-4	0.20	U	0.20	1.1	U	1.1
Freon TF	76-13-1	0.20	U	0.20	1.5	U	1.5
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
Acetone	67-64-1	5.0	U	5.0	12	U	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
3-Chloropropene	107-05-1	0.50	U	0.50	1.6	U	1.6
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
tert-Butyl Alcohol	75-65-0	5.0	U	5.0	15	U	15
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
1,2-Dichloroethene (total)	540-59-0	0.20	U	0.20	0.79	U	0.79
Methyl Ethyl Ketone	78-93-3	0.50	U	0.50	1.5	U	1.5
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
Chloroform	67-66-3	0.20	U	0.20	0.98	U	0.98
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Cyclohexane	110-82-7	0.20	U	0.20	0.69	U	0.69
Carbon Tetrachloride	56-23-5	0.20	U	0.20	1.3	U	1.3
2,2,4-Trimethylpentane	540-84-1	0.20	U	0.20	0.93	U	0.93
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
n-Heptane	142-82-5	0.20	U	0.20	0.82	U	0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

MBLK062107BA

Lab Name: STL Burlington

SDG Number: NY120520

Case Number:

Sample Matrix: AIR

Lab Sample No.: MBLK0621

Date Analyzed: 06/21/07

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.20	U	0.20	1.1	U	1.1
1,2-Dichloropropane	78-87-5	0.20	U	0.20	0.92	U	0.92
1,4-Dioxane	123-91-1	5.0	U	5.0	18	U	18
Bromodichloromethane	75-27-4	0.20	U	0.20	1.3	U	1.3
cis-1,3-Dichloropropene	10061-01-5	0.20	U	0.20	0.91	U	0.91
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
trans-1,3-Dichloropropene	10061-02-6	0.20	U	0.20	0.91	U	0.91
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.20	U	0.20	1.4	U	1.4
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Dibromochloromethane	124-48-1	0.20	U	0.20	1.7	U	1.7
1,2-Dibromoethane	106-93-4	0.20	U	0.20	1.5	U	1.5
Chlorobenzene	108-90-7	0.20	U	0.20	0.92	U	0.92
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
Xylene (total)	1330-20-7	0.20	U	0.20	0.87	U	0.87
Styrene	100-42-5	0.20	U	0.20	0.85	U	0.85
Bromoform	75-25-2	0.20	U	0.20	2.1	U	2.1
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4
4-Ethyltoluene	622-96-8	0.20	U	0.20	0.98	U	0.98
1,3,5-Trimethylbenzene	108-67-8	0.20	U	0.20	0.98	U	0.98
2-Chlorotoluene	95-49-8	0.20	U	0.20	1.0	U	1.0
1,2,4-Trimethylbenzene	95-63-6	0.20	U	0.20	0.98	U	0.98
1,3-Dichlorobenzene	541-73-1	0.20	U	0.20	1.2	U	1.2
1,4-Dichlorobenzene	106-46-7	0.20	U	0.20	1.2	U	1.2
1,2-Dichlorobenzene	95-50-1	0.20	U	0.20	1.2	U	1.2
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.20	U	0.20	2.1	U	2.1
Naphthalene	91-20-3	0.50	U	0.50	2.6	U	2.6

STL Burlington Data Qualifier Definitions

Organic

- U: Compound analyzed but not detected at a concentration above the reporting limit.
- J: Estimated value.
- N: Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds (TICs) where the identification of a compound is based on a mass spectral library search.
- P: SW-846: Greater than 40% difference for detected concentrations between two GC columns. Unless otherwise specified the higher of the two values is reported on the Form I.
- CLP SOW: Greater than 25% difference for detected concentrations between two GC columns. Unless otherwise specified the lower of the two values is reported on the Form I.
- C: Pesticide result whose identification has been confirmed by GC/MS.
- B: Analyte is found in the sample and the associated method blank. The flag is used for tentatively identified compounds as well as positively identified compounds.
- E: Compounds whose concentrations exceed the upper limit of the calibration range of the instrument for that specific analysis.
- D: Concentrations identified from analysis of the sample at a secondary dilution.
- A: Tentatively identified compound is a suspected aldol condensation product.
- X,Y,Z: Laboratory defined flags that may be used alone or combined, as needed. If used, the description of the flag is defined in the project narrative.

Inorganic/Metals

- E: Reported value is estimated due to the presence of interference.
- N: Matrix spike sample recovery is not within control limits.
- * Duplicate sample analysis is not within control limits.
- B: The result reported is less than the reporting limit but greater than the instrument detection limit.
- U: Analyte was analyzed for but not detected above the reporting limit.

Method Codes:

- P ICP-AES
MS ICP-MS
CV Cold Vapor AA
AS Semi-Automated Spectrophotometric

APPENDIX D

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Frederick & Elksortz Generator Site/Location _____

Address 330 EASTPORT MANOR ROAD Address SAME
MANDRILLE NY

Phone No. _____ Phone No. 1-800

Approval
Number

3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil
Non DOT/RCRA Regulated

GROSS	40.62 T	GROSS
TARE	14.18 T	RECALLED
NET	26.44 T	TARE
LOG	43	NET
12/14/2006 11:31 AM		TONNAGE

I hereby certify that the above named material does not contain any applicable state law, is not a hazardous waste as defined by law, has been properly described, classified and packaged, according to applicable regulations.

U-3923

40 CFR Part 260.10
any applicable state
for transportation

Generator Authorized Agent [Signature]

BRYAN MURPHY
Signature

TRKS-10

Date

TRANSPORT

TD 5-288-20

Transporter Name LFF

Driver Name (Print) Emmanuel Colon

Address Long NJ

Vehicle License No. / State / EPA No. ABC 972C

Truck Number 100

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Shipment Date 12/14/06

Driver Signature

Delivery Date 12/14/06

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030

Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Gold/Red - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Fredenthal & Elko Inc Generator Site/Location _____Address 330 ~~Manasville~~ EASTPORT MANOR RD Address SAFEMANASSVILLE NJ

Phone No. _____ Phone No. _____

Approval
Number64
3923

Description of Material

Non-Regulated Petroleum

Contaminated Soil

Non DOT/RCRA Regulated

ID 747

GROSS

GROSS 44.68 T

TARE 14.70 T

NET 29.98 T

TARE

RECALLED

NET

LOG 45

TONNAGE

12/14/2006 11:35AM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

BRYAN MURPHY
Generator Authorized Agent Name[Signature]
Signature12/14/06
Shipment Date

TRANSPORTER

Transporter Name Nicholas JDriver Name (Print) Cesar BedoyaAddress 123 Howard BlvdVehicle License No. / State / EPA No. AJ7495-NJUT Air Rgn - NJTruck Number 346 (747 SS)

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature]
Driver Signature12/14/06
Shipment Date[Signature]
Driver Signature12/14/06
Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Gold/Red - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Frederick E. Kowicz Generator Site/Location _____Address 331 East Port Manal Address SameMANVILLE LI

Phone No. _____ Phone No. _____

Approval
Number

3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil

Non DOT/RCRA Regulated

ID 753

GROSS

GROSS	43.30 T	TARE
TARE	12.95 T	RECALLED
NET	30.35 T	NET

LOG 46
12/14/2006 11:53AM

TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Bryan M. M. M.
Generator Authorized Agent Name

Signature

12/14/06
Shipment Date

TRANSPORTER

Transporter Name

Nicholas
Netcony

Driver Name (Print)

ABSAION

Address

Vehicle License No. / State / EPA No.

AJ5601

Truck Number

753

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Shipment Date

12-14-06

Driver Signature

Delivery Date

12-14-06

DESTINATION

Site Name Soil Safe, Inc. - BridgeportPhone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

J. Garcia

12/14/06

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldenrod - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name _____ Generator Site/Location _____
 Address 331 East Port Manor Address SAFEC
Manorville LI
 Phone No. _____ Phone No. _____

Approval
Number

3923

Description of Material

Non-Regulated Petroleum

Contaminated Soil

Non DOT/RCRA Regulated

ID 702

GROSS

GROSS 42.61 T

TARE 14.36 T

NET 28.25 T

RECALLED

TARE

NET

LOG 47

TONNAGE

12/14/2006 11:55AM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

BRYAN MURTY
 Generator Authorized Agent Name

Signature

12/14/06
 Shipment Date

TRANSPORTER

Transporter Name Nicholson J Driver Name (Print) Elmer Robles
 Address 167 Stephens Park RD Vehicle License No. / State / EPA No. AJ1738
Hackettstown, NJ Truck Number 702-845

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Shipment Date

Driver Signature

Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-487-8030
 Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldenrod - Generator

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Fleuder & Elowitz Generator Site/Location _____
 Address 331 EASTPORT MANOR LN Address ~~331~~ 331 ~~600~~ E Port Manor
MANORVILLE NY Manorville N.Y. LI
 Phone No. _____ Phone No. _____

Approval
Number
24
3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil
Non DOT/RCRA Regulated

ID 621

GROSS

GROSS 42.95 T
TARE 14.28 T RECALLED
NET 28.67 T NET

LOG 49

TONNAGE

12/14/2006 12:07PM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Bryan Wert

Generator Authorized Agent Name

[Signature]
Signature

12/14/06
Shipment Date

TRANSPORTER

Transporter Name Nicholas J (Rainbow)

Driver Name (Print) Rafael Gutierrez

Address Wetcong NJ

Vehicle License No. / State / EPA No. AT-3742 NJ

Truck Number 859 / 621 501 / 501

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature]

Driver Signature

12-14-06

Shipment Date

[Signature]

Driver Signature

12-14-06

Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport

Phone No. 1-856-487-8030

Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

J. Garcia

12/14/06

Name of Authorized Agent

Signature

Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldenrod - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Frederick & Blum Generator Site/Location _____Address 331 EAST PORT-ANDOVER Rd. Address _____HANORVILLE NYSummit

Phone No. _____ Phone No. _____

Approval
Number14
3923

Description of Material

Non-Regulated Petroleum

Contaminated Soil

Non DOT/RCRA Regulated

ID 192

GROSS

GROSS 43.22 TTARE 13.79 T RECALLEDNET 29.43 T

TARE

NET

LOG 50

TONNAGE

12/14/2006 12:18PM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name BRYAN MURTYSignature [Signature]Shipment Date 12/14/06

TRANSPORTER

Transporter Name Nicholas J.Driver Name (Print) Ariel almaguerAddress Nefcoms RIJVehicle License No. / State / EPA No. AH648UTruck Number 832 - 192

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature]12-14-06

Shipment Date

Driver Signature [Signature]12-14-06

Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - BridgeportPhone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent J. Garcia

Signature

Receipt Date 12/14/06

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldensrod - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Frederthal & Elkowitz Generator Site/Location _____Address 331 EASTPORT MANOR RD Address SAFEMANORVILLE NY

Phone No. _____ Phone No. _____

Approval
Number
LY
3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil
Non DOT/RCRA RegulatedID 469

GROSS

GROSS 43.32 T
TARE 14.15 T
NET 29.17 T

TARE

RECALLED

NET

LOG 52

TONNAGE

12/14/2006 12:39PM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name RYAN MURPHYSignature [Signature]Shipment Date 12/14/06

TRANSPORTER

Transporter Name J.P.F.Driver Name (Print) JORGE A - LARAAddress Landing NTVehicle License No. / State / EPA No. AK584DTruck Number 469

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature Jorge A CShipment Date 12-14-06Driver Signature Jorge A CDelivery Date 12-14-06

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent d. Garcia

Signature

Receipt Date 12/14/06

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldend - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Frederick & Elsworth Generator Site/Location _____Address 331 EASTPORT MANOR Rd Address _____MANORVILLE NYSAME

Phone No. _____ Phone No. _____

Approval
Number

3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil

Non DOT/RCRA Regulated

ID 737

GROSS

GROSS	41.18 T	TARE
TARE	12.96 T	RECALLED
NET	28.22 T	NET

LOG 64	TONNAGE
12/14/2006 02:21PM	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

BRIAN MURTY
Generator Authorized Agent Name

[Signature]
Signature

12/14/06
Shipment Date

TRANSPORTER

Transporter Name Rambow Corp Driver Name (Print) Hector MAddress Hackettstown NJ Vehicle License No. / State / EPA No. AJ 1755Truck Number 847 (737)

I hereby certify that the above named material was
picked up at the generator site listed above.

I hereby certify that the above named material was
delivered without incident to the destination listed below.

[Signature]
Driver Signature

12/13/06
Shipment Date

[Signature]
Driver Signature

12/13/06
Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

[Signature] 12/14/06
Name of Authorized Agent Signature Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldenrod - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Fredenthal & Alcorn Generator Site/Location _____Address 31 East Port Harbor Rd Address SAFEHANDVILLE NY

Phone No. _____ Phone No. _____

Approval
Number
64
3923

Description of Material

Non-Regulated Petroleum

Contaminated Soil

Non DOT/RCRA Regulated

ID 801

GROSS

GROSS 44.41 T

TARE 13.15 T

NET 31.26 T

TARE

RECALLED

NET

LOG 66

TONNAGE

12/14/2006 02:38PM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Brian Murty
Generator Authorized Agent Name

Signature

12/14/06
Shipment Date

TRANSPORTER

Transporter Name RAINBOW FC Driver Name (Print) C. VARGAS
Address Hackettstown NJ Vehicle License No. / State / EPA No. AJ 835V
Truck Number 857-801-

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Shipment Date

Driver Signature

Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldened - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Froudenthal Growite Generator Site/Location East Orange Demonstration School PrAddress 10000 East 53rd East Pt Address 10000 East Street SameEast Orange, NJ
Manorville NYEast Orange, NJ 07015Phone No. _____ Phone No. (609) 972 5222Approval
Number

43923

Description of Material

Non-Regulated Petroleum

Contaminated Soil

Non DOT/RCRA Regulated

ID 588

GROSS

GROSS 39.09 T

TARE

TARE 12.66 T

RECALLED

NET 26.43 T

NET

LOG

TONNAGE

12/15/2006 07:25 AM

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Michael Pellegrino AS to Agent
Generator Authorized Agent Name

[Signature]
Signature

12-14-06
Shipment Date

TRANSPORTER

Transporter Name Rainbow

Driver Name (Print) Andres Sabogal

Address Hackettstown NJ

Vehicle License No. / State / EPA No. AK588D

Truck Number 864 (588)

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature]
Driver Signature

12/14/06
Shipment Date

[Signature]
Driver Signature

12/14/06
Delivery Date

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030

Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

J. Garcia Signature
Name of Authorized Agent

12/15/06
Receipt Date

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldenrod - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Patrick Criscuolo F&E Generator Site/Location _____Address 331 East Port Manville Rd Address _____Manorville LEPhone No. 631-491-2222 Phone No. _____Approval
Number

3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil

Non DOT/RCRA Regulated

ID 167	
GROSS	37.83
TARE	14.09
RECALLED	
NET	23.74
LOG 65	
11/30/2007	
01:13PM	
GROSS TARE NET	TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Patrick Criscuolo
Generator Authorized Agent Name

Signature

Shipment Date 11/30/07

TRANSPORTER

Transporter Name Nicholas Driver Name (Print) ABSAIONAddress Netcon Vehicle License No. / State / EPA No. AK3637Truck Number 167 (830)

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Shipment Date 11-30-07

Driver Signature

Delivery Date 11/30/07

DESTINATION

Site Name Soil Safe, Inc. - Bridgeport Phone No. 1-856-467-8030Address 378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature J. CoarReceipt Date 11/30/07

White - Facility

Green - Facility

Yellow - Generator

Pink - Broker

Goldenrod - Contractor

Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name _____ Generator Site/Location _____

Address 331 East Port road Address _____Marionville, LTPhone No. _____ Phone No. 641-661-1111Approval
Number3923

Description of Material

Non-Regulated Petroleum
Contaminated Soil

Non DOT/RCRA Regulated

GROSS

ID 999

GROSS

32.37 T

TARE

13.52 TRECALLED
NET18.85 T

TARE

NET

TONNAGE

LOG 66

11/30/2007

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name

Patrick Criscuolo

Signature

Patrick Criscuolo

Shipment Date

11/30/07

TRANSPORTER

Transporter Name

Nicholson

Driver Name (Print)

Leo S

Address

14 Yellowbarn Ave

Vehicle License No. / State / EPA No.

AKS34T

Truck Number

999-816

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Shipment Date

11-30-07

Driver Signature

Delivery Date

11-30-07

DESTINATION

Site Name

Soil Safe, Inc. - Bridgeport

Phone No.

1-856-467-8030

Address

378 Route 130 Logan Township, NJ 08085

No left turn on Rt. 130 North into the facility.

Business hours are: Monday through Friday 7 AM to 5 PM. 5 PM to 10 PM By Appointment only. Saturday by appointment only.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

J. Gara11/30/07