

New York State Department of Environmental Conservation

Division of Water

Bureau of Water Compliance, 4th Floor

625 Broadway, Albany, New York 12233-3506

Phone: (518) 402-8177 • Fax: (518) 402-8082

Website: www.dec.ny.gov



Joe Martens
Commissioner

July 22, 2013

JACK WILLIAMS
RJ WILLIAMS INC
405 MEEKER RD
APALACHIN, NY 13850

Re: **NOTICE OF VIOLATION FOR FAILURE TO SUBMIT DISCHARGE
MONITORING REPORT (DMR)**
FACILITY: RJ WILLIAMS INC
SPDES ID: **NYR00A536**

Dear Permittee:

You submitted a Notice of Intent (NOI) form to this Department to gain authorization to discharge stormwater from your industrial facility, RJ WILLIAMS INC, 3716 STATE ROUTE 434, APALACHIN to the waters of the State. Having submitted your NOI, you are operating under New York's State Pollutant Discharge Elimination System (SPDES) Multi-Sector General Permit for Stormwater Discharges Associated with Industrial Activities (GP-0-06-002) and are therefore bound to comply with the terms and conditions of the permit.

Part IV. B. of the general permit requires you to submit Discharge Monitoring Reports (DMR(s)) to the Department by March 31 of each year. As of the date of this letter, the DMR(s) for the following outfall(s) and/or limit set(s) has not been received or is incomplete for calendar year 2012:

001A

Failure to submit a required DMR is a violation of your SPDES permit and Article 17 of the New York State Environmental Conservation Law (ECL). ECL §71-1929 provides for civil penalties of up to thirty-seven thousand five-hundred dollars (\$37,500) per day per violation.

In order to resolve and settle this matter without a financial penalty, you must complete the back page of this letter and return it along with any required DMRs within 30 days of the date of this letter.

If you have any questions regarding this matter, need a copy of your blank DMR or need assistance in completing the DMR, contact Jagabandhu Debnath at 518-402-8091.

Sincerely, •

Meredith Streeter, P.E.
Compliance Assurance Section

Cc: RWE

**- SINGLE OPPORTUNITY TO RESOLVE VIOLATION -
EXPIRES 30 DAYS AFTER DATE OF THIS LETTER**

Mail a copy of both sides of this letter and any attachments to: MSGP Permit Coordinator,
NYSDEC Division of Water, 625 Broadway - 4th Fl, Albany, New York 12233-3506.

Retain a copy of both sides of this letter and any attachments you enclose for your records.

Check and complete all appropriate items below in order to resolve this matter:

- ☐ **The DMR(s) was/were sent to NYSDEC Albany Office on the following date(s):**
_____ **; and I have attached to this letter copy(ies) of the DMR(s) with an original signature.**
- ☐ **The DMR(s) was/were not sent to NYSDEC. Attached are the required DMR(s) with original signature.** (Blank DMR forms may be requested by calling Jagabandhu Debnath at 518-402-8091.)
- ☐ **The owner/operator mailing address, as identified in the Notice of Intent, is no longer valid. Please change to:**

- ☐ **The DMR mailing address is incorrect. Please change it to:**

- ☐ **I am no longer required to submit DMRs because:** _____

(Please attach any supporting documentation. For permit modification, permittee transfer or facility discontinuation, please contact Ryan Waldron at 518-402-8244 for additional paperwork.)

Your Name: _____

Title: _____

Company: _____

Signature: _____

Date: _____