



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 3-1356-00279/00001
Effective Date: 10/14/2009 Expiration Date: No expiration date

Permit Issued To: HARTSDALE CREMATORY INC
72 AIRPORT DR
WAPPINGERS FALLS, NY 12590

Facility: AIRPORT DRIVE ANIMAL CREMATORY
72 AIRPORT DR
WAPPINGERS FALLS, NY 10530

Contact: THOMAS POLLINA
HARTSDALE CREMATORY INC
75 NORTH CENTRAL AVE
HARTSDALE, NY 10530
(914) 949-2583

Description:
Airport Drive Animal Crematory is located in Wappinger falls, Dutchess County, New York.
The facility shall operate a crematory consisting of two dual chambered natural gas fired
incinerators used for the disposal of animal remains.

The cremator is subject to the monitoring and reporting requirements under 6NYCRR Parts 201
and 219-4 Incinerators, Crematories.

Facilities emissions are below major stationary source threshold, therefore qualifying the
crematory as a natural minor.

The Standard Industrial Classification representative of this facility is 4953 - Refuse System

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict
compliance with the ECL, all applicable regulations, the General Conditions specified and any
Special Conditions included as part of this permit.

Permit Administrator: KENNETH R GRZYB
NYSDEC REGION 3
21 S PUTT CORNERS RD
NEW PALTZ, NY 12561

Authorized Signature: _____ Date: ____ / ____ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and
Determinations
Applications for permit renewals, modifications and transfers
Permit modifications, suspensions or revocations by the Department

Facility Level

Submission of application for permit modification or renewal-REGION 3
HEADQUARTERS



DEC GENERAL CONDITIONS
****** General Provisions ******
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers
Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department



Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of application for permit modification or renewal-REGION 3 HEADQUARTERS

Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 3 Headquarters
Division of Environmental Permits
21 South Putt Corners Road
New Paltz, NY 12561-1696
(845) 256-3054



Permit Under the Environmental Conservation Law (ECL)

**ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY
PERMIT**

IDENTIFICATION INFORMATION

Permit Issued To: HARTSDALE CREMATORY INC
72 AIRPORT DR
WAPPINGERS FALLS, NY 12590

Facility: AIRPORT DRIVE ANIMAL CREMATORY
72 AIRPORT DR
WAPPINGERS FALLS, NY 10530

Authorized Activity By Standard Industrial Classification Code:
4953 - REFUSE SYSTEMS
7261 - FUNERAL SERVICE AND CREMATORIES

Permit Effective Date: 10/14/2009
date.

Permit Expiration Date: No expiration



LIST OF CONDITIONS

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 4 ECL 19-0301: Contaminant List
- 5 6 NYCRR 201-1.4: Unavoidable noncompliance and violations
- 1 6 NYCRR Subpart 201-5: Emission Unit Definition
- 6 6 NYCRR 211.2: Air pollution prohibited
- 7 6 NYCRR 219-4.3: Compliance Demonstration
- 8 6 NYCRR 219-4.4: Compliance Demonstration
- 9 6 NYCRR 219-4.5: Compliance Demonstration
- 10 6 NYCRR 219-4.6: Compliance Demonstration
- 11 6 NYCRR 219-4.7: Compliance Demonstration
- 12 6 NYCRR 219-4.8: Compliance Demonstration
- 13 6 NYCRR 219-4.10: Compliance Demonstration
- 14 6 NYCRR 219-4.11: Compliance Demonstration

Emission Unit Level

- 2 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit
- 3 6 NYCRR Subpart 201-5: Process Definition By Emission Unit



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1), and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.



Condition 4: Contaminant List
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:ECL 19-0301

Item 4.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0
Name: PARTICULATES

Condition 5: Unavoidable noncompliance and violations
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR 201-1.4

Item 5.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the



malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 1: Emission Unit Definition
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 1.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U--0001

Emission Unit Description:

The operation of 2 dual chambered natural gas fired crematories (Therm-Tec Inc, Model G-30-P-1) for the disposal of animal remains. Each unit has a batch load capacity rating of 3,400 lbs with an average burning rate of 375 lbs/hr.

Building(s): HN

Condition 6: Air pollution prohibited
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR 211.2

Item 6.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 7: Compliance Demonstration
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR 219-4.3

Item 7.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:



Emission Unit: U--0001

Emission Point: 00001

Emission Unit: U--0001

Emission Point: 00002

Item 7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Particulate emissions are limited to 0.080 grains per dry
standard cubic foot of flue gas, corrected to seven
percent oxygen.

The Department reserves the right to request EPA Methods
performance testing to determine future compliance.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.08 grains per dry standard cubic
foot (corrected to 7% O₂)

Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -
SEE MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 8: Compliance Demonstration

Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement: 6 NYCRR 219-4.4

Item 8.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: U--0001

Emission Point: 00001

Process: GAS

Emission Source: S0001

Emission Unit: U--0001

Emission Point: 00002

Process: GAS

Emission Source: S0002

Item 8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

1) Primary combustion chamber temperature must be
maintained at no less than 1,400°F.

2) Furnace design must provide for a residence time for
combustion gas of at least one second at no less than



1,800°F.

Auxiliary burners must be designed to provide combustion chamber temperatures by means of automatic modulating controls.

Record keeping requirements are specified in subsequent permit conditions.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 1800 degrees Fahrenheit

Monitoring Frequency: CONTINUOUS

Averaging Method: MINIMUM - NOT TO FALL BELOW STATED
VALUE - SEE MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 9: Compliance Demonstration
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement: 6 NYCRR 219-4.5

Item 9.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U--0001

Emission Point: 00001

Emission Unit: U--0001

Emission Point: 00002

Item 9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The facility shall not cause or allow emissions to the outdoor atmosphere having a six-minute average opacity of 10 percent or greater from the cremators.

The NYSDEC reserves the right to perform or request an EPA Method 9 opacity evaluation.

Parameter Monitored: OPACITY

Upper Permit Limit: 10 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 10: Compliance Demonstration
Effective between the dates of 10/14/2009 and Permit Expiration Date



Applicable State Requirement:6 NYCRR 219-4.6

Item 10.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U--0001

Process: GAS

Emission Source: S0001

Emission Unit: U--0001

Process: GAS

Emission Source: S0002

Item 10.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

(a) Municipal solid waste may not be burned in a crematory.

(b) Infectious waste (other than pathological waste and animal bedding) in excess of five percent of the total permitted hourly charging rate may not be burned in a crematory.

(c) Radioactive waste, may not be burned in a crematory unless that crematory is exempt from or has been issued a permit pursuant to Part 380 of this Title.

(d) Hazardous waste may not be burned in a crematory unless that crematory is exempt from or has been issued a permit pursuant to Part 373 of this Title.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 11: Compliance Demonstration

Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR 219-4.7

Item 11.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U--0001

Process: GAS

Emission Source: S0001

Emission Unit: U--0001

Process: GAS

Emission Source: S0002



Item 11.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility shall install, operate and maintain in accordance with manufacturer's instructions, instruments meeting specifications acceptable to the commissioner for continuously monitoring and recording the following emission and operating parameters:

- (1) primary combustion chamber exit temperature;
- (2) secondary (or last) combustion chamber exit temperature.

Each incinerator is equipped with a dual-pen, 7-day circular chart recorder (Future Deign Controls Model DR 5000). Temperatures for the primary and secondary chamber shall be recorded continuously while the unit is firing. Temperature recordings shall be maintain on site for a period of two years, to be submitted to the Department upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 12: Compliance Demonstration

Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR 219-4.8

Item 12.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: U--0001
Process: GAS

Emission Point: 00001
Emission Source: S0001

Emission Unit: U--0001
Process: GAS

Emission Point: 00002
Emission Source: S0002

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 12.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:



Each incinerator to be installed in the crematory facility must demonstrate compliance with the standards (0.08 grains/dscf corrected to 7% O₂)

The facility has provided representative EPA Method 5 performance testing data, with average test runs yielding 0.04 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen. EPA Method 9 visible emissions testing yielded less than 1% opacity. This satisfies the requirements under §219-4.8(a).

NYSDEC reserves the right to request future performance testing following EPA Methods to determine compliance. The following is Department requested procedure;

(a) A test protocol, including the configuration of breeching, stack and test port locations and test methods must be submitted for approval at least 30 days prior to stack testing.

(b) Three copies of the stack test report must be submitted within 60 days after completion of the tests, in accordance with section 202.3 of this Title.

Upper Permit Limit: 0.08 grains per dry standard cubic foot (corrected to 7% O₂)

Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 13: Compliance Demonstration

Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement: 6 NYCRR 219-4.10

Item 13.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U--0001

Item 13.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Cremators shall be run only by personnel possessing an appropriate incinerator operator certification, issued by



the Department.

The operator shall ensure proper operation and maintenance of equipment at that facility and knowledge of environmental permit conditions and the impact of plant operation on emissions for that facility.

The Certification issued by the Department shall be kept on site and provided upon request by the Department, to be renewed at expiration every five years.

Monitoring Frequency: Once every five years

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 14: Compliance Demonstration
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR 219-4.11

Item 14.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U--0001

Item 14.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility is required to conduct an annual inspection to certify that the condition and operation of the crematory, including calibration of all instrumentation, meet manufacturer's specifications. An annual report due at the beginning of the calendar year (by Jan 30th) shall be submitted to the Department stating compliance status.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 12 calendar month(s).

****** Emission Unit Level ******

Condition 2: Emission Point Definition By Emission Unit
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR Subpart 201-5



Item 2.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U--0001

Emission Point: 00001

Height (ft.): 30

Diameter (in.): 28

NYTMN (km.): 4607.859 NYTME (km.): 594.417 Building: HN

Emission Point: 00002

Height (ft.): 30

Diameter (in.): 28

NYTMN (km.): 4607.859 NYTME (km.): 594.417 Building: HN

Condition 3: Process Definition By Emission Unit
Effective between the dates of 10/14/2009 and Permit Expiration Date

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 3.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U--0001

Process: GAS

Source Classification Code: 5-02-001-01

Process Description: Animal Cremator firing Natural Gas for fuel.

Emission Source/Control: S0001 - Incinerator

Design Capacity: 3,400 pounds per load

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: CREMATORY WASTE (INCLUDING HUMAN
AND/OR ANIMAL BODY PARTS AND
ASSOCIATED ANIMAL BEDDING) ONLY

Emission Source/Control: S0002 - Incinerator

Design Capacity: 3,400 pounds per load

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: CREMATORY WASTE (INCLUDING HUMAN
AND/OR ANIMAL BODY PARTS AND
ASSOCIATED ANIMAL BEDDING) ONLY

