

DEDMIT

		Under the Environmental C	onservation Law (ECL)
		IDENTIFICATION INF	ORMATION
Permit Type Permit ID:		•	on Date: 02/11/2030
		ctive Date: 02/12/2020 Expiration	
Permit Issue	2941 Lake	ER BODYWORKS OF NEW YO E Vista Drive LLE, TX 75067	ORK LLC
Contact:	23 CANNO	C CALNAN ON HILL DR MPTON, NY 10958 -2113	
Facility:	CALIBER 23 Cannon Goshen, N		
Description:			
compliance	with the ECL,	nit, the permittee agrees that the all applicable regulations, the Ced as part of this permit.	permit is contingent upon strict General Conditions specified and any
Permit Administrator:		REBECCA S CRIST 21 S PUTT CORNERS RI NEW PALTZ, NY 12561	
Authorized S	Signature:		Date: / /



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



PAGE LOCATION OF CONDITIONS

PAGE

DEC GENERAL CONDITIONS

General Provisions

- 4 1 Facility Inspection by the Department
- 4 2 Relationship of this Permit to Other Department Orders and Determinations
- 4 3 Applications for permit renewals, modifications and transfers
- 5 4 Permit modifications, suspensions or revocations by the Department



DEC GENERAL CONDITIONS **** General Provisions **** GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1-1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1-1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1-1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1-1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 1-2: Relationship of this Permit to Other Department Orders and Determinations

Applicable State Requirement: ECL 3-0301 (2) (m)

Item 1-2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 1-3: Applications for permit renewals, modifications and transfers Applicable State Requirement: 6 NYCRR 621.11

Item 1-3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item1-3.2:

The permittee must submit a renewal application at least 180 days before the expiration of permits for Title V and State Facility Permits.

Item 1-3.3

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Division of Air Resources



Facility DEC ID: 3333000191

Condition 1-4: Permit modifications, suspensions or revocations by the

Department

Applicable State Requirement: 6 NYCRR 621.13

Item 1-4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:CALIBER BODYWORKS OF NEW YORK LLC 2941 Lake Vista Drive LEWISVILLE, TX 75067

Facility: CALIBER COLLISION

23 Cannon Hill Dr Goshen, NY 10958

Authorized Activity By Standard Industrial Classification Code: 7532 - TOP AND BODY REPAIR AND PAINT SHOPS

Mod 0 Permit Effective Date: 02/12/2020 Permit Expiration Date: 02/11/2030

Mod 1 Permit Effective Date: 02/12/2020 Permit Expiration Date: 02/11/2030



PAGE LOCATION OF CONDITIONS

PAGE			
	FEDERALLY ENFORCEABLE CONDITIONS		
	Facility Level		
6	1 6 NYCRR 211.2: Visible Emissions Limited		
6	2 6 NYCRR 211.2: Compliance Demonstration		
7	3 6 NYCRR 228-1.3 (c): Surface Coating- Prohibitions		
8	4 6 NYCRR 228-1.3 (d): Compliance Demonstration		
9	5 6 NYCRR 228-1.4 (a) (2): Compliance Demonstration		
10	6 6 NYCRR 228-1.6 (h): Compliance Demonstration		
10	7 40CFR 63.11173(e), Subpart HHHHHHH: General requirements		
11	8 40CFR 63.11176, Subpart HHHHHHH: Compliance Demonstration		
12	9 40CFR 63.11177, Subpart HHHHHH: Compliance Demonstration		
13	10 40CFR 63.11178, NESHAP Subpart HHHHHHH: Compliance Demonstration		
	Emission Unit Level		
	EU=U-00PSB		
14	11 6 NYCRR 228-1.3 (b) (1): Compliance Demonstration		
15	12 6 NYCRR 228-1.3 (e): Surface Coating- application requirements		
	STATE ONLY ENFORCEABLE CONDITIONS		
	Facility Level		
17	13 ECL 19-0301: Contaminant List		
17	14 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities		
18	15 6 NYCRR Subpart 201-5: Emission Unit Definition		
19	16 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits		
19	17 6 NYCRR 201-5.3 (c): Compliance Demonstration		
19	18 6 NYCRR 211.1: Air pollution prohibited		
	Emission Unit Level		
20	19 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit		
20	20. 6 NYCRR Subpart 201-5: Process Definition By Emission Unit		



FEDERALLY ENFORCEABLE CONDITIONS

Renewal 1/Mod 1/FINAL

**** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Sealing - 6 NYCRR 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation.

Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: Maintenance of Equipment - 6 NYCRR 200.7

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.



Item D: Unpermitted Emission Sources - 6 NYCRR 201-1.2

If an existing emission source was subject to the permitting requirements of 6 NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Item E: Recycling and Salvage - 6 NYCRR 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item F: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item G: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item H: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR 201-3.3 (a)

The owner and/or operator of an emission source or unit



that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: Required Emission Tests - 6 NYCRR 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

Item J: Open Fires Prohibitions - 6 NYCRR 215.2

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b) All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to



emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS The following conditions are federally enforceable.

Condition 1: Visible Emissions Limited

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 211.2

Item 1.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 2: Compliance Demonstration Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 211.2

Item 2.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 2.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Except as permitted by a specific part of Title 6 of the NYCRR, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Operators of air contamination sources that are not exempt from permitting and where a continuous opacity monitor is not utilized for measuring smoke emissions, shall be required to perform the following:

1) Observe the stack(s) or vent(s) once per day for visible emissions. This observation(s) must be conducted during daylight hours except during adverse weather



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

conditions (fog, rain, or snow).

- 2) The results of each observation must be recorded in a bound logbook or other format acceptable to the Department. The following data must be recorded for each stack:
 - weather condition
 - was a plume observed?

This logbook must be retained at the facility for five (5) years after the date of the last entry.

- 3) If the operator observes any visible emissions (other than steam see below) two consecutive days, then a Method 9 analysis (based upon a 6-minute mean) of the affected emission point(s) must be conducted within two (2) business days of such occurrence. The results of the Method 9 analysis must be recorded in the logbook. The operator must contact the Regional Air Pollution Control Engineer within one (1) business day of performing the Method 9 analysis if the opacity standard is contravened. Upon notification, any corrective actions or future compliance schedules shall be presented to the Department for acceptance.
- ** NOTE ** Steam plumes generally form after leaving the top of the stack (this is known as a detached plume). The distance between the stack and the beginning of the detached plume may vary, however, there is (normally) a distinctive distance between the plume and stack. Steam plumes are white in color and have a billowy consistency. Steam plumes dissipate within a short distance of the stack (the colder the air the longer the steam plume will last) and leave no dispersion trail downwind of the stack.

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 3: Surface Coating- Prohibitions

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 228-1.3 (c)

Item 3.1:

(1) No person shall sell, supply, offer for sale, solicit, use, specify, or require for use, the application of a coating on a part or product at a facility with a coating line described in Subpart



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

- 228-1.1(a) if such sale, specification, or use is prohibited by any of the provisions of this Subpart. The prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:
- (i) coatings utilized at surface coating lines where control equipment has been installed to meet the maximum permitted VOC content limitations specified in the tables of Subpart 228-1.4;
- (ii) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Subpart 228-1.5(d); and
- (iii) coatings utilized at surface coating lines that have been granted variances pursuant to Subpart 228-1.5(e).
- (2) Any person selling a coating for use in a coating line subject to Subpart 228-1 must, upon request, provide the user with certification of the VOC content of the coating supplied.

Condition 4: Compliance Demonstration Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 228-1.3 (d)

Item 4.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 4.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Within the work area(s) associated with a coating line, the owner or operator of a facility subject to this Subpart must:

- (a) use closed, non-leaking containers to store or dispose of cloth or other absorbent applicators impregnated with VOC solvents that are used for surface preparation, cleanup or coating removal;
- (b) store in closed, non-leaking containers spent or fresh VOC solvents to be used for surface preparation, cleanup or coating removal;
- (c) not use VOC solvents to cleanup spray equipment unless equipment is used to collect the cleaning compounds and to minimize VOC evaporation;
- (d) not use open containers to store or dispense surface coatings and/or inks unless production, sampling, maintenance or inspection procedures require operational access. This provision does not apply to the actual device or equipment designed for the purpose of applying a coating material to a substrate. These devices may include, but are not limited to: spray guns, flow coaters, dip tanks, rollers, knife coaters, and extrusion
- (e) not use open containers to store or dispose of spent



surface coatings, or spent VOC solvents;

- (f) minimize spills during the handling and transfer of coatings and VOC solvents; and
- (g) clean hand held spray guns by one of the following:
- (1) an enclosed spray gun cleaning system that is kept closed when not in use;
- (2) non-atomized discharge of VOC solvent into a paint waste container that is kept closed when not in use;
- (3) disassembling and cleaning of the spray gun in a vat that is kept closed when not in use; or
- (4) atomized spray into a paint waste container that is fitted with a device designed to capture atomized VOC solvent emissions.

Open containers, if found, shall be covered and such deviations shall be noted in a log maintained in the operating area. The log shall include the following information:

- date and time of observation
- description of observed deviation from this permit condition
- corrective measures taken, if necessary

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2021.

Subsequent reports are due every 12 calendar month(s).

Condition 5: Compliance Demonstration

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 228-1.4 (a) (2)

Item 5.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 5.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

A facility operating a mobile equipment repair and refinishing or color-matched coating line may not use coatings with VOC contents, as applied, which exceed the appropriate limits specified in Table A of 6 NYCRR Subpart



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

228-1.4(a). The units in Table A are in terms of pounds of VOC per gallon of coating (minus water and excluded compounds) at application. Sampling and testing of any coating to confirm VOC content compliance must be performed in a manor directed by and at the request of the Department.

Anti-corrosive wax and heat resistant anti-corrosive coatings used in mobile equipment repair and refinishing are not subject to the VOC limitations in Table A or the application requirements of section 228-1.3(e)(3) of Subpart 228-1.

Parameter Monitored: VOC CONTENT Upper Permit Limit: 7.0 pounds per gallon

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 6: Compliance Demonstration

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 228-1.6 (h)

Item 6.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 6.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Any information or record showing noncompliance with the requirements of 228-1 'Surface Coating Processes' must be reported to the department within 30 days following notice or generation of the information or record. All records required by this condition must be maintained at the facility for a period of five years.

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 7: General requirements

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 40CFR 63.11173(e), Subpart HHHHHH

Item 7.1:

Each motor vehicle and mobile equipment surface coating operation and each miscellaneous surface coating operation must meet the requirements in paragraphs (e)(1) through (e)(5) of §63.11173.

Air Pollution Control Permit Conditions
Page 10 FINAL



Condition 8: Compliance Demonstration

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 40CFR 63.11176, Subpart HHHHHH

Item 8.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

- (a) Annual Notification of Changes Report. If you are the owner or operator of a paint stripping, motor vehicle or mobile equipment, or miscellaneous surface coating affected source, you are required to submit a report in each calendar year in which information previously submitted in either the initial notification required by § 63.11175(a), Notification of Compliance, or a previous annual notification of changes report submitted under this paragraph, has changed. Deviations from the relevant requirements in § 63.11173(a) through (d) or § 63.11173(e) through (g) on the date of the report will be deemed to be a change. This includes notification when paint stripping affected sources that have not developed and implemented a written MeCl minimization plan in accordance with § 63.11173(b) used more than one ton of MeCl in the previous calendar year. The annual notification of changes report must be submitted prior to March 1 of each calendar year when reportable changes have occurred and must include the information specified in paragraphs (a)(1) through (2) below:
- (1) Your company's name and the street address (physical location) of the affected source and the street address where compliance records are maintained, if different.
- (2) The name, title, address, telephone, e-mail address (if available) and signature of the owner and operator, or other certifying company official, certifying the truth, accuracy, and completeness of the notification and a statement of whether the source has complied with all the relevant standards and other requirements of this subpart or an explanation of any noncompliance and a description of corrective actions being taken to achieve compliance.
- (b) If you are the owner or operator of a paint stripping



affected source that has not developed and implemented a written MeCl minimization plan in accordance with § 63.11173(b) of this subpart, you must submit a report for any calendar year in which you use more than one ton of MeCl. This report must be submitted no later than March 1 of the following calendar year. You must also develop and implement a written MeCl minimization plan in accordance with § 63.11173(b) no later than December 31. You must then submit a Notification of Compliance Status report containing the information specified in § 63.11175(b) by March 1 of the following year and comply with the requirements for paint stripping operations that annually use more than one ton of MeCl in §§ 63.11173(d) and 63.11177(f).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 9: Compliance Demonstration Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 40CFR 63.11177, Subpart HHHHHH

Item 9.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If you are the owner or operator of a surface coating operation, you must keep the records specified in paragraphs (a) through (d) and (g) below. If you are the owner or operator of a paint stripping operation, you must keep the records specified in paragraphs (e) through (g) below, as applicable.

- (a) Certification that each painter has completed the training specified in § 63.11173(f) with the date the initial training and the most recent refresher training was completed.
- (b) Documentation of the filter efficiency of any spray booth exhaust filter material, according to the procedure in § 63.11173(e)(3)(i).
- (c) Documentation from the spray gun manufacturer that each spray gun with a cup capacity equal to or greater than 3.0 fluid ounces (89 cc) that does not meet the definition of an HVLP spray gun, electrostatic application, airless spray gun, or air assisted airless



spray gun, has been determined by the Administrator to achieve a transfer efficiency equivalent to that of an HVLP spray gun, according to the procedure in § 63.11173(e)(4).

- (d) Copies of any notification submitted as required by § 63.11175 and copies of any report submitted as required by § 63.11176.
- (e) Records of paint strippers containing MeCl used for paint stripping operations, including the MeCl content of the paint stripper used. Documentation needs to be sufficient to verify annual usage of paint strippers containing MeCl (e.g., material safety data sheets or other documentation provided by the manufacturer or supplier of the paint stripper, purchase receipts, records of paint stripper usage, engineering calculations).
- (f) If you are a paint stripping source that annually uses more than one ton of MeCl you are required to maintain a record of your current MeCl minimization plan on site for the duration of your paint stripping operations. You must also keep records of your annual review of, and updates to, your MeCl minimization plan.
- (g) Records of any deviation from the requirements in § 63.11173, § 63.11174, § 63.11175, or § 63.11176. These records must include the date and time period of the deviation, and a description of the nature of the deviation and the actions taken to correct the deviation.
- (h) Records of any assessments of source compliance performed in support of the initial notification, notification of compliance status, or annual notification of changes report.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 10: Compliance Demonstration Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 40CFR 63.11178, NESHAP Subpart HHHHHH

Item 10.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 10.2:

Compliance Demonstration shall include the following monitoring:



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If you are the owner or operator of an affected source, you must maintain copies of the records specified in § 63.11177 for a period of at least five years after the date of each record. Copies of records must be kept on site and in a printed or electronic form that is readily accessible for inspection for at least the first two years after their date, and may be kept off-site after that two year period.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**** Emission Unit Level ****

Condition 11: Compliance Demonstration

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 228-1.3 (b) (1)

Item 11.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: U-00PSB

Item 11.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of an emission source subject to 6 NYCRR Part 228-1 must maintain the following records in a format acceptable to the department for a period of at least five years:

- 1. A certification from the coating supplier or manufacturer which lists the parameters used to determine the actual VOC content of each as applied coating used at the facility.
- 2. Purchase, usage and/or production records of each coating material, including solvents.
- 3. Records identifying each air cleaning device that has an overall removal efficiency of at least 90 percent.
- 4. Records verifying each parameter used to calculate the overall removal efficiency, as described in Equation 2 of



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

Section 228-1.5(c), if applicable.

5. Any additional information required to determine compliance with Part 228-1.

Upon request, the owner or operator of an emission source subject to 6 NYCRR Part 228-1 must submit a copy of the records kept in accordance with this condition to the department within 90 days of receipt of the request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 12: Surface Coating- application requirements
Effective between the dates of 02/12/2020 and 02/11/2030

Applicable Federal Requirement: 6 NYCRR 228-1.3 (e)

Item 12.1:

This Condition applies to Emission Unit: U-00PSB

Item 12.2:

Facilities operating coating lines must use one or more of the following application techniques to apply the coating:

- (i) flow/curtain coating;
- (ii) dip coating;
- (iii) cotton-tipped swab application;
- (iv) electro-deposition coating;
- (v) high volume low pressure spraying;
- (vi) electrostatic spray;
- (vii) airless spray, (including air assisted);
- (viii) airbrush application methods for stenciling, lettering, and other identification markings; or
- (ix) other coating application methods approved by the department which can demonstrate transfer efficiencies equivalent to or greater than high volume low pressure spray.



STATE ONLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined by subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the Department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated and maintained;
- (3) During the period of the emergency the facility owner or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)

Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Facility owners and/or operators must submit the records



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

required to comply with the request within sixty working days of written notification by the Department.

Item C: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS The following conditions are state only enforceable.

Condition 13: Contaminant List

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: ECL 19-0301

Item 13.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY998-00-0

Name: VOC

Condition 14: Malfunctions and start-up/shutdown activities

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR 201-1.4

Item 14.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

periods of start-up, shutdown, or malfunction.

- (b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.
- (c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.
- (d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.
- (e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 15: Emission Unit Definition Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 15.1(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00PSB Emission Unit Description:

Emission unit consists of (2) total spray booths. One Expert 1 paint spray booth for automobiles and one truck paint spray booth. Half of the booths are used for spray paint and the other half is used for curing and drying. Natural gas burners are used in the curing and drying process. Emissions are discharged through a stack in each half of the booths.

Building(s): CALIBER

CALIBER



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

Condition 16: Renewal deadlines for state facility permits

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR 201-5.2 (c)

Item 16.1:

The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Condition 17: Compliance Demonstration

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR 201-5.3 (c)

Item 17.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 17.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Any reports or submissions required by this permit shall be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources NYS Dept. of Environmental Conservation Region 3 21 South Putt Corners Rd. New Paltz, NY 12561

Reporting Requirements: ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2021. Subsequent reports are due every 12 calendar month(s).

Condition 18: Air pollution prohibited

Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR 211.1

Item 18.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.



**** Emission Unit Level ****

Condition 19: Emission Point Definition By Emission Unit Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 19.1(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00PSB

Emission Point: 000S1

Height (ft.): 30 Diameter (in.): 34

NYTMN (km.): 4583.211 NYTME (km.): 551.095 Building: CALIBER

Emission Point: 000S2

Height (ft.): 30 Diameter (in.): 34

NYTMN (km.): 4583.211 NYTME (km.): 551.095 Building: CALIBER

Emission Point: 000S3

Height (ft.): 30 Diameter (in.): 24

NYTMN (km.): 4583.211 NYTME (km.): 551.095 Building: CALIBER

Emission Point: 000S4

Height (ft.): 30 Diameter (in.): 24

NYTMN (km.): 4583.211 NYTME (km.): 551.095 Building: CALIBER

Condition 20: Process Definition By Emission Unit Effective between the dates of 02/12/2020 and 02/11/2030

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 20.1(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00PSB

Process: 001 Source Classification Code: 4-02-016-06

Process Description:

Paint applied within paint spray booths using HVLP spray

gun. Overspray captured via filters.

Emission Source/Control: 00003 - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 00001 - Process

Emission Source/Control: 00002 - Process



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191

Item 20.2(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00PSB

Process: 002 Source Classification Code: 4-02-016-99

Process Description:

After paint application, vehicles cured and dried in

booths.

Emission Source/Control: 00001 - Process

Emission Source/Control: 00002 - Process



Permit ID: 3-3330-00191/00001 Facility DEC ID: 3333000191