

Facility DEC ID: 3392400093

PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 3-3924-00093/00016
Mod 0 Effective Date: 03/17/2015 Expiration Date: 03/16/2025
Mod 1 Effective Date: 07/06/2023 Expiration Date: 03/16/2025

Permit Issued To: PROFESSIONAL DISPOSABLES INTERNATIONAL INC
2 Nice Pak Park
Orangeburg, NY 10962

Contact: SETH PETRONIO
2 NICE PAK PARK
ORANGEBURG, NY 10962
(845) 365-1700

Facility: NICE-PAK PRODUCTS
2 NICE-PAK PARK
ORANGEBURG, NY 10962

Contact: SETH PETRONIO
2 NICE PAK PARK
ORANGEBURG, NY 10962
(845) 365-1700

Description:

Professional Disposable International, Inc. facility is a manufacturer of various types of disposable commercial wipes. Principal operations of the facility include production of surface, skin, cosmetic, and contract wipes; as well as clean-up and maintenance operations. Emission sources include flexible packaging machines, aboveground and underground storage tanks, and batch mixing tanks.

Batch ingredients used at the facility contain Volatile Organic Compounds (VOCs), which make VOCs the contaminant of concern. The potential VOC emissions are below major source thresholds. Therefore, the facility is not subject to Air Title V requirements under 6 NYCRR 201-6.

Renewal 1

This renewal serves to add eight batch mixing tanks; three are sized at 3,500 gallons, three are sized at 750 gallons and two are sized at 500 gallons. The two 500 gallon tanks will be used to mix ethyl alcohol, water and batch ingredients containing VOCs. The remaining six larger tanks will be used to mix specially denatured alcohol, water, ethers and batch ingredients containing VOCs. All eight tanks will be added under one new emission unit, U-28, with one single emission point, 00028. VOC potential to emit remains below 18 tons per year.

Facility DEC ID: 3392400093

Modification 1

The addition of four (4) new 3,500-gallon (each) above ground storage tanks for the storage of isopropyl alcohol. The proposed new tanks are identified as emission source T611, T612, T613, and T613. The four tanks will be identified as a single emission unit U-00029 and will exhaust to individual vents identified as Emission Points 00029, 00030, 00031, and 00032. The new tanks will replace six (6) existing 1,500-gallon storage tanks, identified as 111, 112, 240, 250, 260, and 270.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: REBECCA S CRIST
21 S PUTT CORNERS RD
NEW PALTZ, NY 12561

Authorized Signature: _____ Date: ___ / ___ / ___

Facility DEC ID: 3392400093

Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.

Facility DEC ID: 3392400093

PAGE LOCATION OF CONDITIONS

PAGE

DEC GENERAL CONDITIONS

General Provisions

- 5 1 Facility Inspection by the Department
- 5 2 Relationship of this Permit to Other Department Orders and Determinations
- 5 3 Applications for permit renewals, modifications and transfers
- 6 4 Permit modifications, suspensions or revocations by the Department

Facility Level

- 6 5 Submission of application for permit modification or renewal
-REGION 3 HEADQUARTERS

Facility DEC ID: 3392400093

DEC GENERAL CONDITIONS
****** General Provisions ******
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 1-1: Applications for permit renewals, modifications and transfers
Applicable State Requirement: 6 NYCRR 621.11

Item 1-1.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 1-1.2:

The permittee must submit a renewal application at least 180 days before the expiration of permits for Title V and State Facility Permits.

Item 1-1.3

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Facility DEC ID: 3392400093

Condition 4: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 1-2: Submission of application for permit modification or renewal
-REGION 3

HEADQUARTERS

Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 1-2.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 3 Headquarters
Division of Environmental Permits
21 South Putt Corners Road
New Paltz, NY 12561-1696
(845) 256-3054

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: PROFESSIONAL DISPOSABLES INTERNATIONAL INC
2 Nice Pak Park
Orangeburg, NY 10962

Facility: NICE-PAK PRODUCTS
2 NICE-PAK PARK
ORANGEBURG, NY 10962

Authorized Activity By Standard Industrial Classification Code:
2834 - PHARMACEUTICAL PREPARATIONS
2844 - TOILET PREPARATIONS

Mod 0 Permit Effective Date: 03/17/2015

Permit Expiration Date: 03/16/2025

Mod 1 Permit Effective Date: 07/06/2023

Permit Expiration Date: 03/16/2025

PAGE LOCATION OF CONDITIONS

PAGE

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

6 7 6 NYCRR 211.2: Visible Emissions Limited

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

8 2 ECL 19-0301: Contaminant List
8 3 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities
9 1-1 6 NYCRR 201-1.4: Malfunctions and Start-up/Shutdown Activities
10 4 6 NYCRR Subpart 201-5: Emission Unit Definition
12 1-2 6 NYCRR Subpart 201-5: Compliance Demonstration
13 5 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits
14 1-3 6 NYCRR 201-5.3 (c): CLCPA Applicability
14 1-4 6 NYCRR 201-5.3 (c): Compliance Demonstration
15 1 6 NYCRR 211.1: Air pollution prohibited

Emission Unit Level

15 8 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit
19 9 6 NYCRR Subpart 201-5: Process Definition By Emission Unit

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

FEDERALLY ENFORCEABLE CONDITIONS

Renewal 1/Mod 1/FINAL

**** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Sealing - 6 NYCRR 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: Maintenance of Equipment - 6 NYCRR 200.7

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications,

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

required to operate such device effectively.

Item D: Unpermitted Emission Sources - 6 NYCRR 201-1.2

(a) Except as otherwise provided by this Part, construction or operation of a new, modified or existing air contamination source without a registration or permit issued pursuant to this Part is prohibited.

(b) If an existing facility or emission source was subject to the permitting requirements of this Part at the time of construction or modification, and the owner or operator failed to apply for a permit or registration as described in this Part, the owner or operator must apply for a permit or registration in accordance with the provisions of this Part. The facility or emission source is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing emission sources.

Item E: Recycling and Salvage - 6 NYCRR 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item F: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item G: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request.

Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item H: Proof of Eligibility for Sources Defined as Trivial

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Activities - 6 NYCRR 201-3.3 (a)

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: Required Emission Tests - 6 NYCRR 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

Item J: Open Fires Prohibitions - 6 NYCRR 215.2

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS
The following conditions are federally enforceable.

Condition 7: Visible Emissions Limited
Effective between the dates of 03/17/2015 and 03/16/2025

Applicable Federal Requirement: 6 NYCRR 211.2

Item 7.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

STATE ONLY ENFORCEABLE CONDITIONS****** Facility Level ********NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined in 6 NYCRR subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) an emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;

(2) the equipment at the facility was being properly operated and maintained;

(3) during the period of the emergency the facility owner or operator took all reasonable steps to minimize the levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) the facility owner or operator notified the department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)

Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

with 6 NYCRR Part 616 - Public Access to Records.
 Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

Item C: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.

Condition 2: Contaminant List
Effective between the dates of 03/17/2015 and 03/16/2025

Applicable State Requirement:ECL 19-0301

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

No contaminants.

Condition 3: Malfunctions and start-up/shutdown activities
Effective between the dates of 03/17/2015 and 03/16/2025

Applicable State Requirement:6 NYCRR 201-1.4

Item 3.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.

(c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 1-1: Malfunctions and Start-up/Shutdown Activities
Effective between the dates of 07/06/2023 and 03/16/2025

Applicable State Requirement: 6 NYCRR 201-1.4

Item 1-1.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment maintenance and start-up/shutdown activities when they are expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when required by a permit condition or upon request by the department. Such reports shall state whether an exceedance occurred and if it was unavoidable, include the time, frequency and duration of the exceedance, and an estimate of the emission rates of any air

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous monitoring and quarterly reporting requirements need not submit additional reports of exceedances to the department.

(c) In the event that air contaminant emissions exceed any applicable emission standard due to a malfunction, the facility owner or operator shall notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. In addition, the facility owner or operator shall compile and maintain a record of all malfunctions. Such records shall be maintained at the facility for a period of at least five years and must be made available to the department upon request. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, the air contaminants emitted, and the resulting emission rates and/or opacity.

(d) The department may also require the facility owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 4: Emission Unit Definition
Effective between the dates of 03/17/2015 and 03/16/2025

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 4.1(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00001

Emission Unit Description:

The flexible packaging operation in the manufacturing area. It includes thirteen (13) emission points and sixty-four (64) flexible packaging machines. A maximum of four machines can be vented through one emission point.

Building(s): MAIN

Item 4.2(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00014

Emission Unit Description:

Two material storage tanks. Tanks T-103 and T-104 store isopropyl alcohol. The two tanks vent to one emission point.

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Building(s): MAIN

Item 4.3(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00015

Emission Unit Description:

Two material storage tanks. Tanks T-105 and T-106 store specially denatured alcohol. The two tanks vent to one emission point.

Building(s): MAIN

Item 4.4(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00016

Emission Unit Description:

Two material storage tanks. Tanks T-101 and T-102 store isopropyl alcohol and specially denatured alcohol. The two tanks vent to one emission point.

Building(s): MAIN

Item 4.5(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00017

Emission Unit Description:

Five alcohol mixing tanks in the liquid department. All five tanks are vented through one emission point.

Building(s): MAIN

Item 4.6(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00019

Emission Unit Description:

Underground storage tank with a design capacity of 10,000 gallons which is used to store isopropyl alcohol.

Building(s): MAIN

Item 4.7(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00020

Emission Unit Description:

Underground storage tank farm consisting of three 20,000 gallon tanks. Each tank is divided into two 10,000 gallon compartments. The liquids stored in the tanks include isopropyl alcohol, specially denatured alcohol, witch hazel (containing 14-15% ethyl alcohol) and butoxyethanol. These materials are used in the liquid department of the facility.

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Building(s): MAIN

Item 4.8(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00026

Emission Unit Description:

Operation of a 90 gallon surge tank used to blend 70% isopropyl alcohol.

Building(s): MAIN

Item 4.9(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00027

Emission Unit Description:

Bleach filling line using a bleach solution.

Building(s): MAIN

Item 4.10(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00028

Emission Unit Description:

Eight batch mixing tanks; three are sized at 3,500 gallons, three are sized at 750 gallons and two are sized at 500 gallons. The two 500 gallon tanks will be used to mix ethyl alcohol, water and batch ingredients containing VOCs. The remaining six larger tanks will be used to mix specially denatured alcohol, water, batch ingredients containing VOCs and glycol ethers.

Building(s): MAIN

Item 4.11(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00029

Emission Unit Description:

Storage of isopropyl alcohol in four (4) 3,500 gallon (each) above ground storage tanks, identified as OT611, OT612, OT613, and OT614. The four tanks will be identified as emission unit U-00029 and will exhaust to individual vents identified as Emission Points 00029, 00030, 00031, and 00032.

Building(s): MAIN

Condition 1-2: Compliance Demonstration

Effective between the dates of 07/06/2023 and 03/16/2025

Applicable State Requirement:6 NYCRR Subpart 201-5

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Item 1-2.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U-00019 Process: 007	Emission Source: TK001
Emission Unit: U-00020 Process: 008	Emission Source: 00020
Emission Unit: U-00020 Process: 008	Emission Source: 00021
Emission Unit: U-00020 Process: 008	Emission Source: 00022
Emission Unit: U-00020 Process: 008	Emission Source: 00023
Emission Unit: U-00020 Process: 008	Emission Source: 00024
Emission Unit: U-00020 Process: 008	Emission Source: 00025

Item 1-2.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility owner and/or operator are required to maintain the tanks on site per the manufacturer and the fire marshall recommendations. Monthly and annual tank throughputs shall be recorded and submitted to the Department. The facility owner and/or operator is required to maintain a copy of Safety Data Sheets (SDS) for material(s) stored in the tanks.

All records used to determine compliance with the applicable requirement must be kept at the facility (or other Department approved location) for a minimum of five years.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2024.

Subsequent reports are due every 12 calendar month(s).

**Condition 5: Renewal deadlines for state facility permits
Effective between the dates of 03/17/2015 and 03/16/2025**

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Applicable State Requirement:6 NYCRR 201-5.2 (c)

Item 5.1:

The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Condition 1-3: CLCPA Applicability

Effective between the dates of 07/06/2023 and 03/16/2025

Applicable State Requirement:6 NYCRR 201-5.3 (c)

Item 1-3.1:

Pursuant to The New York State Climate Leadership and Community Protection Act (CLCPA) and Article 75 of the Environmental Conservation Law, emission sources shall comply with regulations to be promulgated by the Department to ensure that by 2030 statewide greenhouse gas emissions are reduced by 40% of 1990 levels, and by 2050 statewide greenhouse gas emissions are reduced by 85% of 1990 levels.

Condition 1-4: Compliance Demonstration

Effective between the dates of 07/06/2023 and 03/16/2025

Applicable State Requirement:6 NYCRR 201-5.3 (c)

Replaces Condition(s) 6

Item 1-4.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 1-4.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Any reports or submissions required by this permit shall be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources
NYS Dept. of Environmental Conservation
Region 3
21 South Putt Corners Rd.
New Paltz, NY 12561

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2024.

Subsequent reports are due every 12 calendar month(s).

Condition 1: Air pollution prohibited

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Effective between the dates of 03/17/2015 and 03/16/2025

Applicable State Requirement:6 NYCRR 211.1

Item 1.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

****** Emission Unit Level ******

Condition 8: Emission Point Definition By Emission Unit
 Effective between the dates of 03/17/2015 and 03/16/2025

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 8.1(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit:	U-00001		
Emission Point:	00001		
Height (ft.):	37	Diameter (in.):	8
NYTMN (km.):	4544.765	NYTME (km.):	588.944
		Building:	MAIN
Emission Point:	00002		
Height (ft.):	37	Diameter (in.):	8
NYTMN (km.):	4544.765	NYTME (km.):	588.944
		Building:	MAIN
Emission Point:	00003		
Height (ft.):	37	Diameter (in.):	8
NYTMN (km.):	4544.765	NYTME (km.):	588.944
		Building:	MAIN
Emission Point:	00004		
Height (ft.):	37	Diameter (in.):	8
NYTMN (km.):	4544.765	NYTME (km.):	588.944
		Building:	MAIN
Emission Point:	00005		
Height (ft.):	37	Diameter (in.):	8
NYTMN (km.):	4544.765	NYTME (km.):	588.944
		Building:	MAIN
Emission Point:	00006		
Height (ft.):	37	Diameter (in.):	8
NYTMN (km.):	4544.765	NYTME (km.):	588.944
		Building:	MAIN

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Emission Point: 00007			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 00008			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 00009			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 00010			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 00011			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 00012			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 00013			
Height (ft.): 37	Diameter (in.): 8		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	

Item 8.2(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00014			
Emission Point: 0014A			
Height (ft.): 39	Diameter (in.): 3		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 0014B			
Height (ft.): 39	Diameter (in.): 3		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	

Item 8.3(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00015			
Emission Point: 0015A			
Height (ft.): 39	Diameter (in.): 3		
NYTMN (km.): 4544.765	NYTME (km.): 588.944	Building: MAIN	
Emission Point: 0015B			
Height (ft.): 39	Diameter (in.): 3		

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Item 8.4(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00016

Emission Point: 0016A

Height (ft.): 39 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Emission Point: 0016B

Height (ft.): 39 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Item 8.5(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00017

Emission Point: REF04

Height (ft.): 29 Diameter (in.): 10
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Item 8.6(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00019

Emission Point: TK001

Height (ft.): 30 Diameter (in.): 2
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Item 8.7(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00020

Emission Point: 00020

Height (ft.): 12 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944

Emission Point: 00021

Height (ft.): 12 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944

Emission Point: 00022

Height (ft.): 12 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944

Emission Point: 00023

Height (ft.): 12 Diameter (in.): 3

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

NYTMN (km.): 4544.765 NYTME (km.): 588.944

Emission Point: 00024
 Height (ft.): 12 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944

Emission Point: 00025
 Height (ft.): 12 Diameter (in.): 3
 NYTMN (km.): 4544.765 NYTME (km.): 588.944

Item 8.8(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00026

Emission Point: 00026
 Height (ft.): 39 Diameter (in.): 2
 NYTMN (km.): 4544.765 NYTME (km.): 588.944

Item 8.9(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00027

Emission Point: 00027
 Height (ft.): 41 Diameter (in.): 8
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Item 8.10(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00028

Emission Point: 00028
 Height (ft.): 41 Diameter (in.): 8
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Item 8.11(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00029

Emission Point: 00029
 Height (ft.): 41 Diameter (in.): 2
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Emission Point: 00030
 Height (ft.): 41 Diameter (in.): 2
 NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Emission Point: 00031
 Height (ft.): 41 Diameter (in.): 2

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Emission Point: 00032

Height (ft.): 41

Diameter (in.): 2

NYTMN (km.): 4544.765 NYTME (km.): 588.944 Building: MAIN

Condition 9: Process Definition By Emission Unit
Effective between the dates of 03/17/2015 and 03/16/2025

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 9.1(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00001

Process: 001

Source Classification Code: 6-46-200-27

Process Description:

The flexible packaging machines dispense a liquid mixture into pouches.

Emission Source/Control: 00001 - Process

Item 9.2(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00014

Process: 002

Source Classification Code: 3-01-060-10

Process Description: Storage of isopropyl alcohol in two storage tanks.

Emission Source/Control: 0T103 - Process

Design Capacity: 3,500 gallons

Emission Source/Control: 0T104 - Process

Design Capacity: 3,500 gallons

Item 9.3(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00015

Process: 003

Source Classification Code: 3-01-060-10

Process Description:

Storage of specially denatured alcohol in two storage tanks.

Emission Source/Control: 0T105 - Process

Design Capacity: 3,500 gallons

Emission Source/Control: 0T106 - Process

Design Capacity: 3,500 gallons

Item 9.4(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Emission Unit: U-00016
 Process: 004 Source Classification Code: 3-01-060-10
 Process Description:
 Storage of isopropyl alcohol and specially denatured alcohol in two storage tanks.

Emission Source/Control: 0T101 - Process
 Design Capacity: 3,500 gallons

Emission Source/Control: 0T102 - Process
 Design Capacity: 3,500 gallons

Item 9.5(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00017
 Process: 005 Source Classification Code: 3-01-060-10
 Process Description:
 Raw materials are pumped from 55 gallon drums into tanks with capacities of 1000 and 500 gallons to form a liquid batch. The tank is emptied by pumping the liquid into 55 gallon drums after batch completion. Volatile materials include isopropyl alcohol and specially denatured alcohol. These compounds are emitted when the tank is being filled.

Emission Source/Control: PVP02 - Process
 Design Capacity: 1,000 gallons

Item 9.6(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00019
 Process: 007 Source Classification Code: 3-01-060-10
 Process Description: Storage of isopropyl alcohol (IPA).

Emission Source/Control: TK001 - Process
 Design Capacity: 10,000 gallons

Item 9.7(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00020
 Process: 008 Source Classification Code: 3-01-060-10
 Process Description:
 Storage of organic liquids in six storage tank compartments.

Emission Source/Control: 00020 - Process
 Design Capacity: 10,000 gallons

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Emission Source/Control: 00021 - Process
Design Capacity: 10,000 gallons

Emission Source/Control: 00022 - Process
Design Capacity: 10,000 gallons

Emission Source/Control: 00023 - Process
Design Capacity: 10,000 gallons

Emission Source/Control: 00024 - Process
Design Capacity: 10,000 gallons

Emission Source/Control: 00025 - Process
Design Capacity: 10,000 gallons

Item 9.8(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00026
Process: 026 Source Classification Code: 3-01-060-10
Process Description:
Operation of a 90 gallon surge tank used to blend 70%
isopropyl alcohol.

Emission Source/Control: TK026 - Process
Design Capacity: 129 gallons

Item 9.9(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00027
Process: 027 Source Classification Code: 3-01-060-10
Process Description: Bleach mixture.

Emission Source/Control: TK027 - Process
Design Capacity: 3,500 gallons

Item 9.10(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00028
Process: 28A Source Classification Code: 3-01-060-10
Process Description:
Mixing of ethyl alcohol, water and batch ingredients
containing VOCs in three 500 gallon tanks.

Emission Source/Control: 28023 - Process
Design Capacity: 500 gallons

Emission Source/Control: 28028 - Process
Design Capacity: 500 gallons

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Emission Source/Control: 28036 - Process
Design Capacity: 500 gallons

Item 9.11(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00028
Process: 28B Source Classification Code: 3-01-060-10
Process Description:
Mixing of specially denatured alcohol, water, glycol
ethers and batch ingredients containing VOCs in six larger
batch tanks.

Emission Source/Control: 28002 - Process
Design Capacity: 1,400 gallons

Emission Source/Control: 28003 - Process
Design Capacity: 3,300 gallons

Emission Source/Control: 28004 - Process
Design Capacity: 3,300 gallons

Emission Source/Control: 28016 - Process
Design Capacity: 3,300 gallons

Emission Source/Control: 28017 - Process
Design Capacity: 3,300 gallons

Emission Source/Control: 28LG1 - Process
Design Capacity: 3,500 gallons

Item 9.12(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00029
Process: 29A Source Classification Code: 3-01-060-10
Process Description:
Storage of isopropyl alcohol in four (4) 3,500 gallon
(each) storage tanks, identified as 0T611, 0T612, 0T613,
and 0T614.

Emission Source/Control: 0T611 - Process
Design Capacity: 3,500 gallons

Emission Source/Control: 0T612 - Process
Design Capacity: 3,500 gallons

Emission Source/Control: 0T613 - Process
Design Capacity: 3,500 gallons

Emission Source/Control: 0T614 - Process

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093

Design Capacity: 3,500 gallons

Permit ID: 3-3924-00093/00016

Facility DEC ID: 3392400093