

PERMIT Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility Permit ID: 3-5548-00025/00007

Effective Date: 05/16/2019 Expiration Date: 05/15/2029

Permit Issued To:PECKHAM MATERIALS CORP

20 HAARLEM AVE

WHITE PLAINS, NY 10603-2223

Contact: ROBERT J YAREMKO

PECKHAM MATERIALS CORP

20 HAARLEM AVE

WHITE PLAINS, NY 10603

(914) 949-2000

Facility: PORT CHESTER ASPHALT FACILITY

1 PURDY AVE

PORT CHESTER, NY 10573

Description:

The facility operates a hot mix batch asphalt plant. A rotary dryer is used to heat and dry aggregate for the production of asphalt. Particulate emissions from the dryer are controlled by baghouse filters.

Emissions of nitrogen oxides (NOx), carbon monoxide, and sulfur dioxide result from combustion of fuel for the dryer. These emissions are capped below major source thresholds, which are specified in 6 NYCRR Part 201. Therefore, the facility is not subject to Title V requirements.

Regulations applicable to the facility include 40 CFR 60 Subpart I and 6 NYCRR Parts 200, 201, 202, 211, 212, and 225.

Division of Air Resources



Facility DEC ID: 3554800025

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator:	REBECCA S CRIST				
	21 S PUTT CORNERS RD				
	NEW PALTZ, NY 12561				
Authorized Signature:		Date:	/	/	



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



PAGE LOCATION OF CONDITIONS

PAGE

DEC GENERAL CONDITIONS

General Provisions

- 4 1 Facility Inspection by the Department
- 4 2 Relationship of this Permit to Other Department Orders and Determinations
- 4 3 Applications for permit renewals, modifications and transfers
- 5 4 Permit modifications, suspensions or revocations by the Department Facility Level
- 5 Submission of application for permit modification or renewal-REGION 3 HEADQUARTERS



DEC GENERAL CONDITIONS **** General Provisions **** GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item3.2:

The permittee must submit a renewal application at least 180 days before the expiration of permits for Title V and State Facility Permits.

Item 3.3

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.



Condition 4: Permit modifications, suspensions or revocations by the Department Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**** Facility Level ****

Condition 5: Submission of application for permit modification or renewal-REGION 3
HEADQUARTERS
Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 3 Headquarters Division of Environmental Permits 21 South Putt Corners Road New Paltz, NY 12561-1696 (845) 256-3054



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:PECKHAM MATERIALS CORP 20 HAARLEM AVE WHITE PLAINS, NY 10603-2223

Facility: PORT CHESTER ASPHALT FACILITY

1 PURDY AVE

PORT CHESTER, NY 10573

Authorized Activity By Standard Industrial Classification Code: 2951 - PAVING MIXTURES AND BLOCKS

Permit Effective Date: 05/16/2019 Permit Expiration Date: 05/15/2029



PAGE LOCATION OF CONDITIONS

PAGE		
	FEDERALLY ENFORCEABLE CONDITIONS	
	Facility Level	
6	1 6 NYCRR 200.7: Maintenance of Equipment	
6	2 6 NYCRR 202-1.1: Required Emissions Tests	
6	3 6 NYCRR 201-7.1: Facility Permissible Emissions	
7	*4 6 NYCRR 201-7.1: Capping Monitoring Condition	
8	5 6 NYCRR 211.2: Visible Emissions Limited	
8	6 6 NYCRR 225-1.2 (h): Compliance Demonstration	
9	7 6 NYCRR 225-1.2 (i): Compliance Demonstration	
	Emission Unit Level	
	EU=0-00001	
10	8 6 NYCRR 200.7: Compliance Demonstration	
10	9 6 NYCRR 212-4.1 (a) (1): Compliance Demonstration	
11	10 6 NYCRR 212-4.1 (a) (2): Compliance Demonstration	
11	11 40CFR 60.8(f), NSPS Subpart A: Number of required tests.	
11	12 40CFR 60.93(b), NSPS Subpart I: Test Methods and Procedures	
	EU=0-00001,Proc=002,ES=DRYER	
12	13 6 NYCRR 225-2.4 (b): Compliance Demonstration	
	EU=0-00001,EP=P0001	
12	14 40CFR 60.92(a)(1), NSPS Subpart I: Compliance Demonstration	
13	15 40CFR 60.92(a)(2), NSPS Subpart I: Compliance Demonstration	
	EU=0-00001,EP=P0001,Proc=002,ES=DRYER	
14	16 6 NYCRR 225-2.3 (b) (3): Compliance Demonstration	
	STATE ONLY ENFORCEABLE CONDITIONS	
	Facility Level	
16	17 ECL 19-0301: Contaminant List	
17	18 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities	
17	19 6 NYCRR Subpart 201-5: Emission Unit Definition	
18	20 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits	
18	21 6 NYCRR 201-5.3 (c): Compliance Demonstration	
18	22 6 NYCRR 211.1: Air pollution prohibited	
19	23 6 NYCRR 211.1: Compliance Demonstration	
	Emission Unit Level	
20	24 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit	
20	25 6 NYCRR Subpart 201-5: Process Definition By Emission Unit	
	NOTE: * preceding the condition number indicates capping.	



FEDERALLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Sealing - 6 NYCRR 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: Maintenance of Equipment - 6 NYCRR 200.7

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications,



required to operate such device effectively.

Item D: Unpermitted Emission Sources - 6 NYCRR 201-1.2

If an existing emission source was subject to the permitting requirements of 6 NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Item E: Recycling and Salvage - 6 NYCRR 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item F: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item G: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item H: Proof of Eligibility for Sources Defined as Trivial



Activities - 6 NYCRR 201-3.3 (a)

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: Required Emission Tests - 6 NYCRR 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

Item J: Open Fires Prohibitions - 6 NYCRR 215.2

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)



All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS The following conditions are federally enforceable.

Condition 1: Maintenance of Equipment

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 200.7

Item 1.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 2: Required Emissions Tests

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 202-1.1

Item 2.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time.

Condition 3: Facility Permissible Emissions

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 201-7.1

Item 3.1:

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

Division of Air Resources



Permit ID: 3-5548-00025/00007 Facility DEC ID: 3554800025

CAS No: 000630-08-0 PTE: 150,000 pounds per year

Name: CARBON MONOXIDE

CAS No: 007446-09-5 PTE: 33,000 pounds per year

Name: SULFUR DIOXIDE

CAS No: 0NY210-00-0 PTE: 45,000 pounds per year

Name: OXIDES OF NITROGEN

Condition 4: Capping Monitoring Condition

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 201-7.1

Item 4.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6 NYCRR Subpart 201-6

Item 4.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 4.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 4.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 4.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 4.6:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE CAS No: 007446-09-5 SULFUR DIOXIDE



CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 4.7:

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC

OPERATIONS

Monitoring Description:

Asphalt production at the facility is limited to 375,000

tons in any consecutive 12 month period.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: ASPHALT

Upper Permit Limit: 375000 tons per year Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2020.

Subsequent reports are due every 12 calendar month(s).

Condition 5: Visible Emissions Limited

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 211.2

Item 5.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 6: Compliance Demonstration

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 225-1.2 (h)

Item 6.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 6.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC

OPERATIONS

Monitoring Description:

Owners and/or operators of a stationary combustion installations that fire distillate oil are limited to the firing of distillate oil with 0.0015 percent sulfur by weight or less on or after July 1, 2016. Compliance with



this limit will be based on vendor certifications.

Data collected pursuant to this Subpart must be tabulated and summarized in a form acceptable to the Department, and must be retained for at least five years. The owner of a Title V facility must furnish to the Department such records and summaries, on a semiannual calendar basis, within 30 days after the end of the semiannual period. All other facility owners or distributors must submit these records and summaries upon request of the Department.

Work Practice Type: PARAMETER OF PROCESS MATERIAL Process Material: DISTILLATES - NUMBER 1 AND NUMBER 2 OIL

Parameter Monitored: SULFUR CONTENT Upper Permit Limit: 0.0015 percent by weight Monitoring Frequency: PER DELIVERY

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY

TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 7: **Compliance Demonstration** Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 225-1.2 (i)

Item 7.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC **OPERATIONS**

Monitoring Description:

Owners and/or operators of any stationary combustion installation that fires waste oil on or after July 1, 2014 are limited to the firing of waste oil with 0.75 percent sulfur by weight or less.

Data collected pursuant to this Subpart must be tabulated and summarized in a form acceptable to the Department, and must be retained for at least five years. The owner of a Title V facility must furnish to the Department such records and summaries, on a semiannual calendar basis, within 30 days after the end of the semiannual period. All other facility owners or distributors must submit these records and summaries upon request of the Department.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: WASTE OIL

Division of Air Resources



Permit ID: 3-5548-00025/00007 Facility DEC ID: 3554800025

Parameter Monitored: SULFUR CONTENT Upper Permit Limit: 0.75 percent by weight

Monitoring Frequency: PER BATCH OF PRODUCT/RAW MATERIAL

CHANGE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY

TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**** Emission Unit Level ****

Condition 8: Compliance Demonstration

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 200.7

Item 8.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001

Item 8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility must maintain the baghouse filters in good working condition. Filters shall be replaced as necessary, and a record must be kept of all filter replacements.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 9: Compliance Demonstration

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 212-4.1 (a) (1)

Item 9.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001

Item 9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

A tune-up must be performed on the dryer burner on an

Air Pollution Control Permit Conditions
Renewal 1 Page 10 FINAL



annual basis at any hot mix asphalt production plant that is in operation during that calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 10: Compliance Demonstration

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 212-4.1 (a) (2)

Item 10.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001

Item 10.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The facility must have a plan which details the introduction or continuation of methods by which to reduce the moisture content of the aggregate stockpile(s). The facility shall perform self-inspections to monitor compliance with the plan.

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 11: Number of required tests.

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 40CFR 60.8(f), NSPS Subpart A

Item 11.1:

This Condition applies to Emission Unit: 0-00001

Item 11.2:

Each performance test shall consist of three separate runs, at the specified duration required in the applicable test method. Compliance with all applicable standards shall be determined by using the arithmetic means of the results of the three runs.

Condition 12: Test Methods and Procedures
Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 40CFR 60.93(b), NSPS Subpart I

Item 12.1:

This Condition applies to Emission Unit: 0-00001



Item 12.2:

The owner or operator shall determine compliance with the particulate matter standards in 40 CFR 60.92 as follows:

- (1) Method 5 shall be used to determine the particulate matter concentration. The sampling time and sample volume for each run shall be at least 60 minutes and 0.90 dscm (31.8 dscf).
- (2) Method 9 and the procedures in 40 CFR 60.11 shall be used to determine opacity.

Condition 13: Compliance Demonstration Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 225-2.4 (b)

Item 13.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001

Process: 002 **Emission Source: DRYER**

Item 13.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

> Waste Fuel A constituents shall not exceed the following limits:

Polychlorinated Biphenals (PCB) less than 50 ppm

Total Halogens 1000 ppm maximum

Lead 250 ppm maximum

Gross Heat Content 125,000 BTU per gallon

minimum

Parts per million (ppm) limits are by weight of fuel on a water free basis.

Records of analytical sampling results from the fuel supplier must show compliance with these limits. Records must also show the name and address of the supplier and the quantity of fuel received. All records must be retained by the owner or operator for at least three years.

Monitoring Frequency: PER DELIVERY

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 14: Compliance Demonstration Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 40CFR 60.92(a)(1), NSPS Subpart I



Item 14.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: P0001

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 14.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No owner or operator shall discharge any emissions which contain particulate matter in excess of 0.04 grains per dry standard cubic foot of exhaust gas. Emission testing and reporting shall be conducted, if directed by the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.04 grains per dscf

Reference Test Method: Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 15: Compliance Demonstration

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 40CFR 60.92(a)(2), NSPS Subpart I

Item 15.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: P0001

Item 15.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation.

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent Reference Test Method: Method 9



Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 16: Compliance Demonstration

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable Federal Requirement: 6 NYCRR 225-2.3 (b) (3)

Item 16.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: P0001
Process: 002 Emission Source: DRYER

Item 16.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The combustion efficiency of the dryer burner shall be at least 99 percent when burning Waste Fuel A. A combustion efficiency test was conducted on June 27, 2017, and the test demonstrated compliance with the limit. Any subsequent tests will be conducted, if directed by the Department.

Parameter Monitored: COMBUSTION EFFICIENCY

Lower Permit Limit: 99 percent

Reference Test Method: Methods 3A and 10

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



STATE ONLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined by subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the Department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated and maintained;
- (3) During the period of the emergency the facility owner or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)

Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records.



> Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

Item C: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.

Condition 17: Contaminant List

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: ECL 19-0301

Item 17.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000630-08-0

Name: CARBON MONOXIDE

CAS No: 007446-09-5 Name: SULFUR DIOXIDE

CAS No: 0NY075-00-0 Name: PARTICULATES

CAS No: 0NY210-00-0



Name: OXIDES OF NITROGEN

Condition 18: Malfunctions and start-up/shutdown activities

Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR 201-1.4

Item 18.1:

- (a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.
- (b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.
- (c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.
- (d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.
- (e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 19: Emission Unit Definition
Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 19.1:

The facility is authorized to perform regulated processes under this permit for:



Emission Unit: 0-00001 Emission Unit Description:

This emission unit is a batch asphalt plant. Liquid asphalt, various sizes of aggregate, sand, and recycled asphalt pavement (RAP) are combined to produce hot mix asphalt. Liquid asphalt is stored in heated above ground tanks. Aggregate, sand and RAP are stored in stockpiles. The aggregate and sand are first heated in a rotary dryer, which is vented to a baghouse. Number 2 oil or waste oil can be used as fuel for the dryer. The dryer is equipped with a low NOx burner.

Condition 20: Renewal deadlines for state facility permits
Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR 201-5.2 (c)

Item 20.1:

The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Condition 21: Compliance Demonstration Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR 201-5.3 (c)

Item 21.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 21.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Any reports or submissions required by this permit shall be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources NYS Dept. of Environmental Conservation Region 3 21 South Putt Corners Rd. New Paltz, NY 12561

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 22: Air pollution prohibited
Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR 211.1



Item 22.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 23: Compliance Demonstration Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR 211.1

Item 23.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 23.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

> Plant roadways and stockpiles must be watered or treated with a dust suppressant, and speed limited to preclude dust emissions. This is to comply with 6 NYCRR Part 211.1.

If complaints of excess dust are received, then the facility must apply corrective measures. A log of any complaints received must be kept in a bound logbook or other format acceptable to the Department.

The following data must be recorded for each observation:

Date and time of the complaint;

Name, address, and phone number of the complainant (if given);

Description of the complaint;

The facility's evaluation of the complaint; and

Corrective measures taken.

The logbook must be retained at the facility for at least five years after the date of the last entry.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING **DESCRIPTION**

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY



**** Emission Unit Level ****

Condition 24: Emission Point Definition By Emission Unit Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 24.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00001

Emission Point: P0001

Height (ft.): 39 Diameter (in.): 63 NYTMN (km.): 4539.2 NYTME (km.): 612.7

Condition 25: Process Definition By Emission Unit Effective between the dates of 05/16/2019 and 05/15/2029

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 25.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 001 Source Classification Code: 3-05-002-52

Process Description: Number 2 oil is used as fuel for the rotary dryer.

Emission Source/Control: 00001 - Control

Control Type: FABRIC FILTER

Emission Source/Control: DRYER - Process

Item 25.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 002 Source Classification Code: 3-05-002-52

Process Description: Waste oil is used as fuel for the rotary dryer.

Emission Source/Control: 00001 - Control

Control Type: FABRIC FILTER

Emission Source/Control: DRYER - Process

Division of Air Resources



Permit ID: 3-5548-00025/00007 Facility DEC ID: 3554800025