

PERMIT Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type:	Air Title V Facility
Permit ID:	5-1699-00003/00019

Mod 0 Effective Date: 04/15/2024 Expiration Date: 04/14/2029

Mod 1 Effective Date: 05/09/2025 Expiration Date: 04/14/2029

Permit Issued To:COUNTY OF FRANKLIN SOLID WASTE MGMT AUTH

828 CO RTE 20

CONSTABLE, NY 12926

Contact: Todd Perry

Executive Director, CFSWMA

828 Co Rte 20 Constable, NY 12926 (518) 483-8270

Facility: CFSWMA REGIONAL SOLID WASTE DISPOSAL FAC

828 CO RTE 20

CONSTABLE, NY 12926

Description:

CSFWMA Regional Solid Waste Disposal Facility is a Solid Waste Management Facility currently in operation that is located in Franklin County. They have a landfill gas collection system with 10 flares that controls emissions of methane and VOC's. The Minor Modification consists of replacing one of the flares (F0009) with a new flare (F0011) which has a higher SCFM than the older flare.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator:	ERIN M DONHAUSER
	NYSDEC - REGION 5

PO BOX 296

RAY BROOK, NY 12977-0296

Authorized Signature: _____ Date: ___ / ___ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



PAGE LOCATION OF CONDITIONS

PAGE

DEC GENERAL CONDITIONS

General Provisions

- 4 1 Facility Inspection by the Department
- 4 2 Relationship of this Permit to Other Department Orders and Determinations
- 4 3 Applications for permit renewals, modifications and transfers
- 5 4 Permit modifications, suspensions or revocations by the Department Facility Level
- 5 5 Submission of application for permit modification or renewal-REGION 5 SUBOFFICE WARRENSBURG



DEC GENERAL CONDITIONS

**** General Provisions ****

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions.

GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item3.2:

The permittee must submit a renewal application at least 180 days before the expiration of permits for Title V and State Facility Permits.

Item 3.3

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be

Division of Air Resources



Facility DEC ID: 5169900003

submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**** Facility Level ****

Condition 5: Submission of application for permit modification or renewal-REGION 5
SUBOFFICE - WARRENSBURG
Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 5 Sub-office Division of Environmental Permits 232 Golf Course Road Warrensburg, NY 12885-1172 (518) 623-1281



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:COUNTY OF FRANKLIN SOLID WASTE MGMT AUTH 828 CO RTE 20 CONSTABLE, NY 12926

Facility: CFSWMA REGIONAL SOLID WASTE DISPOSAL FAC

828 CO RTE 20

CONSTABLE, NY 12926

Authorized Activity By Standard Industrial Classification Code: 4953 - REFUSE SYSTEMS

Mod 0 Permit Effective Date: 04/15/2024 Permit Expiration Date: 04/14/2029

Mod 1 Permit Effective Date: 05/09/2025 Permit Expiration Date: 04/14/2029



PAGE LOCATION OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS Facility Level 1 6 NYCRR 200.6: Acceptable Ambient Air Quality 2 6 NYCRR 201-6.4 (a) (7): Fees 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring 4 6 NYCRR 201-6.4 (c) (2): Compliance Certification 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification		
 1 6 NYCRR 200.6: Acceptable Ambient Air Quality 2 6 NYCRR 201-6.4 (a) (7): Fees 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring 4 6 NYCRR 201-6.4 (c) (2): Compliance Certification 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification 		
8 2 6 NYCRR 201-6.4 (a) (7): Fees 8 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring 8 4 6 NYCRR 201-6.4 (c) (2): Compliance Certification 9 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification		
 8 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring 8 4 6 NYCRR 201-6.4 (c) (2): Compliance Certification 9 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification 		
Compliance Monitoring 8 4 6 NYCRR 201-6.4 (c) (2): Compliance Certification 9 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification		
8 4 6 NYCRR 201-6.4 (c) (2): Compliance Certification 9 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification		
9 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification		
()()()		
11 6 6 NYCRR 201-6.4 (e): Compliance Certification		
7 6 NYCRR 202-2.1: Compliance Certification		
8 6 NYCRR 202-2.5: Recordkeeping requirements		
9 6 NYCRR 215.2: Open Fires - Prohibitions		
15 10 6 NYCRR 200.7: Maintenance of Equipment		
15 11 6 NYCRR 201-1.7: Recycling and Salvage		
15 12 6 NYCRR 201-1.8: Prohibition of Reintroduction of		
Collected Contaminants to the air		
16 13 6 NYCRR 201-3.2 (a): Exempt Sources - Proof of Eligibility		
16 14 6 NYCRR 201-3.3 (a): Trivial Sources - Proof of Eligibility		
16 15 6 NYCRR 201-6.4 (a) (4): Requirement to Provide Information		
16 16 6 NYCRR 201-6.4 (a) (8): Right to Inspect		
17 17 6 NYCRR 202-1.1: Required Emissions Tests		
17 18 40 CFR Part 68: Accidental release provisions.		
18 19 40CFR 82, Subpart F: Recycling and Emissions Reduction		
18 20 6 NYCRR Subpart 201-6: Emission Unit Definition		
18 21 6 NYCRR 201-6.4 (d) (4): Progress Reports Due Semiannually		
19 22 6 NYCRR 201-6.4 (f): Operational Flexibility		
19 23 6 NYCRR 202-2.4 (a) (3): Statement dates for emissions statements	•	
19 24 6 NYCRR 211.2: Visible Emissions Limited		
19 25 6 NYCRR 212-1.6 (a): Compliance Certification		
20 26 6 NYCRR 231-3.5 (b): Compliance Certification		
21 27 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.		
21 28 40CFR 60.33f(a), NSPS Subpart Cf: Compliance Certification 24 29 40CFR 60.33f(e), NSPS Subpart Cf: Compliance Certification		
\ /· 1		
26 30 40CFR 60.35f(a)(1), NSPS Subpart Cf: Compliance Certification 28 31 40CFR 60.35f(a)(3), NSPS Subpart Cf: Compliance Certification		
30 32 40CFR 60.35f(a)(4), NSPS Subpart Cf. Compliance Certification		
31 33 40CFR 60.35f(a)(4), NSPS Subpart Cf. Compliance Certification		
34 34 40CFR 60.38f(c), NSPS Subpart Cf: Compliance Certification		
35 35 40CFR 60.38f(d), NSPS Subpart Cf: Compliance Certification		
36 36 40CFR 60.38f(f), NSPS Subpart Cf: Submittal of a Closure Notifica	tion	
36 37 40CFR 60.38f(j), NSPS Subpart Cf: Compliance Certification	поп	
38 38 40CFR 60, NSPS Subpart III: Compliance Certification		
39 39 40CFR 61.154, NESHAP Subpart M: Asbestos-containing		
waste material standard for active waste disposal sites		
Emission Unit Level		
40 40 6 NYCRR Subpart 201-6: Emission Point Definition By Emission U	Init	
41 41 6 NYCRR Subpart 201-6: Process Definition By Emission Unit		



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

	STATE ONLY ENFORCEABLE CONDITIONS
	Facility Level
45	42 ECL 19-0301: Contaminant List
45	43 6 NYCRR 201-1.4: Malfunctions and Start-up/Shutdown Activities
46	44 6 NYCRR 201-6.5 (a): Compliance Demonstration
47	45 6 NYCRR 201-6.5 (a): Compliance Demonstration
48	46 6 NYCRR 211.1: Air pollution prohibited
	Emission Unit Level
	EU=1-LFGAS,Proc=FLR,ES=LANDF
48	47 6 NYCRR 211.1: Compliance Demonstration



FEDERALLY ENFORCEABLE CONDITIONS

Renewal 2/Mod 1/FINAL

**** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10 (b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item B: Timely Application for the Renewal of Title V Permits - 6 NYCRR 201-6.2 (a) (4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item C: Certification by a Responsible Official - 6 NYCRR 201-6.2 (d) (12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item D: Requirement to Comply With All Conditions - 6 NYCRR 201-6.4 (a) (2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item E: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR 201-6.4 (a) (3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and



reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item F: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.4 (a) (5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item G: Property Rights - 6 NYCRR 201-6.4 (a) (6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item H: Severability - 6 NYCRR 201-6.4 (a) (9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item I: Permit Shield - 6 NYCRR 201-6.4 (g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V



facility for any violation of applicable requirements prior to or at the time of permit issuance;

- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item J: Reopening for Cause - 6 NYCRR 201-6.4 (i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. When additional applicable requirements under the act become applicable to a title V facility with a remaining permit term of three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the department pursuant to the provisions of section 201- 6.6 of this Subpart.
- ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
- iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.
- iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

Condition 1: Acceptable Ambient Air Quality

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 200.6

Item 1.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Condition 2: Fees

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (a) (7)

Item 2.1:

The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0303.

Condition 3: Recordkeeping and Reporting of Compliance Monitoring Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c)

Item 3.1:

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii)The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.2 of Part 201.

Condition 4: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (2)

Item 4.1:

The Compliance Certification activity will be performed for the Facility.

Item 4.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

The owner or operator of a Title V facility must keep all records used to determine compliance with any applicable limit(s) and/or monitoring requirement(s) at the facility (or other Department approved location) for a minimum of five years.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 5: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (3) (ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.



- (2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.
- (3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.
- (4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.2(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the



monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.4(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 7/30/2024. Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement:6 NYCRR 201-6.4 (e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
- the identification of each term or condition of the permit that is the basis of the certification;



- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions; and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.
- ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.
- iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.
- iv. All annual compliance certifications may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). The mailing addresses for the above referenced persons are:

Chief – Air Compliance Branch USEPA Region 2 DECA/ACB 290 Broadway, 21st Floor New York, NY 10007

The address for the RAPCE is as follows:

Regional Air Pollution Control Engineer



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Region 5 Suboffice 232 Golf Course Road Warrensburg, NY 12885-1172

The address for the BQA is as follows:

NYSDEC Bureau of Quality Assurance 625 Broadway Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2025.

Subsequent reports are due on the same day each year

Condition 7: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year. Statements are to be mailed to: New York State Department of Environmental Conservation, Division of Air Resources, Bureau of Air Quality Planning, 625 Broadway, Albany NY 12233-3251

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 0 days after the reporting period.

The initial report is due 4/15/2025.

Subsequent reports are due every 12 calendar month(s).

Condition 8: Recordkeeping requirements

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 202-2.5

Item 8.1:

- (a) The following records shall be maintained for at least five years:
- (1) a copy of each emission statement submitted to the department; and



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

- (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.
- (b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 9: Open Fires - Prohibitions

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 215.2

Item 9.1:

Except as allowed by Title 6 NYCRR Section 215.3, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item 9.2

Per Section 215.3, burning in an open fire, provided it is not contrary to other law or regulation, will be allowed as follows:

- (a) On-site burning in any town with a total population less than 20,000 of downed limbs and branches (including branches with attached leaves or needles) less than six inches in diameter and eight feet in length between May 15th and the following March 15th. For the purposes of this subdivision, the total population of a town shall include the population of any village or portion thereof located within the town. However, this subdivision shall not be construed to allow burning within any village.
- (b) Barbecue grills, maple sugar arches and similar outdoor cooking devices when actually used for cooking or processing food.
- (c) Small fires used for cooking and camp fires provided that only charcoal or untreated wood is used as fuel and the fire is not left unattended until extinguished.
- (d) On-site burning of agricultural wastes as part of a valid agricultural operation on contiguous agricultural lands larger than five acres actively devoted to agricultural or horticultural use, provided such waste is actually grown or generated on those lands and such waste is capable of being fully burned within a 24-hour period.
- (e) The use of liquid petroleum fueled smudge pots to prevent frost damage to crops.
- (f) Ceremonial or celebratory bonfires where not otherwise prohibited by law, provided that only untreated wood or other agricultural products are used as fuel and the fire is not left unattended until extinguished.
- (g) Small fires that are used to dispose of a flag or religious item, and small fires or other smoke producing process where not otherwise prohibited by law that are used in connection with a religious ceremony.
- (h) Burning on an emergency basis of explosive or other dangerous or contraband materials by police or other public safety organization.
- (i) Prescribed burns performed according to Part 194 of this Title.
- (j) Fire training, including firefighting, fire rescue, and fire/arson investigation training, performed under applicable rules and guidelines of the New York State Department of State's Office of Fire Prevention and Control. For fire training performed on acquired structures, the structures must be emptied and stripped of any material that is toxic, hazardous or likely to emit toxic smoke (such as asbestos, asphalt shingles and vinyl siding or other vinyl products) prior to burning and must be at least 300 feet from other occupied structures. No more than one structure per lot or within a 300 foot radius (whichever is bigger) may be burned in a training exercise.
- (k) Individual open fires as approved by the Director of the Division of Air Resources as may



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

be required in response to an outbreak of a plant or animal disease upon request by the commissioner of the Department of Agriculture and Markets, or for the destruction of invasive plant and insect species.

(l) Individual open fires that are otherwise authorized under the environmental conservation law, or by rule or regulation of the Department.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period.

[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 10: Maintenance of Equipment
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 11: Recycling and Salvage

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-1.7

Item 11.1:

Where practical, the owner or operator of an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Condition 13: Exempt Sources - Proof of Eligibility
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-3.2 (a)

Item 13.1:

The owner or operator of an emission source or activity that is listed as being exempt may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all records necessary for demonstrating compliance with this Subpart on-site for a period of five years, and make them available to representatives of the department upon request.

Condition 14: Trivial Sources - Proof of Eligibility
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-3.3 (a)

Item 14.1:

The owner or operator of an emission source or activity that is listed as being trivial in this Section may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request.

Condition 15: Requirement to Provide Information
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (a) (4)

Item 15.1:

The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: Right to Inspect
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (a) (8)

Item 16.1:

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

(i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

- (ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- (iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and
- (iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 17: Required Emissions Tests Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 202-1.1

Item 17.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time.

Condition 18: Accidental release provisions. Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40 CFR Part 68

Item 18.1:

If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

- a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;
- b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:
- 1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,
- 2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center C/O CSC 8400 Corporate Dr Carrollton, Md. 20785



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Condition 19: Recycling and Emissions Reduction

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 82, Subpart F

Item 19.1:

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

The following conditions are subject to annual compliance certification requirements for Title V permits only.

Condition 20: Emission Unit Definition

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR Subpart 201-6

Item 20.1(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 1-LFGAS Emission Unit Description:

Landfill waste generating landfill gas by decomposition from the existing landfill. The emission unit contains a gas collection system with up to eight (8) small portable flares. Landfill gas will also be released as fugitive emissions if it bypasses the landfill gas collection system. A landfill gas collection system with associated flares (emission sources F0001-F0008, F0010, and F0011) will control emissions of methane and volatile organic compounds (VOCs).

Condition 21: Progress Reports Due Semiannually
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (d) (4)

Item 21.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

- (i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and
- (ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 22: Operational Flexibility



Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 201-6.4 (f)

Item 22.1:

A permit modification is not required for changes that are provided for in the permit. Such changes include approved alternate operating scenarios and changes that have been submitted and approved pursuant to an established operational flexibility protocol and the requirements of this section. Each such change cannot be a modification under any provision of Title I of the Clean Air Act or exceed, or cause the facility to exceed, an emissions cap or limitation in the permit. The facility owner or operator must incorporate all changes into any compliance certifications, record keeping, and/or reporting required by the permit.

Condition 23: Statement dates for emissions statements. Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 202-2.4 (a) (3)

Item 23.1:

This facility is required to submit an annual emission statement electronically and these emissions statements must be submitted to the department as per the following schedule:

- (i) March 15th of each year for facilities with three or fewer processes listed in their Title V permit:
- (ii) March 31st of each year for facilities with four to six processes listed in their Title V permit:
- (iii) April 15th of each year for facilities with 7 to 12 processes listed in their Title V permit:
- (iv) April 30th of each year for facilities with 13 or more processes listed in their Title V permit.

Condition 24: Visible Emissions Limited Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 211.2

Item 24.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 25: Compliance Certification
Effective between the dates of 04/15/2024 and 04/14/2029



Applicable Federal Requirement: 6 NYCRR 212-1.6 (a)

Item 25.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 1-LFGAS

Process: EXP

Emission Unit: 1-LFGAS

Process: FLR

Item 25.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No facility owner or operator shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any flares, except for the emission of uncombined water.

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2024.

Subsequent reports are due every 6 calendar month(s).

Condition 26: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR 231-3.5 (b)

Item 26.1:

The Compliance Certification activity will be performed for the Facility.

Item 26.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

For the purposes of Subparts 231-7 and 231-8 of this Part only, at such time that a particular facility becomes a major facility, or a modification becomes a NSR major modification soley by virtue of a relaxation in any enforceable limitation which was established after August 7, 1980, on the capacity of the facility or modification



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

otherwise to emit a regulated NSR contaminant, then the requirements of Subparts 231-7 and 231-8 of this Part, as applicable, apply to the facility as though construction had not yet commenced on the facility.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2024.

Subsequent reports are due every 6 calendar month(s).

Condition 27: EPA Region 2 address. Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.4, NSPS Subpart A

Item 27.1:

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance USEPA Region 2 290 Broadway, 21st Floor New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC Bureau of Quality Assurance 625 Broadway Albany, NY 12233-3258

Condition 28: Compliance Certification
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement:40CFR 60.33f(a), NSPS Subpart Cf

Item 28.1:

The Compliance Certification activity will be performed for the Facility.

Item 28.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

(a) The owner or operator of a municipal solid waste (MSW) landfill having a design capacity greater than or



equal to 2.5 million megagrams by mass and 2.5 million cubic meters by volume shall collect and control MSW landfill emissions when meeting the following conditions:

- (1) The landfill has accepted waste at any time since November 8, 1987, or has additional design capacity available for future waste deposition.
- (2) The landfill commenced construction, reconstruction, or modification on or before July 17, 2014.
- (3) The landfill has a non-methane organic compound (NMOC) emission rate greater than or equal to 34 megagrams per year or Tier 4 surface emissions monitoring shows a surface emission concentration of 500 parts per million methane or greater.
- (4) The landfill is in the closed landfill subcategory and has an NMOC emission rate greater than or equal to 50 megagrams per year or Tier 4 surface emissions monitoring shows a surface emission concentration of 500 parts per million methane or greater.
- (b) In meeting the conditions in items (a)(1) through (4) above, the owner or operator shall install a gas collection and control system meeting the requirements in items (b)(1) through (3) and paragraph (c) below:
- (1) Install and start up a collection and control system that captures the gas generated within the landfill within 30 months after:
- (i) The first annual report in which the NMOC emission rate equals or exceeds 34 megagrams per year, unless Tier 2 or Tier 3 sampling demonstrates that the NMOC emission rate is less than 34 megagrams per year, as specified in 40 CFR Part 60.38f(d)(4); or
- (ii) The first annual NMOC emission rate report for a landfill in the closed landfill subcategory in which the NMOC emission rate equals or exceeds 50 megagrams per year, unless Tier 2 or Tier 3 sampling demonstrates that the NMOC emission rate is less than 50 megagrams per year, as specified in 40 CFR Part 60.38f(d)(4); or
- (iii) The most recent NMOC emission rate report in which the NMOC emission rate equals or exceeds 34 megagrams per year based on Tier 2, if the Tier 4 surface emissions monitoring shows a surface methane emission concentration of 500 parts per million methane or greater as specified



in 40 CFR Part 60.38f(d)(4)(iii).

- (2) An Active collection system must:
- (i) Be designed to handle the maximum expected gas flow rate from the entire area of the landfill that warrants control over the intended use period of the gas control system equipment.
- (ii) Collect gas from each area, cell, or group of cells in the landfill in which the initial solid waste has been placed for a period of 5 years or more if active; or 2 years or more if closed or at final grade.
- (iii) Collect gas at a sufficient extraction rate.
- (iv) Be designed to minimize offsite migration of subsurface gas.
- (3) A Passive collection system must:
- (i) Comply with the provisions specified in paragraphs (b)(2)(i), (ii), and (iv) above.
- (ii) Be installed with liners on the bottom and all sides in all areas in which gas is to be collected. The liners must be installed as required under 40 CFR Part 258.40.
- (c) The owner or operator shall control gas collected from within the landfill through the use of control devices meeting the requirements in items (1) through (4) below, except as provided in 40 CFR Part 60.24:
- (1) A non-enclosed flare designed and operated in accordance with the parameters established in 40 CFR Part 60.18 except as noted in 40 CFR Part 60.37f(d); or
- (2) A control system designed and operated to reduce NMOC by 98 weight percent; or when an enclosed combustion device is used for control, to either reduce NMOC by 98 weight percent or reduce the outlet NMOC concentration to less than 20 parts per million by volume, dry basis as hexane at 3 percent oxygen or less. The reduction efficiency or concentration in parts per million by volume must be established by an initial performance test to be completed no later than 180 days after the initial startup of the approved control system using the test methods specified in 40 CFR Part 60.35f(d). The performance test is not required for boilers and process heaters with design heat input capacities equal to or greater than 44 megawatts that burn landfill gas for compliance with 40



CFR Part 60, Subpart Cf.

- (i) If a boiler or process heater is used as the control device, the landfill gas stream must be introduced into the flame zone.
- (ii) The control device must be operated within the parameter ranges established during the initial or most recent performance test. The operating parameters to be monitored are specified in 40 CFR Part 60.37f.
- (iii) For the closed landfill subcategory, the initial or most recent performance test conducted to comply with 40 CFR Part 60, Subpart WWW; 40 CFR Part 62, Subpart GGG; or 6 NYCRR Part 208 on or before July 17, 2014 is sufficient for compliance with 40 CFR Part 60, Subpart Cf.
- (3) Route the collected gas to a treatment system that processes the collected gas for subsequent sale or beneficial use such as fuel for combustion, production of vehicle fuel, production of high Btu gas for pipeline injection, or use as a raw material in a chemical manufacturing process. Venting of treated landfill gas to the ambient air is not allowed. If the treated landfill gas cannot be routed for subsequent sale or beneficial use, then the treated landfill gas must be controlled according to (c)(1) or (2) above.
- (4) All emissions from any atmospheric vent from the gas treatment system are subject to the requirements of paragraph (b) or (c) above. For purposes of 40 CFR Part 60, Subpart Cf, atmospheric vents located on the condensate storage tank are not part of the treatment system and are exempt from the requirements of paragraph (b) or (c) above.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 29: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.33f(e), NSPS Subpart Cf

Item 29.1:

The Compliance Certification activity will be performed for the Facility.

Item 29.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES



Monitoring Description:

- (e) The owner or operator of a municipal solid waste landfill having a design capacity equal to or greater than 2.5 million megagrams and 2.5 million cubic meters must either install a collection and control system as provided in 40 CFR Part 60.33f(b) and (c) or calculate an initial non-methane organic compound (NMOC) emission rate for the landfill using the procedures specified in 40 CFR Part 60.35f(a). The NMOC emission rate must be recalculated annually, except as provided in 40 CFR Part 60.38f(c)(3).
- (1) If the calculated NMOC emission rate is less than 34 megagrams per year, the owner or operator must:
- (i) Submit an annual NMOC emission rate report according to 40 CFR Part 60.38f(c), except as provided in 40 CFR Part 60.38f(c)(3); and
- (ii) Recalculate the NMOC emission rate annually using the procedures specified in 40 CFR Part 60.35f(a) until such time as the calculated NMOC emission rate is equal to or greater than 34 megagrams per year, or the landfill is closed.
- (A) If the calculated NMOC emission rate, upon initial calculation or annual recalculation required in item (e)(1)(ii) above, is equal to or greater than 34 megagrams per year, the owner or operator must either: Comply with 40 CFR Part 60.33f(b) and (c); calculate NMOC emissions using the next higher tier in 40 CFR Part 60.35f; or conduct a surface emission monitoring demonstration using the procedures specified in 40 CFR Part 60.35f(a)(6).
- (B) If the landfill is permanently closed, a closure report must be submitted to DEC as provided in 40 CFR Part 60.38f(f), except for exemption allowed under 40 CFR Part 60.31f(e)(4).
- (C) For the closed landfill subcategory, if the most recently calculated NMOC emission rate is equal to or greater than 50 megagrams per year, the owner or operator must either: Submit a gas collection and control system design plan as specified in 40 CFR Part 60.38f(d), except for exemptions allowed under 40 CFR Part 60.31f(e)(3), and install a collection and control system as provided in 40 CFR Part 60.33f(b) and (c); calculate NMOC emissions using the next higher tier in 40 CFR Part 60.35f; or conduct a surface emission monitoring demonstration using the procedures specified in 40 CFR Part 60.35f(a)(6).



- (2) If the calculated NMOC emission rate is equal to or greater than 34 megagrams per year using Tier 1, 2, or 3 procedures, the owner or operator must either: submit a collection and control system design plan prepared by a professional engineer to the DEC within 1 year as specified in 40 CFR Part 60.38f(d), except for exemptions allowed under 40 CFR Part 60.31f(e)(3); calculate NMOC emissions using a higher tier in 40 CFR Part 60.35f; or conduct a surface emission monitoring demonstration using the procedures specified in 40 CFR Part 60.35f(a)(6).
- (3) For the closed landfill subcategory, if the calculated NMOC emission rate is equal to or greater than 50 megagrams per year using Tier 1, 2, or 3 procedures, the owner or operator must either: Submit a collection and control system design plan as specified in 40 CFR Part 60.38f(d), except for exemptions allowed under 40 CFR Part 60.31f(e)(3); calculate NMOC emissions using a higher tier in 40 CFR Part 60.35f; or conduct a surface emission monitoring demonstration using the procedures specified in 40 CFR Part 60.35f(a)(6).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 30: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.35f(a)(1), NSPS Subpart Cf

Item 30.1:

The Compliance Certification activity will be performed for the Facility.

Item 30 2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of a municipal solid waste landfill must calculate the NMOC emission rate using either of the two equations below in paragraphs (1)(A) or (2)(A). Both equations may be used if the actual year-to-year solid waste acceptance rate is known, as specified in paragraph (1)(A), for part of the life of the landfill and the actual year-to-year solid waste acceptance rate is unknown, as specified in paragraph (2)(A), for part of the life of the landfill. The values to be used in both equations are 0.05 per year for k, 170 cubic meters per megagram for Lo, and 4,000 parts per million by volume as hexane for the CNMOC. For landfills located in

geographical areas with a 30-year annual average precipitation of less than 25 inches, as measured at the nearest representative official meteorologic site, the k

value to be used is 0.02 per year.

(1)(A) This equation must be used if the actual year-to-year solid waste acceptance rate is known.

MNMOC = E(i=1,n) 2kLoMi(e^-kti)(CNMOC)(3.6 x 10^-9)

Where:

MNMOC = Total NMOC emission rate from the landfill, megagrams per year.

 $k = Methane generation rate constant, year^-1.$

Lo = Methane generation potential, cubic meters per megagram solid waste.

Mi = Mass of solid waste in the i^th section, megagrams.

ti = Age of the i^th section, years.

CNMOC = Concentration of NMOC, parts per million by volume as hexane.

 $3.6 \times 10^{\circ}-9 = \text{Conversion factor.}$

- (B) The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value for Mi if documentation of the nature and amount of such wastes is maintained.
- (2)(A) This equation must be used if the actual year-to-year solid waste acceptance rate is unknown.

MNMOC =
$$2\text{LoR} (e^{-kc} - e^{-kt}) \text{ CNMOC} (3.6 \text{ x} 10^{-9})$$

Where:

MNMOC = Mass emission rate of NMOC, megagrams per year.

Lo = Methane generation potential, cubic meters per megagram solid waste.



R = Average annual acceptance rate, megagrams per year.

 $k = Methane generation rate constant, year^-1.$

t = Age of landfill, years.

CNMOC = Concentration of NMOC, parts per million by volume as hexane.

c = Time since closure, years; for an active landfill c = 0 and $e^-kc = 1$.

 $3.6 \times 10^{-9} = \text{Conversion factor}$.

(B) The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value of R, if documentation of the nature and amount of such wastes is maintained.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2025.

Subsequent reports are due every 12 calendar month(s).

Condition 31: Compliance Certification Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.35f(a)(3), NSPS Subpart Cf

Item 31.1:

The Compliance Certification activity will be performed for the Facility.

Item 31.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

NMOC Calculation - Tier 2.

The landfill owner or operator must determine the site-specific NMOC concentration using the following sampling procedure:

The landfill owner or operator must install at least two sample probes per hectare, evenly distributed over the landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area,



only 50 samples are required. The probes should be evenly distributed across the sample area. The sample probes should be located to avoid known areas of nondegradable solid waste.

The owner or operator must collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using Method 25 or 25C of 40 CFR Part 60 appendix A. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter unless evidence can be provided to substantiate the accuracy of smaller volumes. Terminate compositing before the cylinder approaches ambient pressure where measurement accuracy diminishes. If more than the required number of samples is taken, all samples must be used in the analysis.

The landfill owner or operator must divide the NMOC concentration from Method 25 or 25C by six (6) to convert from CNMOC as carbon to CNMOC as hexane. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active collection systems, samples may be collected from the common header pipe. The sample location on the common header pipe must be before any gas moving, condensate removal, or treatment system equipment. For active collection systems, a minimum of three samples must be collected from the header pipe.

- (i) Within 60 days after the date of determining the NMOC concentration and corresponding NMOC emission rate, the owner or operator must submit the results according to 40 CFR Part 60.38f(j)(2).
- (ii) The landfill owner or operator must recalculate the NMOC mass emission rate using Equation 1 or Equation 2 provided in paragraph 40 CFR Part 60.35f(a)(1)(i) or (ii) using the average site-specific NMOC concentration from the collected samples instead of the default value provided in 40 CFR Part 60.35f(a)(1).
- (iii) If the resulting NMOC mass emission rate is less than 34 megagrams per year, then the owner or operator must submit a periodic estimate of NMOC emissions in an



NMOC emission rate report according to 40 CFR Part 60.38f(c) and must recalculate the NMOC mass emission rate annually as required under 40 CFR Part 60.33f(e). The site-specific NMOC concentration must be retested every 5 years using the methods specified in this section.

- (iv) If the NMOC mass emission rate as calculated using the Tier 2 site-specific NMOC concentration is equal to or greater than 34 megagrams per year, the owner or operator must either:
- (A) Submit a gas collection and control system design plan within 1 year as specified in 40 CFR Part 60.38f(d) and install and operate a gas collection and control system within 30 months according to 40 CFR Part 60.33f(b) and (c);
- (B) Determine a site-specific methane generation rate constant and recalculate the NMOC emission rate using the site-specific methane generation rate using the Tier 3 procedures specified in paragraph 40 CFR Part 60.35f(a)(4); or
- (C) Conduct a surface emission monitoring demonstration using the Tier 4 procedures specified in paragraph 40 CFR Part 60.35f(a)(6).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2025.

Subsequent reports are due every 12 calendar month(s).

Condition 32: Compliance Certification Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.35f(a)(4), NSPS Subpart Cf

Item 32.1:

The Compliance Certification activity will be performed for the Facility.

Item 32.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

NMOC Calculation Tier - 3.

The site-specific methane generation rate constant (k) must be determined using the procedures provided in Method 2E of 40 CFR Part 60 appendix A. The landfill owner or



operator must estimate the NMOC mass emission rate using Equation 1 or Equation 2 in 40 CFR Part 60.35f(a)(1)(i) or (ii) and using a site-specific methane generation rate constant, and the site-specific NMOC concentration as determined in 40 CFR Part 60.35f(a)(3) instead of the default values provided in 40 CFR Part 60.35f(a)(1). The landfill owner or operator must compare the resulting NMOC mass emission rate to the standard of 34 megagrams per year.

- (i) If the NMOC mass emission rate as calculated using the Tier 2 site-specific NMOC concentration and Tier 3 site-specific methane generation rate is equal to or greater than 34 megagrams per year, the owner or operator must either:
- (A) Submit a gas collection and control system design plan within 1 year as specified in 40 CFR Part 60.38f(d) and install and operate a gas collection and control system within 30 months according to 40 CFR Part 60.33f(b) and (c); or
- (B) Conduct a surface emission monitoring demonstration using the Tier 4 procedures specified in 40 CFR Part 60.35f(a)(6).
- (ii) If the NMOC mass emission rate is less than 34 megagrams per year, then the owner or operator must recalculate the NMOC mass emission rate annually using Equation 1 or Equation 2 in 40 CFR Part 60.35f(a)(1) and using the site-specific Tier 2 NMOC concentration and Tier 3 methane generation rate constant and submit a periodic NMOC emission rate report as provided in 40 CFR Part 60.38f(c). The calculation of the methane generation rate constant is performed only once, and the value obtained from this test must be used in all subsequent annual NMOC emission rate calculations.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2025.

Subsequent reports are due every 12 calendar month(s).

Condition 33: Compliance Certification
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.35f(a)(6), NSPS Subpart Cf

Item 33.1:

The Compliance Certification activity will be performed for the Facility.



Item 33.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

NMOC Calculation - Tier 4.

The landfill owner or operator must demonstrate that surface methane emissions are below 500 parts per million. Surface emission monitoring must be conducted on a quarterly basis using the following procedures. Tier 4 is allowed only if the landfill owner or operator can demonstrate that NMOC emissions are greater than or equal to 34 Mg/yr but less than 50 Mg/yr using Tier 1 or Tier 2. If both Tier 1 and Tier 2 indicate NMOC emissions are 50 Mg/yr or greater, then Tier 4 cannot be used. In addition, the landfill must meet the criteria in item (viii) below.

- (i) The owner or operator must measure surface concentrations of methane along the entire perimeter of the landfill and along a pattern that traverses the landfill at no more than 30-meter intervals using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in 40 CFR Part 60.36f(d).
- (ii) The background concentration must be determined by moving the probe inlet upwind and downwind at least 30 meters from the waste mass boundary of the landfill.
- (iii) Surface emission monitoring must be performed in accordance with section 8.3.1 of Method 21 of 40 CFR Part 60 appendix A, except that the probe inlet must be placed no more than 5 centimeters above the landfill surface; the constant measurement of distance above the surface should be based on a mechanical device such as with a wheel on a pole.
- (A) The owner or operator must use a wind barrier, similar to a funnel, when on-site average wind speed exceeds 4 miles per hour or 2 meters per second or gust exceeding 10 miles per hour. Average on-site wind speed must also be determined in an open area at 5-minute intervals using an on-site anemometer with a continuous recorder and data logger for the entire duration of the monitoring event. The wind barrier must surround the SEM monitor, and must be placed on the ground, to ensure wind turbulence is blocked. SEM cannot be conducted if average wind speed exceeds 25 miles per hour.



- (B) Landfill surface areas where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover, and all cover penetrations must also be monitored using a device meeting the specifications provided in 40 CFR Part 60.36f(d).
- (iv) Each owner or operator seeking to comply with the Tier 4 provisions in 40 CFR Part 60.35f(a)(6) must maintain records of surface emission monitoring as provided in 40 CFR Part 60.39f(g) and submit a Tier 4 surface emissions report as provided in 40 CFR Part 60.38f(d)(4)(iii).
- (v) If there is any measured concentration of methane of 500 parts per million or greater from the surface of the landfill, the owner or operator must submit a gas collection and control system design plan within 1 year of the first measured concentration of methane of 500 parts per million or greater from the surface of the landfill according to 40 CFR Part 60.38f(d) and install and operate a gas collection and control system according to 40 CFR Part 60.33f(b) and (c) within 30 months of the most recent NMOC emission rate report in which the NMOC emission rate equals or exceeds 34 megagrams per year based on Tier 2.
- (vi) If after four consecutive quarterly monitoring periods at a landfill, other than a closed landfill, there is no measured concentration of methane of 500 parts per million or greater from the surface of the landfill, the owner or operator must continue quarterly surface emission monitoring using the methods specified in this condition.
- (vii) If after four consecutive quarterly monitoring periods at a closed landfill there is no measured concentration of methane of 500 parts per million or greater from the surface of the landfill, the owner or operator must conduct annual surface emission monitoring using the methods specified in this condition.
- (viii) If a landfill has installed and operates a collection and control system that is not required by this subpart, then the collection and control system must meet the following criteria:
- (A) The gas collection and control system must have operated for at least 6,570 out of 8,760 hours preceding the Tier 4 surface emissions monitoring demonstration.



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

(B) During the Tier 4 surface emissions monitoring demonstration, the gas collection and control system must operate as it normally would to collect and control as much landfill gas as possible.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 34: Compliance Certification

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.38f(c), NSPS Subpart Cf

Item 34.1:

The Compliance Certification activity will be performed for the Facility.

Item 34.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Each owner or operator of a municipal solid waste landfill subject to 40 CFR Part 60 Subpart Cf with a design capacity equal to or greater than 2.5 million megagrams and 2.5 million cubic meters must submit an NMOC emission rate report following the procedure specified in 40 CFR Part 60.38f(j)(2) no later than 90 days after the effective date of EPA approval of the state's plan under section 111(d) of the Clean Air Act. The NMOC emission rate report must be submitted to the DEC annually following the procedure specified in 40 CFR Part 60.38f(j)(2), except as provided for in item (3) below. The DEC may request such additional information as may be necessary to verify the reported NMOC emission rate.

- (1) The NMOC emission rate report must contain an annual or 5-year estimate of the NMOC emission rate calculated using the formula and procedures provided in 40 CFR Part 60.35f(a) or (b), as applicable.
- (2) The NMOC emission rate report must include all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions.
- (3) If the estimated NMOC emission rate as reported in the annual report to the DEC is less than 34 megagrams per year in each of the next 5 consecutive years, the owner or operator may elect to submit, following the procedure specified in 40 CFR Part 60.38f(j)(2), an estimate of the



NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate must include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based must be provided to the DEC. This estimate must be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate must be submitted to the DEC. The revised estimate must cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.

(4) Each owner or operator subject to the requirements of 40 CFR Part 60, Subpart Cf, is exempted from the requirements to submit an NMOC emission rate report, after installing a collection and control system that complies with 40 CFR Part 60.33f(b) and (c), during such time as the collection and control system is in operation and in compliance with 40 CFR Part 60.34f and 40 CFR Part 60.36f.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 35: Compliance Certification Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement:40CFR 60.38f(d), NSPS Subpart Cf

Item 35.1:

The Compliance Certification activity will be performed for the Facility.

Item 35.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Each owner or operator of a municipal solid waste landfill subject to the provisions of 40 CFR Part 60.33f must submit a collection and control system design plan to the DEC for approval according to the schedule in 40 CFR Part 60.38f(d)(4). The collection and control system design plan must be prepared and approved by a professional engineer and must meet the following requirements:

(1) The collection and control system as described in the design plan must meet the design requirements in 40 CFR



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Part 60.33f(b) and (c).

- (2) The collection and control system design plan must include any alternatives to the operational standards, test methods, procedures, compliance measures, monitoring, recordkeeping, or reporting provisions of 40 CFR Part 60.34f through 60.39f proposed by the owner or operator.
- (3) The collection and control system design plan must either conform to specifications for active collection systems in 40 CFR Part 60.40f or include a demonstration to the DEC's satisfaction of the sufficiency of the alternative provisions to 40 CFR Part 60.40f.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2024.

Subsequent reports are due every 6 calendar month(s).

Condition 36: Submittal of a Closure Notification
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.38f(f), NSPS Subpart Cf

Item 36.1:

Each owner or operator of a controlled landfill must submit a closure report to the DEC within 30 days of ceasing waste acceptance. The DEC may request additional information as may be necessary to verify that permanent closure has taken place in accordance with the requirements of 40 CFR Part 258.60. If a closure report has been submitted to the DEC, no additional wastes may be placed into the landfill without filing a notification of modification as described under 40 CFR Part 60.7(a)(4).

Condition 37: Compliance Certification Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60.38f(j), NSPS Subpart Cf

Item 37.1:

The Compliance Certification activity will be performed for the Facility.

Item 37.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of a municipal solid waste landfill subject to the requirements of 40 CFR Part 60, Subpart Cf,



must submit reports electronically according to paragraphs (1) and (2) below.

- (1) Within 60 days after the date of completing each performance test (as defined in 40 CFR Part 60.8), the owner or operator must submit the results of each performance test according to the following procedures:
- (i) For data collected using test methods supported by the EPA's Electronic Reporting Tool (ERT) as listed on the EPA's ERT Web site

(https://www3.epa.gov/ttn/chief/ert/ert_info.html) at the time of the test, you must submit the results of the performance test to the EPA via the Compliance and Emissions Data Reporting Interface (CEDRI). CEDRI can be accessed through the EPA's Central Data Exchange (CDX) (https://cdx.epa.gov/). Performance test data must be submitted in a file format generated through the use of the EPA's ERT or an alternative file format consistent with the extensible markup language (XML) schema listed on the EPA's ERT Web site, once the XML schema is available.

If the facility owner or operator claims that some of the performance test information being submitted is confidential business information (CBI), the facility owner or operator must submit a complete file generated through the use of the EPA's ERT or an alternate electronic file consistent with the XML schema listed on the EPA's ERT Web site, including information claimed to be CBI, on a compact disc, flash drive or other commonly used electronic storage media to the EPA. The electronic media must be clearly marked as CBI and mailed to:

U.S. EPA/OAQPS/CORE CBI Office Attention: Group Leader, Measurement Policy Group MD C40402 4930 Old Page Rd. Durham, NC 27703

The same ERT or alternate file with the CBI omitted must be submitted to the EPA via the EPA's CDX as described above.

- (ii) For data collected using test methods that are not supported by the EPA's ERT as listed on the EPA's ERT Web site at the time of the test, you must submit the results of the performance test to the Administrator at the appropriate address listed in 40 CFR Part 60.4.
- (2) Each owner or operator required to submit reports



following the procedure specified in this paragraph must submit reports to the EPA via the CEDRI. (CEDRI can be accessed through the EPA's CDX.) The owner or operator must use the appropriate electronic report in CEDRI for this subpart or an alternate electronic file format consistent with the XML schema listed on the CEDRI Web site.

(https://www3.epa.gov/ttn/chief/cedri/index.html).

If the reporting form specific to this subpart is not available in CEDRI at the time that the report is due, the owner or operator must submit the report to the Administrator at the appropriate address listed in 40 CFR Part 60.4. Once the form has been available in CEDRI for 90 calendar days, the owner or operator must begin submitting all subsequent reports via CEDRI. The reports must be submitted by the deadlines specified in this subpart, regardless of the method in which the reports are submitted.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2025.

Subsequent reports are due every 12 calendar month(s).

Condition 38: Compliance Certification Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 60, NSPS Subpart IIII

Item 38.1:

The Compliance Certification activity will be performed for the Facility.

Item 38 2

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

- (1) The facility's 300 KW diesel powered emergency generator is subject to 40 CFR Part 60, Subpart IIII:
- (2) Engine must comply with emission standard in 40 CFR 60.4202(a)(2) which states: Manufacturers must certify the engine meets the emission standards of 40CFR 89.112 and 40 CFR 89.113 for all pollutants. Maintain manufacturer certification. [§ 60.4205]
- (3) Operate and maintain stationary CI ICE in compliance



with the emission standards over the entire life of the engine. [§ 60.4206]

- (4) Only Ultra Low Sulfur Diesel (ULSD) 15 ppm may be used. (40 CFR 80.510(b)) [§ 60.4207]
- (5) You must install non-resettable hour meter prior to startup [§ 60.4209]
- (6) You must comply by purchasing an engine certified to the emission standards in § 60.4205(b). The engine must be installed and configured according to the manufacturer's emission-related specifications. You must maintain records documenting the engine is operated and maintained in accordance with the manufacturer specifications. [§ 60.4211(c)]
- (7) You must operate the emergency stationary ICE as summarized below: [§ 60.4211(f)]
- (a) There are no limits on hours of operation for emergency service;
- (b) Maintenance checks and readiness testing is limited to 100 hours per year;
- (c) Operate the emergency engine up to 50 hours per year in non-emergency situations, but those 50 hours are counted towards the 100 hours per year provided for maintenance and testing;
- (8) No initial notification required. Must maintain records of operation of engine in emergency and non-emergency service (e.g., maintenance) as recorded with the non-resettable hour meter [§ 60.4214]
- (9) There are no reporting requirements.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2025.

Subsequent reports are due every 12 calendar month(s).

Condition 39: Asbestos-containing waste material standard for active waste disposal sites

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 40CFR 61.154, NESHAP Subpart M

Item 39.1:

Owner or operator shall comply with the requirements of 40 CFR Part 61.154 when accepting asbestos-containing waste material from any source required to comply with 40 CFR Part 61.149, 61.150, or 61.155.



**** Emission Unit Level ****

Condition 40: Emission Point Definition By Emission Unit Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR Subpart 201-6

Item 40.1(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 1-LFGAS

Emission Point: 00010

Height (ft.): 33 Diameter (in.): 10 NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00011

Height (ft.): 30 Diameter (in.): 8 NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00001

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00002

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00003

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00004

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00005

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00006

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00007

Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Emission Point: 00008



Height (ft.): 8 Diameter (in.): 2

NYTMN (km.): 4981.5 NYTME (km.): 553.47

Condition 41: Process Definition By Emission Unit

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable Federal Requirement: 6 NYCRR Subpart 201-6

Item 41.1(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-LFGAS

Process: EXP Source Classification Code: 5-01-004-10

Process Description:

The phase 1 landfill expansion including flares and the

collection system.

Emission Source/Control: F0001 - Control

Control Type: FLARING

Emission Source/Control: F0002 - Control

Control Type: FLARING

Emission Source/Control: F0003 - Control

Control Type: FLARING

Emission Source/Control: F0004 - Control

Control Type: FLARING

Emission Source/Control: F0005 - Control

Control Type: FLARING

Emission Source/Control: F0006 - Control

Control Type: FLARING

Emission Source/Control: F0007 - Control

Control Type: FLARING

Emission Source/Control: F0008 - Control

Control Type: FLARING

Emission Source/Control: F0010 - Control

Control Type: FLARING

Emission Source/Control: F0011 - Control

Control Type: FLARING

Emission Source/Control: EXPAN - Process

Item 41.2(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Emission Unit: 1-LFGAS

Process: FLR Source Classification Code: 5-01-004-10

Process Description:

Flaring of landfill gas with up to eight (8) passive portable flares(rated at 90 cubic feet per minute) and up to two (2) open utility flares (rated at 1500 SCFM and

2131 SCFM).

Emission Source/Control: F0001 - Control

Control Type: FLARING

Emission Source/Control: F0002 - Control

Control Type: FLARING

Emission Source/Control: F0003 - Control

Control Type: FLARING

Emission Source/Control: F0004 - Control

Control Type: FLARING

Emission Source/Control: F0005 - Control

Control Type: FLARING

Emission Source/Control: F0006 - Control

Control Type: FLARING

Emission Source/Control: F0007 - Control

Control Type: FLARING

Emission Source/Control: F0008 - Control

Control Type: FLARING

Emission Source/Control: F0010 - Control

Control Type: FLARING

Emission Source/Control: F0011 - Control

Control Type: FLARING

Emission Source/Control: EXPAN - Process

Emission Source/Control: LANDF - Process

Item 41.3(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-LFGAS

Process: FUG Source Classification Code: 5-01-004-02

Process Description:

Fugitive landfill gas emissions resulting from the decomposition of waste. Fugitive gas is considered the portion of landfill gas that is not collected by the

landfill gas collection system.



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Emission Source/Control: EXPAN - Process

Emission Source/Control: LANDF - Process



STATE ONLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined in 6 NYCRR subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) an emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;
- (2) the equipment at the facility was being properly operated and maintained;
- (3) during the period of the emergency the facility owner or operator took all reasonable steps to minimize the levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) the facility owner or operator notified the department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- (b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 42: Contaminant List

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable State Requirement: ECL 19-0301

Item 42.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000074-82-8 Name: METHANE

Condition 43: Malfunctions and Start-up/Shutdown Activities
Effective between the dates of 04/15/2024 and 04/14/2029

Applicable State Requirement: 6 NYCRR 201-1.4

Item 43.1:

- (a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.
- (b) The facility owner or operator shall compile and maintain records of all equipment maintenance and start-up/shutdown activities when they are expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when required by a permit condition or upon request by the department. Such reports shall state whether an exceedance occurred and if it was unavoidable, include the time,



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

frequency and duration of the exceedance, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous monitoring and quarterly reporting requirements need not submit additional reports of exceedances to the department.

- (c) In the event that air contaminant emissions exceed any applicable emission standard due to a malfunction, the facility owner or operator shall notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. In addition, the facility owner or operator shall compile and maintain a record of all malfunctions. Such records shall be maintained at the facility for a period of at least five years and must be made available to the department upon request. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, the air contaminants emitted, and the resulting emission rates and/or opacity.
- (d) The department may also require the facility owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.
- (e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 44: Compliance Demonstration Effective between the dates of 04/15/2024 and 04/14/2029

Applicable State Requirement: 6 NYCRR 201-6.5 (a)

Item 44.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 44.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The facility must perform monthly wellfield monitoring and tuning with measurements of gas quality and static pressure. Corrective actions will immediately be implemented for any instances of pressure level non-compliance. Where corrective action is unable to be completed within 60 days of the instance where pressure level is not compliant, the facility shall submit a written plan to correct the deficiency to the Department for approval within 120 days.



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

The facility shall maintain records on site of the monthly wellfield monitoring and any corrective actions taken, in a format acceptable to the Department, for a period of at least 5 years from the date of the record. The summary of instances where pressure level was not compliant and subsequent corrective actions taken shall be provided in the semi-annual monitoring report required by this permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2024.

Subsequent reports are due every 6 calendar month(s).

Condition 45: Compliance Demonstration Effective between the dates of 04/15/2024 and 04/14/2029

Applicable State Requirement: 6 NYCRR 201-6.5 (a)

Item 45.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 000074-82-8 METHANE

Item 45.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: AMBIENT AIR MONITORING Monitoring Description:

The owner or operator must monitor the surface concentrations of methane according to the procedures found in 40 CFR 60.765(c)(1-4) and the instrument specifications in 40 CFR 60.765(d). Any closed landfill that has no monitored exceedances of the operational standard in three consecutive monitoring periods may reduce the monitoring frequency to annually. Any methane reading of 500 ppm or more above background detected during the annual monitoring returns the frequency for that landfill to semi-annual monitoring.

The semi-annual surface emission monitoring scans will include monitoring of all penetrations through areas of intermediate and final cover. Areas with steep slopes or other dangerous areas may be excluded from the surface testing.

The Department reserves the right to require the facility to perform a drone scan (or equivalent method) to



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

determine if gas emissions are coming from areas that are unable to be scanned if conditions warrant these areas to be scanned. The Department will notify the facility if this becomes applicable.

The facility shall maintain records of the semi-annual monitoring and corrective actions on site for a period of at least 5 years from the date of the record. The semi-annual records and subsequent corrective actions shall be provided in the annual monitoring report required by this permit.

Upper Permit Limit: 500 parts per million (by volume) Reference Test Method: As required- see permit description.

Monitoring Frequency: SEMI-ANNUALLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -

SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2024.

Subsequent reports are due every 6 calendar month(s).

Condition 46: Air pollution prohibited

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable State Requirement: 6 NYCRR 211.1

Item 46.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

**** Emission Unit Level ****

Condition 47: Compliance Demonstration

Effective between the dates of 04/15/2024 and 04/14/2029

Applicable State Requirement: 6 NYCRR 211.1

Item 47.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 1-LFGAS

Process: FLR Emission Source: LANDF



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003

Item 47.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Measurement of the concentration of hydrogen sulfide and methane in the gas entering the active flare may be required at the discretion of the permitting authority.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



Permit ID: 5-1699-00003/00019 Facility DEC ID: 5169900003