



**PERMIT**  
**Under the Environmental Conservation Law (ECL)**

**IDENTIFICATION INFORMATION**

Permit Type: Air State Facility  
Permit ID: 6-2340-00052/00001  
Effective Date: 11/13/2014 Expiration Date: 11/12/2024

Permit Issued To: C & C ASPHALT INC  
10423 STODDARD RD  
COPENHAGEN, NY 13626

Contact: CYNTHIA CARROLL  
C & C ASPHALT INC  
10423 STODDARD RD  
COPENHAGEN, NY 13626  
(315) 688-2699

Facility: C & C ASPHALT  
5792 WHITAKER RD - S SIDE - BETWEEN ST RTES 12 & 26  
EAST MARTINSBURG, NY 13367

Description:

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: LAWRENCE R AMBEAU  
NYSDEC - REGION 6  
317 WASHINGTON ST  
WATERTOWN, NY 13601

Authorized Signature: \_\_\_\_\_ Date: \_\_\_ / \_\_\_ / \_\_\_



**Notification of Other State Permittee Obligations**

**Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification**

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

**Item B: Permittee's Contractors to Comply with Permit**

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

**Item C: Permittee Responsible for Obtaining Other Required Permits**

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

**Item D: No Right to Trespass or Interfere with Riparian Rights**

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



**LIST OF CONDITIONS**

**DEC GENERAL CONDITIONS**

**General Provisions**

- Facility Inspection by the Department
- Relationship of this Permit to Other Department Orders and Determinations
- Applications for permit renewals, modifications and transfers
- Permit modifications, suspensions or revocations by the Department

**Facility Level**

- Submission of application for permit modification or renewal-REGION 6 HEADQUARTERS



**DEC GENERAL CONDITIONS**  
**\*\*\*\* General Provisions \*\*\*\***  
**GENERAL CONDITIONS - Apply to ALL Authorized Permits.**

**Condition 1: Facility Inspection by the Department**

**Applicable State Requirement: ECL 19-0305**

**Item 1.1:**

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

**Item 1.2:**

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

**Item 1.3:**

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

**Condition 2: Relationship of this Permit to Other Department Orders and Determinations**

**Applicable State Requirement: ECL 3-0301 (2) (m)**

**Item 2.1:**

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

**Condition 3: Applications for permit renewals, modifications and transfers**

**Applicable State Requirement: 6 NYCRR 621.11**

**Item 3.1:**

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

**Item 3.2:**

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

**Item 3.3:**

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.



**Condition 4: Permit modifications, suspensions or revocations by the Department**  
**Applicable State Requirement: 6 NYCRR 621.13**

**Item 4.1:**

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**\*\*\*\* Facility Level \*\*\*\***

**Condition 5: Submission of application for permit modification or renewal-REGION 6 HEADQUARTERS**  
**Applicable State Requirement: 6 NYCRR 621.6 (a)**

**Item 5.1:**

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator  
Region 6 Headquarters  
Division of Environmental Permits  
State Office Building, 317 Washington Street  
Watertown, NY 13601-3787  
(315) 785-2245

**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



**Permit Under the Environmental Conservation Law (ECL)**

**ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY  
PERMIT**

**IDENTIFICATION INFORMATION**

Permit Issued To: C & C ASPHALT INC  
10423 STODDARD RD  
COPENHAGEN, NY 13626

Facility: C & C ASPHALT  
5792 WHITAKER RD - S SIDE - BETWEEN ST RTES 12 & 26  
EAST MARTINSBURG, NY 13367

Authorized Activity By Standard Industrial Classification Code:  
2951 - PAVING MIXTURES AND BLOCKS

Permit Effective Date: 11/13/2014

Permit Expiration Date: 11/12/2024



**LIST OF CONDITIONS**

**FEDERALLY ENFORCEABLE CONDITIONS**

**Facility Level**

- 1 6 NYCRR Subpart 201-7: Facility Permissible Emissions
- \*2 6 NYCRR Subpart 201-7: Capping Monitoring Condition
- \*3 6 NYCRR Subpart 201-7: Capping Monitoring Condition
- \*4 6 NYCRR Subpart 201-7: Capping Monitoring Condition
- 5 6 NYCRR 211.1: Air pollution prohibited
- 6 6 NYCRR 211.1: Compliance Demonstration
- 7 6 NYCRR 212.4 (a): Compliance Demonstration
- 8 6 NYCRR 212.9 (d): Compliance Demonstration
- 9 6 NYCRR 212.12 (a) (1): Compliance Demonstration
- 10 6 NYCRR 212.12 (a) (2): Compliance Demonstration
- 11 6 NYCRR 212.12 (b): Compliance Demonstration
- 12 6 NYCRR 225-1.2 (f): Compliance Demonstration
- 13 6 NYCRR 225-1.2 (g): Compliance Demonstration
- 14 6 NYCRR 225-1.2 (h): Compliance Demonstration
- 15 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 16 40CFR 60.92(a), NSPS Subpart I: Compliance Demonstration

**Emission Unit Level**

**EU=1-ASPLT,EP=00002**

- 17 6 NYCRR 227-1.3 (a): Compliance Demonstration

**STATE ONLY ENFORCEABLE CONDITIONS**

**Facility Level**

- 18 ECL 19-0301: Contaminant List
- 19 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities
- 20 6 NYCRR Subpart 201-5: Emission Unit Definition
- 21 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits
- 22 6 NYCRR 201-5.3 (c): Compliance Demonstration
- 23 6 NYCRR 211.2: Visible Emissions Limited
- 24 6 NYCRR 211.2: Compliance Demonstration

**Emission Unit Level**

- 25 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit
- 26 6 NYCRR Subpart 201-5: Process Definition By Emission Unit

NOTE: \* preceding the condition number indicates capping.



**FEDERALLY ENFORCEABLE CONDITIONS**  
**\*\*\*\* Facility Level \*\*\*\***

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability**

**Item A: Sealing - 6 NYCRR 200.5**

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation.

Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

**Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6**

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

**Item C: Maintenance of Equipment - 6 NYCRR 200.7**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications,





required to operate such device effectively.

**Item D: Unpermitted Emission Sources - 6 NYCRR 201-1.2**

If an existing emission source was subject to the permitting requirements of 6 NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

**Item E: Emergency Defense - 6 NYCRR 201-1.5**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.



(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

**Item F: Recycling and Salvage - 6 NYCRR 201-1.7**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

**Item G: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8**

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

**Item H: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)**

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Item I: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR 201-3.3 (a)**

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Item J: Required Emission Tests - 6 NYCRR 202-1.1**



An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

**Item K: Open Fires Prohibitions - 6 NYCRR 215.2**

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

**Item L: Permit Exclusion - ECL 19-0305**

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

**Item M: Federally Enforceable Requirements - 40 CFR 70.6 (b)**

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**FEDERAL APPLICABLE REQUIREMENTS**  
**The following conditions are federally enforceable.**

**Condition 1: Facility Permissible Emissions**



**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR Subpart 201-7**

**Item 1.1:**

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 000630-08-0

PTE: 190,000 pounds per year

Name: CARBON MONOXIDE

**Condition 2: Capping Monitoring Condition**

**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR Subpart 201-7**

**Item 2.1:**

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6 NYCRR 201-6.1 (a)

**Item 2.2:**

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

**Item 2.3:**

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**Item 2.4:**

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

**Item 2.5:**

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

**Item 2.6:**

The Compliance Demonstration activity will be performed for the facility:

**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT

Process: P11

Emission Source: BATCH

Emission Unit: 1-ASPLT

Process: P12

Emission Source: GENER

Regulated Contaminant(s):

CAS No: 0NY210-00-0

OXIDES OF NITROGEN

**Item 2.7:**

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

CAP:

Facility owner shall ensure that the facility-wide emissions of oxides of nitrogen (NOx), including those from permitted, exempt, and trivial sources, remain less than 190,000 pounds during any consecutive 365 day period.

RECORDS:

Facility owner shall maintain records that verify the facility's monthly NOx emissions. These records shall be maintained at the facility for a minimum five year period.

REPORTS:

Reports shall be submitted annually, in a format acceptable to the Department, which document that the facility's NOx emissions during any consecutive 365 day period were less than 190,000 pounds. The annual monitoring report shall include information that documents the NOx emissions from each emission source at the facility, including exempt and trivial activities. If requested, the report shall also include all emission factors and other data used in calculating the monthly NOx emissions. The form "Annual Capping Certification" is required.

NONCOMPLIANCE:

Any noncompliance with the NOx emission limit in this condition shall be reported by sending a copy of such record to the NYSDEC Region 6, within 30 days of the occurrence.

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 190,000 pounds per year

Reference Test Method: EPA Reference Method 7E

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY



New York State Department of Environmental Conservation

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

**Item 3.7:**

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

**CAP:**

Facility owner shall ensure that the facility-wide emissions of carbon monoxide (CO), including those from permitted, exempt, and trivial sources, remain less than 190,000 pounds during any consecutive 365 day period.

**RECORDS:**

Facility owner shall maintain records that verify the facility's monthly CO emissions. These records shall be maintained at the facility for a minimum five year period. Reports shall be submitted annually, in a format acceptable to the Department, which document that the facility's CO emissions during any consecutive 365 day period were less than 190,000 pounds.

**REPORTS:**

The annual monitoring report shall include information that documents the CO emissions from each emission source at the facility, including exempt and trivial activities. If requested, the report shall also include all emission factors and other data used in calculating the monthly CO emissions. The form "Annual Capping Certification" is required.

**NONCOMPLIANCE:**

Any noncompliance with the CO emission limit in this condition shall be reported by sending a copy of such record to the NYSDEC Region 6, within 30 days of the occurrence.

Carbon Monoxide emissions need to be added from, but are not limited to: Any stationary diesels, diesel driven water pumps, portable diesels and the AC heater.

Parameter Monitored: CARBON MONOXIDE

Upper Permit Limit: 190,000 pounds per year

Reference Test Method: EPA Reference Method 10

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).



**Condition 4: Capping Monitoring Condition**  
Effective between the dates of 11/13/2014 and 11/12/2024

**Applicable Federal Requirement: 6 NYCRR Subpart 201-7**

**Item 4.1:**

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6 NYCRR 201-6.1 (a)

**Item 4.2:**

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

**Item 4.3:**

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**Item 4.4:**

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

**Item 4.5:**

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

**Item 4.6:**

The Compliance Demonstration activity will be performed for the facility:  
The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT  
Process: P11 Emission Source: BATCH

Emission Unit: 1-ASPLT  
Process: P12 Emission Source: GENER

Regulated Contaminant(s):  
CAS No: 0NY075-00-5 PM-10

**Item 4.7:**

Compliance Demonstration shall include the following monitoring:



**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



Capping: Yes

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

CAP:

Facility owner shall ensure that facility-wide emissions of particulate matter that are less than 10 microns in mean aerodynamic diameter (PM-10), including those from permitted, exempt, and trivial sources, remain less than 190,000 pounds during any consecutive 365 day period.

RECORDS:

Facility owner shall maintain records that verify the facility's monthly PM-10 emissions. These records shall be maintained at the facility for a minimum five year period.

REPORTS:

Reports shall be submitted annually, in a format acceptable to the Department, which document that the facility's PM-10 emissions during any consecutive 365 day period were less than 190,000 pounds. The annual monitoring report shall include information that documents the PM-10 emissions from each emission source at the facility, including exempt and trivial activities. If requested, the report shall also include all emission factors and other data used to calculate the monthly PM-10 emissions. The form "Annual Capping Certification" is required.

NONCOMPLIANCE:

Any noncompliance with the PM-10 emission limit in this condition shall be reported by sending a copy of such record to the NYSDEC Region 6, within 30 days of the occurrence.

Parameter Monitored: PM-10

Upper Permit Limit: 190,000 pounds per year

Reference Test Method: EPA Reference Methods 1 thru 5 & 202

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 5: Air pollution prohibited**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR 211.1**

**Item 5.1:**

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such



New York State Department of Environmental Conservation

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



Emission Unit: 1-ASPLT

Process: P11

Emission Source: BAGHS

Regulated Contaminant(s):

CAS No: 0NY075-00-5 PM-10

**Item 7.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Facility shall monitor the pressure drop across this baghouse in an effort to monitor proper operation. Manometer readings below 2" WC and above 7" WC shall require immediate root cause analysis and then expedient corrective action. Manometer reading shall be monitored and recorded once per week while the baghouse is in operation. This record and all other baghouse maintenance records shall be kept for a minimum period of five years.

Parameter Monitored: PRESSURE DROP

Lower Permit Limit: 2 inches of water

Upper Permit Limit: 7 inches of water

Monitoring Frequency: WEEKLY

Averaging Method: RANGE-NOT TO FALL OUTSIDE OF STATED  
RANGE EXCEPT DURING STARTUP/SHUTDOWN

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 8: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement: 6 NYCRR 212.9 (d)**

**Item 8.1:**

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT

Emission Point: 00001

Regulated Contaminant(s):

CAS No: 0NY075-00-5 PM-10

**Item 8.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

New York State Department of Environmental Conservation

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



The permissible emission rate for PM-10 particulates from this batch HMA plant shall not exceed 0.03 gr/dscf on a dry basis.

Note: Facility should recognize that this is the most restrictive PM limit in this permit and as such it shall supercede the 0.04 gr/dscf that is referenced in 40 CFR 60.92(a)(1).

Parameter Monitored: PM-10

Upper Permit Limit: 0.03 grains per dscf

Reference Test Method: EPA Reference Method 5 (if requested by NYSDEC)

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: Arithmetic average of stack test runs

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 9: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR 212.12 (a) (1)**

**Item 9.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 9.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

A tune-up must be performed on the dryer burner on an annual basis at any hot mix asphalt production plant that is in operation during that calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 10: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR 212.12 (a) (2)**

**Item 10.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 10.2:**

Compliance Demonstration shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility must have a plan which details the introduction or continuation of methods by which to reduce the moisture content of the aggregate stockpile(s). The facility shall perform self-inspections to monitor compliance with the plan.

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 11: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR 212.12 (b)**

**Item 11.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 11.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

(1) When the burner is to be replaced, and a low NO<sub>x</sub> burner is not the unit of choice, the owner or operator of a hot mix asphalt plant must provide the Department with an economic feasibility analysis that justifies their decision. The economic analysis must follow an approach acceptable to the Department.

(2) By January 1, 2020, all owners or operators of active plants which have not installed a low NO<sub>x</sub> burner must have submitted an economic feasibility analysis. A low NO<sub>x</sub> burner must be installed for that operating year in all instances in which it proves feasible.

(3) Hot mix asphalt production plants which are in a state of inactivity on January 1, 2020, and have not otherwise complied with the requirements of this subdivision by that date must do so prior to continued operation.

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 12: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**



**Applicable Federal Requirement:6 NYCRR 225-1.2 (f)**

**Item 12.1:**

The Compliance Demonstration activity will be performed for the facility:  
The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT  
Process: P11 Emission Source: BATCH

Regulated Contaminant(s):  
CAS No: 007446-09-5 SULFUR DIOXIDE

**Item 12.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Owners and/or operators of commercial, industrial or residential emission sources that fire #2 heating oil on or after July 1, 2012 are limited to the purchase and use of #2 heating oil with 0.0015% sulfur by weight or less. This fuel is also known as 15 ppm or as "Ultra Low Sulfur" fuel. Compliance with this limitation shall be based upon vendor certifications. The facility is required to collect all bills of lading for all fuel deliveries; these receipts shall indicate that the fuel is #2 and that the sulfur content is 15 ppm or 0.0015% (wt). These records shall be retained for a minimum five year period. Each Annual Monitoring Report shall include a statement that declares the facility in compliance or in violation of this Regulation. Source "BATCH" is the HMA plant which fires #2 in the AC heater and in the rotary kiln burner.

Parameter Monitored: SULFUR CONTENT  
Upper Permit Limit: 15 parts per million by weight  
Reference Test Method: Fuel receipts shall be retained as a record  
Monitoring Frequency: PER DELIVERY  
Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY  
TIME (INSTANTANEOUS/DISCRETE OR GRAB)  
Reporting Requirements: ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 1/30/2015.  
Subsequent reports are due every 12 calendar month(s).

**Condition 13: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:6 NYCRR 225-1.2 (g)**

**Item 13.1:**

**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



The Compliance Demonstration activity will be performed for the facility:  
The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT

Process: P12

Emission Source: GENER

Regulated Contaminant(s):

CAS No: 007446-09-5

SULFUR DIOXIDE

**Item 13.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Owners and/or operators of a stationary combustion installation (diesel engines) that fire distillate oil are limited to the purchase and usage of distillate oil with < or = 0.0015 % sulfur by weight (AKA: 15 ppm) (AKA: Ultra Low Sulfur Diesel) on and after July 1, 2014. This rule is in effect until July 1, 2016. Compliance with this limit shall be based upon fuel vendor certifications. These certifications shall be collected and summarized in a format that is Department approvable and they shall be available for expeditious inspection. Such records shall be retained for a minimum five year period.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: DISTILLATES - NUMBER 1 AND NUMBER 2 OIL

Parameter Monitored: SULFUR CONTENT

Upper Permit Limit: 15 parts per million by weight

Reference Test Method: Fuel receipts shall be retained as a record

Monitoring Frequency: PER DELIVERY

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2015.

Subsequent reports are due every 12 calendar month(s).

**Condition 14: Compliance Demonstration**

**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement: 6 NYCRR 225-1.2 (h)**

**Item 14.1:**

The Compliance Demonstration activity will be performed for the facility:  
The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT

Process: P12

Emission Source: GENER

**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



**Item 14.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Owners and/or operators of a stationary combustion installations that fire distillate oil are limited to the firing of distillate oil with 0.0015 percent sulfur by weight or less on or after July 1, 2016. Compliance with this limit will be based on vendor certifications.

Data collected pursuant to this Subpart must be tabulated and summarized in a form acceptable to the Department, and must be retained for at least five years. The owner of a Title V facility must furnish to the Department such records and summaries, on a semiannual calendar basis, within 30 days after the end of the semiannual period. All other facility owners or distributors must submit these records and summaries upon request of the Department.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: DISTILLATES - NUMBER 1 AND NUMBER 2 OIL

Parameter Monitored: SULFUR CONTENT

Upper Permit Limit: 0.0015 percent by weight

Monitoring Frequency: PER DELIVERY

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 15: EPA Region 2 address.**

**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable Federal Requirement:40CFR 60.4, NSPS Subpart A**

**Item 15.1:**

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance  
USEPA Region 2  
290 Broadway, 21st Floor  
New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC  
Bureau of Quality Assurance  
625 Broadway





Albany, NY 12233-3258

**Condition 16: Compliance Demonstration**  
Effective between the dates of 11/13/2014 and 11/12/2024

**Applicable Federal Requirement:40CFR 60.92(a), NSPS Subpart I**

**Item 16.1:**

The Compliance Demonstration activity will be performed for the facility:  
The Compliance Demonstration applies to:

Emission Unit: 1-ASPLT Emission Point: 00001

Regulated Contaminant(s):  
CAS No: 0NY075-00-5 PM-10

**Item 16.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

On or after the date that the required performance test is conducted, no owner or operator shall discharge or cause the discharge into the atmosphere any gases which contain particulate matter in excess of 0.04 gr/dscf or which exhibit 20% opacity or greater. Facility shall observe visible emissions daily, maintain a log and report annually. Batch plant stack is #00001.

Parameter Monitored: OPACITY  
Upper Permit Limit: 20 percent  
Reference Test Method: Observe plume daily, do RM9 at DEC request  
Monitoring Frequency: DAILY  
Averaging Method: 6-MINUTE AVERAGE (METHOD 9)  
Reporting Requirements: ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 1/30/2015.  
Subsequent reports are due every 12 calendar month(s).

\*\*\*\* Emission Unit Level \*\*\*\*

**Condition 17: Compliance Demonstration**  
Effective between the dates of 11/13/2014 and 11/12/2024

**Applicable Federal Requirement:6 NYCRR 227-1.3 (a)**

**Item 17.1:**

The Compliance Demonstration activity will be performed for:



Emission Unit: 1-ASPLT

Emission Point: 00002

**Item 17.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20 percent opacity (six minute average), except for one-six-minute period per hour of not more than 27 percent opacity.

The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

The permittee will conduct observations of visible emissions from the emission unit, process, etc. to which this condition applies at the monitoring frequency stated below while the process is in operation. The permittee will investigate, in a timely manner, any instance where there is cause to believe that visible emissions have the potential to exceed the opacity standard.

The permittee shall investigate the cause, make any necessary corrections, and verify that the excess visible emissions problem has been corrected. If visible emissions with the potential to exceed the standard continue, the permittee will conduct a Method 9 assessment within the next operating day of the sources associated with the potential noncompliance to determine the degree of opacity and will notify the NYSDEC if the method 9 test indicates that the opacity standard is not met.

Records of visible emissions observations (or any follow-up method 9 tests), investigations and corrective actions will be kept on-site. Should the Department determine that permittee's record keeping format is inadequate to demonstrate compliance with this condition, it shall provide written notice to the permittee stating the inadequacies, and permittee shall have 90 days to revise its prospective record keeping format in a manner acceptable to the Department.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: DAILY

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.



The initial report is due 1/30/2015.  
Subsequent reports are due every 12 calendar month(s).



**STATE ONLY ENFORCEABLE CONDITIONS**  
**\*\*\*\* Facility Level \*\*\*\***

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**  
**This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability**

**Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)**

Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

**Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**STATE ONLY APPLICABLE REQUIREMENTS**

**The following conditions are state only enforceable.**

**Condition 18: Contaminant List**  
**Effective between the dates of 11/13/2014 and 11/12/2024**



**Applicable State Requirement:ECL 19-0301**

**Item 18.1:**

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000630-08-0  
Name: CARBON MONOXIDE

CAS No: 007446-09-5  
Name: SULFUR DIOXIDE

CAS No: 0NY075-00-5  
Name: PM-10

CAS No: 0NY210-00-0  
Name: OXIDES OF NITROGEN

**Condition 19: Malfunctions and start-up/shutdown activities  
Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable State Requirement:6 NYCRR 201-1.4**

**Item 19.1:**

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.

(c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(d) The department may also require the owner or operator to include, in reports described



**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources  
NYS Dept. of Environmental Conservation  
Region 6  
State Office Building  
317 Washington Ave.  
Watertown, NY 13601

Reporting Requirements: ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 1/30/2015.  
Subsequent reports are due every 12 calendar month(s).

**Condition 23: Visible Emissions Limited**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable State Requirement:6 NYCRR 211.2**

**Item 23.1:**

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

**Condition 24: Compliance Demonstration**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable State Requirement:6 NYCRR 211.2**

**Item 24.1:**

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):  
CAS No: 0NY075-00-5 PM-10

**Item 24.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

No waste oil is to be used for fugitive dust control.  
Plant roadways shall be watered and/or treated with an approved dust suppressant, as appropriate and speed limited to preclude dust emissions. Any complaints of excess dust shall be immediately addressed with corrective action.

Monitoring Frequency: WHEN THE SOURCE IS OPERATING  
Reporting Requirements: ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.

**New York State Department of Environmental Conservation**

Permit ID: 6-2340-00052/00001

Facility DEC ID: 6234000052



The initial report is due 1/30/2015.  
Subsequent reports are due every 12 calendar month(s).

**\*\*\*\* Emission Unit Level \*\*\*\***

**Condition 25: Emission Point Definition By Emission Unit**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable State Requirement:6 NYCRR Subpart 201-5**

**Item 25.1:**

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 1-ASPLT

Emission Point: 00001

Height (ft.): 22                      Length (in.): 28                      Width (in.): 24  
NYTMN (km.): 4842.993    NYTME (km.): 464.639    Building: HMA area

Emission Point: 00002

Height (ft.): 15                      Diameter (in.): 6  
NYTMN (km.): 4842.994    NYTME (km.): 464.695    Building: Generator

**Condition 26: Process Definition By Emission Unit**  
**Effective between the dates of 11/13/2014 and 11/12/2024**

**Applicable State Requirement:6 NYCRR Subpart 201-5**

**Item 26.1:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-ASPLT

Process: P11                                      Source Classification Code: 3-05-002-52

Process Description:

This process consists of the operation of a Barber Greene hot mix asphalt (HMA) batch plant (Model DM-55) (155 tons/hr). This unit fires on #2 fuel oil, whose sulfur content shall not exceed 15 ppm. Limestone particulates are controlled with a baghouse.

Emission Source/Control: BAGHS - Control

Control Type: FABRIC FILTER

Emission Source/Control: BATCH - Process

Design Capacity: 155 tons per hour

**Item 26.2:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-ASPLT





Process: P12

Source Classification Code: 2-01-001-02

Process Description:

This process consists of the operation of a Caterpillar C15 diesel genset. The #2 fired diesel is rated at 644 HP and it delivers 365 kW. This RICE diesel (MY: 2008) is subject to 40 CFR 60 Subpart IIII; the facility complies with Subpart IIII by the retention of an EPA Certificate of Conformity (Family Code: 8CPXL15.2ESW). The sulfur content of the #2 fuel oil shall not exceed 15 ppm.

Emission Source/Control: GENER - Combustion

Design Capacity: 365 kilowatts

