

PERMIT Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 8-5420-00069/00017

Mod 0 Effective Date: 01/22/2007 Expiration Date: No expiration date.

Mod 1 Effective Date: 05/14/2007 Expiration Date: No expiration date.

Permit Issued To: REFRACTRON TECHNOLOGIES CORP

5750 STUART AVE NEWARK, NY 14513

Contact: REFRACTRON TECHNOLOGIES CORP

5750 STUART AVE

NEWARK, NY 14513-9758

(315) 331-6222

Facility: REFRACTRON TECHNOLOGIES CORP

5750 STUART AVE NEWARK, NY 14513

Description:

Modification of Initial Air State Facility Permit issued January 22, 2007 to authorize the addition of 2 kilns with afterburners. The initial permit specified installation of an afterburner on the Tunnel Kiln (EP 00004) to control nuisance odors. Due to increased consumer demand, the facility is adding 2 additional periodic kilns with afterburners, for a total of 4, rather than installing an afterburner on the older Tunnel Kiln. A condition in this permit specifies that products which emit nuisance odors during firing shall only be fired in one of the 4 kilns with an afterburner.

Refractron manufactures ceramic parts for chemical filtration processes, and wear and corrosion resistant structural parts for chemical, petrochemical, and medical uses.

Potential facility emissions are below the 6 NYCRR Part 201-6 (Title V) applicability thresholds for a Major Stationary Source.

The single Emission Unit includes raw material mixing and forming, kiln firing, slurry coating, and cutting and grinding operations.

Compliance verification includes operation of emission control equipment and maintenance of operation logs. These records are to be maintained at the facility for a minimum of five years and must be made available with all supporting data to Department inspectors upon request.



By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

PETER A LENT				
DIVISION OF ENVIRONMENTAL PE	ERMITS			
6274 EAST AVON LIMA RD				
AVON, NY 14414-9519				
	Date:	/	/	
	DIVISION OF ENVIRONMENTAL PE 6274 EAST AVON LIMA RD	DIVISION OF ENVIRONMENTAL PERMITS 6274 EAST AVON LIMA RD AVON, NY 14414-9519	DIVISION OF ENVIRONMENTAL PERMITS 6274 EAST AVON LIMA RD	DIVISION OF ENVIRONMENTAL PERMITS 6274 EAST AVON LIMA RD AVON, NY 14414-9519



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and Determinations
Applications for permit renewals, modifications and transfers
Applications for Permit Renewals and Modifications
Permit modifications, suspensions or revocations by the Department
Permit Modifications, Suspensions and Revocations by the Department
Facility Level

Submission of application for permit modification or renewal-REGION 8 HEADQUARTERS



DEC GENERAL CONDITIONS **** General Provisions **** GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department

Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1 3.

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers
Applicable State Requirement: 6NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to



actual transfer of ownership.

Condition 4: Applications for Permit Renewals and Modifications Applicable State Requirement: 6NYCRR 621.13

Item 4.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 4.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 4.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 5: Permit modifications, suspensions or revocations by the Department Applicable State Requirement: 6NYCRR 621.13

Item 5.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

Condition 6: Permit Modifications, Suspensions and Revocations by the Department Applicable State Requirement: 6NYCRR 621.14

Item 6.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions,



relevant technology or applicable law or regulations since the issuance of the existing permit; e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**** Facility Level ****

Condition 7: Submission of application for permit modification or renewal-REGION 8

HEADQUARTERS

Applicable State Requirement: 6NYCRR 621.6(a)

Item 7.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 8 Headquarters Division of Environmental Permits 6274 Avon-Lima Road Avon, NY 14414-9519 (716) 226-2466



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: REFRACTRON TECHNOLOGIES CORP

5750 STUART AVE NEWARK, NY 14513

Facility: REFRACTRON TECHNOLOGIES CORP

5750 STUART AVE NEWARK, NY 14513

Authorized Activity By Standard Industrial Classification Code:

3291 - ABRASIVE PRODUCTS

Mod 0 Permit Effective Date: 01/22/2007 Permit Expiration Date: No expiration date.

Mod 1 Permit Effective Date: 05/14/2007 Permit Expiration Date: No expiration date.



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS Emission Unit Level

EU=A-00001

1 6NYCRR 212.4(c): Compliance Demonstration 2 6NYCRR 212.6(a): Compliance Demonstration

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 3 ECL 19-0301: Contaminant List
- 4 6NYCRR 201-1.4: Unavoidable noncompliance and violations
- 5 6NYCRR 201-5: Emission Unit Definition
- 6 6NYCRR 211.2: Air pollution prohibited
- 7 6NYCRR 211.2: Compliance Demonstration
- 1-1 6NYCRR 211.2: Compliance Demonstration

Emission Unit Level

- 8 6NYCRR 201-5: Emission Point Definition By Emission Unit
- 9 6NYCRR 201-5: Process Definition By Emission Unit

EU=A-00001

10 6NYCRR 212.4(a): Emissions from new emission sources and/or modifications

EU=A-00001,EP=00004

1-2 6NYCRR 211.2: Compliance Demonstration

EU=A-00001,EP=00007

12 6NYCRR 211.2: Compliance Demonstration

EU=A-00001,EP=00016

1-3 6NYCRR 211.2: Compliance Demonstration



FEDERALLY ENFORCEABLE CONDITIONS **** Emission Unit Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Sealing - 6NYCRR Part 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: Acceptable Ambient Air Quality - 6NYCRR Part 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: Maintenance of Equipment - 6NYCRR Part 200.7

Any person who owns or operates an air contamination

Air Pollution Control Permit Conditions Page 3 of 18 FINAL



source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Item D: Unpermitted Emission Sources - 6NYCRR Part 201-1.2

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Item E: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner and/or operator notified the Department within two working days after the event



occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item F: Recycling and Salvage - 6NYCRR Part 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item G: Prohibition of Reintroduction of Collected Contaminants to the Air - 6NYCRR Part 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item H: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR Part 201-3.2(a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR Part 201-3.3(a)

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific



criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item J: Required Emission Tests - 6 NYCRR Part 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

Item K: Visible Emissions Limited - 6 NYCRR Part 211.3

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Item L: Open Fires - 6 NYCRR Part 215

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

Item M: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not



limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item N: Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS The following conditions are federally enforceable.

Condition 1: Compliance Demonstration

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.4(c)

Item 1.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 1.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.050 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis.

Air Pollution Control Permit Conditions Page 7 of 18 FINAL



Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.050 grains per dscf Reference Test Method: EPA Method 5 Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 2: Compliance Demonstration

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.6(a)

Item 2.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001

Item 2.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water. Compliance with this requirement shall be determined by the facility owner/operator conducting a daily survey of visible emissions when the process is in operation. If any visible emissions are identified, corrective action is required. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent Reference Test Method: EPA Method 9

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY



STATE ONLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6NYCRR Part 201-1.10(a)

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1), and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or



law.

STATE ONLY APPLICABLE REQUIREMENTS The following conditions are state only enforceable.

Condition 3: Contaminant List

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: ECL 19-0301

Item 3.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0 Name: PARTICULATES

CAS No: 068477-28-1

Name: WAXES AND WAXY SUBSTANCES, ROSIN

Condition 4: Unavoidable noncompliance and violations

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-1.4

Item 4.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the

and/or operator is

subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such



malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

- (c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.
- (d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.
- (e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 5: Emission Unit Definition

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 5.1(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: A-00001 Emission Unit Description:

Raw materials are mixed and pressed into shapes. Pieces are hardened, dried and sintered in kilns. The Unique Kiln (EP 00007) uses an afterburner to control emissions. Three additional periodic kilns with afterburners (EP 00016, 00017, 00018) will be installed in 2007. Some pieces are coated using an in-house made waterbased slurry. Pieces are cut and ground. Dust collectors are used to control particulate emissions with the exhaust air vented back inside the facility, except for the Torit Unit.

Building(s): main

Condition 6: Air pollution prohibited



Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 6.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 7: Compliance Demonstration

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 7.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Facility shall establish a complaint response procedure to manage complaints related to air emissions from this facility. The procedure shall be designed to ensure that complaints from officials or neighbors are adequately received and documented, and that appropriate response is taken by the facility. The facility shall:

- 1. Have a complaint phone line available 24 hours a day, 7 days a week.
- 2. Investigate any possible causes of any complaint received.
- 3. Take prompt action to abate any circumstance which is found to be the cause of the complaint.
- 4. Fully document the complaint, results of investigation, and any action taken.
- 5. Report in a format acceptable to the Department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 1-1: Compliance Demonstration

Effective between the dates of 05/14/2007 and Permit Expiration Date



Applicable State Requirement: 6NYCRR 211.2

Item 1-1.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 068477-28-1 WAXES AND WAXY SUBSTANCES, ROSIN

Item 1-1.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

All products known to form nuisance odors during firing shall only be fired in a periodic kiln with an afterburner (Emission points 00007, 00016, 00017, 00018). Afterburner temperature on the kilns shall be maintained at 700 degrees C during the startup period when the kiln temperature is below 370 degrees C. Workers shall check and record the temperature at least once during this period of the firing run.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 700 degrees Centigrade (or Celsius)

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: MINIMUM - NOT TO FALL BELOW STATED

VALUE - SEE MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**** Emission Unit Level ****

Condition 8: Emission Point Definition By Emission Unit

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 8.1(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: A-00001

Air Pollution Control Permit Conditions Page 13 of 18 FINAL



Emission Point: 00001

Height (ft.): 48 Diameter (in.): 24

Emission Point: 00002

Height (ft.): 48 Diameter (in.): 24

Emission Point: 00003

Height (ft.): 48 Diameter (in.): 14

Emission Point: 00004

Height (ft.): 48 Length (in.): 18 Width (in.): 23

Emission Point: 00005

Height (ft.): 48 Length (in.): 18 Width (in.): 23

Emission Point: 00006

Height (ft.): 48 Diameter (in.): 14

Emission Point: 00007

Height (ft.): 36 Diameter (in.): 24

Emission Point: 00008

Height (ft.): 8 Diameter (in.): 3

Emission Point: 00009

Height (ft.): 30 Diameter (in.): 4

Emission Point: 00010

Height (ft.): 13 Diameter (in.): 6

Emission Point: 00011

Height (ft.): 13 Diameter (in.): 6

Emission Point: 00012

Height (ft.): 23 Diameter (in.): 6

Emission Point: 00013

Height (ft.): 10 Length (in.): 10 Width (in.): 16

Emission Point: 00014

Height (ft.): 20 Diameter (in.): 8

Emission Point: 00015

Height (ft.): 5 Diameter (in.): 6

Building: main

Emission Point: 00016



Height (ft.): 20 Diameter (in.): 34

Building: main

Emission Point: 00017

Height (ft.): 15 Diameter (in.): 30

Emission Point: 00018

Height (ft.): 15 Diameter (in.): 30

Condition 9: Process Definition By Emission Unit

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 9.1(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: A-00001

Process: 001

Process Description:

Zirconium oxide is reduced in particle size with a vibratory mill. Zirconium oxide is dried in the Bowen Spray Dryer. Structural ceramic is pressed into shapes. Structural ceramic is cut and sized before sintering which hardens the ceramic. After sintering, the ceramic product

is cut and ground.

Emission Source/Control: BOWEN - Control

Control Type: FABRIC FILTER

Emission Source/Control: TORIT - Control

Control Type: PAPER FILTER

Emission Source/Control: KILNM - Process

Emission Source/Control: LOIKI - Process

Emission Source/Control: UNIQU - Process

Item 9.2(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: A-00001

Process: 002

Process Description:

Raw materials are automatically measured and premixed. Mixed raw materials are placed in presses that shape and

> Air Pollution Control Permit Conditions Page 15 of 18 FINAL



harden the porous ceramic product. Porous ceramic is sintered in kilns. Some parts are coated with an in-house made waterbased slurry.

Emission Source/Control: BLUE1 - Process

Emission Source/Control: BLUE2 - Process

Emission Source/Control: DAVIN - Process

Emission Source/Control: LABKI - Process

Emission Source/Control: OBGKI - Process

Emission Source/Control: SPRAY - Process

Emission Source/Control: SWIND - Process

Emission Source/Control: TUNN1 - Process

Condition 10: Emissions from new emission sources and/or modifications

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 212.4(a)

Item 10.1:

This Condition applies to Emission Unit: A-00001

Item 10.2:

No person shall cause or allow emissions that exceed the applicable permissible emission rate as determined from Table 2, Table 3, or Table 4 of 6 NYCRR Part 212 for the environmental rating issued by the commissioner.

Condition 1-2: Compliance Demonstration

Effective between the dates of 05/14/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 1-2.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001 Emission Point: 00004

Item 1-2.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Air Pollution Control Permit Conditions Page 16 of 18 FINAL



Monitoring Description:

Refractron shall not fire products in the Tunnel Kiln (EP 00004) that cause offensive odors in the surrounding neighborhood. Products which the Department determines are causing nuisance odors shall be immediately ceased to be fired in the Tunnel Kiln.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 12: Compliance Demonstration

Effective between the dates of 01/22/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 12.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001 Emission Point: 00007

Regulated Contaminant(s):

CAS No: 068477-28-1 WAXES AND WAXY SUBSTANCES, ROSIN

Item 12.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Afterburner temperature on the Unique kiln shall be maintained at 700 degrees C during the startup period when the kiln temperature is below 700 degrees C. This temperature level is to prevent nuisance odors from being formed and released into the surrounding neighborhood. Workers shall check and record the temperature at least once during this period of the firing run.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 700 degrees Centigrade (or Celsius)

Monitoring Frequency: PER BATCH OF PRODUCT/RAW MATERIAL

CHANGE

Averaging Method: MINIMUM - NOT TO FALL BELOW STATED

VALUE - SEE MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY



Condition 1-3: Compliance Demonstration

Effective between the dates of 05/14/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 1-3.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001 Emission Point: 00016

Regulated Contaminant(s):

CAS No: 068477-28-1 WAXES AND WAXY SUBSTANCES, ROSIN

Item 1-3.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Afterburner temperature on this new HED-Unique High Temperature Kiln (installed in April 2007) shall be maintained at 700 degrees C during the startup period when the kiln temperature is below 700 degrees C. This temperature level is to prevent nuisance odors from being formed and released into the surrounding neighborhood. Workers shall check and record the temperature at least once during this period of the firing run.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 700 degrees Centigrade (or Celsius)

Monitoring Frequency: PER BATCH OF PRODUCT/RAW MATERIAL

CHANGE

Averaging Method: MINIMUM - NOT TO FALL BELOW STATED

VALUE - SEE MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY