

Species Status Assessment

Common Name: File rams-horn

Date Updated: February 2025

Scientific Name: *Planorbella pilsbryi*

Minor Edits By: DEC Wildlife Diversity Section

Class: Gastropoda

Family: Planorbidae

Species Synopsis (a short paragraph which describes species taxonomy, distribution, recent trends, and habitat in New York):

Freshwater gastropods (snails) are an important and diverse component of aquatic ecosystems worldwide. They have diversified into every available aquatic habitat, including springs, small streams, large rivers, ponds, lakes, and ephemeral to permanent wetlands. Most graze on algae, aquatic plants and biofilms, though some are suspension or deposit feeders, and they can play a vital role in the processing of detritus and decaying organic matter. Freshwater snails are not predatory, unlike some of their terrestrial or marine counterparts and they often dominate benthic stream communities, regularly exceeding 50% of the invertebrate biomass (Johnson et al 2013).

Gastropods are important dietary components of many North American fishes, and also are consumed by a variety of aquatic associated birds and mammals such as the snail kite and the muskrat (Johnson et al. 2013).

The file rams-horn is known from six states (MA, MN, MT, PA, WI, NY) and five provinces (MB, NB, ON, QC, SK). It is thought to be extirpated in New York (NatureServe 2012). This species is also taxonomically questionable and may not be recognized in surveys; most consider this species to be *P. trivolvis* (a common species) (expert meeting).

DEC is not aware of any additional data or new information on population trends or threats to this species since the last SWAP revision in 2015. This species was listed as SPCN in 2015, but with the removal of this status in the 2025 revision it has been changed to SGCN.

I. Status

a. Current legal protected Status

i. **Federal:** Not listed **Candidate:** No

ii. **New York:** Not listed; SGCN

b. Natural Heritage Program

i. **Global:** G4G5

ii. **New York:** SH **Tracked by NYNHP?:** Yes

Other Ranks:

-New York 2025 SGCN status: Species of Greatest Conservation Need

-IUCN Red List: not listed

-Northeast Regional SGCN: not listed

-American Fisheries Society: CS – Currently Stable

Status Discussion:

The file rams-horn is ranked “secure” globally and is possibly extirpated in New York. Little is known about its status within the state or throughout its whole range (NatureServe 2012).

II. Abundance and Distribution Trends

Region	Present?	Abundance	Distribution	Time Frame	Listing status	SGCN?
North America	Yes	Stable	Stable			-
Northeastern US	Yes	Unknown	Unknown			No
New York	No data	Unknown	Unknown		Not listed	Yes
Connecticut	No	-	-			-
Massachusetts	No	-	-			-
New Jersey	No	-	-			-
Pennsylvania	No	-	-			-
Vermont	No	-	-			-
Ontario	Yes	Unknown	Unknown		Not listed	-
Quebec	No	-	-			-

Column options

Present?: Yes; No; Unknown; No data; (blank) or Choose an Item

Abundance and Distribution: Declining; Increasing; Stable; Unknown; Extirpated; N/A; (blank) or Choose an item

SGCN?: Yes; No; Unknown; (blank) or Choose an item

Monitoring in New York (*specify any monitoring activities or regular surveys that are conducted in New York*):

None.

Trends Discussion (*insert map of North American/regional distribution and status*):




Figure 1. Conservation status of the file ram's-horn in North America (NatureServe 2024).

III. New York Rarity *(provide map, numbers, and percent of state occupied)*

Details of historic and current occurrence:

There are no historic occurrence records available for this species in New York.
 There are no current occurrence records available for this species in New York.
 Rarity in New York State is unknown due to lack of records.

New York's Contribution to Species North American Range:

Percent of North American Range in NY	Classification of NY Range	Distance to core population, if not in NY
26-50%	Peripheral	~800 miles

Column options

Percent of North American Range in NY: 100% (endemic); 76-99%; 51-75%; 26-50%; 1-25%; 0%; Choose an item

Classification of NY Range: Core; Peripheral; Disjunct; (blank) or Choose an item

IV. Primary Habitat or Community Type *(from NY crosswalk of NE Aquatic, Marine, or Terrestrial Habitat Classification Systems):*

a. Freshwater

b. Lentic

Habitat or Community Type Trend in New York

Habitat Specialist?	Indicator Species?	Habitat/Community Trend	Time frame of Decline/Increase
-	Yes	-	

Column options

Habitat Specialist and Indicator Species: Yes; No; Unknown; (blank) or Choose an item

Habitat/Community Trend: Declining; Stable; Increasing; Unknown; (blank) or Choose an item

Habitat Discussion:

Planorbids tend to occur in bodies of water with a firm mud bottom and high levels of decaying organic matter. Most species seem to prefer lentic habitats (lakes, wetland or ponds). With the exception of *Helisoma anceps*, which occurs more often in river pools, they prefer minimal current. Planorbid snails are scrapers of benthic surfaces and have been shown to eat bacterial films and algae (Montana Natural Heritage Program 2013).

V. Species Demographic, and Life History:

Breeder in NY?	Non-breeder in NY?	Migratory Only?	Summer Resident?	Winter Resident?	Anadromous/Catadromous?
Yes	-	-	Yes	Yes	-

Column options

First 5 fields: Yes; No; Unknown; (blank) or Choose an item

Anadromous/Catadromous: Anadromous; Catadromous; (blank) or Choose an item

Species Demographics and Life History Discussion (include information about species life span, reproductive longevity, reproductive capacity, age to maturity, and ability to disperse and colonize):

Very little is known regarding the life history of this species.

Most Gastropods belong to the clade Caenogastropoda, in which individuals mature slowly (requiring at least a year), are long-lived dioecious species with internal fertilization, and females generally attach eggs to firm substrates in late spring and early summer. Many species are narrow endemics associated with lotic habitats, often isolated in a single spring, river reach, or geographically restricted river basin (Johnson et al. 2013). In contrast, members of the clade Heterobranchia are hermaphroditic, mature quickly, and generally have shorter generation times (Johnson et al. 2013).

VI. Threats (from NY 2015 SWAP or newly described):

Threat Level 1	Threat Level 2	Threat Level 3	Spatial Extent	Severity	Immediacy	Trend	Certainty
1. Residential and Commercial	1.1 Housing & Urban Areas	(habitat loss/ degradation)	Choose an item.	Choose an item.	Choose an item.	Choose an item.	Choose an item.
7. Natural System Modifications	7.2 Dams & Water Management/Use	7.2.1 Water level management using dams (channelization)	Choose an item.	Choose an item.	Choose an item.	Choose an item.	Choose an item.
9. Pollution	9.2 Industrial & Military Effluents	(metals)	Choose an item.	Choose an item.	Choose an item.	Choose an item.	Choose an item.
9. Pollution	9.3 Agricultural & Forestry Effluents	(fertilizers)	Choose an item.	Choose an item.	Choose an item.	Choose an item.	Choose an item.
9. Pollution	9.3 Agricultural & Forestry Effluents	9.3.3 Herbicides & pesticides	Choose an item.	Choose an item.	Choose an item.	Choose an item.	Choose an item.
11. Climate Change	11.1 Habitat Shifting & Alteration	-	Choose an item.	Choose an item.	Choose an item.	Choose an item.	Choose an item.

Table 1. Threats to rams-horn.

Insufficient information to assess threats.

High imperilment rates among freshwater gastropods have been linked to alteration, fragmentation and destruction of habitat and introduction of non-indigenous species. Causes of habitat degradation and gastropod species loss include dams, impounded reaches, development of riparian areas, channelization, erosion, excess sedimentation, groundwater withdrawal and associated impacts on surface streams (flows, temperature, dissolved oxygen), multiple forms of pollution (salt, metals such as Cu, Hg, Zn, untreated sewage, agricultural runoff, pesticides/fertilizers), changes in aquatic vegetation, and invasion of exotic species (Johnson et al. 2013). Most gastropod species live in the shallows (depths less than 3 m), where food abundance is greatest. As a result, drastic water fluctuations, such as draw-downs, may cause declines in snail populations (Hunt and Jones 1972).

Strayer (1987) concluded that human activities had destroyed much of the original mollusk fauna in some parts of the Hudson basin, but not in others. Channelization of farmed mucklands and industrial pollution from Beacon were noted as causes for the notably reduced biodiversity of mollusks in the Walkkill River of Orange County and the Fishkill Creek of Dutchess County, respectively.

The New Zealand mud snail (*Potamopyrgus antipodarum*) is a highly invasive species that was introduced in Idaho in the 1980s. It can have devastating consequences to aquatic ecosystems, reducing or eliminating native snail species (Benson et al. 2013). This snail was found established in Lake Ontario in 1991 (Zaranko et al. 1997) and in Lake Erie in 2005 (Levri et al. 2007).

Are there regulatory mechanisms that protect the species or its habitat in New York?

Yes:

No:

Unknown:

If yes, describe mechanism and whether adequate to protect species/habitat:

The Protection of Waters Program provides protection for rivers, streams, lakes, and ponds under Article 15 of the NYS Environmental Conservation Law; however this may not be sufficient enough to protect this species.

The Freshwater Wetlands Act provides protection for regulated wetlands greater than 12.4 acres in size under Article 24 of the NYS Conservation Law. The Adirondack Park Agency has the authority to regulate smaller wetlands within the Adirondack Park. The Army Corps of Engineers has the authority to regulate smaller wetlands in New York State, and the DEC has the authority to regulate smaller wetlands that are of unusual local importance.

Describe knowledge of management/conservation actions that are needed for recovery/conservation, or to eliminate, minimize, or compensate for the identified threats:

Basic biological information is lacking for most taxa of freshwater gastropods and there is a strong need for surveys and biological studies given the strong evidence of decline and extinction.

Although not specific to the coldwater pond snail, the NYS Comprehensive Wildlife Conservation Strategy (CWCS) recommends the following actions for the freshwater gastropods (NYSDEC 2005):

- Develop fact sheets for paper distribution and the DEC website
- Determine habitat requirements for all life stages
- Determine threats specific to species

- Determine habitat management techniques
- Determine life history and population dynamics
- Determine distribution

Action Category	Action	Description
B.3 Outreach	B.3.1.4.3 Fliers and Brochures	Paper distribution and on DEC website
C.6 Design and Plan Conservation	C.6.5.0.0 Conservation Planning	
C.8 Research and Monitoring	C.8.1.5.0 Literature Search and Analysis	
C.8 Research and Monitoring	C.8.1.5.1 Species Monitoring	
C.8 Research and Monitoring	C.8.1.5.3 Analyzing Threats or their impacts	

Table 2. Recommended conservation actions for file rams-horn.

VII. References

- American Fisheries Society (AFS). 2013. Conservation assessment of freshwater gastropods (snails) from Canada and the United States by the Gastropod Subcommittee (Endangered Species Committee). *Fisheries* 38: 247-282.
- Baker, F. C. 1930. The molluscan fauna of the southern part of lake Michigan and its relationship to old glacial lake Chicago. *Transactions Illinois State Academy of Sciences* 22. Pages 193-193 *in* *Collected Papers*. F. C. Baker.
- Benson, A.J., R.M. Kipp, J. Larson, and A. Fusaro. 2013. *Potamopyrgus antipodarum*. USGS Nonindigenous Aquatic Species Database, Gainesville, FL. <http://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=1008> Revision Date: 6/11/2012
- Hunt, P. C. and Jones, J. W. 1972. The food of brown trout in Ilyn Alaw, Anglesey, North Wales. *Journal of Fish Biology*, 4: 333-352.
- Johnson, P.D., A.E. Bogan, K.M. Brown, N.M. Burkhead, J.R. Cordeiro, J.T. Garner, P.D. Hartfield, D.A.W. Lepitzki, G.L. Mackie, E. Pip, T.A. Tarpley, J. S. Tiemann, N.V. Whelan, and E.E. Strong. 2013. Conservation status of freshwater gastropods of Canada and the United States. *American Fisheries Society Bulletin* 38(6): 37p.
- Levri, E. P., A. A. Kelly, and E. Love. 2007. The invasive New Zealand mud snail (*Potamopyrgus antipodarum*) in Lake Erie. *Journal of Great Lakes Research* 33: 1–6.

Montana Natural Heritage Program. 2013. File Rams-horn — *Planorbella pilsbryi*. Montana Field Guide. <http://FieldGuide.mt.gov/detail_IMGASN0130.aspx>. Accessed 18 June 2013.

NatureServe. 2024. NatureServe Explorer. Page last published 1 November 2024. https://explorer.natureserve.org/Taxon/ELEMENT_GLOBAL.2.109110/Planorbella_pilsbryi. Accessed 5 November 2024.

New York Department of Environmental Conservation (NYSDEC). 2005. New York State Comprehensive Wildlife Conservation Strategy. <<http://www.dec.ny.gov/index.html>>. Accessed 17 June 2013.

Strayer, D. 1987. Ecology and zoogeography of the freshwater mollusks of the Hudson River basin. *Malacological Review* 20:1-68.

Zaranko, D.T., D.G. Farara, and F.G. Thompson. 1997. Another exotic mollusk in the Laurentian Great Lakes: the New Zealand native *Potamopyrgus antipodarum* (Gray 1843) (Gastropoda, Hydrobiidae).

Expert Consulted: D. Mayer
Originally Prepared by: Jenny Murtaugh (2013).
Latest Revision by: Samantha Hoff (2014).