

# MANDATORY ANNUAL REPORT INCLUDING SELF-CERTIFICATION FOR VEHICLE DISMANTLING FACILITIES

(If you need assistance filling out this form please email swmfannualreport@dec.ny.gov or call 518-402-8678.)

Submit the Annual Report no later than March 1, 2018.

This annual report is for the year of operation from <u>January 01, 2017</u> to <u>December 31, 2017</u>

### **SECTION 1 – FACILITY INFORMATION**

	FACILITY INFORMATION						
FACILITY NAME:	46544						
MELSON'S ASTO	SANVAGE U	inc.					
FACILITY LOCATION ADDRESS:	FACILITY CITY: H. YC, TY STATE: ZIP CODE:						
FACILITY TOWN: ST.	Springfield GDN	E1411 4.17 21					
FACILITY TOWN:	FACILITY COUNTY:	FACILITY PHONE NUMBER:					
Springfield Gows.	5pringfiels Gows. QUEERS 118-276-4294						
FACILITY NYS PLANNING UNIT: (A list of NYS		s report). NYSDEC REGION #:					
NYS DEPARTMENT OF MOTOR VEHICLE REGISTRATION NUMBER:	REGISTRATION TYPE (Vehicle Dismantler, Mobile Crusher, e	tc.): CODE:					
FACILITY CONTACT:	public CONTACT PHONE NUMBER:	CONTACT FAX NUMBER:					
William P. Faas	3-10-H34H	72.11					
CONTACT EMAIL ADDRESS: 7 8 150		Edanso, com					
OWNER NAME:	OWNER INFORMATION OWNER PHONE NUMBER:	OWNER FAX NUMBER:					
Same as above	PREHOTE BIL	118 -723-2561					
OWNER ADDRESS:	OWNER CITY:	STATE: ZIP CODE:					
OWNER CONTACT:	OWNER CONTACT EMAIL ADDRES						
	Nelson's avio Sal	NOO. com					
	OPERATOR INFORMATION						
OPERATOR NAME: Same as owner		☐ public ☐ private					
	PREFERENCES						
Preferred address to receive correspondence: Facility location address   Owner address  Owner address							
Preferred email address: K Facility Contact — Owner Contact — Other (provide):							
Preferred individual to receive correspondence:							
Did you operate in 2017? Ø Yes; Complete this form.							
☐ No; Complete and submit Sections 1 and 11.							

	SECTION 2 - END-OF-LIFE VEHICLES (ELVs) PROCESSED						
• Provid	de the number of ELVs received from January 1 to December 31: 305						
	de the number of ELVs crushed and/or removed from the facility  January 1 to December 31:						
• Provi	de the number of ELVs stored at the facility as of December 31:						
	de the highest number of ELVs stored at the facility y one time from January 1 to December 31:						
• Provi	de the approximate area used for the storage of vehicles (acres):						
• Provi	de the names of scrap metal processors to which you sold or sent decommissioned ELVs:						
1) _(	Bershows Recycling						
	· · · ·						
2)							
3)							
<u> </u>							
	If your facility has <b>received 25 or fewer ELVs</b> during the year AND <b>stored no more than 50 ELVs</b> at any one time <u>check this box and complete only sections 3, 4, and 11</u> .						
	If not, leave this box blank.						
	Please, write "Not Applicable" on sections that do not pertain to your facility.						
	If your facility has <b>not processed or stored ANY ELVs</b> during the year, check this box and complete only section 9.						
	If not, leave this box blank						
	→► Please, write "Not Applicable" on sections that do not pertain to your facility.						
	IF NEITHER OF THESE DESCRIPTIONS APPLIES TO YOUR FACILITY, COMPLETE THE ENTIRE FORM BELOW:						

#### **SECTION 3 - WASTE FLUIDS RECOVERED**

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.  $\sqrt{s}$  or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.)

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)		25	ddd	ddd	
Used Oil** (gallons)		40	900		Waste O: 1 Solution 100 Seesey St. W. Babylon N. Y
Diesel Fuel (gallons)		Ala			
Gasoline (gallons)					
Engine Coolant/ Antifreeze (gallons)		48901	40590)	M. die de la	H: TECH Floral Park, N.Y
Window Washing Fluid (gallons)					
Other (specify)					
		and the second s	2 - E STANDER STANDARD STANDAR	Andreadadada and Andreadadada a statuta andreadada a statuta andreadadada a statuta andreadadada a statuta and	The second area of the second and the second area of the second area of the second area.

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage and disposal if hazardous.

<sup>\*\*</sup> Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

#### **SECTION 4 - SCRAP METAL**

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

<u> </u>	P. Sugar	Stand On Site	Sent Off Site	Destination			
Material Types	Received (tons)	Stored On Site (tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor		
Formatio Savan					Yes	No	
Ferrous Scrap Metal						T	
Aluminum		A. A. W. W.			Yes	No	
Scrap Metal						#	
	Walter Walter				Yes	No	
Lead Weights						A	
Non – Ferrous		1		A100-111 (d) . 10	Yes	No	
Scrap Metal	1.00 H .00 L . L . L . H . H . H					#	
					Yes	No	
Other (specify):					<b>[</b>	K	
1 - 1	1			1 - 1 1 1 1 1			
					Yes	No ⊀	
		nkoppenormocomocomo rpresentarrencementarrence (il indicabable)				<b>5</b>	
	SECT	TION 5 - MERC	CURY SWITC	HES COLLECTED			
	er of mercury-cont ock brake assembli		covered. Includi	ng but not limited to hood & trunk li	ghting sv	vitches	
	H&TS (Number)	(Arasilanda Arasilanda Arasilanda Arasilanda Arasilanda Arasilanda Arasilanda Arasilanda Arasilanda Arasilanda		ABS(Number)			

Note: Use additional 8.5" x 11" sheets as needed.

Indicate permitted facility or permitted transporter accepting mercury containing devices:

Reprinted (12/17)

# SECTION 6 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.						
Number of Lead-Acid Batteries collected from ELVs						
Indicate permitted facility or permitted transporter accepting lead-acid batterles:  TWEESTATE BATTEVIES  126 Albany QUE EVERDORT, N.	4. 115	30				
Any materials disposed must undergo a hazardous waste determination and pro hazardous.	per handling, sto	orage and disposal if				
SECTION 7 - WASTE TIRES COLLE	CTED					
Number of waste tires stored on-site:		as of December 31				
Number of used tires available for sale on-site:	13	as of December 31				
Number of used tires sold:	00E	during operating year				
Number of waste tires shipped off-site for recycling, disposal, other:	160	during operating year				
Indicate name of facility(ies) accepting waste tires:						
GERShow RECYCLING						
SECTION 8 - PROBLEMS						
Were any problems encountered during the reporting period (e.g., specific occurrence)?	urrences which l	nave led to changes in				
☐ Yes → No If yes, attach additional sheets identifying each problem and problem.	d the methods fo	or resolution of the				
SECTION 9 - CHANGES		AWW 499,				
Were there any changes from approved reports, plans, specifications, and peri	mit conditions?					
☐ Yes ☐ No If yes, attach additional sheets identifying changes with a ju	stification for ea	ch change.				

Reprinted (12/17)

# **SECTION 10 - COMPLIANCE CERTIFICATION**

#### As of December 31, 2016:

1. <u>MOI</u> 2.	RET Is a	our facility stores LESS THAN 1,000 tires, check NA. If your facility stores HAN 1,000 tires, do you have a PART 360 permit for tire storage? system in place to control vegetation and prevent it from encroaching onto				
3.	Harring	access lanes or driveways?  e you recorded the date of receipt for all end-of-life vehicles received?				
4,	Are	the end-of-life vehicle records available on-site?		1		
5.		e all end-of-life vehicles been inspected, upon arrival, for leaking fluids and authorized wastes?		V		
6.	Hav	e all observed leaks been remedied or contained?		V		
7.	Doe	es your facility have a written Contingency Plan?		<b>'</b>		
8.	Are	facility personnel trained to implement the Contingency Plan?	]	V		
9.	Doe	es your Contingency Plan include actions to be taken in the event of the follow	ng?			
	9a.	Fire.		V		
	9b.	Spill or release of vehicle waste fluids.		/		
	9c.	Unauthorized material received at facility.		1	}	
10.		spills of waste fluids, if any occur, reported to the NYSDEC pills Hotline within two hours of detection?		V		
11.	Are	all vehicle residues prevented from migrating from or running off your operty?	1/4/2/2/2	/		
12.	ls c	iust controlled to prevent interference with facility operations or from leaving cility site?		1		
13.	Are	vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with cility operations?		V		
14.		waste fluids kept from being discharged onto the ground or into surface aters?		V		
15.	ls a	occess to your facility controlled by: fences, gates, sign and/or natural barriers ot vehicles)?		/		
	15a	Are the access controls working (i.e. controlling access)?		V		
16.		fluids drained from end-of-life vehicles on a pad constructed of concrete or quivalent material?		1/		
17,	Arę	you doing the following with your concrete (or equivalent surface) pad that is an aining, crushing, etc.?	used fo	r vehicl	e disma	antling, fluid
	17a	. Cleaning daily.		/		
	17b	. Cleaning spills as they occur.		V		
	17c	. Collecting and properly disposing of absorbent materials.		V		

	Made Macagement Compliance Checklist		Pies.		
18.	Have the following wastes been drained, removed, deployed, collected and/or sto practices, prior to vehicle crushing or shredding?	red follo	wing t	est ma	nagement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).			,	
	18b. Lead acid batteries.		V		
	18c. Mercury switches or other mercury containing devices, if any.		L		***************************************
10	18d. Refrigerants, if any.		1		- Control of the Cont
ļ	18e. Air bags.	i			200 VW 650 may 1
	18f. PCB capacitors, if any.				NAME OF THE PARTY
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22.	Are containers clearly and legibly labeled to describe their contents?		/	!	***************************************
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		/		
24.	Are lead-acid batteries stored upright and off the ground?		1	-	7.71.4/ <sub>2-1</sub>
25.	Are lead-acid batteries covered to protect them from precipitation?	A Paragraph of the Control of the Co	/		
	Are all lead-acid batteries sent for recycling within one-year of receipt?		<b></b>		/40/
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		,
**********	27a. Are provisions in place to absorb any acid leakage?	1	1, mm		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		/		
	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	/			, p
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		~		· · · · · · · · · · · · · · · · · · ·
31.	If sent off-site, is used oil transported via a permitted hauler?		~		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	wer 32a	., 32b.	, 32c:	,
ranno.	32a, Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	<b>/</b>			
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	V		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

weets management Completing Checklet	<b>N</b> A		N.	
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	V			
35. Are sludges properly recycled or disposed?				
36. Are used oil filters properly drained, crushed or dismantled?		L		
37. Are drained oil filters properly recycled or disposed?		V		~
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:		/		70.
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		/		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		/		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V		
39. If your facility does not handles cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		_1	1/P	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)	April - April	2000 (AND AND AND AND AND AND AND AND AND AND		

# SECTION 11 - SIGNATURE AND DATE BY OWNER, OPERATOR, OR RESPONSIBLE REPRESENTATIVE

Owner or Operator must sign, date and submit the completed form by email or mail to the appropriate Regional Office (See attachment for Regional Office email & mailing addresses and Solid Waste Contacts.)

The Owner, Operator, or Responsible Representative must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Permitting and Planning
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I hereby affirm under penalty of perjury that information provided on this form and attached statements and exhibits was prepared by me or under my supervision and direction and is true to the best of my knowledge and belief, and that I have the authority to sign this report form pursuant to 6 NYCRR Part 360. I am aware that any false statement made herein is punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

Signature

Date

Date

Date

Date

President

Name (Print or Type)

Title (Print or Type)

Title (Print or Type)

Email (Print or Type)

State and Zip

Phone Number

ATTACHMENTS: YES NO

#### Division of Materials Management New York State Department of Environmental Conservation Albany, New York 12233-7260

Forms for all solid waste management facilities can be found at <a href="http://www.dec.ny.gov/chemical/52706.html">http://www.dec.ny.gov/chemical/52706.html</a> and a brief description of each type of facility can be found at http://www.dec.ny.gov/chemical/8495.html.

# MANDATORY ANNUAL REPORT including SELF-CERTIFICATION for VEHICLE DISMANTLING FACILITIES.

#### **Annual Report**

#### Submit the Annual Report no later than March 1, 2018.

On July 26, 2006, ECL <u>Article 27, Title 23: Vehicle Dismantling Facilities</u> was signed into law. This law expands the solid waste management requirements for facilities that dismantle automobiles and generate used vehicle fluids and other materials such as mercury switches, etc. Facilities with operations involving dismantling; storage, transfer, recycling and disposal of automobiles must complete this Annual Report Form. Compliance with Environmental Conservation Law (ECL) Article 27, Chapter 23 is mandatory. Failure to submit the Annual Report Form is late. may result in a penalty of up to \$500 for each day the Annual Report Form is late.

Reporting of the information indicated on this Mandatory Annual Report including Self-Certification for Vehicle Dismantling Facilities fulfills the reporting requirements pursuant to 6 NYCRE 350-12,1(c).

Entries on the report forms should be either typewritten or neatly printed in black ink. Attach additional sheets if

Entries on the report forms should be either typewritten or neatty printed in black ink space on the pages is insufficient or supplementary information is redicted or appropriate.