

MANDATORY ANNUAL REPORT INCLUDING SELF-CERTIFICATION FOR VEHICLE DISMANTLING FACILITIES

(If you need assistance filling out this form please email swmfannualreport@dec.nv.gov or call 518-402-8678.)

Submit the Annual Report no later than March 1, 2018.

This annual report is for the year of operation from <u>January 01, 2017</u> to <u>December 31, 2017</u>

SECTION 1 - FACILITY INFORMATION

(A)	AFA EILERA	INTERCEMACION					
FACILITY NAME:							
MAY KAM AUTO CENTE	R ZNO		,				
FACILITY LOCATION ADDRESS:	FACILITY			STATE:	ZIP CODE:		
59 Rector Street		Bland		I	10310		
FACILITY TOWN:	FACILITY	COUNTY:		FACILITY PHONE NUMBER:			
Staten Island	Krch	mon el	71		5-9807		
FACILITY NYS PLANNING UNIT: (A list of NYS	Planning Unit	s can be found at the end of th	is report		SDEC GION#:		
NYS DEPARTMENT OF MOTOR VEHICLE REGISTRATION NUMBER: 707-8993	REG Disn	ISTRATION TYPE (Vehicle antier, Mobile Crusher, & Vehicle Dispantle	etc.);	CODE:	C ACTIVITY		
FACILITY CONTACT:	⊋}publi¢	CONTACT PHONE	C		FAX NUMBER:		
Ricky	private	NUMBER: 7/8-8/5-9	807	718-	815-9818		
CONTACT EMAIL ADDRESS: rickydr	early 6 yo	hoo.com					
		MECEMANON					
OWNER NAME:		HONE NUMBER: 8-815 -9867		ER FAX NI プルクー・クィ	DMBER:		
Cheak Nga Tik OWNER ADDRESS:	OWNER C				ZIP CODE:		
641 Lamont Ave		iten Island		NY			
OWNER CONTACT:		ONTACT EMAIL ADDRE	SS:	<u> </u>			
CHEWR NEA TIK	MAY	KAMAUTO Qyalo	10120	~			
	OPERATE	REINFORM/AVIONE	3 200 (2)				
OPERATOR NAME: Same as owner				□ public	·		
The state of the s		HEENGEG MEG MAN		private	# C# 68 PER DESPESSOR		
Preferred address to receive correspondence:	Octobra and the last transfer and the		Πo	vner address			
Preferred email address: Facility Contact	□ ov	vner Contact	-741				
Preferred individual to receive correspondence Other (provide):	e: D Facilit	y Contact 🔲 Owner	Contact				
Did you operate in 2017? X Yes; Complete	e this form.				·		
☐ No; Complete	and submit	Sections 1 and 11,		: .			

	SECTION 2 - END-OF-LIFE VEHICLES (ELVs)	PROCESSED
• Prov	ride the number of ELVs received from January 1 to December 31:	68
	ride the number of ELVs crushed and/or removed from the facility January 1 to December 31:	52
• Prov	ride the number of ELVs stored at the facility as of December 31.	_/6
	ride the highest number of ELVs stored at the facility by one time from January 1 to December 31:	19
• Prov	vide the approximate area used for the storage of vehicles (acres):	
• Prov	ride the names of scrap metal processors to which you sold or sent of	decommissioned ELVs:
1) _	J&J Recyclas Inc	· · · · · · · · · · · · · · · · · · ·
2)		
_,		······································
3)		
7_4		, ·
	•	
	If your facility has received 25 or fewer ELVs during the year of 60 ELVs at any one time check this box and complete only section	AND stored no more than
	If not, leave this box blank.	5713 5, 4, dita 11,
	→▶ Please, write "Not Applicable" on sections that do not pert	tain to your facility.
	If your facility has not processed or stored ANY ELV s during complete only section 9.	g the year, check this box and
	If not, leave this box blank	
	→► Please, write "Not Applicable" on sections that do not pert	ain to your facility,
	IF NEITHER OF THESE DESCRIPTIONS APPLIES TO YOUR F. COMPLETE THE ENTIRE FORM BELOW:	ACILITY,

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.)

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	, a	ONE			
Used Oil** (gallons)			90 Gallons	V (A)	Ovick Respone al Recovery Fickson LDEC 24-257
Diesel Fuel (gallons)		NO	NE		
Gasoline (gallons)	back to Forkling & Galler				
Engine Coolant/ Antifreeze (gallons)		めっと	Z.		
Window Washing Fluid (gallons)	bechto trade	,			
Other (specify)				, , , , , , , , , , , , , , , , , , ,	

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage and disposal if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received Stored On Site		Sent Off Site	Destination				
Material Types	(tons)	(tons) (tons)		NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor			
Ferrous Scrap Metal	,		1 tons	J& J Recycling 1641 Rehard Terree Stelen Island NY 10310	Yes	No		
•		,	1 (01/3	Stelen Island NY 10310				
Aluminum Scrap Metal			1 tons	J& J Recycling	Yes	No		
			1641 Richard Terrice Staten Island NY 10310	क्रि				
Lead Weights			1/2 tons	J& J Recycling 14 H. Richard Terrace Staten Zsland NY 1030	Yes	No		
n an an ann an an an an an an an an an a				Staten Island NY/020	Z)			
Non - Ferrous Scrap					Yes	No		
Metal	देवी देवा है है है कि कि है कि	n een een te strot een een stroppstelejerilgebytytytysystelstelskalatele paan een een sas sas sas sas s		NASSAS Provincia ao ao mandritra ny ao	<u></u>	- 1989 (1994) (1994) (1994) (1994) (1994)		
Other (specify);					Yes	No		

					Yes	No		

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u> . (H&TS) and antilock brake assemblies (ABS).	Including but not limited to hood & trunk lighting switches
H&TS (Number)	ABS (Number)
Indicate permitted facility or permitted transporter accepting m	nercury containing devices:
Non	13/

Note: Use additional 8.5" x 11" sheets as needed.

SECTION 6 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.	~ >	,
Number of Lead-Acid Batteries collected from ELVs		•
Indicate permitted facility or permitted transporter accepting lead-acid batteries: Secycling	A	
Any materials disposed must undergo a hazardous waste determination and pro hazardous	per handling, s	torage and disposal if
SECTION 7 - WASTE TIRES COLLE	CTED	
Number of waste tires stored on-site: Number of used tires available for sale on-site:	1 Z Z	as of December 31
Number of used tires sold: Number of waste tires shipped off-site for recycling, disposal, other:	64	during operating year
Indicate name of facility(ies) accepting waste tires: Full Cicle Tire Recycling		
2 Kiel Ave P.O Byo 234		
Kinselin NJ 07405		:
SECTION 8 - PROBLEMS		
Were any problems encountered during the reporting period (e.g., specific occ facility procedures)?	urrences which	have led to changes in
☐ Yes ☐ No If yes, attach additional sheets identifying each problem an problem.	d the methods	for resolution of the
SECTION 9 - CHANGES	,	
Were there any changes from approved reports, plans, specifications, and per	mit conditions?	
☐ Yes ☐ No If yes, attach additional sheets identifying changes with a ju	ustification for e	ach change.

SECTION 10 - COMPLIANCE CERTIFICATION

As of December 31, 2017:

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?		/		
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?	1			
Have you recorded the date of receipt for all end-of-life vehicles received?		1		
Are the end-of-life vehicle records available on-site?		1		·
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		V		
6. Have all observed leaks been remedied or contained?		1		,
7. Does your facility have a written Contingency Plan?	V			
8. Are facility personnel trained to implement the Contingency Plan?	1			
9. Does your Contingency Plan include actions to be taken in the event of the follow	/mg?		ATTO CONTROL OF STATE	Charles (Control of Control of Co
9a. Fire.		J.		
9b. Spill or release of vehicle waste fluids.		1		•
9c. Unauthorized material received at facility.		1		· .
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		/		
Are all vehicle residues prevented from migrating from or running off your property?		1		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		1		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		J		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		1	' '	· .
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?	, -	1		
15a. Are the access controls working (i.e. controlling access)?		1		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		/		
17. Are you doing the following with your concrete (or equivalent surface) ped that is draining or usuing erc ?	used to	i yehici	e disma	inding floid
17a. Cleaning daily.		/		**************************************
17b. Cleaning spills as they occur.		1		
17c. Collecting and properly disposing of absorbent materials.	,	/		

Waste Management Compliance Checklist	NA		No	Date of Return to Compliance
18. Have the following wastes been drained, removed: deployed: collected and/or sto practices prior to vehicle chushing enshiedding?	red të lic	PARPAGE PARE TO A SECOND	983 - 11 HRBA	agement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		/		
18b. Lead acid batteries.				-
18c. Mercury switches or other mercury containing devices, if any.				
18d. Refrigerants, if any.		· Parker		
18e. Air bags.				
18f. PCB capacitors, if any.		/		
19. Are fluids stored separately & in containers that are compatible with their contents?		7.		
20. Are fluids stored in closed containers?		/		
21. Are containers which contain waste fluids in good condition and not visibly leaking?				
22. Are containers clearly and legibly labeled to describe their contents?				
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		/		
24. Are lead-acid batteries stored upright and off the ground?		/		
25. Are lead-acid batteries covered to protect them from precipitation?		/		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		/		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		_		
27a. Are provisions in place to absorb any acid leakage?		/		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		1		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		/:		
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		1		
31. If sent off-site, is used oil transported via a permitted hauler?		/		
32. If you do not built used oil onsite check NA fol; 32a; 32b; 32c; b; you do, then an	swer 32	a j 32b	124	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?			1	
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?			1	
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		,		:

	Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
33.	Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		./		
34.	Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	i	/		
3 5.	Are sludges properly recycled or disposed?		1		
36,	Are used oil filters properly drained, crushed or dismantled?		/		
37.	Are drained oil filters properly recycled or disposed?		1		
38.	If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:		1		
	38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		1		
	38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		1		
	38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?			· ·	
nor the	If your facility does not handles cleaning solvents, degreasers, battery acids or n-vehicle wastes write NA. If these materials are handled at your facility, what is maximum amount of this material that your facility generates in any calendar onth?			ව <i>ට</i>	pounds gallons
	Do you have any other Environmental Conservation Law or regulatory violations? Attach additional sheets as necessary.) **MONG** **TOTAL** *				
(COMMENTS? (Attach additional sheets if necessary)				
			4		

SECTION 11 - SIGNATURE AND DATE BY OWNER, OPERATOR, OR RESPONSIBLE REPRESENTATIVE

Owner or Operator must sign, date and submit the completed form by email or mail to the appropriate Regional Office (See attachment for Regional Office email & mailing addresses and Solid Waste Contacts.)

The Owner, Operator, or Responsible Representative must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Permitting and Planning
625 Broadway

Albany, New York 12233-7260 Fax 518-402-9041

Email address; SWMFannualreport@dec.ny.gov

I hereby affirm under penalty of perjury that information provided on this form and attached statements and exhibits was prepared by me or under my supervision and direction and is true to the best of my knowledge and belief, and that I have the authority to sign this report form pursuant to 6 NYCRR Part 360. I am aware that any false statement made herein is punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

Class A misdemeanor pursuant to Section 21	0.45 of the Penal Law.
Signature A	2/23/2018
Signature	Date
CHECK NGA TIK	Owner
Name (Print or Type)	Title (Print or Type)
_ 59 Plant @ Grat. 10	रेगा
Email (Prin	t or Type)
59 Rector Steel	Staten Island
Address	City
WY 10310	(718,815, 9807
State and Zip	Phone Number

ATTACHMENTS:		VEC		NO
ATTACHMENTS:	<u></u>	YES	<u>L</u>	NO