MANDATORY ANNUAL REPORT INCLUDING SELF-CERTIFICATION FOR VEHICLE DISMANTLING FACILITIES

(If you need assistance filling out this form please email swmfannualreport@dec.ny.gov or call 518-402-8678.)

Submit the Annual Report no later than March 1, 2018.

This annual report is for the year of operation from January 01, 2017 to December 31, 2017

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION						
FACILITY NAME:	I AOILII I	INICIAINATION		FEB 2 8 2018				
	TNO		Red					
DUNSTON BROS. INC FACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:								
FACILITY LOCATION ADDRESS:	TE: ZIP CODE:							
2468 Delaware Toke		zheesville.		Y. 12186				
FACILITY TOWN:								
New Scotland Albany (518) 768-2205								
FACILITY NYS PLANNING UNIT: (A list of NYS	Planning Unit	s can be found at the end of th	is report).	NYSDEC REGION #:				
NYS DEPARTMENT OF MOTOR VEHICLE REGISTRATION NUMBER: 3010317	REG Dism	ISTRATION TYPE (Vehicle nantler, Mobile Crusher, e Di Sman + Le R	etc.): CO	S DEC ACTIVITY DDE: 50/5				
	☐ public	CONTACT PHONE		ACT FAX NUMBER:				
DIANE DUNSTON	private	NUMBER: (518) 768-28	205 (5	18) 768-2207				
CONTACT EMAIL ADDRESS: DUA	STON	BROSO GMAIL	, COM					
	OWNER	INFORMATION						
OWNER NAME: OWNER PHONE NUMBER: OWNER FAX NUMBER:								
DIANE DUNSTON (518) 768-2205 (518) 768-2207								
OWNER ADDRESS: OWNER CITY: STATE: ZIP CODE: 2468 Delaware Toke Voerheesville NY 12186								
OWNER CONTACT:		ONTACT EMAIL ADDRES		10/10/				
To Justice 16 'a'.		and the second s		0.0 4.1				
DIANE DUNSTON		STON BROSDE	in Mile (COM				
OPERATOR NAME:	OPERATO	RINFORMATION	□pub	alia				
OPERATOR NAME: Same as owner			⊠priv					
		FERENCES						
Preferred address to receive correspondence: Other (provide):	Facility loc	ation address	Owner add	dress				
Preferred email address: Facility Contact Other (provida):	□ on	rner Contact						
Preferred individual to receive correspondence: ✓ Facility Contact ☐ Owner Contact								
Did you operate in 2017? 🔀 Yes; Complete	this form.		,					
□ No; Complete	and submit	Sections 1 and 11.						

SECTION 2 - END-OF-LIFE VEHICLES (ELVs) PROCESSED						
• Provi	ide the number of ELVs received from January 1 to December 31:	197				
	ide the number of ELVs crushed and/or removed from the facility January 1 to December 31:	<u>150</u>				
• Provi	ide the number of ELVs stored at the facility as of December 31:	4400				
	ide the highest number of ELVs stored at the facility yone time from January 1 to December 31:	4400				
• Prov	ide the approximate area used for the storage of vehicles (acres):	60 acres				
• Prov	ide the names of scrap metal processors to which you sold or sent o	decommissioned ELVs:				
1)	Ben Weitsman OF ALBANY					
2)						
3)						
	If your facility has received 25 or fewer ELVs during the year and second the second second second the second se					
	→ Please, write "Not Applicable" on sections that do not perf	tain to your facility.				
	If your facility has not processed or stored ANY ELVs during complete only section 9. If not, leave this box blank					
	→ Please, write "Not Applicable" on sections that do not per					
	IF NEITHER OF THESE DESCRIPTIONS APPLIES TO YOUR F COMPLETE THE ENTIRE FORM BELOW:	AGILITY,				

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X(s) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.)

		Fluid ¹	/olume		Destination Name & Address
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)		501b	·		
Used Oil** (gallons)	650	400			
Diesel Fuel (gallons)					
Gasoline (galions)	750	50			
Engine Coolant/ Antifreeze (gallons)	10	50	100	150	SOLD to Retail Customers Recycled with Total Recycling Service
Window Washing Fluid (gallons)	10	15	50	,	SOLD to Retail Customer
Other (specify)					

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage and disposal if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	Sent Off Site	Destination		
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal	TAI	te in	Autor	nobiles	Yes	No
Aluminum		ON NOT S			Yes	No
Scrap Metal		NOT S	CRAPY	ard.		
					Yes	No
Lead Weights		NOT A	policab	le		
Non – Ferrous				•	Yes	No
Scrap Metal						
				0.0	Yes	No
Other (specify):						
					Yes	No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices recovered.	Including but not limited to hood & trunk lighting switches
(H&TS) and antilock brake assemblies (ABS).	

H&TS <u>22</u> ABS <u>(Number)</u>

Indicate permitted facility or permitted transporter accepting mercury containing devices:

EQ-AUS ECOLOGY COMPANY

2000 EAST FERRY ST

Detroit MI 48211

Note: Use additional 8.5" x 11" sheets as needed.

Reprinted (12/17)

SECTION 6 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.	100	
Number of Lead-Acid Batteries collected from ELVs	190	
Indicate permitted facility or permitted transporter accepting lead-acid batteries: 1) SOLD to retail customers 2) Ben Weitsman of Abany.		
Any materials disposed must undergo a hazardous waste determination and prohazardous.	per handling, sto	rage and disposal if
SECTION 7 - WASTE TIRES COLLE	CTED	
Number of waste tires stored on-site:	25	as of December 31
Number of used tires available for sale on-site:	461	as of December 31
Number of used tires sold:	266	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	264	during operating year
Indicate name of facility(ies) accepting waste tires:		
WORLD WIDE TIRE		
86 NORMAN AVE.		
Amityville NY. 11701 DE	EC permit	# 1A-838
SECTION 8 - PROBLEMS		
Were any problems encountered during the reporting period (e.g., specific occ facility procedures)?	urrences which h	ave led to changes in
Yes No If yes, attach additional sheets identifying each problem an problem.	d the methods fo	r resolution of the
SECTION 9 - CHANGES		
Were there any changes from approved reports, plans, specifications, and per	mit conditions?	
☐ Yes 💢 No If yes, attach additional sheets identifying changes with a ju	ustification for ea	ch change.

SECTION 10 - COMPLIANCE CERTIFICATION

As of December 31, 2016:

			· • • • • • • • • • • • • • • • • • • •		Date of Return to
	Waste Management Compliance Checklist	NA	Yeş.	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	X			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		X		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		X	· -	
4.	Are the end-of-life vehicle records available on-site?		×		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?	,	X		
6.	Have all observed leaks been remedied or contained?		X		
7.	Does your facility have a written Contingency Plan?		X		
8.	Are facility personnel trained to implement the Contingency Plan?		X		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a. Fire.		X		
	9b. Spill or release of vehicle waste fluids.		X		
	9c. Unauthorized material received at facility.		X		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		X		
11.	Are all vehicle residues prevented from migrating from or running off your property?		X		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		X		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X	•	
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?	_	X		*
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		X		
	15a. Are the access controls working (i.e. controlling access)?		X		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		X		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	ised for	vehicle	e disma	antling, fluid
	17a. Cleaning daily.		X		
	17b. Cleaning spills as they occur.		X		
	17c. Collecting and properly disposing of absorbent materials.		X		

. -	—· — — — — — — — — — — — — — — — — — —	r- — 	.— .;) 	
					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	ed follo	wing be	est mar	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		X		
	18b. Lead acid batteries.		X		
	18c. Mercury switches or other mercury containing devices, if any		X		
	18d. Refrigerants, if any.		X		
	18e. Air bags.		\times	INT	DER REMOVAL
	18f. PCB capacitors, if any.	\times		<u>'</u>	
19.	Are fluids stored separately & in containers that are compatible with their contents?		X		
20.	Are fluids stored in closed containers?	<u>-</u>	X		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		X		
22.	Are containers clearly and legibly labeled to describe their contents?		X		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		X		
24.	Are lead-acid batteries stored upright and off the ground?		X		
25.	Are lead-acid batteries covered to protect them from precipitation?		X		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		X		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		X		
	27a. Are provisions in place to absorb any acid leakage?		X		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		X		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	X			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		X		
31.	If sent off-site, is used oil transported via a permitted hauler?		X		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then anse	wer 32a	a., 32b.	, 32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		X		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		X		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		X		

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		X		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		X	_	
35. Are sludges properly recycled or disposed?		X		
36. Are used oil filters properly drained, crushed or dismantled?		X		
37. Are drained oil filters properly recycled or disposed?		X		
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:		X		
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		X		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		X		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		X		
39. If your facility does not handles cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?	N/	/A-		pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 11 - SIGNATURE AND DATE BY OWNER, OPERATOR, OR RESPONSIBLE REPRESENTATIVE

Owner or Operator must sign, date and submit the completed form by email or mail to the appropriate Regional Office (See attachment for Regional Office email & mailing addresses and Solid Waste Contacts.)

The Owner, Operator, or Responsible Representative must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Permitting and Planning
625 Broadway
Albany, New York 12233-7260

Fax 518-402-9041
Email address: SWMFannualreport@dec.ny.gov

I hereby affirm under penalty of perjury that information provided on this form and attached statements and exhibits was prepared by me or under my supervision and direction and is true to the best of my knowledge and belief, and that I have the authority to sign this report form pursuant to 6 NYCRR Part 360. I am aware that any false statement made herein is punishable as a Class, A misdemeanar pursuant to Section 210.45 of the Penal Law.

ATTACHMENTS: YES NO

DUNSTON Bros. INC 2017 #3010317

Excess MetAL

Ben Weitsman of Albany 300 smith BL-VO. Albany N-Y. 12202

Excess Batteries

Ben Weitsman of Albany 300 Smith BLVD, Albany N.Y. 12202

EXCESS TIRES

World Wide Tire 86 Norman AVE Amityville N.Y. 11701 NYSDEC Permit# 1A-838

Excess Antifreeze

Total Recycling Services
430 Victoria Terrace
Ridgefield N.J. 07657

NYS DEC PERMIT# NJ-554

Mercury Switches

EQ-AUSECOLOGY COMPANY 2000 EAST FERRY ST. Detroit M.I. 48211