MANDATORY ANNUAL REPORT INCLUDING SELF-CERTIFICATION FOR VEHICLE DISMANTLING FACILITIES

(If you need assistance filling out this form please email swmfannualreport@dec.ny.gov or call 518-402-8678.)

Submit the Annual Report no later than March 1, 2018.

This annual report is for the year of operation from January 01, 2017 to December 31, 2017 T / / CT

Clear F

SECTION 1 – FACILITY INFORMATION

	FACILITY	INFORMATION			FEB 2 6 2018
FACILITY NAME:					NIVE DEC
ED HENNING	the				NYS DEC REGION 9
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:
2					
911 RANSOM RO	ļ			NY	14084
FACILITY TOWN:	FACILITY	COUNTY:	FACIL	ITY PHON	E NUMBER:
LANCASter	E	RIS	-11	1.1.87	25774
FACILITY NYS PLANNING UNIT: (A list of NYS		a construction of the second	is report	NY	SDEC
					GION #: 15 J25
NYS DEPARTMENT OF MOTOR VEHICLE	DEC				C ACTIVITY
REGISTRATION NUMBER:	Dism	ISTRATION TYPE (Vehic nantler, Mobile Crusher, o	etc.):	CODE:	CACTIVITY
700500 8					G.
FACILITY CONTACT:	Caublic	CONTACT PHONE	C	ONTACT	FAX NUMBER
ALCOLOR HANNES	□private	NUMBER:		7/1 /	2
ALPREDY HANISZENS	Ci'	716683.517	7	1106	19759
CONTACT LINAL ADDRESS.	OMNED	INFORMATION	la da an		
OWNER NAME:		HONE NUMBER:	OWNE	R FAX NL	IMBER:
A POID A HAMMAN					
ALPRED A HAWLSZEUS OWNER ADDRESS:	OWNER C	ITY:		STATE:	ZIP CODE:
94 RAWSOM RO		KASTER		NY	14086
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADDRE	SS:	<u> </u>	Land Start
ALPRODA HANISZIEWSKI		-			
		RINFORMATION			
OPERATOR NAME: Same as owner			4	public	
	ppri	EDENCES	1 11410-1410	private	
Preferred address to receive correspondence:				ner address	
Other (provide):	, + ±0my105			191 2001033	
Preferred email address: Facility Contact	C Ow	ner Contact			
Preferred individual to receive correspondence	e: 🗡 Facility	Contact Owner	Contact	na lingua en	
^					
Did you operate in 2017? Yes; Complete	e this form.			2.8.5	~
C No: Complete	and submit	Sections 1 and 11.			and the second s
			FER 9	6.2010	
Reprinted (12/17)				2010	

5

	SECTION 2 - END-OF-LIFE VEHICLES (ELVs)	PROCESSED
• Prov	ide the number of ELVs received from January 1 to December 31:	231
	ide the number of ELVs crushed and/or removed from the facility January 1 to December 31:	112
• Prov	ide the number of ELVs stored at the facility as of December 31:	14.59
	ride the highest number of ELVs stored at the facility by one time from January 1 to December 31:	1442
• Prov	vide the approximate area used for the storage of vehicles (acres):	17-6 acres
• Pro	vide the names of scrap metal processors to which you sold or sent i	decommissioned ELVs:
3) _	*	
3) _		ons 3, 4 ₇ and 11.

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} -or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.)

		Fluid	Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)	O	в	ddd	ddd	CARS WERE PRIC	
Used Oil** (gallons)	C	0	300 gal	0	NOCO 2440 SHERIAANDA DONALANDA W 14150	
Diesel Fuel (gallons)	0	0	0	O	_	
Gasoline (gallons)	3 Your	Ċ	Ø	Q	LESED IN UMED VERCHALL + 4 350 rc START EMG.	
Engine Coolant/ Antifreeze (gallons)	34 gul 7 '2 gul	0	0	0	USEDIN VIROVECHO TUSED TO START ENGLI	
Window Washing Fluid (gallons)	1.75	0	0	σ	USED yard METHERHLESS + Tow Fruetss	
Other (specify)						
					2 2	

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage and disposal if hazardous.

Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

**

.....

s .

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	Sent Off Site	Destination	/	/	
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor		
Ferrous Scrap Metal					Yes	No E1	
Aluminum Scrap Metal					Yes	No	
Lead Weights					Yes	No	
Non – Ferrous Scrap Metal	annung annar an Sara an Sara an Sara an Sara				Yes	No	
Other (specify):					Yes	No	
	-			a na ana an' amin'ny fanisana amin'ny fanisana amin'ny fanisana amin'ny fanisana amin'ny fanisana amin'ny fanis	Yes	No L.	

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS 16 (Number) ABS 🔼 🖒 (Number)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

USECOLOGY DETROIT SERVICE CENTER AT+ EKNS

Note: Use additional 8.5" x 11" sheets as needed. Reprinted (12/17)

SECTION 6 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs

6215 LBS

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

EASCO 2216 Engling Rd Conruny 14036

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal if hazardous.

SECTION 7 - WASTE TIRES COLLECTED

Number of waste tires stored on-site:	430	as of December 31	
Number of used tires available for sale on-site:	0	as of December 31	
Number of used tires sold:	6	during operating year	
Number of waste tires shipped off-site for recycling, disposal, other:	4/, 160 LBs during operating yea		

Indicate name of facility(ies) accepting waste tires:

BEN WEITSMAN OF BRANTLLC 1132 BRAWT FARNHAM RD BRANT NY 14027

SECTION 8 – PROBLEMS

Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?

 If yes, attach additional sheets identifying each problem and the methods for resolution of the problem.

SECTION 9 – CHANGES

Were there any changes from approved reports, plans, specifications, and permit conditions?

See Yes KNo If yes, attach additional sheets identifying changes with a justification for each change.

SECTION 10 - COMPLIANCE CERTIFICATION

As of December 31, 2016:

	Waste Management Compliance Checklist	NA	Yes	No	Date of Re Compliant
fre access lanes or driveways? 3. Have you recorded the date of receipt for all end-of-life vehicles received? 4. Are the end-of-life vehicle records available on-site? 5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 6. Have all observed leaks been remedied or contained? 7. Does your facility have a written Contingency Plan? 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Holline within two hours of detecton? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations? 13. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Is access to not foll working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent materia? 15. Is access to olding the following with your concrete (or equivalent surface) pad that is used for vehicle dismentli	MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?		V		
 Are the end-of-life vehicle records available on-site? Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Have all observed leaks been remedied or contained? Does your facility have a written Contingency Plan? Are facility personnel trained to implement the Contingency Plan? Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent materia? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 			V		
 5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 6. Have all observed leaks been remedied or contained? 7. Does your facility have a written Contingency Plan? 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are fluids drained from end-lifte vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismentling, fluid draining, crushing, etc.? 	3. Have you recorded the date of receipt for all end-of-life vehicles received?				
unauthorized wastes? 6. Have all observed leaks been remedied or contained? 7. Does your facility have a written Contingency Plan? 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vaste fluids kept from being discharged onto the ground or into surface waters? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismentling, fluid draining, crushing, etc.?					
7. Does your facility have a written Contingency Plan? 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.?					
 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 	6. Have all observed leaks been remedied or contained?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismentling, fluid draining, crushing, etc.? 17a. Cleaning daily.	7. Does your facility have a written Contingency Plan?				
9a. Fire. 9 9b. Spill or release of vehicle waste fluids. 9 9c. Unauthorized material received at facility. 1 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 1 11. Are all vehicle residues prevented from migrating from or running off your property? 1 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 1 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 1 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 1 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 1 15a. Are the access controls working (i.e. controlling access)? 1 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 1 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 1 17a. Cleaning daily. 1	8. Are facility personnel trained to implement the Contingency Plan?		V		
9b. Spill or release of vehicle waste fluids. 9c. 9c. Unauthorized material received at facility. 10. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. 11. Are all vehicle residues prevented from migrating from or running off your property? 11. 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 11. 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 11. 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 11. 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 11. 15. Are the access controls working (i.e. controlling access)? 12. 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 11. 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid 17a. Cleaning daily. 17a. Cleaning daily.	9. Does your Contingency Plan include actions to be taken in the event of the follow	ing?			
9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.	9a. Fire.		1	[-
 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismentling, fluid draining, crushing, etc.? 17a. Cleaning daily. 	9b. Spill or release of vehicle waste fluids.		1		
Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.	-		-	/	
property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.					
facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.	property?		/		
facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.	facility site?		1		
waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.	facility operations?				
(not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.					
 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 	15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?				
equivalent material? V 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily.					
draining, crushing, etc.? 17a. Cleaning daily.	equivalent material?			£	
	17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	used fo	r vehicl	e dism	entling, fluid
17b. Cleaning spills as they occur.	17a. Cleaning daily.				
	17b. Cleaning spills as they occur.		\checkmark	/	
17c. Collecting and properly disposing of absorbent materials.	17c. Collecting and properly disposing of absorbent materials.				

Reprinted (12/17)

				Date of Pa
	Waste Management Compliance Checklist	NA	Yes	No Com
	ave the following wastes been drained, removed, deployed, collected and/or stor actices, prior to vehicle crushing or shredding?	ed follo	wing b	est management
18	Ba. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		~	
18	Bb. Lead acid batteries.			
18	Bc. Mercury switches or other mercury containing devices, if any.		V	
18	Bd. Refrigerants, if any.		V	
18	Be. Air bags.		V	
18	Bf. PCB capacitors, if any.	/		
	re fluids stored separately & in containers that are compatible with their contents?		~	
20. A	re fluids stored in closed containers?		V	1
	re containers which contain waste fluids in good condition and not visibly leaking?		V.	
22. A	re containers clearly and legibly labeled to describe their contents?		~	
	re containers stored on a bermed pad constructed of concrete or equivalent material?		V	
24. A	re lead-acid batteries stored upright and off the ground?		\checkmark	
	re lead-acid batteries covered to protect them from precipitation?		V	
26. A	re all lead-acid batteries sent for recycling within one-year of receipt?		V	
	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?			
	27a. Are provisions in place to absorb any acid leakage?		V	
	re mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?			
	re PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	/		
	s used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		\checkmark	
31. If	sent off-site, is used oil transported via a permitted hauler?		V	
	you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32	a., 32b.	., 32c:
3	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	NA		
. :	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	Mit		
:	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	NĂ		

Waste Management Compliance Checklist	NA	Yes	No	Date of Ret Complian
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?				
35. Are sludges properly recycled or disposed?				
36. Are used oil filters properly drained, crushed or dismantled?		V	10	
37. Are drained oil filters properly recycled or disposed?		1	1	
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:		V		
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	-	V		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V	1	
39. If your facility does not handles cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			NA	pounds

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

NONE

COMMENTS? (Attach additional sheets if necessary)

SECTION 11 - SIGNATURE AND DATE BY OWNER, OPERATOR, OR RESPONSIBLE REPRESENTATIVE

Owner or Operator must sign, date and submit the completed form by email or mail to the appropriate Regional Office (See attachment for Regional Office email & mailing addresses and Solid Waste Contacts.)

The Owner, Operator, or Responsible Representative must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation **Division of Materials Management Bureau of Permitting and Planning** 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.nv.gov

I hereby affirm under penalty of perjury that information provided on this form and attached statements and exhibits was prepared by me or under my supervision and direction and is true to the best of my knowledge and belief, and that I have the authority to sign this report form pursuant to 6 NYCRR Part 360. I am aware that any false statement made herein a punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

Signature Date 2-23-18

Name (Print or Type) PRES DRES Title (Print or Type)

Email (Print or Type)

Address RO

ANCHSter City

NEW YURH State and Zip

(216) 6835174 Phone Number

ATTACHMENTS: YES NO

Reprinted (12/17)