Clear Form

MANDATORY ANNUAL REPORT INCLUDING SELF-CERTIFICATION FOR VEHICLE DISMANTLING FACILITIES

(If you need assistance filling out this form please email swmfannualreport@dec.ny.gov or call 518-402-8678.)

Submit the Annual Report no later than March 1, 2018.

This annual report is for the year of operation from <u>January 01, 2017</u> to <u>December 31, 2017</u>

SECTION 1 – FACILITY INFORMATION

	FACILITY	INFORMATION						
FACILITY NAME:								
Marks Disposal Service Inc.								
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:							
1970 William St	Buffa	lo	NY		14206			
FACILITY TOWN:	FACILITY COUNTY: FAC			ACILITY PHONE NUMBER:				
Sloan	Erie	Erie 716			6-896-1616			
FACILITY NYS PLANNING UNIT: (A list of NYS Northeast Southtowns Solid Waste Mai	Planning Uni nagement	ts can be found at the end of thi Board (NEST)	is report). N	NYSDEC REGION #: 9			
NYS DEPARTMENT OF MOTOR VEHICLE REGISTRATION NUMBER: 5152038		ISTRATION TYPE (Vehicle nantler, Mobile Crusher, e antler		NYS	DEC ACTIVITY E:			
FACILITY CONTACT:	□ public	CONTACT PHONE	С	ONTAC	T FAX NUMBER:			
Martin Marks	■ private	NUMBER: 716-896-1616 ext. 100	1		96-3986			
CONTACT EMAIL ADDRESS: martin@marks	sautoparts.	com						
		INFORMATION						
OWNER NAME:		PHONE NUMBER:	OWNE	R FAX	NUMBER:			
Martin Marks	716-896	6-1616 ext. 100	716-	896-3	986			
OWNER ADDRESS: PO Box 72	OWNER O	CITY:		STATE NY	: ZIP CODE: 14240			
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADDRES	SS:	***************************************				
Martin Marks	martin(@marksautoparts	s.con	n				
	OPERATO	R INFORMATION						
OPERATOR NAME: same as owner				□public □privat				
Professed address to the	PRE	FERENCES						
Preferred address to receive correspondence: Other (provide):	☐ Facility lo	cation address	■ Ow	ner addre:	ss			
Preferred email address: Facility Contact Cother (provide):	□ov	vner Contact						
Preferred individual to receive correspondence: ■ Facility Contact □ Owner Contact □ Owner Contact								
Did you operate in 2017? Yes; Complete this form.								
☐ No; Complete and submit Sections 1 and 11.								

	SECTION 2 - END-OF-LIFE VEHICLES (ELVs)	
Prov	vide the number of ELVs received from January 1 to December 31:	1447
	ovide the number of ELVs crushed and/or removed from the facility n January 1 to December 31:	1517
· Prov	vide the number of ELVs stored at the facility as of December 31:	300
	vide the highest number of ELVs stored at the facility iny one time from January 1 to December 31:	645
· Pro\	vide the approximate area used for the storage of vehicles (acres):	12 acres
1)	See M&M U-Pull-It, Inc. Annual Report	
2) _	o o main o r an it, mo. 7 miaar report	
2) _		
²⁾ _	If your facility has received 25 or fewer ELVs during the year A 50 ELVs at any one time check this box and complete only section	ND stored no more than ns 3, 4, and 11.
²⁾ _	If your facility has received 25 or fewer ELVs during the year A	ns 3, 4, and 11.
²⁾ _	If your facility has received 25 or fewer ELVs during the year A 50 ELVs at any one time check this box and complete only section of the property of the section of the sec	ns 3, 4, and 11.
2) _	If your facility has received 25 or fewer ELVs during the year A 50 ELVs at any one time check this box and complete only section of the processed of sections that do not pertain the your facility has not processed or stored ANY ELVs during the year A section for the year A	ns 3, 4, and 11.
1)	If your facility has received 25 or fewer ELVs during the year A 50 ELVs at any one time check this box and complete only section of the first of the facility has box blank. Please, write "Not Applicable" on sections that do not pertain the facility has not processed or stored ANY ELVs during complete only section 9.	ns 3, 4, and 11. ain to your facility. the year, check this box and

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.)

		Fluid	Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)	450	150	300	0	R&J Service Rusiniaks Service Bergen Sales & Service	
Used Oil** (gallons)	6650	500	10,849	0	ECO-MAXX	
Diesel Fuel (gallons)	0	0	0	0		
Gasoline (gallons)	14,500	125	0	0		
Engine Coolant/ Antifreeze (gallons)	0	0	3,657	0	ECO-MAXX	
Window Washing Fluid (gallons)	2000	50	750	0	R&J Service Rusiniaks Service Bergen Sales & Service	
Other (specify)						

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage and disposal if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

88-4-7-19	Received	Stored On Site	Sent Off Site	Destination		
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal	0	0	0		Yes	No
Aluminum Scrap Metal	0	0	0		Yes	No
Scrap Wetai						
Lead Weights	0	0	0		Yes	No
Non – Ferrous Scrap	0	0	0		Yes	No
Metal	Titles Herstegrill describes the section of the sec					
Other (specify):					Yes	No
						Г.
					Yes	No

SECTION 5 - MERCURY SWITCHES COLLECTED					
Provide the number of mercury-containing devices <u>recovered</u> . Including but not limited to hood & trunk lighting switch (H&TS) and antilock brake assemblies (ABS).					
H&TS 182 (Number)	ABS 2 (Number)				
Indicate permitted facility or permitted transporter accepting me	ercury containing devices:				
ELVS Mercury Switch Program					

Note: Use additional 8.5" x 11" sheets as needed.

Reprinted (12/17)

SECTION 6 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries rec	overed and their disposition.					
Number of Lead-Acid Batteries collected from	n ELVs	4037				
Indicate permitted facility or permitted transpo Metalico Buffalo	orter accepting lead-acid batteries:					
Northeast Battery						
Any materials disposed must undergo a haza hazardous.	rdous waste determination and pro	per handling, sto	rage and disposal if			
SECTION	N 7 - WASTE TIRES COLLE	CTED				
Number of waste tires stored on-site:		0	as of December 31			
Number of used tires available for sale on-site	3 :	380	as of December 31			
Number of used tires sold:		1374	during operating year			
Number of waste tires shipped off-site for recy	cling, disposal, other:	0	during operating year			
Indicate name of facility(ies) accepting waste See M&M U-Pull-It,Inc. Annua						
S	SECTION 8 - PROBLEMS					
Were any problems encountered during the facility procedures)?	reporting period (e.g., specific occu	rrences which ha	ave led to changes in			
☐ Yes ■ No If yes, attach additional s problem.	heets identifying each problem and	the methods for	resolution of the			
	SECTION 9 – CHANGES					
Were there any changes from approved repo	orts, plans, specifications, and perm	nit conditions?				
Yes 🔳 No If yes, attach additional s	heets identifying changes with a jus	stification for eacl	n change.			

SECTION 10 - COMPLIANCE CERTIFICATION

As of December 31, 2017:

	Waste Management Compliance Checklist	'NA	Yes	No	Date of Return to
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	X			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		X		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		X		1
4.	Are the end-of-life vehicle records available on-site?		X		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		X		
6.	Have all observed leaks been remedied or contained?		X		
7.	Does your facility have a written Contingency Plan?		X		
8.	Are facility personnel trained to implement the Contingency Plan?		X		TIPIN III TI
9.	Does your Contingency Plan include actions to be taken in the event of the follow	ing?			-
	9a. Fire.		X		
	9b. Spill or release of vehicle waste fluids.		X		
	9c. Unauthorized material received at facility.		X		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		X		
	Are all vehicle residues prevented from migrating from or running off your property?		X		2
	Is dust controlled to prevent interference with facility operations or from leaving facility site?		X		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		X		1
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		X		
	15a. Are the access controls working (i.e. controlling access)?		Х		
	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		X		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is draining, crushing, etc.?	used fo	r vehicl	e dism	antling, fluid
	17a. Cleaning daily.		X		
	17b. Cleaning spills as they occur.		X		15.00
	17c. Collecting and properly disposing of absorbent materials.		X		1 100

Reprinted (12/17)

	Waste Management Compliance Checklist	NA	Yes	No	Date of Return to
18.	Have the following wastes been drained, removed, deployed, collected and/or stopractices, prior to vehicle crushing or shredding?	red foll	owing b	est ma	nagement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		x		
	18b. Lead acid batteries.		X		
	18c. Mercury switches or other mercury containing devices, if any.		X		
	18d. Refrigerants, if any.	1	X		
	18e. Air bags.		X		
	18f. PCB capacitors, if any.	X			
19.	Are fluids stored separately & in containers that are compatible with their contents?		X		
20.	Are fluids stored in closed containers?		X		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		X		
22.	Are containers clearly and legibly labeled to describe their contents?		X	1. 1	
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		X		
24.	Are lead-acid batteries stored upright and off the ground?		X		
25.	Are lead-acid batteries covered to protect them from precipitation?		X		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		X		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		X		
	27a. Are provisions in place to absorb any acid leakage?		X		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		X		
	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	X			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		X	1.5	
31.	If sent off-site, is used oil transported via a permitted hauler?		X		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32		32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		X		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		X		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		X		

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		X		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		X		
35. Are sludges properly recycled or disposed?		X		
36. Are used oil filters properly drained, crushed or dismantled?		X		
37. Are drained oil filters properly recycled or disposed?	1	X		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	X			ı
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	X			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	X			
39. If your facility does not handles cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar		NA		pounds
month?		1	NA .	gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 11 - SIGNATURE AND DATE BY OWNER, OPERATOR, OR RESPONSIBLE REPRESENTATIVE

Owner or Operator must sign, date and submit the completed form by email or mail to the appropriate Regional Office (See attachment for Regional Office email & mailing addresses and Solid Waste Contacts.)

The Owner, Operator, or Responsible Representative must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Permitting and Planning
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

State and Zip

ATTACHMENTS: YES NO

Attachment A

- Dismantling of ELV's is performed at facilities 1 & 2
- Dismantling of ELV's is performed at facilities 1 & 2 for facility 3
- ELV's fluids are drained at facilities 1 & 2 for facility 4
- Light dismantling (ie. Dry parts), is performed at facility 3
- All crushing is performed at facility 4
- Final check for mercury switches performed at facility 4
- Disposal of mercury switches is done thru facility 1, 2, 3, & 4
- All ELV's for facility 3 are purchased by facility 4

