## VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE

#### **CRUSHER ANNUAL REPORT**

SUBMITED BY

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

#### SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION					
FACILITY NAME: HESHS RECYCLING INC							
FACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:							
180 FFIELD ST.	W. BABYLON NY 11704						
FACILITY TOWN:	FACILITY	COUNTY:	FACIL	ITY PHO	ONE NUMBER:		
W. BABYLON	W. BABYLON SUFFOLK 631-420-1111						
FACILITY NYS PLANNING UNIT: (A list of NY BABYLON	S Planning Un	its can be found at the end of t	his repo		IYSDEC REGION #: 1		
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7092207	Motor	Vehicle Repair Shop		Mobile \	Vehicle Crusher		
FACILITY CONTACT: MICHAEL ARONSON	public private	CONTACT PHONE NUMBER: 631-420-1111	1		t fax number: 74-0433		
CONTACT EMAIL ADDRESS: JUNKRULES	@HOTMAIL.	COM					
10 (10 m)	OWNER	INFORMATION					
OWNER NAME: HESHS RECYCLING INC	OWNER P 631-420-	HONE NUMBER: -1111		ER FAX 674-04	NUMBER: 33		
OWNER ADDRESS: 180 FFIELD ST.	OWNER C			STATE NY	: <b>ZIP CODE</b> : 11704		
OWNER CONTACT: MICHAEL ARONSON	1	ONTACT EMAIL ADDRE		1			
	OPERATO	RINFORMATION			· · · · · · · · · · · · · · · · · · ·		
OPERATOR NAME: same as owner MICHAEL ARONSON			1 -	✓public			
	PREI	ERENCES		1			
Preferred address to receive correspondence.  Other (provide):	Facility lo	cation address	0	wner addre	ss		
Preferred email address:  Facility Contact Other (provide):	[] OI	vner Contact					
Preferred individual to receive correspondence Other (provide):	e: 🗸 Facilit	y Contact Owner	Contact				
Did you operate in 2018? Yes; Complete	e this form.						
☐ No; Complete	and submit	Sections 1 and 12.					

	6194
Provide the number of ELVs received from January 1 to December 31:	
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	6188
• Provide the number of ELVs stored at the facility as of December 31:	100
<ul> <li>Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:</li> </ul>	150
Provide the approximate area used for the storage of vehicles (acres):	.25
<ul> <li>Provide the names of scrap metal processors to which you sold or sent de</li> </ul>	commissioned ELVs:
1)	
gershow	
2)	
3)	
3)	
3)	
	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  • Provide the number of ELVs crushed from January 1 to December 3:	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned El	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned El	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  • Provide the number of ELVs crushed from January 1 to December 3:  • Provide the names of each facility where you crushed decommissioned Et	
• Provide the number of ELVs crushed from January 1 to December 3:  • Provide the names of each facility where you crushed decommissioned Et 1)	
• Provide the number of ELVs crushed from January 1 to December 3:  • Provide the names of each facility where you crushed decommissioned Et 1)	
Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned Et 1)  N/A	
• Provide the number of ELVs crushed from January 1 to December 3:  • Provide the names of each facility where you crushed decommissioned Et 1)	
Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned Et 1)  N/A	
Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned Et 1)  N/A	

#### **SECTION 3 - WASTE FLUIDS RECOVERED**

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e.  $\sqrt{s}$  or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume				Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)			
Refrigerant (pounds)	30	20		90	LOCAL REPAIR SHOPS			
Used Oil** (gallons)		200	5820		WASTE OIL SOLUTIONS, W. BABYLON, NY			
Diesel Fuel (gallons)								
Gasoline (gallons)			24,100		MIDWEST GAS			
Engine Coolant/ Antifreeze (gallons)		100	3240		WASTE OIL SOLUTIONS			
Window Washing Fluid (gallons)								
Other (specify)								

<sup>\*</sup> Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

<sup>\*\*</sup> Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

#### **SECTION 4 - SCRAP METAL**

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

		01 -10 01		Destination			
Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor		
Ferrous Scrap Metal	14,737	1000	14,737	BABYLON	✓Yes	□No	
Aluminum Scrap Metal	16	1	15	BABYLON	Yes	□No	
Lead Weights				BABYLON	☐Yes	□No	
Non – Ferrous Scrap Metal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			BABYLON	□Yes	□No	
Other (specify): BRASS	32	3	29	BABYLON	✓Yes	□No	
BRASS	11	2	9	BABYLON	☑Yes	□No	

32011014		WITOTIES COLLECTED	
Provide the number of mercury-containing (H&TS) and antilock brake assemblies (AB		ncluding but not limited to hood & trur	nk lighting switches
H&TS 0 (Number)	_	ABS 0 (Number)	
Indicate permitted facility or permitted trans	porter accepting merc	cury containing devices:	
SEC	TION 6 - AIR BA	GS COLLECTED	
Provide the number of air bags <u>recovered</u> .			
Number of Air Bags Removed:	0	Number of Air Bags Deployed:	0
Indicate permitted facility or permitted trans VEHICLES GO TO SHREDDER FO		_	

Reprinted (12/18)

## SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.	5200	
Number of Lead-Acid Batteries collected from ELVs:	3200	
Indicate permitted facility or permitted transporter accepting lead-acid batter GLOBAL BATTERY	ries: 	
GLOBAL BATTERY		
GLOBAL BATTERY		
Any materials disposed must undergo a hazardous waste determination and hazardous.	d proper handling, sto	orage and disposal, if
SECTION 8 - WASTE TIRES CO	DLLECTED	
Number of waste tires stored on-site:	400	as of December 31
Number of used tires available for sale on-site:		as of December 31
Number of used tires sold:		during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	23,400	during operating year
Indicate name of facility(ies) accepting waste tires: GERSHOW RECYCLING		
GERSHOW RECYCLING	-	
GERSHOW RECYCLING		
SECTION 9 – SELF INSPEC  Number of self-inspections conducted for the year:	TIONS	4
Are self-inspection records up-to-date with inspector name, what was inserved a No	spected, time and da	te of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in Yes No	spected for leaks/spi	ills?
SECTION 10 - PROBLEM	WS	
Were any problems encountered during the reporting period (e.g., specififacility procedures)?	ic occurrences which	have led to changes in
Yes No If yes, attach additional sheets identifying each problem	and the methods for	resolution of the problem
SECTION 11 – CHANGE	S	
Were there any changes from approved reports, plans, specifications, ar	nd permit conditions?	)
Yes No If yes, attach additional sheets identifying changes with	a justification for each	ch change.

Reprinted (12/18)

# SECTION 12 - COMPLIANCE CERTIFICATION

## As of December 31, 2018:

1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1					
					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
¥7/15/45					
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores ORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	<b>✓</b>			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?	<b>V</b>			
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		1		
4.	Are the end-of-life vehicle records available on-site?		<b>✓</b>		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		1		
6.	Have all observed leaks been remedied or contained?		1		
7.	Does your facility have a written Contingency Plan?		1		
8.	Are facility personnel trained to implement the Contingency Plan?		1		
9.	Does your Contingency Plan include actions to be taken in the event of the follow	ing?			
-	9a. Fire.		1		
	9b. Spill or release of vehicle waste fluids.		<b>V</b>		
	9c. Unauthorized material received at facility.		1		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		1		
11.	Are all vehicle residues prevented from migrating from or running off your property?		1		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		1		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		1		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		1		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		<b>V</b>		
	15a. Are the access controls working (i.e. controlling access)?		1		
	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		1		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
	17a. Cleaning daily.		<b>V</b>		
	17b. Cleaning spills as they occur.		>		
	17c. Collecting and properly disposing of absorbent materials.		1		

Reprinted (12/18)

***			STATE MAN		
					Date of Return to
	Waste Management Compliance Checklist	NA.	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follov	ving be	st mana	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		1		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.		1		
	18d. Refrigerants, if any.		1		
	18e. Air bags.	1			
	18f. PCB capacitors, if any.	1			
19.	Are fluids stored separately & in containers that are compatible with their contents?		1		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		<b>V</b>		
22.	Are containers clearly and legibly labeled to describe their contents?		<		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		< >		
24.	Are lead-acid batteries stored upright and off the ground?		>		
25.	Are lead-acid batteries covered to protect them from precipitation?		<b> </b>		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		< >		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		<b>✓</b>		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		<b>V</b>		
31.	If sent off-site, is used oil transported via a permitted hauler?		1		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	<b>V</b>			

32c. Are combustion gases from used oil space heaters vented to the outside ambient air?

e of Return to Compliance
ounds

#### SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

(2) of the Environmental Conservation Law	and section 210.45 of the Penal Law
Mh. S. Signature	2/35/15 Date
Michael Arousin	Quer
Name (Print or Type)	Title (Print or Type)
Junkrales @	
Email (F	Print or Type)
140 Field Street	W. Babylon
Address	City
4011174	631,420-1111
State and Zip	Phone Number

			l
ATTACHMENTS:	<u> </u>	YES	NO