Sent via the Samsung Galaxy S8 Active, an AT&T 5G Evolution smartphone

FAX TO! 518 - 402-9041

Clear Form

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from <u>January 01, 2018</u> to <u>December 31, 2018</u>

SECTIO	<u> </u>	LITY INFORMATIO	N		
	FACILITY	INFORMATION			
FACILITY NAME:	1				
NYC AUTO PARTS					
FACILITY LOCATION ADDRESS:					
148-36 Liberty Ave	Ne	W YORK		y 11435	
FACILITY TOWN:	FACILITY	COUNTY:	FACILITY PHONE NUMBER:		
JAMAICA	0 ·	Jeens	718-297-9797		
FACILITY NYS PLANNING UNIT: (A list of NYS	S Planning Unit	ts can be found at the end of t	his report!	NYSDEC REGION #:	
FACILITY TYPE: Dehicle Dismantler	Motor	Vehicle Repair Shop	Mobil	e Vehicle Crusher	
DMV1.D. # 1120791	_				
	public	CONTACT PHONE	CONT	ACT FAX NUMBER:	
· /	private	NUMBER: 9174166			
CONTACT EMAIL ADDRESS:		7114166			
	OWNER				
OWNER NAME:		HONE NUMBER:	OWNER F4	X NUMBER:	
Vincent Spirito	-	416-6173		297-9797	
OWNER ADDRESS:	OWNER C				
148-36 Liberty AVE		naica	N	Y 11435	
OWNER CONTACT:		ONTACT EMAIL ADDRE			
0	BI	syused 150	Calm	com	
	OPERATO				
OPERATOR NAME: Same as owner			Dpu Cipri		
	PREF	ERENCES			
Preferred address to receive correspondence: Other (provide):	🚺 Facility loc	cation address	Owner a	ddress	
Preferred email address: D Facility Contact Other (provide):	🗇 ои	vner Contact			
Preferred individual to receive correspondence Other (provide):	ə: 🖸 Fecilit	y Contact 💮 Owne	r Contect		
Did you operate in 2018? 📕 Yes; Complete	this form.				
No; Complete	and submit :	Sections 1 and 12			

Reprinted (12/18)

1

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	296_
 Provide the number of ELVs received from January 1 to December 31: 	
Provide the number of ELVs crushed and/or removed from the facility	287
from January 1 to December 31:	30
 Provide the number of ELVs stored at the facility as of December 31: 	
 Provide the highest number of ELVs stored at the facility 	25
at any one time from January 1 to December 31:	
 Provide the approximate area used for the storage of vehicles (acres): 	4000 square cer
	commissioned ELVe-
• Provide the names of scrap metal processors to which you sold or sent de	commissioned ELVS.
1) ATLANTIC Recycling	
2) Gershow Recyclins	
3)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	ES (ELVs) PROCESSE
Provide the number of ELVs crushed from January 1 to December 3:	
 Provide the names of each facility where you crushed decommissioned E 	LVs:
1)	
2)	
3)	
$\langle \langle \rangle \langle \rangle$	
»» ••	
$\langle \langle \rangle \langle \rangle$	

Reprinted (12/18)

•

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume			Destination Name & Address	
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)			85 ils		Larrys Rad
Used Oil** (gallons)		30CHL	20CAI		TRI CITY WASTE OIL
Diesel Fuel (gallons)					
Gasoline (gallons)			190		Used on our own vehicles
Engine Coolant/ Antifreeze (galions)	0	30011	IDGAL	0	Hi Tech Amifreeze Recyclers
Window Washing Fluid (gallons)			80GAL		gave to Custumer.
Other (specify)					
			·		

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting neriod

				Destination			
Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (tons)	NYS <u>Planning Unit (or state if</u> other than New York)	Me	To Scrap Metal Processor	
Ferrous Scrap Metai					⊡ Yes	□ No	
Aluminum Scrap Metal		\bigvee	A		□ Yes	DN₀	
Lead Weights					Yes	□No	
Non – Ferrous Scrap Metal		n/	Λ		Yes	□ No	
Other (specify)		$\left \right\rangle$	A		Q∀es		
					□Yes	No	

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS _____ (Number)

200 ABS (Number)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

Sent to ser	ip yard	with_	ELVS	
	••••			
٤	SECTION 6 - AIR	BAGS COLL	ECTED	
rovide the number of air bags <u>recove</u>	ared.			
umber of Air Bags Removed:	<u> </u>	Number o	f Air Bags Deployed:	
dicate permitted facility or permitted	transporter accepting	air bags:		
DID NOT Remo	e sear	TO SO	crap vAeds	
with the	ELVS	_		
······································		<u> </u>	• • • •	

Reprinted (12/18)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

		~	
1	×.	11	
-	- 1	v.	

40

15

300

8 (7)

as of December 31

as of December 31

during operating year

during operating year

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

INTErsta	TE BRITTERY	IN FreeporT	
AL Ob a	Recycling	•	
HEPHA	<u>recycling</u>		

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 - WASTE TIRES COLLECTED

Number of waste tires stored on-site:

Number of used tires available for sale on-site:

Number of used tires sold:

Number of waste tires shipped off-site for recycling, disposal, other:

Indicate name of facility(ies) accepting waste tires:

SECTION 9 - SELF INSPECTIONS

Number of self-inspections conducted for the year:

Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection?

At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills?

SECTION 10 - PROBLEMS

Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?

Yes 🖬 No 👘 If yes, attach additional sheets identifying each problem and the methods for resolution of the problem

SECTION 11 – CHANGES

Were there any changes from approved reports, plans, specifications, and permit conditions?

Yes I No If yes, attach additional sheets identifying changes with a justification for each change.

Reprinted (12/18)

5

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

	ų,		Content of Statem to
and the second design of the	Section of	an an an Anna	
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?	Ø		2
3 Have you recorded the date of receipt for all end-of-life vehicles received?	\square		2
4 Are the end-of-life vehicle records available on-site?	\Box		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?			2
6. Have all observed leaks been remedied or contained?			2
7. Does your facility have a written Contingency Plan?	\square		2
8. Are facility personnel trained to implement the Contingency Plan?			
9. Does your Contingency Plan include actions to be taken in the event of the followin	ıg?		
9a. Fire.		\square	
9b. Spill or release of vehicle waste fluids.		D	2
9c. Unauthorized material received at facility.			
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		Ø	
11. Are all vehicle residues prevented from migrating from or running off your property?		\square	2
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?	Ø		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		Ø]
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		Ø	
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		Ø	
15a. Are the access controls working (i.e. controlling access)?			
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?			
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle dis	mantling, fluid
17a. Cleaning daily.]
17b. Cleaning spills as they occur.			
17c. Collecting and properly disposing of absorbent materials.			

Reprinted (12/18)

6

Scanned by CamScanner

the lower collected and/or sta	red follow	vina bes	st mana	gement
 Have the following wastes been drained, removed, deployed, collected and/or sto practices, prior to vehicle crushing or shredding? 			T	-
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		Ø		
16b. Lead acid batteries.		\mathbf{A}		
18c. Mercury switches or other mercury containing devices, if any.		2		
18d. Refrigerants, if any.				
18e. Air bags.				
18f. PCB capacitors, if any.		KI,		
19. Are fluids stored separately & in containers that are compatible with their contents?		Ø		
20. Are fluids stored in closed containers?	O	Ø,	\square	
21. Are containers which contain waste fluids in good condition and not visibly leaking?		Ø		
22. Are containers clearly and legibly labeled to describe their contents?		\square		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		Ø	\square	
24. Are lead-acid batteries stored upright and off the ground?			\square	<u> </u>
25. Are lead-acid batteries covered to protect them from precipitation?		Ø		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		Ø		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\Box		·
27a. Are provisions in place to absorb any acid leakage?		\Box	Ø	
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		G		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		Ø		
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?	D	Ø		
31. If sent off-site, is used oil transported via a permitted hauler?		R	\Box	
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then an	swer 32s	., 32b.,	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?				
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	Ø			
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	Ø			

Reprinted (12/18)

	4			
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	Ø			
35. Are studges properly recycled or disposed?	M	\Box	\Box	
36. Are used oil filters properly drained, crushed or dismantled?		M		
37. Are drained oil filters properly recycled or disposed?				·····
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c. 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		ାସ		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		ସ		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		9		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?				pounds
				galions

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

COMMENTS? (Attach additional sheets if necessary)

Reprinted (12/18)



SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Signature <u>sed 150@ain.com</u> Email (Print or Type) <u>AV-</u>C 11435 797_Cell-917416-617 State and Zip

ſ

Reprinted (12/18)

9