VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT SUBMITTED BY

Submit the Annual Report no later than March 1, 2019. TABS CONSULTING GROUP

SUBMITED BY TABS CONSULTING GROUP 2018 (718) 492-6464

This annual report is for the year of operation from <u>January 01, 2018</u> to <u>December 31, 2018</u>

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION					
FACILITY NAME: ESPAILLAT MOTORS INC							
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:		
321 BARRETO STREET	BRON	1X		NY	10474		
FACILITY TOWN: FACILITY COUNTY: FACILITY PHONE NUMBER:							
BRONX	BRON	1X	718	-589-	-7376		
FACILITY NYS PLANNING UNIT: (A list of NY NEW YORK CITY	S Planning Un	its can be found at the end of t	his repor		SDEC EGION #: 2		
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7099162	☐ Motor	Vehicle Repair Shop		Mobile V	ehicle Crusher		
FACILITY CONTACT:	public	CONTACT PHONE	С	ONTACT	FAX NUMBER:		
FELIX GUZMAN		NUMBER: 718-589-7376	7	18-67	9-2040		
CONTACT EMAIL ADDRESS: WENALUIS@	AOL.COM						
	OWNER	INFORMATION					
OWNER NAME: ESPAILLAT MOTORS INC	OWNER P 718-589-	HONE NUMBER: -7376		79-204			
OWNER ADDRESS: 321 BARRETO STREET	OWNER C	CITY:		STATE: NY	ZIP CODE : 10474		
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADDRE	SS:				
FELIX GUZMAN	WENAL	.UIS@AOL.COM					
	OPERATO	RINFORMATION					
OPERATOR NAME: ☐ same as owner FELIX GUZMAN			1 -	□public ☑private			
	PREI	FERENCES					
Preferred address to receive correspondence: Other (provide):	Facility lo	cation address	Ov	vner addres:	S		
Preferred email address: Facility Contact Other (provide):	_ O	vner Contact					
Preferred individual to receive correspondence: Facility Contact Other (provide): Owner Contact							
Did you operate in 2018? Yes; Complete	e this form.						
☐ No; Complete	and submit	Sections 1 and 12.					

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	(==:0)
Provide the number of ELVs received from January 1 to December 31:	198
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	112
Provide the number of ELVs stored at the facility as of December 31:	112
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	72
Provide the approximate area used for the storage of vehicles (acres):	1acres
 Provide the names of scrap metal processors to which you sold or sent deceptions. SIMS METAL MGT 	commissioned ELVs:
1)	
2)	
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL11) 2) N/A	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL N/A	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1 1)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.</u> \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	20	35	30		LOCAL REPAIR FACILITIES
Used Oil** (gallons)		20	200		ENVIROWASTE, MAHOPAC, NY
Diesel Fuel (gallons)					
Gasoline (gallons)	20				
Engine Coolant/ Antifreeze (gallons)		35	130		ENVIROWASTE, MAHOPAC, NY
Window Washing Fluid (gallons)					
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

	Received	Stored On Site	Sent Off Site	Destination			
Material Types	(tons) (tons) NYS Planning Unit (or state if other than New York)	M	Scrap etal essor				
Ferrous Scrap Metal					□Yes	□No	
Aluminum Scrap Metal					□Yes	□No	
Lead Weights		N/A			Yes	□No	
Non – Ferrous Scrap Metal					□Yes	□No	
Other (specify):					□Yes	□No	
					□Yes	□No	
Provide the numbe H&TS) and antiloc	r of mercury-con k brake assemb	taining devices <u>rec</u> lies (ABS).		HES COLLECTED g but not limited to hood & trunk li	ghting sw	itches	
H&TS) and antiloc	r of mercury-con k brake assemb H&TS 0 (Number)	taining devices <u>rec</u> lies (ABS).	<u>overed</u> . Includin	g but not limited to hood & trunk li ABS (Number)	ghting sw	itches	
H&TS) and antiloc	r of mercury-con k brake assemb H&TS 0 (Number)	itaining devices <u>rec</u> lies (ABS).	<u>overed</u> . Includin	g but not limited to hood & trunk li ABS (Number)	ghting sw	itches	
H&TS) and antiloc	r of mercury-con k brake assemb H&TS 0 (Number)	itaining devices <u>rec</u> lies (ABS).	overed. Including	g but not limited to hood & trunk li ABS 0 (Number) ontaining devices:	ghting sw	itches	
H&TS) and antiloc	r of mercury-con k brake assemb H&TS 0 (Number) acility or permitte	staining devices reculies (ABS). ed transporter acce SECTION 6 —	overed. Including	g but not limited to hood & trunk li ABS 0 (Number) ontaining devices:		itches	
H&TS) and antiloc	r of mercury-conk brake assemb H&TS 0 (Number) facility or permitted	staining devices recollies (ABS). ed transporter acce	overed. Including pting mercury co	g but not limited to hood & trunk li ABS 0 (Number) ontaining devices:	ghting sw	itches	

Reprinted (12/18)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition. Number of Lead-Acid Batteries collected from ELVs:	88	_
Indicate permitted facility or permitted transporter accepting lead-acid batte	eries:	
TREMARCO BROS, NJ		
Any materials disposed must undergo a hazardous waste determination ar hazardous.	nd proper handling,	storage and disposal, if
SECTION 8 - WASTE TIRES CO	OLLECTED	
Number of waste tires stored on-site:	50	as of December 31
Number of used tires available for sale on-site:	50	as of December 31
Number of used tires sold:	22	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	670	during operating year
Indicate name of facility(ies) accepting waste tires:		
TREMARCO BROS, NJ		
SECTION 9 - SELF INSPEC	CTIONS	
Number of self-inspections conducted for the year:		4
Are self-inspection records up-to-date with inspector name, what was ir ✓ Yes ☐ No	nspected, time and	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas i ✓ Yes ☐ No	nspected for leaks/	spills?
SECTION 10 PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specifacility procedures)?	fic occurrences whi	ch have led to changes in
Yes No If yes, attach additional sheets identifying each problem	n and the methods	for resolution of the problem
SECTION 11 - CHANG	ES	
Were there any changes from approved reports, plans, specifications, a	and permit condition	rs?
Yes No If yes, attach additional sheets identifying changes with	h a justification for	each change.

Reprinted (12/18)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

				Date of Retain th
Wester Management Completes Chief III:	NA	V-	No	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
 Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or di Veways? 	V			
3. Have you recorded the date of receipt for all end-of-life vehicles received?		V		
4. Are the end-of-life vehicle records available on-site?		1		
 Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 		V		
6. Have all observed leaks been remedied or contained?		V		
7. Does your facility have a written Contingency Plan?		1		
8. Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the follow	ing?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		1		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		V		
11. Are all vehicle residues prevented from migrating from or running off your property?		V		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		V		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		1		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?				
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		1		
17. Are you doing the following with your concrete (or equivalent surface) pad that is draining crushing, etc.?	used for	vehicle	disma	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/18)

ı					Cale of Return to
		NA:	Vien	No	Compliance
	Weste Management Compliance Checklist		vina he	. 100	
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follow	Villy be.	Stillane	igenion:
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.		1		
	18d. Refrigerants, if any.		1		
	18e. Air bags.	1			
	18f. PCB capacitors, if any.	1			
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22.	Are containers clearly and legibly labeled to describe their contents?		1		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		1		
24.	Are lead-acid batteries stored upright and off the ground?		1		
25.	Are lead-acid batteries covered to protect them from precipitation?		1		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		1		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		1		
31.	If sent off-site, is used oil transported via a permitted hauler?		1		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answer	wer 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	V			
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	1			

Waste Management Compliance Checklist	NA.	Yes	No	Date of Return to Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		V		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	7			
35. Are sludges properly recycled or disposed?	1			
36. Are used oil filters properly drained, crushed or dismantled?		1		
37. Are drained oil filters properly recycled or disposed?		1		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c. 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		V		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		V		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		0		pounds
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) NONE AWARE OF				
(Attach additional sheets as necessary.)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

b(2) of the Environmental Conservation Law and s	ection 210.45 of the Penai Law
Signature	3/1/19 Date
Felia Guzman	President
Name (Print or Type)	Title (Print or Type)
wendnis @as Email (Print o	
321 BAMETTO St	Bnows
Address	City
State and Zip	716,579_7376 Phone Number

ATTACHMENTS:	YES	NO