VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION			
FACILITY NAME:					
Cheapy Auto Parts, In					
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:
127-61 Willets Pt. Blvd	d. Coror	na		NY	11368
FACILITY TOWN:	FACILITY	COUNTY:			IE NUMBER:
Corona	Quee	ns	718	-533-	-8275
FACILITY NYS PLANNING UNIT: (A lis New York City - Queens	st of NYS Planning Un	its can be found at the end o	f this repor	NY RE	SDEC GION #: 2
FACILITY TYPE: Vehicle Dismantl DMV I.D. #7111855	ler Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher
FACILITY CONTACT:	public	CONTACT PHONE	С	ONTACT	FAX NUMBER:
Issic Cohen	private	NUMBER: 718-533-8275			
CONTACT EMAIL ADDRESS:					-
	OWNER	INFORMATION			
OWNER NAME: Issic Cohen	OWNER F 718-533	HONE NUMBER: 3-8275	OWNE	R FAX N	JMBER:
OWNER ADDRESS: 127-61 Willets Pt. Blvd	OWNER C Corona	CITY:		STATE: NY	ZIP CODE: 11368
OWNER CONTACT: Issic Cohen	OWNER C	ONTACT EMAIL ADDR	ESS:		
	OPERATO	R INFORMATION			
OPERATOR NAME: same as a	owner]public]private	
	PRE	FERENCES			
Preferred address to receive correspond Other (provide):	dence: 🔽 Facility lo	cation address	Ov	vner address	
Preferred email address: Facility Co	ntact 0	wner Contact			
Preferred individual to receive corresponding Other (provide):	ndence: Facili	ty Contact Owr	ner Contact		
Did you operate in 2018? Yes; Co	omplete this form.				,
☐ No; Co	mplete and submit	Sections 1 and 12.			

	110
Provide the number of ELVs received from January 1 to December 31:	148
Provide the number of ELVs crushed and/or removed from the facility	69
from January 1 to December 31:	70
Provide the number of ELVs stored at the facility as of December 31:	
Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:	70
at any one time non bandary i to becember 51.	
Provide the approximate area used for the storage of vehicles (acres):	16000sqf acres
Provide the names of scrap metal processors to which you sold or sent dec	ommissioned ELVs:
Gershow Recycling	
2)	
3)	
3)	
	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	S (ELVs) PROCESSED
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3:	69
• Provide the names of each facility where you crushed decommissioned ELVs	69
Provide the names of each facility where you crushed decommissioned ELVs	69
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs. Gershow Recycling	69
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs. Gershow Recycling	69
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs. Gershow Recycling	69
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs. Gershow Recycling 2) 3)	69
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) Gershow Recycling 2) 3) 4)	69
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs. Gershow Recycling 2) 3)	69

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.</u> $\sqrt[4]{s}$ or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)			20 lbs		Corona radiator
Used Oil** (gallons)			200 gal	-	Tri-City recycling
Diesel Fuel (gallons)					
Gasoline (gallons)	700 gal				
Engine Coolant/ Antifreeze (gallons)			110 gal		Tri-city recycling
Window Washing Fluid (gallons)	60 gal				
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

Ferrous Scrap Metal Aluminum Scrap Metal Lead Weights Non – Ferrous Scrap Metal Other (specify):		Describeral	04	S4 Off 6!44	Destination		
Aluminum Scrap Metal Lead Weights Non – Ferrous Scrap Metal Other (specify): SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10	aterial Types				NYS <u>Planning Unit (</u> or state if other than New York)	Me	Scrap etal essor
Scrap Metal Lead Weights Non – Ferrous Scrap Metal Other (specify): SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10				74		Yes	□No
Non – Ferrous Scrap Metal Other (specify): SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10						□Yes	□No
Scrap Metal Other (specify): SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10	ad Weights					□Yes	□No
SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10						□Yes	□No
SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10 ABS (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices:	ner (specify):					□Yes	□No
Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting s (H&TS) and antilock brake assemblies (ABS). H&TS 10 ABS (Number) (Number)						□Yes	□No
				epting mercury co	(Number)		
SECTION 6 – AIR BAGS COLLECTED			SECTION 6 -	- AIR BAGS (COLLECTED		
Provide the number of air bags <u>recovered</u> .	vide the number o	of air bags <u>rec</u>		AIR BAGG			
Number of Air Bags Removed: 102 Number of Air Bags Deployed: 100	nber of Air Bags	Removed:	102	Num	ber of Air Bags Deployed:	100	
Indicate permitted facility or permitted transporter accepting air bags:					9 , ,		

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.	100	
Number of Lead-Acid Batteries collected from ELVs:		_
ndicate permitted facility or permitted transporter accepting lead-acid batte	ries:	
Alpha recycling		
Any materials disposed must undergo a hazardous waste determination ar hazardous.	nd proper handling,	storage and disposal, if
SECTION 8 – WASTE TIRES CO		
Number of waste tires stored on-site:	20	as of December 31
Number of used tires available for sale on-site:	200	as of December 31
Number of used tires sold:	300	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	0	during operating year
Indicate name of facility(ies) accepting waste tires:		
SECTION 9 – SELF INSPECTION Number of self-inspections conducted for the year:	TIONS	12
Are self-inspection records up-to-date with inspector name, what was in ✓ Yes No	nspected, time and	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas i ☑Yes ☐No	nspected for leaks	/spills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specifacility procedures)?	fic occurrences wh	ich have led to changes in
Yes No If yes, attach additional sheets identifying each problem	n and the methods	for resolution of the problem
SECTION 11 - CHANG	ES	
Were there any changes from approved reports, plans, specifications, a	and permit conditio	ns?
Yes No If yes, attach additional sheets identifying changes with	h a justification for	each change.

Reprinted (12/18)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
 If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage? 	V			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		~		
4. Are the end-of-life vehicle records available on-site?		V		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		V		
6. Have all observed leaks been remedied or contained?		V		
7. Does your facility have a written Contingency Plan?		V		
8. Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		V		
11. Are all vehicle residues prevented from migrating from or running off your property?		V		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		V		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		V		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		V		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		1		
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		1		
17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/18)

N. Professional	and the second s		e e sa		
					Date of Return to
		NI A	Vaa	Na	
	Waste Management Compliance Checklist	NA	res	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d follov	ving bes	st mana	igement
	axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V		
	18b. Lead acid batteries.		V		
	18c. Mercury switches or other mercury containing devices, if any.		7		
	18d. Refrigerants, if any.		~		
	18e. Air bags.		V		
	18f. PCB capacitors, if any.		V		
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		V		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22.	Are containers clearly and legibly labeled to describe their contents?		V		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24.	Are lead-acid batteries stored upright and off the ground?		V		
25.	Are lead-acid batteries covered to protect them from precipitation?		V		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		~		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		V		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31.	If sent off-site, is used oil transported via a permitted hauler?		V		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	V			

32c. Are combustion gases from used oil space heaters vented to the outside ambient air?

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		V		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	V			
85. Are sludges properly recycled or disposed?	1			
66. Are used oil filters properly drained, crushed or dismantled?		V		
7. Are drained oil filters properly recycled or disposed?		1		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		V		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		V		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V	1	
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is he maximum amount of this material that your facility generates in any calendar month?		()	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary) NONE				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Signature	February 28, 2019 Date
Issic Cohen Name (Print or Type)	President Title (Print or Type)
Email	(Print or Type)
127-61 Willets Pt. Blvd	Corona
NY 11368 State and Zip	718 533 82 7 5

	!	l
ATTACHMENTS:	YES	NO