VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Septimine congel Centri de terre alem centre a 2009.

This annual report is for the year of operation from <u>January 01, 2018</u> to <u>December 31, 2018</u>

SECTION 1 - FACILITY INFORMATION

FACILITY INFORMATION							
FACILITY NAME:							
PHM MOTO Part 5 Wrecds FACILITY LOCATION ADDRESS:	15210	ice to sed Car	15				
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:		
66/2 State Huy 12 FACILITY TOWN:	Nova	usch			13815		
FACILITY TOWN:	FACILITY	COUNTY:			IE NUMBER:		
North Narusch	Cher	1 aux, c	6	67-33	4-7625		
FACILITY NYS PLANNING UNIT: (A list of NYS Flanning Units can be found at the end of this report). NYSDEC REGION #: 7							
FACILITY TYPE: 🗷 Vehicle Dismantler	Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher		
DMV I.D. #_6078967			udan kakunda naribirkinda				
FACILITY CONTACT: public CONTACT PHONE CONTACT FAX NUMBER: NUMBER: 3347-625							
CONTACT EMAIL ADDRESS:							
OWNER INFORMATION							
OWNER NAME:	OWNER P	HONE NUMBER:	OWNE	ER FAX NU	JMBER:		
Michael Donelly, OWNER ADDRESS:		334-7625					
OWNER ADDRESS:	OWNER C			STATE:	ZIP CODE:		
66/2 State Hay 12 OWNER CONTACT:	Norwi	こと ONTACT EMAIL ADDRE		/ Y , Z -	13515		
	OPERATO	RINFORMATION			· · · · · · · · · · · · · · · · · · ·		
OPERATOR NAME: Same as owner public private							
PREFERENCES							
Preferred address to receive correspondence: Facility location address Other (provide): Owner address							
Preferred email address: Facility Contact Other (provide):		vner Conlact					
Preferred individual to receive correspondence: Facility Contact Owner Contact Other (provide):							
					-		
Did you operate in 2018? 🛮 Yes; Complete	e this form.				i k		
No; Complete and submit Sections 1 and 12.							

 Provide the number of ELVs received from January 1 t 	to December 31:	40	_
 Provide the number of ELVs crushed and/or removed from January 1 to December 31: 	from the facility	25	
Provide the number of ELVs stored at the facility as of	December 31:	_ 30	_
 Provide the highest number of ELVs stored at the facili at any one time from January 1 to December 31: 	ity	40	
Provide the approximate area used for the storage of v	vehicles (acres):	_ 4	_ acres
Provide the names of scrap metal processors to which	you sold or sent o	ecommissioned ELV	S :
1) Otseas Ade Groshers			
2) whitmas	-		
3)			
3)			
		ES (ELVs) PROC	ESSED
SECTION 2B MOBILE CRUSHERS - END-OF	-LIFE VEHICL	ES (ELVs) PROC	ESSED
SECTION 2B MOBILE CRUSHERS - END-OF Provide the number of ELVs crushed from January 1 to	-LIFE VEHICL		ESSED
• Provide the number of ELVs crushed from January 1 to	-LIFE VEHICL o December 3: lecommissioned E		ESSEC
• Provide the number of ELVs crushed from January 1 to • Provide the names of each facility where you crushed d	-LIFE VEHICL o December 3: lecommissioned E		ESSEC
• Provide the number of ELVs crushed from January 1 to • Provide the names of each facility where you crushed d 1)	-LIFE VEHICL o December 3: lecommissioned E		ESSEC
• Provide the number of ELVs crushed from January 1 to • Provide the names of each facility where you crushed d 1)	-LIFE VEHICL o December 3: lecommissioned E		ESSEC
• Provide the number of ELVs crushed from January 1 to • Provide the names of each facility where you crushed d 1)	-LIFE VEHICL		ESSEC
SECTION 2B MOBILE CRUSHERS - END-OF Provide the number of ELVs crushed from January 1 to Provide the names of each facility where you crushed d	-LIFE VEHICL		ESSEC

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. $\sqrt[4]{s}$ or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid	Fluid Volume Destination Name & A				
Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
	maind					
	20 Ecc/s					
	300 cats					
	10 64K					
	on-site (oil heater, etc.)	Used on-site (oil heater, etc.) Stored on-site at year-end 1 1 Fant 300 Cack 10 Caks	Used on-site (oil heater, etc.) Stored on-site at year-end 117 Acrost 300 Cack 10 Caks	Used on-site (oil heater, etc.) Stored on-site at year-end Note at year-end Sold/ Recycled off-site* Disposed off-site* Accept 300 cats 10 cats		

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil. Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	On Site Sent Off Site					
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	Me	Scrap etal essor		
Ferrous Scrap Metal					∐Yes	□No		
Aluminum Scrap Metal	1/2	14	1/4	otoego bulocirus krs	√Yes	□No		
Lead Weights					∐Yes	□No		
Non – Ferrous Scrap Metal	1/2	1/4	1/4	Otsego Auto Crushes	⊠Yes	□No		
Other (specify):		•			∐Yes	□No		
					□Yes	□No		
SECTION 5 - MERCURY SWITCHES COLLECTED								

Provide the number of mercury-containing devices <u>recovered</u> (H&TS) and antilock brake assemblies (ABS).	ad. Including but not limited to hood & trunk	lighting switches
H&TS _/5 (Number)	ABS(Number)	
Indicate permitted facility or permitted transporter accepting	mercury containing devices;	
SECTION 6 - AIR	BAGS COLLECTED	
Provide the number of air bags recovered.		
Number of Air Bags Removed:	Number of Air Bags Deployed:	
Indicate permitted facility or permitted transporter accepting	air bags:	

Danringad /101101

Dec 13 08 04:37a

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	3	
Indicate permitted facility or permitted transporter accepting lead-acid batte	eries:	
Any materials disposed must undergo a hazardous waste determination an hazardous.	nd proper handling, sto	orage and disposal, if
SECTION 8 - WASTE TIRES CO	DLLECTED	
Number of waste tires stored on-site:	700	as of December 31
Number of used tires available for sale on-site:	100	as of December 31
Number of used tires sold:	_None_	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:		during operating year
Indicate name of facility(ies) accepting waste tires:		
SECTION 9 — SELF INSPEC Number of self-inspections conducted for the year:	TIONS	
Are self-inspection records up-to-date with inspector name, what was ins	- spected, time and dat	e of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in	spected for leaks/spil	is?
SECTION 10 - PROBLEM	MS	****
Were any problems encountered during the reporting period (e.g., specific facility procedures)?	c occurrences which h	nave led to changes in
Yes No If yes, attach additional sheets identifying each problem	and the methods for i	resolution of the problem
SECTION 11 - CHANGE	S	
Were there any changes from approved reports, plans, specifications, an	d permit conditions?	
Yes No If yes, attach additional sheets identifying changes with	a justification for eacl	n change.

Damintad /40/40\

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?			
3. Have you recorded the date of receipt for all end-of-life vehicles received?			
4. Are the end-of-life vehicle records available on-site?			11 11 11 11 11 11 11 11 11 11 11 11 11
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?	[x		
6. Have all observed leaks been remedied or contained?			
7. Does your facility have a written Contingency Plan?			
8. Are facility personnel trained to implement the Contingency Plan?			
9. Does your Contingency Plan include actions to be taken in the event of the follow	ving?	•	
9a. Fire.			
9b. Spill or release of vehicle waste fluids.			
9c. Unauthorized material received at facility.			
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?			
11. Are all vehicle residues prevented from migrating from or running off your property?			
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?			
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?			
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		司	
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?			
15a. Are the access controls working (i.e. controlling access)?			
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?			
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	used for vehicle of	lismantli	ng, fluid
17a. Cleaning daily.		Image: section of the	
17b. Cleaning spills as they occur.			
17c. Collecting and properly disposing of absorbent materials.			

	-	÷ •	-		·
18.	Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	ed follo	wing be	est mai	nagement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).				
	18b. Lead acid batteries.		X		
	18c. Mercury switches or other mercury containing devices, if any.		X		
	18d. Refrigerants, if any.		K		
	18e. Air bags.	X			
	18f. PCB capacitors, if any.	11	×		
19.	. Are fluids stored separately & in containers that are compatible with their contents?		X		
20.	Are fluids stored in closed containers?		X		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		Ж		
22.	Are containers clearly and legibly labeled to describe their contents?		办		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24.	Are lead-acid batteries stored upright and off the ground?		X		
25.	Are lead-acid batteries covered to protect them from precipitation?		X		
	Are all lead-acid batteries sent for recycling within one-year of receipt?		X		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		×		
	27a. Are provisions in place to absorb any acid leakage?		K		
	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?				
	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	X			
	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		X		
	If sent off-site, is used oil transported via a permitted hauler?		X		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	X			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	X			
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	X	\Box		

(Attach additional sheets as necessary.)	
COMMENTS? (Attach additional sheets if necessary)	
	

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannuaireport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

M. LOSO	2/24/19
Signature	/Date
Michael Donnelly	フωn モマ
Name (Print or Type)	Title (Print or Type)
Email (Pr	rint or Type)
6612 State Hwy 12	Norwich
Address	City
<u> </u>	(607) 334-7625 Phone Number

ATTACHMENTS YES		NO