# VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from <u>January 01, 2018</u> to <u>December 31, 2018</u>

**SECTION 1 – FACILITY INFORMATION** 

	FACILITY	INFORMATION			rationidae Balantalise	
FACILITY NAME:	4 ) 4 6	11 / 17				
Vander Wal S	ALU	AGE				
FACILITY LOCATION ADDRESS:	FACILITY			STA	TE:	ZIP CODE:
2205 Crumb HILLRD	DE	Ruyter		<u>//</u> /	<i>Y</i>	13052
FACILITY TOWN:	FACILITY	COUNTY:	FACIL	ITY I	PHONE NUMBER:	
De RUYter	MA	0150h	315_		8	52-4040
FACILITY NYS PLANNING UNIT: (A list of NYS	, ,		his repor	n.	1 '	SDEC SION #:
11 40150n		Un + 4	<u></u>			
FACILITY TYPE: Vehicle Dismantler	☐ Motor	Vehicle Repair Shop		Mobi	ie Vel	nicle Crusher
DMV I.D. #	<u> </u>					
FACILITY CONTACT:	public	CONTACT PHONE		ONT	ACT	FAX NUMBER:
RAY Vander Wal	private	NUMBER: 852-96	40			
CONTACT EMAIL ADDRESS:						
	OWNER	INFORMATION			wa in	
OWNER NAME: RAY van Jer Wal		HONE NUMBER: 852_9640	OWNE	R F	AX NU	IMBER:
OWNER ADDRESS: ,	OWNER C	ITY:		STA	TE:	ZIP CODE:
2205 Crumb HILL RD	1)e	RUYTER		$\mathcal{N}$	У	13859
OWNER CONTACT:		ONTACT EMAIL ADDRE		,	•	
RAY VANDER Wal MVANder Wal. Front						.com
	OPERATO	RINFORMATION		200		
OPERATOR NAME: Same as owner				pu ⊠pri		
	PRE	ERENCES		g(\$\frac{1}{2}\)		
Preferred address to receive correspondence:	Facility los	cation address	<b>□</b> 0	vner e	ddress	
Preferred email address: 🏻 Facility Contact	[]o	vner Contact				
Preferred individual to receive correspondence  Other (provide):	e: 🌠 Facilit	y Contact Owner	Contact			
Did you operate in 2018? Yes; Complete	this form.					
No; Complete and submit Sections 1 and 12.						

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	(ELVs) PROCESSED
Provide the number of ELVs received from January 1 to December 31:	NONE
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	NONe
Provide the number of ELVs stored at the facility as of December 31.	188
<ul> <li>Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:</li> </ul>	188
Provide the approximate area used for the storage of vehicles (acres):	
Provide the names of scrap metal processors to which you sold or sent decrease.	ommissioned ELVs:
1)	
2)	
3)	
<u> </u>	l
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	(ELVs) PROCESSED
	(ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES  • Provide the number of ELVs crushed from January 1 to December 3:	NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES  - Provide the number of ELVs crushed from January 1 to December 3:  - Provide the names of each facility where you crushed decommissioned ELV	NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES  • Provide the number of ELVs crushed from January 1 to December 3:  • Provide the names of each facility where you crushed decommissioned ELV  1)	NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES  • Provide the number of ELVs crushed from January 1 to December 3:  • Provide the names of each facility where you crushed decommissioned ELV  1)	NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES  - Provide the number of ELVs crushed from January 1 to December 3:  - Provide the names of each facility where you crushed decommissioned ELV  1)	NONE

#### **SECTION 3 - WASTE FLUIDS RECOVERED**

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e.  $\sqrt{s}$  or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid '	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oli heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)		6			
Used Oil** (galfons)	111111111111111111111111111111111111111	200			
Diesel Fuel (gallons) /// O/V C		,			·
Gasoline (VONC	<b>" '</b>				
Engine Coolant/ Antifreeze (gallons)		25			
WindowWashing Fluid (galions) (べのかぐ					
Other (specify)					

 <sup>\*</sup> Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

<sup>\*\*</sup> Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

### **SECTION 4 - SCRAP METAL**

Material Types Receive (tons)		Stored On Site	Sent Off Site	Destination					
	(tons)			NYS <u>Planning Unit (</u> or s other than New Yor	tate if k)	, Me	Scrap etal essor		
Ferrous Scrap Metal	O		61			⊠Yes	□No		
Aluminum Scrap Metal	0					□Yes	□No		
Lead Weights	0					∐Yes	□No		
Non – Ferrous Scrap Metal	0					□Yes	□No		
Other (specify):						∐Yes	∐No		
						□Yes	□No		
Provide the number (H&TS) and antilock Indicate permitted fa	of mercury-con brake assembl H&TS (Number)	taining devices <u>rec</u> lies (ABS).	<u>overed</u> . Includin	HES COLLECTED  ag but not limited to hood &  ABS (Number)  ontaining devices:	trunk lig	ghting sw	itches		
Provide the number Number of Air Bags Indicate permitted fa	Removed:		_ Nurr	OLLECTED  ber of Air Bags Deployed:		0			

## SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.	
Number of Lead-Acid Batteries collected from ELVs:	
Indicate permitted facility or permitted transporter accepting lead-acid batteries:	
Any materials disposed must undergo a hazardous waste determination and proper handling, sto hazardous.	rage and disposal, if
SECTION 8 – WASTE TIRES COLLECTED	
Number of waste tires stored on-site: 12.5	as of December 31
Number of used tires available for sale on-site:	as of December 31
Number of used tires sold:	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	- during operating year
Indicate name of facility(ies) accepting waste tires:	
SECTION 9 SELF INSPECTIONS	
Number of self-inspections conducted for the year:	•
Are self-inspection records up-to-date with inspector name, what was inspected, time and date ☑Yes ☐No	e of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spill Yes  No	s?
SECTION 10 - PROBLEMS	
Were any problems encountered during the reporting period (e.g., specific occurrences which to facility procedures)?	nave led to changes in
Yes No if yes, attach additional sheets identifying each problem and the methods for	resolution of the problem
SECTION 11 - CHANGES	
Were there any changes from approved reports, plans, specifications, and permit conditions?	
Yes No If yes, attach additional sheets identifying changes with a justification for each	h change.

## **SECTION 12 - COMPLIANCE CERTIFICATION**

#### As of December 31, 2018:

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	X			
2.	ls a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		X		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		X		
4.	Are the end-of-life vehicle records available on-site?		Ø		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		X		
6.	Have all observed leaks been remedied or contained?		M		
7.	Does your facility have a written Contingency Plan?				
8.	Are facility personnel trained to implement the Contingency Plan?		X		
9.	Does your Contingency Plan Include actions to be taken in the event of the followin	ig?			
	9a. Fire.		X		
	9b. Spill or release of vehicle waste fluids.		M		
	9c. Unauthorized material received at facility.		X		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		X		
11.	Are all vehicle residues prevented from migrating from or running off your property?		X		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		X		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		X		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		X		
	15a. Are the access controls working (i.e. controlling access)?		X		
1	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		X		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.				
	17b. Cleaning spills as they occur.		X		
	17c. Collecting and properly disposing of absorbent materials.				

_	-
	1
,	,
,	

				Date of Return to
M.L.	Waste Management Compliance Checklist	NA	Yes	No Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follov	ving bes	t management
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		X	
	18b. Lead acid batteries.		X	
	18c. Mercury switches or other mercury containing devices, if any.		X	
	18d. Refrigerants, if any.		X	
	18e. Air bags.		X	
	18f. PCB capacitors, if any.		X	
19.	Are fluids stored separately & in containers that are compatible with their contents?		X	
20.	Are fluids stored in closed containers?		X	
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		X	
22.	Are containers clearly and legibly labeled to describe their contents?		M	
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		Image: section of the later and the later an	
24.	Are lead-acid batteries stored upright and off the ground?		X	
25.	Are lead-acid batteries covered to protect them from precipitation?		X	
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		X	
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		図	
	27a. Are provisions in place to absorb any acid leakage?		ТХЦ	
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		X	
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		X	
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		X	
31.	If sent off-site, is used oil transported via a permitted hauler?		X	
32	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b., 3	32c:
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		X	
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		Ø	
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?			

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		区		""
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?				
35. Are sludges properly recycled or disposed?				
36. Are used oil filters properly drained, crushed or dismantled?		X		
37. Are drained oil filters properly recycled or disposed?				
<ol> <li>If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:</li> </ol>				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	X			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?	Ŋ A	f  -		pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)				

#### SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260

Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Offy a d Will Signature	2 - 14 - 19 Date
RAY VAN DER WAL	DWNER Title (Print or Type)
YVANDER WAL 3 Email (Print o	Eron-Her, Com.
2205 Crumb HILIR	D DE RUY-ter
NY 13052 State and Zip	315, 852_9640 Phone Number

YES	$\square$ NO	,
	YES_	YES NO



Department of Environmental Conservation FAX 518-402-9041

DEPA	RTMEN	IT USE ONLY
DEC ACTIVITY	#	
DATE VALIDAT	ED	
EXPIRATION D	ATE	

**DIVISION OF MATERIALS MANAGEMENT** 

# TRANSITION REGISTRATION APPLICATION FORM FOR VEHICLE DISMANTLING FACILITIES AND SCRAP METAL PROCESSORS

Please read attached instructions (found at the end of this document) before completing this application. This is not a UPA permit. Solid waste management facility operations are not authorized until a registration is validated by the Department. Attach all required information to this form, as described in the instructions.

·		<u> </u>
1. FACILITY INFORMATION		
Facility Name Vanderwals-Salvage & Motor-Vehiele Pealer	Facility Address 22052520mb3HIIRtoad	
City/Town Dengyter, NY	Zip Code Phone	DEC Region
NYTM-E Coordinate NYTM-N Coordinate 75,4343	DEC Activity Numbe	r
2. FACILITY OWNER		
Owner Name Ray Vandenval	Owner Address 2205:@tumbi-jijj:Road	
City/Town/State/Zip Code peruvier, NY 18052		r Email enval@tweny.com
3. FACILITY OPERATOR		
Operator Name same as facility owner	Operator Address	
City/Town/State/Zip Code	Operator Phone Opera	etor Email
4. SITE OWNER		
Site Owner Name Same as facility owner	Site Owner Address	
City/Town/State/Zip Code	Site Owner Phone Site C	)wner Email
5. PREFERRED CONTACT		
Facility Owner	□ Other (provide):	
6. FACILITY OPERATING HOURS CLOSED		
7. SERVICE AREA List all municipalities within the service area of th	e facility	
8. REGISTRATION TYPE		
Facility Type (check all applicable)		
Vehicle Dismantling Facility – Receive < 25 ELVs/year and store < 50 ELVs on-site at any time [361-7.3(a)(2)]	Vehicle Dismantling Facility - 50 ELVs on-site at any time [	Receive > 25 ELVs/year or store > 361-7.3(b)(2)]
☐ Motor Vehicle Repair Shop — Store 26-50 ELVs on-site at any time [361-7.3(a)(1)]	☐ Motor Vehicle Repair Shop - [361-7.3(b)(1)]	Store > 50 ELVs on-site at any time
☐ Scrap Metal Processors [361-7.3(a)(3)]	☐ Mobile Vehicle Crusher [361	-7.8(b)(3)]