VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE

CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

.

SECTIO	ON 1 – FA	CILITY INFORMATIO	N			
	FACILITY	INFORMATION				
FACILITY NAME: Darien Auto Parts						
FACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:					ZIP CODE:	
1213 Broadway Road	Darien Center NY 14040				14040	
FACILITY TOWN: FACILITY COUNTY: FACILITY PHONE NUMBER:						
Darien Center Genesee 585-547-2221						
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC GLOW Region Solid Waste Management Committee REGION #:						
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7002973	Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher	
FACILITY CONTACT: Dennis Bialkowski	☐ public ✓ private	CONTACT PHONE NUMBER: 585-547-2221			FAX NUMBER: 7-2222	
CONTACT EMAIL ADDRESS:						
OWNER INFORMATION						
OWNER NAME:OWNER PHONE NUMBER:OWNER FAX NUMBER:Dennis Bialkowski585-547-2221585-547-2222						
OWNER ADDRESS: 1213 Broadway RoadOWNER CITY: Darien CenterSTATE: NYZIP CODE: 14040						
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS:						
Same	Parts@	DarienAutoParts.	com			
OPERATOR INFORMATION						
OPERATOR NAME: same as owner public private						
PREFERENCES						
Preferred address to receive correspondence Other (provide):	: 🔲 Facility lo	cation address	 ✓ Oı 	wner address		
Preferred email address: Facility Contact Other (provide):						
Preferred individual to receive correspondence: Facility Contact Owner Contact Other (provide):						
Did you operate in 2018? Yes; Complete	e this form.					
No; Complete and submit Sections 1 and 12.						
Reprinted (12/18)		RECE NYS L	IVED DEC		<u> </u>	
FEB 28 2019						

DIV. OF MATERIALS MANAGENE

1

Provide the number of ELVs received from January 1 to December 31:	65
 Provide the number of ELVs crushed and/or removed from the facility 	83
from January 1 to December 31:	
• Provide the number of ELVs stored at the facility as of December 31:	1532
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	1512
 Provide the approximate area used for the storage of vehicles (acres): 	15acres
• Provide the names of scrap metal processors to which you sold or sent dec	ommissioned ELVs:
₂₀ Twin Village Recycling	
2)	
3)	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	6 (ELVs) PROCESSE
	6 (ELVs) PROCESSE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV 1) 2) 3) 4)	

Reprinted (12/18)

•

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. $\sqrt{15}$ or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
-

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Metericity Received Stored On Site Sent Off S		Samt Off Site	Destination			
Material Types	(tons)	ons) (tons) (tons) NYS <u>Plan</u>		NYS <u>Planning Unit (</u> or state if other than New York)		
Ferrous Scrap Metal	230.9		219.8	GLOW Region Solid Waste Management (⊡Yes	□No
Aluminum Scrap Metal	2.5		15.5	GLOW Region Solid Waste Management (Yes	□No
Lead Weights					□Yes	□No
Non – Ferrous Scrap Metal					□Yes	No
Other (specify):					□Yes	□No
			A M		□Yes	□No

SECTION 5 – MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

_{н&тs} 30 (Number)

ABS	0
(Numbe	r)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

SECTION	6 – AIR	BAGS	COLLECTED	

Number of Air Bags Removed:	None	Number of Air Bags Deployed:	None
Indicate permitted facility or permitted	transporter accepting	air bags:	

Reprinted (12/18)

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

00

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Diamond Hurwitz

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 – WASTE TIRES COLLECTED

Number of waste tires stored on-site:	550	as of December 31
Number of used tires available for sale on-site:	90	as of December 31
Number of used tires sold:	40	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	300	during operating year

Indicate name of facility(ies) accepting waste tires:

WNY Tire Inc.

SECTION 9 – SELF INSPECTIONS				
Number of self-inspections conducted for the year:				
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? ☐Yes ☐No				
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? ☐ Yes ☐ No				
SECTION 10 – PROBLEMS				
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?				
Yes No If yes, attach additional sheets identifying each problem and the methods for resolution of the problem				
SECTION 11 – CHANGES				
Were there any changes from approved reports, plans, specifications, and permit conditions?				
Yes No If yes, attach additional sheets identifying changes with a justification for each change.				

Reprinted (12/18)

SECTION 12 – COMPLIANCE CERTIFICATION

As of December 31, 2018:

Waste Management Compliance Checklist				Date of Return to
		Yes	NIO I	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	\checkmark			
 Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways? 				
3. Have you recorded the date of receipt for all end-of-life vehicles received?		\checkmark		
4. Are the end-of-life vehicle records available on-site?		\checkmark		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		\checkmark		
6. Have all observed leaks been remedied or contained?				
7. Does your facility have a written Contingency Plan?		\checkmark		
8. Are facility personnel trained to implement the Contingency Plan?		\checkmark		
9. Does your Contingency Plan include actions to be taken in the event of the followir	ng?	•		.
9a. Fire.		\checkmark		
9b. Spill or release of vehicle waste fluids.		\checkmark		
9c. Unauthorized material received at facility.	\checkmark			
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		I		
11. Are all vehicle residues prevented from migrating from or running off your property?		\checkmark		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?	\checkmark			
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		\checkmark		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		\checkmark		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		\checkmark		
15a. Are the access controls working (i.e. controlling access)?		\checkmark		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		1		
 Are you doing the following with your concrete (or equivalent surface) pad that is urdraining, crushing, etc.? 	sed for	vehicle	dismai	ntling, fluid
17a. Cleaning daily.		1		
17b. Cleaning spills as they occur.		1		
17c. Collecting and properly disposing of absorbent materials.		\checkmark		

Reprinted (12/18)

.

0211101020349-001	1000000	5	
6	100	840.54 200	
8 23 5 1 1 5 1 36	6 1 1 1 2	4 9	1853838
Date	A. 53.	Becomberger	A distantia chie

Services:	77000			~~~~			
Sec. 1	Сc	111	1	10.1		127	186
	Sec.	ىقىقىغ	1.24		3.	in the second	200

1	Waste Management Compliance Checklist	NA	Yes	. No	Compliance		
18	3. Have the following wastes been drained, removed, deployed, collected and/or stored following best management practices, prior to vehicle crushing or shredding?						
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).						
	18b. Lead acid batteries.		\checkmark				
	18c. Mercury switches or other mercury containing devices, if any.		\checkmark				
	18d. Refrigerants, if any.		1				
	18e. Air bags.		\checkmark				
	18f. PCB capacitors, if any.		1				
19	. Are fluids stored separately & in containers that are compatible with their contents?		\checkmark				
20	Are fluids stored in closed containers?		1				
21	Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark				
22	Are containers clearly and legibly labeled to describe their contents?		\checkmark				
23	. Are containers stored on a bermed pad constructed of concrete or equivalent material?		\checkmark				
24	Are lead-acid batteries stored upright and off the ground?		1				
25	Are lead-acid batteries covered to protect them from precipitation?		\checkmark				
26	. Are all lead-acid batteries sent for recycling within one-year of receipt?		\checkmark				
27	. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\checkmark				
	27a. Are provisions in place to absorb any acid leakage?		1				
28	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		$\overline{\mathbf{V}}$				
29	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	\checkmark					
30	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?						
31	. If sent off-site, is used oil transported via a permitted hauler?						
32	32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answer 32a., 32b., 32c.						
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?						
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?						
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		\checkmark				

		- 14 - 14		Date of Return to	
Waste Management Compliance Checklist	NA	Yes	No	Compliance	
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		\checkmark			
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	\checkmark				
35. Are sludges properly recycled or disposed?	\checkmark				
36. Are used oil filters properly drained, crushed or dismantled?	 ✓ 				
37. Are drained oil filters properly recycled or disposed?	1				
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:					
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?					
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	\checkmark				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	\checkmark				
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		N/A pounds			
			N// \	gallons	

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

No

.

COMMENTS? (Attach additional sheets if necessary)

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Nemics EBlacksorki 2/22/19

Dennis E. Bialkowsł

Name (Print or Type)

Title (Print or Type)

Owner

parts@darienautoparts.com

Email (Print or Type)

1213 Broadway Roa

Darien Center

City

Address

State and Zip

58,5472221

Phone Number

ATTACHMENTS: YES NO

NY, 14040

Reprinted (12/18)